

1. POST

POST http://127.0.0.1:8000/

GET http://127.0.0.1:8000/

PUT http://127.0.0.1:8000/

PATCH http://127.0.0.1:8000/

DEL http://127.0.0.1:8000/

+

...

No Environment

http://127.0.0.1:8000/employee/

Save

Send

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

1

2

3

4

5

6

1

2

3

4

5

6

Body

Cookies

Headers (10)

Test Results

Status: 201 Created

Time: 117 ms

Size: 423 B

Save as Example

Pretty

Raw

Preview

Visualize

JSON

1

2

3

4

5

6

7

1

2

3

4

5

6

7

2. GET

POST http://127.0.0.1:8000/

GET http://127.0.0.1:8000/

PUT http://127.0.0.1:8000/

PATCH http://127.0.0.1:8000/

DEL http://127.0.0.1:8000/

+

...

No Environment

http://127.0.0.1:8000/employee

Save

Send

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Query Params

Key	Value	Description	...	Bulk Edit
Key	Value	Description		

Body

Cookies

Headers (10)

Test Results

Status: 200 OK

Time: 12 ms

Size: 602 B

Save as Example

Pretty

Raw

Preview

Visualize

JSON

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

3. PUT

The screenshot shows a REST client interface with a PUT request to `http://127.0.0.1:8000/employee/3/`. The request body is a JSON object:

```
1 {
2   "name": "Employee 4 Updated",
3   "department": "Sales",
4   "position": "Sales Man",
5   "salary": "10000.00"
6 }
```

The response status is 200 OK, with a time of 103 ms and a size of 446 B. The response body is shown in JSON format:

```
1 {
2   "id": 3,
3   "name": "Employee 4 Updated",
4   "department": "Sales",
5   "position": "Sales Man",
6   "salary": "10000.00"
7 }
```

Updated

The screenshot shows a REST client interface with a GET request to `http://127.0.0.1:8000/employee`. The response status is 200 OK, with a time of 12 ms and a size of 615 B. The response body is a JSON array of employee objects:

```
5 {
6   "department": "IT",
7   "position": "Manager",
8   "salary": "10000.00"
9 },
10 {
11   "id": 3,
12   "name": "Employee 4 Updated",
13   "department": "Sales",
14   "position": "Sales Man",
15   "salary": "10000.00"
16 },
17 {
18   "id": 4,
19   "name": "Employee 4",
20   "department": "Sales",
21   "position": "Sales Man",
22   "salary": "10000.00"
23 }
```

4. PATCH

POST http://127.0.0.1:8000/ GET http://127.0.0.1:8000/ PUT http://127.0.0.1:8000/ PATCH http://127.0.0.1:8000/ DEL http://127.0.0.1:8000/ + ... No Environment

http://127.0.0.1:8000/employee/1/ Save Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   "department": "Sales Updated"
3 }
```

Body Cookies Headers (10) Test Results Status: 200 OK Time: 124 ms Size: 441 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 1,
3   "name": "Employee 1",
4   "department": "Sales Updated",
5   "position": "Manager",
6   "salary": "10000.00"
7 }
```

Updated

POST http://127.0.0.1:8000/ GET http://127.0.0.1:8000/ PUT http://127.0.0.1:8000/ PATCH http://127.0.0.1:8000/ DEL http://127.0.0.1:8000/ + ... No Environment

http://127.0.0.1:8000/employee Save Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Cookies Headers (10) Test Results Status: 200 OK Time: 12 ms Size: 626 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 [
2   {
3     "id": 1,
4     "name": "Employee 1",
5     "department": "Sales Updated",
6     "position": "Manager",
7     "salary": "10000.00"
8   },
9   {
10    "id": 3,
11    "name": "Employee 4 Updated",
12    "department": "Sales",
13    "position": "Sales Man",
14    "salary": "10000.00"
15  },
16  {
17    "id": 4,
18    "name": "Employee 4",
19    "department": "Sales",
20  }
21 ]
```

5. DELETE

POST http://127.0.0.1:8001 GET http://127.0.0.1:8000 PUT http://127.0.0.1:8000 PATCH http://127.0.0.1:8000 DEL http://127.0.0.1:8000/ + ... No Environment

http://127.0.0.1:8000/employee/5/ Save

DELETE http://127.0.0.1:8000/employee/5/ Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Cookies Headers (9) Test Results

Status: 204 No Content Time: 117 ms Size: 318 B Save as Example

Pretty Raw Preview Visualize Text 1

Deleted

POST http://127.0.0.1:8001 GET http://127.0.0.1:8000 PUT http://127.0.0.1:8000 PATCH http://127.0.0.1:8000 DEL http://127.0.0.1:8000/ + ... No Environment

http://127.0.0.1:8000/employee Save

GET http://127.0.0.1:8000/employee Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Cookies Headers (10) Test Results

Status: 200 OK Time: 11 ms Size: 430 B Save as Example

Pretty Raw Preview Visualize JSON 1 [2 { 3 "id": 1, 4 "name": "Employee 1", 5 "department": "Sales Updated", 6 "position": "Manager", 7 "salary": "10000.00" 8 } 9]