

Marshland Townhouse
27 Marshland Street, Haverhill, MA

PROJECT TYPE: New Construction

PROJECT TYPE: New Construction

PAG.

- A.01 - COVER PAGE
- A.04 - RENDERING
- A.02 - PROJECT DETAILS
- A.03 - PROJECT NARRATIVE
- A.04 - FOUNDATION FOOT PRINT / LAYOUT
- A.05 - EXTERIOR ELEVATION
- A.06 - EXTERIOR ELEVATION
- A.07 - PROPOSED 1ST FLOOR
- A.08 - PROPOSED 2ND FLOOR



MELO DESIGN

APPROVED:

PRELIMINARY ONLY
NOT FOR CONSTRUCTION

COPYRIGHT

THIS DRAWING IS THE PROPERTY OF MELO DESIGN. YOU HEREBY AGREE AND UNDERTAKE THAT YOU NOT WILL IN ANY WAY UTILIZE, COPY, REPRODUCE, OR ANY WAY TAKE ADVANTAGE OF ANY DRAWING (OR ANY PART OF THEM) PRIOR TO OUR WRITTEN CONSENT. SHOULD ANY CONTRAVENTION OCCUR, THE ONUS SHALL BE ON YOU TO PROVE THAT YOU HAVE NOT BEEN IN BREACH!

PROJECT IDENTIFICATION

27 Marshland St., Haverhill MA

PROJECT TYPE

RESIDENTIAL REMODELING

ISSUE DATE: 03/24/26

REVISION TABLE		
NUMBER	LABEL	DATE
1	ATTIC LAYOUT - MARSHLAND LAYOUT	04.23.26
2	WINE LOCKET	05.06.26
3	BUILDING FOOTPRINT	06.01.26

MELO DESIGN

DRAWN BY:

MOISES MENDES

SHEET TITLE

COVER

SHEET NUMBER:

A.01



MELO DESIGN

APPROVED

PRELIMINARY ONLY
NOT FOR CONSTRUCTION

COPYRIGHT

THIS DRAWING IS THE PROPERTY OF MELO DESIGN. YOU HEREBY AGREE AND UNDERTAKE THAT YOU NOT WILL IN ANY WAY UTILIZE, COPY, REPRODUCE, OR ANY WAY TAKE ADVANTAGE OF ANY DRAWING (OR ANY PART OF THEM) PRIOR TO OUR WRITTEN CONSENT. SHOULD ANY CONTRAVENTION OCCUR, THE ONUS SHALL BE ON YOU TO PROVE THAT YOU HAVE NOT BEEN IN BREACH

PROJECT IDENTIFICATION

27 Marshland St., Haverhill MA

PROJECT TYPE

RESIDENTIAL REMODELING

ISSUE DATE: 03/24/26

REVISION TABLE		
NUMBER	LABEL	DATE
1	ARCH LAYOUT - RESIDENTIAL LAYOUT	04.23.26
2	W/ENT LAYOUT	05.06.26
3	BUILDING FOOTPRINT	06.07.26

MELO DESIGN

DRAWN BY
MOISES MENDES

SHEET TITLE

Render

SHEET NUMBER

A.03

SITE PLAN NOTES

SOIL: 2,500 PSF ALLOWABLE (ASSUMED) TO BE AT TIME OF EXCAVATION. SHALLOW AND MODERATELY DEEP WELL DRAINED SOIL FORMED IN MATERIAL WEATHERED FROM BASALT THAT HAS A SMALL AMOUNT OF LOSS IN THE UPPER PART OF THE PROFILE. THE PERMEABILITY IS ESTIMATED TO BE GOOD.

FROST DEPTH: 4' 0"
SEISMIC ZONE: B
WIND: 127 MPH
EXPOSURE: B
NO TREES SHALL BE REMOVED.

DRAWING NOTES: FRAMING

Refer to architectural plans for elevations and floor layouts. Notify the engineer if conditions differ from those shown on these plans. Consult the general structural notes (Sheet S1) for further details and specifications.

TIMBER FRAMING MATERIALS:

All timber framing members shown in this plan have been designed to meet standard framing specifications, as noted in the general structural notes on Sheet S1 of this plan set.
Timber framing specifications, in general, will be abbreviated on these structural plans, unless specified otherwise. All timber framing materials must meet the following standards:

CONVENTIONAL LUMBER:

Boards & Beams:
Interior (Untreated): Spruce-Pine-Fir (SPF), Grade #2
Exterior (Treated): Southern Yellow Pine (SYP), pressure treated (PT), Grade #2
Posts:
Interior (Untreated): Species as noted on the drawing
Douglas Fir-Larch (DFL), Grade #2
Exterior (Treated): Southern Yellow Pine (SYP), pressure treated (PT), Grade #2

ENGINEERED LUMBER:

I-Joists:
Refer to engineering plans for joist type and grade specifications. Follow manufacturer instructions (as well as structural plans and calculations) for I-joist bracing, stiffeners, and/or connectors.
Joist hangers must be metal and rated to carry design loads. The type/style of hanger is at the contractor's discretion. Follow manufacturer requirements for proper hanger capacity, including fasteners and stiffeners.

Boards & Beams:
Interior (Untreated): Laminated Veneer Lumber (LVL), Southern Pine (SP), Grade 2.1E 3100 SP
Exterior (Treated): Parallel Strand Lumber (PSL) with preservative treatment. Beam size as noted on structural framing plans. Exterior PSL horizontal members must be TrusJoist® 2.0E Parallam® plus PSL SL2, moisture rated, or an engineer approved equivalent.

Posts:
Interior (Untreated): Laminated Veneer Lumber (LVL), Southern Pine (SP), Grade 1.8E 2650
Exterior (Treated): Parallel Strand Lumber (PSL) with preservative treatment. Post size as noted on the plan. Exterior PSL horizontal members must be TrusJoist® 2.0E Parallam® plus PSL SL2, moisture rated, or an engineer approved equivalent.

ROOF NOTES:

30 YEAR ASPHALT SHINGLES ON #30 BUILDING PAPER AT ALL NEW ROOF BLEND TO EXISTING.
ALL ROOF SHEATHING SHALL BE 5/8" TONGUE AND GROOVE CDX PLYWOOD.
3" 0" WIDE ICE & WATER SHIELD AT ALL ROOF/WALL JUNCTIONS.
GENERAL CONTRACTOR TO PROVIDE FLASHING PER MANUFACTURER'S INSTALLATION REQUIREMENTS AT ALL ROOF/WALL JUNCTIONS.
CONTINUOUS ROOF VENT TYPICAL.
ALUMINUM DRIP EDGE.
ALUMINUM GUTTERS & DOWNSPOUTS
1x8 FASCIA & SOFFIT WITH 2" CONTINUOUS VENT. 2x SUB FASCIA. 1X2 TRIM.
USE SIMPSON HURRICANE CLIPS AS REQUIRED BY MASSACHUSETTS STATE BUILDING CODE.
GENERAL CONTRACTOR SHALL PROVIDE ALL TEMPORARY BRACING AND SHORING TO AVOID EXCESSIVE STRESSES AND HOLD STRUCTURAL ELEMENTS IN PLACE DURING CONSTRUCTION.
ENCLOSED ATTICS AND ENCLOSED RAFTER SPACES FORMED WHERE CEILINGS ARE APPLIED DIRECTLY TO THE UNDERSIDE OF ROOF RAFTERS SHALL HAVE CROSS VENTILATION FOR EACH SEPARATE SPACE BY VENTILATING OPENINGS PROTECTED AGAINST THE ENTRANCE OF RAIN AND/OR SNOW.
VENTILATION OPENINGS SHALL HAVE A LEAST DIMENSION OF 1/16 INCH MINIMUM AND 1/4 INCH SHALL BE PROVIDED WITH CORROSION RESISTANT WIRE CLOTH SCREENING, HARDWARE CLOTH OR SIMILAR MATERIAL WITH OPENINGS HAVING A LEAST DIMENSION OF 1/16 INCH MINIMUM AND 1/4 INCH MAXIMUM.
WOOD ROOF TRUSSES SHALL BE METAL PLATE CONNECTED TO WOOD CHORDS AND WOOD WEBS.
TRUSS LAYOUT IS FOR REPRESENTATION PURPOSES ONLY. TRUSS MANUFACTURER SHALL BE RESPONSIBLE FOR THE COMPLETE DESIGN OF ALL TRUSSES AND PROVIDE STAMPED TRUSS PROFILES TO CUSTOMER.

EXISTING LIFE SAFETY AND EMERGENCY SYSTEMS NOTES

1. IT IS RESPONSIBILITY OF THE GENERAL CONTRACTOR TO IDENTIFY EXISTING COMPONENTS AND ASSEMBLIES WITHIN THE BUILDING THAT ARE CONSTRUCTED AS FIRE-RATED ASSEMBLIES AND TO DETERMINE THEIR HOURLY RATING. WHEN THE EXECUTION OF NEW WORK REQUIRES THAT THESE ASSEMBLIES BE DISTURBED, THE CONTRACTOR SHALL UNDERTAKE TO REPAIR THE EXISTING WORK SO THAT THE REQUIRED FIRE RATING IS MAINTAINED. EXISTING LIFE SAFETY AND EMERGENCY SYSTEMS MAY NOT BE SHOWN ON THE DRAWINGS IN THEIR ENTIRETY.
2. THE GENERAL CONTRACTOR IS RESPONSIBLE FOR FIELD VERIFICATION OF LOCATION AND EXTENT OF THESE SYSTEMS (INCLUDING, BUT NOT LIMITED TO, FIRE SPRINKLER SYSTEMS, SMOKE DETECTION SYSTEMS AND EMERGENCY LIGHTING SYSTEMS) AS THEY MAY BE AFFECTED BY NEW WORK. THE GENERAL CONTRACTOR IS RESPONSIBLE FOR ACCOMMODATING THESE SYSTEMS WHEN AFFECTED BY NEW WORK SO THAT ALL APPLICABLE CODE REQUIREMENTS ARE SATISFIED.

BUILDING PERFORMANCE:

HEAT LOSS CALCULATIONS SHALL COMPLY WITH RESCHECK AND/OR REQUIREMENTS OF LOCAL CODES.

PORCHES, DECKS, BALCONIES, FOUNDATION AND GARAGE AREAS NOT INCLUDED IN LIVING AREA.

ALL EXHAUST FANS TO BE VENTED DIRECTLY TO THE EXTERIOR. ALL PENETRATIONS OF THE BUILDING ENVELOPE SHALL BE SEALED WITH CAULK OR FOAM.

IF THERE IS THERE IS A CRAWLSPACE, VENTING TO MEET LOCAL CODE REQUIREMENTS INSULATE ALL ACCESS DOORS/HATCHES TO CRAWL SPACES AND ATTICS TO THE EQUIVALENT RATING OF THE WALL, FLOOR OR CEILING THROUGH WHICH THEY PENETRATE, UNO.

INSULATE FOUNDATION SLAB PER PLAN.

MINIMUM INSULATION:
ATTIC/CEILING R 60
WALLS R 30

ENERGY EFFICIENCY

Energy Conservation

References: MRC §11, IECC, 780 CMR Appendix AA
Code Requirement: Follow 2021 Stretch Energy Code (225 CMR)

Code Application:
The 225 CMR §22 (Stretch Energy Code; 2021 IECC) applies to all new work.

HERS Rating:
Per 22 §101.4.3, the Stretch Energy Code applies to new work. When a new roof membrane is installed, the assembly must have a minimum HERS rating of 52 (225 CMR §406.5).

Mechanical Ventilation:
Mechanical ventilation shall be installed as per 225 CMR §403.6.

Insulation Requirements:
Per AA §401.5, "Envelope insulation shall meet or exceed new construction energy code requirements." Wall cavity insulation: R 20 batt in 2x6 cavities, R 26 in 2x8 cavities.

Electric Vehicle Charging:
A 50 amp branch circuit shall be provided per unit to support Level II electric vehicle charging.


Exterior Doors and Windows:
Per 2021 IECC R402, all new exterior doors per §401.3 must have the following U-values:
Opaque doors: U ≤ 0.21
Doors with ½-lite: U ≤ 0.27
Doors with > ½-lite: U ≤ 0.32
Solar Heat Gain Coefficient (SHGC) for doors: ≤ 0.30

BUILDING CONTRACTOR/HOME OWNER TO REVIEW AND VERIFY ALL DIMENSIONS, SPECS, AND CONNECTIONS BEFORE CONSTRUCTION BEGINS.

ELECTRICAL SYSTEM CODE: SEC.2701
MECHANICAL SYSTEM CODE: SEC.2801
PLUMBING SYSTEM CODE: SEC.2901

COORDINATION AND CONSTRUCTION:

1. FIELD VERIFY EXISTING DIMENSIONS AND ELEVATIONS WHICH AFFECT FABRICATION PRIOR TO SUBMITTAL OF SHOP DRAWINGS AND FABRICATION.
2. REFER TO ARCHITECTURAL AND MECHANICAL DRAWINGS FOR ADDITIONAL, EMBEDDED ITEMS, SLEEVES, FLOOR PITCHES, FILLS, AND DEPRESSIONS.
3. STRUCTURAL FRAMING PLANS ARE TYPICALLY DRAWN AS REFLECTED PLANS SHOWING BEAMS, WALLS, AND COLUMNS ON THE UNDERSIDE OF THE LEVEL SHOWN.
4. BRACE ENTIRE STRUCTURE AS REQUIRED TO MAINTAIN STABILITY UNTIL COMPLETE AND FUNCTIONING AS THE DESIGNED UNIT.
5. DO NOT BACKFILL FOUNDATION WALLS SPANNING BETWEEN BASEMENT SLABS AND STRUCTURAL FLOORS UNTIL SUPPORTING SLABS ARE IN PLACE.
6. VERIFY EXACT SIZE AND LOCATION OF ALL WALL, FLOOR, AND ROOF OPENINGS PRIOR TO SUBMISSION OF SHOP DRAWINGS. SHOW ALL OPENINGS ON SHOP DRAWINGS.
8. IN ACCORDANCE WITH GENERALLY ACCEPTED CONSTRUCTION PRACTICES, CONTRACTOR WILL BE SOLELY AND COMPLETELY RESPONSIBLE FOR CONDITIONS OF THE JOB SITE, INCLUDING SAFETY OF ALL PERSONS AND PROPERTY DURING PERFORMANCE OF THE WORK. THIS REQUIREMENT WILL APPLY CONTINUOUSLY AND NOT BE LIMITED TO WORKING HOURS.
9. THE DUTY OF THE ENGINEER TO CONDUCT CONSTRUCTION REVIEW OF CONTRACTORS PERFORMANCE IS NOT INTENDED TO INCLUDE REVIEW OF ADEQUACY OF CONTRACTORS SAFETY MEASURES IN, ON, OR NEAR THE CONSTRUCTION SITE.



FIRE PROTECTION LEGEND



- S/D SMOKE DETECTOR
CO CARBON MONOXIDE DETECTOR
S/C COMBO (SMOKE + CO DETECTOR)
H HEAT DETECTOR

BUILDING CONTRACTOR/HOME OWNER TO REVIEW AND VERIFY ALL DIMENSIONS, SPECS, AND CONNECTIONS BEFORE CONSTRUCTION BEGINS.

ELECTRICAL SYSTEM CODE: SEC.2701
MECHANICAL SYSTEM CODE: SEC.2801
PLUMBING SYSTEM CODE: SEC.2901

 MELO DESIGN	APPROVED:	COPYRIGHT	PROJECT IDENTIFICATION	ISSUE DATE: 03/24/26			MELO DESIGN	SHEET TITLE
	PRELIMINARY ONLY NOT FOR CONSTRUCTION	THIS DRAWING IS THE PROPERTY OF MELO DESIGN. YOU HEREBY AGREE AND UNDERTAKE THAT YOU NOT WILL IN ANY WAY UTILIZE, COPY, REPRODUCE, OR ANY WAY TAKE ADVANTAGE OF ANY DRAWING (OR ANY PART OF THEM) PRIOR TO OUR WRITTEN CONSENT. SHOULD ANY CONTRAVENTION OCCUR, THE ONUS SHALL BE ON YOU TO PROVE THAT YOU HAVE NOT BEEN IN BREACH	27 Marshland St., Haverhill MA	REVISION TABLE			DRAWN BY: MOISES MENDES	Project Details
			PROJECT TYPE	NUMBER	1 LABEL	DATE		
				2	ATTIC FLASHING - REMOVED FLASHING	04.23.26		
				3	4-OUT GARAGE	05.09.26		
			RESIDENTIAL REMODELING		BUILDING FOOTPRINT	06.01.26		SHEET NUMBER:
								A 02

LOCUS MAP: 27 Marshland St, Haverhill, MA



In: 01830, Census Tract 2605, Haverhill, Essex County, Massachusetts

Lat/Long: 42.7875, -71.07916

Intent of Work

The proposed project consists of the construction of a new three-unit townhouse building. Each unit will be designed as a vertically organized two-story residence, positioned above a ground-level slab foundation incorporating a two-car garage. Each dwelling unit will include three bedrooms and two and a half bathrooms, with layouts optimized for functionality, comfort, and efficient use of space. The design will reflect a cohesive architectural approach, ensuring consistency across all units while maximizing livability and long-term value. The project will be developed in accordance with applicable zoning regulations, building codes, and site conditions.

ZONING REQUIREMENTS TABLE

Project Address
27 Marshland Street, Haverhill, MA

Requirement	Required
Front Setback	20 ft
Rear Setback	30 ft
Side Setbacks	10 ft (each side)

Category	Item	Unit 01	Unit 02	Unit 03	Total / Notes
General Info	Unit Name	Townhouse 1	Townhouse 2	Townhouse 3	3 Unit Hdw
General Info	Estimated Building Envelope	~89 x 37' (Total)	~89 x 37' (Total)	~89 x 37' (Total)	~3300 sqft
General Info	Numbers of Floors/levels	2	2	2	10A
General Info	Numbers of rooms	20	20	20	2100
General Info	Approx. First Floor Area (SF)	700	700	700	2100
General Info	Approx. Second Floor Area (SF)	1000	1000	1000	3000
General Info	Approx. Total Area (SF)	1,700	1,700	1,700	5,100
General Info	Garage Capacity	2 Car	2 Car	2 Car	6 Cars Total
General Info	Garage Area (SF)	558	558	558	1674

BUILDING PERFORMANCE:

HEAT LOSS CALCULATIONS SHALL COMPLY WITH RESCHECK AND/OR REQUIREMENTS OF LOCAL CODES.


PORCHES, DECKS, BALCONIES, FOUNDATION AND GARAGE AREAS NOT INCLUDED IN LIVING AREA

ALL EXHAUST FANS TO BE VENTED DIRECTLY TO THE EXTERIOR. ALL PENETRATIONS OF THE BUILDING ENVELOPE SHALL BE SEALED WITH CAULK OR FOAM.

IF THERE IS THERE IS A CRAWLSPACE, VENTING TO MEET LOCAL CODE REQUIREMENTS INSULATE ALL ACCESS DOORS/HATCHES TO CRAWL SPACES AND ATTICS TO THE EQUIVALENT RATING OF THE WALL, FLOOR OR CEILING THROUGH WHICH THEY PENETRATE. UNO.

INSULATE FOUNDATION SLAB PER PLAN

MINIMUM INSULATION:
ATTIC/CEILING R 60
WALLS R 30



Lot Size:	12,919.76 sqft
Proposed Building Foot print	3,281.26
Lot Coverage	25.0%

FOUNDATION



APPROVED:
PRELIMINARY ONLY
NOT FOR CONSTRUCTION

COPYRIGHT
THIS DRAWING IS THE PROPERTY OF MELO DESIGN. YOU HEREBY AGREE AND UNDERTAKE THAT YOU NOT WILL IN ANY WAY UTILIZE, COPY, REPRODUCE, OR ANY WAY TAKE ADVANTAGE OF ANY DRAWING (OR ANY PART OF THEM) PRIOR TO OUR WRITTEN CONSENT. SHOULD ANY CONTRAVENTION OCCUR, THE ONUS SHALL BE ON YOU TO PROVE THAT YOU HAVE NOT BEEN IN BREACH.

PROJECT IDENTIFICATION
27 Marshland St., Haverhill MA
PROJECT TYPE
RESIDENTIAL REMODELING

ISSUE DATE: 01/24/26

NUMBER	REVISION TABLE	DATE
1	ATTIC INSULATION - RESIDENTIAL CODE	04.23.26
2	4-600 LAYOUT	05.05.26
3	BUILDING FOOTPRINT	06.01.26

MELO DESIGN

DRAWN BY:
MOISES MENDES

SHEET TITLE
Project Details

SHEET NUMBER
A 02

1/8 IN = 1 FT

 MELO DESIGN	APPROVED:	COPYRIGHT	PROJECT IDENTIFICATION	ISSUE DATE: 01/24/26		MELO DESIGN	SHEET TITLE
	PRELIMINARY ONLY NOT FOR CONSTRUCTION	THIS DRAWING IS THE PROPERTY OF MELO DESIGN. YOU HEREBY AGREE AND UNDERTAKE THAT YOU NOT WILL IN ANY WAY UTILIZE, COPY, REPRODUCE, OR ANY WAY TAKE ADVANTAGE OF ANY DRAWING (OR ANY PART OF THEM) PRIOR TO OUR WRITTEN CONSENT. SHOULD ANY CONTRAVENTION OCCUR, THE ONUS SHALL BE ON YOU TO PROVE THAT YOU HAVE NOT BEEN IN BREACH	27 Marshland St., Haverhill MA	REVISION TABLE		DRAWN BY: MOISES MENDES	COVER
				NUMBER	DATE		
				1	ATTIC LAUNCH - MANAGEMENT LAUNCH04/23/26		
				2	4-UNIT LAUNCH05/06/26		
				3	BUILDING FOOTPRINT06/07/26		
				4	Site plan07/06/26		
PROJECT TYPE	RESIDENTIAL REMODELING			SHEET NUMBER			
				A-01			



M

D

MELO DESIGN

APPROVED:

PRELIMINARY ONLY
NOT FOR CONSTRUCTION

COPYRIGHT

THIS DRAWING IS THE PROPERTY OF MELO DESIGN. YOU HEREBY AGREE AND UNDERTAKE THAT YOU NOT WILL IN ANY WAY UTILIZE, COPY, REPRODUCE, OR ANY WAY TAKE ADVANTAGE OF ANY DRAWING (OR ANY PART OF THEM) PRIOR TO OUR WRITTEN CONSENT. SHOULD ANY CONTRADICTIONS OCCUR, THE OMBUS SHALL BE ON YOU TO PROVE THAT YOU HAVE NOT BEEN IN BREACH

PROJECT IDENTIFICATION
27 Marchand St., Haverhill MA

PROJECT TYPE
RESIDENTIAL REMODELING


ISSUE DATE: 03/24/26		
REVISION TABLE		
NUMBER	DATE	DATE
1	REV. FACADE - GARAGE DOOR COLO	04/23/26
2	FINISHES - KIT	05/06/26
3	ARCHITECT'S SIGNATURE	06/03/26
4	INITIALS	07/05/26

MELO DESIGN

DRAWN BY:
MOISES MENDES

SHEET TITLE
Reardr

SHEET NUMBER:
R.01



- Lot area - 12,919.76 sq ft
- GRASS AREA - 8,296.73 sq ft PERMEABLE AREA
- BUILDING DRIVEWAY - 3,281.26 sq ft
- BUILDING DRIVEWAY - 1,430.79 sq ft
- Backyard - 1,057 sq ft



Intent of Work

The proposed project consists of the construction of a new three-unit townhouse building. Each unit will be designed as a vertically organized two-story residence, positioned above a ground-level slab foundation incorporating a two-car garage. Each dwelling unit will include three bedrooms and two and a half bathrooms, with layouts optimized for functionality, comfort, and efficient use of space. The design will reflect a cohesive architectural approach, ensuring consistency across all units while maximizing livability and long-term value. The project will be developed in accordance with applicable zoning regulations, building codes, and site conditions.

ZONING REQUIREMENTS TABLE

Project Address
27 Marshland Street, Haverhill, MA

Requirement	Required
Front Setback	20 ft
Rear Setback	30 ft
Side Setbacks	10 ft (each side)

PLOT PLAN VIEW

1/8" IN = 1' FT



MELO DESIGN

APPROVED:

PRELIMINARY ONLY
NOT FOR CONSTRUCTION

COPYRIGHT

THIS DRAWING IS THE PROPERTY OF MELO DESIGN. YOU HEREBY AGREE AND UNDERTAKE THAT YOU NOT WILL IN ANY WAY UTILIZE, COPY, REPRODUCE, OR ANY WAY TAKE ADVANTAGE OF ANY DRAWING (OR ANY PART OF THEM) PRIOR TO OUR WRITTEN CONSENT. SHOULD ANY CONTRAVENTION OCCUR, THE ORIS SHALL BE ON YOU TO PROVE THAT YOU HAVE NOT BEEN IN BREACH

PROJECT IDENTIFICATION

27 Marshland St., Haverhill MA

PROJECT TYPE

RESIDENTIAL REMODELING

ISSUE DATE: 03/24/26

NUMBER	REVISION TABLE	DATE
1	100-100-01 - 100-100-01	03/24/26
2	100-100-01 - 100-100-01	03/24/26
3	100-100-01 - 100-100-01	03/24/26
4	100-100-01 - 100-100-01	03/24/26

MELO DESIGN

DRAWN BY:

MOISES MENDES


SHEET TITLE

Proposed Site Plan

SHEET NUMBER:

A.05

PROPERTY LINE



1/4 IN = 1 FT

Lot Size:	12,919.76 sqft
Proposed Building Foot print	3,281.26
Lot Coverage	25.0%



PRELIMINARY ONLY
NOT FOR CONSTRUCTION

THIS DRAWING IS THE PROPERTY OF MELO DESIGN.
YOU HEREBY AGREE AND UNDERTAKE THAT YOU NOT
WELL IN ANY WAY UTILIZE, COPY, REPRODUCE, OR ANY
WAY TAKE ADVANTAGE OF ANY DRAWING (OR ANY PART
OF THEM) PRIOR TO OUR WRITTEN CONSENT. SHOULD
ANY CONTRAVENTION OCCUR, THE OUS SHALL BE ON
YOU TO PROVE THAT YOU HAVE NOT BEEN IN BREACH

PROJECT TYPE
RESIDENTIAL REMODELING

ISSUE DATE: 01/24/26		
REVISION TABLE		
NUMBER	REASON	DATE
1	ADD LOGIC - PROTECT LOGIC	04/23/26
2	ADD LOGIC	05/06/26
3	ADD LOGIC	06/01/26
4	ADD LOGIC	07/06/26


DRAWN BY:
MOISES MENDES

SHEET NUMBER:
A.06



FRONT ELEVATION - STREET VIEW

1/4 IN = 1 FT



BACK ELEVATION

1/4 IN = 1 FT



APPROVED
PRELIMINARY ONLY
NOT FOR CONSTRUCTION

COPYRIGHT
THIS DRAWING IS THE PROPERTY OF MELO DESIGN. YOU HEREBY AGREE AND UNDERTAKE THAT YOU NOT WILL IN ANY WAY UTILIZE, COPY, REPRODUCE, OR ANY WAY TAKE ADVANTAGE OF ANY DRAWING (OR ANY PART OF THEM) PRIOR TO OUR WRITTEN CONSENT. SHOULD ANY CONTRAVENTION OCCUR, THE ONUS SHALL BE ON YOU TO PROVE THAT YOU HAVE NOT BEEN IN BREACH.

PROJECT IDENTIFICATION
27 Marshland St., Haverhill MA

PROJECT TYPE
RESIDENTIAL REMODELING

ISSUE DATE: 03/24/26


NUMBER	REVISION TABLE LABEL	DATE
1	ARCHITECTURE - REMODELING PROJECT	04.21.26
2	4-UNIT GARAGE	05.05.26
3	REPAIRING FOOTPRINT	06.01.26

MELO DESIGN


DRAWN BY
MOISES MENDES

SHEET TITLE
Elevation

SHEET NUMBER
A.06



LEFT SIDE VIEW ELEVATION
1/4 IN = 1 FT



RIGHT SIDE VIEW ELEVATION
1/4 IN = 1 FT



MELO DESIGN

APPROVED:
PRELIMINARY ONLY
NOT FOR CONSTRUCTION

COPYRIGHT
THIS DRAWING IS THE PROPERTY OF MELO DESIGN.
YOU HEREBY AGREE AND UNDERTAKE THAT YOU NOT
WILL IN ANY WAY UTILIZE, COPY, REPRODUCE, OR ANY
WAY TAKE ADVANTAGE OF ANY DRAWING (OR ANY PART
OF THEM) PRIOR TO OUR WRITTEN CONSENT. SHOULD
ANY CONTRAVENTION OCCUR, THE ONUS SHALL BE ON
YOU TO PROVE THAT YOU HAVE NOT BEEN IN BREACH.

PROJECT IDENTIFICATION
27 Marshland St., Haverhill MA

PROJECT TYPE
RESIDENTIAL REMODELING

ISSUE DATE: 03/24/26


REVISION TABLE		
NUMBER	LABEL	DATE
1	ATTIC MODEL - REMOVED 1.5 INCH	04.23.26
2	4 INCH LANDING	05.05.26
3	BUILDING FOOTPRINT	06.07.26

MELO DESIGN

DRAWN BY:
MOISES MENDES

SHEET TITLE
Elevation

SHEET NUMBER
A.07



PROPOSED 1ST FLOOR
1/4 IN = 1 FT



APPROVED:
PRELIMINARY ONLY
NOT FOR CONSTRUCTION


COPYRIGHT
THIS DRAWING IS THE PROPERTY OF MELO DESIGN. YOU HEREBY AGREE AND UNDERTAKE THAT YOU NOT WILL IN ANY WAY UTILIZE, COPY, REPRODUCE, OR ANY WAY TAKE ADVANTAGE OF ANY DRAWING (OR ANY PART OF THEM) PRIOR TO OUR WRITTEN CONSENT. SHOULD ANY CONTRAVENTION OCCUR, THE ONUS SHALL BE ON YOU TO PROVE THAT YOU HAVE NOT BEEN IN BREACH

PROJECT IDENTIFICATION
27 Marshland St., Haverhill MA
PROJECT TYPE
RESIDENTIAL REMODELING

ISSUE DATE: 03/24/26		
REVISION TABLE		
NUMBER	REVISION	DATE
1	ARCHITECTURAL - RESIDENTIAL LAYOUT	04.23.26
2	4 UNIT LAYOUT	05.06.26
3	BUILDING FOOTPRINT	06.07.26

MELO DESIGN
DRAWN BY:
MOISES MENDES

SHEET TITLE
Floor plan - first floor layout
SHEET NUMBER
A.04



PROPOSED 2ND FLOOR

1/4 IN = 1 FT



APPROVED
PRELIMINARY ONLY
NOT FOR CONSTRUCTION

COPYRIGHT
THIS DRAWING IS THE PROPERTY OF MELO DESIGN. YOU HEREBY AGREE AND UNDERTAKE THAT YOU NOT WILL IN ANY WAY UTILIZE, COPY, REPRODUCE, OR ANY WAY TAKE ADVANTAGE OF ANY DRAWING (OR ANY PART OF THEM) PRIOR TO OUR WRITTEN CONSENT. SHOULD ANY CONTRAVENTION OCCUR, THE ONUS SHALL BE ON YOU TO PROVE THAT YOU HAVE NOT BEEN IN BREACH

PROJECT IDENTIFICATION
27 Marshland St., Haverhill MA

PROJECT TYPE
RESIDENTIAL REMODELING

ISSUE DATE: 03/24/26		
REVISION TABLE		
NUMBER	DATE	DESCRIPTION
1	04.23.26	ARCHIT. MODEL - RESIDENTIAL PROJECT
2	05.05.26	* UNIT LAYOUT
3	06.07.26	BUILDING FOOTPRINT

MELO DESIGN

DRAWN BY:
MOISES MENDES

SHEET TITLE
Floor plan - Second floor layout

SHEET NUMBER
A.05