

Penalty provision for non-Compliance of No Objection Certificate conditions

S.No.	Items	Charges in Lac
1	Non-installation/faulty Digital water Flow meter with telemetry system	2.0
2	Non-disclosure/ construction of additional groundwater abstraction structures a) Non-functional Structures. b) Defunct/Abandoned c) Note: Given rates are for unit non-functional/defunct/abandoned structures. This shall be multiplied by the total of such structures to arrive at a consolidated penalty.	2.0 1.0
3	Reporting of fresh water zones as Brackish/ Saline zones in application.	2.0
4	Non installation of Piezometer.	2.0
5	Non installation/ faulty DWLR/Telemetry system	1.0
6	Non construction/Inadequate capacity of Recharge/ Water conservation structures.	5.0
7	Non maintenance of Recharge structures.	2.0
8	Injection of treated/untreated water into the aquifer system. Note: In addition to penalty, the proponent shall bear the cost of aquifer remediation as per the provisions of Environment (Protection) Act. 1986.	10.0
9	Non submission of Water level/Water quality data.	0.5
10	Non-maintenance of log book of daily withdrawal/non submission of Ground water abstraction data.	0.5
11	Non submission of photograph of recharge structure(s).	0.5
12	Non submission of Self compliance report.	1.0
13	Construction of ground water abstraction structures by unauthorized/ unregistered Drilling Rigs (per structurers).	1.0
14	Non registration of water supply tankers.	5.0
15	Submission of false information/ undertaking.	1.0

By order and in the name of the Governor,

(Kailash Meena)

Deputy Secretary to the Government