

ALCHEMY AOE ALLIANCE

TYPE:
COMPONENT SPECIFICATION
FOR RANDOM MAP
(CSRM)



PROJECT:
ALASKA
(AK)

CSRM-AK-01

REVISION: R2

Denali

Page 1 of 7

Table of Contents

1 - Referenced Documents.....	2	7.A - Outcropping.....	4
2 - Definitions.....	2	7.B - Basin.....	4
3 - Overview.....	2	7.C - Player Lands.....	4
4 - General Characteristics.....	2	8 - Terrain.....	4
5 - Rule Changes.....	2	8.A - Terrain Types.....	4
6 - Land Configuration.....	3	8.B - Water.....	5
6.A - Zoning (Definitions).....	3	8.C - Forests.....	5
6.A.1 - Outcropping.....	3	9 - Objects.....	5
6.A.2 - Basin.....	3	9.A - Starting Units.....	5
6.A.3 - Player Lands.....	3	9.B - Relics.....	5
6.B - Randomizations.....	4	9.C - Neutral Gold.....	6
7 - Elevation.....	4	9.D - Player-Tree Objects.....	6

1 - Referenced Documents

Table 1 below is a list of all specifications that are components to this one. Each of its entries were designed as an interchangeable part, to be used in context for this specification, or others like it:

Specification Number	Nomenclature
<u>GSRM-AK-3</u>	General Requirements, Alaska Maps

Table 1: Bill of Materials

If any part of any documents listed in Table 1 conflict with this specification, then this specification shall assume priority.

2 - Definitions

The following definitions apply:

- *Origin of Player Lands* – Location of town center.

3 - Overview

This component specification defines requirements for an open land map celebrating Denali in an Alaska map pack.

4 - General Characteristics

The requirements of GSRM-AK-3 apply unless superseded by this specification.

5 - Rule Changes

This section is intentionally left blank.

6 - Land Configuration

Denali shall be arranged per Figure 6 below, with azure representing glaciers:



Figure 6: Denali Configuration

6.A - Zoning (Definitions)

Three zones are established, described as follows:

6.A.1 - Outcropping

Zone created between the confluence of glaciers and edge of the map, equidistant from the *Origin of Player Lands* on both teams.

6.A.2 - Basin

Zone immediately surrounding the large number of small yellow dots, which are diametrically opposed to the Outcropping. A projection of the broad glacier toward the edge of the map would intersect most of the yellow dots, and constitute this area.

6.A.3 - Player Lands

Any area not included in the above two zones.

6.B - Randomizations

This section is intentionally left blank.

7 - Elevation

The elevation shall be varied greatly to resemble the different heights of the steep Alaska Range in proximity to the summit of Denali. The elevation difference from “lowest” to “highest” on the map shall be no less than 12. Glaciers shall be at elevation 7 unless transitioning from a zone of lower elevation.

7.A - Outcropping

The Outcropping shall constitute the highest elevation on the entire map, and also be the steepest, with little opportunity to construct buildings with three or more tiles of edge length.

7.B - Basin

The Basin shall constitute the lowest elevation on the entire map, with the edges shall turn steeply upward, as a valley carved by glacial activity would.

7.C - Player Lands

The Player Lands shall vary in elevation between the other two aforementioned zones, with more flat locations for improved build-ability.

8 - Terrain

Denali shall consist entirely of land, excluding the possibility of un-dockable lakes or streams near the base of the mountains.

8.A - Terrain Types

Denali shall include terrain types that resemble a rocky and snowy mountain, cut by glaciers of unbuildance and un-navigable ice terrain.

8.B - Water

Denali shall consist entirely of land/ice terrain above elevation 1. If liquid water should appear at elevations below 1, it shall be undockable. Any streams/creeks shall be walkable, providing land units easier access to both sides of the map.

8.C - Forests

Denali shall be devoid of neutral forests or other vegetation.

9 - Objects

Most objects are at the discretion of the map creator, balancing thematic interests against strategic variety. The explicit requirements for this map are few but listed below.

9.A - Starting Units

Each player shall start the game controlling objects defined by Table 9.A:

Object	Per Applicable Specification	Distance from <i>Origin of Player Lands</i> [tiles]	Quantity
Town Center	~	0	1
Sheep	~	4 to 6	4
Villager	~	4 to 6	3
Harmful Exploration Unit	<u>GSRM-AK-3</u>	6 to 8	1
Outpost	~	8 to 18	3

Table 9.A: Starting Player-Controlled Objects

9.B - Relics

All relics shall be contained in the Outcropping and spaced 4 tiles apart.

9.C - Neutral Gold

Gold piles that are not assigned to players shall be concentrated entirely in the Basin, and spaced 2 tiles apart. Tile of gold adjacent to liquid water shall contain 1,600 – 2,000, while other gold tiles in this zone shall contain 800 – 1,200.

9.D - Player-Tree Objects

Trees in player-assigned forests reskinned per GSRM-AK-3 to have the appearance of lumber/rubbish piles and contain wood storage between 100 and 200 each.

Signatures:

CookiePirate

2024-07-05

*Prepared**Date (YYYY-MM-DD)*TechChariot

2024-07-06

*Checked**Date (YYYY-MM-DD)*Honeybadger

2024-07-11

*Approved**Date (YYYY-MM-DD)*

Revision History:

<u>Revision</u>	Description	Change Document	Date (YYYY-MM-DD)
X1	Advanced release for community review/feedback.	N/A	2024-07-05
OI	----- Original Issue -----	N/A	2024-07-21
R1	Added outposts to starting units. Added mini-map picture with zone descriptions and any unique features to those zones.	N/A	2024-09-13
R2	Conversion to new specification format, minor simplifications/clarifications.	N/A	2025-08-06

