

Four-season solar guide

Likely planning case at B330

These maps estimate useful direct-sun-equivalent light through the year. Neighbouring trees and buildings introduce uncertainty, so this likely case is a practical planning baseline rather than measured reality.

Summer

6.38 h/day

Whole-field average - likely B330

Autumn

5.44 h/day

Whole-field average - likely B330

Winter

2.31 h/day

Whole-field average - likely B330

Spring

5.38 h/day

Whole-field average - likely B330

How to read the maps

All four maps use the same 0 to 9 hours/day scale. Warmer colours indicate more useful direct-sun-equivalent light; cooler colours indicate less. Compare relative patterns and seasons rather than treating a cell as an exact daily promise.

Evidence boundary


This report arranges existing adopted R4 results and existing v0.18 presentation maps. It did not rerun solar analysis. Calculator mode retains the assumptions, alternate scenarios and orientation detail.

Summer

Whole-field average 6.38 h/day

Summer · Likely · B330

Expected open-sky-weighted direct-sun-equivalent hours/day



R4 authority unchanged · seasonal planning average, not an exact daily guarantee

The strongest seasonal light estimate. Compare the warmest areas with places that remain shaded even in summer.


Source result: SUMMER_B330 / likely / expected_open_sky_weighted_hours / 5220 receivers
 Map SHA-256: 473c16e6bc92c815bada70ded36d12fd2e896f91c8f10034e57eec04894a4fae

Autumn

Whole-field average 5.44 h/day

Autumn · Likely · B330

Expected open-sky-weighted direct-sun-equivalent hours/day



R4 authority unchanged · seasonal planning average, not an exact daily guarantee

Useful light remains moderate overall, while boundaries and taller obstructions continue to create local shade.

Source result: AUTUMN_B330 / likely / expected_open_sky_weighted_hours / 5220 receivers


Map SHA-256: 4a505ddea88d1d8f77f576067ecdcbf5c77dc0b1794f5569a804222cd0500042

Winter

Whole-field average 2.31 h/day

Winter · Likely · B330

Expected open-sky-weighted direct-sun-equivalent hours/day



R4 authority unchanged · seasonal planning average, not an exact daily guarantee

The limiting season. Use this map when comparing locations for planting that needs reliable useful sunlight.

Source result: WINTER_B330 / likely / expected_open_sky_weighted_hours / 5220 receivers


Map SHA-256: ee7e21d2ab1f6fd6eb941ad83a5fe8afaba5968f22ee50a00629a455af0c39bc

Spring

Whole-field average 5.38 h/day

Spring · Likely · B330

Expected open-sky-weighted direct-sun-equivalent hours/day



R4 authority unchanged · seasonal planning average, not an exact daily guarantee

Useful light returns across much of the garden, with the same persistent shade patterns still important.

Source result: SPRING_B330 / likely / expected_open_sky_weighted_hours / 5220 receivers

Map SHA-256: 626fa2a167776b932d9685e639d86feafa1b14ca5893d878e58dbba70bd1f652

Evidence and interpretation boundary

Authoritative result source

data/garden_v0_15_solar_results_r4.json

SHA-256: 28fcbf0a11912c02be0abeb19d426b0e83b2becc35ff22340e3aabe2a6b49ad0

Presentation-map authority

garden_v0_18/records/garden_v0_18_solar_presentation_manifest_r1.json

SHA-256: a575eca991a410b4669eccccdb144cee0592d21038a33688a5a22f1be420f4f3

Manifest status: PASS; authority: garden_v0_15_R4_unchanged; seasonal_rerun_performed: false.

Season records

Summer - SUMMER_B330 - likely B330 - 6.384828 h/day

garden_v0_18_solar_summer_likely_b330_r1.png

473c16e6bc92c815bada70ded36d12fd2e896f91c8f10034e57eec04894a4fae

Autumn - AUTUMN_B330 - likely B330 - 5.438295 h/day

garden_v0_18_solar_autumn_likely_b330_r1.png

4a505ddea88d1d8f77f576067ecdcbf5c77dc0b1794f5569a804222cd0500042

Winter - WINTER_B330 - likely B330 - 2.311082 h/day

garden_v0_18_solar_winter_likely_b330_r1.png

ee7e21d2ab1f6fd6eb941ad83a5fe8afaba5968f22ee50a00629a455af0c39bc

Spring - SPRING_B330 - likely B330 - 5.376839 h/day

garden_v0_18_solar_spring_likely_b330_r1.png

626fa2a167776b932d9685e639d86feafa1b14ca5893d878e58dbba70bd1f652

No solar rerun

The report builder validates frozen hashes and existing seasonal records, then places the existing maps into this PDF. It contains no solar calculation or geometry-generation step.