Dataset Information:

Title Energy Use Abstract Greenhouse gas (GHG) emissions from direct energy use consist of carbon dioxide methane and nitrous oxide gases associated with fuel burning and electricity generation agriculture (including fisheries). Data is computed at Tier 1 following the 2006 IP Guidelines for National GHG Inventories (IPCC, 2006). Available by country, with global control of the country of the	de,
methane and nitrous oxide gases associated with fuel burning and electricity generation agriculture (including fisheries). Data is computed at Tier 1 following the 2006 IP	de,
coverage and relative to the period 1970-present, with annual updates.	CC
This sub-domain contains data on GHG emissions, associated emission factors a underlying activity data. Data are estimated per main energy carrier (fuels and electrici used in agriculture, for the following energy carriers: Gasoline; Gas-diesel oils; Natural g Residual fuel oil; Liquefied petroleum gas; Hard coal and Electricity; and per select agriculture sub-domains (i.e. irrigation, fisheries). Renewable energy (e.g. bioenergy or or grid solar power) contributes to the GHG emission calculation indirectly, via coun emission factors for electricity, which depend on a country's total energy mix. The FAOSTAT Emissions data are estimates by FAO and do not coincide with GHG data reported by member countries to UNFCCC. The database is intended primarily as a serve to help member countries assess and report their emissions, as well as a use international benchmark. The FAOSTAT Emissions data are disseminated publicly facilitate continuous feedback from member countries.	ty) as; ed off- try ata ice ful
Creation Date 2013	
Last Update 2013	
Data Type Energy consumption and GHG emission by country, per gas emitted, both in Gg of Gl emitted and Gg of CO ₂ equivalent	HG
Category Environment	
Time Period 1970-present	
Periodicity Annual	
Geographical World Coverage	
Spatial Unit Country	
Language Multilingual (EN, FR, ES)	

Methodology and Quality Information:

Methods and
processing

For all data categories, fuel emissions are estimated at country level, using IPCC 2006:

Emissions = A * EF

(1), where:

Emissions = GHG emissions in Gg yr⁻¹

A = Activity data, representing the amount of fuel consumed in kt (1000 metric tons) yr^{-1} , TJ (Terajoules) yr^{-1} or ktoe (k tons of oil equivalent) yr^{-1} for fuels, and GWh yr^{-1} for electricity.

Activity data are taken from the UNSD Energy Statistics database (*); data relative to *fuels used in fisheries*, specifically "Gas-diesel oils used in fisheries," and "Residual fuel oil used in fisheries," are taken from the IEA database "World energy balances". The following energy carriers are included as activity data:

- a. Gasoline;
- b. Gas-diesel oils;
- c. Natural gas (including LNG);
- d. Residual fuel oil;
- e. Liquefied petroleum gas (LPG);
- f. Hard coal;
- g. Electricity;

- h. Gas-diesel oils used in fisheries:
- Residual fuel oil used in fisheries.

Data are also reported for the following aggregated groups: "Total Energy" (a+b+c+d+e+f+g); "Transport fuel Consumed in Agriculture (excl. fisheries)" (a+b-h); and "Energy consumed in fisheries" (h+i).

(*) When country or region disaggregation from UNSD to FAOSTAT level is necessary, yearly activity data for gas-diesel oils and gasoline are disaggregated using the number of agricultural tractors by country reported in FAOSTAT; other yearly activity data for other energy carriers are disaggregated using hectares of arable land by country.

EF = Emission factor, expressed as Gg (10^9 grams) of gas emitted per year per PJ (for fuels) or kWh (for electricity) of energy used, based on Tier 1 2006 IPCC emission factors (IPCC, 2006, Vol. 2, Ch. 2 and 3). Specifically:

- Gas-diesel oils: 74.1 Gg/PJ for CO₂, 0.00415 Gg/PJ for CH₄, 0.00286 Gg/PJ for N₂O
- Gasoline: 69.3 Gg/PJ for CO₂, 0.08 Gg/PJ for CH₄, 0.002 Gg/PJ for N₂O
- Natural gas: 64.2 Gg/PJ for CO₂, 0.01 Gg/PJ for CH₄, 0.0006 Gg/PJ for N₂O
- Residual fuel oil: 77.4 Gg/PJ for CO₂, 0.01 Gg/PJ for CH₄, 0.0006 Gg/PJ for N₂O
- LPG: 63.1 Gg/PJ for CO₂, 0.005 Gg/PJ for CH₄, 0.0001 Gg/PJ for N₂O
- Hard coal: 98.3 Gg/PJ for CO_2 , 0.3 Gg/PJ for CH_4 , 0.0015 Gg/PJ for N_2O .

For electricity, the country emission factors for CO_2 (electricity-only factors) reported by IEA (OECD/IEA, 2012) are used (1990 country emission factors are applied to previous years). Additional non- CO_2 emissions were estimated as a fraction of the IEA CO_2 data on the basis of the average world energy mix as: 1.2 g/kWh for CH_4 and 0.01 g/kWh for N_2O .

For all GHG estimations, conversion factors are used to convert energy activity data into equivalent amounts of TJ (for fuels) or KWh (for electricity), when needed. Conversion factors applied (net calorific values) are from OECD/IEA (2005) and are consistent with IPCC 2006 guidelines, as follows: Gas-diesel oils: 43.38 PJ/Gg; Gasoline: 44.75 PJ/Gg; Residual fuel oil: 41.87 PJ/Gg; LPG: 46.15 PJ/Gg; Hard coal: 29.65 PJ/Gg.

Finally, emissions from energy used for power irrigation are also estimated, with the assumption that power irrigation is entirely powered by electricity. Equation (1) above is used as follows:

A = Area equipped for power irrigation (surface water or groundwater), taken from the FAO AQUASTAT database. Annual values in FAOSTAT are estimated by repeating the last-available value reported in AQUASTAT within the associated time interval.

EF= Country emission factor for electricity generation (Gg CO_2 /KWh) taken from OECD/IEA (2012), modified by regional factors indicating the energy needed to irrigate one hectare of land (Stout, 1990) as follows: Europe, Northern America, Oceania: 1,929 kWh/ha; Africa, Asia: 2,411 kWh/ha; Central America, South America, Caribbean: 2,170 kWh/ha.

Dimensionless conversion factors used are:

 $GWP-CH_4 = 21$; $GWP-N_2O = 310$.

References

OECD/IEA. 2012. CO2 emissions from fuel combustion - Highlights - 2012 edition, Paris, France.

OECD/IEA. 2005. Energy Statistics Manual. Prepared by the Energy Statistics Division (ESD) of the International Energy Agency (IEA) in co-operation with the Statistical Office of the European Communities (Eurostat), Paris, France.

IPCC. 2006. 2006 IPCC Guidelines for National Greenhouse Gas Inventories, Prepared by the National Greenhouse Gas Inventories Programme, Eggleston H.S., Buendia L., Miwa

K., Ngara T. and Tanabe K. (Eds), IGES, Hayama, Japan.

Stout B., 1990. Handbook of Energy for World Agriculture.

UNSD. 2011. International Recommendations for Energy Statistics (IRES) – Draft version.

Prepared by the United Nations Statistics Division, New York, USA.

Data Collection

Method

Computed

Completeness

100% for the countries which report their annual consumption to UNSD and IEA

Links

http://www.fao.org/climatechange/micca/ghg/en/

http://data.un.org/

http://www.iea.org/statistics/topics/energybalances/

http://www.iea.org/publications/freepublications/publication/name,4010,en.html

http://www.fao.org/nr/water/aquastat/main/index.stm

http://unstats.un.org/unsd/energy/ires

Distribution Information:

Owner FAO
Provider FAO
Source FAO

Copyright Policy

Content on www.fao.org, its affiliated websites and specific pages (collectively "the FAO website") is protected by copyright. To ensure wide dissemination of its information, FAO is committed to making its content freely available and encourages the use, reproduction and dissemination of the text, multimedia and data products presented. Except where otherwise indicated, content may be copied, printed and downloaded for private study, research and teaching purposes, or for use in non-commercial products or services, provided that appropriate acknowledgement of FAO as the source and copyright holder is given and that FAO's endorsement of users' views, products or services is not stated or implied in any way. FAO encourages unrestricted use of news releases provided on the FAO website, and no formal permission is required to reproduce these materials. All requests for translation and adaptation rights, and for resale and other commercial use rights should be addressed to copyright@fao.org or submitted via the online License Request Form when downloading.

Activity data for "Gas-diesel oils used in fisheries," and "Residual fuel oil used in fisheries," are copyrighted as: *IEA Statistics 2013* © OECD/IEA, 2013.

GHG Emissions estimates for categories "Gas-diesel oils used in fisheries," and "Residual fuel oil used in fisheries," are copyrighted as: Food and Agriculture Organization (FAO), based on IEA Statistics © OECD/IEA, 2013.

Activity data for other fuels and electricity used in agriculture are taken from the 2010 UNSD Energy Statistics Database available though the UNdata Portal.

GHG Emissions estimates for categories "Gas-diesel oils used in fisheries," and "Residual fuel oil used in fisheries," are copyrighted as: Food and Agriculture Organization of the United Nations (FAO), based on IEA Statistics © OECD/IEA, 2013.

Citation

FAO. 2013. FAOSTAT Emissions Database. www.faostat.fao.org

For data categories "Gas-diesel oils used in fisheries," and "Residual fuel oil used in fisheries": FAO, 2013 and IEA Statistics 2013 © OECD/IEA, 2013. FAOSTAT Emissions

Database. www.faostat.fao.org

Acknowledgeme nts

The FAOSTAT Emissions database was produced by the Monitoring and Assessment of Greenhouse Gas Emissions and Mitigation Potential in Agriculture project (MAGHG), with generous funding from the Governments of Norway and Germany, trust funds GCP/GLO/286/GER and GCP/GLO/325/NOR.