

EXPERIMENT NO:5

```
CREATE TABLE CUSTOMER(
```

```
    CustomerID INT PRIMARY KEY,
```

```
    CustomerName VARCHAR2(20),
```

```
    ContactNo VARCHAR2(10),
```


```
    Address VARCHAR2(30),
```

```
    City VARCHAR2(20),
```

```
    PostalCode VARCHAR2(20),
```

```
    Country VARCHAR2(20)
```

```
);DESC CUSTOMER
```



Task completed in 0.015 seconds

DESC CUSTOMER		
Name	Null	Type
CUSTOMERID	NOT NULL	NUMBER(38)
CUSTOMERNAME		VARCHAR2(20)
CONTACTNO		VARCHAR2(10)
ADDRESS		VARCHAR2(30)
CITY		VARCHAR2(20)
POSTALCODE		VARCHAR2(20)
COUNTRY		VARCHAR2(20)

```
CREATE TABLE EMPLOYEES(
```

```
    EmployeeID INT PRIMARY KEY,
```

```
    LastName VARCHAR(20),
```

```
    FirstName VARCHAR(20),
```

```
    BirthDate DATE,
```

```
    Photo VARCHAR(20)
```

```
);DESC EMPLOYEES
```




table EMPLOYEES created.		
DESC EMPLOYEES		
Name	Null	Type
EMPLOYEEID	NOT NULL	NUMBER(38)
LASTNAME		VARCHAR2(20)
FIRSTNAME		VARCHAR2(20)
BIRTHDATE		DATE
PHOTO		VARCHAR2(20)

EXPERIMENT NO:5

```
CREATE TABLE ORDERS(
    OrderID INT PRIMARY KEY,
    CustomerID INT,
    EmployeeID INT,
    OrderDate DATE,
    ShipperID INT,
    FOREIGN KEY (CustomerID) REFERENCES CUSTOMER(CustomerID),
    FOREIGN KEY (EmployeeID) REFERENCES EMPLOYEES(EmployeeID)
);DESC ORDERS
```

```
table ORDERS created.
DESC ORDERS
Name          Null          Type
-----
ORDERID       NOT NULL      NUMBER(38)
CUSTOMERID
EMPLOYEEID
ORDERDATE     DATE
SHIPPERID     NUMBER(38)
```

```
INSERT INTO CUSTOMER VALUES (6, 'DILL Miller', 9876543210, '123 Main St', 'New York', '10001', 'USA');
```

```
INSERT INTO CUSTOMER VALUES (7, 'Eva Green', 8765432109, '456 Oak St', 'New York', '90001', 'USA');
```

```
INSERT INTO CUSTOMER VALUES (8, 'Ace Johnson', 7654321098, '789 Pine St', 'London', 'SW1A', 'UK');
```

```
INSERT INTO CUSTOMER VALUES (9, 'Carlie Brown', 6543210987, '101 Maple Rd', 'New York', '60601', 'USA');
```

```
INSERT INTO CUSTOMER VALUES (10, 'Mill Smith', 7890055449, '456 Err Rd', 'Nigeria', '1235', 'AFRICA');SELECT * FROM CUSTOMER;
```

6	6DILL Miller	9876543210	123 Main St	New York	10001	USA
7	7Eva Green	8765432109	456 Oak St	New York	90001	USA
8	8Ace Johnson	7654321098	789 Pine St	London	SW1A	UK
9	9Carlie Brown	6543210987	101 Maple Rd	New York	60601	USA
10	10Mill Smith	7890055449	456 Err Rd	Nigeria	1235	AFRICA

EXPERIMENT NO:5

INSERT INTO EMPLOYEES VALUES (101, 'Johnson', 'Mark', TO_DATE('15-08-1978','DD-MM-YYYY'), 'photo1.jpg');

INSERT INTO EMPLOYEES VALUES (102, 'Taylor', 'Emma', TO_DATE('22-03-1985','DD-MM-YYYY'), 'photo2.jpg');

INSERT INTO EMPLOYEES VALUES (103, 'Williams', 'John', TO_DATE('10-11-1990','DD-MM-YYYY'), 'photo3.jpg');

INSERT INTO EMPLOYEES VALUES (104, 'Brown', 'Sophia', TO_DATE('05-07-1982','DD-MM-YYYY'), 'photo4.jpg');

INSERT INTO EMPLOYEES VALUES (105, 'Davis', 'Michael', TO_DATE('25-12-1975','DD-MM-YYYY'), 'photo5.jpg');SELECT * FROM EMPLOYEES;

	EMPLOYEEID	LASTNAME	FIRSTNAME	BIRTHDATE	PHOTO
1	101	Johnson	Mark	15-08-78	photo1.jpg
2	102	Taylor	Emma	22-03-85	photo2.jpg
3	103	Williams	John	10-11-90	photo3.jpg
4	104	Brown	Sophia	05-07-82	photo4.jpg
5	105	Davis	Michael	25-12-75	photo5.jpg

INSERT INTO ORDERS VALUES (201, 1, 102, TO_DATE('10-01-2021','DD-MM-YYYY'), 1);

INSERT INTO ORDERS VALUES (202, 1, 103, TO_DATE('15-02-2021','DD-MM-YYYY'), 2);

INSERT INTO ORDERS VALUES (203, 2, 104, TO_DATE('20-03-2020','DD-MM-YYYY'), 1);

INSERT INTO ORDERS VALUES (204, 4, 101, TO_DATE('25-05-2022','DD-MM-YYYY'), 3);

INSERT INTO ORDERS VALUES (205, 1, 105, TO_DATE('30-06-2023','DD-MM-YYYY'), 2);

INSERT INTO ORDERS VALUES (152, 1, 102, TO_DATE('10-01-2021','DD-MM-YYYY'), 1);

INSERT INTO ORDERS VALUES (896, 1, 103, TO_DATE('15-02-2021','DD-MM-YYYY'), 2);INSERT INTO ORDERS VALUES (236, 2, 104, TO_DATE('20-03-2020','DD-MM-YYYY'), 1);INSERT INTO ORDERS VALUES (456, 4, 101, TO_DATE('25-05-2022','DD-MM-YYYY'), 3);INSERT INTO ORDERS VALUES (457, 1, 105, TO_DATE('30-06-2023','DD-MM-YYYY'), 2);SELECT * FROM ORDERS;

	ORDERID	CUSTOMERID	EMPLOYEEID	ORDERDATE	SHIPPERID
1	201	1	102	10-01-21	1
2	202	1	103	15-02-21	2
3	203	2	104	20-03-20	1
4	204	4	101	25-05-22	3
5	205	1	105	30-06-23	2
6	152	1	102	10-01-21	1
7	896	1	103	15-02-21	2
8	236	2	104	20-03-20	1
9	456	4	101	25-05-22	3
10	457	1	105	30-06-23	2

EXPERIMENT NO:5

SELECT * FROM CUSTOMER ORDER BY CustomerName ASC;

	AZ	CUSTOMERID	AZ	CUSTOMERNAME	AZ	CONTACTNO	AZ	ADDRESS	AZ	CITY	AZ	POSTALCODE	AZ	COUNTRY
1		8		Ace Johnson		7654321098		789 Pine St		London		SW1A		UK
2		3		Alice Johnson		7654321098		789 Pine St		London		SW1A		UK
3		5		Bob Smith		5432109876		202 Cedar Ave		New York		75001		USA
4		9		Carlie Brown		6543210987		101 Maple Rd		New York		60601		USA
5		4		Charlie Brown		6543210987		101 Maple Rd		New York		60601		USA
6		6		DILL Miller		9876543210		123 Main St		New York		10001		USA
7		1		David Miller		9876543210		123 Main St		New York		10001		USA
8		7		Eva Green		8765432109		456 Oak St		New York		90001		USA
9		2		Eva Green		8765432109		456 Oak St		New York		90001		USA
10		10		Mill Smith		7890055449		456 Err Rd		Nigeria		1235		AFRICA

SELECT * FROM ORDERS ORDER BY OrderDate ASC;

	AZ	ORDERID	AZ	CUSTOMERID	AZ	EMPLOYEEID	AZ	ORDERDATE	AZ	SHIPPERID
1		203		2		104		20-03-20		1
2		236		2		104		20-03-20		1
3		201		1		102		10-01-21		1
4		152		1		102		10-01-21		1
5		202		1		103		15-02-21		2
6		896		1		103		15-02-21		2
7		456		4		101		25-05-22		3
8		204		4		101		25-05-22		3
9		457		1		105		30-06-23		2
10		205		1		105		30-06-23		2

SELECT * FROM EMPLOYEES WHERE BirthDate > TO_DATE('01-01-1980','DD-MM-YYYY') ORDER BY BirthDate DESC;

	AZ	EMPLOYEEID	AZ	LASTNAME	AZ	FIRSTNAME	AZ	BIRTHDATE	AZ	PHOTO
1		103		Williams		John		10-11-90		photo3.jpg
2		102		Taylor		Emma		22-03-85		photo2.jpg
3		104		Brown		Sophia		05-07-82		photo4.jpg

SELECT O.OrderID,c.CustomerID, o.OrderDate, c.CustomerName, c.Country FROM CUSTOMER c JOIN ORDERS o ON c.CustomerID = o.CustomerID WHERE Country = 'USA' ORDER BY OrderDate DESC;

	AZ	ORDERID	AZ	CUSTOMERID	AZ	ORDERDATE	AZ	CUSTOMERNAME	AZ	COUNTRY
1		205		1		30-06-23		David Miller		USA
2		457		1		30-06-23		David Miller		USA
3		204		4		25-05-22		Charlie Brown		USA
4		456		4		25-05-22		Charlie Brown		USA
5		896		1		15-02-21		David Miller		USA
6		202		1		15-02-21		David Miller		USA
7		152		1		10-01-21		David Miller		USA
8		201		1		10-01-21		David Miller		USA
9		203		2		20-03-20		Eva Green		USA
10		236		2		20-03-20		Eva Green		USA

EXPERIMENT NO:5

SELECT c.CustomerName, COUNT(*) AS NUMBER_OF_ORDERS FROM ORDERS o JOIN CUSTOMER c ON o.CustomerID = c.CustomerID GROUP BY c.CustomerName;

	CUSTOMERNAME	NUMBER_OF_ORDERS
1	Eva Green	2
2	Charlie Brown	2
3	David Miller	6

SELECT City, COUNT(*) AS NUMBER_OF_CUSTOMERS FROM CUSTOMER GROUP BY City;

	CITY	NUMBER_OF_CUSTOMERS
1	London	2
2	New York	7
3	Nigeria	1

SELECT c.CustomerName, COUNT(o.OrderID) AS NUMBER_OF_ORDERS FROM CUSTOMER c JOIN ORDERS o ON c.CustomerID = o.CustomerID GROUP BY CustomerName HAVING COUNT(o.OrderID) > 2;

	CUSTOMERNAME	NUMBER_OF_ORDERS
1	David Miller	6

SELECT City, COUNT(CustomerID) AS NUMBER_OF_CUSTOMERS FROM CUSTOMER GROUP BY City HAVING COUNT(CustomerID) > 3;

	CITY	NUMBER_OF_CUSTOMERS
1	New York	7