LAPORAN PRAKTIKUM

Aplikasi Berbasis Platform

Disusun oleh:

ALDEN AUDY AKBAR

2311102309 S1 IF-11-04

Dosen Pengampu:

Cahyo Prihantoro, S.Kom., M.Eng.

PROGRAM STUDI S1 INFORMATIKA

FAKULTAS INFORMATIKA

TELKOM UNIVERSITY PURWOKERTO

2026/2027

1. Laragon dan XAMPP merupakan perangkat lunak stack yang berfungsi menciptakan lingkungan server lokal di dalam komputer pribadi. Tanpa alat ini, sebuah kode PHP tidak akan bisa berjalan karena browser tidak memiliki kemampuan untuk memproses bahasa pemrograman tersebut secara langsung. XAMPP telah lama menjadi standar industri yang bersifat lintas platform, menyediakan paket lengkap berisi Apache sebagai server, MariaDB untuk pengelolaan database, dan PHP sebagai pengolah logika. Sementara itu, Laragon hadir sebagai alternatif yang lebih modern dan ringan, khususnya bagi para pengembang Windows. Laragon menawarkan fleksibilitas lebih tinggi seperti fitur autovirtual hosts yang memungkinkan akses proyek melalui domain kustom (misalnya `proyekku.test`) daripada sekadar menggunakan alamat `localhost`, sehingga lingkungan pengembangan terasa sangat mirip dengan kondisi server asli di internet.

2. PHP (Hypertext Preprocessor) merupakan bahasa pemrograman serverside scripting yang menjadi mesin utama di balik jutaan situs web di seluruh dunia. Berbeda dengan HTML yang hanya mampu menampilkan konten statis, PHP bertugas memproses data di sisi server sebelum mengirimkan hasilnya ke layar pengguna. Peran utamanya meliputi pengelolaan formulir, interaksi dengan database, hingga pengaturan sesi pengguna seperti sistem login. Karena sifatnya yang fleksibel dan memiliki dukungan komunitas yang sangat besar, PHP menjadi bahasa yang sangat ramah bagi pemula namun tetap kuat untuk membangun sistem skala besar. Dalam ekosistem pengembangan web, PHP bertindak sebagai jembatan yang menghubungkan antara apa yang dilihat pengguna di browser dengan data yang tersimpan di dalam basis data.

3. Composer adalah alat manajemen dependensi yang merevolusi cara pengembang PHP membangun aplikasi. Dalam pengembangan modern, kita jarang menulis semua fungsi dari nol; kita sering kali menggunakan pustaka atau paket kode yang sudah dibuat oleh orang lain untuk mempercepat pekerjaan, seperti sistem validasi, pengiriman email, atau integrasi pembayaran. Composer bertugas untuk mengunduh, memasang, dan memastikan semua pustaka tersebut berjalan harmonis tanpa konflik versi. Dengan adanya file `composer.json`, pengembang dapat dengan mudah mendokumentasikan apa saja komponen tambahan yang dibutuhkan oleh proyek tersebut. Hal ini memastikan bahwa jika proyek dikerjakan oleh tim, setiap anggota akan memiliki versi pustaka yang sama, sehingga meminimalisir kesalahan yang disebabkan oleh perbedaan lingkungan pengembangan.

TUGAS

1. Cek Versi PHP

Perintah dasar untuk m

Command: php -v

Kegunaan: Menampilkan versi PHP yang sedang digunakan dan informasi build-nya

```
C:\laragon\www
λ php -v
PHP 8.3.30 (cli) (built: Jan 13 2026 22:50:40) (ZTS Visual C++ 2019 x64)
Copyright (c) The PHP Group
Zend Engine v4.3.30, Copyright (c) Zend Technologies
```

2. Cek Versi Composer

Memastikan alat manajemen library (Composer) sudah terpasang.

Command: composer -v

Kegunaan: Menampilkan versi Composer beserta daftar perintah bantuan yang tersedia

```
C:\laragon\www
λ composer -v
   ____
  /  _ \__  ___ ___ ___ ___ ___ ___ _____ ____
  / /_\ \ _ \/ _ \/ _ \/ _ \/ _ \/ _ \/ _ \/ ___/
 / /___/ /_/ / /_/ / /_/ / /_/ / /_/ (__  ) __/ /
 \____/\____/_/ /_/ /_/ .____/\____/\____/\____/_/
                     /_/
Composer version 2.9.4 2026-01-22 14:08:50

Usage:
  command [options] [arguments]

Options:
  -h, --help                     Display help for the given command. When no command is given display help for the list command
  -q, --quiet                    Do not output any message
  -V, --version                  Display this application version
      --ansi|--no-ansi           Force (or disable --no-ansi) ANSI output
  -n, --no-interaction           Do not ask any interactive question
      --profile                  Display timing and memory usage information
      --no-plugins               Whether to disable plugins.
      --no-scripts               Skips the execution of all scripts defined in composer.json file.
  -d, --working-dir=WORKING-DIR  If specified, use the given directory as working directory.
      --no-cache                 Prevent use of the cache
  -v|vv|vvv, --verbose           Increase the verbosity of messages: 1 for normal output, 2 for more verbose output and 3 for debug

Available commands:
  about                Shows a short information about Composer
  archive              Creates an archive of this composer package
  audit                Checks for security vulnerability advisories for installed packages
  browse               [home] Opens the package's repository URL or homepage in your browser
  bump                 Increases the lower limit of your composer.json requirements to the currently installed versions
  check-platform-reqs  Check that platform requirements are satisfied
  clear-cache          [clearcache|cc] Clears composer's internal package cache
  completion           Dump the shell completion script
  config               Sets config options
  create-project       Creates new project from a package into given directory
  depends              [why] Shows which packages cause the given package to be installed
  diagnose             Diagnoses the system to identify common errors
  dump-autoload        [dumpautoload] Dumps the autoloader
  exec                 Executes a vendored binary/script
  fund                 Discover how to help fund the maintenance of your dependencies
  global               Allows running commands in the global composer dir ($COMPOSER_HOME)
  help                 Display help for a command
  init                 Creates a basic composer.json file in current directory
  install              [i] Installs the project dependencies from the composer.lock file if present, or falls back on the composer.json
  licenses             Shows information about licenses of dependencies
  list                 List commands
  outdated             Shows a list of installed packages that have updates available, including their latest version
  prohibits            [why-not] Shows which packages prevent the given package from being installed
  reinstall            Uninstalls and reinstalls the given package names
  remove               [rm|uninstall] Removes a package from the require or require-dev
  repository           [repo] Manages repositories
  require              [r] Adds required packages to your composer.json and installs them
  run-script           [run] Runs the scripts defined in composer.json
  search               Searches for packages
  self-update          [selfupdate] Updates composer.phar to the latest version
  show                 [info] Shows information about packages
  status               Shows a list of locally modified packages
  suggests             Shows package suggestions
  update               [u|upgrade] Updates your dependencies to the latest version according to composer.json, and updates the composer.lock file
  validate             Validates a composer.json and composer.lock

C:\laragon\www
```

3. Menjalankan Server Internal

Jika ingin menjalankan satu file PHP tanpa melalui Apache Laragon.

Command: php -S localhost:8000

Kegunaan: Membuat server web instan di port 8000. Kamu bisa membukanya di browser dengan alamat localhost:8000.

```
C:\laragon\www
λ php -S localhost:8000
[Sat Apr 11 23:13:03 2026] PHP 8.3.30 Development Server (http://localhost:8000) started
```

4. Melihat Lokasi Konfigurasi (php.ini)

Sangat berguna jika perlu mengubah limit upload atau setting database.

Command: php --ini

Kegunaan: Menunjukkan di mana letak file konfigurasi php.ini yang sedang aktif di Laragon.

```
C:\laragon\www
λ php --ini
Configuration File (php.ini) Path:
Loaded Configuration File:         C:\laragon\bin\php\php-8.3.30-Win32-vs16-x64\php.ini
Scan for additional .ini files in: (none)
Additional .ini files parsed:      (none)
```

5. Menampilkan Daftar Ekstensi PHP

Untuk mengecek apakah fitur tertentu (seperti MySQL atau OpenSSL) sudah aktif.

Command: php -m

Kegunaan: Menampilkan seluruh modul/ekstensi PHP yang telah dimuat oleh sistem.

```
C:\laragon\www
λ php -m
[PHP Modules]
bcmath
calendar
Core
ctype
curl
date
dom
exif
fileinfo
filter
gd
hash
iconv
intl
json
libxml
mbstring
mysqli
mysqlnd
openssl
pcre
PDO
pdo_mysql
pdo_sqlite
Phar
random
readline
Reflection
session
SimpleXML
sodium
SPL
sqlite3
standard
tokenizer
xml
xmlreader
xmlwriter
xsl
zlib

[Zend Modules]
```

6. Inisialisasi Proyek Baru (Composer)

Perintah untuk memulai proyek PHP baru yang menggunakan library luar.

Command: composer init

Kegunaan: Membuat file composer.json secara interaktif untuk mengatur identitas proyek .

```
C:\laragon\www
λ composer init

  Welcome to the Composer config generator


This command will guide you through creating your composer.json config.

Package name (<vendor>/<name>) [alden/www]:
```

7. Membersihkan Cache Composer

Jika mengalami error saat mendownload library, biasanya cache perlu dibersihkan.

Command: composer clear-cache

Kegunaan: Menghapus data unduhan sementara yang tersimpan di memori Composer.

```
C:\laragon\www
λ composer clear-cache
Clearing cache (cache-vcs-dir): C:\Users\alden\AppData\Local\Composer\vcs
Clearing cache (cache-repo-dir): C:\Users\alden\AppData\Local\Composer\repo
Clearing cache (cache-files-dir): C:\Users\alden\AppData\Local\Composer\files
Clearing cache (cache-dir): C:\Users\alden\AppData\Local\Composer
All caches cleared.
```

8. Membuat Controller (Khusus Laravel)

Jika sudah menginstal Laravel di dalam folder www.

Command: php artisan make:controller TugasController

Kegunaan: Membuat file Controller baru secara otomatis untuk mengatur logika web.

```
C:\laragon\www
λ php artisan make:controller TugasController
Could not open input file: artisan
```

Output seperti ini karena belum menginstall.

9. Cek Status Koneksi Database (MySQL)

Mengecek apakah MySQL Laragon bisa diakses melalui terminal.

Command: mysql -u root

Kegunaan: Masuk ke dalam monitor MySQL (ketik exit untuk keluar). Secara default di Laragon, user-nya adalah root dan tanpa password.

```
C:\laragon\www
λ mysql -u root
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 8
Server version: 8.4.3 MySQL Community Server - GPL

Copyright (c) 2000, 2024, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql>
```

10. List Perintah Artisan (Khusus Laravel)

Melihat semua kemampuan yang bisa dilakukan oleh framework Laravel.

Command: php artisan list

Kegunaan: Menampilkan daftar lengkap perintah manajemen database, migrasi, hingga debugging di Laravel.

```
C:\laragon\www
λ php artisan list
Could not open input file: artisan
```

Belum ada isi.

11. Perintah ini digunakan untuk memastikan bahwa perintah yang diketik benar-benar mengarah ke folder Laragon, bukan ke sisa-sisa instalasi XAMPP yang lama.

Command: where php

Kegunaan: Menampilkan jalur direktori (path) tempat file php.exe berada. Ini membuktikan bahwa sistem sedang menggunakan PHP milik Laragon.

```
C:\laragon\www
λ where php
C:\laragon\bin\php\php-8.3.30-Win32-vs16-x64\php.exe
C:\xampp\php\php.exe
```

12. Menampilkan Informasi Konfigurasi Lengkap

Jika php -v hanya menampilkan versi, perintah ini menampilkan seluruh informasi sistem, variabel lingkungan, dan konfigurasi server dalam bentuk teks di terminal.

Command: php -i

Kegunaan: Menampilkan output yang sama dengan fungsi phpinfo() pada browser, namun langsung di dalam terminal. Sangat berguna untuk debugging cepat tanpa membuat file baru.

Output:

```
C:\laragon\www

λ php -i

phpinfo()

PHP Version => 8.3.30


System => Windows NT LENOVO 10.0 build 26200 (Windows 11) AMD64

Build Date => Jan 13 2026 22:48:14

Build System => Microsoft Windows Server 2022 Datacenter [10.0.20348]

Build Provider => The PHP Group

Compiler => Visual C++ 2019

Architecture => x64

Configure Command => cscript /nologo /e:jscript configure.js  "--enable-snapshot-build" "--enable-debug-pack" "--with-pdo-oci=..\..\..\..\instantclient\sdk,shared" "--with-oci8-19=..\..\..\..\instantclient\sdk,shared" "--enable-object-out-dir=../obj/" "--enable-com-dotnet

=shared" "--without-analyzer" "--with-pgo"

Server API => Command Line Interface

Virtual Directory Support => enabled

Configuration File (php.ini) Path =>

Loaded Configuration File => C:\laragon\bin\php\php-8.3.30-Win32-vs16-x64\php.ini

Scan this dir for additional .ini files => (none)

Additional .ini files parsed => (none)

PHP API => 20230831

PHP Extension => 20230831

Zend Extension => 420230831

Zend Extension Build => API420230831,TS,VS16

PHP Extension Build => API20230831,TS,VS16
```

Debug Build => no

Thread Safety => enabled

Thread API => Windows Threads

Zend Signal Handling => disabled

Zend Memory Manager => enabled

Zend Multibyte Support => provided by mbstring

Zend Max Execution Timers => disabled

IPv6 Support => enabled

DTrace Support => disabled

Registered PHP Streams => php, file, glob, data, http, ftp, compress.zlib, https, ftps, phar

Registered Stream Socket Transports => tcp, udp, ssl, tls, tlsv1.0, tlsv1.1, tlsv1.2, tlsv1.3

Registered Stream Filters => convert.iconv.*, string.rot13, string.toupper, string.tolower, convert.*, consumed, dechunk, zlib.*

This program makes use of the Zend Scripting Language Engine:

Zend Engine v4.3.30, Copyright (c) Zend Technologies

Configuration

bcmath

BCMath support => enabled

Directive => Local Value => Master Value

bcmath.scale => 0 => 0

calendar

Calendar support => enabled

Core

PHP Version => 8.3.30

Directive => Local Value => Master Value

allow_url_fopen => On => On

allow_url_include => Off => Off

arg_separator.input => & => &

arg_separator.output => & => &

auto_append_file => no value => no value

auto_globals_jit => On => On

auto_prepend_file => no value => no value

browscap => no value => no value

default_charset => UTF-8 => UTF-8

default_mimetype => text/html => text/html

disable_classes => no value => no value

disable_functions => no value => no value

display_errors => STDOUT => STDOUT

display_startup_errors => On => On

doc_root => no value => no value

docref_ext => no value => no value

docref_root => no value => no value

enable_dl => Off => Off

enable_post_data_reading => On => On

error_append_string => no value => no value

error_log => C:/laragon/tmp/php_errors.log => C:/laragon/tmp/php_errors.log

error_log_mode => 0644 => 0644

error_prepend_string => no value => no value

error_reporting => 32767 => 32767

expose_php => On => On

extension_dir => C:/laragon/bin/php/php-8.3.30-Win32-vs16-x64/ext => C:/laragon/bin/php/php-8.3.30-Win32-vs16-x64/ext

fiber.stack_size => no value => no value

file_uploads => On => On

hard_timeout => 2 => 2

highlight.comment => <font style="color: #FF8000">#FF8000</font> => <font style="color: #FF8000">#FF8000</font>

highlight.default => <font style="color: #0000BB">#0000BB</font> => <font style="color: #0000BB">#0000BB</font>

highlight.html => <font style="color: #000000">#000000</font> => <font style="color: #000000">#000000</font>

highlight.keyword => <font style="color: #007700">#007700</font> => <font style="color: #007700">#007700</font>

highlight.string => <font style="color: #DD0000">#DD0000</font> => <font style="color: #DD0000">#DD0000</font>

html_errors => Off => Off

ignore_repeated_errors => Off => Off

ignore_repeated_source => Off => Off

ignore_user_abort => Off => Off

implicit_flush => On => On

include_path => .;C:/laragon/etc/php/pear => .;C:/laragon/etc/php/pear

input_encoding => no value => no value

internal_encoding => no value => no value

log_errors => On => On

mail.add_x_header => Off => Off

mail.force_extra_parameters => no value => no value

mail.log => no value => no value

mail.mixed_lf_and_crlf => Off => Off

max_execution_time => 0 => 0

max_file_uploads => 20 => 20

max_input_nesting_level => 64 => 64

max_input_time => -1 => -1

max_input_vars => 1000 => 1000

max_multipart_body_parts => -1 => -1

memory_limit => 512M => 512M

open_basedir => no value => no value

output_buffering => 0 => 0

output_encoding => no value => no value

output_handler => no value => no value

post_max_size => 2G => 2G

precision => 14 => 14

realpath_cache_size => 4096K => 4096K

realpath_cache_ttl => 120 => 120

register_argc_argv => On => On

report_memleaks => On => On

report_zend_debug => Off => Off

request_order => GP => GP

sendmail_from => no value => no value

sendmail_path => C:/laragon/bin/mailpit/1.22.3/mailpit.exe sendmail => C:/laragon/bin/mailpit/1.22.3/mailpit.exe sendmail

serialize_precision => -1 => -1

short_open_tag => Off => Off

SMTP => localhost => localhost

smtp_port => 25 => 25

sys_temp_dir => no value => no value

syslog.facility => LOG_USER => LOG_USER

syslog.filter => no-ctrl => no-ctrl

syslog.ident => php => php

unserialize_callback_func => no value => no value

upload_max_filesize => 2G => 2G

upload_tmp_dir => no value => no value

user_dir => no value => no value

user_ini.cache_ttl => 300 => 300

user_ini.filename => .user.ini => .user.ini

variables_order => GPCS => GPCS

windows.show_crt_warning => Off => Off

xmlrpc_error_number => 0 => 0

xmlrpc_errors => Off => Off

zend.assertions => 1 => 1

zend.detect_unicode => On => On

zend.enable_gc => On => On

zend.exception_ignore_args => Off => Off

zend.exception_string_param_max_len => 15 => 15

zend.max_allowed_stack_size => 0 => 0

zend.multibyte => Off => Off

zend.reserved_stack_size => 0 => 0

zend.script_encoding => no value => no value

ctype

ctype functions => enabled

curl

cURL support => enabled

cURL Information => 8.16.0

Age => 11

Features

AsynchDNS => Yes

CharConv => No

Debug => No

GSS-Negotiate => No

IDN => Yes

IPv6 => Yes

krb4 => No

Largefile => Yes

libz => Yes

NTLM => Yes

NTLMWB => No

SPNEGO => Yes

SSL => Yes

SSPI => Yes

TLS-SRP => No

HTTP2 => Yes

GSSAPI => No

KERBEROS5 => Yes

UNIX_SOCKETS => Yes

PSL => No

HTTPS_PROXY => Yes

MULTI_SSL => No

BROTLI => No

ALTSVC => Yes

HTTP3 => No

UNICODE => No

ZSTD => No

HSTS => Yes

GSASL => No

Protocols => dict, file, ftp, ftps, gopher, gophers, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtsp, scp, sftp, smb, smbs, smtp, smtps, telnet, tftp, ws, wss

Host => x86_64-pc-win32

SSL Version => OpenSSL/3.0.18

ZLib Version => 1.2.12

libSSH Version => libssh2/1.10.0

Directive => Local Value => Master Value

curl.cainfo => C:\laragon\etc\ssl\cacert.pem => C:\laragon\etc\ssl\cacert.pem

date

date/time support => enabled

timelib version => 2022.14

"Olson" Timezone Database Version => 2025.2

Timezone Database => internal

Default timezone => UTC

Directive => Local Value => Master Value

date.default_latitude => 31.7667 => 31.7667

date.default_longitude => 35.2333 => 35.2333

date.sunrise_zenith => 90.833333 => 90.833333

date.sunset_zenith => 90.833333 => 90.833333

date.timezone => UTC => UTC

dom

DOM/XML => enabled

DOM/XML API Version => 20031129

libxml Version => 2.10.4

HTML Support => enabled

XPath Support => enabled

XPointer Support => enabled

Schema Support => enabled

RelaxNG Support => enabled

exif

EXIF Support => enabled

Supported EXIF Version => 0220

Supported filetypes => JPEG, TIFF

Multibyte decoding support using mbstring => enabled

Extended EXIF tag formats => Canon, Casio, Fujifilm, Nikon, Olympus, Samsung, Panasonic, DJI, Sony, Pentax, Minolta, Sigma, Foveon, Kyocera, Ricoh, AGFA, Epson

Directive => Local Value => Master Value

exif.decode_jis_intel => JIS => JIS

exif.decode_jis_motorola => JIS => JIS

exif.decode_unicode_intel => UCS-2LE => UCS-2LE

exif.decode_unicode_motorola => UCS-2BE => UCS-2BE

exif.encode_jis => no value => no value

exif.encode_unicode => ISO-8859-15 => ISO-8859-15

fileinfo

fileinfo support => enabled

libmagic => 543

filter

Input Validation and Filtering => enabled

Directive => Local Value => Master Value

filter.default => unsafe_raw => unsafe_raw

filter.default_flags => no value => no value

gd

GD Support => enabled

GD Version => bundled (2.1.0 compatible)

FreeType Support => enabled

FreeType Linkage => with freetype

FreeType Version => 2.11.1

GIF Read Support => enabled

GIF Create Support => enabled

JPEG Support => enabled

libJPEG Version => 8

PNG Support => enabled

libPNG Version => 1.6.34

WBMP Support => enabled

XPM Support => enabled

libXpm Version => 30512

XBM Support => enabled

WebP Support => enabled

BMP Support => enabled

AVIF Support => enabled

TGA Read Support => enabled

Directive => Local Value => Master Value

gd.jpeg_ignore_warning => On => On

hash

hash support => enabled

Hashing Engines => md2 md4 md5 sha1 sha224 sha256 sha384 sha512/224 sha512/256 sha512 sha3-224 sha3-256 sha3-384 sha3-512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost gost-crypto

adler32 crc32 crc32b crc32c fnv132 fnv1a32 fnv164 fnv1a64 joaat murmur3a murmur3c murmur3f xxh32 xxh64 xxh3 xxh128 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 hav

al256,5

MHASH support => Enabled

MHASH API Version => Emulated Support

iconv

iconv support => enabled

iconv implementation => "libiconv"

iconv library version => 1.15

Directive => Local Value => Master Value

iconv.input_encoding => no value => no value

iconv.internal_encoding => no value => no value

iconv.output_encoding => no value => no value

intl

Internationalization support => enabled

ICU version => 72.1

ICU Data version => 72.1

ICU TZData version => 2022e

ICU Unicode version => 15.0

Directive => Local Value => Master Value

intl.default_locale => no value => no value

intl.error_level => 0 => 0

intl.use_exceptions => Off => Off

json

json support => enabled

libxml

libXML support => active

libXML Compiled Version => 2.10.4

libXML Loaded Version => 21004

libXML streams => enabled

mbstring

Multibyte Support => enabled

Multibyte string engine => libmbfl

HTTP input encoding translation => disabled

libmbfl version => 1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support => enabled

Multibyte regex (oniguruma) version => 6.9.8

Directive => Local Value => Master Value

mbstring.detect_order => no value => no value

mbstring.encoding_translation => Off => Off

mbstring.http_input => no value => no value

mbstring.http_output => no value => no value

mbstring.http_output_conv_mimetypes => ^(text/|application/xhtml\+xml) => ^(text/|application/xhtml\+xml)

mbstring.internal_encoding => no value => no value

mbstring.language => neutral => neutral

mbstring.regex_retry_limit => 1000000 => 1000000

mbstring.regex_stack_limit => 100000 => 100000

mbstring.strict_detection => Off => Off

mbstring.substitute_character => no value => no value

mysqli

MysqlI Support => enabled

Client API library version => mysqlnd 8.3.30

Active Persistent Links => 0

Inactive Persistent Links => 0

Active Links => 0

Directive => Local Value => Master Value

mysqli.allow_local_infile => Off => Off

mysqli.allow_persistent => On => On

mysqli.default_host => no value => no value

mysqli.default_port => 3306 => 3306

mysqli.default_pw => no value => no value

mysqli.default_socket => no value => no value

mysqli.default_user => no value => no value

mysqli.local_infile_directory => no value => no value

mysqli.max_links => Unlimited => Unlimited

mysqli.max_persistent => Unlimited => Unlimited

mysqli.rollback_on_cached_plink => Off => Off

mysqlnd

mysqlnd => enabled

Version => mysqlnd 8.3.30

Compression => supported

core SSL => supported

extended SSL => supported

Command buffer size => 4096

Read buffer size => 32768

Read timeout => 86400

Collecting statistics => Yes

Collecting memory statistics => Yes

Tracing => n/a

Loaded plugins => mysqlnd,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password,auth_plugin_caching_sha2_password,auth_plugin_sha256_password

API Extensions => mysqli,pdo_mysql

openssl

OpenSSL support => enabled

OpenSSL Library Version => OpenSSL 3.0.18 30 Sep 2025

OpenSSL Header Version => OpenSSL 3.0.18 30 Sep 2025

Openssl default config => C:\laragon\bin\apache\httpd-2.4.66-260223-Win64-VS18\conf\openssl.cnf

Directive => Local Value => Master Value

openssl.cafile => no value => no value

openssl.capath => no value => no value

pcre

PCRE (Perl Compatible Regular Expressions) Support => enabled

PCRE Library Version => 10.42 2022-12-12

PCRE Unicode Version => 14.0.0

PCRE JIT Support => enabled

PCRE JIT Target => x86 64bit (little endian + unaligned)

Directive => Local Value => Master Value

pcre.backtrack_limit => 1000000 => 1000000

pcre.jit => On => On

pcre.recursion_limit => 100000 => 100000

PDO

PDO support => enabled

PDO drivers => mysql, sqlite

pdo_mysql

PDO Driver for MySQL => enabled

Client API version => mysqlnd 8.3.30

pdo_sqlite

PDO Driver for SQLite 3.x => enabled

SQLite Library => 3.40.0

Phar

Phar: PHP Archive support => enabled

Phar API version => 1.1.1

Phar-based phar archives => enabled

Tar-based phar archives => enabled

ZIP-based phar archives => enabled

gzip compression => enabled

bzip2 compression => disabled (install ext/bz2)

OpenSSL support => enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.

Phar fully realized by Gregory Beaver and Marcus Boerger.

Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive => Local Value => Master Value

phar.cache_list => no value => no value

phar.readonly => On => On

phar.require_hash => On => On

random

Version => 8.3.30

readline

Readline Support => enabled

Readline library => WinEditLine

Directive => Local Value => Master Value

cli.pager => no value => no value

cli.prompt => \b \> => \b \>

Reflection

Reflection => enabled

session

Session Support => enabled

Registered save handlers => files user

Registered serializer handlers => php_serialize php php_binary

Directive => Local Value => Master Value

session.auto_start => Off => Off

session.cache_expire => 180 => 180

session.cache_limiter => nocache => nocache

session.cookie_domain => no value => no value

session.cookie_httponly => Off => Off

session.cookie_lifetime => 0 => 0

session.cookie_path => / => /

session.cookie_samesite => no value => no value

session.cookie_secure => Off => Off

session.gc_divisor => 1000 => 1000

session.gc_maxlifetime => 36000 => 36000

session.gc_probability => 1 => 1

session.lazy_write => On => On

session.name => PHPSESSID => PHPSESSID

session.referer_check => no value => no value

session.save_handler => files => files

session.save_path => C:/laragon/tmp => C:/laragon/tmp

session.serialize_handler => php => php

session.sid_bits_per_character => 5 => 5

session.sid_length => 26 => 26

session.upload_progress.cleanup => On => On

session.upload_progress.enabled => On => On

session.upload_progress.freq => 1% => 1%

session.upload_progress.min_freq => 1 => 1

session.upload_progress.name => PHP_SESSION_UPLOAD_PROGRESS => PHP_SESSION_UPLOAD_PROGRESS

session.upload_progress.prefix => upload_progress_ => upload_progress_

session.use_cookies => On => On

session.use_only_cookies => On => On

session.use_strict_mode => Off => Off

session.use_trans_sid => Off => Off

SimpleXML

SimpleXML support => enabled

Schema support => enabled

sodium

sodium support => enabled

libsodium headers version => 1.0.18

libsodium library version => 1.0.18

SPL

SPL support => enabled

Interfaces => OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject

Classes => AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, Invalid

ArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, Recursi

veCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, S

plMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

sqlite3

SQLite3 support => enabled

SQLite Library => 3.40.0

Directive => Local Value => Master Value

sqlite3.defensive => On => On

sqlite3.extension_dir => no value => no value

standard

Dynamic Library Support => enabled

Path to sendmail => C:/laragon/bin/mailpit/1.22.3/mailpit.exe sendmail

Directive => Local Value => Master Value

assert.active => On => On

assert.bail => Off => Off

assert.callback => no value => no value

assert.exception => On => On

assert.warning => On => On

auto_detect_line_endings => Off => Off

default_socket_timeout => 60 => 60

from => no value => no value

session.trans_sid_hosts => no value => no value

session.trans_sid_tags => a=href,area=href,frame=src,form= => a=href,area=href,frame=src,form=

unserialize_max_depth => 4096 => 4096

url_rewriter.hosts => no value => no value

url_rewriter.tags => form= => form=

user_agent => no value => no value

tokenizer

Tokenizer Support => enabled

xml

XML Support => active

XML Namespace Support => active

libxml2 Version => 2.10.4

xmlreader

XMLReader => enabled

xmlwriter

XMLWriter => enabled

xsl

XSL => enabled

libxslt Version => 1.1.37

libxslt compiled against libxml Version => 2.10.2

EXSLT => enabled

libexslt Version => 0.8.20

zlib

ZLib Support => enabled

Stream Wrapper => compress.zlib://

Stream Filter => zlib.inflate, zlib.deflate

Compiled Version => 1.2.12

Linked Version => 1.2.12

Directive => Local Value => Master Value

zlib.output_compression => Off => Off

zlib.output_compression_level => -1 => -1

zlib.output_handler => no value => no value

Additional Modules

Module Name

Environment

Variable => Value

add_path => C:\laragon\bin\cmder

add_to_path => C:\laragon\bin\cmder

aliases => C:\laragon\bin\cmder\config\user_aliases.cmd

ALLUSERSPROFILE => C:\ProgramData

ANSICON => 158x1000 (158x38)

ANSICON_DEF => 7

```
APPDATA => C:\Users\alden\AppData\Roaming

architecture_bits => 64

ccall => call "C:\laragon\bin\cmder\vendor\bin\cexec.cmd"

cexec => "C:\laragon\bin\cmder\vendor\bin\cexec.cmd"

clink_architecture => x64

CMDER_ALIASES => 1

CMDER_CLINK => 1

CMDER_CONFIGURED => 1

CMDER_INIT_END => 23:55:59,76

CMDER_INIT_START => 23:55:57,67

CMDER_ROOT => C:\laragon\bin\cmder

CMDER_SHELL => cmd

CMDER_USER_FLAGS =>

COLUMNS => 158

CommonProgramFiles => C:\Program Files\Common Files

CommonProgramFiles(x86) => C:\Program Files (x86)\Common Files

CommonProgramW6432 => C:\Program Files\Common Files

COMPUTERNAME => LENOVO

ComSpec => C:\WINDOWS\system32\cmd.exe

ConEmuANSI => ON

ConEmuAnsiLog =>

ConEmuArgs => /Icon "C:\laragon\bin\cmder\icons\cmder.ico" /Title Cmder

ConEmuArgs2 =>

ConEmuBackHWND => 0x000207AA

ConEmuBaseDir => C:\laragon\bin\cmder\vendor\conemu-maximus5\ConEmu

ConEmuBaseDirShort => C:\laragon\bin\cmder\vendor\conemu-maximus5\ConEmu

ConEmuBuild => 210912

ConEmuCfgDir => C:\laragon\bin\cmder\vendor\conemu-maximus5

ConEmuConfig =>

ConEmuDir => C:\laragon\bin\cmder\vendor\conemu-maximus5

ConEmuDrawHWND => 0x000207A6

ConEmuDrive => C:
```

```
ConEmuHooks => Enabled
ConEmuHWND => 0x000307B0
ConEmuPalette => Monokai
ConEmuPID => 1732
ConEmuServerPID => 5588
ConEmuTask => {cmd::Cmder}
ConEmuWorkDir => C:\laragon\www
ConEmuWorkDrive => C:
currenArgu => /setpath
debug_output => 0
depth => 1
DOCUMENT_ROOT => C:/laragon/www
DriverData => C:\Windows\System32\Drivers\DriverData
EFC_9008_1262719628 => 1
EFC_9008_1592913036 => 1
EFC_9008_2283032206 => 1
EFC_9008_2775293581 => 1
EFC_9008_3789132940 => 1
fast_init => 0
feFlagName =>
feNot => false
find_query => C:\\laragon\\bin\\cmder
found => 1
FPS_BROWSER_APP_PROFILE_STRING => Internet Explorer
FPS_BROWSER_USER_PROFILE_STRING => Default
git_executable => C:\Program Files\Git\cmd\git.exe
GIT_INSTALL_ROOT => C:\laragon\bin\cmder\..\git
git_locale => "C:\Program Files\Git\usr\bin\locale.exe"
GIT_VERSION_USER => 2.53.0.windows.1
HOME => C:\Users\alden
HOMEDRIVE => C:
HOMEPATH => \Users\alden
```

LANG => en_US.UTF-8

LARAGON_ROOT => C:\laragon\

lib_base => call "C:\laragon\bin\cmder\vendor\lib\lib_base.cmd"

lib_console => call "C:\laragon\bin\cmder\vendor\lib\lib_console.cmd"

lib_git => call "C:\laragon\bin\cmder\vendor\lib\lib_git.cmd"

lib_path => call "C:\laragon\bin\cmder\vendor\lib\lib_path.cmd"

lib_profile => call "C:\laragon\bin\cmder\vendor\lib\lib_profile.cmd"

LINES => 38

LOCALAPPDATA => C:\Users\alden\AppData\Local

LOGONSERVER => \\LENOVO

max_depth => 1

nix_tools => 1

NUMBER_OF_PROCESSORS => 8

OLD_PATH => C:\laragon\bin\cmder\vendor\conemu-maximus5\ConEmu\Scripts;C:\laragon\bin\cmder\vendor\conemu-maximus5;C:\laragon\bin\cmder\vendor\conemu-maximus5\ConEmu;C:\xampp\php;C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common;C:\Program Files (x86)\Common Files\Or

acle\Java\java8path;C:\Program Files (x86)\Common Files\Oracle\Java\javapath;C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\WINDOWS\System32\WindowsPowerShell\v1.0\;C:\WINDOWS\System32\OpenSSH\;C:\Program Files (x86)\Windows Kits\10\Windows Performance Toolkit

\;C:\Program Files\Git\cmd;C:\Program Files\dotnet\;C:\apache-maven-3.9.14\bin;C:\ProgramData\ComposerSetup\bin;C:\Program Files\nodejs\;C:\Users\alden\AppData\Local\Programs\Python\Python310\Scripts\;C:\Users\alden\AppData\Local\Programs\Python\Python310\;C:\Users\alden\

.pyenv\pyenv-win\bin;C:\Users\alden\.pyenv\pyenv-win\shims;C:\Users\alden\AppData\Local\Programs\Python\Python314;C:\Users\alden\AppData\Local\Programs\Python\Python314\python.exe);C:\Users\alden\AppData\Local\Microsoft\WindowsApps;C:\Users\alden\AppData\Local\Programs\Mi

crosoft VS Code\bin;C:\Users\alden\AppData\Local\Microsoft\WinGet\Links;C:\Users\alden\AppData\Roaming\Composer\vendor\bin;C:\Users\alden\AppData\Roaming\npm;C:\Program Files\Git\mingw64\bin;C:\Program Files\Git\usr\bin;C:\laragon\bin\cmder\vendor\bin

OneDrive => C:\Users\alden\OneDrive

OneDriveConsumer => C:\Users\alden\OneDrive

OPENSSL_CONF => C:\laragon\bin\apache\httpd-2.4.66-260223-Win64-VS18\conf\openssl.cnf

OS => Windows_NT

Path =>
C:\Users\alden\AppData\Local\Yarn\config\global\node_modules\.bin;C:\Users\alden\AppData\Roaming\npm;C:\Users\alden\AppData\Roaming\Composer\vendor\bin;;C:\laragon\bin\laragon\utils;C:\laragon\bin\mysql\mysql-8.4.3-winx64\bin;C:\laragon\bin\php\php-8.3.30-Win32-vs

16-x64;C:\laragon\bin\composer;C:\laragon\bin\apache\httpd-2.4.66-260223-Win64-VS18\bin;C:\laragon\bin\redis\redis-x64-5.0.14.1;C:\laragon\bin\nodejs\node-v22;C:\laragon\bin\python\python-3.13;C:\laragon\bin\python\python-3.13\Scripts;C:\laragon\bin\nginx\nginx-1.28.2;C:\

laragon\bin\notepad++;C:\laragon\bin\ngrok;C:\laragon\bin\git\bin;C:\laragon\bin\git\cmd;C:\laragon\bin\git\usr\bin;C:\laragon\bin\git\mingw64\bin;C:\laragon\bin;C:\laragon\usr\bin;C:\laragon\bin\cmder\vendor\conemu-maximus5\ConEmu\Scripts;C:\laragon\bin\cmder\vendor\cone

mu-maximus5;C:\laragon\bin\cmder\vendor\conemu-maximus5\ConEmu;C:\xampp\php;C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common;C:\Program Files (x86)\Common Files\Oracle\Java\java8path;C:\Program Files (x86)\Common Files\Oracle\Java\javapath;C:\WINDOWS\system32;C:\WIN

DOWS;C:\WINDOWS\System32\Wbem;C:\WINDOWS\System32\WindowsPowerShell\v1.0\;C:\WINDOWS\System32\OpenSSH\;C:\Program Files (x86)\Windows Kits\10\Windows Performance Toolkit\;C:\Program Files\Git\cmd;C:\Program Files\dotnet\;C:\apache-maven-3.9.14\bin;C:\ProgramData\ComposerS

etup\bin;C:\Program Files\nodejs\;C:\Users\alden\AppData\Local\Programs\Python\Python310\Scripts\;C:\Users\alden\AppData\Local\Programs\Python\Python310\;C:\Users\alden\.pyenv\pyenv-win\bin;C:\Users\alden\.pyenv\pyenv-win\shims;C:\Users\alden\AppData\Local\Programs\Python

\Python314;C:\Users\alden\AppData\Local\Programs\Python\Python314\python.exe);C:\Users\alden\AppData\Local\Microsoft\WindowsApps;C:\Users\alden\AppData\Local\Programs\Microsoft VS Code\bin;C:\Users\alden\AppData\Local\Microsoft\WinGet\Links;C:\Users\alden\AppData\Roaming\

Composer\vendor\bin;C:\Users\alden\AppData\Roaming\npm;C:\Program Files\Git\mingw64\bin;C:\Program Files\Git\usr\bin;C:\laragon\bin\cmder\vendor\bin;C:\laragon\bin\cmder;

PATHEXT => .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC

path_position => append

PLINK_PROTOCOL => ssh

position => append

print_debug => if 0 gtr 0 call "C:\laragon\bin\cmder\vendor\lib\lib_console.cmd" debug_output

print_error => call "C:\laragon\bin\cmder\vendor\lib\lib_console.cmd" show_error

print_verbose => if 0 gtr 0 call "C:\laragon\bin\cmder\vendor\lib\lib_console.cmd" verbose_output

PROCESSOR_ARCHITECTURE => AMD64

```
PROCESSOR_IDENTIFIER => AMD64 Family 23 Model 160 Stepping 0, AuthenticAMD

PROCESSOR_LEVEL => 23

PROCESSOR_REVISION => a000

ProgramData => C:\ProgramData

ProgramFiles => C:\Program Files

ProgramFiles(x86) => C:\Program Files (x86)

ProgramW6432 => C:\Program Files

PROMPT => $P$G

PSModulePath => C:\Program
Files\WindowsPowerShell\Modules;C:\WINDOWS\system32\WindowsPowerShell\v1.0\Modules

PUBLIC => C:\Users\Public

PYENV => C:\Users\alden\.pyenv\pyenv-win\

PYENV_HOME => C:\Users\alden\.pyenv\pyenv-win\

PYENV_ROOT => C:\Users\alden\.pyenv\pyenv-win\

SESSIONNAME => Console

SVN_SSH => C:\\Program Files\\Git\\bin\\ssh.exe

SystemDrive => C:

SystemRoot => C:\WINDOWS

TEMP => C:\Users\alden\AppData\Local\Temp

TERM => cygwin

time_init => 0

TMP => C:\Users\alden\AppData\Local\Temp

USERDOMAIN => LENOVO

USERDOMAIN_ROAMINGPROFILE => LENOVO

USERNAME => alden

USERPROFILE => C:\Users\alden

user_aliases => C:\laragon\bin\cmder\config\user_aliases.cmd

USER_BUILD => windows.1

USER_DIR => C:\laragon\usr

USER_MAJOR => 2

USER_MINOR => 53

USER_PATCH => 0
```

USR_DIR => C:\laragon\usr

VBOX_MSI_INSTALL_PATH => C:\Program Files\Oracle\VirtualBox\

verbose_output => 0

windir => C:\WINDOWS

__COMPAT_LAYER => DetectorsAppHealth

PHP Variables

Variable => Value

$_SERVER['add_path'] => C:\laragon\bin\cmder

$_SERVER['add_to_path'] => C:\laragon\bin\cmder

$_SERVER['aliases'] => C:\laragon\bin\cmder\config\user_aliases.cmd

$_SERVER['ALLUSERSPROFILE'] => C:\ProgramData

$_SERVER['ANSICON'] => 158x1000 (158x38)

$_SERVER['ANSICON_DEF'] => 7

$_SERVER['APPDATA'] => C:\Users\alden\AppData\Roaming

$_SERVER['architecture_bits'] => 64

$_SERVER['ccall'] => call "C:\laragon\bin\cmder\vendor\bin\cexec.cmd"

$_SERVER['cexec'] => "C:\laragon\bin\cmder\vendor\bin\cexec.cmd"

$_SERVER['clink_architecture'] => x64

$_SERVER['CMDER_ALIASES'] => 1

$_SERVER['CMDER_CLINK'] => 1

$_SERVER['CMDER_CONFIGURED'] => 1

$_SERVER['CMDER_INIT_END'] => 23:55:59,76

$_SERVER['CMDER_INIT_START'] => 23:55:57,67

$_SERVER['CMDER_ROOT'] => C:\laragon\bin\cmder

$_SERVER['CMDER_SHELL'] => cmd

$_SERVER['CMDER_USER_FLAGS'] =>

$_SERVER['COLUMNS'] => 158

$_SERVER['CommonProgramFiles'] => C:\Program Files\Common Files

$_SERVER['CommonProgramFiles(x86)'] => C:\Program Files (x86)\Common Files

$_SERVER['CommonProgramW6432'] => C:\Program Files\Common Files

```
$_SERVER['COMPUTERNAME'] => LENOVO

$_SERVER['ComSpec'] => C:\WINDOWS\system32\cmd.exe

$_SERVER['ConEmuANSI'] => ON

$_SERVER['ConEmuAnsiLog'] =>

$_SERVER['ConEmuArgs'] => /Icon "C:\laragon\bin\cmder\icons\cmder.ico" /Title Cmder

$_SERVER['ConEmuArgs2'] =>

$_SERVER['ConEmuBackHWND'] => 0x000207AA

$_SERVER['ConEmuBaseDir'] => C:\laragon\bin\cmder\vendor\conemu-maximus5\ConEmu

$_SERVER['ConEmuBaseDirShort'] => C:\laragon\bin\cmder\vendor\conemu-maximus5\ConEmu

$_SERVER['ConEmuBuild'] => 210912

$_SERVER['ConEmuCfgDir'] => C:\laragon\bin\cmder\vendor\conemu-maximus5

$_SERVER['ConEmuConfig'] =>

$_SERVER['ConEmuDir'] => C:\laragon\bin\cmder\vendor\conemu-maximus5

$_SERVER['ConEmuDrawHWND'] => 0x000207A6

$_SERVER['ConEmuDrive'] => C:

$_SERVER['ConEmuHooks'] => Enabled

$_SERVER['ConEmuHWND'] => 0x000307B0

$_SERVER['ConEmuPalette'] => Monokai

$_SERVER['ConEmuPID'] => 1732

$_SERVER['ConEmuServerPID'] => 5588

$_SERVER['ConEmuTask'] => {cmd::Cmder}

$_SERVER['ConEmuWorkDir'] => C:\laragon\www

$_SERVER['ConEmuWorkDrive'] => C:

$_SERVER['currenArgu'] => /setpath

$_SERVER['debug_output'] => 0

$_SERVER['depth'] => 1

$_SERVER['DOCUMENT_ROOT'] =>

$_SERVER['DriverData'] => C:\Windows\System32\Drivers\DriverData

$_SERVER['EFC_9008_1262719628'] => 1

$_SERVER['EFC_9008_1592913036'] => 1

$_SERVER['EFC_9008_2283032206'] => 1

$_SERVER['EFC_9008_2775293581'] => 1
```

$_SERVER['EFC_9008_3789132940'] => 1

$_SERVER['fast_init'] => 0

$_SERVER['feFlagName'] =>

$_SERVER['feNot'] => false

$_SERVER['find_query'] => C:\\laragon\\bin\\cmder

$_SERVER['found'] => 1

$_SERVER['FPS_BROWSER_APP_PROFILE_STRING'] => Internet Explorer

$_SERVER['FPS_BROWSER_USER_PROFILE_STRING'] => Default

$_SERVER['git_executable'] => C:\Program Files\Git\cmd\git.exe

$_SERVER['GIT_INSTALL_ROOT'] => C:\laragon\bin\cmder\..\git

$_SERVER['git_locale'] => "C:\Program Files\Git\usr\bin\locale.exe"

$_SERVER['GIT_VERSION_USER'] => 2.53.0.windows.1

$_SERVER['HOME'] => C:\Users\alden

$_SERVER['HOMEDRIVE'] => C:

$_SERVER['HOMEPATH'] => \Users\alden

$_SERVER['LANG'] => en_US.UTF-8

$_SERVER['LARAGON_ROOT'] => C:\laragon\

$_SERVER['lib_base'] => call "C:\laragon\bin\cmder\vendor\lib\lib_base.cmd"

$_SERVER['lib_console'] => call "C:\laragon\bin\cmder\vendor\lib\lib_console.cmd"

$_SERVER['lib_git'] => call "C:\laragon\bin\cmder\vendor\lib\lib_git.cmd"

$_SERVER['lib_path'] => call "C:\laragon\bin\cmder\vendor\lib\lib_path.cmd"

$_SERVER['lib_profile'] => call "C:\laragon\bin\cmder\vendor\lib\lib_profile.cmd"

$_SERVER['LINES'] => 38

$_SERVER['LOCALAPPDATA'] => C:\Users\alden\AppData\Local

$_SERVER['LOGONSERVER'] => \\LENOVO

$_SERVER['max_depth'] => 1

$_SERVER['nix_tools'] => 1

$_SERVER['NUMBER_OF_PROCESSORS'] => 8

$_SERVER['OLD_PATH'] => C:\laragon\bin\cmder\vendor\conemu-maximus5\ConEmu\Scripts;C:\laragon\bin\cmder\vendor\conemu-maximus5;C:\laragon\bin\cmder\vendor\conemu-maximus5\ConEmu;C:\xampp\php;C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common;C:\Program Files (x86)\Com

mon Files\Oracle\Java\java8path;C:\Program Files (x86)\Common Files\Oracle\Java\javapath;C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;

C:\WINDOWS\System32\WindowsPowerShell\v1.0\;C:\WINDOWS\System32\OpenSSH\;C:\Program Files (x86)\Windows Kits\10\Windows Perform

ance Toolkit\;C:\Program Files\Git\cmd;C:\Program Files\dotnet\;C:\apache-maven-3.9.14\bin;C:\ProgramData\ComposerSetup\bin;C:\Program Files\nodejs\;C:\Users\alden\AppData\Local\Programs\Python\Python310\Scripts\;C:\Users\alden\AppData\Local\Programs\Python\Python310\;C:\

Users\alden\.pyenv\pyenv-win\bin;C:\Users\alden\.pyenv\pyenv-win\shims;C:\Users\alden\AppData\Local\Programs\Python\Python314;C:\Users\alden\AppData\Local\Programs\Python\Python314\python.exe);C:\Users\alden\AppData\Local\Microsoft\WindowsApps;C:\Users\alden\AppData\Local

\Programs\Microsoft VS Code\bin;C:\Users\alden\AppData\Local\Microsoft\WinGet\Links;C:\Users\alden\AppData\Roaming\Composer\vendor\bin;C:\Users\alden\AppData\Roaming\npm;C:\Program Files\Git\mingw64\bin;C:\Program Files\Git\usr\bin;C:\laragon\bin\cmder\vendor\bin

$_SERVER['OneDrive'] => C:\Users\alden\OneDrive

$_SERVER['OneDriveConsumer'] => C:\Users\alden\OneDrive

$_SERVER['OPENSSL_CONF'] => C:\laragon\bin\apache\httpd-2.4.66-260223-Win64-VS18\conf\openssl.cnf

$_SERVER['OS'] => Windows_NT

$_SERVER['Path'] => C:\Users\alden\AppData\Local\Yarn\config\global\node_modules\.bin;C:\Users\alden\AppData\Roaming\npm;C:\Users\alden\AppData\Roaming\Composer\vendor\bin;;C:\laragon\bin\laragon\utils;C:\laragon\bin\mysql\mysql-8.4.3-winx64\bin;C:\laragon\bin\php\php-8.3

.30-Win32-vs16-x64;C:\laragon\bin\composer;C:\laragon\bin\apache\httpd-2.4.66-260223-Win64-VS18\bin;C:\laragon\bin\redis\redis-x64-5.0.14.1;C:\laragon\bin\nodejs\node-v22;C:\laragon\bin\python\python-3.13;C:\laragon\bin\python\python-3.13\Scripts;C:\laragon\bin\nginx\ngin

x-1.28.2;C:\laragon\bin\notepad++;C:\laragon\bin\ngrok;C:\laragon\bin\git\bin;C:\laragon\bin\git\cmd;C:\laragon\bin\git\usr\bin;C:\laragon\bin\git\mingw64\bin;C:\laragon\bin;C:\laragon\usr\bin;C:\laragon\bin\cmder\vendor\conemu-maximus5\ConEmu\Scripts;C:\laragon\bin\cmder

\vendor\conemu-maximus5;C:\laragon\bin\cmder\vendor\conemu-maximus5\ConEmu;C:\xampp\php;C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common;C:\Program Files (x86)\Common Files\Oracle\Java\java8path;C:\Program Files (x86)\Common Files\Oracle\Java\javapath;C:\WINDOWS\sys

tem32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\WINDOWS\System32\WindowsPowerShell\v1.0\;C:\WINDOWS\System32\OpenSSH\;C:\Program Files (x86)\Windows Kits\10\Windows Performance Toolkit\;C:\Program Files\Git\cmd;C:\Program Files\dotnet\;C:\apache-maven-3.9.14\bin;C:\ProgramDa

ta\ComposerSetup\bin;C:\Program Files\nodejs\;C:\Users\alden\AppData\Local\Programs\Python\Python310\Scripts\;C:\Users\alden

\AppData\Local\Programs\Python\Python310\;C:\Users\alden\.pyenv\pyenv-win\bin;C:\Users\alden\.pyenv\pyenv-win\shims;C:\Users\alden\AppData\Local\Pro

grams\Python\Python314;C:\Users\alden\AppData\Local\Programs\Python\Python314\python.exe);C:\Users\alden\AppData\Local\Microsoft\WindowsApps;C:\Users\alden\AppData\Local\Programs\Microsoft VS Code\bin;C:\Users\alden\AppData\Local\Microsoft\WinGet\Links;C:\Users\alden\AppD

ata\Roaming\Composer\vendor\bin;C:\Users\alden\AppData\Roaming\npm;C:\Program Files\Git\mingw64\bin;C:\Program Files\Git\usr\bin;C:\laragon\bin\cmder\vendor\bin;C:\laragon\bin\cmder;

$_SERVER['PATHEXT'] => .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC

$_SERVER['path_position'] => append

$_SERVER['PLINK_PROTOCOL'] => ssh

$_SERVER['position'] => append

$_SERVER['print_debug'] => if 0 gtr 0 call "C:\laragon\bin\cmder\vendor\lib\lib_console.cmd" debug_output

$_SERVER['print_error'] => call "C:\laragon\bin\cmder\vendor\lib\lib_console.cmd" show_error

$_SERVER['print_verbose'] => if 0 gtr 0 call "C:\laragon\bin\cmder\vendor\lib\lib_console.cmd" verbose_output

$_SERVER['PROCESSOR_ARCHITECTURE'] => AMD64

$_SERVER['PROCESSOR_IDENTIFIER'] => AMD64 Family 23 Model 160 Stepping 0, AuthenticAMD

$_SERVER['PROCESSOR_LEVEL'] => 23

$_SERVER['PROCESSOR_REVISION'] => a000

$_SERVER['ProgramData'] => C:\ProgramData

$_SERVER['ProgramFiles'] => C:\Program Files

$_SERVER['ProgramFiles(x86)'] => C:\Program Files (x86)

$_SERVER['ProgramW6432'] => C:\Program Files

$_SERVER['PROMPT'] => PG

$_SERVER['PSModulePath'] => C:\Program Files\WindowsPowerShell\Modules;C:\WINDOWS\system32\WindowsPowerShell\v1.0\Modules

$_SERVER['PUBLIC'] => C:\Users\Public

$_SERVER['PYENV'] => C:\Users\alden\.pyenv\pyenv-win\

$_SERVER['PYENV_HOME'] => C:\Users\alden\.pyenv\pyenv-win\

$_SERVER['PYENV_ROOT'] => C:\Users\alden\.pyenv\pyenv-win\

$_SERVER['SESSIONNAME'] => Console

$_SERVER['SVN_SSH'] => C:\\Program Files\\Git\\bin\\ssh.exe

```
$_SERVER['SystemDrive'] => C:

$_SERVER['SystemRoot'] => C:\WINDOWS

$_SERVER['TEMP'] => C:\Users\alden\AppData\Local\Temp

$_SERVER['TERM'] => cygwin

$_SERVER['time_init'] => 0

$_SERVER['TMP'] => C:\Users\alden\AppData\Local\Temp

$_SERVER['USERDOMAIN'] => LENOVO

$_SERVER['USERDOMAIN_ROAMINGPROFILE'] => LENOVO

$_SERVER['USERNAME'] => alden

$_SERVER['USERPROFILE'] => C:\Users\alden

$_SERVER['user_aliases'] => C:\laragon\bin\cmder\config\user_aliases.cmd

$_SERVER['USER_BUILD'] => windows.1

$_SERVER['USER_DIR'] => C:\laragon\usr

$_SERVER['USER_MAJOR'] => 2

$_SERVER['USER_MINOR'] => 53

$_SERVER['USER_PATCH'] => 0

$_SERVER['USR_DIR'] => C:\laragon\usr

$_SERVER['VBOX_MSI_INSTALL_PATH'] => C:\Program Files\Oracle\VirtualBox\

$_SERVER['verbose_output'] => 0

$_SERVER['windir'] => C:\WINDOWS

$_SERVER['__COMPAT_LAYER'] => DetectorsAppHealth

$_SERVER['PHP_SELF'] =>

$_SERVER['SCRIPT_NAME'] =>

$_SERVER['SCRIPT_FILENAME'] =>

$_SERVER['PATH_TRANSLATED'] =>

$_SERVER['REQUEST_TIME_FLOAT'] => 1775927737.3988

$_SERVER['REQUEST_TIME'] => 1775927737

$_SERVER['argv'] => Array

(

)


$_SERVER['argc'] => 0
```

PHP License

This program is free software; you can redistribute it and/or modify

it under the terms of the PHP License as published by the PHP Group

and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any

questions about PHP licensing, please contact license@php.net.

C:\laragon\www

λ