\equiv Q (https://profile.intra.42.fr/searches)

dcastagn

(https://profile.intra.42.fr)

SCALE FOR PROJECT CPP MODULE 08 (/PROJECTS/CPP-MODULE-08)

You should evaluate 1 student in this team



Git repository

git@vogsphere.42roma.it:vogsphere/intra-uuid-4b3c3825-634a-4a04-af79



Introduction

Please comply with the following rules:

- Remain polite, courteous, respectful and constructive throughout the evaluation process. The well-being of the community depends on it.
- Identify with the student or group whose work is evaluated the possible dysfunctions in their project. Take the time to discuss and debate the problems that may have been identified.
- You must consider that there might be some differences in how your peers might have understood the project's instructions and the scope of its functionalities. Always keep an open mind and grade them as honestly as possible. The pedagogy is useful only and only if the peer-evaluation is done seriously.

Guidelines

- Only grade the work that was turned in the Git repository of the evaluated student or group.
- Double-check that the Git repository belongs to the student(s). Ensure that the project is the one expected. Also, check that 'git clone' is used in an empty folder.
- Check carefully that no malicious aliases was used to fool you and make you evaluate something that is not the content of the official repository.
- To avoid any surprises and if applicable, review together any scripts used to facilitate the grading (scripts for testing or automation).
- If you have not completed the assignment you are going to evaluate, you have to read the entire subject prior to starting the evaluation process.
- Use the available flags to report an empty repository, a non-functioning program, a Norm error, cheating, and so forth.

 In these cases, the evaluation process ends and the final grade is 0, or -42 in case of cheating. However, except for cheating, student are strongly encouraged to review together the work that was turned in, in order to identify any mistakes that shouldn't be repeated in the future.
- You should never have to edit any file except the configuration file if it exists. If you want to edit a file, take the time to explicit the reasons with the evaluated student and make sure both of you are okay with this.

1 of 4 6/9/23, 16:17

- You must also verify the absence of memory leaks. Any memory allocated on the heap must be properly freed before the end of execution. You are allowed to use any of the different tools available on the computer, such as leaks, valgrind, or e_fence. In case of memory leaks, tick the appropriate flag.

Attachments

subject.pdf (https://cdn.intra.42.fr/pdf/pdf/84752/en.subject.pdf)

Preliminary tests

If cheating is suspected, the evaluation stops here. Use the "Cheat" flag to report it. Take this decision calmly, wisely, and please, use this button with caution

Prerequisites

The code must compile with c++ and the flags -Wall -Wextra -Werror Don't forget this project has to follow the C++98 standard. Thus, C++11 (and later) are NOT expected. The purpose of this module is to use the STL. Then, using the containers and the algorithms is authorized.

Any of these means you must not grade the exercise in question:

- A function is implemented in a header file (except for template functions).
- A Makefile compiles without the required flags and/or another compiler than c++.

Any of these means that you must flag the project with "Forbidden Function":

- Use of a "C" function (*alloc, *printf, free).
- Use of a function not allowed in the exercise guidelines.
- Use of "using namespace <ns_name>" or the "friend" keyword.
- Use of an external library, or features from versions other than C++98.



 \times No

Exercise 00: Easy find

As usual, there has to be enough tests to prove the program works as expected. If there isn't, do not grade this exercise. If any noninterface class is not in orthodox canonical class form, do not grade this exercise.

Template function

There is a templated function easyfind(T, int) that does what the subject requires. It HAS to use STL algorithms.

If it does not use them count it as wrong. (For example: a manual search using iterators)



 \times No

Exercise 01: Span

As usual, there has to be enough tests to prove the program works as expected. If there isn't, do not grade this exercise. If any noninterface class is not in orthodox canonical class form, do not grade this exercise.

Class and member functions

6/9/23, 16:17 2 of 4

	✓ Yes			\times_{No}	
Improved addNu					
There's a way to add addNumber() functi	d numbers that's more praction on repeatedly.	cal than calling the			
			×No		
Exercise	02: Mutated	l abomina	tion		
	to be enough tests to prove to t in orthodox canonical class			't, do not grac	le this exercise. If any non-
MutantStack clas	s				
all of its member fun It has an iterator. Als	ack class that inherits from sto actions. so, it is possible to do at leas 's examples using iterators.				
	⊘ Yes		imesNo		
Better tests					
There is a at least a from the subject.	main() function that has more	e tests than the ones			
				imesNo	
Ratings					
	k the flag corresponding to t	he defense			
	✓ Ok		*0	utstanding projec	ct
Empty work	lncomplete work	Invalid compilation	₽ Cheat	T Crash	▲ Concerning situation
	▲ Leaks		⊘ Forbidden function		
Conclusi					
Leave a comment or	n mis evaluation				
		Finish evalua			

3 of 4 6/9/23, 16:17

/legal/terms/2)

/legal/terms/6)

/legal/terms/1)

4 of 4 6/9/23, 16:17