

0 Windows PowerShell

Copyright (C) Microsoft Corporation. Todos os direitos reservados.

Instale o PowerShell mais recente para obter novos recursos e aprimoramentos! <https://aka.ms/PSWindows>

PS C:\Users\aldoj\OneDrive\Documents\GitHub\laradock> **docker-compose** up -d mysql apache2 workspace phpmyadmin

Creating network "laradock_frontend" with driver "bridge"

Creating network "laradock_backend" with driver "bridge"

Creating network "laradock_default" with the default driver

Creating volume "laradock_mysql" with local driver

Creating volume "laradock_percona" with local driver

Creating volume "laradock_mssql" with local driver

Creating volume "laradock_postgres" with local driver

Creating volume "laradock_memcached" with local driver

Creating volume "laradock_redis" with local driver

Creating volume "laradock_neo4j" with local driver

Creating volume "laradock_mariadb" with local driver

Creating volume "laradock_mongo" with local driver

Creating volume "laradock_minio" with local driver

Creating volume "laradock_rethinkdb" with local driver

Creating volume "laradock_phpmyadmin" with local driver

Creating volume "laradock_adminer" with local driver

Creating volume "laradock_aerospike" with local driver

Creating volume "laradock_caddy" with local driver

Creating volume "laradock_meilisearch" with local driver

Creating volume "laradock_elasticsearch" with local driver

Creating volume "laradock_mosquitto" with local driver

Creating volume "laradock_confluence" with local driver

Creating volume "laradock_sonarqube" with local driver

Creating volume "laradock_cassandra" with local driver

Creating volume "laradock_graylog" with local driver

Creating volume "laradock_docker-in-docker" with local driver

Creating volume "laradock_react" with local driver

Building mysql

[+] Building 57.3s (9/9) FINISHED



```
=> => sha256:30611fcc1b5efa9997449382be2df461dc5b534692516152cf8480a6a2abc591 5.25MB / 5.25MB 6.5s
=> => sha256:f70f19977fc5ace09a9b65958e85167ce1acc7c7b3f747d24c606d4e86345b58 12.14kB / 12.14kB 4.9s
=> => extracting sha256:5bed26d33875e6da1d9ff9a1054c5fef3bbbeb22ee979e14b72acf72528de007b 3.1s
=> => sha256:5131985698ec505787059a691c8cc9d7f9eccfacd033dc927ff8199620f1c56d 29.46MB / 29.46MB 9.8s
=> => sha256:736d5dd705003b7ccb3d887c041377513530e8c8c40ade6e39246cb0d427a7fd 8.79kB / 8.79kB 6.8s
=> => sha256:d44445fde12d8203ee27047d35e3f5637f96c5c412237aa122778d741750a243 26.68MB / 26.68MB 11.9s
=> => extracting sha256:f11b29a9c7306674a9479158c1b4259938af11b97359d9ac02030cc1095e9ed1 0.1s
=> => extracting sha256:930bda195c84cf132344bf38edcad255317382f910503fef234a9ce3bff0f4dd 0.0s
=> => extracting sha256:78bf9a5ad49e4ae42a83f4995ade4efc096f78fd38299cf05bc041e8cdda2a36 0.0s
=> => extracting sha256:4c8b8571939901d67889fa5114cbd2eb04cd40387f765eb14a81ac43f7d5cc46 0.2s
=> => extracting sha256:30611fcc1b5efa9997449382be2df461dc5b534692516152cf8480a6a2abc591 0.5s
=> => extracting sha256:f70f19977fc5ace09a9b65958e85167ce1acc7c7b3f747d24c606d4e86345b58 0.1s
=> => extracting sha256:5131985698ec505787059a691c8cc9d7f9eccfacd033dc927ff8199620f1c56d 3.1s
=> => extracting sha256:736d5dd705003b7ccb3d887c041377513530e8c8c40ade6e39246cb0d427a7fd 0.0s
=> => extracting sha256:d44445fde12d8203ee27047d35e3f5637f96c5c412237aa122778d741750a243 2.1s
=> [internal] load build context 1.5s
=> => transferring context: 956B 0.0s
=> [2/4] WORKDIR /var/www/ 4.6s
=> [3/4] COPY vhost.conf /etc/apache2/sites-enabled/vhost.conf 1.7s
=> [4/4] ADD ./startup.sh /opt/startup.sh 1.7s
=> exporting to image 4.3s
=> => exporting layers 2.6s
=> => writing image sha256:5bb28d6aaedf16dff498d0f5c8ce683a49f69383b72f7c244512b8b1324922ba 0.1s
=> => naming to docker.io/library/laradock_apache2 0.1s
```

Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them

WARNING: Image for service apache2 was built because it did not already exist. To rebuild this image you must use 'docker-compose build' or 'docker-compose up --build'.

Creating laradock_docker-in-docker_1 ... done

Creating laradock_mysql_1 ... done

Creating laradock_workspace_1 ... done

Creating laradock_phpmyadmin_1 ... done

Creating laradock_php-fpm_1 ... done

Creating laradock_apache2_1 ... done

PS C:\Users\aldoj\OneDrive\Documents\GitHub\laradock> |

Containers / Apps


Images

Volumes

Dev Environments **PREVIEW**

🔍 Search...

Sort by ▾

▶  laradock
RUNNING



POR
PTB2



17:53
08/10/2021



EXPLORADOR

EDITORES ABERTOS

- Fornecedor.php Atividade1\projeto\app\Mod...

WEB2

- Atividade1
 - Atividade1\projeto
 - app
 - Console
 - Exceptions
 - Http
 - Models
 - Cliente.php
 - Fornecedor.php**
 - User.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - routes
 - storage
 - tests
 - vendor
 - .editorconfig
 - .env
 - .env.example
 - .env.swp
- ESTRUTURA DO CÓDIGO
- LINHA DO TEMPO

Fornecedor.php X

Atividade1 > projeto > app > Models > Fornecedor.php

You, 2 hours ago | 1 author (You)

```

1 <?php
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Factories\HasFactory;
6 use Illuminate\Database\Eloquent\Model;
7
8 class Fornecedor extends Model
9 {
10     use HasFactory;
11     protected $tabela = "fornecedores";
12
13     protected $fillable = [
14         'nome',
15         'telefone',
16         'cnpj'
17     ];
18 }
19
    
```

EXPLORADOR

EDITORES ABERTOS

- Fornecedor.php AtividadeI\projeto\app\Mod...
- × Cliente.php AtividadeI\projeto\app\Models

WEB2

- AtividadeI
 - projeto
 - app
 - Console
 - Exceptions
 - Http
 - Models
 - Cliente.php
 - Fornecedor.php
 - User.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - routes
 - storage
 - tests
 - vendor
 - .editorconfig
 - .env
 - .env.example
 - ESTRUTURA DO CÓDIGO
 - LINHA DO TEMPO

Fornecedor.php

Cliente.php

AtividadeI > projeto > app > Models > Cliente.php

You, 2 hours ago | 1 author (You)

```
1 <?php You, 2 hours ago • mudança pra o padrão
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Factories\HasFactory;
6 use Illuminate\Database\Eloquent\Model;
7
8 class Cliente extends Model
9 {
10     use HasFactory;
11     protected $tabela = "clientes";
12
13     protected $fillable = [
14         'nome',
15         'endereco',
16         'debito'
17     ];
18 }
19
```


EXPLORADOR

EDITORES ABERTOS

- Fornecedor.php AtividadeI\projeto\app\Mod...
- ClienteController.php AtividadeI\projeto\app\...

WEB2

- AtividadeI
 - projeto
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - ClienteController.php
 - Controller.php
 - FornecedorController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - routes
 - storage
 - tests
 - vendor
- ESTRUTURA DO CÓDIGO
- LINHA DO TEMPO

AtividadeI > projeto > app > Http > Controllers > ClienteController.php

You, 2 hours ago | 1 author (You)

```

1 <?php
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6 use App\Models\Cliente;
7
8 class ClienteController extends Controller
9 {
10     //
11     public function show(){
12         $clientes = Clientes::all();
13         echo $clientes;
14     }
15 }
16
    
```

EXPLORADOR

EDITORES ABERTOS

- Fornecedor.php AtividadeI\projeto\app\Mod...
- FornecedorController.php AtividadeI\projeto\...

WEB2

- AtividadeI
 - projeto
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - ClienteController.php
 - Controller.php
 - FornecedorController.php
 - Middleware
 - Kernel.php
 - Models
 - Cliente.php
 - Fornecedor.php
 - User.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - routes

ESTRUTURA DO CÓDIGO

LINHA DO TEMPO

AtividadeI > projeto > app > Http > Controllers > FornecedorController.php

You, 2 hours ago | 1 author (You)

```

1  <?php
2
3  namespace App\Http\Controllers;
4
5  use Illuminate\Http\Request;
6  use App\Models\Fornecedor;
7
8  class FornecedorController extends Controller
9  {
10     //
11     public function show(){
12         $fornecedores = fornecedores::all();
13         echo $fornecedores;
14     }
15 }
16
    
```


EXPLORADOR

EDITORES ABERTOS

WEB2

AtividadeI\projeto

app

Console

Exceptions

Http

Controllers

Middleware

Kernel.php

Models

Providers

bootstrap

config

database

factories

migrations

2014_10_12_000000_create_users_table.php

2014_10_12_100000_create_password_resets...

2019_08_19_000000_create_failed_jobs_table...

2019_12_14_000001_create_personal_access...

2021_10_06_100844_create_clientes_table.php

2021_10_06_103708_create_fornecedores_ta...

seeders

ESTRUTURA DO CÓDIGO

LINHA DO TEMPO

Fornecedor.php

2021_10_06_100844_create_clientes_table.php

AtividadeI > projeto > database > migrations > 2021_10_06_100844_create_clientes_table.php

You, 2 hours ago | 1 author (You)

```
1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 class CreateClientesTable extends Migration
8 {
9     /**
10      * Run the migrations.
11      *
12      * @return void
13      */
14     public function up()
15     {
16         Schema::create('clientes', function (Blueprint $table) {
17             $table->id();
18             $table->timestamps();
19             $table->string('nome', 60);
20             $table->string('endereco', 60);
21             $table->float('debito');
22         });
23     }
24
25     /**
26      * Reverse the migrations.
27      *
28      * @return void
29      */
30     public function down()
31     {
```

EXPLORADOR

EDITORES ABERTOS

WEB2

AtividadeI

AtividadeI\projeto

app

Console

Exceptions

Http

Controllers

Middleware

Kernel.php

Models

Providers

bootstrap

config

database

factories

migrations

2014_10_12_000000_create_users_table.php

2014_10_12_100000_create_password_resets...

2019_08_19_000000_create_failed_jobs_table...

2019_12_14_000001_create_personal_access...

2021_10_06_100844_create_clientes_table.php

2021_10_06_103708_create_fornecedores_ta...

seeders

ESTRUTURA DO CÓDIGO

LINHA DO TEMPO

Fornecedor.php

2021_10_06_103708_create_fornecedores_table.php X

AtividadeI > projeto > database > migrations > 2021_10_06_103708_create_fornecedores_table.php

You, 2 hours ago | 1 author (You)

1 k?php You, 2 hours ago • mudança pra o padrão

2

3 use Illuminate\Database\Migrations\Migration;

4 use Illuminate\Database\Schema\Blueprint;

5 use Illuminate\Support\Facades\Schema;

6

7 class CreateFornecedoresTable extends Migration

8 {

9 /**

10 * Run the migrations.

11 *

12 * @return void

13 */

14 public function up()

15 {

16 Schema::create('fornecedores', function (Blueprint \$table) {

17 \$table->id();

18 \$table->timestamps();

19 \$table->string('nome', 60);

20 \$table->string('telefone', 60);

21 \$table->string('cnpj', 60);

22 });

23 }

24

25 /**

26 * Reverse the migrations.

27 *

28 * @return void

29 */

30 public function down()

31 {

EXPLORADOR

EDITORES ABERTOS

Fornecedor.php AtividadeII\projeto\app\Mod...

2021_10_06_103708_create_fornecedores_t...

X web.php AtividadeII\projeto\routes

WEB2

AtividadeI

AtividadeII\projeto

app

Console

Exceptions

Http

Models

Providers

bootstrap

config

database

public

resources

routes

api.php

channels.php

console.php

web.php

storage

tests

vendor

.editorconfig

ESTRUTURA DO CÓDIGO

LINHA DO TEMPO

AtividadeII > projeto > routes > web.php

You, 2 hours ago | 1 author (You)

<?php

You, 2 hours ago • mudança pra o padrão

1

2

3 use Illuminate\Support\Facades\Route;

4 use App\Http\Controllers\CientesController;

5 use App\Http\Controllers\FornecedoresController;

6

7 /*

8 |-----

9 | Web Routes

10 |-----

11 |

12 | Here is where you can register web routes for your application. These

13 | routes are loaded by the RouteServiceProvider within a group which

14 | contains the "web" middleware group. Now create something great!

15 |

16 */

17

18 Route::get('/', function () {

19 | return view('welcome');

20 });

21

22 Route::get('/clientes', [CientesController::class, 'show']);

23 Route::get('/fornecedores', [FornecedoresController::class, 'show']);

24

AtividadeII* You, 2 hours ago Ln 1, Col 1 Espaços: 4 UTF-8 LF PHP

Windows taskbar with icons for File Explorer, Word, PowerPoint, Edge, Chrome, and other applications. System tray shows time 18:03 and date 08/10/2021.

