



Release Notes

RFID SDK iOS v1.1 Dec 2025

Contents

Contents	1
Overview	1
Device Compatibility	1
Version History	2
Components.....	5
Installation – Requirements	5

Overview

The Zebra RFID SDK for iOS enables MFi-enabled devices to interface with the RFD8500, RFD40, and RF90 via Bluetooth or ProClip. This SDK provides a powerful set of APIs that utilize the Zebra Easy Text Interface (ZETI), which was created to fully leverage the performance, functionality, and versatility of these readers. Additionally, the SDK includes the Zebra RFID Mobile application, which can be used as a reference for developing new applications or porting existing ones to take advantage of RFID features.

Device Compatibility

For the complete list of compatible devices, please visit the following page:

<https://www.zebra.com/us/en/support-downloads/software/developer-tools/zebra-rfid-sdk-for-ios.html>



Version History

Version 1.1.94 – 12/2025

- General bug fixes and stability improvements.

Version 1.1.89 – 10/2025

- Added login support for E8 devices.
- General bug fixes and stability improvements.

Version 1.1.81 – 06/2025

- Added network status support.
- Added IOT status support.
- Added connection type (BT/CIO) support.
- Added charge terminal status support.
- General bug fixes and stability improvements.

Version 1.1.78 – 04/2025

- Added Offline Configuration support.
- General bug fixes and stability improvements.

Version 1.1.75 – 12/2024

- Added Endpoint Configuration support.
- General bug fixes and stability improvements.

Version 1.1.72 – 07/2024

- Added WLAN support.
- General bug fixes and stability improvements.

Version 1.1.68 – 11/2023

- General bug fixes and stability improvements.
 - **Note:** An abnormal behavior may occur when using the link profile M4 240K with invalid tari values. We recommend using the correct combination.

Version 1.1.64 – 09/2023

- Added Pro-Clip support.
- General bug fixes and stability improvements.



Version 1.1.42 – 05/2023

- Added support for:
 - Scan batch data.
 - Dot code (barcode type).
 - Lock/Unlock functionality for the U9 Chip.
 - GS1 data parsing - SGTIN UI Support.
 - Bit-length for pre-filter.
- General bug fixes and stability improvements.

Version 1.1.29 – 01/2023

- **SDK Enhancements:**
 - Added PP+ battery support.
 - Added an API for device factory reset.
- **Sample Application Enhancements:**
 - Kept soft buttons (Scan & Pull/Release trigger) as a static UI field on the barcode screen.
- **Bug Fixes:**
 - Fixed "Connection Failed" pop-up message.
 - Fixed "Cannot retrieve asset information" pop-up message.
 - Fixed an issue where a "Write Succeed" message appeared during an access operation without a tag present.
 - Fixed a reader idle time issue when batch mode was enabled.
 - Fixed an empty tag issue and a delete tag issue in multi-tag locating.
 - Fixed a symbology configuration issue.
 - Fixed link profile bugs.

Version 1.1.24 – 08/2022

- **SDK Enhancements:**
 - Added a scanner notification event for Key Remapping.
 - Added an API for device reboot.
 - Added device pull-trigger and release-trigger events.
- **Sample Application Enhancements:**
 - Added NFC-based pairing with 123RFID Mobile for iOS.
 - Updated for Key Remapping and device pull-trigger/release-trigger.
- **Bug Fixes:**
 - Fixed an issue where reporting unique tags was not working.
 - Fixed an issue with auto-reconnecting to the reader after the sample application was terminated.

Version 1.1.19 – 04/2022

- **Bug Fixes:**
 - Fixed an issue where unique tag reporting was not working as expected.
 - Fixed an issue where batch mode was not working as expected.



- Fixed an issue where Multi-Tag was not suspended when switching from the Inventory screen to the Multi-Tag screen.

Version 1.1.17 – 03/2022

- Added support for RFD40 (Standard, Premium, and Premium+) via Bluetooth only.

Version 1.1.8 – 08/2021

- Added NXP brand ID check support in the tag report screen.
- Added support to fetch link profile values with their index values.
- Added support in the sample application to update "tari" and "pie" values.
- Changed the sample application icon to match the RFID SDK for Android.
- **Bug Fixes:**
 - Fixed an issue where selected profiles were not updating in user-defined and reader-defined profile settings.

Version 1.1.4 – 01/2021

- Added support for all memory banks in `SRFID_MEMORYBANK_ALL`.

Version 1.1.1 – 10/2020

- Added iOS 14 support (As of now deprecated).

Version 1.1.0 – 04/2020

- Fixed a bug that prevented reading/writing tags when a pre-filter setting with `INV_B` and Singulation STATE B was already set on the device.

Version 1.0.69 – 02/2018

- **LOCK API:** Added support to permanently lock Monza/UCODE 6 tags using `SRFID_MEMORYBANK_ALL`.

Version 1.0.68 – 06/2017

- Zebra SDK functionality for connectivity and appearance/disappearance notifications behaves differently on iOS 11 compared to earlier versions due to changes in iOS 11 Bluetooth and EAAccessory events.
- Addressed "Restoring will not be supported" printouts in the Xcode console caused by an unsupported 'willRestoreState'.
- Fixed an issue where the RFD8500 was not being discovered by the Zebra SDK on the beta release of iOS 11. This was caused by the operating system not maintaining the case sensitivity of the EA Protocol Name.
- Added support for Xcode 9.



Components

The zip file contains the following components:

- Zebra RFID Mobile App source code (Xcode project)
- Zebra RFID SDK (.pkg) installation package

Installation – Requirements

- **Supported Operating Systems:** iOS 16.x, 17.x, 18.x and 26.x
- **Developer System Requirements:**
 - A MacBook with at least 8 GB of memory is recommended.
 - Xcode 16 or later.