

# Rajalakshmi Engineering College

Name: Aldrine Linjoe.s  
Email: 240701033@rajalakshmi.edu.in  
Roll no: 240701033  
Phone: 7092049029  
Branch: REC  
Department: CSE - Section 10  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 4\_Q5

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

In a secure banking system, customers are required to create PIN codes for accessing their accounts. The bank wants to validate these PIN codes before accepting them.

A PIN code is considered valid if:

It consists of exactly 4 digits. All characters must be numeric (0–9). It cannot contain all identical digits (e.g., 1111 is invalid).

Your task is to determine whether each PIN code in the list is valid or not.

##### ***Input Format***

The first line of input contains an integer T, representing the number of PIN codes to check.

The next T lines each contain a string S, representing a PIN code.

### **Output Format**

For each PIN code S, the output print "YES" if it is valid.

Otherwise, the output print "NO".

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: 1

1234

Output: YES

### **Answer**

// You are using Java

import java.util.\*;

class rec{

public static void main(String args[]){

Scanner sc=new Scanner(System.in);

int n=sc.nextInt();

sc.nextLine();

for(int i=0;i<n;i++){

String a=sc.nextLine();

int f=0;

int y=0;

for(int j=0;j<a.length();j++){

char g=a.charAt(j);

char h=a.charAt(0);

if(!Character.isDigit(g)){

f++;

}

if(h!=g){

y++;

}

}

if(y!=0 && f==0 && a.length()==4){

```
        System.out.print("YES");
    }else{
        System.out.print("No");
    }
}
}
```

**Status :** Correct

**Marks :** 10/10