Rajalakshmi Engineering College

Name: Aldrine Linjoe.s

Email: 240701033@rajalakshmi.edu.in

Roll no: 240701033 Phone: 7092049029

Branch: REC

Department: I CSE FA

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 7_MCQ

Attempt : 1 Total Mark : 20 Marks Obtained : 17

Section 1: MCQ

1. What will be the output of the following code?

import pandas as pnd pnd.Series([1,2], index= ['a','b','c'])

Answer

Value Error

Status: Correct Marks: 1/1

2. What will be the output of the following code snippet?

import numpy as np
arr = np.array([1, 2, 3])
result = np.concatenate((arr, arr))

print(result) Answer [123123] Status: Correct Marks: 1/1 The important data structure of pandas is/are ____. Answer Both Series and Data Frame Status: Correct Marks : 1/1 4. Minimum number of argument we require to pass in pandas series ? Answer 0 Status: Wrong Marks: 0/1 5. Which function is used to create a Pandas DataFrame? **Answer** pd.DataFrame() Status: Correct Marks: 1/1 6. What is the output of the following code? import numpy as np a = np.arange(10)print(a[2:5]) Answer [2, 3, 4]

Marks: 1

Status : Correct

7. In the DataFrame created in the code, what is the index for the row containing the data for 'Jack'?

import pandas as pd

```
data = {'Name': ['Tom', 'Jack', 'nick', 'juli'],
  'marks': [99, 98, 95, 90]}
df = pd.DataFrame(data, index=['rank1',
         'rank2',
         'rank3'.
         'rank4'])
print(df)
Answer
```

rank2

Marks: 1/1 Status: Correct

8. What does NumPy stand for?

Answer

Numerical Python

Marks: 1/1 Status: Correct

9. What is the primary purpose of Pandas DataFrame?

Answer

To store data in tabular form for analysis and manipulation

Status: Correct Marks: 1/1

10. Which NumPy function is used to find the indices of the maximum and minimum values in an array?

Answer

argmax() and argmin()

Marks : 1/1 Status : Correct

11. Which NumPy function is used to create an identity matrix?

Answer

numpy.eye()

Status: Wrong Marks: 0/1

12. Which NumPy function is used to calculate the standard deviation of an array?

Answer

numpy.std()

Marks: 1/1 Status: Correct

13. What is the purpose of the following NumPy code snippet?

import numpy as np arr = np.zeros((3, 4))print(arr)

Answer

Displays a 3x4 matrix filled with zeros

Status: Correct Marks: 1/1

14. What does the np.arange(10) function in NumPy do?

Answer

Creates an array with values from 0 to 10

Marks: 0/1 Status: Wrong

15. In NumPy, how do you access the first element of a one-dimensional array arr?

Answer

arr[0]

Status: Correct Marks: 1/1

16. What is the output of the following NumPy code?

import numpy as np arr = np.array([1, 2, 3, 4, 5])r = arr[2:4]print(r)

Answer

[3 4]

Marks: 1/1 Status: Correct

17. Which of the following is a valid way to import NumPy in Python?

Answer

import numpy as np

Marks : 1/1 Status: Correct

18. What is the output of the following NumPy code snippet?

import numpy as np arr = np.array([1, 2, 3, 4, 5])r = arr[arr > 2]print(r)

Answer

[3 4 5]

Status : Correct

Marks : 1/1

19. What is the result of the following NumPy operation?

import numpy as np arr = np.array([1, 2, 3]) r = arr + 5 print(r)

Answer

[6 7 8]

Status: Correct Marks: 1/1

20. What is the primary data structure used in NumPy for numerical computations?

Answer

Array

Status: Correct Marks: 1/1

A0101033

040101033

2407070355

A0101035

240701033

040701033

240707033

240101033