Supplementary Online Material (SOM):

Behavioral and phylogenetic correlates of limb length proportions in extant apes and monkeys: Implications for interpreting hominin fossils

Vance C.R. Powell[a,b,*], W. Andrew Barr[b], Ashley S. Hammond[c,d], Bernard A. Wood[b]

[a] *Department of Anatomy, Howard University College of Medicine, 520 W St. N.W., Washington, D.C. 20059, USA*


[b] *Center for the Advanced Study of Human Paleobiology, Department of Anthropology, The George Washington University, Washington, D.C. 20052, USA*

[c] *Division of Anthropology, American Museum of Natural History (AMNH), New York, N.Y. 10024, USA*


[d] *New York Consortium in Evolutionary Primatology at AMNH, New York, N.Y. 10024, USA*

*** Corresponding author.**

E-mail address: vance.powell@howard.edu (V.C.R. Powell).



SOM Figure S1. Rooted phylogram of anthropoid sample. Consensus molecular phylogeny downloaded from the 10K Trees website and produced using Mesquite v. 3.4 (Maddison and Maddison, 2019). Branch lengths proportional to the number of substitutions per site (Arnold et al., 2010). Several species from our dataset were not available on 10K Trees, thus congeneric taxa were substituted, and names changed. *Saguinus midas* represents *Saguinus labiatus*; *Presbytis melalophos* represents *Presbytis rubicunda.*



SOM Figure S2. Bivariate plot of the first and second principal components (PC1 and PC2) of Mosimann-adjusted long bone length ratios with hulls indicating monkey genera.

SOM Table S1

Complete anthropoid sample included in the current study (provided as a separate Excel file).

SOM Table S2

Descriptive Statistics for anthropoid genera in this study (provided as a separate Excel file).

SOM References

Arnold C., Matthews L.J., Nunn C.L. 2010. The 10kTrees website: a new online resource for primate phylogeny. Evol. Anthropol. 19, 114–118.

Maddison, W. P., Maddison, D. R., 2019. Mesquite: A modular system for evolutionary analysis. Version 3.61 http://www.mesquiteproject.org