Elephant shrews (*Elephantulus* 25-100 g; *Macroscelides* 30-50 g; *Petrodromus* 155-280 g; *Rhynchocyon* 320-550 g) are terrestrial insectivores from Africa. *Elephantulus* has a copulatory plug (6640) and produces an exceptionally large number of oocytes, up to 89 in one ovary, although usually no more than 2 embryos implant (10906, 11115, 11118). The hemochorial and endotheliochorial, labyrinthine, discoidal placenta and subplacenta have a mesometrial implantation 7-9 d postcoitus (*Elephantulus*) at the caudal end of the bipartite or bicorunate uterus near a blood vessel and is resorbed (2393, 3729, 8028, 8030, 10310, 10906, 11104, 11107, 11110, 11112, 11113, 11117, 11120, 11121, 11123, 11124). Estrus occurs (*Elephantulus* 5759, 6641, 8957, 10906, 10907, 11113, 11114) after the birth of open-eyed, furred neonates (331, 334, 1356, 4879, 5759, 8798, 9945, 10158, 11253). Females have 2-6 mammae (331, 8798, 8965, 9945) and menstruate (11114, 11117, 11119, 11123). Males have multiple prostate glands and abdominal testes (10435, 11863). Details of anatomy (7084, 11105, 11106, 11106a, 11110, 11114, 11118, 11119, 11122, 11125, 11126), and ovulation (10906, 11115, 11116) are available.

NEONATAL MASS		
Elephantulus intufi	10.0 g; r8.5-10.5; n6	10907
Elephantulus myurus	8.1 g; sd1.8; n9	10907
Elephantulus rufescens	10.6 g; r9.3-13.0; n11, 1 d	8957
Petrodromus tetradactylus	m: 31.5 g; n1	10907
Rhynchocyon chrysopygus	80 g	8955
NEONATAL SIZE		
Elephantulus myurus	5 cm	10158
Petrodromus tetradactylus	~76 mm; n2	5759
	HB: 93 mm	334
WEANING MASS		
Rhynchocyon chrysopygus	180 g	8956
LITTER SIZE		
Elephantulus brachyrhynchus	1 emb; n1 f	1836
	1.33; r1-2; n6 lt	10907
	1.67 yg; r1-2; n3 lt	4924
	1.8 emb; r1-2; n5 f	10906
	1.8 emb; mode 2; r1-2; n5 f	8965
	2	3729
	2 emb; n1 f	331, 334
	mode 2 emb; r1-2; n9	1356
	8.5 oocytes/ovary; sd6.6; r0-23; n16 ovaries	10906
Elephantulus edwardi	2 emb; n1 f	10906
	44 oocytes/ovary; r31-55; n3 ovaries	10906
Elephantulus fuscipes	1 emb; n1 f	10906
Elephantulus fuscus	1 yg; n1 lt	6272
	2.0 emb ea; n2 f	6272
Elephantulus intufi	1.29 yg; n7 lt	10907
	1.3 emb; r1-2; n6 f	10906
	1.5; r1-2; n2 lt	10907
	1.6 emb; r1-2; n6 f	10158
	1.9 emb; r1-3; n9 f	10154
	2 emb ea; n4 f	9945
	2.5 oocytes/ovary; sd2.5; r0-8; n29 ovaries	10906
Elephantulus myurus	1.7; r1-2; n6 lt	10154
	1.89; mode 2; r1-2; n18	8965
	1.89 yg; mode 2; r1-2; n19 f	10907
	2	7146
	2 usual; r1-2	10158
	2.0 emb ea; n2 f	10906
	2 yg ea; 2 lt	10907
	49.0 oocytes/ovary; sd14.2; r25-89; n50 ovaries	10906
	60 oocytes/ovary	11118
Elephantulus rozeti	1.2 oocytes/ovary; sd0.85; r0-3; n23 ovaries	10906
	1.5 emb; r1-2; n2 f	10907
	2 emb ea; n4 f	7906
	2.4 emb; mode 2; r1-4; n36 f	10906

Elephantulus rufescens	0.7 oocytes/ovary; sd0.6; r0-2; n13 ovaries	10906
	1 yg; n1 lt	10907
	1 emb ea; n5 f	4924
	r1-2; n77 lt	8957
	r1-2 emb, yg; n8 f	1356
	r1-2; n15 lt	8030
	1.4 emb; r1-2; n7 f	10906
	1.4 emb; r1-2; n7 f	2443
Elephantulus rupestris	0.5 oocytes/ovary; r0-1; n2 ovaries	10906
	1.75 emb; r1-2; n4 f	9945
	2	8798
Macroscelides proboscideus	1-2	9508
	2 emb ea; n8 f	9945
	21 ooctyes/ovary; n2 ovaries	10906
Petrodromus tetradactylus	0.6 oocytes/ovary; sd0.69; r0-2; n18 ovaries	10906
	1 yg	6611
	1 yg; n1 f	334
	1 yg; n1 lt	10907
	1 emb ea; n3 f	4924
	1 emb ea; n6 f	10906
	1 emb ea; n17 f	1356
	1-2	11253
	2 emb; n1 f	9893
Rhynchocyon chrysopygus	1 yg	8955
Rhynchocyon cirnei	1	5759
	2 emb ea; n2 f	1356
	2 emb ea; n3 f	337
Rhynchocyon petersi	1 oocyte/ovary; r0-2; n2 ovaries	10906
	2 emb; n1 f	10906
SEXUAL MATURITY		
Elephantulus intufi	f: 1st mate: 11 mo; n1	10907
	m: 1st mate: 6 mo; n1	10907
Elephantulus myurus	f: 1st mate: 5 wk	11114
	f: 5-6 wk	10158
Elephantulus rufescens	f: 1st birth: 144 d; r104-184; n2	8957
	f/m: 2 mo	5759
CYCLE LENGTH		
Elephantulus myurus	~14 d	11114
Elephantulus rufescens	7-17 d; serial laporotomies	6641
	11.9 d; se1.48; mode 12.5; r6-19	6641
	median 13 d; r12-49; n22 cycles, 4 f	6640
GESTATION		
Elephantulus intufi	est 50-52 d; ibi + assumed 14-15 d infertile cycle	10907
Elephantulus myurus	49 d; capture to birth	10907
	~8 wk	11107
Elephantulus rufescens	50 d	5759
	est 57 d; min ibi 58 d	8957
	61-65 d	5955
Elephantulus rupestris	56 d	8798
Rhynchocyon chrysopygus	~42 d	8956
LACTATION		
Elephantulus spp	solid food: 8 d	4879
Elephantulus intufi	solid food: 3 wk	10907
	nurse: 5 wk	10907
Elephantulus rufescens	wean: 15 d	10797
	wean: 1 mo	5759
Macroscelides proboscideus	wean: 5 d	9508
Rhynchocyon chrysopygus	wean: 2 wk	8955
INTERLITTER INTERVAL		
Elephantulus intufi	64-70 d	10907
Elephantulus myurus	49 d; interval between lt up to 49 d	10907
Elephantulus rufescens	84.7 d; r58-145; n50, 18 f	8957
Rhynchocyon chrysopygus	81 d	8956

LITTERS/YEAR		
Elephantulus myurus	3	11114
Petrodromus tetradactylus	2	11253
Rhynchocyon cirnei	4-5	5759
SEASONALITY		
Elephantulus spp	repro: Oct-Apr; sw Africa	4879
Elephantulus brachyrhynchus	preg f: Jan, Mar, Oct, Dec; n5; Transvaal, S Africa	8965
	preg f: Sept; n1; Bulawayo Matabele, S Africa	1836
	birth: Oct-Feb; Zimbabwe	331, 334
	birth: peak May; Zimbabwe	5759
	birth: summer; S Africa	10158
Elephantulus intufi	preg f: Mar, Aug; Transvaal, S Africa	8965
	birth: Feb, Aug, Oct-Nov; few data; Botswana	10154
Elephantulus myurus	accessory glands: active July-Jan; S Africa	10435
	spermatogenesis: yr rd; S Africa	10435
	estrus: July-Aug; S Africa	11117
	mate: July-Dec; Transvaal, S Africa	11112
	mate: July-Jan; ne Transvaal, S Africa	10906
	mate: end July-Jan; Transvaal, S Africa	7146
	birth: Sept-Mar; S Africa	10158
	preg f: end July-early Mar; S Africa	11114
Elephantulus rufescens	preg f: Jan; n1; ne Zaire	2372
	suckling yg: Dec; n1; Tanzania	186
	preg f: Apr-May, none Dec-Jan; Kenya, Tanzania	5759
	repro: yr rd, 78% Oct-Dec, Apr, June; Kenya	7796, 7797
Elephantulus rupestris	breed: yr rd; Namib Desert, sw Africa	11863
Macroscelides proboscideus	birth: Sept-Feb; S Africa	10158
Petrodromus tetradactylus	preg f: Jan, Apr, July; Zambia	5759
	birth: Aug-Oct; S Africa	10158
	birth: Oct; e Africa	6611
Rhynchocyon cirnei	birth: seasonal; Uganda, Tanzania, Kenya	5759