## Order Hyracoidea, Family Procaviidae

Hyraxes (*Dendrohyrax* 1.4-4.5 kg; *Heterohyrax* 475 g-4.5 kg; *Procavia* 2-4 kg) are nocturnal, terrestrial herbivores from Arabia and Africa. Females may be slightly larger than males (*Heterohyrax* 4875). The hemochorial, labyrinthine, zonary, deciduate placenta implants in a bicornuate uterus with a long corpus (231, 433, 2391, 2479, 4526, 5605, 5607, 7314, 7563, 8002, 8032, 10310, 10527, 10959, 11141, 11842, 11844, 11862). Gestation is long. The precocial neonates are open-eyed and furred (4874, 5758, 6420, 7201, 7314, 7445, 9945, 10158). Females have 2-6 mammae (331, 4078, 5277, 9200, 9945, 10158). Males do not have a baculum but do have seminal vesicles and abdominal testes (708, 3823, 3824, 5277, 7315). Details of anatomy (3879, 5605, 5607, 8002), endocrinology (4526, 7313), reproductive cyclicity (9350), suckling (4874, 9359), and light (7316) are available.

| | | |
|---|---|---|
| **NEONATAL MASS** | | |
| *Dendrohyras* spp | 380 g; n1 | 9200 |
| *Dendrohyrax dorsalis* | 200 g; r180-220; n3 | 5389 |
| *Heterohyrax brucei* | 220-230 g; term emb | 10158 |
| *Procavia capensis* | 142.5 g; r140-145; n2 | 9200 |
| | f: 165.0 g; se14.0 | 7314 |
| | 195 g; r110-310 | 7314 |
| | 200 g; r180-220; n3 | 7445 |
| | 200-280 g | 10771 |
| | 202 g; r170-240 | 7201 |
| | m: 231.2 g; se2.01 | 7314 |
| | 240 g; n6 | 4331 |
| | 240-405 g | 5758 |
| | m: 340 g; n2 | 9447 |
| **NEONATAL SIZE** | | |
| *Dendrohyrax arboreus* | 35 mm; n1 | 8856 |
| *Procavia capensis* | HB: 190-193 mm | 9200 |
| | 204 mm; term emb | 9945 |
| **WEANING MASS** | | |
| *Procavia capensis* | ~500 g; 6 wk | 4331 |
| **LITTER SIZE** | | |
| *Dendrohyrax* spp | mode 1 yg; 2 occasional | 7445 |
| | 1.45 emb, yg; mode 1; r1-3; n11 lt | 9200 |
| *Dendrohyrax arboreus* | 1.0 ea; n14 lt | 9449 |
| | 1.46 ov; r1-2 | 8002 |
| | 1.75; mode 2; r1-2; n4 lt | 9359 |
| | 3 emb, 1 yg; n1 lt | 8856 |
| *Dendrohyrax dorsalis* | 1-2 yg | 4354a |
| *Heterohyrax* spp | 1.88 emb; mode 2; r1-3; n8 f | 9200 |
| *Heterohyrax brucei* | 1.4 yg | 4874 |
| | 1.6; r1-3; n55 lt | 4875 |
| | 1.7; r1-2; n16 lt | 9449 |
| | 1.8 emb; r1-2; n6 f | 4526 |
| | 2 emb ea; n5 f | 4926 |
| | 3; n1 lt | 6203 |
| | 3 emb; n1 f | 4926 |
| *Procavia capensis* | 1-3 | 10771 |
| | 1 ea; n2 lt | 7658 |
| | 1.4 yg | 4874 |
| | 1.5 emb; r1-2; n2 f | 185 |
| | 1.5 emb; r1-2; n2 f | 11844 |
| | 1.8-3.5 depending on area | 7314 |
| | 1.9; r1-3; n45 lt | 9449 |
| | mode 2-3; r1-3 | 12128 |
| | 2; n1 lt | 9447 |
| | 2 emb; n1 f | 2096 |
| | 2.00 emb; r1-3; n8 | 185 |
| | 2.23; r1-5 | 1230 |
| | 2.36 emb, yg; mode 2; r1-4; n14 lt | 9200 |
| | 2.39 emb; mode 2; r1-4; n114 f | 11103 |
| | 2.4; n14 lt | 4875 |
| | 2.4 emb; mode 2 51%; r1-5; n49 f | 11141 |

| | | |
|---|---|---|
| | 2.57 yg; max 5; n14 lt | 4331 |
| | 2.65 emb; mode 2-3 76%; r1-5; n95 f | 3435 |
| | 2.7 cl | 11141 |
| | 3 yg; n1 f | 7445 |
| | 3.2; mode 3-4; r1-5; n36 lt | 7201 |
| | 3.3 yg; r1-5; n16 | 4331 |
| | 3.67 emb; r3-4; n3 f | 6420 |
| **SEXUAL MATURITY** | | |
| *Heterohyrax brucei* | f/m: 16 mo | 4875 |
| *Procavia capensis* | f: 1st conceive: min 5 mo; max 16-17 | 7314 |
| | f: 1st birth: 3 yr | 9449 |
| | f: 1st birth: 9 yr | 7658 |
| | f: min 4-5 mo; mode 16-17 mo | 3435 |
| | m: spermatogenesis: min 17 mo; mode 28-29 mo | 3435 |
| | f/m: ~15 mo | 5758 |
| | f/m: 16 mo | 7201 |
| **CYCLE LENGTH** | | |
| *Heterohyrax brucei* | estrus: max 5 d | 4876 |
| *Procavia capensis* | 13.42 d; ±1.31; r11-16; n12 cycles, 7 f | 3879 |
| **GESTATION** | | |
| *Dendrohyrax* spp | est 8 mo | 9200 |
| *Dendrohyrax arboreus* | 230 d | 2449 |
| | 7-8 mo | 5758 |
| *Dendrohyrax dorsalis* | ~7 mo | 4354a |
| *Heterohyrax brucei* | 7-8 mo | 9449 |
| | 7.5 mo | 4874 |
| | 230 d | 2449 |
| *Procavia capensis* | est 6-7 mo; from emb size | 11103 |
| | 196 d | 9200 |
| | 205-208 d; n3 | 7201 |
| | 214 d; n1 | 9447, 9448 |
| | 225 d | 4331 |
| | 7.5 mo | 4874 |
| | 7.5 mo; n1 | 7658 |
| | 226-237 d; n9 | 7201 |
| | 230 d | 11141 |
| | 230 d | 7314 |
| | 233-285 d; n6 | 7201 |
| **LACTATION** | | |
| *Dendrohyrax arboreus* | wean: 5.0; r3-7 mo; n4 | 9359 |
| *Heterohyrax brucei* | wean: 3 mo | 9449 |
| *Procavia capensis* | solid food: 1 d | 4331 |
| | solid food: 2 d | 5758 |
| | solid food: nibble 3-4 d, eat 2 wk | 7201 |
| | solid food: few d | 9449 |
| | wean: 1-5 mo | 7314 |
| | wean: 5-6 wk | 4331 |
| | wean: mode 3 mo; r1-5 | 10158 |
| | nurse: 3-5 mo | 7201 |
| **INTERLITTER INTERVAL** | | |
| *Procavia capensis* | 1 yg | 10771 |
| **SEASONALITY** | | |
| *Dendrohyrax arboreus* | fertile m: yr rd; Ruwenzori, Uganda | 8002 |
| | mate: July, Oct, Jan; Malawi | 10153 |
| | preg f: May; n1; Lake Kivu, Zaire | 8856 |
| | birth: yr rd, peak est mid yr; Ruwenzori, Uganda | 8002 |
| | birth: yr rd, peak June-July; e Africa | 5758 |
| *Dendrohyrax dorsalis* | mate: June-Aug; Zaire | 9098 |
| | birth: Mar-Apr; Gabon | 9098 |
| | birth: May-Aug; Zaire | 9098 |
| | birth: Dec-Feb, Oct; Nigeria | 4354a |

| | | |
|---|---|---|
| *Heterohyrax brucei* | testes: large May; Kenya | 5607 |
| | testes: large July; Kenya | 9449 |
| | mate: July; Kenya | 5607 |
| | mate: Dec; Zambia | 10153 |
| | preg f: May, July; n4; Kenya | 4926 |
| | preg f: end July-early Mar; Kenya | 5607 |
| | birth: Feb-Mar; Kenya | 9449 |
| | birth: May-June, Dec-Jan; Tanzania | 4875 |
| | birth: prob yr rd; S Africa | 10158 |
| *Procavia capensis* | spermatogenesis: Feb-early Apr; Cape Province, S Africa | 7315 |
| | testes: large Feb-Mar, small May-Jan; Cape Province, S Africa | 7313, 7314, 7315, 7316 |
| | testes: large Feb-May, small June-Oct; S Africa | 11141 |
| | testes: large Feb-May; Cape Province, S Africa | 3435 |
| | testes: large Nov; Kenya | 9449 |
| | mate: Mar-May; Kenya | 9447, 9449 |
| | mate: Aug-Sept; Israel, Jordan | 7201 |
| | mate: Oct-Nov; S Africa | 10771 |
| | mate: peak Nov-Feb; S Africa | 4331 |
| | mate: peak mid-end Nov; zoo | 1230 |
| | ovulate: Mar-May; S Africa | 11141 |
| | preg f: Mar; n3; Lebanon | 6420 |
| | preg f: May-Dec; S Africa | 11103 |
| | preg f: Jan, Mar, Apr; n8; e Africa | 185 |
| | preg f/birth: Mar; n3; Kaokoveld, Namibia | 9945 |
| | birth: Feb; n S Africa | 7314 |
| | birth: Mar-Apr, 3 wk; Tanzania | 4875 |
| | birth: mid Mar-mid May; n40; captive | 7201 |
| | birth: June-July; Kenya | 9449 |
| | birth: June-Sept, Nov; n6; zoo | 12128 |
| | birth: est Aug-Nov; Mt Kenya | 1949 |
| | birth: Aug-Jan; Mt Kenya | 5758 |
| | birth: Sept; n1; nw Ovamboland, Namibia | 9945 |
| | birth: Sept-Oct s S Africa | 7314 |
| | birth: Oct-Dec; S Africa | 11141 |
| | birth: Nov; n1; captive | 9447 |
| | birth: Nov-Dec; S Africa | 11103 |