



fig01flat | Aotus trivirgatus | not reported

PDF p.4 / printed p.168 | unscaled_schematic | PROVISIONAL manual digitization
Illustrative drawing; not an independent specimen |

Published source




Saved tracing




Field	mm2	% outline
Schematic outline	--	100.00
17	--	15.61
18	--	6.49
DM	--	1.91
DI	--	0.95
DL	--	2.73
MT	--	0.98
MST	--	0.89
FST	--	1.46
SI	--	4.27
AI	--	1.11

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Published source



Saved tracing





Field	mm2	% outline
17 *	41.67	--
18 *	84.12	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Specimen linkage to the main reconstructions is not established by the figure caption. Own panel scale bar.

Published source

Saved tracing



Field	mm2	% outline
17 *	54.05	--
18 *	74.10	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.



Specimen linkage to the main reconstructions is not established by the figure caption. Own panel scale bar.

fig02C | Callithrix jacchus | not reported

PDF p.5 / printed p.169 | histological_section | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | not assigned

Published source

Saved tracing



Field	mm2	% outline
MT	18.17	--
17	--	--
18	--	--
DL	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.



Specimen linkage to the main reconstructions is not established by the figure caption. Own panel scale bar.

fig02D | Galago senegalensis | not reported

PDF p.5 / printed p.169 | histological_section | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | not assigned

Published source

Saved tracing



Field	mm2	% outline
MT	32.18	--
17	--	--
18	--	--
DL	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.



Specimen linkage to the main reconstructions is not established by the figure caption. Own panel scale bar.

fig02E | Aotus trivirgatus | not reported

PDF p.5 / printed p.169 | histological_section | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | not assigned

Published source

Saved tracing




Field	mm2	% outline
MT	32.84	--
17	--	--
18	--	--
DL	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Specimen linkage to the main reconstructions is not established by the figure caption. Own panel scale bar.

Published source

Saved tracing



Field	mm2	% outline
DM *	15.26	--
DI *	32.08	--
17	--	--
18	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.


Specimen linkage to the main reconstructions is not established by the figure caption. Own panel scale bar.

fig04B | Saimiri sciureus | not reported

PDF p.7 / printed p.171 | histological_section | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | not assigned

Published source

Saved tracing



Field	mm2	% outline
17	--	--
18	--	--
DM	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.


Specimen linkage to the main reconstructions is not established by the figure caption. Own panel scale bar.

fig04C | Aotus trivirgatus | not reported

PDF p.7 / printed p.171 | histological_section | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | not assigned

Published source

Saved tracing



Field	mm2	% outline
DM	16.53	--
DI	23.63	--
18	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.


Specimen linkage to the main reconstructions is not established by the figure caption. Own panel scale bar.

fig04D | Callithrix jacchus | not reported

PDF p.7 / printed p.171 | histological_section | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | not assigned

Published source

Saved tracing



Field	mm2	% outline
DM *	5.47	--
DI *	9.01	--
17	--	--
18	--	--


* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Specimen linkage to the main reconstructions is not established by the figure caption. Own panel scale bar.


fig04E | Callithrix jacchus | not reported

PDF p.8 / printed p.172 | histological_section | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | not assigned

Published source



Saved tracing



Field	mm2	% outline
MT	18.89	--
DL *	32.30	--
FST *	14.11	--
17	--	--
18	--	--


* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Specimen linkage to the main reconstructions is not established by the figure caption. Own panel scale bar.


fig04F | Aotus trivirgatus | not reported

PDF p.8 / printed p.172 | histological_section | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | not assigned

Published source



Saved tracing



Field	mm2	% outline
MT	39.24	--
FST	71.00	--
DL	--	--


* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Specimen linkage to the main reconstructions is not established by the figure caption. Own panel scale bar.


fig04G | Callithrix jacchus | not reported

PDF p.8 / printed p.172 | histological_section | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | not assigned

Published source



Saved tracing



Field	mm2	% outline
DM	13.04	--
DI	21.52	--
MT	23.61	--
MST	14.63	--
FST *	17.27	--
17	--	--
18	--	--
DL	--	--


* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Specimen linkage to the main reconstructions is not established by the figure caption. Own panel scale bar.


fig04H | Galago senegalensis | not reported

PDF p.8 / printed p.172 | histological_section | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | not assigned

Published source



Saved tracing



Field	mm2	% outline
MT	28.71	--
AI	13.98	--
17	--	--
18	--	--
DL	--	--
FST	--	--
SI	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.


Specimen linkage to the main reconstructions is not established by the figure caption. Own panel scale bar.

fig06A | Saimiri sciureus | not reported

PDF p.12 / printed p.176 | histological_section | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | not assigned

Published source

Saved tracing



Field	mm2	% outline
DM *	28.64	--
DI *	22.70	--
MT	40.88	--
17	--	--
DL	--	--
MST	--	--
FST	--	--


* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Specimen linkage to the main reconstructions is not established by the figure caption. Own panel scale bar.


fig06B | Aotus trivirgatus | not reported

PDF p.12 / printed p.176 | histological_section | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | not assigned

Published source



Saved tracing



Field	mm2	% outline
MT	31.43	--
17 *	143.02	--
18 *	74.54	--
DM *	8.41	--
DI *	17.36	--
DL	51.53	--
MST *	28.66	--
FST *	26.49	--


* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Specimen linkage to the main reconstructions is not established by the figure caption. Own panel scale bar.


fig06C | Callithrix jacchus | not reported

PDF p.12 / printed p.176 | histological_section | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | not assigned

Published source



Saved tracing



Field	mm2	% outline
MT	10.98	--
DI	7.91	--
DM *	5.15	--
17	--	--
18	--	--
DL	--	--
MST	--	--
FST	--	--
PP	--	--


* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Specimen linkage to the main reconstructions is not established by the figure caption. Own panel scale bar.


fig06D | Galago senegalensis | not reported

PDF p.12 / printed p.176 | histological_section | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | not assigned

Published source



Saved tracing



Field	mm2	% outline
18	30.23	--
DM	5.01	--
DI	8.02	--
DL	16.12	--
MT	16.27	--
MST	8.76	--
FST	14.29	--
17	--	--



* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

fig09G | Aotus trivirgatus | not reported

PDF p.15 / printed p.179 | partial_areal_strip | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
18 *	54.22	--
17	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Dual MT/DL injection example; exact specimen ID not printed in this panel, so not linked to Figure 19 by inference. Own panel scale bar.

fig10A | Callithrix jacchus | 87-53

PDF p.16 / printed p.180 | histological_zoom | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
17 *	0.36	--
18 *	3.81	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.



Adjacent/registered sections of one V2 patch; panels A–F are repeat views, not independent fields. Borrowed only within Figure 10: caption explicitly states the bar in B applies to all six panels. No resizing between page crops.

fig10B | Callithrix jacchus | 87-53

PDF p.16 / printed p.180 | histological_zoom | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
17 *	0.32	--
18 *	3.70	--


* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Adjacent/registered sections of one V2 patch; panels A–F are repeat views, not independent fields. Borrowed only within Figure 10: caption explicitly states the bar in B applies to all six panels. No resizing between page crops.


fig10C | Callithrix jacchus | 87-53

PDF p.16 / printed p.180 | histological_zoom | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | injected hemisphere

Published source



Saved tracing



Field	mm2	% outline
17 *	0.37	--
18 *	3.57	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Adjacent/registered sections of one V2 patch; panels A–F are repeat views, not independent fields. Borrowed only within Figure 10: caption explicitly states the bar in B applies to all six panels. No resizing between page crops.

Published source



Saved tracing



Field	mm2	% outline
17 *	0.39	--
18 *	3.77	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Adjacent/registered sections of one V2 patch; panels A–F are repeat views, not independent fields. Borrowed only within Figure 10: caption explicitly states the bar in B applies to all six panels. No resizing between page crops.

Published source



Saved tracing



Field	mm2	% outline
17 *	0.39	--
18 *	3.69	--
* Visible fragment, not whole field. Blank values mean unavailable. See CSV/JSON for boundary notes. ROI ZIP and masks preserve all traces. No shrinkage correction.		

Adjacent/registered sections of one V2 patch; panels A–F are repeat views, not independent fields. Borrowed only within Figure 10: caption explicitly states the bar in B applies to all six panels. No resizing between page crops.

Published source



Saved tracing





Field	mm2	% outline
17 *	0.33	--
18 *	3.68	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Adjacent/registered sections of one V2 patch; panels A–F are repeat views, not independent fields. Borrowed only within Figure 10: caption explicitly states the bar in B applies to all six panels. No resizing between page crops.

Published source

Saved tracing





Field	mm2	% outline
18 *	7.43	--
17	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Panel D follows an injection into DL; panels A–C follow MT injections. Own panel scale bar.

Published source

Saved tracing




Field	mm2	% outline
18 *	7.49	--
17	--	--


* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Panel D follows an injection into DL; panels A–C follow MT injections. Own panel scale bar.

Published source



Saved tracing




Field	mm2	% outline
18 *	8.23	--
17	--	--


* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Panel D follows an injection into DL; panels A–C follow MT injections. Own panel scale bar.

Published source



Saved tracing



Field	mm2	% outline
18 *	7.34	--
17	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Panel D follows an injection into DL; panels A–C follow MT injections. Own panel scale bar.



fig12 | Saimiri sciureus | 87-35

PDF p.18 / printed p.182 | whole_hemisphere | PROVISIONAL manual digitization

Whole drawn hemisphere | injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
Total outline	2925.40	100.00
17	579.43	19.81
18	259.79	8.88
DM	38.18	1.31
DI	24.76	0.85
DL	152.26	5.20
MT	30.85	1.05
MST	23.93	0.82
FST	85.42	2.92
3b	48.34	1.65
3a	31.47	1.08
1	23.60	0.81
2	19.36	0.66
SII	12.47	0.43
PV/IG	11.95	0.41
FEF	9.46	0.32
FV	8.83	0.30
PP	--	--
IT	--	--
Motor	--	--
Premotor	--	--
frontal	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Own figure scale bar.



fig13 | Saimiri sciureus | 87-16

PDF p.19 / printed p.183 | whole_hemisphere | PROVISIONAL manual digitization

Whole drawn hemisphere | injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
Total outline	3319.90	100.00
17	580.15	17.47
18	274.91	8.28
DM	40.89	1.23
DI	26.91	0.81
DL	137.62	4.15
MT	54.59	1.64
MST	42.35	1.28
FST	105.91	3.19
3b	59.47	1.79
3a	43.95	1.32
1	30.09	0.91
2	25.94	0.78
SII	18.49	0.56
PV/IG	14.32	0.43
FEF	21.29	0.64
FV	22.88	0.69
Motor & Premotor	87.66	2.64
PP	--	--
IT	--	--
frontal	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Own figure scale bar.



fig14 | Saimiri sciureus | 86-23

PDF p.20 / printed p.184 | whole_hemisphere | PROVISIONAL manual digitization

Whole drawn hemisphere | injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
Total outline	3078.55	100.00
17	597.35	19.40
18	239.72	7.79
DM	40.08	1.30
DI	37.84	1.23
DL	120.90	3.93
MT	40.79	1.32
MST	24.55	0.80
FST	75.19	2.44
3b	53.18	1.73
3a	44.40	1.44
1	27.30	0.89
2	22.52	0.73
SII	20.45	0.66
PV/IG	16.49	0.54
FEF	23.97	0.78
PP	--	--
IT	--	--
Motor & Premotor	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.



Own figure scale bar.

fig15 | Saimiri sciureus | 87-15

PDF p.21 / printed p.185 | whole_hemisphere | PROVISIONAL manual digitization
Whole drawn hemisphere | injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
Total outline	2951.30	100.00
17	604.64	20.49
18	198.17	6.71
DM	35.55	1.20
DI	28.86	0.98
DL	102.46	3.47
MT	39.71	1.35
MST	32.99	1.12
FST	79.31	2.69
3b	46.70	1.58
3a	34.46	1.17
1	26.59	0.90
2	25.22	0.85
SII	15.84	0.54
PV/IG	20.26	0.69
FEF	16.54	0.56
FV	23.50	0.80
PP	--	--
IT	--	--
Motor & Premotor	--	--
frontal	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Own figure scale bar.


fig16 | Saimiri sciureus | 87-25

PDF p.22 / printed p.186 | whole_hemisphere | PROVISIONAL manual digitization

Whole drawn hemisphere | injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
Total outline	2135.01	100.00
17	363.05	17.00
18	154.61	7.24
DM	21.48	1.01
DI	15.34	0.72
DL	96.03	4.50
MT	19.97	0.94
MST	13.15	0.62
FST	38.06	1.78
3b	29.49	1.38
3a	14.62	0.68
1	18.06	0.85
2	15.83	0.74
SII	8.85	0.41
PV/IG	6.99	0.33
FEF	7.59	0.36
FV	5.53	0.26
PP	--	--
IT	--	--
Motor	--	--
Premotor	--	--
frontal	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.



Own figure scale bar.

fig17 | Aotus trivirgatus | 88-7

PDF p.23 / printed p.187 | whole_hemisphere | PROVISIONAL manual digitization
Whole drawn hemisphere | injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
Total outline	1812.75	100.00
17	340.93	18.81
18	147.89	8.16
DM	49.37	2.72
DI	25.74	1.42
DL	57.76	3.19
MT	33.14	1.83
MST	25.80	1.42
FST	25.57	1.41
FEF	6.36	0.35
FV	6.48	0.36
3b	--	--
IT	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.



Own figure scale bar.

fig18 | Aotus trivirgatus | 87-54

PDF p.24 / printed p.188 | whole_hemisphere | PROVISIONAL manual digitization
Whole drawn hemisphere | injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
Total outline	1467.74	100.00
17	220.78	15.04
18	121.12	8.25
DM	25.58	1.74
DI	24.13	1.64
DL	46.99	3.20
MT	29.98	2.04
MST	26.17	1.78
FST	27.41	1.87
3b	44.92	3.06
SII	11.42	0.78
PV	10.52	0.72
AI	15.15	1.03
FEF	5.04	0.34
FV	4.93	0.34
C	1.73	0.12
3a	--	--
M	--	--
PP	--	--
IT	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.



Own figure scale bar.

fig19 | Aotus trivirgatus | 88-16

PDF p.25 / printed p.189 | whole_hemisphere | PROVISIONAL manual digitization
Whole drawn hemisphere | injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
Total outline	--	100.00
DM	--	1.76
DI	--	1.02
DL	--	2.35
MT	--	1.27
MST	--	1.01
FST	--	1.55
3b	--	3.01
SII	--	0.82
AI	--	1.12
FEF	--	0.56
FV	--	0.52
17	--	--
18	--	--
3a	--	--
M	--	--
PP	--	--
IT	--	--



* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

fig20 | Callithrix jacchus | 87-53

PDF p.26 / printed p.190 | whole_hemisphere | PROVISIONAL manual digitization
Whole drawn hemisphere | injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
Total outline	654.60	100.00
17	117.43	17.94
18	64.00	9.78
DM	9.49	1.45
DI	13.26	2.02
DL	24.32	3.71
MT	13.72	2.10
MST	9.81	1.50
FST	14.93	2.28
3b	17.23	2.63
3a	12.79	1.95
SII	3.04	0.46
PV	2.14	0.33
AI	4.25	0.65
FEF	2.96	0.45
FV	4.28	0.65
PP	--	--
IT	--	--
M	--	--
PM	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Own figure scale bar.



fig21 | Callithrix jacchus | 87-51

PDF p.27 / printed p.191 | whole_hemisphere | PROVISIONAL manual digitization

Whole drawn hemisphere | injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
Total outline	588.21	100.00
17	115.99	19.72
18	51.38	8.74
DM	5.31	0.90
DI	8.14	1.38
DL	19.15	3.26
MT	12.34	2.10
MST	9.49	1.61
FST	13.09	2.23
3b	16.81	2.86
3a	9.34	1.59
SII	3.26	0.55
PV	2.55	0.43
AI	3.01	0.51
FEF	2.35	0.40
FV	3.80	0.65
M	--	--
PM	--	--
PP	--	--
IT	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Own figure scale bar.



fig22 | Galago senegalensis | 88-5

PDF p.28 / printed p.192 | whole_hemisphere | PROVISIONAL manual digitization

Whole drawn hemisphere | injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
Total outline	511.42	100.00
17	102.67	20.08
18	32.12	6.28
DM	4.16	0.81
DI	2.38	0.46
DL	14.45	2.83
MT	12.15	2.38
MST	10.88	2.13
FST	10.42	2.04
3b	23.77	4.65
M	12.94	2.53
SII	2.34	0.46
PV	2.37	0.46
AI	4.12	0.80
FEF	1.72	0.34
FV	3.10	0.61
UZ	--	--
PP	--	--
IT	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.



Own figure scale bar.

fig23 | Galago senegalensis | 88-10

PDF p.29 / printed p.193 | whole_hemisphere | PROVISIONAL manual digitization
Whole drawn hemisphere | injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
Total outline	792.91	100.00
17	115.01	14.50
18	63.50	8.01
DM	7.71	0.97
DL	20.96	2.64
MT	18.54	2.34
MST	13.28	1.67
FST	19.84	2.50
3b	35.04	4.42
MI	14.71	1.86
SII	3.63	0.46
AI	7.96	1.00
DI	--	--
PP	--	--
IT	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.



Own figure scale bar.

fig24 | Galago senegalensis | 88-11

PDF p.30 / printed p.194 | whole_hemisphere | PROVISIONAL manual digitization
Whole drawn hemisphere | injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
Total outline	612.24	100.00
17	100.82	16.47
18	31.14	5.09
DM	5.80	0.95
DI	5.83	0.95
DL	13.25	2.16
MT	12.21	1.99
MST	8.49	1.39
FST	17.70	2.89
3b	39.66	6.48
M	13.40	2.19
SII	3.48	0.57
PV	4.61	0.75
AI	7.63	1.25
FV	3.22	0.53
PP	--	--
IT	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.


Own figure scale bar.

fig25A | Saimiri sciureus | 87-35

PDF p.31 / printed p.195 | contralateral_partial | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | opposite injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
MT	41.35	--
MST	--	--
FST	--	--
DL	--	--
IT	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.


Own panel scale bar.

fig25B | Saimiri sciureus | 87-16

PDF p.31 / printed p.195 | contralateral_partial | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | opposite injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
MT	41.45	--
MST	53.25	--
FST *	59.50	--
DI	--	--
DL	--	--


* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

fig25C | Saimiri sciureus | 86-23

PDF p.31 / printed p.195 | contralateral_partial | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | opposite injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
MT	37.50	--
FST	--	--
DL	--	--



* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

fig25D | Saimiri sciureus | 87-15

PDF p.31 / printed p.195 | contralateral_partial | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | opposite injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
MT	38.80	--
MST	40.97	--
FST	--	--
DI	--	--
DL	--	--


* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

fig25E | Saimiri sciureus | 86-25

PDF p.31 / printed p.195 | contralateral_partial | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | opposite injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
MT	21.54	--
MST	--	--
FST	--	--


* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

fig26A | Aotus trivirgatus | 87-54

PDF p.32 / printed p.196 | contralateral_partial | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | opposite injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
MT	24.64	--
MST	25.08	--
FST	29.48	--
DL	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.



Own panel scale bar.

fig26B | Galago senegalensis | 88-5

PDF p.32 / printed p.196 | contralateral_partial | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | opposite injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
MT	9.97	--
MST *	5.88	--
FST *	8.43	--
IT	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.



Own panel scale bar.

fig26C | Callithrix jacchus | 87-51

PDF p.32 / printed p.196 | contralateral_partial | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | opposite injected hemisphere

Published source

Saved tracing



Field	mm2	% outline
MT	14.91	--
MST	13.12	--
FST	20.05	--
DL	31.57	--
IT	--	--


* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Panel D is a magnified repeat of MT in this panel. Own panel scale bar.


fig26D | Callithrix jacchus | 87-51

PDF p.32 / printed p.196 | contralateral_zoom | PROVISIONAL manual digitization
Partial/local view; no whole-neocortex denominator | same opposite hemisphere as fig26C

Published source



Saved tracing



Field	mm2	% outline
MT	12.90	--


* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Magnified MT from Figure 26C; repeated tissue, not an additional field or specimen. Own panel scale bar.


fig27galago | Galago senegalensis | not reported

PDF p.33 / printed p.197 | species_summary | PROVISIONAL manual digitization
Illustrative drawing; not an independent specimen |

Published source



Saved tracing



Field	mm2	% outline
Schematic outline	403.82	100.00
17	83.72	20.73
18	23.49	5.82
DM	2.53	0.63
DI	3.29	0.81
DL	16.25	4.02
MT	8.89	2.20
MST	7.67	1.90
FST	8.55	2.12
3b	15.62	3.87
SII	2.53	0.63
PV	2.61	0.65
AI	3.15	0.78
FEF	1.34	0.33
FV	1.58	0.39
M (medial visual)	--	--
M (motor)	--	--
UZ	--	--
PP	--	--
IT	--	--



* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

fig27marmoset | *Callithrix jacchus* | not reported

PDF p.33 / printed p.197 | species_summary | PROVISIONAL manual digitization
Illustrative drawing; not an independent specimen |

Published source

Saved tracing




Field	mm2	% outline
Schematic outline	823.01	100.00
17	180.38	21.92
18	56.74	6.89
DM	10.58	1.29
DI	4.82	0.59
DL	28.05	3.41
MT	14.04	1.71
MST	11.00	1.34
FST	16.58	2.01
3b	19.15	2.33
3a	14.64	1.78
SII	2.83	0.34
PV	4.61	0.56
AI	6.03	0.73
FEF	2.79	0.34
FV	3.81	0.46
M (medial visual)	--	--
M (motor)	--	--
PP	--	--
IT	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.


fig27owl | Aotus trivirgatus | not reported

PDF p.33 / printed p.197 | species_summary | PROVISIONAL manual digitization
Illustrative drawing; not an independent specimen |

Published source



Saved tracing



Field	mm2	% outline
Schematic outline	1663.79	100.00
17	280.79	16.88
18	101.37	6.09
DM	33.51	2.01
DI	28.26	1.70
DL	67.17	4.04
MT	31.87	1.92
MST	18.70	1.12
FST	39.89	2.40
3b	36.38	2.19
SII	12.65	0.76
PV	12.12	0.73
AI	15.76	0.95
FEF	7.90	0.47
FV	7.58	0.46
3a	--	--
M (medial visual)	--	--
M (motor)	--	--
PM	--	--
PP	--	--
IT	--	--


* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

fig27squirrel | Saimiri sciureus | not reported

PDF p.33 / printed p.197 | species_summary | PROVISIONAL manual digitization
Illustrative drawing; not an independent specimen |

Published source

Saved tracing



Field	mm2	% outline
Schematic outline	2301.25	100.00
17	386.50	16.80
18	176.71	7.68
DM	36.52	1.59
DI	25.17	1.09
DL	62.01	2.69
MT	15.71	0.68
MST	17.27	0.75
FST	43.47	1.89
2	17.58	0.76
1	15.83	0.69
3b	28.92	1.26
3a	21.40	0.93
SII	7.24	0.31
PV	9.53	0.41
A1	6.25	0.27
FEF	9.67	0.42
FV	7.42	0.32
M (medial visual)	--	--
M (motor)	--	--
PM	--	--
PP	--	--
IT	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.


Scaled species-level summary drawing; geometry is illustrative and does not supply an independent specimen measurement. Own panel scale bar.

fig28 | macaque (species not specified) | not applicable


PDF p.34 / printed p.198 | literature_summary | PROVISIONAL manual digitization
Illustrative drawing; not an independent specimen |

Published source

Saved tracing



Modified from Van Essen, 1985 and Ungerleider & Desimone, 1986



Modified from Van Essen, 1985 and Ungerleider & Desimone, 1986

Field	mm2	% outline
Schematic outline	6660.87	100.00
17	1086.71	16.31
18	1015.40	15.24
V3	73.01	1.10
V3a	85.63	1.29
DL/V4	239.85	3.60
MT	91.39	1.37
MST	61.69	0.93
FST	37.33	0.56
2	74.58	1.12
1	107.33	1.61
3b	81.36	1.22
3a	86.70	1.30
SII	38.63	0.58
AI	25.52	0.38
M (motor)	162.87	2.45
FEF	53.49	0.80
M/PO	--	--
PM	--	--
PP	--	--
IT	--	--

* Visible fragment, not whole field.
Blank values mean unavailable.
See CSV/JSON for boundary notes.
ROI ZIP and masks preserve all traces.
No shrinkage correction.

Adapted by the paper from Van Essen (1985) and Ungerleider & Desimone (1986); not an experimental case from this paper. Scaled species-level summary drawing; geometry is illustrative and does not supply an independent specimen measurement. Own panel scale bar.