



# The LaTeX report

---

**Generated by alessandro on 30 October 2020, 18:03:12**

This report has been generated automatically by MADANALYSIS 5.

Please cite:

**E. Conte, B. Fuks and G. Serret,**  
*MadAnalysis 5, A User-Friendly Framework for Collider Phenomenology,*  
Comput. Phys. Commun. **184** (2013) 222-256,  
arXiv:1206.1599 [hep-ph].

To contact us:

<http://madanalysis.irmp.ucl.ac.be>  
[ma5team@iphc.cnrs.fr](mailto:ma5team@iphc.cnrs.fr)

---

## Contents

<b>1</b>	<b>Setup</b>	<b>2</b>
1.1	Command history	2
1.2	Configuration	2
<b>2</b>	<b>Datasets</b>	<b>3</b>
2.1	unweighted_events	3
<b>3</b>	<b>Histos and cuts</b>	<b>4</b>
3.1	Histogram 1	4
3.2	Histogram 2	5
3.3	Histogram 3	6
3.4	Histogram 4	7

---

# 1 Setup

## 1.1 Command history

```
ma5>import /home/alessandro/Documents/PhD/courses/MG5_aMC/mg5amcnlo/2.7.3-new/_day3_dm/-  
bin/internal/ufomodel  
ma5>import /home/alessandro/Documents/PhD/courses/MG5_aMC/mg5amcnlo/2.7.3-new/_day3_dm/-  
Events/run_01/unweighted_events.lhe.gz as unweighted_events  
ma5>define vl = 12 14 16  
ma5>define vl = -16 -14 -12  
ma5>define invisible = ve ve vm vm vt vt vl vl xd xd  
ma5>set main.graphic_render = matplotlib  
ma5>plot MET 40 200 800 [logY]  
ma5>plot PT(j[1]) 40 200 800 [logY]  
ma5>plot ETA(j[1]) 40 -4 4 [logY]  
ma5>plot MT_MET(j[1]) 40 400 1600 [logY]  
ma5>submit /home/alessandro/Documents/PhD/courses/MG5_aMC/mg5amcnlo/2.7.3-new/_day3_dm/-  
MA5_PARTON_ANALYSIS_analysis1
```

## 1.2 Configuration

- MadAnalysis version 1.8.45 (2020/05/01).
- Histograms given for an integrated luminosity of  $10\text{fb}^{-1}$ .

## 2 Datasets

### 2.1 unweighted\_events

- Sample consisting of: **signal** events.
- Generated events: **10000** events.
- Normalization to the luminosity: **32135 +/- 52** events.
- **Ratio (event weight): 3.2 - warning: please generate more events (weight larger than 1)!**

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
_day3_dm/Events/run_01/- unweighted_events.lhe.gz	10000	3.21 @ 0.16%	0.0

### 3 Histos and cuts

#### 3.1 Histogram 1

\* Plot: MET

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
unweighted_eve	32135	1.0	104.358	63.45	92.8	0.02




Figure 1.

### 3.2 Histogram 2

\* Plot: PT ( j[1] )

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
unweighted_eve	31714	1.0	104.33	63.46	92.78	0.02027




Figure 2.

### 3.3 Histogram 3

\* Plot:  $\text{ETA} (j[1])$

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
unweighted_event	31714	1.0	-0.0182361	1.843	0.8106	0.7093




Figure 3.

### 3.4 Histogram 4

\* Plot: MT\_MET ( j[1] )

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
unweighted_event	31714	1.0	208.659	126.9	92.78	0.02027




Figure 4.