

First-Order Term-Indexing

Alexander Maringele

January 27th, 2016


References





R. Sekar, I. V. Ramakrishnan, and Andrei Voronkov, *Term indexing*, Handbook of Automated Reasoning (Alan Robinson and Andrei Voronkov, eds.), Elsevier Science Publishers B. V., Amsterdam, The Netherlands, 2001, pp. 1853–1964.


Outline


- 1 Motivation
- 2 Term Structure
- 3 Path Indexing
- 4 Discrimination Trees
- 5 Substitution Trees
- 6 Search times














Clausal form

$$\{ P(f(x)) \vee f(x) \not\approx a, g(x, y) \approx a \vee \neg Q(x, y), \mathcal{C}_3 \}$$

Clausal form

$$\{ P(f(x)) \vee f(x) \not\approx a, g(x, y) \approx a \vee \neg Q(x, y), \mathcal{C}_3 \}$$

$$\equiv$$

$$\forall x (P(f(x)) \vee f(x) \not\approx a)$$

$$\wedge$$

$$\forall xy (g(x, y) \approx a \vee \neg Q(x, y))$$

$$\wedge$$

$$\forall \text{Var}(\mathcal{C}_3) (\mathcal{C}_3)$$

Goal

A sound and refutation complete calculus.

Goal

A sound and refutation complete calculus.

Resolution (without equality)

Resolve and factor all clauses and literals in an unsatisfiable set

Goal

A sound and refutation complete calculus.

Resolution (without equality)

Resolve and factor all clauses and literals in an unsatisfiable set

$$\frac{A \vee C \quad \neg B \vee D}{(C \vee D)\sigma} (\sigma) \text{ resolution} \qquad \frac{A \vee B \vee C}{(A \vee C)\sigma} (\sigma) \text{ factoring}$$

$$\sigma = \text{mgu}(A, B)$$

Goal

A sound and refutation complete calculus.

Resolution (without equality)

Resolve and factor all clauses and literals in an unsatisfiable set

$$\frac{A \vee \mathcal{C} \quad \neg B \vee \mathcal{D}}{(\mathcal{C} \vee \mathcal{D})\sigma} (\sigma) \text{ resolution} \qquad \frac{A \vee B \vee \mathcal{C}}{(A \vee \mathcal{C})\sigma} (\sigma) \text{ factoring}$$

$$\sigma = \text{mgu}(A, B)$$

and the empty clause will be derived eventually.

Goal

A sound and refutation complete calculus.

Resolution (without equality)

Resolve and factor all clauses and literals in an unsatisfiable set

$$\frac{A \vee \mathcal{C} \quad \neg B \vee \mathcal{D}}{(C \vee D)\sigma} (\sigma) \text{ resolution} \qquad \frac{A \vee B \vee \mathcal{C}}{(A \vee C)\sigma} (\sigma) \text{ factoring}$$

$$\sigma = \text{mgu}(A, B)$$

and the empty clause will be derived eventually.

Observation

Usually the set grows too fast to obtain a result.

Goal

A sound, refutation complete, and

Goal

A sound, refutation complete, and *effective* calculus.

Goal

A sound, refutation complete, and *effective* calculus.

- 1 *Reduce* search space

Goal

A sound, refutation complete, and *effective* calculus.

- 1 *Reduce* search space
 - Ordered Resolution, Strategies, ...

Goal

A sound, refutation complete, and *effective* calculus.

- 1 *Reduce* search space
 - Ordered Resolution, Strategies, ...
 - ...with selection functions for clauses and literals

Goal

A sound, refutation complete, and *effective* calculus.

- 1 *Reduce* search space
 - Ordered Resolution, Strategies, ...
 - ...with selection functions for clauses and literals
- 2 *Reduce* redundancy

Goal

A sound, refutation complete, and *effective* calculus.

- 1 *Reduce* search space
 - Ordered Resolution, Strategies, ...
 - ... with selection functions for clauses and literals
- 2 *Reduce* redundancy
 - e.g. discard clauses that are subsumed by other clauses

Goal

A sound, refutation complete, and *effective* calculus.

- 1 *Reduce* search space
 - Ordered Resolution, Strategies, ...
 - ...with selection functions for clauses and literals
- 2 *Reduce* redundancy
 - e.g. discard clauses that are subsumed by other clauses
 - ...depending on the calculus

Goal

A sound, refutation complete, and *effective* calculus.

- 1 *Reduce* search space
 - Ordered Resolution, Strategies, ...
 - ... with selection functions for clauses and literals
- 2 *Reduce* redundancy
 - e.g. discard clauses that are subsumed by other clauses
 - ... depending on the calculus

Example (forward subsumption)

$$S = \{^1P(x, y), ^2\neg P(a, z)\} \cup \{^3P(a, z')\}$$

t_1 subsumes t_3

$$\frac{P(x, y) \quad \neg P(a, z)}{\square} \quad \{x \mapsto a, y \mapsto z\}$$

Resolution

$$S \perp = \{P(\perp, \perp), \neg P(a, \perp), P(a, \perp)\}$$

InstGen / SMT

Goal

A sound, refutation complete, and effective calculus.

Goal

A sound, refutation complete, and effective calculus.

- 3 Quickly find

Goal

A sound, refutation complete, and effective calculus.

- 3 Quickly find
 - *variants*

variant removal

Goal

A sound, refutation complete, and effective calculus.

3 Quickly find

- *variants*
- *instances*

variant removal
backward subsumption

Goal

A sound, refutation complete, and effective calculus.

3 Quickly find

- *variants*
- *instances*
- *generalizations*

variant removal

backward subsumption

forward subsumption

Goal

A sound, refutation complete, and effective calculus.

3 Quickly find

- *variants*
- *instances*
- *generalizations*
- *unifiable terms*

variant removal

backward subsumption

forward subsumption

resolution, demodulation

Goal

A sound, refutation complete, and effective calculus.

3 Quickly find

- *variants*
- *instances*
- *generalizations*
- *unifiable terms*

variant removal

backward subsumption

forward subsumption

resolution, demodulation

of a query term in a given set of terms.

Goal

A sound, refutation complete, and effective calculus.

3 Quickly find

- *variants*
- *instances*
- *generalizations*
- *unifiable terms*

variant removal

backward subsumption

forward subsumption

resolution, demodulation

of a query term in a given set of terms.

Observation

Deduction rate drops quickly with sequential search.

Goal

A sound, refutation complete, and effective calculus.

3 Quickly find

- *variants*
- *instances*
- *generalizations*
- *unifiable terms*

variant removal
backward subsumption
forward subsumption
resolution, demodulation

of a query term in a given set of terms.

Observation


Deduction rate drops quickly with sequential search.

Term Indexing

Data structures and algorithms for fast retrieval of matching terms.

Positions of a term

$$\mathcal{Pos}(t) = \begin{cases} \{\epsilon\} & \text{if } t = x \in \mathcal{V} \\ \{\epsilon\} \cup \{ip \mid 1 \leq i \leq n \wedge p \in \mathcal{Pos}(t_i)\} & \text{if } t = f(t_1, \dots, t_n) \end{cases}$$

Traversals of $h(f(a, y))$ 

$$\mathcal{Pos}(h(f(a, y))) = \{\epsilon, 1, 11, 12\}$$

$$h(f(a, y))|_{12} = y \qquad \langle 12, y \rangle$$

$$\langle \epsilon, h \rangle \langle 1, f \rangle \langle 12, y \rangle \quad \text{root to leaf } y$$

$$\langle \epsilon, h \rangle \langle 1, f \rangle \langle 11, a \rangle \langle 12, y \rangle \quad \text{pre-order}$$

Variables

Different terms generate the same position strings

Variables

Different terms generate the same position strings when

- variable names are ignored

$$f(z, y), f(y, x), f(x, x) \Rightarrow f(*, *)$$

Variables

Different terms generate the same position strings when

- variable names are ignored
- or normalized

$$f(z, y), f(y, x), f(x, x) \Rightarrow f(*, *)$$

$$f(z, y), f(z, x) \Rightarrow f(*_1, *_2)$$

$$f(x, x) \Rightarrow f(*_1, *_1)$$

Variables

Different terms generate the same position strings when

- variable names are ignored $f(z, y), f(y, x), f(x, x) \Rightarrow f(*, *)$
- or normalized $f(z, y), f(z, x) \Rightarrow f(*_1, *_2)$
 $f(x, x) \Rightarrow f(*_1, *_1)$

In the second case only variants of terms generate the same strings.

Notation

We abbreviate

- path strings $\langle \epsilon, h \rangle \langle 1, f \rangle \langle 12, * \rangle$ h.1.f.2.*
- and traversal strings $\langle \epsilon, h \rangle \langle 1, f \rangle \langle 11, * \rangle \langle 12, * \rangle$ h.f.a.*
 when traversal order and arity of symbols are fixed.

Build

$$^{t_1:}h(f(x, y)), ^{t_2:}h(f(x, a)), ^{t_3:}h(f(a, a))$$

$$t_1 \Rightarrow \{h.1.f.1.*, h.1.f.2.*\}$$

$$t_2 \Rightarrow \{h.1.f.1.*, h.1.f.2.a\}$$

$$t_3 \Rightarrow \{h.1.f.1.a, h.1.f.2a\}$$



Build

$$\begin{array}{c} \cdot \\ | \\ h \\ | \\ \cdot \end{array}$$

$$t_1: h(f(x, y)), t_2: h(f(x, a)), t_3: h(f(a, a))$$

$$t_1 \Rightarrow \{h.1.f.1.*, h.1.f.2.*\}$$

$$t_2 \Rightarrow \{h.1.f.1.*, h.1.f.2.a\}$$

$$t_3 \Rightarrow \{h.1.f.1.a, h.1.f.2a\}$$



Build

$$t_1: h(f(x, y)), t_2: h(f(x, a)), t_3: h(f(a, a))$$

$$t_1 \Rightarrow \{h.1.f.1.*, h.1.f.2.*\}$$

$$t_2 \Rightarrow \{h.1.f.1.*, h.1.f.2.a\}$$

$$t_3 \Rightarrow \{h.1.f.1.a, h.1.f.2a\}$$

·
h
·
1
·




Build

$$t_1: h(f(x, y)), t_2: h(f(x, a)), t_3: h(f(a, a))$$

$$t_1 \Rightarrow \{h.1.f.1.*, h.1.f.2.*\}$$

$$t_2 \Rightarrow \{h.1.f.1.*, h.1.f.2.a\}$$

$$t_3 \Rightarrow \{h.1.f.1.a, h.1.f.2.a\}$$




Build

$$t_1: h(f(x, y)), t_2: h(f(x, a)), t_3: h(f(a, a))$$

$$t_1 \Rightarrow \{h.1.f.1.*, h.1.f.2.*\}$$

$$t_2 \Rightarrow \{h.1.f.1.*, h.1.f.2.a\}$$

$$t_3 \Rightarrow \{h.1.f.1.a, h.1.f.2.a\}$$




Build

$$t_1: h(f(x, y)), t_2: h(f(x, a)), t_3: h(f(a, a))$$

$$t_1 \Rightarrow \{h.1.f.1.*, h.1.f.2.*\}$$

$$t_2 \Rightarrow \{h.1.f.1.*, h.1.f.2.a\}$$

$$t_3 \Rightarrow \{h.1.f.1.a, h.1.f.2.a\}$$




Build

$$t_1: h(f(x, y)), t_2: h(f(x, a)), t_3: h(f(a, a))$$

$$t_1 \Rightarrow \{h.1.f.1.*, h.1.f.2.*\}$$

$$t_2 \Rightarrow \{h.1.f.1.*, h.1.f.2.a\}$$

$$t_3 \Rightarrow \{h.1.f.1.a, h.1.f.2.a\}$$




Build

$$t_1: h(f(x, y)), t_2: h(f(x, a)), t_3: h(f(a, a))$$

$$t_1 \Rightarrow \{h.1.f.1.*, h.1.f.2.*\}$$

$$t_2 \Rightarrow \{h.1.f.1.*, h.1.f.2.a\}$$

$$t_3 \Rightarrow \{h.1.f.1.a, h.1.f.2.a\}$$




Build

$$t_1: h(f(x, y)), t_2: h(f(x, a)), t_3: h(f(a, a))$$

$$t_1 \Rightarrow \{h.1.f.1.*, h.1.f.2.*\}$$

$$t_2 \Rightarrow \{h.1.f.1.*, h.1.f.2.a\}$$

$$t_3 \Rightarrow \{h.1.f.1.a, h.1.f.2.a\}$$




Retrieve

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$

$$h(f(x, b)) \Rightarrow \{h.f.*, h.f.b\}$$

$$u : h(f(\textcolor{red}{x}', \textcolor{green}{b})) \mapsto$$




Retrieve

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$

$$h(f(x, b)) \Rightarrow \{h.f.*, h.f.b\}$$

$$u : h(f(x', b)) \mapsto$$




Retrieve

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$

$$h(f(x, b))) \Rightarrow \{h.f.*, h.f.b\}$$

$$u : h(f(x', b)) \mapsto$$




Retrieve

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$

$$h(f(x, b)) \Rightarrow \{h.f.*, h.f.b\}$$

$$u : h(f(x', b)) \mapsto$$




Retrieve

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$

$$h(f(x, b)) \Rightarrow \{h.f.*, h.f.b\}$$

$$u : h(f(x', b)) \mapsto$$




Retrieve

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$

$$h(f(x, b)) \Rightarrow \{h.f.*, h.f.b\}$$

$$u : h(f(x', b)) \mapsto \{t_1, t_2, \}$$




Retrieve

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$

$$h(f(x, b)) \Rightarrow \{h.f.*, h.f.b\}$$

$$u : h(f(x', b)) \mapsto \{t_1, t_2, t_3\}$$




Retrieve

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$

$$h(f(x, b)) \Rightarrow \{h.f.*, h.f.b\}$$

$$u : h(f(x', b)) \mapsto \{t_1, t_2, t_3\}$$




Retrieve

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$

$$h(f(x, b)) \Rightarrow \{h.f.*, h.f.b\}$$

$$u : h(f(x', b)) \mapsto \{t_1, t_2, t_3\}$$




Retrieve

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$

$$h(f(x, b)) \Rightarrow \{h.f.*, h.f.b\}$$

$$u : h(f(x', b)) \mapsto \{t_1, t_2, t_3\} \cap \{t_1\}$$




Retrieve

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$

$$h(f(x, b))) \Rightarrow \{h.f.*, h.f.b\}$$

$$u : h(f(\textcolor{red}{x}', \textcolor{green}{b})) \mapsto \{\textcolor{green}{t}_1, t_2, t_3\} \cap \{\textcolor{green}{t}_1\}$$

$$i : \mathbf{h}(f(x', \mathbf{b})) \mapsto \{t_1, t_2, t_3\} \cap \{\}$$



Retrieve


$$^{t_1:}h(f(x, y)), ^{t_2:}h(f(x, a)), ^{t_3:}h(f(a, a))$$

$$h(f(x, b))) \Rightarrow \{h.f.*, h.f.b\}$$

$$u : h(f(\textcolor{red}{x}', \textcolor{green}{b})) \mapsto \{\textcolor{teal}{t}_1, t_2, t_3\} \cap \{\textcolor{teal}{t}_1\}$$

$$i : h(f(x', b)) \mapsto \{t_1, t_2, t_3\} \cap \{ \}$$

$$g : h(f(x', b)) \mapsto \{t_1, t_2\} \cap \{t_1\}$$



Retrieve

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$


$$h(f(x, b)) \Rightarrow \{h.f.*, h.f.b\}$$

$$u : h(f(x', b)) \mapsto \{t_1, t_2, t_3\} \cap \{t_1\}$$

$$i : h(f(x', b)) \mapsto \{t_1, t_2, t_3\} \cap \{\}$$

$$g : h(f(x', b)) \mapsto \{t_1, t_2\} \cap \{t_1\}$$

$$v : h(f(x', b)) \mapsto \{t_1, t_2\} \cap \{\}$$



Retrieve

$$^{t_1:}h(f(x, y)), ^{t_2:}h(f(x, a)), ^{t_3:}h(f(a, a))$$

$$h(f(x, b))) \Rightarrow \{h.f.*, h.f.b\}$$


$$u : h(f(\textcolor{red}{x}', \textcolor{green}{b})) \mapsto \{\textcolor{teal}{t}_1, t_2, t_3\} \cap \{\textcolor{teal}{t}_1\}$$

$$i : h(f(x', b)) \mapsto \{t_1, t_2, t_3\} \cap \{ \}$$

$$g : h(f(x', b)) \mapsto \{t_1, t_2\} \cap \{t_1\}$$

$$v : \mathbf{h}(\mathbf{f}(x', \mathbf{b})) \mapsto \{t_1, t_2\} \cap \{$$

$$v : h(f(x', x')) \mapsto \{t_1, t_2\} \cap \{t_1\}$$



Unit Superposition Inference Rules

$$\frac{s \approx t \quad L[s']}{(L[t]) \cdot \sigma} \quad \begin{array}{l} \text{unit} \\ \text{paramodulation} \end{array}$$

where $\sigma = \text{mgu}(s, s')$, $s' \notin \mathcal{V}$, $t\sigma \neq s\sigma$

$$\frac{s \approx t \quad u[s'] \not\approx v}{(u[t] \not\approx v) \cdot \sigma} \quad \begin{array}{l} \text{unit} \\ \text{superposition} \end{array} \quad \frac{s \approx t \quad u[s'] \approx v}{(u[t] \approx v) \cdot \sigma}$$

where $\sigma = \text{mgu}(s, s')$, $s' \notin \mathcal{V}$, $t\sigma \neq s\sigma$, $v\sigma \neq u[s']\sigma$


$$\frac{s \not\approx t}{\square} \quad \begin{array}{l} \text{unit equality} \\ \text{resolution} \end{array}$$

$$\frac{A \quad \neg B}{\square} \quad \begin{array}{l} \text{unit} \\ \text{resolution} \end{array}$$

where s and t (A and B respectively) are unifiable


$$^{t_4}f(x, a) \approx x$$

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$




$${}^{t_4}\mathbf{f}(x, \mathbf{a}) \approx x$$

$$^{t_1}\mathbf{h}(\mathbf{f}(x, y)), ^{t_2}\mathbf{h}(\mathbf{f}(x, \mathbf{a})), ^{t_3}\mathbf{h}(\mathbf{f}(\mathbf{a}, \mathbf{a}))$$




$$^{t_4}f(x, a) \approx x$$

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$




$${}^{t_4}\mathbf{f}(x, \mathbf{a}) \approx x$$

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$




$${}^{t_4}f(x, a) \approx x$$

$${}^{t_1}h(f(x, y)), {}^{t_2}h(f(x, a)), {}^{t_3}h(f(a, a))$$




$${}^{t_4}f(x, a) \approx x$$

$${}^{t_1}h(f(x, y)), {}^{t_2}h(f(x, a)), {}^{t_3}h(f(a, a))$$




$${}^{t_4}f(x, a) \approx x$$

$${}^{t_1}h(f(x, y)), {}^{t_2}h(f(x, a)), {}^{t_3}h(f(a, a))$$




$${}^{t_4}f(x, a) \approx x$$

$${}^{t_1}h(f(x, y)), {}^{t_2}h(f(x, a)), {}^{t_3}h(f(a, a))$$




$${}^{t_4}f(x, a) \approx x$$

$${}^{t_1}h(f(x, y)), {}^{t_2}h(f(x, a)), {}^{t_3}h(f(a, a))$$




$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$





$$t_4: f(x, a) \approx x$$

$$t_1: h(f(x, y)), t_2: h(f(x, a)), t_3: h(f(a, a))$$





$$^{t_1:}h(f(x, y)), ^{t_2:}h(f(x, a)), ^{t_3:}h(f(a, a))$$



$${}^{t_4}\mathbf{f}(x, \mathbf{a}) \approx x$$


$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, a)), ^{t_3}h(f(a, a))$$



Insert

 $t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$ $t_1 \Rightarrow h.f.*.*$ $t_2 \Rightarrow h.f.*.h.a$ $t_3 \Rightarrow h.f.h.a.a$

Insert


 $t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$
 $t_1 \Rightarrow h.f.*.*$
 $t_2 \Rightarrow h.f.*.h.a$
 $t_3 \Rightarrow h.f.h.a.a$


Insert

$$t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$$


$$t_1 \Rightarrow h.f.*.*$$

$$t_2 \Rightarrow h.f.*.h.a$$


$$t_3 \Rightarrow h.f.h.a.a$$




Insert

 $t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$
 $t_1 \Rightarrow h.f.*.*$
 $t_2 \Rightarrow h.f.*.h.a$
 $t_3 \Rightarrow h.f.h.a.a$



Insert

 $t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$
 $t_1 \Rightarrow h.f.*.*$
 $t_2 \Rightarrow h.f.*.h.a$
 $t_3 \Rightarrow h.f.h.a.a$



Insert

 $t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$
 $t_1 \Rightarrow h.f.*.*$
 $t_2 \Rightarrow h.f.*.h.a$
 $t_3 \Rightarrow h.f.h.a.a$



Insert

 $t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$
 $t_1 \Rightarrow h.f.*.*$
 $t_2 \Rightarrow h.f.*.h.a$
 $t_3 \Rightarrow h.f.h.a.a$



Insert

$$^{t_1:}h(f(x, y)), ^{t_2:}h(f(x, h(a))), ^{t_3:}h(f(h(a), a))$$
$$t_1 \Rightarrow \text{h.f.*.*}$$
$$t_2 \Rightarrow \text{h.f.} * \text{h.a}$$
$$t_3 \Rightarrow \text{h.f.h.a.a}$$



Insert

$$^{t_1:}h(f(x, y)), ^{t_2:}h(f(x, h(a))), ^{t_3:}h(f(h(a), a))$$
$$t_1 \Rightarrow \text{h.f.*.*}$$
$$t_2 \Rightarrow \text{h.f.} * \text{h.a}$$
$$t_3 \Rightarrow \text{h.f.h.a.a}$$



Insert

 $t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$
 $t_1 \Rightarrow h.f.*.*$
 $t_2 \Rightarrow h.f.*.h.a$
 $t_3 \Rightarrow h.f.h.a.a$


Insert

 $t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$
 $t_1 \Rightarrow h.f.*.*$
 $t_2 \Rightarrow h.f.*.h.a$
 $t_3 \Rightarrow h.f.h.a.a$


Insert


 $t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$
 $t_1 \Rightarrow h.f.*.*$
 $t_2 \Rightarrow h.f.*.h.a$
 $t_3 \Rightarrow h.f.h.a.a$


Retrieve

$$t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$$

$$h(f(x', a)) \Rightarrow h.f.*.a$$

$$u : h(f(x', a)) \mapsto \{ \quad \}$$




Retrieve

$$t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$$

$$h(f(x', a)) \Rightarrow h.f.*.a$$

$$u : h(f(x', a)) \mapsto \{ \quad \}$$




Retrieve

$$^{t_1:}h(f(x, y)), ^{t_2:}h(f(x, h(a))), ^{t_3:}h(f(h(a), a))$$

$$h(f(x', a)) \Rightarrow h.f.*.a$$

$$u : h(f(x', \mathbf{a})) \mapsto \{ \quad \}$$




Retrieve

$$^{t_1:}h(f(x, y)), ^{t_2:}h(f(x, h(a))), ^{t_3:}h(f(h(a), a))$$

$$h(f(x', a)) \Rightarrow h.f.*.a$$

$$u : h(f(x', \mathbf{a})) \mapsto \{ \quad \}$$




Retrieve

$$^{t_1:}h(f(x, y)), ^{t_2:}h(f(x, h(a))), ^{t_3:}h(f(h(a), a))$$

$$h(f(x', a)) \Rightarrow h.f.*.a$$

$$u : \mathbf{h}(f(x', \mathbf{a})) \mapsto \{t_1, \quad \}$$




Retrieve

$$^{t_1:}h(f(x, y)), ^{t_2:}h(f(x, h(a))), ^{t_3:}h(f(h(a), a))$$

$$h(f(x', a)) \Rightarrow h.f.*.a$$

$$u : \mathbf{h}(\mathbf{f}(x', \mathbf{a})) \mapsto \{t_1, \quad \}$$




Retrieve

$$^{t_1:}h(f(x, y)), ^{t_2:}h(f(x, h(a))), ^{t_3:}h(f(h(a), a))$$

$$h(f(x', a)) \Rightarrow h.f.*.a$$

$$u : h(f(x', \mathbf{a})) \mapsto \{t_1, t_3\}$$

$$i : \mathbf{h}(\mathbf{f}(x', \mathbf{a})) \mapsto \{t_3\}$$



Retrieve


$$t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$$

$$h(f(x', a)) \Rightarrow h.f.*.a$$

$$u : h(f(x', a)) \mapsto \{t_1, t_3\}$$

$$i : h(f(x', a)) \mapsto \{t_3\}$$

$$g : h(f(x', a)) \mapsto \{t_1\}$$



Retrieve

$$t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$$


$$h(f(x', a)) \Rightarrow h.f.*.a$$

$$u : h(f(x', a)) \mapsto \{t_1, t_3\}$$


$$i : h(f(x', a)) \mapsto \{t_3\}$$


$$g : h(f(x', a)) \mapsto \{t_1\}$$

$$v : h(f(x', a)) \mapsto \{ \}$$




Subterms



 $t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$


$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, h(a))), ^{t_3}h(f(h(a), a))$$



Subterms

$$^{t_1:}h(f(x, y)), ^{t_2:}h(f(x, h(a))), ^{t_3:}h(f(h(a), a))$$



Subterms

 $t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$




Subterms



 $t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$




h



Subterms

 $t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a))$


$$^{t_1:}h(f(x, y)), ^{t_2:}h(f(x, h(a))), ^{t_3:}h(f(h(a), a))$$



$$^{t_1:}h(f(x, y)), ^{t_2:}h(f(x, h(a))), ^{t_3:}h(f(h(a), a))$$


Build


$t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a)), t_4: h(f(a, a))$

⊙ ×


Build

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, h(a))), ^{t_3}h(f(h(a), a)), ^{t_4}h(f(a, a))$$



Build

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, h(a))), ^{t_3}h(f(h(a), a)), ^{t_4}h(f(a, a)))$$



Build

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, h(a))), ^{t_3}h(f(h(a), a)), ^{t_4}h(f(a, a)))$$



Build

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, h(a))), ^{t_3}h(f(h(a), a)), ^{t_4}h(f(a, a)))$$



Build

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, h(a))), ^{t_3}h(f(h(a), a)), ^{t_4}h(f(a, a)))$$



Build

 $t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a)), t_4: h(f(a, a))$


Build

 $t_1: h(f(x, y)), t_2: h(f(x, h(a))), t_3: h(f(h(a), a)), t_4: h(f(a, a))$


Build

$$^{t_1}h(f(x, y)), ^{t_2}h(f(x, h(a))), ^{t_3}h(f(h(a), a)), ^{t_4}h(f(a, a)))$$


TPTP/Problems/HWV/HWV134-1.p

2 332 428 formulae, 6 570 884 literals

TPTP/Problems/HWV/HWV134-1.p

2 332 428 formulae, 6 570 884 literals

literals						
new	total	(ℓ_1, ℓ_2)	$A, \neg B$	sequential search	index search	speed up

TPTP/Problems/HWV/HWV134-1.p

2 332 428 formulae, 6 570 884 literals

literals		(ℓ_1, ℓ_2)	$A, \neg B$	sequential search	index search	speed up
new	total					
1 000	1 000	500 000	761	726ms	70ms	10

TPTP/Problems/HWV/HWV134-1.p

2 332 428 formulae, 6 570 884 literals

literals		(ℓ_1, ℓ_2)	$A, \neg B$	sequential search	index search	speed up
new	total					
1 000	1 000	500 000	761	726ms	70ms	10
1 000	2 000	1 500 000	812	2s	69ms	29

TPTP/Problems/HWV/HWV134-1.p

2 332 428 formulae, 6 570 884 literals

literals		(ℓ_1, ℓ_2)	$A, \neg B$	sequential search	index search	speed up
new	total					
1 000	1 000	500 000	761	726ms	70ms	10
1 000	2 000	1 500 000	812	2s	69ms	29
1 000	4 000	3 500 000	723	4s	75ms	53

TPTP/Problems/HWV/HWV134-1.p

2 332 428 formulae, 6 570 884 literals

literals		(ℓ_1, ℓ_2)	$A, \neg B$	sequential search	index search	speed up
new	total					
1 000	1 000	500 000	761	726ms	70ms	10
1 000	2 000	1 500 000	812	2s	69ms	29
1 000	4 000	3 500 000	723	4s	75ms	53
1 000	8 000	7 500 000	433	9s	125ms	72

TPTP/Problems/HWV/HWV134-1.p

2 332 428 formulae, 6 570 884 literals

literals		(ℓ_1, ℓ_2)	$A, \neg B$	sequential search	index search	speed up
new	total					
1 000	1 000	500 000	761	726ms	70ms	10
1 000	2 000	1 500 000	812	2s	69ms	29
1 000	4 000	3 500 000	723	4s	75ms	53
1 000	8 000	7 500 000	433	9s	125ms	72
1 000	16 000	15 500 000	742	21s	221ms	95

TPTP/Problems/HWV/HWV134-1.p

2 332 428 formulae, 6 570 884 literals

literals		(ℓ_1, ℓ_2)	$A, \neg B$	sequential search	index search	speed up
new	total					
1 000	1 000	500 000	761	726ms	70ms	10
1 000	2 000	1 500 000	812	2s	69ms	29
1 000	4 000	3 500 000	723	4s	75ms	53
1 000	8 000	7 500 000	433	9s	125ms	72
1 000	16 000	15 500 000	742	21s	221ms	95
1 000	32 000	31 500 000	592	40s	489ms	82

TPTP/Problems/HWV/HWV134-1.p

2 332 428 formulae, 6 570 884 literals

literals new	total	(ℓ_1, ℓ_2)	$A, \neg B$	sequential search	index search	speed up
1 000	1 000	500 000	761	726ms	70ms	10
1 000	2 000	1 500 000	812	2s	69ms	29
1 000	4 000	3 500 000	723	4s	75ms	53
1 000	8 000	7 500 000	433	9s	125ms	72
1 000	16 000	15 500 000	742	21s	221ms	95
1 000	32 000	31 500 000	592	40s	489ms	82
1 000	64 000	63 500 000	1167	80s	697ms	115

TPTP/Problems/HWV/HWV134-1.p

2 332 428 formulae, 6 570 884 literals

literals new	total	(ℓ_1, ℓ_2)	$A, \neg B$	sequential search	index search	speed up
1 000	1 000	500 000	761	726ms	70ms	10
1 000	2 000	1 500 000	812	2s	69ms	29
1 000	4 000	3 500 000	723	4s	75ms	53
1 000	8 000	7 500 000	433	9s	125ms	72
1 000	16 000	15 500 000	742	21s	221ms	95
1 000	32 000	31 500 000	592	40s	489ms	82
1 000	64 000	63 500 000	1167	80s	697ms	115
1 000	128 000	127 500 000	1479	160s	13s	12

TPTP/Problems/HWV/HWV134-1.p

2 332 428 formulae, 6 570 884 literals

literals new	total	(ℓ_1, ℓ_2)	$A, \neg B$	sequential search	index search	speed up
1 000	1 000	500 000	761	726ms	70ms	10
1 000	2 000	1 500 000	812	2s	69ms	29
1 000	4 000	3 500 000	723	4s	75ms	53
1 000	8 000	7 500 000	433	9s	125ms	72
1 000	16 000	15 500 000	742	21s	221ms	95
1 000	32 000	31 500 000	592	40s	489ms	82
1 000	64 000	63 500 000	1167	80s	697ms	115
1 000	128 000	127 500 000	1479	160s	13s	12
1 000	256 000	255 500 000	1097	320s	440s	1

TPTP/Problems/HWV/HWV134-1.p

2 332 428 formulae, 6 570 884 literals

literals new	total	(ℓ_1, ℓ_2)	$A, \neg B$	sequential search	index search	speed up
1 000	1 000	500 000	761	726ms	70ms	10
1 000	2 000	1 500 000	812	2s	69ms	29
1 000	4 000	3 500 000	723	4s	75ms	53
1 000	8 000	7 500 000	433	9s	125ms	72
1 000	16 000	15 500 000	742	21s	221ms	95
1 000	32 000	31 500 000	592	40s	489ms	82
1 000	64 000	63 500 000	1167	80s	697ms	115
1 000	128 000	127 500 000	1479	160s	13s	12
1 000	256 000	255 500 000	1097	320s	440s	1
1 000	512 000	511 500 000	1440	640s	348s	2

TPTP/Problems/HWV/HWV134-1.p

2 332 428 formulae, 6 570 884 literals

literals new	total	(ℓ_1, ℓ_2)	$A, \neg B$	sequential search	index search	speed up
1 000	1 000	500 000	761	726ms	70ms	10
1 000	2 000	1 500 000	812	2s	69ms	29
1 000	4 000	3 500 000	723	4s	75ms	53
1 000	8 000	7 500 000	433	9s	125ms	72
1 000	16 000	15 500 000	742	21s	221ms	95
1 000	32 000	31 500 000	592	40s	489ms	82
1 000	64 000	63 500 000	1167	80s	697ms	115
1 000	128 000	127 500 000	1479	160s	13s	12
1 000	256 000	255 500 000	1097	320s	440s	1
1 000	512 000	511 500 000	1440	640s	348s	2
1 000	1 024 000	1023 500 000	1534	1280s	348s	4