Cucumber Report

| Start : feb. 27, 9:17:50.889 p. m.	End : feb. 27, 9:18:43.128 p. m.	Duration : 52.239 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 0

Features: 1 (0 %)

Scenarios: 1 (0 %)

Steps: 3 (66 %)

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Compra Venta COMEX	*52.239 s*	*1*	*0*	*1*	*0*	*3*	*2*	*1*	*0*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Caja_CCMN_Caja_CCMX	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Compra Venta COMEX	1	0	1	0	52.239 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Compra Venta COMEX	Caja_CCMN contra Caja_CCMX	3	2	1	0	52.236 s

Compra Venta COMEX

FAILED	DURATION - 52.239 s	Scenarios

FAILED	*DURATION - 52.239 s*	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 3 Pass - 2 Fail - 1 Skip - 0
/ 9:17:50.889 p. m. // 9:18:43.128 p. m. /			

Caja_CCMN contra Caja_CCMX

FAILED	*DURATION - 52.236 s*		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0
/ 9:17:50.892 p. m. // 9:18:43.128 p. m. /			
Compra Venta COMEX			
@Caja_CCMN_Caja_CCMX			

#	Step / Hook Details	Status	Duration
1	Given I navigate to www.bancoestado--qa.sandbox.my.salesforce.com	PASSED	6.507 s
2	When I go to cousers using the navigation bar	PASSED	3.455 s
3	Then Oportunidad Caja_CCMN contra Caja_CCMX	FAILED	42.056 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //button[contains(@name,'Moneda origen')] (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at pages.BasePage.Find(BasePage.java:58) at pages.BasePage.clickElement(BasePage.java:62) at pages.Op_Cuentas_vs_Cuentas_CTCMod.Caja_CCMN_Caja_CCMX(Op_Cuentas_vs_Cuentas_CTCMod.java:79) at steps.StepsDefinition.Caja_CCMN_Caja_CCMX(StepsDefinition.java:60) at ?.Oportunidad Caja_CCMN contra Caja_CCMX(file:///C:/Users/Alejandro/Documents/GitHub/SeleniumFreeRange/src/test/resources/FreeRangeNavegacion.feature:25) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[contains(@name,'Moneda origen')]"} (Session info: chrome=133.0.6943.127) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c1c8c92b48e4bdf2a6dbcbd7780cb760, findElement {using=xpath,		

#	Step / Hook Details	Status	Duration

	value=//button[contains(@name,'Moneda origen')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.127, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\ALEJAN~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55297}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55297/devtoo..., se:cdpVersion: 133.0.6943.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c1c8c92b48e4bdf2a6dbcbd7780cb760
	  at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:171)
	  at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:168)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:204)
	  at pages.BasePage.Find(BasePage.java:58)
	  at pages.BasePage.clickElement(BasePage.java:62)
	  at pages.Op_Cuentas_vs_Cuentas_CTCMod.Caja_CCMN_Caja_CCMX(Op_Cuentas_vs_Cuentas_CTCMod.java:79)
	  at steps.StepsDefinition.Caja_CCMN_Caja_CCMX(StepsDefinition.java:60)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.gradle.api.internal.tasks.testing.junit.JUnitTestClassExecutor.runTestClass(JUnitTestClassExecutor.java:112)		
	at org.gradle.api.internal.tasks.testing.junit.JUnitTestClassExecutor.execute(JUnitTestClassExecutor.java:58)		
	at org.gradle.api.internal.tasks.testing.junit.JUnitTestClassExecutor.execute(JUnitTestClassExecutor.java:40)		
	at org.gradle.api.internal.tasks.testing.junit.AbstractJUnitTestClassProcessor.processTestClass(AbstractJUnitTestClassProcessor.java:60)		
	at org.gradle.api.internal.tasks.testing.SuiteTestClassProcessor.processTestClass(SuiteTestClassProcessor.java:52)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.gradle.internal.dispatch.ReflectionDispatch.dispatch(ReflectionDispatch.java:36) at org.gradle.internal.dispatch.ReflectionDispatch.dispatch(ReflectionDispatch.java:24) at org.gradle.internal.dispatch.ContextClassLoaderDispatch.dispatch(ContextClassLoaderDispatch.java:33) at org.gradle.internal.dispatch.ProxyDispatchAdapter$DispatchingInvocationHandler.invoke(ProxyDispatchAdapter.java:94) at jdk.proxy1/jdk.proxy1.$Proxy2.processTestClass(Unknown Source) at org.gradle.api.internal.tasks.testing.worker.TestWorker$2.run(TestWorker.java:176) at org.gradle.api.internal.tasks.testing.worker.TestWorker.executeAndMaintainThreadName(TestWorker.java:129) at org.gradle.api.internal.tasks.testing.worker.TestWorker.execute(TestWorker.java:100) at org.gradle.api.internal.tasks.testing.worker.TestWorker.execute(TestWorker.java:60) at org.gradle.process.internal.worker.child.ActionExecutionWorker.execute(ActionExecutionWorker.java:56) at org.gradle.process.internal.worker.child.SystemApplicationClassLoaderWorker.call(SystemApplicationClassLoaderWorker.java:119) at org.gradle.process.internal.worker.child.SystemApplicationClassLoaderWorker.call(SystemApplicationClassLoaderWorker.java:66) at worker.org.gradle.process.internal.worker.GradleWorkerMain.run(GradleWorkerMain.java:69) at worker.org.gradle.process.internal.worker.GradleWorkerMain.main(GradleWorkerMain.java:74) * Not displayable characters are replaced by '?'.		
	AFTER - steps.Oportunidad.tearDown(io.cucumber.java.Scenario) Oportunidad creada correctamente Vista Oportunidad 	PASSED	0.172 s