

Cucumber Report

19-02-2025 14:57:40

Start : feb. 19, 2:57:06.096 p. m.

End : feb. 19, 2:57:39.989 p. m.

Duration : 33.893 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Compra Venta COMEX</u>	33.893 s	1	0	1	0	3	2	1	0

<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Cahorro_Caja	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Compra Venta COMEX</u>	1	0	1	0	33.893 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Compra Venta COMEX</u>	<u>Oportunidad Cuenta de Ahorro contra Caja</u>	3	2	1	0	33.889 s

Compra Venta COMEX

FAILED	DURATION - 33.893 s	Scenarios		Steps	
/ 2:57:06.096 p. m. // 2:57:39.989 p. m. /		Total - 1		Total - 3	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Oportunidad Cuenta de Ahorro contra Caja

FAILED		DURATION - 33.889 s			Steps	
/ 2:57:06.100 p. m. // 2:57:39.989 p. m. /					Total - 3	
Compra Venta COMEX					Pass - 2	
@Cahorro_Caja					Fail - 1	
					Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I navigate to www.bancoestado--qa.sandbox.my.salesforce.com	PASSED	5.636 s
2	When I go to couusers using the navigation bar	PASSED	3.185 s
3	Then Oportunidad Cuenta de Ahorro contra Caja org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: /html/body/div[4]/div[1]/section/div[1]/div[1]/one-appnav/div/one-app-nav-bar/nav/div/one-app-nav-bar-item-root[2] (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at pages.BasePage.Find(BasePage.java:58) at pages.BasePage.clickElement(BasePage.java:62) at pages.Op_Cuentas_vs_Cuentas_STCMod.opCAhorro_Caja(Op_Cuentas_vs_Cuentas_STCMod.java:58) at steps.StepsDefinition.createNewOpCAhoCaja(StepsDefinition.java:55) at ?.Oportunidad Cuenta de Ahorro contra Caja(file:///C:/Users/Alejandro/Documents/GitHub/SeleniumFreeRange/src/test/resources/FreeRangeNavegacion.feature:19) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=132.0.6834.111) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4de88409d7f4eeebc2cf8c09b1ab7203, findElement {using=xpath, value=/html/body/div[4]/div[1]/section/div[1]/div[1]/one-appnav/div/one-app-	FAILED	25.035 s

#	Step / Hook Details	Status	Duration
	<div>nav-bar/nav/div/one-app-nav-bar-item-root[2]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 132.0.6834.111, chrome: {chromedriverVersion: 132.0.6834.159 (2d77d3fc445..., userDataDir: C:\Users\ALEJAN~1\AppData\Local\Temp\WebDriver-132.0.6834.159\chromedriver.exe}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64186}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64186/devtools/page/132.0.6834.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4de88409d7f4e4ebc2cf8c09b1ab7203</div> <div>at jdk.internal.reflect.GeneratedConstructorAccessor12.newInstance(Unknown Source)</div> <div>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</div> <div>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</div> <div>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</div> <div>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)</div> <div>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</div> <div>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171)</div> <div>at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168)</div> <div>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:204)</div> <div>at pages.BasePage.Find(BasePage.java:58)</div> <div>at pages.BasePage.clickElement(BasePage.java:62)</div> <div>at pages.Op_Cuentas_vs_Cuentas_STCMod.opCAhorro_Caja(Op_Cuentas_vs_Cuentas_STCMod.java:58)</div> <div>at steps.StepsDefinition.createNewOpCAhoCaja(StepsDefinition.java:55)</div> <div>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</div> <div>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</div> <div>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</div> <div>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</div> <div>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</div> <div>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</div> <div>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</div> <div>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</div> <div>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</div> <div>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</div> <div>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</div> <div>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</div>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.gradle.api.internal.tasks.testing.junit.JUnit4TestClassExecutor.runTestClass(JUnit4TestClassExecutor.java:112) at org.gradle.api.internal.tasks.testing.junit.JUnit4TestClassExecutor.execute(JUnit4TestClassExecutor.java:58) at org.gradle.api.internal.tasks.testing.junit.JUnit4TestClassExecutor.execute(JUnit4TestClassExecutor.java:40) at org.gradle.api.internal.tasks.testing.junit.AbstractJUnit4TestClassProcessor.processTestClass(AbstractJUnit4TestClassProcessor.java:60) at org.gradle.api.internal.tasks.testing.SuiteTestClassProcessor.processTestClass(SuiteTestClassProcessor.java:52) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.gradle.internal.dispatch.ReflectionDispatch.dispatch(ReflectionDispatch.java:36) at org.gradle.internal.dispatch.ReflectionDispatch.dispatch(ReflectionDispatch.java:24) at org.gradle.internal.dispatch.ContextClassLoaderDispatch.dispatch(ContextClassLoaderDispatch.java:33) at org.gradle.internal.dispatch.ProxyDispatchAdapter\$DispatchingInvocationHandler.invoke(ProxyDispatchAdapter.java:94) at jdk.proxy1/jdk.proxy1.\$Proxy2.processTestClass(Unknown Source) at org.gradle.api.internal.tasks.testing.worker.TestWorker\$2.run(TestWorker.java:176) at org.gradle.api.internal.tasks.testing.worker.TestWorker.executeAndMaintainThreadName(TestWorker.java:129) at org.gradle.api.internal.tasks.testing.worker.TestWorker.execute(TestWorker.java:100) at org.gradle.api.internal.tasks.testing.worker.TestWorker.execute(TestWorker.java:60) at org.gradle.process.internal.worker.child.ActionExecutionWorker.execute(ActionExecutionWorker.java:56) at org.gradle.process.internal.worker.child.SystemApplicationClassLoaderWorker.call(SystemApplicationClassLoaderWorker.java:119) at org.gradle.process.internal.worker.child.SystemApplicationClassLoaderWorker.call(SystemApplicationClassLoaderWorker.java:66) at worker.org.gradle.process.internal.worker.GradleWorkerMain.run(GradleWorkerMain.java:69) at worker.org.gradle.process.internal.worker.GradleWorkerMain.main(GradleWorkerMain.java:74) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - steps.Oportunidad.tearDown(io.cucumber.java.Scenario)</p> <p>Oportunidad creada correctamente</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=132.0.6834.111) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4de88409d7f4eeebc2cf8c09b1ab7203, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 132.0.6834.111, chrome: {chromedriverVersion: 132.0.6834.159 (2d77d3fc445..., userDataDir: C:\Users\ALEJAN~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64186}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64186/devtoo..., se:cdpVersion: 132.0.6834.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4de88409d7f4eeebc2cf8c09b1ab7203 at jdk.internal.reflect.GeneratedConstructorAccessor12.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at steps.Oportunidad.tearDown(Oportunidad.java:20)		