

# Cucumber Report

19-02-2025 15:04:30

Start : feb. 19, 3:03:52.130 p. m.

End : feb. 19, 3:04:29.640 p. m.

Duration : 37.510 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 2  
FAILED - 1  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Compra Venta COMEX</u>	37.510 s	1	0	1	0	3	2	1	0

<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Caja_CCMN_Caja_CCMX	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Compra Venta COMEX</u>	1	0	1	0	37.510 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Compra Venta COMEX	Caja_CCMN contra Caja_CCMX	3	2	1	0	37.506 s

## Compra Venta COMEX

<b>FAILED</b>	<b>DURATION - 37.510 s</b>	Scenarios		Steps	
/ 3:03:52.130 p. m. // 3:04:29.640 p. m. /		Total - 1		Total - 3	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## Caja\_CCMN contra Caja\_CCMX


<div>FAILED</div> <div>DURATION - 37.506 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 3:03:52.134 p. m. // 3:04:29.640 p. m. /				
Compra Venta COMEX				
@Caja_CCMN_Caja_CCMX				

#	Step / Hook Details	Status	Duration
1	Given I navigate to www.bancoestado--qa.sandbox.my.salesforce.com	PASSED	4.567 s
2	When I go to couusers using the navigation bar	PASSED	3.260 s
3	Then Oportunidad Caja_CCMN contra Caja_CCMX org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //a[contains(@title, 'QtKQQ hzqCn zlgft')] (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at pages.BasePage.Find(BasePage.java:58) at pages.BasePage.clickElement(BasePage.java:62) at pages.Op_Cuentas_vs_Cuentas_CTCMod.Caja_CCMN_Caja_CCMX(Op_Cuentas_vs_Cuentas_CTCMod.java:61) at steps.StepsDefinition.Caja_CCMN_Caja_CCMX(StepsDefinition.java:60) at ?.Oportunidad Caja_CCMN contra Caja_CCMX(file:///C:/Users/Alejandro/Documents/GitHub/SeleniumFreeRange/src/test/resources/FreeRangeNavegacion.feature:25) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[contains(@title,'QtKQQ hzqCn zlgft')]"} (Session info: chrome=132.0.6834.111) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db5e280278b0f1ec23b456e344318152, findElement {using=xpath,	FAILED	29.467 s

#	Step / Hook Details	Status	Duration
	<pre>value=//a[contains(@title,'QtKQQ hzqCn zlgft'))]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 132.0.6834.111, chrome: {chromedriverVersion: 132.0.6834.159 (2d77d3fc445..., userDataDir: C:\Users\ALEJAN~1\AppData\Local\Temp\scoped_dir1012_132.0.6834.111}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64489}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64489/devtools, se:cdpVersion: 132.0.6834.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db5e280278b0f1ec23b456e344318152     at jdk.internal.reflect.GeneratedConstructorAccessor9.newInstance(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)     at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171)     at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168)     at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:204)     at pages.BasePage.Find(BasePage.java:58)     at pages.BasePage.clickElement(BasePage.java:62)     at pages.Op_Cuentas_vs_Cuentas_CTCMod.Caja_CCMN_Caja_CCMX(Op_Cuentas_vs_Cuentas_CTCMod.java:61)     at steps.StepsDefinition.Caja_CCMN_Caja_CCMX(StepsDefinition.java:60)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)     at io.cucumber.java.Invoker.invoke(Invoker.java:24)     at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)     at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)     at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)     at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)     at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)     at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.gradle.api.internal.tasks.testing.junit.JUnit4TestClassExecutor.runTestClass(JUnit4TestClassExecutor.java:112) at org.gradle.api.internal.tasks.testing.junit.JUnit4TestClassExecutor.execute(JUnit4TestClassExecutor.java:58) at org.gradle.api.internal.tasks.testing.junit.JUnit4TestClassExecutor.execute(JUnit4TestClassExecutor.java:40) at org.gradle.api.internal.tasks.testing.junit.AbstractJUnit4TestClassProcessor.processTestClass(AbstractJUnit4TestClassProcessor.java:60) at org.gradle.api.internal.tasks.testing.SuiteTestClassProcessor.processTestClass(SuiteTestClassProcessor.java:52) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.gradle.internal.dispatch.ReflectionDispatch.dispatch(ReflectionDispatch.java:36) at org.gradle.internal.dispatch.ReflectionDispatch.dispatch(ReflectionDispatch.java:24) at org.gradle.internal.dispatch.ContextClassLoaderDispatch.dispatch(ContextClassLoaderDispatch.java:33) at org.gradle.internal.dispatch.ProxyDispatchAdapter\$DispatchingInvocationHandler.invoke(ProxyDispatchAdapter.java:94) at jdk.proxy1/jdk.proxy1.\$Proxy2.processTestClass(Unknown Source) at org.gradle.api.internal.tasks.testing.worker.TestWorker\$2.run(TestWorker.java:176) at org.gradle.api.internal.tasks.testing.worker.TestWorker.executeAndMaintainThreadName(TestWorker.java:129) at org.gradle.api.internal.tasks.testing.worker.TestWorker.execute(TestWorker.java:100) at org.gradle.api.internal.tasks.testing.worker.TestWorker.execute(TestWorker.java:60) at org.gradle.process.internal.worker.child.ActionExecutionWorker.execute(ActionExecutionWorker.java:56) at org.gradle.process.internal.worker.child.SystemApplicationClassLoaderWorker.call(SystemApplicationClassLoaderWorker.java:119) at org.gradle.process.internal.worker.child.SystemApplicationClassLoaderWorker.call(SystemApplicationClassLoaderWorker.java:66) at worker.org.gradle.process.internal.worker.GradleWorkerMain.run(GradleWorkerMain.java:69) at worker.org.gradle.process.internal.worker.GradleWorkerMain.main(GradleWorkerMain.java:74) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p><b>AFTER - steps.Oportunidad.tearDown(io.cucumber.java.Scenario)</b></p> <p>Oportunidad creada correctamente</p> <p>Vista Oportunidad</p> 	PASSED	0.187 s