STARBUCKS DATABASE


CREATER: ALEC VALENCIA

TABLE OF CONTENTS:

Contents

ERD	3
DATA DICTIONARY	
SCHEMA	
DATABASE CONTENT	
CREATE TABLE STATEMENTS	
TRANSACTION	
IOIN	

ERD



DATA DICTIONARY

	А	В	C	D	E	F	G
1	Employee	Emp_ID	Num Emp_ID	INTEGER	0-10	000001-9999999	PK
2		Emp_Name	First name	VARCHAR(35)	Xxxxxxxxx	N/A	
3							
4							
5	Location	Location_ID	Num Location_ID	INTEGER	######	1000-9999	PK
6		City	Emp Address	VARCHAR(35)	Xxxxxxxxx	N/A	
7		State	Emp State	VARCHAR(35)	Xxxxxxxxx	N/A	
8		Emp_ID	Num Location_ID	INTEGER	######	1000-9999	FK
9							
10	0.1009						
11	Bill	Bill_ID	Num Bill_ID	INTEGER	######	1000-9999	PK
12		Bill_Num	Bill Number	Decimal (3,2)	0.##	0-100	
13		Emp_ID	Num Location_ID	INTEGER	######	1000-9999	FK
14							
15							
6	Drink	Drink_ID	Num Drink_ID	INTEGER	######	1000-9999	PK
17		D_Name	Drink Name	VARCHAR(35)	Xxxxxxxxx	N/A	
18		Bill_ID	Num Bill_ID	INTEGER	######	1000-9999	FK
9							
20							
21	Customer	Cust_ID	Num Cust_ID	INTEGER	######	1000-9999	PK
22		Cust_Name	First name	VARCHAR(35)	Xxxxxxxxx	N/A	
23		Phone_Num	Phone Number	TEXT	###-###-####	1000-9999	
24		Bill_ID	Num Bill_ID	INTEGER	######	1000-9999	FK
25							
26							

SCHEMA

EMPLOYEE (**PK** EMP_ID, EMP_NAME)


LOCATION (**PK** LOCATION_ID, CITY, STATE, **FK** EMP_ID)

BILL (PK BILL_ID, BILL_NUM, FK EMP_ID)

DRINK (PK DRINK_ID, D_NAME, FK BILL_ID)


CUSTOMER (**PK** CUST_ID, CUST_NAME, PHONE_NUM, **FK** BILL_ID)

DATABASE CONTENT



CREATE TABLE STATEMENTS:

```
ECREATE TABLE EMPLOYEE(
| Emp_ID CHAR(6) NOT NULL,
| Emp_Name VARCHAR(35) NOT NULL,
| PRIMARY KEY(Emp_ID));
```



Completion time: 2022-05-19T19:57:03.4968837-07:00

```
SQLQuery14.sql - D...Dl\BOTBOI455 (65))* → × SQLQuery13.sql - D...Dl\BOTBOI455 (54))*
   ☐ CREATE TABLE LOCATION(
     Location_ID VARCHAR(35) NOT NULL,
     City VARCHAR(35) NOT NULL,
     State VARCHAR(35) NOT NULL,
     Emp_ID_INTEGER,
     PRIMARY KEY(Location_ID),
    FOREIGN KEY(Emp ID) REFERENCES EMPLOYEE(Emp ID));
100 % - 4
Messages
   Commands completed successfully.
```

Completion time: 2022-05-19T20:58:08.8379296-07:00

```
SQLQuery6.sql - DE...DI\BOTBOI455 (66))*
                                      SQLQuery5.sql - DE...DI\BOTBOI45
   ☐CREATE TABLE BILL(
     Bill_ID INTEGER,
     Bill_Num DECIMAL(3,2),
     Emp_ID INTEGER,
     PRIMARY KEY(Bill ID),
    FOREIGN KEY(Emp_ID) REFERENCES EMPLOYEE(Emp_ID));
100 % - 4
Messages
   Commands completed successfully.
   Completion time: 2022-05-19T22:10:22.5046235-07:00
```

```
☐ CREATE TABLE DRINK(
   Drink_ID INTEGER,
   D_Name VARCHAR(35) NOT NULL,
   Bill_ID INTEGER,
   PRIMARY KEY(Drink_ID),
  FOREIGN KEY(Bill_ID) REFERENCES BILL(Bill_ID));
0% -
Messages
 Commands completed successfully.
```

Completion time: 2022-05-19T22:22:28.0330286-07:00

```
QEQuery 13.5ql - D...DI/BO1BO1433 (34)) 3QEQuery 14.5ql - D...DI/BO1B
  □ CREATE TABLE CUSTOMER(
   Cust_ID INTEGER,
   Cust_Name VARCHAR(35) NOT NULL,
   Phone_Num TEXT,
   Bill ID INTEGER,
   PRIMARY KEY(Cust_ID),
  FOREIGN KEY(Bill_ID) REFERENCES BILL(Bill_ID));
00 % -
Messages
 Commands completed successfully.
```

Completion time: 2022-05-19T22:56:41.8067866-07:00

INSERT STATEMENTS

```
SQLQuery13.sql - D...Dl\BOTBOl455 (54))* SQLQuery12.sql - D...Dl\BOTI
   □INSERT INTO EMPLOYEE
         VALUES('1', 'Alec Valencia');
   ☐INSERT INTO EMPLOYEE
VALUES('2', 'Trae Turner');
   INSERT INTO EMPLOYEE
        VALUES('3', 'Tyrion Lannister');
   INSERT INTO EMPLOYEE
        VALUES('4', 'Tywin Lannister');
   INSERT INTO EMPLOYEE
        VALUES('5', 'Aaron Judge');
   INSERT INTO EMPLOYEE
         VALUES('6', 'Michael Scott');
   INSERT INTO EMPLOYEE
        VALUES('7', 'Mike Trout');
   INSERT INTO EMPLOYEE
        VALUES('8', 'Sandor Clegane');
   ☐INSERT INTO EMPLOYEE
VALUES('9', 'Sansa Stark');
   INSERT INTO EMPLOYEE
   VALUES('10', 'Ayra Stark');
100 % -
 Messages
   (1 row affected)
   Completion time: 2022-05-19T20:42:38.3718307-07:00
```


```
SQLQuery20.sql - D...Dl\BOTBOI455 (71))* → × SQLQuery19.sql - D...Dl\BOTBOI455 (70))*
   ☐ INSERT INTO LOCATION
        VALUES('100','Goodyear', 'Arizona','1');
   INSERT INTO LOCATION
        VALUES('200','Tempe','Arizona','2');
   INSERT INTO LOCATION
        VALUES('300', 'Paradise Valley', 'Arizona', '3');
   ☐ INSERT INTO LOCATION
        VALUES('400','Avondale', 'Arizona','4');
   INSERT INTO LOCATION
        VALUES('500', 'Chandler', 'Arizona', '5');
   INSERT INTO LOCATION
        VALUES('600', 'Estrella', 'Arizona', '6');
   INSERT INTO LOCATION
        VALUES('700','Verarrdo','Arizona','7');
   INSERT INTO LOCATION
        VALUES('800', 'South', 'Arizona', '8');
   ☐ INSERT INTO LOCATION
       VALUES('900','North', 'Arizona','9');
   INSERT INTO LOCATION
    VALUES('1000','West', 'Arizona', '10')
100 % +
Messages
   (1 row affected)
   Completion time: 2022-05-19T21:23:13.5540147-07:00
```

```
QLQuery6.sql - DE...DI\BOTBOI455 (66))* SQLQuery5.sql - DE...DI\BOTBOI45
  ⊡INSERT INTO BILL
       VALUES('1010','6.24','1');
  INSERT INTO BILL
       VALUES('1020','8.89','2');
  INSERT INTO BILL
       VALUES('1030','3,44','3');
  ☐INSERT INTO BILL
       VALUES('1040','5.43','4');
  ☐ INSERT INTO BILL
       VALUES('1050','7.34','5');
  ⊡INSERT INTO BILL
       VALUES('1060','5.34','6');
  ⊡INSERT INTO BILL
       VALUES('1070','9.45','7');
  INSERT INTO BILL
       VALUES('1080','4.67','8');
  ⊡INSERT INTO BILL
       VALUES('1090','3.78','9');
  ⊡INSERT INTO BILL
  VALUES('1100','7.66','10');
00 % - 4
Messages
  (1 row affected)
  Completion time: 2022-05-19T22:10:25.4432551-07:00
```

```
וענעם וועסווטסווטסוויסיים בענעמפון איניסן בעריים וויסיוויסיים וויסיוויסיים וויסיים ווי
       ☐INSERT INTO DRINK
                VALUES('1111','Iced Shaken Expresso','1010');
       ☐INSERT INTO DRINK
                      VALUES('2222','Vanilla Latte','1020');
       INSERT INTO DRINK
                       VALUES('3333', 'Iced White Chocolate Mocha', '1030');
        ⊟INSERT INTO DRINK
                        VALUES('4444', 'Pumpkin Spice Latte.', '1040');
        INSERT INTO DRINK
                        VALUES('5555', 'Cinnamon Roll Frappuccino', '1050');
        ⊡INSERT INTO DRINK
                        VALUES('6666', 'Java Chip Frappuccino', '1060');
        INSERT INTO DRINK
                         VALUES('7777','Iced Shaken Expresso','1070');
        INSERT INTO DRINK
                        VALUES('8888', 'Hot Chocolate', '1080');
        ⊡INSERT INTO DRINK
                      VALUES('9999', 'Green Tea Crème Frappuccino', '1090');
       ∃INSERT INTO DRINK
        VALUES('1000','Chai Latte','1100');
00 % + 1
Messages
       (1 row affected)
        (1 row affected)
        (1 row affected)
       (1 row affected)
        (1 row affected)
        (1 row affected)
        (1 row affected)
       (1 row affected)
        (1 row affected)
        (1 row affected)
       Completion time: 2022-05-19T22:29:07.3990383-07:00
```

```
SQLQuery15.sql - D...Dl\BOTBOl455 (54))*
                                    SQLQuery14.sql - D...DI\BOTBOI455 (51))*
   □INSERT INTO CUSTOMER
        VALUES('0','Lexi Anderson','623-525-4587', '1010');
   INSERT INTO CUSTOMER
        VALUES('01', 'Andrew Paul', '623-589-7845', '1020');
   INSERT INTO CUSTOMER
        VALUES('02', 'Henry Jack', '623-587-412', '1030');
   INSERT INTO CUSTOMER
        VALUES('03', 'Martin Louis', '602-874-1249', '1040');
   INSERT INTO CUSTOMER
        VALUES('04', 'Alex Hawk', '623-545-9858', '1050');
   INSERT INTO CUSTOMER
        VALUES('05','Mike Fleming', '623-989-5647','1060');
   INSERT INTO CUSTOMER
        VALUES('06', 'John Snow', '480-545-7474', '1070');
   INSERT INTO CUSTOMER
        VALUES('07', 'Arthur Bob', '623-514-6354', '1080');
   INSERT INTO CUSTOMER
        VALUES('08', 'Bobby Grace', '623-476-6547', '1090');
   INSERT INTO CUSTOMER
    VALUES('09','George Sterling', '623-858-6454', '1100');
100 % - 4
Messages
   (1 row affected)
   Completion time: 2022-05-19T22:56:45.8076419-07:00
```

TRANSACTION



JOIN

