



University of Engineering and Technology, Mardan

Week 2 Task Report

Titanic Dataset – Excel Spreadsheet Basics

Career Launchpad Phase II

By: Aleena Shah

Reg.no: 24MDBCS775

Section: 'A'

Batch: 7

To: Sir Zaheen

Date: 21/09/2026

Department of Computer Science, UET Mardan

Week 2: Spreadsheet Basics — Titanic Dataset (Excel)

Introduction

Week 2 focused on spreadsheet fundamentals using the Titanic dataset. The task emphasized applying COUNT, SUM, and AVERAGE formulas in Excel to uncover patterns in passenger demographics and survival outcomes.

Data Import

- The dataset was imported into Excel from the provided CSV file.
- Data was organized into columns including Survived, PClass, Name, Sex, Age, SibSp, Parch, Ticket, Fare, Cabin, and Embarked.
- Rows were reviewed for consistency before applying formulas.

Analysis with Functions

- **COUNT functions** were used to determine the total number of survivors and the number of female passengers.
- **SUM and AVERAGE functions** were used to calculate the total fare collected and the average fare per passenger.
- **Results:** 342 passengers survived, 314 passengers were female, the total fare summed to approximately 28,686, and the average fare was approximately 32.23.

F45	A	B	C	D	E	F	G	H	I	J	K	L	M	N
867	866	1	2	Bystron, Mrs. (Karoline)	female	42	0	0.23652		13 Unknown	S	Adult		
869	867		2	Duran y More, Miss Asuncion	female	27	1	0	SCPARIS 2149	13,8583 Unknown	C	Adult		
869	868		1	Roebling, Mr. Washington Augustus II	male	31	0	PC 17590		50,4956 A24	S	Adult		
870	869		3	van Meekelen, Mr. Phlemon	male	28	0	0.543777		9.5 Unknown	S	Child		
871	870		3	Johnson, Master, Herold Theodor	male	4	1	1.047742		11,1330 Unknown	S	Adult		
872	871		3	Bakic, Mr. Cerin	male	26	0	0.549248		7,8958 Unknown	S	Adult		
873	872	1	1	Beckwith, Mrs. Richard Leonard (Sallie Hongfey)	female	47	1	1.11781		52,5442 Q35	S	Adult		
874	873		1	Carlsson, Mr. Frans Olof	male	33	0	0.695		5,951 853 B55	S	Adult		
875	874		3	Vander Cruyssen, Mr. Victor	male	47	0	0.545765		9 Unknown	S	Adult		
876	875	1	2	Abeison, Mrs. Samuel (Hannah Wiczoszky)	female	28	1	0.89P-3381		24 Unknown	C	Child		
877	876		1	Gage, Miss Adele Marie "Jane"	female	15	0	0.2667		7,225 Unknown	C	Adult		
878	877		3	Quataston, Mr. Alfred Osivan	male	20	0	0.7534		9,8450 Unknown	S	Adult		
879	878		3	Petroff, Mr. Nedelo	male	19	0	0.549212		7,8958 Unknown	S	Adult		
880	879	0	3	Lachet, Mr. Kristo	male	26	0	0 Unknown		7,8958 Unknown	S	Adult		
881	880		1	Potter, Mrs. Thomas Jr. (Lily Alexandra Wilson)	female	56	0	1.11767		83,1550 C56	C	Adult		
882	881		2	Sheley, Mrs. William (Annie Parrish Hall)	female	25	0	1.230433		28 Unknown	S	Adult		
883	882		3	Markun, Mr. Johann	male	33	0	0.549257		7,8958 Unknown	S	Adult		
884	883		3	Danberg, Miss Gerda Ulric	female	22	0	0.7552		10,5167 Unknown	S	Adult		
885	884		2	Bawfield, Mr. Frederick James	male	28	0	0.549200 34668		10.5 Unknown	S	Adult		
886	885		3	Sutehall, Mr. Henry Jr.	male	25	0	0.549200 392076		7.05 Unknown	S	Adult		
887	886		3	Rice, Mrs. William (Margaret Norton)	female	39	0	0.536952		29,125 Unknown	Q	Adult		
888	887		2	Montvila, Rev. Juozas	male	27	0	0.511636		13 Unknown	S	Adult		
889	888	1	1	Graham, Miss. Margaret Edith	female	19	0	0.120935		30 B42	S	Adult		
890	889		0	Johnson, Miss Catherine Helen "Carrie"	female	28	1	2 WJC 6607		23,45 Unknown	S	Adult		
891	890		1	Behr, Mr. Karl Howell	male	26	0	0.11369		30 C148	C	Adult		
892	891		3	Doolley, Mr. Patrick	male	32	0	0.570379		7.75 Unknown	C	Child		
893					female Passenger					Total=				
894			342							26866 1993				
895							314							
896										AVERAGE=				
897										32 32168461				

Figure 1: Titanic dataset in Excel with survivor, female-passenger, total-fare and average-fare calculations

Key Insights

- Excel COUNT and SUM functions allow quick extraction of demographic and financial summaries from raw data.
- Out of 891 passengers, 342 survived and 314 were female, reflecting the dataset's known gender and survival imbalance.
- The average fare (~32.23) is well below the maximum fare, confirming a right-skewed fare distribution.

Conclusion

Week 2 demonstrated how core Excel functions — COUNT, SUM, and AVERAGE — can be used to efficiently summarize a real-world dataset, reinforcing spreadsheet fundamentals needed for quick data analysis without programming.