

▼

Run

Update

Fork

Load Example

Star

PRO

Embed

PRO

Schema SQL

```
1 CREATE TABLE Orders (  
2   OrderID VARCHAR(20),  
3   OrderDate DATE,  
4   CustomerID VARCHAR(20),  
5   Product VARCHAR(50),  
6   Quantity INT,  
7   UnitPrice DECIMAL(10,2),  
8   ShippingAddress VARCHAR(100),  
9   PaymentMethod VARCHAR(20),  
10  OrderStatus VARCHAR(20),  
11  TrackingNumber VARCHAR(20),  
12  ItemsInCart INT,  
13  CouponCode VARCHAR(20),  
14  ReferralSource VARCHAR(20),  
15  TotalPrice DECIMAL(10,2)  
16 );  
17  
18 INSERT INTO Orders VALUES  
19 ('ORD20000', '2026-01-15', 'C72649', 'Monitor', 5, 570.62, '928 Main St',  
20  'Debit Card', 'Shipped', 'TRK379479', 7, 'SAVE10', 'Instagram', 2853.10),  
21 ('ORD20000', '2026-01-15', 'C75739', 'Phone', 2, 151.35, '823 Main St',  
22  'Online', 'Shipped', 'TRK91186', 3, 'SAVE10', 'Referral', 302.70),  
23 ('ORD20000', '2026-01-15', 'C81728', 'Tablet', 5, 550.68, '512 Main St',  
24  'Credit Card', 'Cancelled', 'TRK42903', 8, 'FREESHIP', 'Email', 2753.40),  
25 ('ORD20000', '2026-01-15', 'C33540', 'Chair', 1, 273.19, '275 Main St', 'Debit  
26  Card', 'Returned', 'TRK62788', 5, 'SAVE10', 'Facebook', 273.19),  
27 ('ORD20000', '2026-01-15', 'C81840', 'Printer', 4, 626.01, '668 Main St',  
28  'Online', 'Delivered', 'TRK29241', 8, 'SAVE10', 'Email', 2504.04);
```

Schema SQL

```
1 CREATE TABLE Orders (  
2   OrderID VARCHAR(20),  
3   OrderDate DATE,  
4   CustomerID VARCHAR(20),  
5   Product VARCHAR(50),  
6   Quantity INT,  
7   UnitPrice DECIMAL(10,2),  
8   ShippingAddress VARCHAR(100),  
9   PaymentMethod VARCHAR(20),  
10  OrderStatus VARCHAR(20),  
11  TrackingNumber VARCHAR(20),  
12  ItemsInCart INT,  
13  CouponCode VARCHAR(20),  
14  ReferralSource VARCHAR(20),
```

Text to DDL

Query SQL

```
1 SELECT * FROM Orders;
```

Results

Copy as Markdown

ORD20000	2026-01-15	C75739	Phone	2	151.35	823 Main St	Online	Shipped	TRK91186	3	SAVE10
ORD20000	2026-01-15	C81728	Tablet	5	550.68	512 Main St	Credit Card	Cancelled	TRK42903	8	FREESH
ORD20000	2026-01-15	C33540	Chair	1	273.19	275 Main St	Debit Card	Returned	TRK62788	5	SAVE10
ORD20000	2026-01-	C81840	Printer	4	626.01	668 Main St	Online	Delivered	TRK29241	8	SAVE10

Schema SQL

```
1 CREATE TABLE Orders (  
2   OrderID VARCHAR(20),  
3   OrderDate DATE,  
4   CustomerID VARCHAR(20),  
5   Product VARCHAR(50),  
6   Quantity INT,  
7   UnitPrice DECIMAL(10,2),  
8   ShippingAddress VARCHAR(100),  
9   PaymentMethod VARCHAR(20),  
10  OrderStatus VARCHAR(20),  
11  TrackingNumber VARCHAR(20),  
12  ItemsInCart INT,  
13  CouponCode VARCHAR(20),  
14  ReferralSource VARCHAR(20),
```

Text to DDL

Query SQL

```
1 SELECT OrderID, Product, OrderStatus  
2 FROM Orders  
3 WHERE OrderStatus = 'Shipped';
```

Results

Copy as Markdown

Query #1 Execution time: 0.33ms

OrderID	Product	OrderStatus
ORD20000	Monitor	Shipped
ORD20000	Phone	Shipped

Schema SQL

```
1 CREATE TABLE Orders (  
2   OrderID VARCHAR(20),  
3   OrderDate DATE,  
4   CustomerID VARCHAR(20),  
5   Product VARCHAR(50),  
6   Quantity INT,  
7   UnitPrice DECIMAL(10,2),  
8   ShippingAddress VARCHAR(100),  
9   PaymentMethod VARCHAR(20),  
10  OrderStatus VARCHAR(20),  
11  TrackingNumber VARCHAR(20),  
12  ItemsInCart INT,  
13  CouponCode VARCHAR(20),  
14  ReferralSource VARCHAR(20),
```

Text to DDL

Query SQL

```
1 SELECT Product, TotalPrice  
2 FROM Orders  
3 ORDER BY TotalPrice DESC  
4 LIMIT 3;
```

Results

Copy as Markdown

Query #1 Execution time: 0.3ms

Product	TotalPrice
Monitor	2853.1
Tablet	2753.4
Printer	2504.04

Schema SQL

```
1 CREATE TABLE Orders (  
2   OrderID VARCHAR(20),  
3   OrderDate DATE,  
4   CustomerID VARCHAR(20),  
5   Product VARCHAR(50),  
6   Quantity INT,  
7   UnitPrice DECIMAL(10,2),  
8   ShippingAddress VARCHAR(100),  
9   PaymentMethod VARCHAR(20),  
10  OrderStatus VARCHAR(20),  
11  TrackingNumber VARCHAR(20),  
12  ItemsInCart INT,  
13  CouponCode VARCHAR(20),  
14  ReferralSource VARCHAR(20),
```

Text to DDL

Query SQL

```
1 SELECT SUM(TotalPrice) AS Total_Revenue  
2 FROM Orders;
```

Results

Copy as Markdown

Query #1 Execution time: 0.29ms

Total_Revenue
8686.43

Schema SQL

```
1 CREATE TABLE Orders (  
2   OrderID VARCHAR(20),  
3   OrderDate DATE,  
4   CustomerID VARCHAR(20),  
5   Product VARCHAR(50),  
6   Quantity INT,  
7   UnitPrice DECIMAL(10,2),  
8   ShippingAddress VARCHAR(100),  
9   PaymentMethod VARCHAR(20),  
10  OrderStatus VARCHAR(20),  
11  TrackingNumber VARCHAR(20),  
12  ItemsInCart INT,  
13  CouponCode VARCHAR(20),  
14  ReferralSource VARCHAR(20),
```

Text to DDL

Query SQL

```
1 SELECT PaymentMethod, COUNT(*) AS OrderCount  
2 FROM Orders  
3 GROUP BY PaymentMethod;
```

Results

Copy as Markdown

Query #1 Execution time: 0.55ms

PaymentMethod	OrderCount
Debit Card	2
Online	2
Credit Card	1

Schema SQL

```
1 CREATE TABLE Orders (  
2   OrderID VARCHAR(20),  
3   OrderDate DATE,  
4   CustomerID VARCHAR(20),  
5   Product VARCHAR(50),  
6   Quantity INT,  
7   UnitPrice DECIMAL(10,2),  
8   ShippingAddress VARCHAR(100),  
9   PaymentMethod VARCHAR(20),  
10  OrderStatus VARCHAR(20),  
11  TrackingNumber VARCHAR(20),  
12  ItemsInCart INT,  
13  CouponCode VARCHAR(20),  
14  ReferralSource VARCHAR(20),
```

Text to DDL

Query SQL

```
1 SELECT Product, Quantity, UnitPrice  
2 FROM Orders  
3 WHERE Quantity > 3 AND UnitPrice > 500;
```

Results

Copy as Markdown

Query #1 Execution time: 0.26ms

Product	Quantity	UnitPrice
Monitor	5	570.62
Tablet	5	550.68
Printer	4	626.01