
<<Interface>>
CRUD
+ cadastrar (Type): boolean
+ editar(Type, Type): boolean
+ remover(Entidade e) : boolean
<<Interface>>
Registro
+ adicionar (Entidade e): boolean
+ remover (Entidade e): boolean
<<Abstract>>
Pessoa
- nome : String
- cpf : String
- rg: String
- dataNasc : LocalDate
+ gets e sets
Repositório de Clientes
clientes: ArrayList<Clientes>
Calçado
- categoria : String
- tamanho : int
- modelo : String
- preco : double
- cor : String
- codigoDoProduto : String
+ gets e sets
Cliente
- numeroDeCompras : int
+ gets e sets
Repositório de Vendedores
vendedores: ArrayList<Vendedor>
Vendedor
- numeroDeVendas : int
- codigoVendedor : String
+ gets e sets
1
1
1
1
1
1..*
Venda
- precoDaVenda : double
- dataHora : LocalDateTime
- codigoIdentificacao : String
+ gets e sets
Estoque
- quantidade : int
+ gets e sets
Registro de vendas
vendas: ArrayList<Vendas>


Listagem
Listagem()
initComponents() void
jButton1ActionPerformed(ActionEvent) void
jButtonSairCalcadoActionPerformed(ActionEvent) void
listarCampos() void
main(String[]) void
registroDeVendas RegistroDeVendas
«create»
1
1
FormVenda
FormVenda()
CarregaTabela() void
cadastrar() void
cancelar() void
desabilitarFormulario() void
devolveRegistroDeVendas() RegistroDeVendas
editar() void
excluir() void
habilitarFormulario() void
initComponents() void
jButtonCancelarMostrarListagemActionPerformed(ActionEvent) void
jButtonCancelarVendaActionPerformed(ActionEvent) void
jButtonEditarVendaActionPerformed(ActionEvent) void
jButtonExcluirVendaActionPerformed(ActionEvent) void
jButtonLimparCamposActionPerformed(ActionEvent) void
jButtonNovoVendaActionPerformed(ActionEvent) void
jButtonRefreshVendaActionPerformed(ActionEvent) void
jButtonSairCalcadoActionPerformed(ActionEvent) void
jButtonSalvarVendaActionPerformed(ActionEvent) void
jTableVendasMouseClicked(MouseEvent) void
jTextFieldCalcadoVendaActionPerformed(ActionEvent) void
jTextFieldClienteVendaActionPerformed(ActionEvent) void
jTextFieldQuantidadeVendaActionPerformed(ActionEvent) void
limparCampos() void
main(String[]) void
modeloMaisVendido() String
refresh() void
retornaCalcadoPorCodigo(String) Calcado?
retornaClientePorCPF(String) Cliente?
retornaVendedorPorCPF(String) Vendedor?
sair() void
salvar() void
vendas RegistroDeVendas
«create»
1 1
FormCalcado
FormCalcado()
CarregaTabela() void
cadastrar() void
cancelar() void
desabilitarFormulario() void
devolverEstoque() ArrayList<Calcado>
editar() void
excluir() void
habilitarFormulario() void
initComponents() void
jButtonCancelarCalcadoActionPerformed(ActionEvent) void
jButtonEditarCalcadoActionPerformed(ActionEvent) void
jButtonExcluirCalcadoActionPerformed(ActionEvent) void
jButtonLimparCamposActionPerformed(ActionEvent) void
jButtonNovoCalcadoActionPerformed(ActionEvent) void
jButtonRefreshCalcadoActionPerformed(ActionEvent) void
jButtonSairCalcadoActionPerformed(ActionEvent) void
jButtonSalvarCalcadoActionPerformed(ActionEvent) void
jTableCalcadosMouseClicked(MouseEvent) void
jTextFieldCategoriaCalcadoActionPerformed(ActionEvent) void
jTextFieldCorCalcadoActionPerformed(ActionEvent) void
jTextFieldModeloCalcadoActionPerformed(ActionEvent) void
jTextFieldPrecoCalcadoActionPerformed(ActionEvent) void
limparCampos() void
main(String[]) void
novo() void
refresh() void
sair() void
salvar() void
«create»
1
FormVendedor
FormVendedor()
CarregaTabela() void
cadastrar() void
cancelar() void
desabilitarFormulario() void
devolverVendedor() ArrayList<Vendedor>
editar() void
excluir() void
habilitarFormulario() void
initComponents() void
jButtonCancelarClienteActionPerformed(ActionEvent) void
jButtonEditarVendedorActionPerformed(ActionEvent) void
jButtonExcluirVendaActionPerformed(ActionEvent) void
jButtonLimparCamposActionPerformed(ActionEvent) void
jButtonNovoVendedorActionPerformed(ActionEvent) void
jButtonSairCalcadoActionPerformed(ActionEvent) void
jButtonSalvarClienteActionPerformed(ActionEvent) void
jTableVendedoresMouseClicked(MouseEvent) void
jTextFieldCodigoVendedorActionPerformed(ActionEvent) void
jTextFieldDataNascVendedorActionPerformed(ActionEvent) void
jTextFieldNomeVendedorActionPerformed(ActionEvent) void
jTextFieldRGVendedorActionPerformed(ActionEvent) void
limparCampos() void
main(String[]) void
novo() void
sair() void
salvar() void
«create»
1
FormCliente
FormCliente()
CarregaTabela() void
cadastrar() void
cancelar() void
desabilitarFormulario() void
devolverClientes() ArrayList<Cliente>
editar() void
excluir() void
habilitarFormulario() void
initComponents() void
jButtonCancelarClienteActionPerformed(ActionEvent) void
jButtonEditarClienteActionPerformed(ActionEvent) void
jButtonExcluirClienteActionPerformed(ActionEvent) void
jButtonLimparCamposActionPerformed(ActionEvent) void
jButtonNovoClienteActionPerformed(ActionEvent) void
jButtonSairCalcadoActionPerformed(ActionEvent) void
jButtonSalvarClienteActionPerformed(ActionEvent) void
jTableClientesMouseClicked(MouseEvent) void
jTextFieldDataNascClienteActionPerformed(ActionEvent) void
jTextFieldNomeClienteActionPerformed(ActionEvent) void
jTextFieldRGClienteActionPerformed(ActionEvent) void
limparCampos() void
main(String[]) void
novo() void
sair() void
salvar() void
«create»
1
Relatorio
Relatorio()
clienteQueMaisComprou() void
initComponents() void
jButton1ActionPerformed(ActionEvent) void
jButtonSairCalcadoActionPerformed(ActionEvent) void
jTextFieldVendedorMaisRentavelActionPerformed(ActionEvent) void
main(String[]) void
modeloMaisRentavel() void
modeloMaisVendido() void
precoMedio() void
sair() void
vendaMaisCara() void
vendedorComAvendaMaisCara() void
vendedorMaisRentavel() void
vendedorQueMaisVendeu() void
registroDeVendas RegistroDeVendas
«create»
1 1
Buscas
Buscas()
consultaCalcadoPorCodigo() void
consultaCalcadoPorModelo() void
consultaClientePorCpf() void
consultaClientePorNome() void
consultaVendedorPorCpf() void
consultaVendedorPorNome() void
initComponents() void
jButtonCodigoCalcadoBuscasActionPerformed(ActionEvent) void
jButtonConsultaClientePorCpfBuscasActionPerformed(ActionEvent) void
jButtonConsultaClientePorNomeActionPerformed(ActionEvent) void
jButtonCpfVendedorActionPerformed(ActionEvent) void
jButtonModeloCalcadoBuscasActionPerformed(ActionEvent) void
jButtonNomeVendedorActionPerformed(ActionEvent) void
jButtonSairCalcadoActionPerformed(ActionEvent) void
jTextFieldClienteNomeBuscasActionPerformed(ActionEvent) void
jTextFieldVendedorNomeBuscaActionPerformed(ActionEvent) void
main(String[]) void
sair() void
registroDeVendas RegistroDeVendas
«create»
1 1
Home
Home()
atualizaBaseDeDados() void
buscasActionPerformed(ActionEvent) void
exportarCliente(Cliente) void
initComponents() void
jButtonCalcadosActionPerformed(ActionEvent) void
jButtonClientesActionPerformed(ActionEvent) void
jButtonGerarRelatorioActionPerformed(ActionEvent) void
jButtonRegistrarVendaActionPerformed(ActionEvent) void
jButtonVendedoresActionPerformed(ActionEvent) void
main(String[]) void
1
1