

22C — extracción account-month para la cohorte

```
DROP TABLE IF EXISTS bu_frd.model_trades_13m_2022_2025_v2;
```

```
CREATE TABLE bu_frd.model_trades_13m_2022_2025_v2
USING PARQUET
AS
```

```
SELECT
```

```
/* =====
MODEL COHORT
===== */
```

```
k.party_id,
k.observation_date,
k.observation_year,
UPPER(k.model_split) AS model_split,
k.label_3m,
k.cohort_role,
```

```
/* =====
FEATURE WINDOW
===== */
```

```
k.feature_month,
k.month_offset,
k.feature_window,
```

```
/* =====
ACCOUNT
===== */
```

```
t.acct_id,
```

```
/* =====
SOURCE TIMING
===== */
```

```
t.data_date,
t.eff_dte,
```

```
/* =====
PAYMENT / DELINQUENCY
===== */
```

```
t.acct_mop_cde,
```

```
/* =====  
PRODUCT / PORTFOLIO  
===== */
```

```
t.acct_typ_cde,  
t.porf_typ_cde,  
t.kob_posn_1_cde,  
t.kob_posn_2_cde,
```

```
/* =====  
ACCOUNT LIFECYCLE  
===== */
```

```
t.open_dte,  
t.clsd_dte,  
t.paid_out_dte,
```

```
/* =====  
MONETARY / EXPOSURE  
===== */
```

```
t.curr_bal_amt,  
t.cr_lmt_amt,  
t.high_cr_amt,  
t.past_due_amt,
```

```
/* =====  
PAYMENT  
===== */
```

```
t.payt_amt,  
t.payt_dte
```

FROM

```
bu_frd.model_cohort_month_keys_3m_2022_2025_v2 k
```

INNER JOIN trades t

```
ON t.party_id = k.party_id  
AND t.data_date = k.feature_month
```

WHERE

```
t.data_date BETWEEN DATE '2021-01-31'  
AND DATE '2025-12-31';
```

22D — primer QA de la extracción

SELECT

COUNT(*) AS trade_rows,

COUNT(DISTINCT party_id)
AS parties_with_trades,

COUNT(DISTINCT acct_id)
AS distinct_accounts,

MIN(data_date)
AS min_data_date,

MAX(data_date)
AS max_data_date

FROM bu_frd.model_trades_13m_2022_2025_v2;

—

WITH x AS (

SELECT
party_id,
observation_date,
acct_id,
data_date,

COUNT(*) AS n

FROM bu_frd.model_trades_13m_2022_2025_v2

GROUP BY
party_id,
observation_date,
acct_id,
data_date

HAVING COUNT(*) > 1

)

SELECT

COUNT(*) AS duplicate_keys

FROM x;

validar eff_dte

```
SELECT

    COUNT(*) AS rows,

    SUM(
        CASE
            WHEN eff_dte IS NULL
            THEN 1 ELSE 0
        END
    ) AS missing_eff_dte,

    SUM(
        CASE
            WHEN eff_dte > data_date
            THEN 1 ELSE 0
        END
    ) AS eff_after_data_date

FROM bu_frd.model_trades_13m_2022_2025_v2;
```

La validación más importante: cobertura de los 13 meses

```
WITH party_coverage AS (

    SELECT
        party_id,
        observation_date,
        model_split,
        label_3m,

        COUNT(
            DISTINCT CASE
                WHEN feature_window = 'RECENT_3M'
                THEN feature_month
            END
        ) AS recent_months_with_trades,
```

```

        COUNT(
            DISTINCT CASE
                WHEN feature_window = 'PRIOR_9M'
                THEN feature_month
            END
        ) AS prior_months_with_trades,

        COUNT(
            DISTINCT CASE
                WHEN feature_window = 'SEED'
                THEN feature_month
            END
        ) AS seed_month_with_trades

FROM bu_frd.model_trades_13m_2022_2025_v2

GROUP BY
    party_id,
    observation_date,
    model_split,
    label_3m
)

SELECT

    recent_months_with_trades,
    prior_months_with_trades,
    seed_month_with_trades,

    COUNT(*) AS parties

FROM party_coverage

GROUP BY
    recent_months_with_trades,
    prior_months_with_trades,
    seed_month_with_trades

ORDER BY
    recent_months_with_trades DESC,
    prior_months_with_trades DESC,

```

```

        seed_month_with_trades DESC;

resumida

WITH party_coverage AS (

    SELECT
        party_id,
        observation_date,
        model_split,
        label_3m,

        COUNT(
            DISTINCT CASE
                WHEN feature_window = 'RECENT_3M'
                THEN feature_month
            END
        ) AS recent_months,

        COUNT(
            DISTINCT CASE
                WHEN feature_window = 'PRIOR_9M'
                THEN feature_month
            END
        ) AS prior_months,

        COUNT(
            DISTINCT CASE
                WHEN feature_window = 'SEED'
                THEN feature_month
            END
        ) AS seed_months

    FROM bu_frd.model_trades_13m_2022_2025_v2

    GROUP BY
        party_id,
        observation_date,
        model_split,
        label_3m
)

```

```

SELECT

    model_split,
    label_3m,

    COUNT(*) AS parties_with_any_trade,

    SUM(
        CASE
            WHEN recent_months = 3
                AND prior_months = 9
            THEN 1 ELSE 0
        END
    ) AS complete_12m_parties,

    SUM(
        CASE
            WHEN recent_months = 3
                AND prior_months = 9
                AND seed_months = 1
            THEN 1 ELSE 0
        END
    ) AS complete_13m_parties,

    ROUND(
        100.0 *
        SUM(
            CASE
                WHEN recent_months = 3
                    AND prior_months = 9
                THEN 1 ELSE 0
            END
        )
        /
        COUNT(*),
        2
    ) AS complete_12m_pct

FROM party_coverage

```

```
GROUP BY
    model_split,
    label_3m

ORDER BY
    model_split,
    label_3m DESC;
```