

```
DROP TABLE IF EXISTS
bu_frd.model_trade_coverage_13m_2022_2025_v2;
```

```
CREATE TABLE
bu_frd.model_trade_coverage_13m_2022_2025_v2
USING PARQUET
AS
```

```
WITH trade_coverage AS (
```

```
  SELECT
    party_id,
    observation_date,

    COUNT(
      DISTINCT CASE
        WHEN feature_window = 'RECENT_3M'
        THEN feature_month
      END
    ) AS recent_months,
```

```
    COUNT(
      DISTINCT CASE
        WHEN feature_window = 'PRIOR_9M'
        THEN feature_month
      END
    ) AS prior_months,
```

```
    COUNT(
      DISTINCT CASE
        WHEN feature_window = 'SEED'
        THEN feature_month
      END
    ) AS seed_months
```

```
  FROM
    bu_frd.model_trades_13m_2022_2025_v2
```

```
  GROUP BY
    party_id,
    observation_date
```

```
)
```

```
SELECT
  c.party_id,
  c.observation_date,
  c.observation_year,
  UPPER(c.model_split) AS model_split,
```

```
c.label_3m,  
c.cohort_role,
```

```
COALESCE(t.recent_months,0)  
  AS recent_months,
```

```
COALESCE(t.prior_months,0)  
  AS prior_months,
```

```
COALESCE(t.seed_months,0)  
  AS seed_months,
```

```
CASE  
  WHEN COALESCE(t.recent_months,0) = 3  
    AND COALESCE(t.prior_months,0) = 9  
    THEN 1 ELSE 0  
END AS complete_12m_flag,
```

```
CASE  
  WHEN COALESCE(t.recent_months,0) = 3  
    AND COALESCE(t.prior_months,0) = 9  
    AND COALESCE(t.seed_months,0) = 1  
    THEN 1 ELSE 0  
END AS complete_13m_flag
```

```
FROM  
  bu_frd.model_cohort_3m_2022_2025_v2 c
```

```
LEFT JOIN trade_coverage t
```

```
  ON c.party_id = t.party_id  
  AND c.observation_date = t.observation_date;
```

```
SELECT  
  COUNT(*) AS rows,  
  COUNT(DISTINCT party_id) AS parties
```

```
FROM  
  bu_frd.model_trade_coverage_13m_2022_2025_v2;
```

WITH monthly AS (

SELECT

observation_date,

SUM(

CASE

WHEN label_3m = 1

AND complete_13m_flag = 1

THEN 1 ELSE 0

END

) AS complete_cases,

SUM(

CASE

WHEN label_3m = 0

AND complete_13m_flag = 1

THEN 1 ELSE 0

END

) AS complete_controls

FROM

bu_frd.model_trade_coverage_13m_2022_2025_v2

GROUP BY observation_date

)

SELECT

observation_date,

complete_cases,

complete_controls,

ROUND(

1.0 * complete_controls

/ complete_cases,

2

) AS available_controls_per_case

FROM monthly

ORDER BY observation_date;

WITH monthly AS (

SELECT

observation_date,

```

SUM(
  CASE
    WHEN label_3m = 1
      AND complete_13m_flag = 1
    THEN 1 ELSE 0
  END
) AS cases,

SUM(
  CASE
    WHEN label_3m = 0
      AND complete_13m_flag = 1
    THEN 1 ELSE 0
  END
) AS controls

FROM
  bu_frd.model_trade_coverage_13m_2022_2025_v2

GROUP BY observation_date
),

ratios AS (

  SELECT
    observation_date,
    cases,
    controls,

    1.0 * controls / cases
    AS controls_per_case

  FROM monthly
)

SELECT
  COUNT(*) AS months,

  ROUND(
    MIN(controls_per_case),
    2
  ) AS min_controls_per_case,

  ROUND(
    percentile_approx(
      controls_per_case,
      0.50

```

```
    ),  
    2  
  ) AS median_controls_per_case,  
  
  ROUND(  
    MAX(controls_per_case),  
    2  
  ) AS max_controls_per_case  
FROM ratios;
```