STRANDS INTERVIEW TEST

Optional Task 5

Aleix Ventura Nasarre

1 Query A

Get the total number of transactions in 2013 of a specific category ('15') and user ('356789').

```
1
       SELECT
2
         COUNT(*) as num_trx
3
       FROM
4
         USER as u, ACCOUNT as a, TRANSACTION as t
5
       WHERE
6
         u.ID = '356789'
7
         AND u.ID = a.USER_ID
8
         AND a.ID = t.ACCOUNT_ID
9
         AND year(t.POSTED_DATE) = '2013'
10
         AND t.CATEGORY_ID = '15';
```

2 Query B

Get transactions of a user filtering by account and current month.

I assumed the same user as in the first query and a made up account of ID '1' for the sake of simplicity.

```
1
       SELECT t.*
2
       FROM
3
         USER as u, ACCOUNT as a, TRANSACTION as t
4
       WHERE
5
         u.ID = '356789'
         AND u.ID = a.USER_ID
6
7
         AND a.ID = '1'
8
         AND a.ID = t.ACCOUNT_ID
         AND year(t.POSTED_DATE) = year(NOW())
9
10
         AND month (t.POSTED_DATE) = month (NOW());
```

3 Query C

Get income categories of a user for the current month. A category is considered IN-COME when the amount of the transaction is positive.

In this query I assumed, again, the same user as in the first query.

```
SELECT c.id, SUM(t.amount)
1
2
       FROM USER as u, ACCOUNT as a, TRANSACTION as T, CATEGORY as c
3
       WHERE
4
         u.ID = '356789'
5
         AND u.ID = a.USER_ID
6
         AND a.ID = t.ACCOUNT_ID
7
         AND year(t.POSTED_DATE) = year(NOW())
8
         AND month (t.POSTED_DATE) = month (NOW())
9
         AND t.CATEGORY_ID = c.ID
10
       GROUP BY c.id
11
       HAVING SUM(t.amount) > 0;
```