



DATABASE MANAGEMENT

Alejandro, Andrei James S.
Calderon, Pearl C.
Despe, Reymond Christian A.
Hassan, Adnan T.
Jalipa, Reanne Rylle C.



E - Commerce Customer



wibs.tech

SQL INTERACTIONS

"SELECT * FROM customer WHERE email = '\$email';"

- Retrieves all information for a customer whose email matches the given \$email.

"SELECT * FROM customer WHERE email = ? AND password = ?";

- Fetches all customer data for records where both the email and password match the provided parameters.

"SELECT COUNT(*) FROM cart WHERE user_id = ?";

- Counts the number of items in the cart for a specific user identified by user_id.

"SELECT * FROM cart WHERE user_id = '\$userid';"

- Selects all items from the cart for a user whose ID matches \$userid.

"SELECT vrzn_num, apex_num FROM customer WHERE customer_id = ?";

- Retrieves specific bank account details (vrzn_num, apex_num) for a customer identified by customer_id.

SQL INTERACTIONS

"SELECT firstname, lastname, email, address, mobile_num, vrzn_num, apex_num FROM customer WHERE customer_id = ?";

- Fetches personal and contact details of a customer based on their customer_id.

"SELECT address FROM customer WHERE customer_id = '\$userid'";

- Retrieves the address of a customer based on their customer_id.

"SELECT item_id, quantity, item_price FROM cart WHERE user_id = '\$userid'";

- Selects item details from the cart for a specific user.

"SELECT * FROM cart WHERE user_id = '\$userid' AND item_id = '\$item_id'";

- Checks if a specific item exists in a user's cart.

**"SELECT purchase_orders.*,
order_delivery_info.delivery_reference_number FROM
purchase_orders LEFT JOIN order_delivery_info ON
purchase_orders.po_id = order_delivery_info.po_id WHERE
purchase_orders.status = ? AND purchase_orders.user_id = ?";**

- Joins purchase orders with delivery information based on order status and user ID.

SQL INTERACTIONS

""UPDATE cart SET quantity = ? WHERE cart_id = ?";

- Updates the quantity of an item in the cart based on the cart_id.

**"UPDATE cart SET quantity = \$new_quantity WHERE user_id = '\$userid'
AND item_id = '\$item_id'";**

- Updates the quantity of a specific item in a user's cart.

**"UPDATE customer SET firstname=?, lastname=?, email=?, address=?,
mobile_num=?, vrzn_num=?, apex_num=? WHERE customer_id=?";**

- Updates various details of a customer's record.

"UPDATE purchase_orders SET status = 3 WHERE po_id = \$pold";

- Changes the status of a purchase order identified by po_id.

"DELETE FROM cart WHERE cart_id = ?";

- Deletes an item from the cart using the item's cart_id.

"DELETE FROM cart WHERE user_id = '\$userid'"

- Removes all items from the cart for a user identified by user_id.

SQL INTERACTIONS

```
"INSERT INTO cart (user_id, item_id, item_name, quantity, item_price, item_image) VALUES ('$userid', '$item_id', '$item_name', $quantity, $item_price, '$item_image')";
```

- Adds a new item to a user's shopping cart with detailed information.

```
"INSERT INTO customer(firstname, lastname, name, email, password, address, mobile_num, vrzn_num, apex_num) VALUES('$firstname', '$lastname', '$name', '$email', '$pass', '$address', '$mobile_num', '$vrzn_num', '$apex_num')";
```

- Inserts a new customer record into the database.

```
"INSERT INTO purchase_orders (user_id, items, grand_total, customer_name, delivery_address, status) VALUES ('$userid', '$items_json', $grand_total, '$customer_name', '$customer_address', 1);"
```

- Creates a new purchase order with details like user ID, items, total cost, customer name, and delivery address.

```
"INSERT INTO order_delivery_info (po_id, delivery_reference_number) VALUES ('$poid', '$deliveryReferenceNumber')";
```

- Inserts delivery information for a specific purchase order.