Evidencia - Supervisión y análisis - 20/02/2026

1. CloudTrail

Ingresamos al historial de eventos


aws
Search
[Alt+S]
United States (N. Virgi
Account ID: 6546-5447-8122
alemova.1603@gmail.com
CloudTrail > Event history
CloudTrail
Dashboard
Event history
Insights
Lake
Dashboards
Query
Event data stores
Integrations
Trails
Settings
Pricing
Documentation
Forums
FAQs
You can now enrich CloudTrail events with additional information by adding resource tags and IAM global keys in CloudTrail Lake. Learn more
Event history (50+) Info
Download events
Query in Lake
Create Athena table
Event history shows you the last 90 days of management events.
Lookup attributes
Read-only
false
Filter by date and time
Clear filter
1 2 ...
Event name
Event time
User name
CreatePolicyVersion February 20, 2026, 19:56:39 (UT... root
DeletePolicyVersion February 20, 2026, 19:56:38 (UT... root
CreatePolicyVersion February 20, 2026, 19:54:40 (UT... root
DeletePolicyVersion February 20, 2026, 19:54:40 (UT... root
ConsoleLogin February 20, 2026, 19:50:50 (UT... bsajonero@unal.e...
ConsoleLogin February 20, 2026, 19:49:42 (UT... sebastiantobon16...
CheckMfa February 20, 2026, 19:49:27 (UT... sebastiantobon16...
0 / 5 events selected
CloudShell
Feedback
Console Mobile App
Privacy
Terms
Cookie preferences
© 2026, Amazon Web Services, Inc. or its affiliates.



Revisamos como crear un trail


aws
iam
United States (N. Virginia)
Account ID: 6546-5447-8122
alemova.1603@gmail.com
CloudTrail > Trails > Create trail
Step 1
Choose trail attributes
Step 2
Choose log events
Step 3
Review and create
Choose trail attributes
General details
A trail created in the console is a multi-region trail. Learn more
Trail name
Enter a display name for your trail.
management-events
3-128 characters. Only letters, numbers, periods, underscores, and dashes are allowed.
Enable for all accounts in my organization
To review accounts in your organization, open AWS Organizations. See all accounts
Storage location | Info
Create new S3 bucket
Create a bucket to store logs for the trail.
Use existing S3 bucket
Choose an existing bucket to store logs for this trail.
Trail log bucket and folder
Enter a new S3 bucket name and folder (prefix) to store your logs. Bucket names must be globally unique.
aws-cloudtrail-logs-654654478122-e715d0a2
Logs will be stored in aws-cloudtrail-logs-654654478122-e715d0a2/AWSLogs/654654478122
Log file SSE-KMS encryption | Info
Enabled
Customer managed AWS KMS key
New
Existing
AWS KMS alias
Enter KMS alias
KMS key and S3 bucket must be in the same region.


aws
iam
United States (N. Virginia)
Account ID: 6546-5447-8122
alemova.1603@gmail.com
CloudTrail > Trails > Create trail
Step 1
Choose trail attributes
Step 2
Choose log events
Step 3
Review and create
Choose log events
Events Info
Record API activity for individual resources, or for all current and future resources in AWS account. Additional charges apply
Event type
Choose the type of events that you want to log.
Management events
Capture management operations performed on your AWS resources.
Data events
Log the resource operations performed on or within a resource.
Insights events
Identify unusual activity, errors, or user behavior in your account.
Network activity events
Network activity events provide information about resource operations performed on a resource within a virtual private cloud endpoint.
Management events Info
Management events show information about management operations performed on resources in your AWS account.
Multiple management events trails detected. Charges apply to duplicated logged management events. Additional charges apply
API activity
Choose the activities you want to log.
Read
Write
Exclude AWS KMS events
Exclude Amazon RDS Data API events
CloudShell
Feedback
Console Mobile App
Privacy
Terms
Cookie preferences
© 2026, Amazon Web Services, Inc. or its affiliates.



2. CloudWatch

Servicio de monitoreo


aws
Search
[Alt+S]
United States (N. Virginia)
Account ID: 6546-5447-8122
alemova.1603@gmail.com
CloudWatch
Overview info
3h
1d
UTC timezone
Overview
Filter by resource group
info
Actions
Get started with CloudWatch View getting started page
You don't have any alarms, metrics or default dashboard. Once you set them up they will be displayed here.
Set alarms on any of your metrics to receive notification when your metric crosses your specified threshold.
Create alarms
Create and name any CloudWatch dashboard CloudWatch-Default to display it here.
Create a default dashboard
Monitor using your existing system, application and custom log files.
View logs
Write rules to indicate which events are of interest to your application and what automated action to take.
View events
Get started with Observability solutions
Explore observability solutions
CloudWatch observability solutions out-of-the-box observability for AWS services and popular workloads. These ready-to-use, customizable solutions are designed to get you up and running quickly with monitoring at AWS.
Reliable observability solutions tailored to specific workloads and use cases.
Available in Amazon native and open-source platforms.
Simplify the process of instrumenting and gaining insights into your workloads.
Get started with Application Insights info
Configure Application Insights
Set up monitors and dashboards to detect issues and resolve problems with enterprise applications, databases, and workloads.
How it works



Creamos una instancia de EC2 para estresarla y medirla:


aws
Search
[Alt+S]
United States (N. Virginia)
Account ID: 6546-5447-8122
alemova.1603@gmail.com
EC2 > Instances > i-0b106296822890704
Instance summary for i-0b106296822890704 (EC2-AlejandroMV) Info
Connect
Instance state
Actions
Updated less than a minute ago
Instance ID
i-0b106296822890704
Public IPv4 address
54.234.199.227 | open address
Private IPv4 addresses
172.31.22.198
IPv6 address
–
Instance state
Running
Public DNS
ec2-54-234-199-227.compute-1.amazonaws.com | open address
Hostname type
IP name: ip-172-31-22-198.ec2.internal
Private IP DNS name (IPv4 only)
ip-172-31-22-198.ec2.internal
Answer private resource DNS name
IPv4 (A)
Instance type
t3.micro
Elastic IP addresses
–
Auto-assigned IP address
54.234.199.227 [Public IP]
VPC ID
vpc-00f479057476a2db8 (VPC-Produccion)
AWS Compute Optimizer finding
User: arn:aws:iam::654654478122:user/students/alemova.1603@gmail.com is not authorized to perform: compute-optimizer:GetEnrollmentStatus on resource: * because no identity-based policy allows the compute-optimizer:GetEnrollmentStatus action
Retry
IAM role
–
Subnet ID
subnet-0ed46236dc39c8c58
Auto Scaling Group name
–
IMDSv2
Required
Instance ARN
arn:aws:ec2:us-east-1:654654478122:instance/i-0b106296822890704
Managed
false
Operator
–
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
CloudShell
Feedback
Console Mobile App
Privacy
Terms
Cookie preferences
© 2026, Amazon Web Services, Inc. or its affiliates.



```
ec2-user@ip-172-31-22-198:/
04/02/2026  06:02 p. m.          133.586 WhatsApp Image 2026-01-24 at 5.38.58 AM.jpeg
17/02/2026  01:48 p. m.       10.859.361 [UX Design] 3011173 - 2026-01 Semana 03 - 1 Primera Sesión.pptx
09/02/2026  12:56 p. m.          196.924 _0f3d4d11a3d200facbc622c937f052c0_Lesson-1---Divisibilty_-Primes_-and-GCD.pptx
09/02/2026  12:45 p. m.          103.819 _6c5e8af0b05c96caad8523b702c33789_MOOC-2---About-the-Course.pptx
07/02/2026  03:06 p. m.          148.317 ¡Gracias por tu compra! - Dynamo Brand - Pantalla de pago.pdf
               98 archivos  5.042.538.415 bytes
                3 dirs  111.242.276.864 bytes libres

C:\Users\Alejandro Montoya V\Downloads>ssh -i "alejusMV.pem" ec2-user@ec2-54-234-199-227.compute-1.amazonaws.com
The authenticity of host 'ec2-54-234-199-227.compute-1.amazonaws.com (54.234.199.227)' can't be established.
ED25519 key fingerprint is SHA256:vj4WXLuMFQB/3G7cTvzbXXbhQ/dtfhl67KOgv+81tcg.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-54-234-199-227.compute-1.amazonaws.com' (ED25519) to the list of known hosts.
   ,     #_
   ~\_  ####_        Amazon Linux 2023
  ~~  \_#####\
  ~~     \###|
  ~~       \#/ ___   https://aws.amazon.com/linux/amazon-linux-2023
   ~~       V~' '->
    ~~~         /
      ~~._.   _/
         _/ _/
       _/m/'
[ec2-user@ip-172-31-22-198 ~]$ pwd
/home/ec2-user
[ec2-user@ip-172-31-22-198 ~]$ cd ..
[ec2-user@ip-172-31-22-198 home]$ cd ..
[ec2-user@ip-172-31-22-198 /]$ cd ..
[ec2-user@ip-172-31-22-198 /]$
```

Creamos la alarma de cloudwatch


aws
Search
[Alt+S]
United States (N. Virginia)
Account ID: 6546-5447-8122
alemova.1603@gmail.com
CloudWatch
Alarms
Create alarm
Step 1
Specify metric and conditions
Step 2
Configure actions
Step 3
Add alarm details
Step 4
Preview and create
Specify metric and conditions
Metric
Graph
Preview of the metric or metric expression and the alarm threshold.
Select metric
Cancel
Next
CloudShell
Feedback
Console Mobile App
Privacy
Terms
Cookie preferences
© 2026, Amazon Web Services, Inc. or its affiliates.


aws
Search
[Alt+S]
United States (N. Virginia)
Account ID: 6546-5447-8122
alemova.1603@gmail.com
CloudWatch
Alarms
Create alarm
Alarm recommendations available
Turn on Recommendations to pre-populate the wizard with the recommended alarms.
Step 1
Specify metric and conditions
Step 2
Configure actions
Step 3
Add alarm details
Step 4
Preview and create
Specify metric and conditions
Alarm recommendations
View details
Metric
Edit
Graph
This alarm will trigger when the blue line goes above the red line for 1 datapoints within 5 minutes.
Percent
0.24
0.12
0
00:00
01:00
02:00
CPUUtilization
Namespace
AWS/EC2
Metric name
CPUUtilization
InstanceId
i-0b106296822890704
Instance name
EC2-AlejandroMV
Statistic
Average
Period
5 minutes



Cuando pase más allá del 80, le especificamos que nos avise.



No le asignamos una acción a estos servicios de momento


Lambda action
Add Lambda action
Auto Scaling action
Add Auto Scaling action
EC2 action
Add EC2 action
Systems Manager action
Learn more
This action will create an Incident or OpsItem in Systems Manager when the alarm is In alarm state.
Add Systems Manager action
Investigation action - new
Info
This action will create an Investigation when the alarm is In alarm state.
Add investigation action
Cancel
Previous
Next
CloudShell
Feedback
Console Mobile App
Privacy
Terms
Cookie preferences


aws
Search
[Alt+S]
United States (N. Virginia)
Account ID: 6546-5447-8122
alemova.1603@gmail.com
CloudWatch > Alarms > Create alarm
Step 1
Specify metric and conditions
Step 2
Configure actions
Step 3
Add alarm details
Step 4
Preview and create
Add alarm details
Name and description
Alarm name
CPU OVER 80% - AlejandroMV
Alarm description - optional View formatting guidelines
Edit
Preview
La CPU va a sonar cuando se supere el 80%
Up to 1024 characters (41/1024).
Markdown formatting is only applied when viewing your alarm in the console.
The description will remain in plain text in the alarm notifications.
Tags - optional Info
No tags associated with the resource.
Add new tag
You can add up to 50 tags.
Cancel
Previous
Next
CloudShell
Feedback
Console Mobile App
Privacy
Terms
Cookie preferences
© 2026, Amazon Web Services, Inc. or its affiliates.



Instalamos la app de estrés para la EC2



Estresamos la aplicación

```
ec2-user@ip-172-31-22-198:~

 Package                Architecture          Version                              Repository                  Size
================================================================================================================
Installing:
 stress                 x86_64                1.0.7-2.amzn2023.0.1                 amazonlinux                 34 k

Transaction Summary
================================================================================================================
Install  1 Package

Total download size: 34 k
Installed size: 68 k
Downloading Packages:
stress-1.0.7-2.amzn2023.0.1.x86_64.rpm                                   897 kB/s |  34 kB     00:00
----------------------------------------------------------------------------------------------------------------
Total                                                                    440 kB/s |  34 kB     00:00
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
  Preparing        :                                                                                        1/1
  Installing       : stress-1.0.7-2.amzn2023.0.1.x86_64                                                     1/1
  Running scriptlet: stress-1.0.7-2.amzn2023.0.1.x86_64                                                     1/1
  Verifying        : stress-1.0.7-2.amzn2023.0.1.x86_64                                                     1/1

Installed:
  stress-1.0.7-2.amzn2023.0.1.x86_64

Complete!
[ec2-user@ip-172-31-22-198 ~]$ stress --cpu $(nproc) --timeout 300 &
```

Verificamos las métricas



Vemos que va subiendo



Se va acercando


aws
Search
[Alt+S]
United States (N. Virginia)
Account ID: 6546-5447-8122
alemova.1603@gmail.com
CloudWatch > Alarms > CPU OVER 80% - AlejandroMV
Alarms
CPU OVER 80% - AlejandroMV
Actions
View
Explore related
Investigate
Graph
3h
1d
1w
UTC timezone
CPUUtilization
OK
CPUUtilization > 80 for 1 datapoints within 5 minutes
Percent
88
CPUUtilization > 80 for 1 datapoints within 5 minutes - (80)
44
0
23:45
00:00
00:15
00:30
00:45
01:00
01:15
01:30
01:45
02:00
02:15
02:30
CPUUtilization
0:00
0:15
0:30
0:45
1:00
1:15
1:30
1:45
2:00
2:15
2:30
In alarm
OK
Insufficient data
Disabled/Muted actions
Details
Tags
Mute rules - new
Actions
History
Parent alarms
Details
Name
State
Namespace
Datapoints to alarm
CloudShell
Feedback
Console Mobile App
Privacy
Terms
Cookie preferences
© 2026, Amazon Web Services, Inc. or its affiliates.

Nos pasamos



Nos llegó el correo



Eliminamos todos los recursos y fin de la practica