




UNIVERSIDAD MAYOR DE SAN SIMÓN
FACULTAD DE CIENCIAS Y TECNOLOGÍA
INGENIERIA DE SISTEMAS



ACTIVIDAD N°5

Documentar el Proyecto en GitHub



IS

Docente:	Valentín Layme Zapata
Materia:	Taller de Programación
Estudiante:	Joel Alejandro Rodriguez Zapata
Carrera:	Ingeniería De Sistemas
Código S.I.S	202103767

Cochabamba - Bolivia

Gestion II/2024

<https://github.com/AlejandroR369/Generador-de-Contrase-as.git>

La documentación debe incluir información relevante sobre el código, como:

- Qué hace el código.
- Descripción de los parámetros de cada método.
- Descripción del valor de retorno de cada método.
- Excepciones que puede lanzar cada método.
- Ejemplos de cómo usar el código.

←↻🔍 Archivo | C:/Users/JOEL/Miproyecto/doc/package-summary.html

PACKAGECLASS TREE INDEX HELP

ALL CLASSES

SEARCH: 🔍 Search

Class Summary

Class	Description
askkfajms	
CApicua	
CombinaciondeunaClavedeCuatroCodigos	
demo14	
dgds	
GeneradordeContraseñas	Clase que crea una interfaz gráfica para generar y gestionar contraseñas de usuarios.
Losprimeros100pares	
NotaFinal	Write a description of class NotaFinal here.
NumeroAbundante	
PatroneunEnteroPositivo	
Pregunta1	
pregunta2	
Suma	
SumaDeSusDigitos	
SumatoriaDeNumeros	
you	

←↻🔍 Archivo | C:/Users/JOEL/Miproyecto/doc/GeneradordeContraseñas.html

PACKAGECLASS TREE INDEX HELP

ALL CLASSES

SEARCH: 🔍 Search

SUMMARY: NESTED | FIELD | CONSTR | METHODDETAIL: FIELD | CONSTR | METHOD

Class GeneradordeContraseñas

java.lang.Object

java.awt.Component

java.awt.Container

java.awt.Window

java.awt.Frame

javax.swing.JFrame

GeneradordeContraseñas

All Implemented Interfaces:
ImageObserver, MenuContainer, Serializable, Accessible, RootPaneContainer, WindowConstants

public class GeneradordeContraseñas
extends JFrame

Clase que crea una interfaz gráfica para generar y gestionar contraseñas de usuarios.

See Also:
Serialized Form

←↻🔍

Archivo | C:/Users/JOEL/Miproyecto/doc/GeneradordeContraseñas.html

☆🔧📄🔍🔖🔗🔗⋮

PACKAGECLASSTREEINDEXHELP

ALL CLASSES

SUMMARY: NESTED | FIELD | CONSTR | METHODDETAIL: FIELD | CONSTR | METHOD

SEARCH: 🔍 Search

Nested Class Summary

Nested classes/interfaces inherited from class javax.swing.JFrame

JFrame.AccessibleJFrame

Nested classes/interfaces inherited from class java.awt.Frame

Frame.AccessibleAWTFrame

Nested classes/interfaces inherited from class java.awt.Window

Window.AccessibleAWTWindow, Window.Type

Nested classes/interfaces inherited from class java.awt.Container

Container.AccessibleAWTContainer

Nested classes/interfaces inherited from class java.awt.Component

Component.AccessibleAWTComponent, Component.BaselineResizeBehavior, Component.BltBufferStrategy, Component.FlipBufferStrategy

←↻🔍

Archivo | C:/Users/JOEL/Miproyecto/doc/GeneradordeContraseñas.html

☆🔧📄🔍🔖🔗🔗⋮

PACKAGECLASSTREEINDEXHELP

ALL CLASSES

SUMMARY: NESTED | FIELD | CONSTR | METHODDETAIL: FIELD | CONSTR | METHOD

SEARCH: 🔍 Search

Field Summary

Fields inherited from class javax.swing.JFrame

accessibleContext, rootPane, rootPaneCheckingEnabled

Fields inherited from class java.awt.Frame

ICONIFIED, MAXIMIZED_BOTH, MAXIMIZED_HORIZ, MAXIMIZED_VERT, NORMAL

Fields inherited from class java.awt.Component

BOTTOM_ALIGNMENT, CENTER_ALIGNMENT, LEFT_ALIGNMENT, RIGHT_ALIGNMENT, TOP_ALIGNMENT

Fields inherited from interface java.awt.image.ImageObserver

ABORT, ALLBITS, ERROR, FRAMEBITS, HEIGHT, PROPERTIES, SOMEBITS, WIDTH

Fields inherited from interface javax.swing.WindowConstants

DISPOSE_ON_CLOSE, DO_NOTHING_ON_CLOSE, EXIT_ON_CLOSE, HIDE_ON_CLOSE

PACKAGECLASSTREEINDEXHELP

ALL CLASSES

SUMMARY: NESTED | FIELD | CONSTR | METHODDETAIL: FIELD | CONSTR | METHOD

SEARCH: 🔍 Search

Constructor Summary

Constructors

Constructor	Description
GeneradordeContraseñas()	Constructor de la clase GeneradordeContraseñas.

Method Summary

All MethodsStatic MethodsConcrete Methods

Modifier and Type	Method	Description
static void	main(String[] args)	

Methods inherited from class javax.swing.JFrame

addImpl, createRootPane, frameInit, getAccessibleContext, getContentPane, getDefaultCloseOperation, getGlassPane, getGraphics, getJMenuBar, getLayeredPane, getRootPane, getTransferHandler, isDefaultLookAndFeelDecorated, isRootPaneCheckingEnabled, paramString, processWindowEvent, remove, repaint, setContentPane, setDefaultCloseOperation, setDefaultLookAndFeelDecorated, setGlassPane, setIconImage, setJMenuBar, setLayeredPane, setLayout, setRootPane, setRootPaneCheckingEnabled, setTransferHandler, update

Methods inherited from class java.awt.Frame

addNotify, getExtendedState, getFrames, getIconImage, getMaximizedBounds, getMenuBar, getState, getTitle, isResizable, isUndecorated, remove, removeNotify, setBackground, setExtendedState, setMaximizedBounds, setMenuBar, setOpacity, setResizable, setShape, setState, setTitle, setUndecorated

Methods inherited from class java.awt.Window

addPropertyChangeListener, addPropertyChangeListener, addWindowFocusListener, addWindowListener, addWindowStateListener, createBufferStrategy, createBufferStrategy, dispose, getBackground, getBufferStrategy, getFocusableWindowState, getFocusCycleRootAncestor, getFocusOwner, getFocusTraversalKeys, getIconImages, getInputContext, getListeners, getLocale, getModalExclusionType, getMostRecentFocusOwner, getOpacity, getOwnedWindows, getOwner, getOwnerlessWindows, getShape, getToolkit, getType, getWarningString, getWindowFocusListeners, getWindowListeners, getWindows, getWindowStateListeners, isActive, isAlwaysOnTop, isAlwaysOnTopSupported, isAutoRequestFocus, isFocusableWindow, isFocusCycleRoot, isFocused, isLocationByPlatform, isOpaque, isShowing, isValidRoot, pack, paint, processEvent, processWindowFocusEvent, processWindowStateEvent, removeWindowFocusListener, removeWindowListener, removeWindowStateListener, setAlwaysOnTop, setAutoRequestFocus, setBounds, setBounds, setCursor, setFocusableWindowState, setFocusCycleRoot, setIconImages, setLocation, setLocation, setLocationByPlatform, setLocationRelativeTo, setMinimumSize, setModalExclusionType, setSize, setSize, setType, setVisible, toBack, toFront

Methods inherited from class java.awt.Container

add, add, add, add, add, addContainerListener, applyComponentOrientation, areFocusTraversalKeysSet, doLayout, findComponentAt, findComponentAt, getAlignmentX, getAlignmentY, getComponent, getComponentAt, getComponentAt, getComponentCount, getComponents, getComponentZOrder, getContainerListeners, getFocusTraversalPolicy, getInsets, getLayout, getMaximumSize, getMinimumSize, getMousePosition, getPreferredSize, invalidate, isAncestorOf, isFocusCycleRoot, isFocusTraversalPolicyProvider, isFocusTraversalPolicySet, list, list, paintComponents, print, printComponents, processContainerEvent, remove, removeAll, removeContainerListener, setComponentZOrder, setFocusTraversalKeys, setFocusTraversalPolicy, setFocusTraversalPolicyProvider, setFont, transferFocusDownCycle, validate, validateTree

Methods inherited from class java.awt.Component

add, addComponentListener, addFocusListener, addHierarchyBoundsListener, addHierarchyListener, addInputMethodListener, addKeyListener, addMouseListener, addMouseMotionListener, addMouseWheelListener, checkImage, checkImage, coalesceEvents, contains, contains, createImage, createImage, createVolatileImage, createVolatileImage, disableEvents, dispatchEvent, enableEvents, enableInputMethods, firePropertyChange, firePropertyChange, firePropertyChange, firePropertyChange, firePropertyChange, firePropertyChange, firePropertyChange, firePropertyChange, firePropertyChange, getBaseline, getBaselineResizeBehavior, getBounds, getBounds, getColorModel, getComponentListeners, getComponentOrientation, getCursor, getDropTarget, getFocusListeners, getFocusTraversalKeysEnabled, getFont, getFontMetrics, getForeground, getGraphicsConfiguration, getHeight, getHierarchyBoundsListeners, getHierarchyListeners, getIgnoreRepaint, getInputMethodListeners, getInputMethodRequests, getKeyListeners, getLocation, getLocation, getLocationOnScreen, getMouseListeners, getMouseMotionListeners, getMousePosition, getMouseWheelListeners, getName, getParent, getPropertyChangeListeners, getPropertyChangeListeners, getSize, getSize, getTreeLock, getWidth, getX, getY, hasFocus, imageUpdate, isBackgroundSet, isCursorSet, isDisplayable, isDoubleBuffered, isEnabled, isFocusable, isFocusOwner, isFontSet, isForegroundSet, isLightweight, isMaximumSizeSet, isMinimumSizeSet, isPreferredSizeSet, isValid, isVisible, list, list, list, paintAll, prepareImage, prepareImage, printAll, processComponentEvent, processFocusEvent, processHierarchyBoundsEvent, processHierarchyEvent, processInputMethodEvent, processKeyEvent, processMouseEvent, processMouseMotionEvent, processMouseWheelEvent, removeComponentListener, removeFocusListener, removeHierarchyBoundsListener, removeHierarchyListener, removeInputMethodListener, removeKeyListener, removeMouseListener, removeMouseMotionListener, removeMouseWheelListener, removePropertyChangeListener, removePropertyChangeListener, repaint, repaint, repaint, requestFocus, requestFocus, requestFocus, requestFocus, requestFocusInWindow, requestFocusInWindow, requestFocusInWindow, revalidate, setComponentOrientation, setDropTarget, setEnabled, setFocusable, setFocusTraversalKeysEnabled, setForeground, setIgnoreRepaint, setLocale, setMaximumSize, setMixingCutoutShape, setName, setPreferredSize, toString, transferFocus, transferFocusBackward, transferFocusUpCycle

Methods inherited from class java.lang.Object

clone, equals, getClass, hashCode, notify, notifyAll, wait, wait, wait

Methods inherited from interface java.awt.MenuContainer

getFont

Constructor Detail

GeneradordeContraseñas

public GeneradordeContraseñas()

Constructor de la clase GeneradordeContraseñas. Configura la ventana principal, inicializa los componentes y define las acciones de los botones.

Method Detail

main

public static void main(String[] args)