

Data Analytics Application Bancomer

CS5056 Data Analytics

Francisco J. Cantú, Héctor Ceballos
Tecnológico de Monterrey

February-June, 2021





- ➔ Antecedents
- ➔ Banks expropriation – 1982
- ➔ Banks privatization – 1992
- ➔ Bancomer and Tec de Monterrey
- ➔ Collaboration agreement 1992





**Forecast cash allocation in 1600
ATMs**

**Short allocation of funds in ATM
represents bad customer service**

**Excess allocation of funds in ATM
represents an important financial
cost for having money not
generate interest**



Problem definition





Business Problem (As of 1993):

- ➔ Cash machines (ATM) running out of money: 5% of ATMs
- ➔ Financial cost of undelivered money: 3 out of each peso withdrawn remain idle



Business Goal:


- ➔ 2.5% of ATMs running out of money
- ➔ 2 out of each peso withdrawn remain idle



Methodology



ATM Network



DB

Data
Preparation




| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

DM Table



Building
Kohonen
Neural Network



KB



Scheduling



Use of NN



NN Prediction




Results


Prediction per
ATM and day



Kohonen Self-Organizing Maps




2-D map of neurons



Kohonen Self-Organizing Maps



- Kohonen's networks are one of basic types of self-organizing neural networks.
- The ability to self-organize provides new possibilities - adaptation to formerly unknown input data. It seems to be the most natural way of learning, which is used in our brains, where no patterns are defined.
- Those patterns take shape during the learning process, which is combined with normal work.
- Kohonen's networks are a synonym of whole group of nets which make use of self-organizing, competitive type learning method.
- We set up signals on net's inputs and then choose winning neuron, the one which corresponds with input vector in the best way.
- Precise scheme of rivalry and later modifications of synapthic wages may have various forms. There are many sub-types based on rivalry, which differ themselves by precise self-organizing algorithm.





Results

- ➡ 2 out of each peso withdrawn remained idle
- ➡ 1.5% of ATMs ran out of money
- ➡ Benefit: Many million pesos saved between 1995 to date



Conclusions

**Results were quite satisfactory
for Bancomer**

**The Cash supply Prediction
system was deployed and put
into operation in about 1600
ATMs**

**This project opened the door to
other Applied Research AI
projects between Bancomer and
Tec de Monterrey**

Francisco J. Cantú-Ortiz, PhD

Professor of Computer Science and Artificial Intelligence
Tecnológico de Monterrey
Enago-Academy Advisor for Strategic Alliances

E-mail: fcantu@itesm.mx, fjcantor@gmail.com

Cel: +52 81 1050 8294, SNI-2 CVU: 9804

Personal Page: <http://semtech.mty.itesm.mx/fcantu/>

Facebook: [fcantu](#); Twitter: [@fjcantor](#); Skype: [fjcantor](#)

Orcid: 0000-0002-2015-0562

Scopus ID:6701563520

Researcher ID: B-8457-2009

https://www.researchgate.net/profile/Francisco_Cantu-Ortiz

<https://scholar.google.com.mx/citations?hl=es&user=45-uuK4AAAAJ>

<https://itesm.academia.edu/FranciscoJavierCantuOrtiz>

Ave. Eugenio Garza Sada No. 2501, Monterrey N.L., C.P. 64849, México