Api documentation

👤 Authentication   none

</> Source Code   shell

```
# Install the command line client
$ pip install coreapi-cli
```

create_minuta %

create

[POST] `/app/create_minuta/`

⇄ Interact

Request Body

The request body should be a `"application/json"` encoded object, containing the following items.

Parameter	Description
user_id [required]	User ID.
dispensa_id [required]	Dispensa ID.
name_minuta	Name of the minuta.
start_date [required]	Start date of the minuta.
people_number [required]	Number of people.
dietary preference [required]	Dietary preference.
type_food [required]	Type of food. Allowed values: desayuno, almuerzo and/or cena.

Api documentation

```
# Load the schema document
$ coreapi get http://127.0.0.1:8000/docs/

# Interact with the API endpoint
$ coreapi action create_minuta create -p user_id=... -p dispensa_id=... -p name_minuta=... -p st
```

delete_alimento

delete

⇄ Interact

[DELETE]   /app/delete_alimento/

Query Parameters

The following parameters should be included as part of a URL query string.

| Parameter	Description
user_id [required]	User ID.
dispensa_id [required]	Dispensa ID.
alimento_id [required]	Alimento ID.

```
# Load the schema document
$ coreapi get http://127.0.0.1:8000/docs/

# Interact with the API endpoint
$ coreapi action delete_alimento delete -p user_id=... -p dispensa_id=... -p alimento_id=...
```

delete_all_alimentos

Api documentation

👤 Authentication   none

</> Source Code   shell

delete

⇄ Interact

DELETE   /app/delete_all_alimentos/

Query Parameters

The following parameters should be included as part of a URL query string.

Parameter	Description
user_id required	User ID.
dispensa_id required	Dispensa ID.

```
# Load the schema document
$ coreapi get http://127.0.0.1:8000/docs/

# Interact with the API endpoint
$ coreapi action delete_all_alimentos delete -p user_id=... -p dispensa_id=...
```

desactivate_minuta

update

⇄ Interact

PUT   /app/desactivate_minuta/

Request Body

The request body should be a `"application/json"` encoded object, containing the following items.

Parameter	Description
user_id required	User ID.
ListaMinuta_id required	ListaMinuta ID.

Api documentation

- ⊙ create_minuta ⌄
- ⊙ delete_alimento ⌄
- ⊙ delete_all_alimentos ⌄
- ⊙ desactivate_minuta ⌄
- ⊙ dispensa_detail ⌄
- ⊙ edit_alimento ⌄
- ⊙ get_receta ⌄
- ⊙ getinto_ticket ⌄
- ⊙ join_aliment ⌄
- ⊙ minuta_detail ⌄
- ⊙ minuta_history ⌄
- ⊙ register ⌄

👤 Authentication   none

</> Source Code   shell

```
# Load the schema document
$ coreapi get http://127.0.0.1:8000/docs/

# Interact with the API endpoint
$ coreapi action desactivate_minuta update -p user_id=... -p ListaMinuta_id=...
```

dispensa_detail

---

list

⇄ Interact

GET   /app/dispensa_detail/

Query Parameters

The following parameters should be included as part of a URL query string.

Parameter	Description
user_id `required`	User ID.
dispensa_id `required`	Dispensa ID.

```
# Load the schema document
$ coreapi get http://127.0.0.1:8000/docs/

# Interact with the API endpoint
$ coreapi action dispensa_detail list -p user_id=... -p dispensa_id=...
```

edit_alimento

Api documentation

update

⇄ Interact

`PUT` `/app/edit_alimento/`

Request Body

The request body should be a `"application/json"` encoded object, containing the following items.

Parameter	Description
user_id `required`	User ID.
dispensa_id `required`	Dispensa ID.
alimento_id `required`	Alimento ID.
name_alimento `required`	Name of the aliment.
unit_measurement `required`	Unit of measurement.
load_alimento `required`	Load of the aliment.

```
# Load the schema document
$ coreapi get http://127.0.0.1:8000/docs/

# Interact with the API endpoint
$ coreapi action edit_alimento update -p user_id=... -p dispensa_id=... -p alimento_id=... -p na
```

get_receta

create

⇄ Interact

`POST` `/app/get_receta/`

Request Body

The request body should be a `"application/json"` encoded object, containing the following items.

Parameter	Description
user_id [required]	User ID.
id_lista_minuta [required]	id_lista_minuta
id_alimento [required]	id Alimento.

```shell
# Load the schema document
$ coreapi get http://127.0.0.1:8000/docs/

# Interact with the API endpoint
$ coreapi action get_receta create -p user_id=... -p id_lista_minuta=... -p id_alimento=...
```

getinto_ticket

create

POST   `/app/getinto_ticket/`

⇄ Interact

Request Body

The request body should be a `"application/json"` encoded object, containing the following items.

Parameter	Description
user_id [required]	User ID.
file [required]	PDF file of the ticket.

Api documentation

```
# Load the schema document
$ coreapi get http://127.0.0.1:8000/docs/

# Interact with the API endpoint
$ coreapi action getinto_ticket create -p user_id=... -p file=...
```

join_aliment

create

[POST] /app/join_aliment/

⇄ Interact

Request Body

The request body should be a `"application/json"` encoded object, containing the following items.

Parameter	Description
user_id `required`	User ID.
name_aliment `required`	Name of the aliment.
unit_measurement `required`	Unit of measurement.
load_alimento `required`	Load of the aliment.

```
# Load the schema document
$ coreapi get http://127.0.0.1:8000/docs/

# Interact with the API endpoint
$ coreapi action join_aliment create -p user_id=... -p name_aliment=... -p unit_measurement=...
```

minuta_detail

list

⇄ Interact

`GET` `/app/minuta_detail/`

Query Parameters

The following parameters should be included as part of a URL query string.

Parameter	Description
user_id [required]	User ID.

```
# Load the schema document
$ coreapi get http://127.0.0.1:8000/docs/

# Interact with the API endpoint
$ coreapi action minuta_detail list -p user_id=...
```

minuta_history

list

⇄ Interact

`GET` `/app/minuta_history/`

Query Parameters

The following parameters should be included as part of a URL query string.

Parameter	Description
user_id [required]	User ID.

Api documentation

- ⊙ create_minuta ⌄
- ⊙ delete_alimento ⌄
- ⊙ delete_all_alimentos ⌄
- ⊙ desactivate_minuta ⌄
- ⊙ dispensa_detail ⌄
- ⊙ edit_alimento ⌄
- ⊙ get_receta ⌄
- ⊙ getinto_ticket ⌄
- ⊙ join_aliment ⌄
- ⊙ minuta_detail ⌄
- ⊙ minuta_history ⌄
- ⊙ register ⌄

👤 Authentication   none

</> Source Code   shell

```
# Load the schema document
$ coreapi get http://127.0.0.1:8000/docs/

# Interact with the API endpoint
$ coreapi action minuta_history list -p user_id=...
```

register

create

POST /app/register/

Endpoint for user registration.

⇄ Interact

Request Body

The request body should be a `"application/json"` encoded object, containing the following items.

Parameter	Description
name_user **required**	Name the user register.
last_name_user **required**	Last name the user register.
year_user **required**	Year the user register.
user_type **required**	Type the user register. Allowed values: trabajador, estudiante, dueño de casa.

```
# Load the schema document
$ coreapi get http://127.0.0.1:8000/docs/

# Interact with the API endpoint
$ coreapi action register create -p name_user=... -p last_name_user=... -p year_user=... -p user
```