HTML DOM Methods	Description
addEventListener()	The "**addEventListener()**" HTML DOM method is utilized for attaching an event handler to a particular element.
appendChild()	The "**appendChild()**" method is used to add a new child node for an element.
blur()	The "**blur()**" method is used to eliminate focus from an HTML element.
click()	The "**click()**" method puts on a mouse-click on an HTML element.
cloneNode()	The "**cloneNode()**" method is utilized to clone an element.
closest()	The "**closest()**" HTML DOM method is utilized for searching the DOM tree for the closest element, which matches with a specified CSS selector.
compareDocumentPosition()	The "**compareDocumentPosition()**" HTML DOM method is utilized for comparing the document position of any two HTMLelements.
exitFullscreen()	The "**existFullscreen()**" property cancels an element in a fullscreen mode.
focus()	The "**focus()**" HTML DOM method for assigning focus to an HTML element.
getAttribute()	The "**getAttribute()**" HTML DOM method displays an element's attribute value.
getAttributeNode()	The "**getAttributeNode()**" HTML DOM method displays the specified attribute node.
getBoundingClientRect()	The "**getBoundingClientRect()**" HTML DOM method outputs the position and size of an element related to the viewport.
getElementsByClassName()	The "**getElementByClassName()**" HTML DOM method displays the list of child elements of a particular class.
getElementsByTagName()	The "**getElementsByTagName()**" HTML DOM method displays the list of child elements of a particular tag.
hasAttribute()	The "**hasAttribute()**" HTML DOM method outputs true if an element has the added attribute, otherwise, this

	method returns false.
hasChildNodes()	The "**hasChildNodes()**" HTML DOM method outputs true if a particular element has any child nodes, otherwise, this method returns false.
insertAdjacentElement()	The "**insertAdjacentElement()**" HTML DOM method is utilized for inserting a HTML element at a particular position related to the active element.
insertAdjacentHTML()	The "**insertAdjacentHTML()**" HTML DOM method is utilized for inserting an HTML formatted text at a particular position related to the active element.
insertAdjacentText()	The "**insertAdjacentText()**" HTML DOM method is utilized for inserting text at a particular position related to the active element.
insertBefore()	The "**insertBefore()**" HTML method is used for inserting a new child node before an existing child node.
isDefaultNamespace()	The "**isDefaultNamespace()**" HTML DOM method outputs true if a particular namespaceURI is set as default, otherwise, this method outputs false.
isEqualNode()	The "**isEqualNode()**" method is used for checking if two HTML elements are equal or not.
isSameNode()	The "**isSameNode()**" HTML DOM method is utilized for verifying if two HTML elements are the same node or not.
isSupported()	The "**isSupported()**" HTML DOM method outputs true if a particular feature is supported for the HTML element.
matches()	The "**matches()**" method outputs a Boolean value indicating whether a specific CSS selector matches an element or not.
normalize()	The "**normalize()**" HTML DOM method is utilized for joining adjacent text nodes and for eliminating empty text nodes from a HTML element.
querySelector()	The "**querySelector()**" HTML DOM method is utilized to output the first child element that gets matched with a particular CSS selector of an HTML element.
querySelectorAll()	The "**querySelectorAll()**" method returns all child elements that match a specified CSS selector of an

	element.
remove()	The "**remove()**" HTML DOM method is utilized for removing a particular HTML element from DOM.
removeAttribute()	The "**removeAttribute()**" HTML DOM method is utilized for removing a particular attribute from a HTML element.
removeAttributeNode()	The "**removeAttributeNode()**" HTML DOM method eliminates the added attribute node and shows it as output.
removeChild()	The "**removeChild()**" HTML DOM method is utilized for removing a particular a child node from an HTML element.
removeEventListener()	The "**removeEventListener()**" HTML DOM method is utilized for removing an attached event handler.
replaceChild()	The "**replaceChild()**" HTML DOM method is used for replacing a child node from an HTML element.
requestFullscreen()	The "**requestFullscreen**()" HTML DOM method is utilized for showing the HTML element in fullscreen mode.
scrollIntoView()	The "**scrollIntoView()**" HTML DOM method is utilized for scrolling a particular HTML element into the browser's visible area.
setAttribute()	The "**setAttribute()**" HTML DOM method is utilized for setting the attributes to the added value.
setAttributeNode()	The "**setAttributeNode()**" HTML DOM method is utilized for changing or displaying the specified attribute node.
toString()	The "**toString()**" HTML DOM method is utilized for converting an element to a string.