

Install All

☐ Start Delphi when this application closes.

☒ SilentMode

☒ Stop on failure

ProjectGroup File <*.bpg>

Delphi Compiler <dcc32.exe>

\$(DELPHI)\Bin\DCC32.EXE

Delphi Version Package Directory

7.0



No.	Project/Package	State	Last Compile Date	IDE Install	File Version	File :

This Demo shows you how to use the Delphi Package Tool.

Let's start with a new Project Group.

Install All

- ☐ Start Delphi when this application closes.
- ☒ SilentMode
- ☒ Stop on failure

ProjectGroup File <*.bpg>

Delphi Compiler <dcc32.exe>

Delphi Version Package Directory

No.	Project/Package	State	Last Compile Date	IDE Install	File Version	File :

Main content area for project details and logs.

Bottom content area, likely for detailed logs or output.

FileToolsSettings

New Project GroupLoad Project GroupEdit Project GroupClose Project GroupInstall All

Exit

☒ stop on failure



ion closes.

ProjectGroup File <*.bpg>

Delphi Compiler <dcc32.exe>
\$(DELPHI)\Bin\DCC32.EXE

Delphi Version Package Directory
7.0

No.	Project/Package	State	Last Compile Date	IDE Install	File Version	File :

File Tools Settings

Install All

- ☐ Start Delphi when this application closes.
- ☒ SilentMode
- ☒ Stop on failure

No.	Project/Package

ProjectGroup File <*.bpg>

Delphi Compiler <dcc32.exe>

Please define a filename for the Package Group file <.bpg>.

Speichern in: package_suffix

Recent
 Desktop
 Eigene Dateien
 Arbeitsplatz
 Netzwerkumgebung

NewPackageGroup.bpg
 ProjectGroup1.bpg

Dateiname: NewPackageGroup

Dateityp: Delphi Package Group(.bpg)

Speichern

Abbrechen

IDE Install	File Version	File

File Tools Settings

Install All

ProjectGroup File <*.bpg>

Delphi Compiler <dcc32.exe>

☐ Start Delphi when this application closes.☒ SilentMode☒ Stop on failure

No.	Project/Package

IDE Install

File Version

File !

Please define a filename for the Package Group file <.bpg>.

Speichern in: package_suffix



Recent



Desktop



Eigene Dateien



Arbeitsplatz



Netzwerkumgebung

- NewPackageGroup.bpg
- ProjectGroup1.bpg

Dateiname:

NewPackageGroup

Dateityp:

Delphi Package Group(.bpg)

Speichern

Abbrechen

Install All

ProjectGroup File <*.bpg>

Delphi Compiler <dcc32.exe>

\$(DELPHI)\BIN\<DCC32.EXE>

- ☐ Start Delphi when this application closes.
- ☒ SilentMode
- ☒ Stop on failure

No.	Project/Package

IDE Install	File Version	File

Please define a filename for the Package Group file <.bpg>.

Speichern in: package_suffix

Recent
 Desktop
 Eigene Dateien
 Arbeitsplatz
 Netzwerkumgebung

NewPackageGroup.bpg

ProjectGroup1.bpg

Dateiname: NewPackageGroup

Dateityp: Delphi Package Group(.bpg)

Speichern Abbrechen

File Tools Settings

Install All

ProjectGroup File <*.bpg>

Delphi Compiler <dcc32.exe>

☐ Start Delphi when this application closes.☒ SilentMode☒ Stop on failure

No.	Project/Package

IDE Install

File Version

File :

Please define a filename for the Package Group file <.bpg>.

Speichern in: package_suffix



Recent

 NewPackageGroup.bpg
 ProjectGroup1.bpg

Enter the name of the Project Group here..

Netzwerkumgebung

Dateiname:

NewPackageGroup

Dateityp:

Delphi Package Group(.bpg)

Speichern

Abbrechen

File Tools Settings

Install All

ProjectGroup File <*.bpg>

Delphi Compiler <dcc32.exe>

☐ Start Delphi when this application closes.☒ SilentMode☒ Stop on failure

No.	Project/Package

IDE Install

File Version

File !

Please define a filename for the Package Group file <.bpg>.

Speichern in: package_suffix



Recent



Desktop



Eigene Dateien



Arbeitsplatz



Netzwerkumgebung

 NewPackageGroup.bpg
 ProjectGroup1.bpg

Dateiname:

test1

Dateityp:

Delphi Package Group(.bpg)

Speichern

Abbrechen

File Tools Settings

Install All

ProjectGroup File <*.bpg>

Delphi Compiler <dcc32.exe>

☐ Start Delphi when this application closes.☒ SilentMode☒ Stop on failure

No.	Project/Package
-----	-----------------

IDE Install

File Version

File !

Please define a filename for the Package Group file <.bpg>.

Speichern in: package_suffix



Recent



Desktop



Eigene Dateien



Arbeitsplatz



Netzwerkumgebung

 NewPackageGroup.bpg
 ProjectGroup1.bpgDateiname: Dateityp: **Speichern****Abbrechen**

Edit file <C:\Projects\DelphiPackageTool\source\test\package_suffix\test1.bpg>



All files

Projects in the Package Group

☐ Start
☒ Silen
☒ Stop

No.



Select the directory containing
the packages and projects you
are looking for.



Find



Abort Search



Save



Save As



Cancel

All files

Projects in the Package Group

☐ Start
☒ Silen
☒ Stop

No.

File :

Select Directory

Directory Name:

C:\Projects\DelphiPackageTool\source\test\package_suffix

Directories:

C:\
 Projects
 DelphiPackageTool
 source
 test
 package_suffix

Files: (*.*)

designtimepackage.~dpk
 designtimepackage.cfg
 designtimepackage.dcu
 designtimepackage.dof
 designtimepackage.dpk
 designtimepackage.res
 NewPackageGroup.bpg

Drives:

c: []

OK

Cancel

Find

Abort Search

Save

Save As

Cancel

Edit file <C:\Projects\DelphiPackageTool\source\test\package_suffix\test1.bpg>



All files

C:\Projects\DelphiPackageTool\source\test\package_suffix\designtimepackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\NormalPackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\PackageWithSuffix.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\Project1.dpr
C:\Projects\DelphiPackageTool\source\test\package_suffix\runtimepackage.dpk

Projects in the Package Group



The list box shows all .dpr and .dpk files of the directory and all its subdirectories. Select now the packages and projects you want to take into your project group.



Find



Abort Search



Save



Save As



Cancel

Edit file <C:\Projects\DelphiPackageTool\source\test\package_suffix\test1.bpg>



All files

C:\Projects\DelphiPackageTool\source\test\package_suffix\designtimepackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\NormalPackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\PackageWithSuffix.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\Project1.dpr
C:\Projects\DelphiPackageTool\source\test\package_suffix\runtimepackage.dpk

☐ Start
☒ Silen
☒ Stop

No.

Projects in the Package Group



Find



Abort Search



Save



Save As



Cancel

```
C:\Projects\DelphiPackageTool\source\test\package_suffix\designtimepackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\NormalPackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\PackageWithSuffix.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\Project1.dpr
C:\Projects\DelphiPackageTool\source\test\package_suffix\runtimepackage.dpk
```

[illegible]

 Abort Search

 Save As

 Cancel

Edit file <C:\Projects\DelphiPackageTool\source\test\package_suffix\test1.bpg>



All files

C:\Projects\DelphiPackageTool\source\test\package_suffix\designtimepackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\NormalPackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\PackageWithSuffix.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\Project1.dpr
C:\Projects\DelphiPackageTool\source\test\package_suffix\runtimepackage.dpk

☐ Start
☒ Silen
☒ Stop

No.

Projects in the Package Group



Find



Abort Search



Save



Save As



Cancel

File Tools Settings

ProjectGroup File <*.bpg>

Edit file <C:\Projects\DelphiPackageTool\source\test\package_suffix\test1.bpg>



All files

C:\Projects\DelphiPackageTool\source\test\package_suffix\designtimepackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\NormalPackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\PackageWithSuffix.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\Project1.dpr
C:\Projects\DelphiPackageTool\source\test\package_suffix\runtimepackage.dpk

Projects in the Package Group

C:\Projects\DelphiPackageTool\source\test\package_suffix\designtimepackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\NormalPackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\PackageWithSuffix.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\Project1.dpr
C:\Projects\DelphiPackageTool\source\test\package_suffix\runtimepackage.dpk



Find



Abort Search



Save



Save As



Cancel

File Tools Settings

ProjectGroup File <*.bpg>

Edit file <C:\Projects\DelphiPackageTool\source\test\package_suffix\test1.bpg>



All files

C:\Projects\DelphiPackageTool\source\test\package_suffix\designtimepackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\NormalPackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\PackageWithSuffix.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\Project1.dpr
C:\Projects\DelphiPackageTool\source\test\package_suffix\runtimepackage.dpk

☐ Start
☒ Silen
☒ Stop

No.

Projects in the Package Group

C:\Projects\DelphiPackageTool\source\test\package_suffix\designtimepackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\NormalPackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\PackageWithSuffix.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\Project1.dpr
C:\Projects\DelphiPackageTool\source\test\package_suffix\runtimepackage.dpk



You can now re-arrange the order of the projects and packages by using drag&drop.



Find



Abort Search



Save



Save As



Cancel

Edit file <C:\Projects\DelphiPackageTool\source\test\package_suffix\test1.bpg>



All files

C:\Projects\DelphiPackageTool\source\test\package_suffix\designtimepackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\NormalPackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\PackageWithSuffix.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\Project1.dpr
C:\Projects\DelphiPackageTool\source\test\package_suffix\runtimepackage.dpk

Projects in the Package Group

C:\Projects\DelphiPackageTool\source\test\package_suffix\designtimepackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\NormalPackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\PackageWithSuffix.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\runtimepackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\Project1.dpr



Find



Abort Search



Save



Save As



Cancel

File Tools Settings

ProjectGroup File <*.bpg>

Edit file <C:\Projects\DelphiPackageTool\source\test\package_suffix\test1.bpg>



All files

C:\Projects\DelphiPackageTool\source\test\package_suffix\designtimepackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\NormalPackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\PackageWithSuffix.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\Project1.dpr
C:\Projects\DelphiPackageTool\source\test\package_suffix\runtimepackage.dpk

Projects in the Package Group

C:\Projects\DelphiPackageTool\source\test\package_suffix\designtimepackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\NormalPackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\PackageWithSuffix.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\runtimepackage.dpk
C:\Projects\DelphiPackageTool\source\test\package_suffix\Project1.dpr



Find



Abort Search



Save



Save As



Cancel

Install All

ProjectGroup File <*.bpg>
 ..\source\test\package_suffix\test1.bpg

Delphi Compiler <dcc32.exe>
 \${DELPHI}\Bin\DCC32.EXE

Delphi Version Package Directory
 7.0 \${DELPHI}\Projects\bpl

☐ Start Delphi when this appli...

☒ SilentMode

☒ Stop on failure

Now press "Install All". The packages will be installed into the Delphi IDE and all the projects will be compiled.

No.		State	Last Compile Date	IDE Install	File Version	File
1						
2						
3	PackageWithSuffix.dpk					
4	runtimepackage.dpk					
5	Project1.dpr					

Large empty text area for logs or output.

File Tools Settings



ProjectGroup File <*.bpg>

..\source\test\package_suffix\test1.bpg

Delphi Compiler <dcc32.exe>

\$(DELPHI)\Bin\DCC32.EXE

Delphi Version Package Directory

7.0



\$(DELPHI)\Projects\bpl

☐ Start Delphi when this application closes.

☒ SilentMode

☒ Stop on failure

No.	Project/Package	State	Last Compile Date	IDE Install	File Version	File :
1	designtimepackage.dpk	Compiling...				
2	NormalPackage.dpk					
3	PackageWithSuffix.dpk					
4	runtimepackage.dpk					
5	Project1.dpr					

Uninstalled Package <C:\Projects\DelphiPackageTool\source\test\package_suffix\designtimepackage.dpk>.

Compiling Project <C:\Programme\Borland\Delphi7\Projects\bpl\designtimepackage.bpl>. Please wait...

File Tools Settings

Install All

ProjectGroup File <*.bpg>

..\source\test\package_suffix\test1.bpg

Delphi Compiler <dcc32.exe>

\$(DELPHI)\Bin\DCC32.EXE

Delphi Version Package Directory

7.0



\$(DELPHI)\Projects\bpl

☐ Start Delphi when this application closes.

☒ SilentMode

☒ Stop on failure

No.	Project/Package	State	Last Compile Date	IDE Install	File Version	File :
1	designtimepackage.dpk	Compiled ok!	4/24/2006 7:02:54 PM	Current User/All Users	1.0.0.0	0.00
2	NormalPackage.dpk	Compiling...				
3	PackageWithSuffix.dpk					
4	runtimepackage.dpk					
5	Project1.dpr					

Compiling Project <C:\Programme\Borland\Delphi7\Projects\bpl\designtimepackage.bpl>. Please wait...

Borland Delphi Version 15.0

Copyright (c) 1983,2002 Borland Software Corporation

34 Zeilen, 0.12 Sekunden, 628 Bytes Code, 61 Bytes Daten.

Installed Package <C:\Projects\DelphiPackageTool\source\test\package_suffix\designtimepackage.dpk>.

Uninstalled Package <C:\Projects\DelphiPackageTool\source\test\package_suffix\NormalPackage.dpk>.

Compiling Project <C:\Programme\Borland\Delphi7\Projects\bpl\NormalPackage.bpl>. Please wait...

File Tools Settings

InstaAll

ProjectGroup File <*.bpg>

..\source\test\package_suffix\test1.bpg

Delphi Compiler <dcc32.exe>

\$(DELPHI)\Bin\DCC32.EXE

Delphi Version Package Directory

7.0



\$(DELPHI)\Projects\bpl

☐ Start Delphi when this application closes.

☒ SilentMode

☒ Stop on failure

No.	Project/Package	State	Last Compile Date	IDE Install	File Version	File :
1	designtimepackage.dpk	Compiled ok!	4/24/2006 7:02:54 PM	Current User/All Users	1.0.0.0	0.00
2	NormalPackage.dpk	Compiled ok!	4/24/2006 7:02:54 PM	Current User/All Users	1.0.0.2	0.00
3	PackageWithSuffix.dpk	Compiling...				
4	runtimepackage.dpk					
5	Project1.dpr					

Compiling Project <C:\Programme\Borland\Delphi7\Projects\bpl\NormalPackage.bpl>. Please wait...

Borland Delphi Version 15.0

Copyright (c) 1983,2002 Borland Software Corporation

33 Zeilen, 0.09 Sekunden, 628 Bytes Code, 61 Bytes Daten.

Installed Package <C:\Projects\DelphiPackageTool\source\test\package_suffix\NormalPackage.dpk>.

Uninstalled Package <C:\Projects\DelphiPackageTool\source\test\package_suffix\PackageWithSuffix.dpk>.

Compiling Project <C:\Programme\Borland\Delphi7\Projects\bpl\PackageWithSuffix.bpl>. Please wait...

File Tools Settings

InstaAll

ProjectGroup File <*.bpg>

..\source\test\package_suffix\test1.bpg

Delphi Compiler <dcc32.exe>

\$(DELPHI)\Bin\DCC32.EXE

Delphi Version Package Directory

7.0



\$(DELPHI)\Projects\bpl

☐ Start Delphi when this application closes.

☒ SilentMode

☒ Stop on failure

No.	Project/Package	State	Last Compile Date	IDE Install	File Version	File :
1	designtimepackage.dpk	Compiled ok!	4/24/2006 7:02:54 PM	Current User/All Users	1.0.0.0	0.00
2	NormalPackage.dpk	Compiled ok!	4/24/2006 7:02:54 PM	Current User/All Users	1.0.0.2	0.00
3	PackageWithSuffix.dpk	Compiled ok!	4/24/2006 7:02:54 PM	Current User/All Users	1.0.0.2	0.00
4	runtimepackage.dpk	Compiled ok!	4/24/2006 7:02:54 PM	-	1.0.0.0	0.00
5	Project1.dpr	Compiling...				

Uninstalled Package <C:\Projects\DelphiPackageTool\source\test\package_suffix\runtimepackage.dpk>.

Compiling Project <C:\Programme\Borland\Delphi7\Projects\bpl\runtimepackage.bpl>. Please wait...

Borland Delphi Version 15.0

Copyright (c) 1983,2002 Borland Software Corporation

34 Zeilen, 0.01 Sekunden, 628 Bytes Code, 61 Bytes Daten.

Installed Package <C:\Projects\DelphiPackageTool\source\test\package_suffix\runtimepackage.dpk>.

Compiling Project <C:\Projects\DelphiPackageTool\source\test\package_suffix\Project1.exe>. Please wait...

File Tools Settings

Install All

ProjectGroup File <*.bpg>

..\source\test\package_suffix\test1.bpg

Delphi Compiler <dcc32.exe>

\$(DELPHI)\Bin\DCC32.EXE

Delphi Version Package Directory

7.0



\$(DELPHI)\Projects\bpl

☐ Start Delphi when this application closes.

☒ SilentMode

☒ Stop on failure

No.	Project/Package	State	Last Compile Date	IDE Install	File Version	File :
1	designtimepackage.dpk	Compiled ok!	4/24/2006 7:02:54 PM	Current User/All Users	1.0.0.0	0.00
2	NormalPackage.dpk	Compiled ok!	4/24/2006 7:02:54 PM	Current User/All Users	1.0.0.2	0.00
3	PackageWithSuffix.dpk	Compiled ok!	4/24/2006 7:02:54 PM	Current User/All Users	1.0.0.2	0.00
4	runtimepackage.dpk	Compiled ok!	4/24/2006 7:02:54 PM	-	1.0.0.0	0.00
5	Project1.dpr	Compiled ok!	4/24/2006 7:02:55 PM		No Version	0.35

Installed Package <C:\Projects\DelphiPackageTool\source\test\package_suffix\runtimepackage.dpk>.

Compiling Project <C:\Projects\DelphiPackageTool\source\test\package_suffix\Project1.exe>. Please wait...

Borland Delphi Version 15.0

Copyright (c) 1983,2002 Borland Software Corporation

15 Zeilen, 1.25 Sekunden, 312168 Bytes Code, 7421 Bytes Daten.

Rebuilt all <5> projects successfully.

It took <1> seconds to compile all projects.

File Tools Settings

Install All

ProjectGroup File <*.bpg>
..\source\test\package_suffix\test1.bpg

Delphi Compiler <dcc32.exe>
Install/Re-Install all <.dpk> files. Compile/Re-Compile all projects <.dpr> file.

- ☐ Start Delphi when this application closes.
- ☒ SilentMode
- ☒ Stop on failure

Delphi Version Package Directory
7.0 \$(DELPHI)\Projects\bpl

No.	Project/Package	State	Last Compile Date	IDE Install	File Version	File :
1	designtimepackage.dpk	Compiled ok!	4/24/2006 7:02:54 PM	Current User/All Users	1.0.0.0	0.00
2	NormalPackage.dpk	Compiled ok!	4/24/2006 7:02:54 PM	Current User/All Users	1.0.0.2	0.00
3	PackageWithSuffix.dpk	Compiled ok!	4/24/2006 7:02:54 PM	Current User/All Users	1.0.0.2	0.00
4	runtimepackage.dpk	Compiled ok!	4/24/2006 7:02:54 PM	-	1.0.0.0	0.00
5	Project1.dpr	Compiled ok!	4/24/2006 7:02:55 PM		No Version	0.35

Installed Package <C:\Projects\DelphiPackageTool\source\test\package_suffix\runtimepackage.dpk>.

Compiling Project <C:\Projects\DelphiPackageTool\source\test\package_suffix\Project1.exe>. Please wait...
Borland Delphi Version 15.0
Copyright (c) 1983,2002 Borland Software Corporation
15 Zeilen, 1.25 Sekunden, 312168 Bytes Code, 7421 Bytes Daten.

Rebuilt all <5> projects successfully.
It took <1> seconds to compile all projects.