Dokumentacija

https://aleksandar2002.github.io/bookSpectrum/

Web programiranje 2

1. Uvod

1.1. Korišćeni programski jezici

Korišćeni programski jezici su: HTML, SASS, XML, JavaScript, JSON, Jquery.

1.2. Opis funkcionalnosti

index.html

- Dinamičko ispisani utisci korisnika iz json fajla,
- Slider za utiske korisnika,
- o Dinamičko ispisane informacije o servisima odnosno koje servise kompanija pruža
- o Dinamičko ispisana navigaciona lista
- o Hamburger dugme koje se pojavljuje na manjim uređajima
- Dugme scroll to top , pojavljuje se na 800px i klikom na njega odlazi se na vrh stranice

shop.html

- o Dinamički ispisani artikli iz json fajla prilikom učitavanja strane,
- Dinamički meni,
- Dinamički ispisani checkboxovi za filtiriranje po žanrovima,
- o Filtriranje proizvoda po žanrovima, ceni i popustu,
- Sortiranje proizvoda po ceni , imenu i datumu,
- Klikom na dugme See More otvara se popup sa dodatnim informacijama o tom proizvodu,
- Korpa sa proizvodima; moguće je dodati novi proizvod, obrisati već
 postojeći proizvod iz korpe i promeniti njegovu količinu,

- Lista omiljenih proizvoda , klikom na srce dodaje se proizvod u omiljene i on se može ukloniti
- Prilikom učitavanja stranice uzimaju se proizvodi koje je korisnik poslednji put dodao u korpu iz local storage-a i oni se prikazuju u korpi, to važi i za proizvode u listi omiljenih.

contact.html

- Validacija forme
- o Dinamički ispisan navigacioni meni,
- o Dinamički kreirane dropdown liste za datum rođenja

autor.html


nema nikakvih funkcionalnosti

1.3. Templejt

Za izradu sajta nije korišćen ni jedan templejt

2. Organizacija


2.1. Šema stranica




2.2. Sitemap

```
<?xml version=" Follow link (ctrl + click) 3"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
    <url>
        <loc>https://aleksandar2002.github.io/bookSpectrum/index.html</loc>
        <lastmod>2023-03-15</lastmod>
        <changefreq>daily</changefreq>
        <priority>1.0</priority>
    </url>
    <url>
        <loc>https://aleksandar2002.github.io/bookSpectrum/pages/shop.html</loc>
        <lastmod>2022-12-15</lastmod>
        <changefreq>daily</changefreq>
        <priority>0.93</priority>
    </url>
    <url>
        <loc>https://aleksandar2002.github.io/bookSpectrum/pages/contact.html</loc>
        <lastmod>2022-12-12</lastmod>
        <changefreq>weekly</changefreq>
        <priority>0.86</priority>
    </url>
    <url>
        <loc>https://aleksandar2002.github.io/bookSpectrum/pages/author.html</loc>
        <lastmod>2022-12-10</lastmod>
        <changefreq>weekly</changefreq>
        <priority>0.79</priority>
    </url>
</urlset>
```


2.3. Slike stranica i opis funkcionalnosti Index.html



Ukoliko se klikne na search ili corpu korisink će biti preusmeren na stranicu shop. Navigacija se dinamički ispisuje iz json fajla.




Service info blokovi se dinamički ispisuju iz json fajla.



Dole se može videti strelica ka gore ukoliko se klikne vodi korisnika na vrh strane , Utisci korisnika se dinamički kreiraju iz json fajla , klikom na strelicu u levo ili desno menja se vidljivi blok sa porukom.

Shop.html



Proizvodi se dinamički ispisuju Iz json fajla , kao I filteri za žanrove.Prilikom promene vrednosti u dropdown listi za sortiranje prikazuju se proizvodi u zadatom redosledu.


Ako se čekiraju inputi I popuni cena prilikom klike na dugme filter prikazuju se proizvodi koji zadovoljavaju te uslove.

Kada se gore u polju za pretragu unese neka reč I klikne na dugme za pretragu prikazaće se samo proizvodi koji u svom imenu sadrže zadatu reč.

Klikom na dugme see more otvara se dodatni popup u kome se nalaze detaljnije informacije o proizvodu.


Klikom na dugme sa slikom korpe koje se nalazi kod svakog proizvoda u gornjem uglu dodaće se proizvod u korpu,ukoliko već ne postoji I prikazaće se poruka u zavisnosti od uspešnosti dodavanja.

Kada se klikne na srce tada se proizvod dodaje u listu omiljenih proizvoda.




U korpi je moguće promeniti količinu proizvoda I to će uticati na ukupnu cenu I količinu , proizvodi se mogu I ukloniti iz korpe.

Prilikom učitavanja stranice u korpu se dodaju svi proizvodi koje je korisnik poslednji put dodao (oni se čuvaju u local storage-u), takođe to važi i za listu omiljenih proizvoda.



Klikom na remove proizvod se uklanja iz liste omiljenih proizvoda.

Contact.html



	Contact Form
First name	Last name
Email	
Password	• Confirm password
Date of Birth	
Year 🕶	Month ▼ Day ▼
Gender	
O Male	○ Female
Message	

Postoji validacija forme urađena pomoću regularnih izraza, obavezno je popuniti svako polje izabrati datum rodjenja pol I složiti se sa uslovima kompanije. Ukoliko su podaci validni pojavljuje se poruka o uspešnosti.

3. Kod

Index.html

```
<!DOCTYPE html>
 <html lang="en">
         <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
         <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
         <meta name="description" content="BookSpectrum is a bookstore that offers customers books of various genres adapted
to all customers."/>
         <meta name="keywords" content="Books, Office, store, Company, Cheap, online shopping, Various genres"/>
         <link rel="shortcut icon" href="assets/images/favicon.png" type="image/png">
         <link rel="stylesheet" href="assets/css/style.css"/>
         <link rel="stylesheet" href="assets/css/responsive.css"/>
         link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuC0mLASjC"
crossorigin="anonymous"/>
         <link rel="preconnect" href="https://fonts.googleapis.com"/>
         k rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
         k ref="https://fonts.googleapis.com/css2?family=Work+Sans:wght@300;400;500&display=swap"
rel="stylesheet"/>
         <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.6.3/jquery.min.js" integrity="sha512-</pre>
STof4xm1wgkfm7heWqFJVn58Hm3EtS31XFaagaa8VMReCXAkQnJZ+jEy8PCC/iT18dFy95WcExNHFTqLyp72eQ=="text-align: certain continuous continuous
crossorigin="anonymous" referrerpolicy="no-referrer"></script>
```

```
link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/material-design-iconic-font/2.2.0/css/material-design-
<title>BookSpectrum</title>
 <div class="row secondary-header">
   <div class="wrapper">
     <div class="col col-xxl-9 col-xl-10 col-lg-10 col-md-11 col-sm-9 col-10 contact-info">
       <i class="zmdi zmdi-smartphone-iphone"></i> +381/63/2424/523
       <i class="zmdi zmdi-email"></i> aleksandar.kovacevic.27.21@ict.edu.rs
       <i class="zmdi zmdi-pin"></i> Zdravka Čelara 16, Beograd
     <div class="col col-xxl-3 col-xl-2 col-lg-2 col-md-1 col-sm-3 col-2 cart-fav">
       <button id="cartBtn">
        <i class="zmdi zmdi-shopping-cart"></i>
        <span class="productNumber">0</span>
       <button id="favBtn">
        <span class="productNumber">0</span>
 <div class="row main-header">
   <div class="wrapper flex-wrap">
     <div class="col col-lg-2 col-md-2 col-sm-2 col-2 logo">
       <a href="index.html"><img src="assets/images/logo.png" alt="Logo"/></a>
     <div class="col col-lg-6 col-md-3 navigation">
        <button class="closeNav"><i class="zmdi zmdi-close"></i></button>
```

```
<div class="col col-lg-4 col-md-6 col-sm-6 col-10 search">
         <input type="text" name="txbSearch" id="searchTxb" placeholder="Search for books..."/>
     <div class="col col-lg-2 col-md-2 col-sm-2 col-12 hamburgerBtn">
<div id="main">
 <div id="banner">
   <div id="banner-image" class="homeBanner">
     <div id="banner-layer"></div>
   <div id="banner-text">
     <h1>BookSpectrum</h1>
     <h3>Today a reader, tomorrow a leader</h3>
     <a href="#company-info">READ MORE</a>
   <div id="main-image" class="col col-lg-6 col-md-6 col-sm-12 col-12">
     <div class="layer"></div>
```

```
<div id="info-text-secondaryImage" class="col col-lg-6 col-md-6 col-sm-12 col-12">
 <div class="text">
   <h2>Who are we?</h2>
    We are a company that sells high-quality books. We have a long tradition of
     successful business with a very small number of dissatisfied customers.
   Our goal is to satisfy all age groups, whether they are children or adults.
     We sell books of various genres, from science fiction to thrillers.
   <a href="">READ MORE</a>
 <div id="secondary-image">
<h2>Service info</h2>
<div class="row service-blocks">
<h2>Customer impressions</h2>
<div class="row wrapper">
<div id="next" class="arrows">
   <i class="zmdi zmdi-chevron-right"></i>
```

```
<div id="prev" class="arrows">
 <button id="prevBtn">
<div class="col col-lg-4 col-md-6 col-sm-12 col-12">
 <h3>Navigation links</h3>
   <div class="col col-lg-4 col-md-6 col-sm-12 col-12">
 <h3>Useful links</h3>
 <nav class="footer-menu">
   <a href="documentation.pdf">Documentation</a>
    <a href="sitemap.xml">Sitemap</a>
    <a href="rss.xml">RSS feed</a>
    <a href="assets/js/app.js">Main.js</a>
<div class="col col-lg-4 col-md-12 col-sm-12 col-12 last">
   <h3>Newsletter</h3>
   <hr class="line"/>
```

```
<div id="subscribe">
      <div class="row copyright">
   <div class="col col-lg-12">
     Copyright @ BookSpectrum 2023
   <i class="zmdi zmdi-chevron-up"></i>
   <i class="zmdi zmdi-chevron-up"></i>
   <i class="zmdi zmdi-chevron-up"></i>
<div class="preloader">
 <div class="content">
   <img src="assets/images/s5.gif" alt="Preloader"/>
<div class="ajaxErrorMessage">
   <button id="closePopupBtn"><i class="zmdi zmdi-close"></i></button>
<script src="assets/js/app.js"></script>
```

Shop.html

```
<!DOCTYPE html>
 <html lang="en">
        <meta charset="UTF-8"/>
        <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
        <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
         <meta name="description" content="BookSpectrum is a bookstore that offers customers books of various genres adapted
         <meta name="keywords" content="Books, Office, store, Company, Cheap, online shopping, Various genres"/>
        <link rel="shortcut icon" href="../assets/images/favicon.png" type="image/png">
        <link rel="stylesheet" href="../assets/css/style.css"/>
        <link rel="stylesheet" href="../assets/css/responsive.css"/>
         link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
        <link rel="preconnect" href="https://fonts.googleapis.com"/>
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
         <link href="https://fonts.googleapis.com/css2?family=Work+Sans:wght@300;400;500&display=swap"</pre>
rel="stylesheet"/>
        <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.6.3/jquery.min.js" integrity="sha512-</pre>
STof4xm1wgkfm7heWqFJVn58Hm3EtS31XFaagaa8VMReCXAkQnJZ+jEy8PCC/iT18dFy95WcExNHFTqLyp72eQ=="
crossorigin="anonymous" referrerpolicy="no-referrer"></script>
         link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0/css/material-design-iconic-font/2.2.0
         <title>BookSpectrum</title>
```

```
<div class="row secondary-header">
   <div class="col col-xxl-9 col-xl-10 col-lg-10 col-md-11 col-sm-9 col-10 contact-info">
     <i class="zmdi zmdi-smartphone-iphone"></i> +381/63/2424/523
     <i class="zmdi zmdi-email"></i> aleksandar.kovacevic.27.21@ict.edu.rs
     <i class="zmdi zmdi-pin"></i> Zdravka Čelara 16, Beograd
   <div class="col col-xxl-3 col-xl-2 col-lg-2 col-md-1 col-sm-3 col-2 cart-fav">
     <button id="cartBtn">
      <i class="zmdi zmdi-shopping-cart"></i>
       <span class="productNumber">0</span>
     <button id="favBtn">
      <span class="productNumber">0</span>
<div class="row main-header">
 <div class="wrapper flex-wrap">
   <div class="col col-lg-2 col-md-2 col-sm-2 col-2 logo">
     <\!\!a\,href="../index.html"><\!\!img\,src="../assets/images/logo.png"\,alt="Logo"/><\!/a>
   <div class="col col-lg-6 col-md-3 navigation">
      <div class="col col-lg-4 col-md-6 col-sm-6 col-10 search">
     <form action="" method="GET">
      <input type="text" name="txbSearch" id="searchTxb" placeholder="Search for books..."/>
```

```
<button id="searchBtn"><i class="zmdi zmdi-search"></i></button>
     <div class="col col-lg-2 col-md-2 col-sm-2 col-12 hamburgerBtn">
<div id="main">
 <div class="wrapper">
   <div id="shop" class="row">
     <div class="filter col-xxl-3 col-xl-2 col-lg-3 col-md-5 col-sm-6">
       <form action="" method="POST">
        <h2>Filter</h2>
     <section class="books col col-xxl-9 col-xl-10 col-lg-9 col-md-12">
       <article class="sectionHeader">
         <h1><span>0</span>ur <span>P</span>roducts</h1>
         <select name="ddlSort" id="ddlSort">
          <option value="0">Chose Sorting Type</option>
           <option value="sortBy" disabled>Sort By:</option>
           <option value="priceAsc">Price Low-High</option>
           <option value="priceDesc">Price High-Low</option>
          <option value="titleAsc">Title A-Z</option>
          <option value="titleDesc">Title Z-A</option>
           <option value="new">Newest</option>
       There is no books for your search or filter
```

```
<div class="seeMore-outer">
   <div class="seeMore-content row">
<div class="col col-lg-4 col-md-6 col-sm-12 col-12">
 <h3>Navigation links</h3>
 <nav class="footer-menu">
   <div class="col col-lg-4 col-md-6 col-sm-12 col-12">
 <h3>Useful links</h3>
 <nav class="footer-menu">
   <a href="../documentation.pdf">Documentation</a>
    <a href="../sitemap.xml">Sitemap</a>
    <a href="../rss.xml">RSS feed</a>
     <div class="col col-lg-4 col-md-12 col-sm-12 col-12 last">
 <div id="newsletter">
   <h3>Newsletter</h3>
   <hr class="line"/>
    <input type="text" name="txbNewsletter" id="txbNewsletter" placeholder="Enter mail for newsletter"/>
    <button id="newletterBtn"><i class="zmdi zmdi-arrow-right"></i></button>
```

```
<div class="row copyright">
    Copyright @ BookSpectrum 2023
<div class="popupCartFav">
 <div class="popup-content">
         Image
         Price
         Quantity
         Delete
    <p class="empty">There is no item in the cart</p>
      Total Price: <span id="totalPrice">0</span>RSD
      Number of products: <span id="numberOfProducts">0</span>
      <button id="buyBtn">Buy Products/button>
```

```
<h2>Favourites</h2>
     <div class="fav-products">
     There is no favourite products
   <button id="closePopupBtn"><i class="zmdi zmdi-close"></i></button>
   <h4>You successfully bought item from the cart!</h4>
   <button class="closePopupMessage"><i class="zmdi zmdi-close"></i></button>
   <i class="zmdi zmdi-chevron-up"></i>
   <i class="zmdi zmdi-chevron-up"></i>
<div class="preloader">
 <div class="content">
   <img src="../assets/images/s5.gif" alt="Preloader"/>
<div class="addToCartMessagePopup">
 <div class="content">
   <button id="closePopupBtn"><i class="zmdi zmdi-close"></i></button>
<div class="ajaxErrorMessage">
 <div class="content">
```

Contact.html

```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8"/>
   <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
   <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
   <meta name="description" content="BookSpectrum is a bookstore that offers customers books of various genres adapted
to all customers."/>
   <meta name="keywords" content="Books, Office, store, Company, Cheap, online shopping, Various genres"/>
   <link rel="shortcut icon" href="../assets/images/favicon.png" type="image/png">
   <link rel="stylesheet" href="../assets/css/responsive.css"/>
   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet"</pre>
integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuC0mLASjC"
crossorigin="anonymous"/>
   <link rel="preconnect" href="https://fonts.googleapis.com"/>
   k rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
   <link href="https://fonts.googleapis.com/css2?family=Work+Sans:wght@300;400;500&display=swap"</pre>
   <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.6.3/jquery.min.js" integrity="sha512-</pre>
STof4xm1wgkfm7heWqFJVn58Hm3EtS31XFaagaa8VMReCXAkQnJZ+jEy8PCC/iT18dFy95WcExNHFTqLyp72eQ=="
crossorigin="anonymous" referrerpolicy="no-referrer"></script>
```

```
link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/material-design-iconic-font/2.2.0/css/material-design-
<title>BookSpectrum</title>
       <div class="row secondary-header">
              <div class="wrapper">
                      <div class="col col-xxl-9 col-xl-10 col-lg-10 col-md-11 col-sm-9 col-10 contact-info">
                             <i class="zmdi zmdi-smartphone-iphone"></i> +381/63/2424/523
                             <\!\!\mathrm{p}\;\mathrm{class} = "email"><\!\!\mathrm{i}\;\mathrm{class} = "zmdi\;zmdi-email"><\!\!/\mathrm{i}>\;\mathrm{aleksandar.kovacevic.27.21@ict.edu.rs}<\!/\mathrm{p}>\;\mathrm{class} = "email"><\!\!\mathrm{i}\;\mathrm{class} = "email"><\!\!\mathrm{i}\;\mathrm{class} = "zmdi\;zmdi-email"><\!\!\mathrm{i}\;\mathrm{class} = "zmdi-email"><\!\!\mathrm{i}\;\mathrm{class} = "zmdi-email"><\!\!\mathrm{i}\;\mathrm{clas
                             <i class="zmdi zmdi-pin"></i> Zdravka Čelara 16, Beograd
                      <div class="col col-xxl-3 col-xl-2 col-lg-2 col-md-1 col-sm-3 col-2 cart-fav">
                             <button id="cartBtn">
                                    <i class="zmdi zmdi-shopping-cart"></i>
                                    <span class="productNumber">0</span>
                                    <span class="productNumber">0</span>
        <div class="row main-header">
              <div class="wrapper flex-wrap">
                     <div class="col col-lg-2 col-md-2 col-sm-2 col-2 logo">
                             <a href="../index.html"><img src="../assets/images/logo.png" alt="Logo"/></a>
                      <div class="col col-lg-6 col-md-3 navigation">
```

```
<button class="closeNav"><i class="zmdi zmdi-close"></i></button>
     <div class="col col-lg-4 col-md-6 col-sm-6 col-10 search">
     <div class="col col-lg-2 col-md-2 col-sm-2 col-12 hamburgerBtn">
<div id="main">
 <div id="banner">
     <div id="banner-layer"></div>
     <h1>BookSpectrum</h1>
     <h3 class="lh-base my-2">If you have any message for us ,<br/> just fill out the form below</h3>
     <a href="#contactForm">FILL OUT</a>
 <div class="contactForm">
   <form action="" method="POST" id="contactForm">
     <h2>Contact Form</h2>
     <hr class="line">
     <div class="formRow">
       <div class="formField">
         <label for="fName">First name
         <input type="text" name="fName" id="fName"/>
```

```
<div class="formField">
           <input type="text" name="lName" id="lName"/>
        Wrong format of first name, example: John
        Wrong format of last name, example: Doe
        <div class="formRow">
         <div class="formField email">
           <label for="email">Email</label>
        Wrong format of email, example john123@gmail.com (or yahoo.com)
        <div class="formRow">
         <div class="formField">
           <label for="password">Password</label>
           <input type="password" name="password" id="password"/>
         <div class="formField">
           <label for="confirmPass">Confirm password</label>
           <input type="password" name="confirmPass" id="confirmPass"/>
           <button class="hideShowBtn"><i class="zmdi zmdi-eye"></i></button>
        Wrong password format, must contain 4 numbers ,one small letter, and one big letter and
min number of characters is 8
        Value of fields password and confirm password are not the same
        <label class="outerLabel">Date of Birth</label>
        <div class="formRow">
         <div class="formField">
           <select name="year" id="year">
```

```
<div class="formField">
           <select name="month" id="month">
             <option value="0">Month</option>
          <div class="formField">
           <select name="day" id="day">
             <option value="0">Day</option>
        Please select your date of birth
        <label class="outerLabel">Gender</label>
        <div class="formRow">
          <div class="formField d-flex align-items-center justify-content-start">
            <input type="radio" name="gender" id="m" value="m"/>
            Male
          <div class="formField d-flex align-items-center justify-content-start">
           <input type="radio" name="gender" id="f" value="f"/>
            Female
        Please select one gender
        <label class="outerLabel">Message</label>
        <div class="formRow">
           <textarea name="message" id="message" cols="30" rows="2"></textarea>
        Message need to have atleast 8 characters, need to start with capital letter and can contain
letters, numbers and symbols [., -, /, space]
        <div class="formRow">
          <div class="formField terms d-flex align-items-center justify-content-start">
            <input type="checkbox" name="terms" id="terms" value="yes"/>
            Do you agree with the terms of service
```

```
You need to accept the terms if you want to send a message
 <div class="btns">
 Some fields are empty, Please fill them to send a message
<div class="col col-lg-4 col-md-6 col-sm-12 col-12">
 <h3>Navigation links</h3>
 <nav class="footer-menu">
   <div class="col col-lg-4 col-md-6 col-sm-12 col-12">
 <h3>Useful links</h3>
 <nav class="footer-menu">
   <a href="../documentation.pdf">Documentation</a>
    <a href="../sitemap.xml">Sitemap</a>
    <a href="../rss.xml">RSS feed</a>
    <a href="../assets/js/app.js">Main.js</a>
<div class="col col-lg-4 col-md-12 col-sm-12 col-12 last">
   <h3>Newsletter</h3>
   <hr class="line"/>
   <div id="subscribe">
```

```
<div class="row copyright">
   <div class="col col-lg-12">
     Copyright @ BookSpectrum 2023
<div id="submitedForm">
 <div class="content">
   <h4>Your form data has been successfully submitted</h4>
<div id="toTop">
   <i class="zmdi zmdi-chevron-up"></i>
   <i class="zmdi zmdi-chevron-up"></i>
<div class="preloader">
 <div class="content">
   <img src="../assets/images/s5.gif" alt="Preloader"/>
<div class="ajaxErrorMessage">
 <div class="content">
```

Author.html

```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8"/>
   <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
   <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
   <meta name="description" content="BookSpectrum is a bookstore that offers customers books of various genres adapted
to all customers."/>
   <meta name="keywords" content="Books, Office, store, Company, Cheap, online shopping, Various genres"/>
   <link rel="shortcut icon" href="../assets/images/favicon.png" type="image/png">
   <link rel="stylesheet" href="../assets/css/responsive.css"/>
   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet"</pre>
integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuC0mLASjC"
crossorigin="anonymous"/>
   <link rel="preconnect" href="https://fonts.googleapis.com"/>
   k rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
   <link href="https://fonts.googleapis.com/css2?family=Work+Sans:wght@300;400;500&display=swap"</pre>
   <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.6.3/jquery.min.js" integrity="sha512-</pre>
STof4xm1wgkfm7heWqFJVn58Hm3EtS31XFaagaa8VMReCXAkQnJZ+jEy8PCC/iT18dFy95WcExNHFTqLyp72eQ=="
crossorigin="anonymous" referrerpolicy="no-referrer"></script>
```

```
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/material-design-iconic-font/2.2.0/css/material-design-</pre>
<title>BookSpectrum</title>
      <div class="row secondary-header">
             <div class="wrapper">
                    <div class="col col-xxl-9 col-xl-10 col-lg-10 col-md-11 col-sm-9 col-10 contact-info">
                          <i class="zmdi zmdi-smartphone-iphone"></i> +381/63/2424/523
                          <\!\!\mathrm{p}\;\mathrm{class} = "email"><\!\!\mathrm{i}\;\mathrm{class} = "zmdi\;zmdi-email"><\!\!/\mathrm{i}>\;\mathrm{aleksandar}.\\ \mathrm{kovacevic.27.21@ict.edu.rs}<\!/\mathrm{p}>\;\mathrm{class} = "email"><\!\!\mathrm{class} = "email"><\!\!\mathrm{class} = "zmdi\;zmdi-email"><\!\!\mathrm{class} = "email"><\!\!\mathrm{class} = "zmdi\;zmdi-email"><\!\!\mathrm{class} = "zmdi-email"><\!\!\mathrm{class} = "zmdi-email"><\!\!\mathrm{cl
                          <i class="zmdi zmdi-pin"></i> Zdravka Čelara 16, Beograd
                    <div class="col col-xxl-3 col-xl-2 col-lg-2 col-md-1 col-sm-3 col-2 cart-fav">
                          <button id="cartBtn">
                                <i class="zmdi zmdi-shopping-cart"></i>
                                 <span class="productNumber">0</span>
                           <button id="favBtn">
                                 <span class="productNumber">0</span>
       <div class="row main-header">
             <div class="wrapper flex-wrap">
                   <div class="col col-lg-2 col-md-2 col-sm-2 col-2 logo">
                          <a href="../index.html"><img src="../assets/images/logo.png" alt="Logo"/></a>
                    <div class="col col-lg-6 col-md-3 navigation">
```

```
<button class="closeNav"><i class="zmdi zmdi-close"></i></button>
          <div class="col col-lg-4 col-md-6 col-sm-6 col-10 search">
              <input type="text" name="txbSearch" id="searchTxb" placeholder="Search for books..."/>
          <div class="col col-lg-2 col-md-2 col-sm-2 col-12 hamburgerBtn">
   <div id="main">
      <div class="row author wrapper">
       <div class="col col-lg-5 col-md-12 col-xs-12 col-12">
          <img src="../assets/images/author.jpg" alt="Author image"/>
        <div class="col col-lg-7 col-md-12 col-xs-12 col-12">
          <h2>Aleksandar Kovačević 27/21</h2>
          <\!\!p\!>\!\!Hi\ , my\ name\ is\ Aleksandar\ and\ I\ am\ beginner\ in\ web\ development.\ I\ started\ coding\ a\ couple\ years\ ago\ ,\ and\ I\ am\ beginner\ in\ web\ development.
constantly trying to improve my skills by doing some projects and learning new things.
          <a href="https://aleksandar2002.github.io/-portfolio/">Portfolio</a>
        <div class="col col-lg-4 col-md-6 col-sm-12 col-12">
          <h3>Navigation links</h3>
          <hr class="line"/>
          <nav class="footer-menu">
```

```
<h3>Useful links</h3>
  <nav class="footer-menu">
    <a href="../documentation.pdf">Documentation</a>
     <a href="../sitemap.xml">Sitemap</a>
     <a href="../rss.xml">RSS feed</a>
     <div class="col col-lg-4 col-md-12 col-sm-12 col-12 last">
  <div id="newsletter">
    <h3>Newsletter</h3>
<div class="row copyright">
 <div class="col col-lg-12">
  Copyright @ BookSpectrum 2023
```

Style.scss

```
$turquoise: #0BFCDC;
$purple: #6138df;
// $white: #F3EFF5;
$white: #F6efe;
$blue:#06BCC1;
$black: #2F2D2E;
@mixin flexbox{
    display: flex;
    justify-content: space-between;
    align-items: center;
}
@mixin flexcol{
    display: flex;
    justify-content: space-between;
    align-items: center;
}
```

```
transition: .23s ease-in-out;
 margin: 0;
 box-sizing: border-box;
  padding: 0;
html{
    font-family: 'Work Sans', sans-serif;
   background-color: $white;
    scroll-behavior: smooth;
     margin: 0;
     padding: 0;
        padding: 0;
      list-style-type: none;
      text-decoration: none;
        margin: 0;
        @include flexbox();
       justify-content: center;
          @include transition();
           background-color: $purple;
```

Aleksandar Kovacevic

```
transform: scale(1.15);
      color: $purple;
      padding: 5px 12px;
      font-size: 1.1rem;
      @include transition();
      border-radius: 4px;
border-radius: 5px;
height: 5px;
background-color: $white;
opacity: 1;
margin-bottom: 40px;
outline: none;
border: none;
width: 70%;
margin: 0 auto;
```

```
position: relative;
z-index: 10;
box-shadow: 10px 0 10px $purple;
background-color: $white;
  .wrapper{
    display: flex;
   justify-content: space-between;
        @include flexbox();
        justify-content: flex-start;
          display: inline;
          margin: 0 10px;
          font-size: .86rem;
            margin-right: 5px;
            font-size: .9rem;
        @include flexbox();
        justify-content: flex-end;
          position: relative;
          background-color: transparent;
          padding: 5px;
          margin: 0 5px;
          @include transition();
            color: $purple;
```

```
background-color: $purple;
      height: 15px;
      font-size: .7rem;
      justify-content: center;
      position: absolute;
      border-radius: 50%;
      top: 2px;
      right: -3px;
&.logo{
      transition: .3s ease-in-out;
      width: 86px;
&.navigation, &.search{
  @include flexbox();
  justify-content: center;
  .closeNav{
    display: none;
    color: $purple;
    font-size: 1.6rem;
    background-color: transparent;
    position: absolute;
    top: 1%;
    height: 30px;
    right: 3%;
```

Aleksandar Kovacevic

```
margin: 0 3px;
::placeholder {
  opacity: .8;
  font-weight: 300;
@include flexbox();
justify-content: center;
  border: 1px solid $purple;
  background-color: $purple;
  @include transition();
  padding: 8px 12px;
  border-radius: 15px 0 0 15px;
    background-color: $white;
    color: $purple;
  border-left: none;
  border-radius: 0 15px 15px 0;
    background-color: $white;
    color: $purple;
    font-size: 20px;
```

```
justify-content: flex-end;
&.hamburgerBtn{
 display: none;
   padding: 7px 10px;
   border-radius: 5px;
   background-color: $white;
   border: 1px solid $purple;
   width: 40px;
   height: 40px;
     background-color: $purple;
     margin: 4px 0;
     height: 2px;
     border-radius: 3px;
     transition: .4s ease-in-out;
       transform: translateX(-100px);
       opacity: 0;
       transform: translateY(-6px) rotate(-45deg);
       transform: translateY(6px) rotate(45deg);
```

```
padding: 8px 0;
 background-color: $blue;
width: 100%;
height: 720px;
#banner-image{
 height: 100%;
 background:url('../images/homePage/headImg.jpg');
 background-position: bottom;
 background-repeat: no-repeat;
 background-size: cover;
   background: url('../images/contact/cont3.jpg');
   background-position: left;
   width: 100%;
   height: 100%;
   background-color: rgba(97, 56, 223,.3);
 position: absolute;
 bottom: 25%;
 left: 10%;
```

```
@include flexcol();
align-items: flex-start;
  font-size: 4.8rem;
  font-weight: 600;
  font-size: 2.46rem;
  position: relative;
  font-size: 1.156rem;
  border: 2px solid $blue;
  background-color: transparent;
  padding: 8px 14px;
  margin-top: 20px;
  z-index: 1;
  overflow: hidden;
  border-radius: 4px;
   height: 100%;
   position: absolute;
   left: 50%;
    top: 0;
   background-color: $blue;
    z-index: -1;
   left: 0;
```

```
#company-info{
 height: 1000px;
   overflow: hidden;
 #main-image, #secondary-image{
   position: relative;
   background-position: center;
   background-size: cover;
   background-repeat: no-repeat;
   &>.layer{
     width: 100%;
     height: 100%;
     position: absolute;
     background-color: rgba(97, 56, 223, 21);
 #main-image{
   background-image: url('../images/homePage/mainImage.jpg');
   background-position: top;
 #info-text-secondaryImage{
   height: 100%;
   width: 50%;
     height: 60%;
     padding: 130px 40px 40px 40px;
     @include flexcol();
     justify-content: flex-start;
       font-size: 2.5rem;
       margin-bottom: 30px;
       color: $purple;
```

```
max-width: 540px;
      color: rgba(97, 56, 223, .83);
      font-size: 1.023rem;
      margin: 0;
      &:first-of-type{
        margin-top: 10px;
      background-color: $blue;
      font-size: 1.1rem;
      padding: 8px 15px;
      border-radius: 4px;
      margin-top: 37px;
      border: 1px solid $blue;
      @include transition();
        background-color: $white;
  #secondary-image{
    height: 40%;
    width: 100%;
    background-image: url('../images/homePage/secondaryImage.jpg');
    background-position: center;
width: 100%;
min-height: 689px;
```

```
background-color: $purple;
@include flexcol();
justify-content: flex-start;
padding: 60px;
 font-size: 2.7rem;
 width:55%;
 @include flexbox();
 justify-content: space-around;
   background-color: $white;
   margin: 30px 0;
   padding: 24px;
   border-radius: 4px;
   color: $purple;
   min-height: 150px;
   @include transition();
     transform: scale(1.2);
     font-size: 1rem;
     max-width: 97%;
     color:$blue;
      @include transition();
        color: $purple;
```

```
font-size: 2rem;
      border-radius: 50%;
      background-color: $blue;
      padding: 10px;
position: relative;
min-height: 700px;
padding: 70px 0;
@include flexcol();
justify-content: flex-start;
 background-color: $purple;
 font-size: 2.7rem;
.row{
  margin-top: 68px;
  padding-bottom: 46px;
  @include flexbox();
  justify-content: center;
    width: 680px;
    height: 400px;
    white-space: nowrap;
    @include flexbox();
    overflow: hidden;
      position: relative;
```

```
justify-content: center;
background-color: $blue;
color: $white;
padding: 30px 40px;
border-radius: 10px;
border: 1px solid $blue;
min-width: 100%;
height: 100%;
transition: transform . 5s \ ease-in-out, color . 25s \ ease-in-out, background-color . 25s \ ease-in-out;
  width: 25px;
  height: 200px;
  background-color: $purple;
  position: absolute;
  border-radius: 0 10px 10px 0;
 left: -1px;
  border-radius:10px 0 0 10px;
  right: -1px;
  background-color: $white;
  color: $purple;
  font-size: 1.1rem;
  opacity: .76;
  color: $purple;
  position: absolute;
```

```
left: 7%;
      font-size: 4rem;
      white-space: initial;
      font-size: 1rem;
      max-width: 380px;
      margin:20px 0;
        position: absolute;
        right: 4%;
    .bottom{
      @include flexbox();
      margin-top: 20px;
      width: 150px;
      border-radius: 15px;
      height: 116px;
      margin-bottom: 15px;
      @include transition();
        transform: scale(1.2);
font-size: 5.7rem;
```

```
position: absolute;
  top: 45%;
    right: 18%;
  &#prev{
    left: 18%;
    background-color: transparent;
    color: $purple;
    @include transition();
      transform: scale(1.1);
background-color: $white;
padding: 78px 0 100px 0;
  animation: fadeIn 1.2s;
    left: 0%;
    opacity: 1;
    box-shadow: 0 0 2px $purple;
     font-size: 2.23rem;
      font-size: 1.7rem;
     margin-bottom: 15px;
```

```
height: 2px;
  margin: 0;
  margin:15px 0 19px 0;
  background-color: $purple;
  border-radius: 1px;
  margin: 5px 0;
    width: 100px;
input[type="button"]{
  padding: 4px 15px;
  border-radius: 4px;
  margin-top: 20px;
  color: $purple;
  background-color: $white;
  border: 1px solid $purple;
  @include transition();
    background-color: $purple;
  @include flexcol();
  align-items: flex-start;
```

```
margin: 20px 0 30px 0;
      color:$purple;
      border-bottom: 1px solid $purple;
      color: $purple;
      font-size: 1rem;
      padding: 4px 7px;
      margin: 7px 0;
      display: none;
display: grid;
grid-template-columns: 1fr 1fr 1fr;
position: relative;
padding-top:110px;
  @include flexbox();
  top: 0;
  width: 100%;
  justify-content: center;
  position: absolute;
    font-size: 2.6rem;
    margin-right: 20px;
      color: $blue;
```

```
@include flexbox();
   justify-content: center;
    position: absolute;
   left: 0;
   background-color: $purple;
   border: 1px solid $purple;
   border-radius: 5px;
    padding: 6px 15px;
   font-size: 1.3rem;
    @include transition();
   display: none;
     font-size: 1.5rem;
     background-color: $white;
     color: $purple;
   position: absolute;
   right: 0;
   padding:6px 13px;
   background-color: $blue;
   border: 1px solid $blue;
   border-radius: 6px;
      color: $purple;
.book{
 position: relative;
 background-color: $blue;
```

```
border: 1px solid $blue;
box-shadow: 0 0 3px $blue;
color: $white;
height: 435px;
border-radius: 15px;
@include flexcol();
padding: 35px 24px;
margin: 14px;
overflow: hidden;
transition: .32s ease-in-out;
animation: fadeIn 1.2s;
 top: 0px;
  opacity: 1;
&:hover{
  background-color: $white;
   opacity: 1;
   visibility: visible;
  height: 260px;
 border-radius:7px;
  margin: 12px 0;
  text-align: center;
  font-weight: 400;
  font-size:1.07rem;
.bottom{
```

```
margin: 0;
margin: 0 5px;
font-weight: 400;
  text-decoration: line-through;
  font-size: 1.04rem;
  color: $purple;
position: absolute;
left:55%;
opacity: 0;
top: -10%;
transition: .32s ease-in-out;
@include flexbox();
  font-size: 1.6rem;
  color: $purple;
  margin: 0 6px;
  background-color:transparent;
  @include transition();
  }
position: absolute;
top: 2%;
left: 2%;
```

```
height: 70px;
    border-radius: 50%;
    background-color: $purple;
    @include flexbox();
    justify-content: center;
    font-size: 1.4rem;
    position: absolute;
    top: 50%;
   left: 50%;
    transform: translate(-50%, -50%);
    opacity: 0;
    visibility: hidden;
    transition: .32s ease-in-out;
      background-color: $purple;
      color: $white;
      border-radius: 4px;
      padding:4px 12px;
      font-size: 1rem;
      @include transition();
        background-color: $blue;
p.empty{
  font-size: 1.5rem;
  margin-top: 140px;
  grid-column: 1/4;
  text-align: center;
  display: none;
```

```
height: 100%;
position: fixed;
z-index: 20;
background-color: rgba(6, 188, 193, .9);
background-color: rgba(84, 51, 182, 0.9);
top: 0;
@include flexbox();
justify-content: center;
display: none;
left: 0;
  display: flex;
  @include flexbox();
  position: relative;
  padding: 20px 40px;
  width: 820px;
  height:570px;
  border-radius: 10px;
  background-color: $white;
  color: $blue;
    @include flexcol();
    justify-content: flex-end;
      height: 400px;
      width: 276px;
      border-radius: 5px;
      margin-top: 20px;
```

```
padding: 4px;
  position: absolute;
  top: 10%;
 left: 5%;
  font-size: 1.2rem;
  justify-content: center;
  padding: 4px 12px;
  background-color: $purple;
  border-radius: 4px;
  font-size: 1.46rem;
 color: $purple;
  margin: 0;
p.genres{
  margin-top: 20px;
  margin: 0 5px;
  display: inline;
  color: $purple;
  font-size: 1.5rem;
  text-decoration: line-through;
```

```
height: 2px;
width: 200px;
margin: 20px 0;
background-color: $purple;
font-size: .9rem;
margin: 35px 0 0 0;
  background-color: $blue;
  padding:6px 10px;
  border: 1px solid $blue;
  font-size: 1.1rem;
  border-radius: 4px;
  margin: 0 12px;
    background-color: $white;
  background-color: $purple;
  border-color: $purple;
    background-color: $white;
    color: $purple;
background-color: transparent;
```

```
position: absolute;
        top: 4%;
        right: 4%;
        @include transition();
          color: $purple;
padding: 90px 0;
@include flexcol();
    font-size: 2.1rem;
    text-align: center;
    height: 3px;
    margin: 15px auto 40px auto;
    width: 40%;
    background-color: $purple;
  border-radius: 5px;
  border: 1px solid $purple;
  padding: 40px 70px;
  .formRow{
    padding: 0;
    margin: 15px 0;
    @include flexbox();
```

```
position: relative;
padding: 10px;
  position: absolute;
  margin-left: 12px;
  font-size: .9rem;
  @include transition();
    top: -25%;
  color: $purple;
  height: 100%;
  padding:7px 15px;
  border-bottom: 1px solid $purple;
  border: 1px solid $purple;
  border-radius: 7px;
  font-size: .94rem;
  padding: 4px 12px;
  color: $purple;
  background-color: $white;
  border: 1px solid $purple;
  border-radius: 5px;
  color: $purple;
  border: 1px solid $purple;
  padding: 10px;
  border-radius: 7px;
```

```
outline: none;
    input[type="text"], input[type="password"]{
     margin: 0;
     width: 100%;
    &.email , &.terms , &.messageField{
      width: 100%;
      position: absolute;
      right: 7%;
      background-color: transparent;
      font-size: 1.1rem;
      @include transition();
      margin: 0 10px;
      margin-bottom: 0
  display: none;
.outerLabel{
 font-size: 1.14rem;
```

```
margin-top: 25px;
   margin-left:8px;
   justify-content: center;
   width: 100%;
   margin-top: 30px;
   margin-bottom: 20px;
     background-color: $purple;
     margin: 0 10px;
     border-radius: 4px;
     padding: 4px 15px;
     border: 1px solid $purple;
     font-size: 1.1rem;
       color:$purple;
       background-color: $white;
padding: 100px 0;
 justify-content: center;
   height: 400px;
   border-radius: 15px;
   margin-bottom: 30px;
```

```
font-size: 1.7rem;
     max-width: 500px;
     opacity: .85;
     background-color: $blue;
     box-shadow: 0 0 2px $blue;
     border: 1px solid $blue;
     margin-top: 20px;
     font-size: 1.2rem;
     padding: 6px 15px;
     border-radius: 5px;
     @include transition();
       background-color: $white;
background-image:linear-gradient(to left ,$blue , $purple );
border-radius: 80px 0 0 0;
padding: 80px 0;
 margin: 40px auto;
 width: 50%;
 height: 4px;
  @include flexbox();
```

```
margin: 0 auto 40px auto;
  height: 2px;
  width: 140px;
min-height: 200px;
height: 100%;
margin: 0;
  font-size: 1.5rem;
  margin-bottom: 10px;
  text-align: center;
    @include flexcol();
    padding: 0;
      margin: 3px 0;
        &.activeLink{
        background-color: $white;
        color: $purple;
        transform: none;
```

```
@include flexcol();
    padding: 0;
    @include flexbox();
    justify-content: center;
      margin: 0 10px;
      height: 40px;
      background-color: $white;
      border-radius: 50%;
        background-color: $purple;
        @include flexbox();
        justify-content: center;
        width: 100%;
        height: 100%;
        @include transition();
        font-size: 1.5rem;
@include flexbox();
justify-content: center;
```

```
opacity: .5;
     font-size: .9rem;
     padding: 6px 10px;
     background-color: $white;
     margin: 0;
   input{
     border-radius: 4px 0 0 4px;
       background-color: $purple;
     border-radius: 0 4px 4px 0;
       background-color: $purple;
&.copyright{
 margin: 40px 0 0 0;
 justify-content: center;
   min-height: auto;
     text-align: center;
     font-size: 1.2rem;
     margin: 0;
```

```
.popupCartFav{
  width: 100%;
  position: fixed;
  z-index: 100;
  height: 100%;
  @include flexbox();
  justify-content: center;
  background-color: rgba(6, 188, 193, .9);
  display: none;
  &.open{
    display: flex;
  .popup-content{
    @include flexcol();
    width:780px;
    min-height: 570px;
    max-height: 90vh;
    background-color: $white;
    position: relative;
    border-radius: 5px;
    padding: 30px;
     text-align: center;
      margin-bottom: 40px;
      font-size: 2.4rem;
        background-color: $purple;
```

```
font-size: .95rem;
padding: 7px 12px;
border-radius: 4px;
@include transition();
border: 1px solid $purple;
width: 100%;
display: none;
    border: 1px solid $purple;
    text-align: center;
    padding: 5px;
    font-weight: 400;
      height: 89px;
    button:hover, select:focus{
      background-color: $white;
      color: $purple;
@include flexcol();
 display: none;
```

```
&:first-of-type{
    margin-top: 20px;
  background-color: $white;
  margin-top: 10px;
    background-color: $purple;
    margin: 14 auto 0 auto;
display: grid;
width: 100%;
grid-template-columns: 1fr 1fr;
  margin: 10px;
  min-height: 190px;
  background-color: $white;
  border-radius: 5px;
  border: 1px solid $purple;
  padding: 10px;
  @include flexbox();
    font-size: 1.1rem;
    text-align: center;
    margin-bottom: 20px;
```

```
height: 25px;
      .fav-img{
          height: 152px;
        @include flexcol();
        width: 100%;
          margin: 0;
          font-size: 1.05rem;
        background-color: transparent;
        color: $purple;
        border: 1px solid $purple;
        border-radius: 3px;
        padding: 4px 12px;
        margin-top: 20px;
  display: none;
  &.open{
    display: block;
p.empty{
```

```
text-align: center;
      margin-top: 20px;
      font-size: 1.5rem;
    button#closePopupBtn{
      color: $purple;
     background-color: transparent;
      position: absolute;
      top: 2%;
      right: 4%;
      font-size: 1.5rem;
      @include transition();
#toTop{
  position: fixed;
  bottom: 4%;
  display: none;
  right: 3%;
    background-color: $purple;
    width: 70px;
    height: 70px;
    border-radius: 50%;
    font-size: 3rem;
    @include flexcol();
    position: relative;
    @include transition();
      position: absolute;
      top: -5%;
      &:nth-of-type(2){
```

```
top: 15%;
     &:nth-of-type(3){
       top: 35%;
     background-color: $white;
     color: $purple;
#submitedForm{
 position: fixed;
 z-index: 100;
 height: 100%;
 @include flexbox();
 justify-content: center;
 background-color: rgba(6, 188, 193, .9);
 display: none;
 &.open{
    display: flex;
   @include flexcol();
   justify-content: center;
    width:600px;
    min-height: 350px;
    max-height: 90vh;
    background-color: $white;
    color: $purple;
    position: relative;
    border-radius: 7px;
   padding: 30px;
```

```
text-align: center;
   line-height: 2rem;
    font-weight: 400;
    color: $purple;
    background-color: transparent;
    position: absolute;
    top: 4%;
    right: 5%;
    font-size: 1.5rem;
width: 100%;
z-index: 200;
position: fixed;
height: 100%;
background-color: rgba(6, 188, 193, .9);
background-color: #fefefe;
@include flexbox();
justify-content: center;
  justify-content: center;
    width: 250px;
```

```
.buyFromCartMessage{
  width: 100%;
  position: absolute;
  top: 0;
  z-index: 1000;
  height: 100%;
  background-color: rgba(97, 56, 223, 21);
  justify-content: center;
  display: none;
    display: flex;
    @include flexbox();
    justify-content: center;
    width: 600px;
    height: 400px;
    background-color: $purple;
    position: relative;
      text-align: center;
      font-size: 1.5rem;
     line-height: 2rem;
      font-weight: 400;
    button.close Popup Message \{
      background-color: transparent;
      position: absolute;
      top: 4%;
      right: 5%;
      font-size: 1.5rem;
```

```
.addToCartMessagePopup, .ajaxErrorMessage{
  width: 100%;
  height: 100%;
  left: 0;
  position: fixed;
  background-color: rgba(97, 56, 223,.3);
  z-index: 1000;
  justify-content: center;
  display: none;
  &.open{
    display: flex;
    background-color: $purple;
    position: relative;
    width: 550px;
    padding: 20px;
    height: 300px;
    @include flexbox();
    justify-content: center;
    border-radius: 10px;
      font-size: 1.8rem;
      font-size: 2rem;
      position: absolute;
     right:3%;
```

```
background-color: transparent;
          @include transition();
::-webkit-scrollbar-track {
 box-shadow:inset 0px 0px 1px $blue;
  background-color: $white;
  border-radius: 2px;
::-webkit-scrollbar-thumb {
 border-radius: 2px;
  background: $purple;
::-webkit-scrollbar-thumb:hover {
  background: $blue;
   opacity: 0;
   opacity: 1;
```

Responsive.scss

app.js

```
const body = document.querySelector('body');
let BASEURL = ";
let currentPage;
$(document).ready(function() {
 $('.preloader').css('display', 'none');
 let path = window.location.pathname;
 if(path[path.length-1] !== 'l' || path.includes('index')) {
   currentPage = 'index';
   currentPage = path.substring(1).split('.')[0];
  BASEURL = currentPage == 'index' ? 'assets/' : '../assets/';
  currentPage = currentPage == 'index'? currentPage : currentPage.split('/')[currentPage.split('/').length - 1];
  let filterOrSearchIndicator = '';
  if(currentPage === 'index'){
   wait For Promise And Run Function With Json Data (\verb|'impressionPosts.json', putDataIntoThePostFromJSON)|
   let impressionBlock = document.querySelector('.impressions');
   let nextImpressionBtn = document.querySelector('#nextBtn');
    let prevImpressionBtn = document.querySelector('#prev');
   let impressionsWidth = getComputedStyle(impressionBlock).width;
   impressionsWidth = impressionsWidth.substring(0, impressionsWidth.length-2);
    let impresionPosts;
   let\ numberOfTranslations = 0;
   nextImpressionBtn.addEventListener('click', ()=>{
```

```
impresionPosts = takePosts();
  if(numberOfTranslations < impresionPosts.length-1){</pre>
    number Of Translations ++;\\
    impresionPosts.forEach(post=>{
     post.style.transform = `translateX(-\$\{(impressionsWidth*numberOfTranslations)\}px)`;
prevImpressionBtn.addEventListener('click', ()=>{
 impresionPosts = takePosts();
 if(numberOfTranslations > 0 ){
    numberOfTranslations--;
   impresionPosts.forEach(post=>{
     post.style.transform = `translateX(-${(impressionsWidth * numberOfTranslations)}px)`;
let serviceInfoRows = document.querySelectorAll('#services .row');
wait For Promise And Run Function With Json Data ("service Infos. json", create Service Info Blocks) \\
function putDataIntoThePostFromJSON(posts){
 let impressionsBlock = document.querySelector(".impressions");
 let html = ";
  posts.forEach(post=>{
    impressionsBlock.innerHTML += `
    <div class="impression">
     <img src="assets/images/homePage/impressionsCustomers/${post.image.path}" alt="${post.image.alt}"/>
     ${post.postText}
     <h4>${post.personName}</h4>
     ${post.postDate}
     <i class="zmdi zmdi-quote"></i>
```

```
function takePosts(){
         return document.querySelectorAll('.impression');
     function createServiceInfoBlocks(infos){
         infos.forEach((info)=>{
               if(info.id<3){</pre>
                    serviceInfoRows[0].innerHTML += returnInfoStructureString(info);
                    serviceInfoRows[1].innerHTML += returnInfoStructureString(info);
          function returnInfoStructureString(info){
               return `<div class="col col-lg-5 col-md-5 col-sm-12 col-12 service">
                               <div class="text">
                                    <h4>${info.infoName}</h4>
                                    ${info.infoText}
                              ${info.icon}
if(currentPage === 'shop'){
     waitForPromiseAndRunFunctionWithJsonData('books.json', createBookArticlesOnPageLoading);
     wait For Promise And Run Function With Js on Data ("genres.js on", create Filter Conditions); \\
    loadBooksInCartOrFavouritesFromLocalStorage('booksInCart');
     loadBooksInCartOrFavouritesFromLocalStorage('favouriteBooks');
    let filterBtn = document.querySelector('#filterBtn');
     filterBtn.addEventListener('click',()=>{
         let \ checked Genre Checkboxs = Array. from (document. query Selector All ('input[name' = "chbGenre"]: checked')); and the checked Genre Checkboxs is a constant of the checked of the c
         let checkedDiscauntCheckboxs = document.querySelector('input[name^="chbDiscaunt"]:checked');
         let maxPrice = +document.querySelector('.priceRange input[name="maxPrice"]').value;
```

```
let minPrice = +document.querySelector('.priceRange input[name="minPrice"]').value;
let currentlyVisibleBooks = JSON.parse(localStorage.getItem('currentlyVisibleBooks'));
let filterArr = currentlyVisibleBooks;
filterOrSearchIndicator = ";
if (checked Genre Checkboxs.length || checked Discaunt Checkboxs \;|| \; max Price \;|| \; min Price) \{ \\
  if(checkedGenreCheckboxs.length){
    filterArr = currentlyVisibleBooks.filter(book => {
      if (book.genres.some (genre=> (check If Some Genre Is Equal With The Value Of Chbs (checked Genre Checkboxs, genre))))\\
  if(checkedDiscauntCheckboxs){
    filterArr = filterArr.filter(book=>{
      if(book.price.discaunt >= checkedDiscauntCheckboxs.value){
  if(maxPrice || minPrice){
    if(maxPrice > minPrice && maxPrice > 1 && maxPrice <= 5000 && minPrice >= 0 && minPrice < 5000){
      $('.priceRange p.error').slideUp('slow');
      filterArr = filterArr.filter(book => {
        let currentPrice = book.price.oldPrice;
        if(book.price.discaunt){
          currentPrice = getNewBookPrice(book);
```

```
if(currentPrice < maxPrice && currentPrice > minPrice){
        $('.priceRange p.error').slideDown('slow');
    filterOrSearchIndicator = 'f';
  $('.books p.empty').css('display', 'none');
  if(filterArr.length == 0){
    $('.books p.empty').slideDown('slow');
  createBookArticles(filterArr);
  $('.filter').removeClass('visible');
$('#showHideFilter').click(function(){
  let filter = document.querySelector('.filter');
  filter.style.display = 'flex';
    if(filter.classList.contains('visible')){
      filter.classList.remove('visible');
      filter.classList.add('visible');
let sortDdl = document.querySelector('#ddlSort');
```

```
sortDdl.addEventListener('change', ()=>{
  let sortOption = sortDdl.options[sortDdl.selectedIndex].value;
  let\ books = {\tt JSON.parse(localStorage.getItem('currently Visible Books'))};
  if (local Storage.get Item ('filtered Books')) \{\\
    books = {\tt JSON.parse(localStorage.getItem('filteredBooks'))};
  switch(sortOption){
    case 'priceAsc':{
      books = sortByPrice( books, 'a');
      sortByPrice( books, 'd');
    case 'titleAsc':{
      sortByTitle( books, 'a');
      sortByTitle( books, 'd');
    case 'new':{
      sortByDate(books);
  createBookArticles(books);
const\ close Popup Btn = document.query Selector (\verb|'#closePopupBtn'|);
closePopupBtn.addEventListener('click', () =>{
  closePopup(popupCart);
```

```
let buyBtn = document.querySelector('#buyBtn');
buyBtn.addEventListener('click', () =>{
 let booksInCart = JSON.parse(localStorage.getItem('booksInCart'));
 if(booksInCart){
   $('.buyFromCartMessage').addClass('visible');
   booksInCart.forEach(book=>{
     enableCartBtnsForBooksThatAreInCartOrFavourites(book.title, '.addToCartBtn');
   $('tbody tr').remove();
   updateCartInterface();
$('.closePopupMessage').click(function(){
 $('.buyFromCartMessage').removeClass('visible');
$('.addToCartMessagePopup button').click(function(){
 closePopup(document.querySelector('.addToCartMessagePopup'));
function createBookArticlesOnPageLoading(booksArray){
 addToLocalStorage('allBooks',JSON.stringify(booksArray));
 createBookArticles(booksArray)
function createBookArticles(booksArray){
 let html=";
 deleteAllBookArticles();
 if(booksArray.length){
   booksArray.forEach((book,index)=>{
     html += `
     <article class="book">
     <h3 class="title">${book.title}</h3>
     ${createPriceParagraphs(book)}
```

```
<div class="cartFav">
          <i class="zmdi zmdi-shopping-cart-plus"></i>
      <div class="seeMore">
        <button class="seeMoreBtn" onclick="seeMoreAboutBook(${book.id})">
          See more...
    $(html).insertAfter('.sectionHeader');
    checkIfIsFilterOrSearch(booksArray)
    disable Cart Btns For Books That Are In Cart Or Favourites ('books In Cart', '.add To Cart Btn'); \\
    disable Cart Btns For Books That Are In Cart Or Favourites ('favourite Books', '.add To Favourites Btn'); \\
function checkIfIsFilterOrSearch(books){
  if(filterOrSearchIndicator === 'f'){
    addToLocalStorage('filteredBooks',JSON.stringify(books));
    if(localStorage.getItem('filteredBooks')){
      localStorage.removeItem('filteredBooks');
    addToLocalStorage('currentlyVisibleBooks', JSON.stringify(books));
  checkQuantityOfBookArticles();
function checkQuantityOfBookArticles(){
 let bookArticles = document.querySelectorAll('.book');
```

```
if(!bookArticles.length){
    $('.books p.empty').fadeIn('slow');
    $('.books p.empty').fadeOut('slow');
function createFilterConditions(genresArr){
 let genreCheckboxes = createGenresCheckboxesForFilter(genresArr);
  addToFilterFormBeforeSubmitBtn(genreCheckboxes)
 let discauntCheckboxes = createDiscauntCheckboxesForFilter();
  add To Filter Form Before Submit Btn (discaunt Checkboxes) \\
 let priceSlider = createPriceRange();
  addToFilterFormBeforeSubmitBtn(priceSlider);
function createGenresCheckboxesForFilter(genresArray){
 addToLocalStorage('allGenres',JSON.stringify(genresArray));
 let html ='<hr class="line"/><h3>Genres:</h3>';
  genresArray.forEach(genre=>{
    html +=`
      <input type="checkbox" name="chbGenre${genre.id}" id="chbGenre${genre.id}" value="${genre.id}"/>
      <label for="chbGenre${genre.id}">${makeFirstLetterUpercase(genre.name)}</label>
 return html;
function createDiscauntCheckboxesForFilter(){
 let html = '<hr class="line"/><h3>Discaunts</h3>'
   html += `
      <label for="chbDiscaunt${i}">${i}% or More
```

```
return html;
function createPriceRange(){
    <input type="number" name="minPrice" min="0" max="5000" step="100" placeholder="Min price"/>
    <input type="number" name="maxPrice" min="1" max="5000" step="100" placeholder="Max price"/>
    Invalid price format, max is 5000RSD
function addToFilterFormBeforeSubmitBtn(element){
 $(element).insertBefore('.filter form #filterBtn');
function\ check If Some Genre Is Equal With The Value Of Chbs (array\ ,\ element) \{
 if(array.some(el=>{
   return +el.value === +element?true:false;
function sortByPrice( array, type){
 return array.sort((a,b)=>{
     let aPrice = getNewBookPrice(a);
     let bPrice = getNewBookPrice(b);
     if(type == 'a'){}
       return sortAsc(aPrice, bPrice)
       return sortDesc(aPrice , bPrice);
function sortByTitle( array, type){
 return array.sort((a,b)=>{
```

```
let bTitle = b.title;
      if(type == 'a'){}
        return sortAsc(aTitle, bTitle)
        return sortDesc(aTitle, bTitle);
function sortByDate( array){
  return array.sort((a,b)=>{
      let aDate = a.dateOfPublishing;
      let bDate = b.dateOfPublishing;
      if(aDate > bDate){
function sortAsc(a,b){
function sortDesc(a,b){
 if(a>b){
```

```
if(currentPage === 'contact'){
 $('input').val = ";
 let ddlDay = document.querySelector('#day');
 ddlDay.innerHTML += createDateSelect(1,31);
 document.querySelector('#month').innerHTML += createSelectOptions(13);
 document.querySelector('#year').innerHTML += createDateSelect(1960, 2005);
 let ddlMonth = document.querySelector('#month');
 ddlMonth.addEventListener('change',()=>{
   let month = ddlMonth.options[ddlMonth.selectedIndex].value;
   let days =";
   switch(month){
       days = createDateSelect(1,31);
       days = createDateSelect(1,30);
     case "2":{
       days = createDateSelect(1,29);
   ddlDay.innerHTML = '<option value="0">Day</option>'+days;
 let textInputs = document.querySelectorAll('.contactForm input[type="text"],.contactForm input[type="password"]');
 textInputs.forEach(input=>{
   let label = input.parentElement.querySelector('label');
   input.addEventListener('focus', ()=>{
     label.classList.add('focused');
   input.addEventListener('blur', ()=>{
     if(!input.value){
```

```
label.classList.remove('focused');
   textInputs.forEach(input => {
     input.addEventListener('input', ()=>{
      let inputValue = input.value;
      let regExp;
      let inputName = input.getAttribute('name')
       switch(inputName){
          regExp = /^[A-Z][a-z]{2,10}$/;
          checkInputValue(input, regExp,inputName);
        case 'lName':{
          regExp = /^[A-Z][a-z]{2,10};
          checkInputValue(input, regExp, inputName);
        case 'email':{
          regExp = /^[a-z0-9.-]{4,20}@(gmail.com|yahoo.com)$/;
          checkInputValue(input, regExp, inputName);
        case 'password': case 'confirmPass':{
          regExp = /^[A-z0-9@#$-.]{8,20}$/;
          if(inputName=='password'){
            9]{4,20}/.test(inputValue))){
             slideDownErrorParagraph('password');
              slideUpErrorParagraph('password');
```

```
if($('#confirmPass').val() != $('#password').val()){
         slideDownErrorParagraph('confirmPass');
         slideUpErrorParagraph('confirmPass');
    }
$('#submitBtn').click(function(e){
 if(checkIfTextFieldsAreEmpty()){
   slideDownErrorParagraph('submitError');
   slideUpErrorParagraph('submitError');
 let dateOfBirthSelects = document.querySelectorAll('#day, #month, #year');
  dateOfBirthSelects.forEach(select=>{
   if(select.options[select.selectedIndex].value == 0){
     slideDownErrorParagraph('dateOfBirth');
     slideUpErrorParagraph('dateOfBirth');
 let gender = document.querySelector('input[name="gender"]:checked');
 if(!gender){
   slideDownErrorParagraph('gender');
    slideUpErrorParagraph('gender');
 let terms = document.querySelector('#terms:checked');
```

```
if(!terms){
   slideDownErrorParagraph('terms');
   slideUpErrorParagraph('terms')
 let textarea = document.querySelector('textarea[name="message"]');
 let textReg= /^[A-Z][A-z0-9.-/s]{8,40};
 if(!textReg.test(textarea.value)){
   slideDownErrorParagraph('message')
 } else{
   slideUpErrorParagraph('message')
 let errorParagraphs = Array.from($('p.error'));
 if(errorParagraphs.some(p => p.classList.contains('visible'))){
   let popup = document.querySelector('#submitedForm');
   openPopup(popup);
$('#submitedForm.closeBtn').click(function(){
 let popup = document.querySelector('#submitedForm');
 closePopup(popup);
 document.querySelector('.contactForm form').reset();
function checkIfTextFieldsAreEmpty(){
 let inputs = Array.from($('.contactForm input[type="text"], .contactForm input[type="password"],textarea'));
 if(inputs.some(input => input.value == ")){
```

```
$('.hideShowBtn').click(function(e){
  let\ input =\ this.previous Element Sibling;
  if(input.getAttribute('type')== 'password'){
    showOrHidePassword(input, this, 'text', 'zmdi zmdi-eye-off');
  showOrHidePassword(input, this, 'password', 'zmdi zmdi-eye');
function showOrHidePassword(input, btn, type, iconClass){
  input.setAttribute('type', type);
  btn.innerHTML = (`<i class="${iconClass}"></i>`);
function slideDownErrorParagraph(name){
  $('p.'+name).addClass("visible");
  $('p.'+name).slideDown('slow');
function slideUpErrorParagraph(name){
  $('p.'+name).removeClass("visible");
  $('p.'+name).slideUp('slow');
function testRegularExpression(value, reg){
  return reg.test(value) ? true : false;
function checkInputValue(input, reg, name){
  if(!testRegularExpression(input.value, reg)){
    slideDownErrorParagraph(name);
    slideUpErrorParagraph(name);
function createDateSelect(start, end){
 let html = ";
 for(let i=start ; i<=end ; i++){</pre>
```

```
html+= `<option value="${i}">${i}</option>`;
   return html;
wait For Promise And Run Function With Json Data (\verb"navigation.json", create Nav Links");
wait For Promise And Run Function With Js on Data ('socials.js on', create Social Network Links); \\
const secondaryHeaderBtns = document.querySelectorAll('#cartBtn , #favBtn');
const\ popupCart = document.querySelector('.popupCartFav');
secondaryHeaderBtns.forEach(btn=>{
 btn.addEventListener('click',()=>{
   let favouritesDiv = document.querySelector('.favourites');
   let cartDiv = document.querySelector('.cart');
   if(!checkIfPageIsShop()){
   if(btn.getAttribute('id') === 'cartBtn'){
      cartDiv.classList.add('open');
      favouritesDiv.classList.remove('open')
      cartDiv.classList.remove('open');
      favouritesDiv.classList.add('open')
   openPopup(popupCart);
let searchBtn = document.querySelector('#searchBtn');
searchBtn.addEventListener('click', (e)=>{
```

```
filterOrSearchIndicator = 's';
  if(!checkIfPageIsShop()){
  let searchValue = document.querySelector('#searchTxb').value;
  let allBooks = JSON.parse(localStorage.getItem('allBooks'));
  $('.books p.empty').slideUp('slow');
  if(searchValue){
    let booksThatSatisfyTheCondition = allBooks.filter(book=>{
      if (book.title.toLowerCase().includes(searchValue.toLowerCase())) \{\\
        return book;
    if(booksThatSatisfyTheCondition.length == 0){
      $('.books p.empty').slideDown('slow');
    createBookArticles (booksThatSatisfyTheCondition)\\
    local Storage.set Item ('currently Visible Books', JSON.string if y (books That Satisfy The Condition)); \\
    createBookArticles(allBooks);
$(window).scroll(function(){
 if(window.scrollY > 800){
    $('#toTop').css('display', 'block');
    $('#toTop').css('display', 'none');
$('#toTop button').click(()=>{
```

```
$(window).scrollTop(0);
let\ hamburgerBtn = document.querySelector('.hamburgerBtn\ button');
hamburgerBtn.addEventListener('click', ()=>{
 hamburgerBtnAnimation(hamburgerBtn);
 let navigation = document.querySelector('header .navigation');
 if(navigation.classList.contains('visible')){
   navigation.classList.remove('visible');
   navigation.classList.add('visible');
function hamburgerBtnAnimation(btn){
 let middleDiv = btn.children[1];
 let firstDiv = btn.children[0];
 let lastDiv = btn.children[2];
 if(!middleDiv.classList.contains('fadeOut')){
   middleDiv.classList.add('fadeOut');
   lastDiv.classList.add('rotate1');
   firstDiv.classList.add('rotate2');
   middleDiv.classList.remove('fadeOut');
   lastDiv.classList.remove('rotate1');
    firstDiv.classList.remove('rotate2');
$('.navigation .closeNav').click(function(){
 let navigation = document.querySelector('header .navigation');
 navigation.classList.remove('visible');
 hamburgerBtnAnimation(document.querySelector('.hamburgerBtn button'));
function checkIfPageIsShop(){
```

```
if(currentPage !== 'shop'){
     if(currentPage !== 'index'){
       window.location = 'shop.html';
        window.location = 'pages/shop.html'
  function deleteAllBookArticles(){
   let booksArticles = document.querySelectorAll('.book');
   if(booksArticles.length){
     booksArticles.forEach(article=>{
       article.remove();
function seeMoreAboutBook(bookId){
 let\ clickedBook = getCurrentlyOpenedBook (bookId);
 openPopup(document.querySelector('.seeMore-outer'));
  let \ see More Content = document. query Selector (\verb".see More-content");
 let html = `
  <div class="image col col-lg-6 col-md-6 col-sm-6 col-12">
    <img src="../assets/images/shop/${clickedBook.image.path}" alt="${clickedBook.image.alt}"/>
    ${createPriceParagraphs(clickedBook)}`
  html += </div>
   <div class="text col col-lg-6 col-md-6 col-sm-6 col-12">
     <h3 class="title">${clickedBook.title}</h3>
```

```
Genre: ${getBookGenres(clickedBook.genres)}
     Author: ${clickedBook.author}
   Publisher: ${clickedBook.publisher}
   ${clickedBook.shortDescription}
     <button class="closeBtn" onclick="closeBookPopup(event)"><i class="zmdi zmdi-close"></i></button>`
 seeMoreContent.innerHTML = html;
function getCurrentlyOpenedBook(bookId){
 let books = JSON.parse(localStorage.getItem('allBooks'));
 return books.find((book)=>bookId == book.id);
function getNewBookPrice(book){
 return parseInt(book.price.oldPrice * (book.price.discaunt / 100 + 1));
function getBookGenres(bookGenres){
 let allGenres = JSON.parse(localStorage.getItem('allGenres'));
 let genresString =";
 bookGenres.forEach(bookGenre=>{
   genre String += all Genre S. find (genre From Local Storage => genre From Local Storage. id == book Genre). name + '/'; \\
 return(genresString.substring(0, genresString.length-1));
function makeFirstLetterUpercase(someString){
 return someString.charAt(0).toUpperCase() + someString.substring(1);
 let clickedBtn = e.target.closest('button');
 clickedBtn.classList.add('clicked');
 let chosenBookObj = getChosenBook(clickedBtn);
 let popup = document.querySelector('.addToCartMessagePopup');
 if(clickedBtn.classList.contains('addToCartBtn')){
```

```
let bool = checkIfBookIsInCart(chosenBookObj);
        if(bool){
             popup.querySelector('h2').textContent = 'Book is already in the cart'
             popup.querySelector('h2').textContent = 'Book is added to the cart'
             addBookToCart(chosenBookObj);
        let bool = checkIfBookIsInFavourites(chosenBookObj);
        if(bool){
             popup.querySelector('h2').textContent = 'Book is already in the favourites';
             popup.querySelector('h2').textContent = 'Book is added to the favourites';
              addBookToFavourites(chosenBookObj);
    openPopup(popup)
function addBookToCart(chosenBookObj ){
   $('.cartTable').css('display', 'block');
    $('.cart.empty').css('display', 'none');
   $('.cartFooter p').show();
   let cartTBody = document.querySelector('.cartTable tbody');
    let cartElements = document.querySelectorAll('.cartTable tr');
    if(cartElements!== null && cartElements.length<5 && cartElements.length> 0){
        let html = `
         <tr">
         <\!\!td\!\!><\!\!img\,src="\$\{BASEURL\}images/shop/\$\{chosenBookObj.image.path\}"\,alt="\$\{chosenBookObj.image.alt\}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/><\!\!/td\!\!>=\!\!alt="\$\{chosenBookObj.image.alt}"/>
         ${chosenBookObj.title}
         <select name="quantity${chosenBookObj.id}" data-id="${chosenBookObj.id}" onchange="updateCartInterface()">
         <br/>do-<br/>class="deleteCartProduct" onclick="deleteFromCartOrFavourites(event , 'tr' , 'c')">Delete</br/>button>
```

```
cartTBody.innerHTML += html;
          if(chosenBookObj.quantity){
              let\ options = Array. from (document. query Selector All (`select[data-id="\$\{chosenBookObj.id\}'']\ option")); for the properties of the 
              options.find(opt=> opt.value == chosenBookObj.quantity).setAttribute('selected');
         updateCartInterface();
function addBookToFavourites(chosenBookObj){
     $('.favourites.empty').css('display', 'none');
     let favElements = document.querySelectorAll('.fav-product');
     if(favElements.length<4){
         let html = `
         <div class="fav-product">
               <div class="fav-img">
               <div class="fav-footer">
                    <h4 class="title">${chosenBookObj.title}</h4>
                    ${takeCurrentBookPrice(chosenBookObj)}RSD
                    document.querySelector('.fav-products').innerHTML += html;
          addCartorFavouriteBooksToLocalStorage('favouriteBooks', '.fav-product h4', 'f');
         changeProductsNumberInSpan(document.querySelectorAll('.fav-product').length ,'#favBtn')
function updateCartInterface(){
   let totalPrice = getTotalPrice();
```

```
let totalQuantity = getTotalQuantity();
  if(!totalQuantity){
    $('.cartTable').hide();
   $('.cart.empty').show();
   $('.cartFooter p').hide();
 changeProductsNumberInSpan(totalQuantity, '#cartBtn');
  $('span#totalPrice').html(totalPrice);
  $('span#numberOfProducts').html(totalQuantity);
  add Cartor Favourite Books To Local Storage ('books In Cart', '.cart Table\ tbody\ td', 'c');
function changeProductsNumberInSpan(quantity, parent){
 let span = document.querySelector(parent+' span.productNumber');
  span.textContent = quantity;
 let totalPrice = 0;
 let bookTrs = document.querySelectorAll(".cartTable tbody tr");
 bookTrs.forEach(tr=>{
    totalPrice += (+tr.querySelector('.price').innerHTML * tr.querySelector('select').value);
  return totalPrice;
function getTotalQuantity(){
 let totalQuantity = 0;
 let quantitySelects = document.querySelectorAll(".cartTable tbody td select");
  quantitySelects.forEach(select=>{
   totalQuantity += +select.value;
  return totalQuantity;
function getChosenBook(clickedBtn){
 let chosenBookDiv = clickedBtn.closest('.book');
```

```
let bookTitle = chosenBookDiv.querySelector('.title').textContent;
 let allBooks = JSON.parse(localStorage.getItem('allBooks'));
  return allBooks.find(book=>book.title == bookTitle);
function takeCurrentBookPrice(chosenBookObj){
  return chosenBookObj.price.discaunt?getNewBookPrice(chosenBookObj):chosenBookObj.price.oldPrice;
function deleteFromCartOrFavourites(e, parent, btnType){
 let parentEl = e.target.closest(parent);
 let bookTitle = parentEl.querySelector('.title').textContent;
  parentEl.remove();
  if(btnType == 'c'){
    addCartorFavouriteBooksToLocalStorage('booksInCart', '.cartTable tbody td', 'c');
    updateCartInterface();
    enableCartBtnsForBooksThatAreInCartOrFavourites(bookTitle, '.addToCartBtn');
   enableCartBtnsForBooksThatAreInCartOrFavourites(bookTitle, '.addToFavouritesBtn');
   if(!document.querySelectorAll('.fav-product').length){
      $('.favourites.empty').css('display', 'block');
    changeProductsNumberInSpan(document.querySelectorAll('.fav-product').length ,'#favBtn')
    addCartorFavouriteBooksToLocalStorage('favouriteBooks', '.fav-product h4', 'f');
function enableCartBtnsForBooksThatAreInCartOrFavourites(bookTitle , btnClass){
 let titles = Array.from(document.querySelectorAll('.book h3.title'));
  if(titles!== null && titles.length> 0){
   let wantedBook = titles.find(title => bookTitle == title.textContent);
   let wantedBtn =wantedBook.closest('.book').querySelector(btnClass);
```

```
wantedBtn.classList.remove('clicked');
function disableCartBtnsForBooksThatAreInCartOrFavourites(itemName, btnClass){
 let booksInCart = JSON.parse(localStorage.getItem(itemName));
 if(booksInCart!== null && booksInCart.length>0){
   let booksArticles = Array.from(document.querySelectorAll('.book'));
   if(booksArticles!== null && booksArticles.length>0){
     booksInCart.forEach(book => \{
       let wantedBook = booksArticles.find(article => article.querySelector('.title').textContent == book.title);
       if(wantedBook){
         wantedBook.querySelector(btnClass).classList.add('clicked');
function checkIfBookIsInCart(book){
 let booksInCart = JSON.parse(localStorage.getItem('booksInCart'));
 if(booksInCart){
   return booksInCart.some(cartBook => {
     if(cartBook.id == book.id){
function checkIfBookIsInFavourites(book){
 let favouriteBooks = JSON.parse(localStorage.getItem('favouriteBooks'));
 if(favouriteBooks){
   return favouriteBooks.some(favBook => {
```

```
if(favBook.id == book.id){
function openPopup(popup){
  popup.classList.add('open');
  body.setAttribute('scroll', 'no');
  body.setAttribute('style', 'overflow:hidden');
function closePopup(popup){
  popup.classList.remove('open');
  body.removeAttribute('scroll');
  body.removeAttribute('style');
function closeBookPopup(e){
  closePopup(e.target.closest('.seeMore-outer'));
function addToLocalStorage(itemName, itemValue){
  local Storage.set Item (item Name, item Value);\\
function deleteFromLocalStorage(itemName){
  localStorage.removeItem(itemName);
function addCartorFavouriteBooksToLocalStorage(itemName, parentElement, type){
 let titlesOfBooksInCartOrFavourites = document.querySelectorAll(parentElement+'.title');
  let booksObjArray = [];
  let allBooks = JSON.parse(localStorage.getItem('allBooks'));
  if(type == 'f'){}
   titlesOfBooksInCartOrFavourites.forEach(title=>{
```

```
booksObjArray.push(allBooks.find(book=> book.title == title.textContent));
   titlesOfBooksInCartOrFavourites.forEach(title=>{
     let bookObj = allBooks.find(book=> book.title == title.textContent);
     bookObj. quantity = document. querySelector(`select[data-id="\$\{bookObj.id\}"]`). value; \\
     booksObjArray.push(bookObj);
 if(booksObjArray.length){
   addToLocalStorage(itemName,JSON.stringify(booksObjArray));
   localStorage.removeItem(itemName);
function loadBooksInCartOrFavouritesFromLocalStorage(itemName){
 let\ cartOrFavouriteBooks = JSON.parse(localStorage.getItem(itemName));\\
 if(cartOrFavouriteBooks !== null && cartOrFavouriteBooks.length){
   if(itemName.toLowerCase().includes('cart')){
     cartOrFavouriteBooks.forEach(book=>{
       addBookToCart(book);
     cartOrFavouriteBooks.forEach(book=>{
       addBookToFavourites(book);
function createNavLinks(navArray){
 let headerUl = document.querySelector('header ul.menu');
 let footerUl = document.querySelector('footer ul.menu');
```

```
if(currentPage === 'index'){
   navArray.forEach(navObj =>{
     if(navObj.text !== 'Home'){
       header Ul.inner HTML += \verb|`<|i><|a| href="pages/$\{navObj.href\}">$\{navObj.text\}</a></|i>';
       footerUl.innerHTML += `<a href="pages/${navObj.href}">${navObj.text}</a>`;
       headerUl.innerHTML += '< a href="$\{navObj.href\}"> \{\{navObj.text\}</a>';
       footerUl.innerHTML += `<a href="${navObj.href}">${navObj.text}</a>`;
   navArray.forEach(navObj => {
     if(navObj.text !== 'Home'){
       headerUl.innerHTML += `<a href="$\{navObj.href\}">$\{navObj.text\}</a>`;
       footerUl.innerHTML += `<a href="${navObj.href}">${navObj.text}</a>`;
       headerUl.innerHTML += `<a href="../${navObj.href}">${navObj.text}</a>`;
       footerUl.innerHTML += `<a href="../{navObj.href}">{navObj.text}</a>`;
 let currentPageLinks = document.querySelectorAll('ul a[href$="${currentPage}.html"]');
 currentPageLinks.forEach(el=>{
   el.classList.add('activeLink');
function createSocialNetworkLinks(socialsArray){
 let socialUl = document.querySelector('ul.social-networks');
 socialsArray.forEach(social=>{
   socialUl.innerHTML += `<a href="${social.href}">${social.icon}</a>`;
function createSelectOptions(number){
 let html =";
 for(let i = 1; i < number; i++){
```

```
html+=`<option value="${i}">${i}</option>`;
 return html;
function createPriceParagraphs(book){
 let newPrice = book.price.oldPrice;
 if(book.price.discaunt){
   newPrice = getNewBookPrice(book);
   return `${book.price.oldPrice}RSD
   ${newPrice}RSD
   <span class="discaunt">${book.price.discaunt}%</span>`;
   return `${book.price.oldPrice}RSD</div>`;
function sendAjaxRequest(url, method){
 return new Promise((resolve, reject)=>{
     method: method,
     url: BASEURL+'Data/' +url,
     dataType: "json",
     success: function (response) {
       resolve(response);
     error: function (jqXHR, exception) {
       var msg = ";
       if (jqXHR.status === 0) {
        msg = 'Not connect.\n Verify Network.';
       } else if (jqXHR.status == 404) {
        msg = 'Requested page not found. [404]';
       } else if (jqXHR.status == 500) {
        msg = 'Internal Server Error [500].';
```

```
} else if (exception === 'parsererror') {
          msg = 'Requested JSON parse failed.';
       } else if (exception === 'timeout') {
          msg = 'Time out error.';
       } else if (exception === 'abort') {
          msg = 'Ajax request aborted.';
       } else {
          msg = \text{'}Uncaught \ Error. \ \ \ \ '+ jqXHR.responseText;
       reject(msg);
function waitForPromiseAndRunFunctionWithJsonData(json , func){
 let promise = sendAjaxRequest(json , 'GET');
 promise.then((response)=>{
   func(response);
 }).catch(err=>{
   $('.ajaxErrorMessage').css("display", "flex");
   $('.ajaxErrorMessage h2').html(err);
   $('.ajaxErrorMessage button').click(function(){
     $('.ajaxErrorMessage').css("display", "none");
```

Responsive.scss