

# USER MANUAL

## RKinetDS v. 1.2

### Table of contents

Table of contents .....	1
1. Introduction.....	2
2. Software requirements .....	2
3. Implemented models.....	3
4. Optimization methods and parameters.....	7
5. Best model criterion .....	7
6. Input file.....	8
7. Config files.....	9
8. GUI elements .....	10
8.1. Main panel .....	10
8.2. Settings .....	11
8.3. Results .....	15
8.4. More.....	19
9. How to use a software.....	21
10. Output files .....	26
11. Other files .....	31
12. License .....	31

## 1. Introduction

RKinetDS is a software for modeling drug dissolution profiles. It describes a drug dissolution curve by fitting provided data from dissolution tests to a particular model or set of models. Models were chosen from the most popular models used in drug dissolution testing. Their detailed list can be found in the section “[Implemented models](#)” of this document. List of possible optimization methods can be found in the section “[Optimization methods and parameters](#)” of this document.

The software was written in R language. Graphical user interface (GUI) was developed using Shiny R package.

## 2. Software requirements

There are no special requirements for the operating system. Software runs on Linux and Windows based systems. The application works in a web browser as well as on a computer. In order to run the software, the R environment is required. It can be downloaded at the following Internet address: <https://www.r-project.org/>. Installation of additional packages is necessary, that is:

- stringr (<https://cran.r-project.org/package=stringr>)
- nloptr (<https://cran.r-project.org/package=nloptr>)
- GenSA (<https://cran.r-project.org/package=GenSA>)
- rgenoud (<https://cran.r-project.org/package=rgenoud>)
- config (<https://cran.r-project.org/package=config>)
- yaml (<https://cran.r-project.org/package=yaml>)
- shiny (<https://cran.r-project.org/package=shiny>)
- shinyjs (<https://cran.r-project.org/package=shinyjs>)
- shinyFiles (<https://cran.r-project.org/package=shinyFiles>)
- shinythemes (<https://cran.r-project.org/package=shinythemes>)
- shinycssloaders (<https://cran.r-project.org/package=shinycssloaders>)
- shinyWidgets (<https://cran.r-project.org/package=shinyWidgets>)
- plotly (<https://cran.r-project.org/package=plotly>)
- DT (<https://cran.r-project.org/package=DT>)

The efficiency of the application depends on the speed of the computer, especially the speed of the processor and the available RAM. It should be noted that when performing complex calculations (e.g. using all built-in models and large number of iterations), the calculation may take a long time.

### 3. Implemented models

The list of models included in the software is provided below. The software consists of 18 different models, additionally a lag time was added for each of them (excluding one of them).

Explanation of used symbols:

- $Q$  – amount of dissolved substance [%],
- $Q_0$  – initial amount of substance [%],
- $t$  – time,
- $t_{lag}$  – lag time,
- $k, a, b, n$  – equation' constants.

#### 1. Zero order model

$$Q = k \times t$$

#### 2. Zero order model with lag time

$$Q = k \times (t - t_{lag})$$

#### 3. Zero order with $Q_0$

$$Q = k \times t + Q_0$$

#### 4. First order model

$$Q = 100 \times (1 - e^{-k \times t})$$

#### 5. First order model with lag time

$$Q = 100 \times (1 - e^{-k \times (t - t_{lag})})$$

#### 6. Second order model

$$Q = 100 \times 1 - \frac{Q_0}{1 + Q_0 \times k \times t}$$

7. Second order model with lag time

$$Q = 100 \times 1 - \frac{Q_0}{1 + Q_0 \times k \times (t - t_{\text{lag}})}$$

8. Third order model:

$$Q = 100 \times \left(1 - \left(\sqrt{\frac{1}{k \times t} + \frac{1}{Q_0^2}}\right)\right)$$

9. Third order model with lag time:

$$Q = 100 \times \left(1 - \left(\sqrt{\frac{1}{k \times (t - t_{\text{lag}})} + \frac{1}{Q_0^2}}\right)\right)$$

10. Michaelis-Menten model:

$$Q = \frac{100 \times t}{k + t}$$

11. Michaelis-Menten model with lag time:

$$Q = \frac{100 \times (t - t_{\text{lag}})}{k + (t - t_{\text{lag}})}$$

12. Weibull model:

$$Q = 100 \times \left(1 - e^{\frac{-t^n}{a}}\right)$$

13. Weibull model with lag time:

$$Q = 100 \times \left(1 - e^{\frac{-(t - t_{\text{lag}})^n}{a}}\right)$$

14. Double Weibull model:

$$Q = 100 \times \left(A \times \left(1 - e^{\frac{-t^M}{c}}\right) + B \times \left(1 - e^{\frac{-N}{d}}\right)\right)$$

15. Double Weibull model with lag time:

$$Q = 100 \times \left( A \times \left( 1 - e^{-\frac{(t-t_{\text{lag}})^M}{c}} \right) + B \times \left( 1 - e^{-\frac{N}{d}} \right) \right)$$

16. Higuchi model:

$$Q = k \times \sqrt{t}$$

17. Higuchi model with lag time:

$$Q = k \times \sqrt{(t - t_{\text{lag}})}$$

18. Hixson-Crowley model:

$$Q = 100 \times (1 - (1 - k \times t)^3)$$

19. Hixson-Crowley model with lag time:

$$Q = 100 \times (1 - (1 - k \times (t - t_{\text{lag}}))^3)$$

20. Korsmeyer-Peppas model:

$$Q = a \times t^n$$

21. Korsmeyer-Peppas model with lag time:

$$Q = k \times (t - t_{\text{lag}})^n$$

22. Hill model:

$$Q = \frac{100 \times t^n}{t_{50}^n + t^n}$$

23. Hill model with lag time:

$$Q = \frac{100 \times (t - t_{\text{lag}})^n}{t_{50}^n + (t - t_{\text{lag}})^n}$$

24. Hopfenberg model:

$$Q = 100 \times (1 - (1 - k \times t)^n)$$

25. Hopfenberg model with lag time:

$$Q = 100 \times (1 - (1 - k \times (t - t_{\text{lag}}))^n)$$

26. Peppas-Sahlin model:

$$Q = a \times t^n + b \times t^{2 \times n}$$

27. Peppas-Sahlin model with lag time:

$$Q = a \times (t - t_{\text{lag}})^n + b \times (t - t_{\text{lag}})^{2n}$$

28. Quadratic model:

$$Q = 100 \times (a \times t^2 + b \times t)$$

29. Quadratic model with lag time:

$$Q = 100 \cdot [a \cdot (t - t_{\text{lag}})^2 + b \cdot (t - t_{\text{lag}})]$$

30. Logistic model:

$$Q = \frac{A}{1 + e^{-k(t-y)}}$$

31. Logistic model with lag time:

$$Q = \frac{A}{1 + e^{-k((t-t_{\text{lag}})-y)}}$$

32. Gompertz model:

$$Q = 100 \times e^{-a \times e^{b \times \log(t)}}$$

33. Gompertz model with lag time:

$$Q = 100 \times e^{-a \times e^{b \times \log(t - t_{\text{lag}})}}$$

34. Makoid-Banakar model:

$$Q = k \times t^{a \times e^{-m \times t}}$$

35. Makoid-Banakar model with lag time:

$$Q = k \times (t - t_{\text{lag}})^{a \times e^{-m \times (t - t_{\text{lag}})}}$$

36. Baker-Lonsdale

$$Q = 100 \times \left( \frac{3}{2} \times \left( 1 - \left( 1 - \frac{Q}{100} \right)^{\frac{2}{3}} \right) - k \times t \right)$$

37. Baker-Lonsdale with lag time

$$Q = 100 \times \left( \frac{3}{2} \times \left( 1 - \left( 1 - \frac{Q}{100} \right)^{\frac{2}{3}} \right) - k \times (t - t_{\text{lag}}) \right)$$

Additionally, if the user has the appropriate skills in R, it is possible to add or edit model equations used in the program. The procedure was described in the Config files section of this document.

## 4. Optimization methods and parameters

The software has implemented five optimization methods:

- 1) SANN
- 2) nloptr
- 3) Nelder Mead
- 4) genSA
- 5) rgenoud

For each optimization method, the maximum number of iterations can be specified by the user. Moreover, maximum number of iterations in Broyden–Fletcher–Goldfarb–Shanno (BFGS) method can be specified. BFGS is the basis for performing calculations for each of the five optimization methods.

The user can specify the value of stop criterion for optimizing the likelihood function. It is also possible to choose whether to trace optimization function evaluations, or not. If yes, it improves the efficiency of function evaluations.

## 5. Best model criterion

Software uses various criteria for assessing the goodness-of-fit of a model.

Explanation of used symbols:

- $y_i$  is the observed value,
- $y^{\wedge}_i$  is the predicted value,
- $n$  is a number of data points,
- $SS_{res}$  is residual sum of squares,
- $SS_{tot}$  is total sum of squares,  $\bar{y}$  is the mean of the observed values,

- $p$  is number of parameters in the model,
- $WSS$  is the weighted sum of squares.

1. Root-mean-square error (RMSE):

$$RMSE = \sqrt{\frac{\sum_{i=1}^n (y_i - \hat{y}_i)^2}{n}}$$

2. Coefficient of determination ( $R^2$ ):

$$R_2 = 1 - \frac{SS_{res}}{SS_{tot}} = 1 - \frac{\sum_{i=1}^n (y_i - \hat{y}_i)^2}{\sum_{i=1}^n (y_i - \bar{y})^2}$$

3. Adjusted coefficient of determination ( $R^2_{adjusted}$ ):

$$R^2_{adjusted} = 1 - \left( \frac{n-1}{n-p-1} \right) \times (1 - R^2)$$

4. Akaike information criterion (AIC):

$$AIC = 2k + n \times \ln(WSS) = 2k + n \times \ln \left( \sum_{i=1}^n w_i \times (y_i - \hat{y}_i)^2 \right)$$

## 6. Input file

The input file is a tab delimited text file format (\*.txt). The first column contains time-points and can be expressed in selected by the user format (minutes, hours etc.). The second column is for dissolved amount of drug substance, and it is expressed in percentages. Users can choose in a software if the provided data file contains headers, or not. Default settings include headers.

Time	Dissolved amount
0	0
1	2.44

**Figure 1** Example input data




## 7. Config files

The software has two config files (.yaml) by default. The first one is called `factory_config` and stores the application's factory settings. The second one is called `user_config` and saves the current app settings specified by the user. Both files should not be edited by the user without appropriate R knowledge, otherwise the application error may occur.

Config files store information about:

- models' equations,
- selected models,
- optimization methods,
- optimization parameters,
- input data format.

With the appropriate skills in R, the user can add further equation models or update existing ones. To do this, update the configuration file named "`factory_config.yaml`" and add another line in the section "models".



```
1 - default:
2   variable: 1
3
4 - ##dissolution model equations
5   #equation are written in particular format: C[i] - parameters for optimization where i is the parameter number, t - time
6 - models:
7   Zero order: C[1]*t # 1
8   Zero order with lag time: C[1]*(t-C[2]) # 2
9   Zero order with q0: C[1]*t+C[2] # 3
10  First order: 100*(1-exp(-C[1]*t)) # 4
11  First order with lag time: 100*(1-exp(-C[1]*t-C[2])) # 5
12  Second order: 100*(1-(C[1]/(1+C[1]*C[2]*t))) # 6
13  Second order with lag time: 100*(1-(C[1]/(1+C[1]*C[2]*(t-C[3])))) # 7
14  Third order: 100*(1-(1/(C[1]*t+1/(C[2]^2))^0.5)) # 8
15  Third order with lag time: 100*(1-(1/(C[1]*(t-C[2])+1/(C[3]^2))^0.5)) # 9
16  Michaelis-Menten: 100*t/(C[1]+t) # 10
17  Michaelis-Menten with lag time: 100*(t-C[1])/(C[2]+t-C[1]) # 11
18  weibull: 100*(1-exp(-(t^C[1])/C[2])) # 12
19  weibull with lag time: 100*(1-exp(-((t-C[1])^C[2])/C[3])) # 13
20  Double weibull: 100*(C[1]*(1-exp(-(t^C[2])/C[3]))+C[4]*(1-exp(-(t^C[5])/C[6])))) # 14
21  Double weibull with lag time: 100*(C[1]*(1-exp(-(t-C[2])^C[3])/C[4])+C[5]*(1-exp(-(t-C[2])^C[6])/C[7])) # 15
22  Higuchi: C[1]*t^0.5 # 16
```

**Figure 2** Configuration "factory\_config" file content

You should enter the model name and after the colon enter the model equation. The equations should be entered in a strictly defined way, taking into account that `C[i]` - parameters for optimization where `i` is the parameter number, `t` - time. After updating the configuration file "`factory_config.yaml`", you should also do the same for the file "`user_config.yaml`".


## 8. GUI elements

Graphical User Interface (GUI) consists of four different tabs: “Main panel”, “Settings”, “Results”, and “More”. Detailed description of each section is described in the next sections.

### 8.1. Main panel


After opening the application, the “Main panel” displays automatically. The “Main panel” allows the user to:

1) Upload a data file and display the name of a file. The data file can be loaded by clicking on the button called “CHOOSE” on the left side of the app.




**Figure 3** Button for loading a data file

2) Display a graph. A graph is displayed on the right side of the app.



**Figure 4** Section displaying a graph

3) Save settings of the application. The selected settings are saved by clicking on the button called “SAVE SETTINGS” on the left side of the app.



**Figure 5** Button for saving settings within “Main panel” window


4) Run the application. The application is started by clicking on the button called “RUN APP”.



**Figure 6** Button for running the application

## 8.2. Settings

After clicking tabs “Settings”, the settings window will be shown. The user can do this by navigating within “Settings” window and clicking on tabs called: “Models”, “Optimization methods”, and “Data format”.



**Figure 7** “Settings” window

The “Settings” window allows the user to:

1) Choose models used for computation

The selection of models is done within the tab named “Models” by manually clicking on the appropriate checkbox (right side of the app). It is also a possibility to select or deselect all models at once by clicking bullet buttons (left side of the app).

Settings

Selection options

- ☐ Select all models
- ☐ Deselect all models
- ☐ Restore standard settings

SAVE SETTINGS

Models Optimization methods

Models list:

- ☒ Zero order
- ☐ Zero order with lag time
- ☒ Zero order with Q0
- ☐ First order
- ☒ First order with lag time

**Figure 8** “Models” tab within “Settings” window

## 2) Choose optimization methods used for computation

The selection of optimization methods is done within the tab named “Optimization methods” by manually clicking on the appropriate checkbox on the right side of the app.

Settings

Selection options

- ☐ Select all models
- ☐ Deselect all models
- ☐ Restore standard settings

SAVE SETTINGS

Models Optimization methods Data format

Optimization method:

- ☐ SANN
- ☒ nloptr
- ☐ NelderMead
- ☐ genSA
- ☐ rgenoud

Optimization parameters:

Tracing of optimization function evaluations:

Yes

Maximum number of iterations in BFGS method:

5000

Value of stop criterion for optimizing:

1e-20

Maximum number of iterations in nloptr method:

10000

**Figure 9** “Optimization methods” tab within “Settings” window

**Optimization method:**

- ☐ SANN
- ☒ nloptr
- ☐ NelderMead
- ☐ genSA
- ☐ rgenoud

**Figure 10** Checkbox for selecting optimization methods

Below the list of optimization methods, there is section that allows to specify the optimization parameters. Options called “Tracing of optimization function evaluations”, “Maximum number of iterations in BFGS method”, and “Value of stop criterion for optimizing” always should be seen. The selection is made by entering the appropriate value or selecting from the drop-down list.

**Optimization parameters:**

Tracing of optimization function evaluations:

Maximum number of iterations in BFGS method:

Value of stop criterion for optimizing:

**Figure 11** Overall “Optimization parameters” section

In addition, after clicking on a selected model, options related to the given model are displayed, e.g., if “nloptr” method is selected, box named “Maximum number of iterations in nloptr method” should appear.

**Optimization parameters:**

Tracing of optimization function evaluations:

Maximum number of iterations in BFGS method:


Value of stop criterion for optimizing:

Maximum number of iterations in nloptr method:

**Figure 12** Overall and specific “Optimization parameters” section

### 3) Modify data format used for computation


The selection of optimization methods is done within the tab named “Data format” from the drop-down list on the right side of the app. It allows to choose whether uploaded data contains headers, or not.



**Figure 13** “Data format” tab within “Settings” window


### 4) Restore standard settings

The possibility of restoring the initial settings is in the section called “Selection options” (left side of the app). It can be done by selecting an appropriate bullet button called “Restore standard settings”.



**Figure 14** Bullet buttons for selecting “Restore standard settings”


5) Save settings. The selected settings are saved by clicking on the button called “SAVE SETTINGS” on the left side of the app.



**Figure 15** Button for saving settings within “Settings” windows

### 8.3. Results

After clicking tab named “Results”, a drop-down list is shown. It consists of tabs named: “Used settings”, “Overall results”, “Model results”, and “Error ranking”.




**Figure 16** “Results” drop-down list

#### 1) Used settings

After clicking “Used settings” a current, saved configuration settings are displayed. Used settings tab contains information about:

- used models – only selected models' equations are displayed,
- used optimization methods – all possible optimization methods with corresponding “TRUE” (meaning this optimization is used) or “FALSE” (meaning this optimization is not used) value are displayed,
- used optimization parameters – all possible optimization parameters with corresponding values are displayed, even if one or more values are not used during computation,
- used data format – it displays info whether uploaded data file contained headers, or not.



**Figure 17** “Used settings” window


## 2) Overall results

When the application has not yet been started, this tab should display information “Results not found”.

After the running of the app, it should display overall results. They contain information about:

- date of report,
- used optimization methods,
- used optimization parameters,
- detailed results for each model (model name, model equation, parameters for equation after optimization, algebraic form of equation, error),
- information about computer system,
- installed by the user packages and their versions.





**Figure 18** Fragment of a window of tab called “Overall results” within “Results” panel


### 3) Model results

When the application has not yet been started, this tab should be empty.

After the running of the app, it should display detailed results for each model. All model results are presented in a separate tab, where the tab name is the model's name. Each tab contains:

- graph with results for this model (predicted and observed data is shown)
- model name,
- model equation.
- parameters for equation after optimization,
- algebraic form of equation, which is equation with included calculated parameters,
- RMSE,  $R^2$ ,  $R^2_{\text{adjusted}}$  and AIC value,
- file data path when the user can find the results.

The graph is displayed at the top and the results for the model below it.



**Figure 19** Zero order model graph after calculations



**Figure 20** Zero order model results and results file path after calculations

#### 4) Error ranking

When the application has not yet been started, this tab should be empty.

After the running of the app, it should display error ranking. The ranking is in the form of a 4 tables, individually for RMSE,  $R^2$ ,  $R^2_{\text{adjusted}}$ , and AIC. Every table has 3 columns called

"Number", "Equation" and type of error name (e.g. “RMSE”) and rows which number depends on the number of selected models. Models can be sorted by increasing or decreasing error value.

RKinetDS

Main panel

Settings

Results

More

Show 10 entries

Search:

	Number	Equation	RMSE
1	7	$100 * (1 - (C[1] / (1 + C[1] * C[2] * (t - C[3]))))$	0.544468547407789
2	5	$100 * (1 - \exp(-C[1] * t - C[2]))$	3.42844315402374
3	3	$C[1] * t + C[2]$	7.38256196920103
4	1	$C[1] * t$	9.7364210418234

Showing 1 to 4 of 4 entries

Previous

1

Next

Show 10 entries

Search:

	Number	Equation	R2
1	7	$100 * (1 - (C[1] / (1 + C[1] * C[2] * (t - C[3]))))$	0.999479928960736
2	5	$100 * (1 - \exp(-C[1] * t - C[2]))$	0.979378940147845
3	3	$C[1] * t + C[2]$	0.904383844203255
4	1	$C[1] * t$	0.833690993416793

Showing 1 to 4 of 4 entries

Previous


1

Next

**Figure 21** Error ranking displayed after running the app

## 8.4. More

After clicking tab named “More”, a drop-down list is shown. It consists of tabs named: “Manual”, and “License”.



**Figure 22** “More” drop-down list


After clicking “Manual” a short version of documentation is displayed.

The screenshot shows the 'Manual' window of RKinetDS. The title bar includes the application name 'RKinetDS' and navigation buttons: 'Main panel', 'Settings', 'Results', and 'More'. The main content area is titled 'USER MANUAL' and 'RKinetDS v. 1.2'. Below this, the 'Table of contents' is listed with hyperlinks to each section:

- [Table of contents 1](#)
- [1. Introduction 2](#)
- [2. Software requirements 2](#)
- [3. Implemented models 3](#)
- [4. Optimization methods and parameters 6](#)
- [5. Best model criterion 7](#)
- [6. Input file 8](#)
- [7. Config files 8](#)
- [8. GUI elements 8](#)
  - [8.1. Main panel 9](#)
  - [8.2. Settings 10](#)
  - [8.3. Results 14](#)
  - [8.4. More 18](#)
- [9. How to use a software 19](#)
- [10. Output files 24](#)
- [11. Other files 28](#)
- [12. License 28](#)

**Figure 23** “Manual” window


After clicking “License” a license text is displayed.



**Figure 24** “License” window


## 9. How to use a software

After opening the application, the “Main panel” displays automatically.




**Figure 25** “Main panel” window

The data file can be uploaded to the application by clicking the "CHOOSE" button. It is not possible to upload more than one file at a time. After clicking the button, a new window should appear to browse files.



**Figure 26** Window that appears after clicking "Choose" button

Select the desired file and click "Select". The windows should close, and you should see the main panel with two main changes: chosen file name in the section "Name of a selected file" and a graph representing the loaded data. Uploading data is a necessary step in order to run the app.



**Figure 27** Window that appears after uploading a data file

In the next step, the "Settings" panel should be selected when the user can choose desired models and specify optimization parameters and information about the input file. One or more

models can be used at the same time, as well as one or more optimization methods. Specific value for the maximum iterations and value of stop criterion for optimizing must be provided, otherwise the computation will not complete, and no results will be produced.

If the user's data does not contain headers, it is necessary to select it in the settings. Otherwise, the application will stop working. Default settings include headers.

By default, when opening the application, the factory configuration or the last saved configuration is displayed in the “Settings” panel.

RKinetDS   Main panel   Settings   Results   More

## Settings

**Selection options**

☐ Select all models

☐ Deselect all models

☐ Restore standard settings

**SAVE SETTINGS**


**Models**   Optimization methods   Data format

**Models list:**

- ☒ Zero order
- ☐ Zero order with lag time
- ☒ Zero order with Q0
- ☐ First order
- ☒ First order with lag time
- ☐ Second order
- ☒ Second order with lag time
- ☐ Third order
- ☐ Third order with lag time
- ☐ Michaelis-Menten
- ☐ Michaelis-Menten with lag time
- ☐ Weibull
- ☐ Weibull with lag time
- ☐ Double Weibull
- ☐ Double Weibull with lag time
- ☐ Higuchi
- ☐ Higuchi with lag time


**Figure 28** Window that allows user to select desired settings

Clicking button "SAVE SETTINGS" before “RUN APP” is not necessary in order to run app. Settings are automatically captured as the user starts computation by clicking “RUN APP” and they are saved to a config file “user\_config.yml”. However, if the user only wants to save data to a user\_config file and not run the calculations, the button “SAVE SETTINGS” should be clicked. In this case, when the app is open again, the last saved settings will be displayed. When done correctly, after saving options a message “Settings saved” appears. The user can close this message.



**Figure 29** The message shown after saving the settings


After selecting the desired options, the user can go back to “Main panel” and start app by clicking button called “RUN APP”. The message “Wait, model computation in progress” should appear.



**Figure 30** The message shown after running the app


The user can close this message, but it doesn’t mean calculations ended. During calculations the user cannot select any options in the application, and this is a sign that the application is still working. Nevertheless, it is possible to navigate through the tabs without clicking any options. The user also has the calculation progress displayed in the lower right corner of the application, showing how many models have been already calculated.





**Figure 31** Progress bar


When the calculation is complete, a message “Model computation finished” appears. The user can close this message.



**Figure 32** The message shown after the end of calculations

After performing the calculations, the graph, model name, equation and RMSE of the best model is displayed in the “Main panel” on the right side of the app. “PRED” plot shows predicted data and “OBS” plots shows observed data.

## Main panel



**Figure 33** “Main panel” displaying information about the best model

Detailed results for every model can be found in the panel called “Results”. The user can see what settings were used, an overall report for all selected models, detailed results for each model with a graph, and the ranking of the models ranked by the value of the error.

After the calculations are completed and the results are seen by the user, the application can be closed. The computer holds all the results as files. Until the user restarts the application from the same path, the results remain saved. Note that, if the user restarts the apps with the same path, the old files are deleted and replaced with new ones after clicking "RUN APP".

## 10. Output files

The results are stored in the form of text files. After the calculation is completed, for every used model a separate folder is created called “Results\_eq\_no” (e.g., 3 selected models mean 3 created folders). Their number (no) corresponds to the model number that can be found in the file called “models\_list” (.txt). For example, a folder called “Results\_eq\_3” stores results for the first order model.

In every folder there are two text files called “optimizedEquation\_no” (.txt) and “results\_no” (.txt).

Model name: First order with lag time

Model equation:  $100 * (1 - \exp(-C[1] * t - C[2]))$

Parameters for equation after optimization: 0.02906453    0.03524314

Algebraic form:  $100*(1-\exp(-0.0290645263309059*t-0.0352431352581918))$

RMSE: 3.428443

R2: 0.9793789

R2 adjusted: 0.9742237

AIC: 31.10634

**Figure 34** Example "optimizedEquation\_no" file results

"Time"	"Observed"	"Predicted"
0	0	3.46293279261763
1	2.44	6.2283544188822
6	21.57	18.9116020154063
11	34.43	29.8793548203243
16	43.66	39.3636450759805
21	50.62	47.5651210987806
26	56.04	54.6572921668741
31	60.4	60.790199258143
36	63.96	66.0935892961171
41	66.94	70.6796600577182
46	69.47	74.6454338137148

**Figure 35** Example " results\_no" file results

Outside of these folders there also more output files: “overall\_report” (.txt) and files with error ranking: RMSE\_error\_ranking , “R2\_error\_ranking”, “R2\_adjusted\_error\_ranking”, and “AIC\_error\_ranking” (.txt).

## OVERALL REPORT

Date: Wed Aug 28 12:22:29 2024

## USED OPTIMIZATION METHODS

NelderMead: FALSE

SANN: FALSE

nloptr: TRUE

rgenoud: FALSE

genSA: FALSE

## USED PARAMETERES

maxit\_BFGS: 5000

maxit\_NM: 2500

maxit\_nloptr: 10000

max\_iter\_rgenoud: 50

max\_iter\_gensa: 100

maxit\_SANN: 2500

optim\_rel\_tol: 1e-20

opti\_trace: 1

## RESULTS

Model name: Zero order

Model equation:  $C[1]*t$

Parameters for equation after optimization: 1.82522478578204

Algebraic form:  $1.82522478578204*t$

RMSE: 9.7364210418234

R2: 0.833690993416793

R2 adjusted: 0.815212214907547

AIC: 52.0692192137181

Model name: Zero order with Q0

Model equation:  $C[1]*t+C[2]$

Parameters for equation after optimization: 1.4329561842043612.6610950896768

Algebraic form:  $1.43295618420436*t+12.6610950896768$

RMSE: 7.38256196920104

R2: 0.904383844203255

R2 adjusted: 0.880479805254069

AIC: 47.9806560306938

Model name: First order with lag time

Model equation:  $100*(1-\exp(-C[1]*t-C[2]))$

Parameters for equation after optimization: 0.02906452633090590.0352431352581918

Algebraic form:  $100*(1-\exp(-0.0290645263309059*t-0.0352431352581918))$

RMSE: 3.42844315402374

R2: 0.979378940147845

R2 adjusted: 0.974223675184806

AIC: 31.1063378780258

Model name: Second order with lag time

Model equation:  $100*(1-(C[1]/(1+C[1]*C[2]*(t-C[3]))))$

Parameters for equation after optimization: 2.423345766322580.0492996015307299-11.6584825100118

Algebraic form:  $100*(1-(2.42334576632258/(1+2.42334576632258*0.0492996015307299*(t--11.6584825100118))))$

RMSE: 0.544468547407792

R2: 0.999479928960736

R2 adjusted: 0.99925704137248

AIC: -7.37479225391218

## INSTALLED PACKAGES AND THEIR VERSIONS

crayon 1.5.2

digest 0.6.31

GenSA1.1.8

ggplot2 3.4.2

nloptr 2.0.3

pkgconfig 2.0.3

pkgload 1.3.2

plotly 4.10.1

rappdirs 0.3.3

RColorBrewer1.1-3

Rcpp 1.0.10

rematch2 2.1.2

rgenoud 5.9-0.3

shiny 1.7.4

shinycssloaders 1.0.0

shinydashboard 0.7.2

shinyFiles 0.9.3

```
shinyjs 2.1.0
shinythemes 1.2.0
shinyWidgets 0.7.6
```

**Figure 36** Example "overall\_report" file results

Number	Equation	R2
7	$100*(1-(C[1]/(1+C[1]*C[2]*(t-C[3]))))$	0.999479928960736
5	$100*(1-\exp(-C[1]*t-C[2]))$	0.979378940147845
3	$C[1]*t+C[2]$	0.904383844203255
1	$C[1]*t$	0.833690993416793

**Figure 37** Example "R2\_error\_ranking" file results

## 11. Other files

Integral parts of the application are files called "RKinetDS\_computational\_core" (.R), "Documentation\_RKinetDS" (.html) and "license" (.html), which should not be deleted.

RKinetDS\_computational\_core contains the computational part of the application. It can be used independently of the app by users with appropriate knowledge and skills to run it in an R environment. Documentation file stores information displayed in "Manual" section in the app, and license file stores information displayed in "License" section in the app.

The file named "test\_data" (.txt) contains sample data that can be used to test the app. In the file named "models\_list" (.txt), the list with models' names and their equation is saved. Every model has assigned its own number that app uses.

## 12. License

Authors:

- Natalia Obajtek: natalia.obajtek@uj.edu.pl; nat.obajtek@gmail.com
- Aleksander Mendyk: mfmendyk@cyf-kr.edu.pl; aleksander.mendyk@uj.edu.pl

- Jakub Szlęk: j.szlek@uj.edu.pl
- Adam Paclawski: adam.paclawski@uj.edu.pl

Department of Pharmaceutical Technology and Biopharmaceutics Jagiellonian University  
Medical College, Medyczna 9 Str, 30-688 Kraków, Poland.

RKinetDS - software for modeling dissolution profiles

Copyright (C) 2023 Natalia Obajtek, Aleksander Mendyk, Jakub Szlęk, Adam Paclawski

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

## GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright © 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU



General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those

that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

“This License” refers to version 3 of the GNU General Public License.

“Copyright” also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

“The Program” refers to any copyrightable work licensed under this License. Each licensee is addressed as “you”. “Licensees” and “recipients” may be individuals or organizations.

To “modify” a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a “modified version” of the earlier work or a work “based on” the earlier work.

A “covered work” means either the unmodified Program or a work based on the Program.

To “propagate” a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To “convey” a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays “Appropriate Legal Notices” to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

## 1. Source Code.

The “source code” for a work means the preferred form of the work for making modifications to it. “Object code” means any non-source form of a work.

A “Standard Interface” means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The “System Libraries” of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A “Major Component”, in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The “Corresponding Source” for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work

is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to “keep intact all notices”.

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an “aggregate” if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A “User Product” is either (1) a “consumer product”, which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, “normally used” refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a

consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

“Installation Information” for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

“Additional permissions” are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered “further restrictions” within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.



If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

#### 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An “entity transaction” is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

## 11. Patents.

A “contributor” is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's “contributor version”.

A contributor's “essential patent claims” are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, “control” includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a “patent license” is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent

or covenant not to sue for patent infringement). To “grant” such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. “Knowingly relying” means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is “discriminatory” if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License “or any later version” applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS