

AleksandraGorska02/npm\_activity — Mozilla Firefox

Search or jump to... Pull requests Issues Codespaces Marketplace Explore

AleksandraGorska02 / npm\_activity Public

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

main 1 branch 0 tags

AleksandraGorska02 Add files via upload

README.md	Initial commit
index.html	first
script.txt	Add files via upload
style.css	first

README.md

npm\_activity

Local Codespaces

Clone

HTTPS SSH GitHub CLI

git@github.com:AleksandraGorska02/npm\_activ

Use a password-protected SSH key.

Download ZIP

npmactivity: bash — Konsole

```
[alxandra@earendil npmactivity]$ git clone git@github.com:A
at
Klonowanie do „npm_activity”...
remote: Enumerating objects: 10, done.
remote: Counting objects: 100% (10/10), done.
remote: Compressing objects: 100% (8/8), done.
remote: Total 10 (delta 1), reused 3 (delta 0), pack-reused
Pobieranie obiektów: 100% (10/10), gotowe.
Rozwijanie delt: 100% (1/1), gotowe.
(alxandra@earendil npmactivity)$
```

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package



npm — Mozilla Firefox



Search packages


Search Sign Up Sign In

Build amazing things


We're npm, Inc., the company behind the npm Registry and npm CLI. We offer those to the community for free, but our day job is building and selling useful tools for developers like you.








new folder






A terminal window titled 'packagenpmact: bash — Konsole'. It shows the execution of 'npm init' which prompts for package details. The user enters 'ucaaactgorska' for the package name. The terminal displays the resulting 'package.json' file content. Red handwritten annotations include an arrow pointing to the 'npm init' command and the text 'ucaaactname >'.

```
[alkandra@earendil packagenpmact]$ npm whoami
aleksandragska
[alkandra@earendil packagenpmact]$ npm init
This utility will walk you through creating a package.json file.
It only covers the most common items, and tries to guess sensible defaults.

See 'npm help init' for definitive documentation on these fields
and exactly what they do.

Use 'npm install <pkg>' afterwards to install a package and
save it as a dependency in the package.json file.

Press ^C at any time to quit.
package name: (packagenpmact) ucaaactgorska
version: (1.0.0) 1.0.1
description: activity
entry point: (script.js)
test command:
git repository:
keywords:
author: aleksandragska
license: (ISC)
About to write to /home/alkandra/Desktop/packagenpmact/package.json:
{
  "name": "ucaaactgorska",
  "version": "1.0.1",
  "description": "activity",
  "main": "script.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "author": "aleksandragska",
  "license": "ISC"
}
Is this OK? (yes)
[alkandra@earendil packagenpmact]$
```



```
packagenpmact: bash — Konsole
File Edit View Bookmarks Plugins Settings Help
[alkandra@earendil packagenpmact]$ npm publish --access public
npm notice ucaactgorska@1.0.1
npm notice === Tarball Contents ===
npm notice 232B package.json
npm notice 4.0kB script.js
npm notice === Tarball Details ===
npm notice name: ucaactgorska
npm notice version: 1.0.1
npm notice filename: ucaactgorska-1.0.1.tgz
npm notice package size: 1.2 kB
npm notice unpacked size: 4.2 kB
npm notice shasum: 02e9914c3be4e840fd52f1c29fdbfc23df2adcff
npm notice integrity: sha512-6eF0ZvIV1Ciwo[...]FMkMygRC02U2A==
npm notice total files: 2
npm notice Publishing to https://registry.npmjs.org/
+ ucaactgorska@1.0.1
[alkandra@earendil packagenpmact]$
```

npm — Mozilla Firefox

https://www.npmjs.com/settings/aleksandragsorka/packages

Nimble Pixie Merchant Pro Teams Pricing Documentation

Search packages Search

Profile Packages Account Billing Info Access Tokens Organizations

1 packages

ucaactgorska

Activity

aleksandragsorka published 1.0.1 • a few seconds ago

Support Help Advisories Company About Blog Terms & Policies Policies Terms of Use

ucaactgorska - npm — Mozilla Firefox

https://www.npmjs.com/package/ucaactgorska

**npm** Search packages Search

### ucaactgorska

1.0.1 • Public • Published 2 minutes ago

[Readme](#) [Explore](#) [0 Dependencies](#) [0 Dependents](#) [1 Versions](#) [Settings](#)

This package does not have a README. Add a README to your package so that users know how to get started.

**Keywords**

none

**Install**

```
> npm i ucaactgorska
```

Copy Command to Clipboard

Version	License
1.0.1	ISC
Unpacked Size	Total Files
4.21 kB	2
Last publish	
2 minutes ago	

npm\_activity — Dolphin

Desktop > github > npm\_activity > npm\_activity

packagenpmact npm\_activity ucaactgorska

- .git
- index.html
- README.md
- script.txt
- style.css

**open terminal**

1 Folder, 4 Files (6.5 KiB)

Zoom: 39.3 GiB free

22:39 21.11.2022

```
File Edit View Bookmarks Plugins Settings Help
[alkandra@earendil npm_activity]$ npm init
This utility will walk you through creating a package.json file.
It only covers the most common items, and tries to guess sensible defaults.

See 'npm help init' for definitive documentation on these fields
and exactly what they do.

Use 'npm install <pkg>' afterwards to install a package and
save it as a dependency in the package.json file.

Press ^C at any time to quit.
package name: (npm_activity) package.json
version: (1.0.0)
description:
entry point: (index.js)
test command:
git repository: (https://github.com/AleksandraGorska02/npm_activity.git)
keywords:
author:
license: (ISC)
About to write to /home/alkandra/Desktop/github/npmactivity/npm_activity/package.json:
{
  "name": "npm_activity",
  "version": "1.0.0",
  "description": "",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "repository": {
    "type": "git",
    "url": "git+https://github.com/AleksandraGorska02/npm_activity.git"
  },
  "author": "",
  "license": "ISC",
  "bugs": {
    "url": "https://github.com/AleksandraGorska02/npm_activity/issues"
  },
  "homepage": "https://github.com/AleksandraGorska02/npm_activity#readme"
}

Is this OK? (yes)
[alkandra@earendil npm_activity]$
```

Enter...  
Enter...  
Enter...  
Enter..

```
Is this OK? (yes)
[alkandra@earendil npm_activity]$ npm i ucaactgorska
added 1 package, and audited 2 packages in 1s
found 0 vulnerabilities
[alkandra@earendil npm_activity]$
```

