Lists in R

Stat 133 by Gaston Sanchez

Lists

single data type *multiple data types*

dimensions

1D

Vector

List

2D

Matrix



Data Frame



non-atomic structures

nD

Array



R lists

A list is the most general data structure in R

Lists can contain any other type of data structure

Lists can even contain other lists

List of Vectors (of equal length)



List of Vectors (of different length)



List of various objects



vector



matrix



Other lists

R lists

Lists are a special type of vector

```
lst <- vector(mode = "list")
```

Lists are vectors in the sense of being a one-dimensional object

Lists are NOT atomic structures

Subsetting and Indexing

Bracket Notation System

To extract values from R objects use brackets: [ ]

Inside the brackets specify vector(s) of indices

Use as many indices, separated by commas, as dimensions in the object

Vector(s) of indices can be numbers, logicals, and sometimes names

```
lst <- list(
  c(1, 2, 3),
  matrix(1:9, nrow = 3, ncol = 3),
  list(1:2, c(TRUE, FALSE), c("a", "b"))
)
```



vector



matrix



another list

access list element(s)

```
list[elem]
```

`lst[1]`



vector



matrix



another list

lst[2]



vector



matrix



another list

`lst[3]`



vector



matrix



another list

access object of list element

`list[[elem]]`

`lst[[1]]`



vector



matrix



another list

`lst[[2]]`



vector



matrix



another list

`lst[[3]]`



vector



matrix



another list

access object's elements,
of list element

```
list[[elem]][obj]
```

```
lst[[1]][2]
```



vector



matrix



another list

```
lst[[2]][1,1]
```



vector



matrix



another list

```
lst[[2]][1, ]
```



vector

matrix



another list

```
lst[[2]][ ,2]
```



vector



matrix



another list

```
lst[[3]][1]
```



vector



matrix



another list

access object's elements,
of list element

```
list[[elem]][[obj]]
```

```
lst[[3]][[1]]
```



vector



matrix



another list

access element of object's elements, of list element

```
list[[elem]][[obj]][ind]
```

```
lst[[3]][[1]][1]
```



vector



matrix



another list

```
lst[[3]][[3]][c(1,2)]
```



vector



matrix



another list

Dollar Notation

```
lst <- list(
  vec = c(1, 2, 3),
  mat = matrix(1:9, nrow = 3, ncol = 3),
  lis = list(1:2, c(TRUE, FALSE), c("a", "b"))
)
```



"vec"



"mat"



"lis"

access list named element(s)

```
list$name
```

lst$vec



"vec"



"mat"



"lis"

lst$mat



"vec"



"mat"



"lis"

lst$lis



"vec"



"mat"



"lis"

access list named element(s)

```
list$name[ind]
```

```
lst$vec[2]
```



"vec"



"mat"



"lis"

```
lst$mat[1,1]
```



"vec"



"mat"



"lis"

```
lst$lis[[1]]
```



"vec"



"mat"



"lis"

Next time: Data Frames


multiple data types
List
1D
dimensions
Data Frame
2D