More Exercises: Data Types and Variables

Additional exercises for the Python Fundamentals Course@SoftUni. Submit your solutions in the SoftUni judge system at https://judge.softuni.org/Contests/1723.

Note: All the exercises are excluded from your homework!

1. Exchange Integers

Read two integer numbers and, after that, **exchange their values**. Print the variable values before and after the exchange, as shown below:

Examples

Input	Output
5 10	Before: a = 5 b = 10
	After: a = 10 b = 5
10 20	Before: a = 10 b = 20 After: a = 20 b = 10

Hints

You may use a **temporary variable** to remember the old value of **a**, then assign the value of **b** to **a**, then assign the value of the temporary variable to **b**.

2. Prime Number Checker

Write a program to check if a number is **prime**. A prime number is a natural number greater than 1, not a product of two smaller natural numbers. For example, the only ways of writing 5 as a product, 1×5 or 5×1 , involve 5 itself.

The **input** comes as an integer number.

The **output** should be **True** if the number is prime and **False** otherwise.

Examples

Input	Output	
7	True	
8	False	
81	False	











3. Decrypting Messages

On the first line, you will receive a key (integer). On the second line, you will receive \mathbf{n} – the number of lines, which will **follow**. On the next **n lines** – you will receive a **lower** and an **uppercase** letter per line.

You should add the key to each of the characters and append them to a message. In the end, print the decrypted message.

Examples

Input	Output	Input	Output
3	SoftUni	1	Decrypt
7		7	-
Р		С	
1		d	
С		b	
q		q	
R		x	
k		0	
f		S	

4. Balanced Brackets

On the first line, you will receive n – the number of lines, which will follow. On the following n lines, you will receive one of the following:

- Opening bracket "(",
- Closing bracket ")" or
- **Random string**

Your task is to find out if the brackets are balanced. That means after every opening bracket should follow a closing one. Nested parentheses are not valid, and if, for example, two consecutive opening brackets exist, the expression should be marked as unbalanced. You should print "BALANCED" if the parentheses are balanced and "UNBALANCED" otherwise.

Examples

Input	Output
8	BALANCED
(5 + 10	
)	
* 2 +	
<mark>(</mark>	
5	
-12	

Input	Output
6 12 *) 10 + 2 - (5 + 10	UNBALANCED







