QUANTUM SECURITY INTELLIGENCE

Security & Post-Quantum Readiness Audit Report

agave @ 7700cb3128c1 · Anza (Solana) — public repository (passive review)

Organization	QSI
Report date	2026-10-28 12:15 UTC
Report version	1
Audit run	0551bbf6-76b1-47c4-8902-fd58654b4121 · Document audit · 2026-10-28 12:15 UTC
Analyzer engine	qsi-engine 1.2.0
Risk profile	Small technology company
Content SHA-256	`95cafacb721dbd2090c5af18bd163aecd86fc6cb4bfd30be3473880d42dfd4eb`
Signature key (Ed25519, SHA-256 fingerprint; the signature is the separate file report.sig.json)	`5b3cf9c9bd0fa54447e2b5dfa7a6bab569bd0c666fa46949599e5c348d17083e`

Contents

1. Executive summary
2. Scope and boundaries
3. Methodology
4. Assets examined and not examined
5. Architecture overview
6. Overall security posture
7. Findings by severity
8. Detailed findings
9. Evidence
10. Post-quantum assessment
11. Limitations and assumptions
12. Remediation plan
13. Priorities for 30, 60 and 90 days
14. Verification after remediation
15. Tools used
16. Sources and normative documents
17. Appendices

This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.

Executive summary

114	0	15	26	45
Findings in total	Critical	High	Medium	Low

Classification	Count
Confirmed technical vulnerability	0
Known vulnerable component	84
Confirmed configuration error	0
Potential cryptographic risk	0
Long-term post-quantum risk	9
Improvement recommendation	20
Insufficient data	1

Top 5

ID	Severity	Detailed findings	Priority score
QSI-2026-04273	High	openssl 0.10.64 is affected by GHSA-8c75-8mhr-p7r9 (CVE-2026-41678)	51.3
QSI-2026-04274	High	openssl 0.10.64 is affected by GHSA-ghm9-cr32-g9qj (CVE-2026-41681)	51.3
QSI-2026-04275	High	openssl 0.10.64 is affected by GHSA-hppc-g8h3-xhp3 (CVE-2026-41898)	51.3
QSI-2026-04277	High	openssl 0.10.64 is affected by GHSA-pqf5-4pqq-29f5 (CVE-2026-41676)	51.3
QSI-2026-04281	High	openssl 0.10.64 is affected by GHSA-xp3w-r5p5-63rr (CVE-2026-42327)	51.3

Mosca's inequality (x + y > z): x = 5, y = 3, z = 12 → time available under this scenario. z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Post-quantum maturity: Level 0 of 4 — no post-quantum cryptography. Next step: Inventory where classical public-key cryptography protects long-lived data and keys, and choose the first migration: usually a hybrid TLS key exchange and wrapped keys.

Scope and boundaries

Mode: Document audit

Repository: https://github.com/anza-xyz/agave @ 7700cb3128c1f19820de67b81aa45d18f73d2ac0 — evidence links open the lines at this commit.

Supplied inputs

1293 files, 21712932 bytes in total, 2 redaction(s); the per-file SHA-256 list is in appendix C.

Methodology

The audit was performed by the QSI engine 1.2.0. Each analyzer emits facts (rule, parameters, evidence); finding texts are generated from the rule catalog. Methodology sources are listed under "Sources and normative documents".

Prioritization uses an explainable weighted model (severity, exploitability, exposure, confidentiality/integrity/availability impact weighted by the "Small technology company" profile, asset criticality, urgency, ease of remediation) with a confidence multiplier. CVSS v3.1 is applied only to technical vulnerabilities with a defined vector. Long-term quantum risks use Mosca's inequality; their severity is capped at Medium and they are never presented as exploitable vulnerabilities.

Finding classes: confirmed technical vulnerability; known vulnerable component (a dependency version named in an advisory; whether the affected code is reachable is assessed separately, and a component confirmed by review becomes a vulnerability); confirmed configuration error; potential cryptographic risk; long-term post-quantum risk; improvement recommendation; insufficient data. Heuristic findings are marked preliminary; analyst decisions are shown next to the findings.

Coverage of checks

Area	Status	Count	Examples
dependencies	checked	158	Cargo.lock: 670 dependencies parsed (670 pinned); Cargo.toml: 293 dependencies parsed (90 pinned); account-decoder/Cargo.toml: 19 dependencies parsed (0 pinned)
source_code	checked	1126	account-decoder/src/lib.rs: 278 lines scanned with 16 rule patterns and 122 registry patterns; 59 lines in #[cfg(test)] modules ignored; account-decoder/src/parse_account_data.rs: 174 lines scanned with 16 rule patterns and 122 registry patterns; 50 lines in #[cfg(test)] modules ignored; account-decoder/src/parse_address_lookup_table.rs: 117 lines scanned with 16 rule patterns and 122 registry patterns; 58 lines in #[cfg(test)] modules ignored
tls_code	checked	6	core/src/repair/quic_endpoint.rs: TLS key-exchange settings read; quic-client/src/nonblocking/quic_client.rs: TLS key-exchange settings read; streamer/src/nonblocking/quic.rs: TLS key-exchange settings read
secrets	checked	3	docs/docusaurus.config.js: value(s) at line(s) 106 are not reported as secrets because the source annotates them as published (publishable, search-only, safe to commit); that is the project's own decision, recorded here rather than raised against it; docs/docusaurus.config.js: 1 redacted value(s) not reported (comments, test modules, fixture declarations, placeholders, values the source annotates as published, or hex values not bound to a secret name); rpc/src/rpc_pubsub.rs: 1 redacted value(s) not reported (comments, test modules, fixture declarations, placeholders, values the source annotates as published, or hex values not bound to a secret name)
certificates	checked	1	storage-bigtable/src/pki-goog-roots.pem: 39 certificates, all self-signed CAs — a root trust store. Their algorithms are inventoried; their expiry and issuance properties describe those CAs, not this project, and are not reported as findings against it
certificates_and_keys	checked	1	storage-bigtable/src/pki-goog-roots.pem: certificates/keys parsed
chain_map	checked	4	storage-proto/proto/confirmed_block.proto: Solana; storage-proto/proto/entries.proto: Solana; storage-proto/proto/transaction_by_addr.proto: Solana
osv_advisories	checked	1	1000 pinned packages queried at OSV.dev; 64 affected

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

Assets examined and not examined

Supplied inputs: 1290 (input files: C)

Architecture overview

Static review of the source tree agave at 7700cb3128c1f19820de67b81aa45d18f73d2ac0. 1293 files analysed; of 2166 files, 275 are test, fuzzing, benchmark or example code and were left out, 598 are not read by any analyzer, 0 exceed the per-file limit and 0 did not fit the total limit. No requests were sent to the owner's systems.

Overall security posture


0
Indicative posture index (0–100)

54.5%
Quantum-vulnerable share of inventory

189
Cryptographic inventory

Derived from findings in scope (confirmed and potential issues weighted by severity). Indicative only; not comparable across differently scoped audits.

Findings by severity



ID	Detailed findings	Classification	Severity	Confidence
QSI-2026-04273	openssl 0.10.64 is affected by GHSA-8c75-8mhr-p7r9 (CVE-2026-41678)	Known vulnerable component	High	Medium
QSI-2026-04274	openssl 0.10.64 is affected by GHSA-ghm9-cr32-g9qj (CVE-2026-41681)	Known vulnerable component	High	Medium
QSI-2026-04275	openssl 0.10.64 is affected by GHSA-hppc-g8h3-xhp3 (CVE-2026-41898)	Known vulnerable component	High	Medium
QSI-2026-04277	openssl 0.10.64 is affected by GHSA-pqf5-4pqq-29f5 (CVE-2026-41676)	Known vulnerable component	High	Medium
QSI-2026-04281	openssl 0.10.64 is affected by GHSA-xp3w-r5p5-63rr (CVE-2026-42327)	Known vulnerable component	High	Medium
QSI-2026-04285	quinn-proto 0.10.6 is affected by GHSA-4w2j-m93h-cj5j (CVE-2026-25800, RUSTSEC-2026-0185)	Known vulnerable component	High	Medium
QSI-2026-04286	quinn-proto 0.10.6 is affected by GHSA-6xvm-j4wr-6v98 (CVE-2026-31812, RUSTSEC-2026-0037)	Known vulnerable component	High	Medium
QSI-2026-04311	tar 0.4.40 is affected by GHSA-gchp-q4r4-x4ff (CVE-2026-33055, RUSTSEC-2026-0068)	Known vulnerable component	High	Medium
QSI-2026-04302	rustls-webpki 0.101.7 is affected by GHSA-82j2-j2ch-gfr8 (CVE-2026-93599, RUSTSEC-2026-0104)	Known vulnerable component	High	Low
QSI-2026-04331	semver 6.3.0 is affected by GHSA-c2qf-rxjj-qqgw (CVE-2022-25883)	Known vulnerable component	High	Low
QSI-2026-04333	@babel/plugin-transform-modules-systemjs 7.19.6 is affected by GHSA-fv7c-fp4j-7gwp (CVE-2026-44728)	Known vulnerable component	High	Low
QSI-2026-04336	js-yaml 3.14.1 is affected by GHSA-2883-xcg3-v3hh (CVE-2026-84375)	Known vulnerable component	High	Low
QSI-2026-04337	js-yaml 3.14.1 is affected by GHSA-52cp-r559-cp3m (CVE-2026-59869)	Known vulnerable component	High	Low

QSI-2026-04338	js-yaml 3.14.1 is affected by GHSA-5p4m-2wfm-xmqj	Known vulnerable component	High	Low
QSI-2026-04342	semver 5.7.1 is affected by GHSA-c2qf-rxjj-qqgw (CVE-2022-25883)	Known vulnerable component	High	Low
QSI-2026-04248	block-buffer 0.7.3 is affected by GHSA-qwgh-2vcv-g2f7	Known vulnerable component	Medium	Medium
QSI-2026-04249	block-buffer 0.9.0 is affected by GHSA-qwgh-2vcv-g2f7	Known vulnerable component	Medium	Medium
QSI-2026-04250	block-buffer 0.10.4 is affected by GHSA-qwgh-2vcv-g2f7	Known vulnerable component	Medium	Medium
QSI-2026-04251	borsh 0.9.3 is affected by GHSA-fjx5-qpf4-xjf2 (RUSTSEC-2023-0033)	Known vulnerable component	Medium	Medium
QSI-2026-04252	borsh 0.10.3 is affected by GHSA-fjx5-qpf4-xjf2 (RUSTSEC-2023-0033)	Known vulnerable component	Medium	Medium
QSI-2026-04253	bytes 1.5.0 is affected by GHSA-434x-w66g-qw3r (CVE-2026-25541, RUSTSEC-2026-0007)	Known vulnerable component	Medium	Medium
QSI-2026-04254	crossbeam-channel 0.5.12 is affected by GHSA-pg9f-39pc-qf8g (CVE-2025-4574, RUSTSEC-2025-0024)	Known vulnerable component	Medium	Medium
QSI-2026-04258	ed25519-dalek 1.0.1 is affected by GHSA-w5vr-6qhr-36cc (CVE-2022-50237, RUSTSEC-2022-0093)	Known vulnerable component	Medium	Medium
QSI-2026-04276	openssl 0.10.64 is affected by GHSA-phqj-4mhp-q6mq (CVE-2026-45784)	Known vulnerable component	Medium	Medium
QSI-2026-04282	openssl 0.10.64 is affected by GHSA-xv59-967r-8726 (CVE-2026-44662)	Known vulnerable component	Medium	Medium
QSI-2026-04297	rustls 0.21.10 is affected by GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346)	Known vulnerable component	Medium	Medium
QSI-2026-04306	serde_with 2.3.3 is affected by GHSA-7gcf-g7xr-8hxj	Known vulnerable component	Medium	Medium
QSI-2026-04310	tar 0.4.40 is affected by GHSA-3pv8-6f4r-ffg2	Known vulnerable component	Medium	Medium
QSI-2026-04312	tar 0.4.40 is affected by GHSA-j4xf-2g29-59ph (CVE-2026-33056, RUSTSEC-2026-0067)	Known vulnerable component	Medium	Medium
QSI-2026-04259	h2 0.3.24 is affected by GHSA-q6cp-qfwq-4gcv (RUSTSEC-2024-0332)	Known vulnerable component	Medium	Low
QSI-2026-04261	idna 0.1.5 is affected by GHSA-h97m-ww89-6jmq (CVE-2024-12224, RUSTSEC-2024-0421)	Known vulnerable component	Medium	Low

QSI-2026-04262	idna 0.5.0 is affected by GHSA-h97m-ww89-6jmq (CVE-2024-12224, RUSTSEC-2024-0421)	Known vulnerable component	Medium	Low
QSI-2026-04292	ring 0.16.20 is affected by GHSA-4p46-pwfr-66x6 (CVE-2025-4432, RUSTSEC-2025-0009)	Known vulnerable component	Medium	Low
QSI-2026-04294	ring 0.17.3 is affected by GHSA-4p46-pwfr-66x6 (CVE-2025-4432, RUSTSEC-2025-0009)	Known vulnerable component	Medium	Low
QSI-2026-04313	time 0.3.9 is affected by GHSA-r6v5-fh4h-64xc (CVE-2026-25727, RUSTSEC-2026-0009)	Known vulnerable component	Medium	Low
QSI-2026-04332	@babel/helpers 7.19.4 is affected by GHSA-968p-4wvh-cqc8 (CVE-2025-27789)	Known vulnerable component	Medium	Low
QSI-2026-04334	@babel/runtime 7.19.4 is affected by GHSA-968p-4wvh-cqc8 (CVE-2025-27789)	Known vulnerable component	Medium	Low
QSI-2026-04335	@babel/runtime-corejs3 7.19.6 is affected by GHSA-968p-4wvh-cqc8 (CVE-2025-27789)	Known vulnerable component	Medium	Low
QSI-2026-04339	js-yaml 3.14.1 is affected by GHSA-h67p-54hq-rp68 (CVE-2026-53550)	Known vulnerable component	Medium	Low
QSI-2026-04340	js-yaml 3.14.1 is affected by GHSA-mh29-5h37-fv8m (CVE-2025-64718)	Known vulnerable component	Medium	Low
QSI-2026-04343	@sideway/formula 3.0.0 is affected by GHSA-c2jc-4fpr-4vhg (CVE-2023-25166)	Known vulnerable component	Medium	Low
QSI-2026-04238	Transaction signing for 1 chain(s) relies on elliptic-curve signatures	Long-term post-quantum risk	Low	High
QSI-2026-04243	atty 0.2.14 is affected by GHSA-g98v-hv3f-hcfr (RUSTSEC-2021-0145)	Known vulnerable component	Low	Medium
QSI-2026-04256	curve25519-dalek 3.2.1 is affected by GHSA-x4gp-pqpj-f43q (CVE-2024-58262, RUSTSEC-2024-0344)	Known vulnerable component	Low	Medium
QSI-2026-04280	openssl 0.10.64 is affected by GHSA-xmgf-hq76-4vx2 (CVE-2026-41677)	Known vulnerable component	Low	Medium
QSI-2026-04290	rand 0.7.3 is affected by GHSA-cq8v-f236-94qc (RUSTSEC-2026-0097)	Known vulnerable component	Low	Medium
QSI-2026-04291	rand 0.8.5 is affected by GHSA-cq8v-f236-94qc (RUSTSEC-2026-0097)	Known vulnerable component	Low	Medium
QSI-2026-04295	rpassword 7.3.1 is affected by GHSA-2p6r-x3vv-xqm2	Known vulnerable component	Low	Medium
QSI-2026-04298	rustls 0.21.10 is affected by GHSA-h2v8-394m-p7vv	Known vulnerable component	Low	Medium
QSI-2026-04299	rustls 0.21.10 is affected by GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349)	Known vulnerable component	Low	Medium

QSI-2026-04314	tokio 1.29.1 is affected by GHSA-rr8g-9fpq-6wmg (RUSTSEC-2025-0023)	Known vulnerable component	Low	Medium
QSI-2026-04303	rustls-webpki 0.101.7 is affected by GHSA-965h-392x-2mh5 (CVE-2026-93600, RUSTSEC-2026-0098)	Known vulnerable component	Low	Low
QSI-2026-04304	rustls-webpki 0.101.7 is affected by GHSA-xgp8-3hg3-c2mh (CVE-2026-93601, RUSTSEC-2026-0099)	Known vulnerable component	Low	Low
QSI-2026-04316	tracing-subscriber 0.3.7 is affected by GHSA-xwfj-jgwm-7wp5 (CVE-2025-58160, RUSTSEC-2025-0055)	Known vulnerable component	Low	Low
QSI-2026-04330	@babel/core 7.19.6 is affected by GHSA-4x5r-pxfx-6jf8 (CVE-2026-49356)	Known vulnerable component	Low	Low
QSI-2026-04341	@babel/core 7.12.9 is affected by GHSA-4x5r-pxfx-6jf8 (CVE-2026-49356)	Known vulnerable component	Low	Low
QSI-2026-04230	TLS without a post-quantum key exchange: rustls before 0.23 (ring only)	Long-term post-quantum risk	Low	Medium, preliminary
QSI-2026-04233	Quantum-vulnerable ECDSA: transaction and message signing (3 file(s))	Long-term post-quantum risk	Low	Medium, preliminary
QSI-2026-04234	Quantum-vulnerable BN254 (alt_bn128): transaction and message signing (1 file(s))	Long-term post-quantum risk	Low	Medium, preliminary
QSI-2026-04235	Quantum-vulnerable Ed25519: transaction and message signing (1 file(s))	Long-term post-quantum risk	Low	Medium, preliminary
QSI-2026-04236	Quantum-vulnerable Pedersen commitment: threshold signing and MPC protocols (25 file(s))	Long-term post-quantum risk	Low	Medium, preliminary
QSI-2026-04266	keccak 0.1.5 is affected by GHSA-3288-p39f-rqpv (RUSTSEC-2026-0012)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04231	Quantum-vulnerable Ed25519: role not determined (9 file(s))	Long-term post-quantum risk	Low	Medium, preliminary
QSI-2026-04232	Quantum-vulnerable BN254 (alt_bn128): role not determined (10 file(s))	Long-term post-quantum risk	Low	Medium, preliminary
QSI-2026-04237	Quantum-vulnerable Bulletproofs: role not determined (2 file(s))	Long-term post-quantum risk	Low	Medium, preliminary
QSI-2026-04255	crossbeam-epoch 0.9.5 is affected by RUSTSEC-2026-0204 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04260	h2 0.3.24 is affected by RUSTSEC-2026-0258 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04263	im 15.1.0 is affected by RUSTSEC-2023-0126 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04268	lru 0.7.8 is affected by RUSTSEC-2026-0253 (no severity rating)	Known vulnerable component	Low	Low, preliminary

QSI-2026-04287	quinn-proto 0.10.6 is affected by RUSTSEC-2026-0338 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04288	quinn-proto 0.10.6 is affected by RUSTSEC-2026-0339 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04289	quinn-proto 0.10.6 is affected by RUSTSEC-2026-0342 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04305	rustls-webpki 0.101.7 is affected by RUSTSEC-2026-0382 (CVE-2026-111943) (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04308	sized-chunks 0.6.5 is affected by RUSTSEC-2026-0255 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04309	solana_rbpf 0.8.0 is affected by RUSTSEC-2026-0191 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04318	webpki-roots 0.24.0 is affected by RUSTSEC-2026-0381 (CVE-2026-111943) (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04319	webpki-roots 0.25.2 is affected by RUSTSEC-2026-0381 (CVE-2026-111943) (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04321	zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0395 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04322	zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0397 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04323	zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0399 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04324	zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0400 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04325	zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0401 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04326	zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0402 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04327	zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0403 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04328	zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0404 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04329	zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0406 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04272	openssl 0.10.64 is affected by GHSA-4fcv-w3qc-ppgg (RUSTSEC-2025-0022)	Known vulnerable component	Info	Medium, preliminary
QSI-2026-04278	openssl 0.10.64 is affected by GHSA-q445-7m23-qrmw (RUSTSEC-2024-0357)	Known vulnerable component	Info	Medium, preliminary

QSI-2026-04279	openssl 0.10.64 is affected by GHSA-rpmj-rpgj-qmpm (CVE-2025-24898, RUSTSEC-2025-0004)	Known vulnerable component	Info	Medium, preliminary
QSI-2026-04296	rustls 0.21.10 is affected by GHSA-6g7w-8wpp-frhj (CVE-2024-32650, RUSTSEC-2024-0336)	Known vulnerable component	Info	Medium, preliminary
QSI-2026-04244	atty 0.2.14: informational advisory RUSTSEC-2024-0375 (unmaintained)	Improvement recommendation	Info	High
QSI-2026-04245	backoff 0.4.0: informational advisory RUSTSEC-2025-0012 (unmaintained)	Improvement recommendation	Info	High
QSI-2026-04246	bincode 1.3.3: informational advisory RUSTSEC-2025-0141 (unmaintained)	Improvement recommendation	Info	High
QSI-2026-04257	derivative 2.2.0: informational advisory RUSTSEC-2024-0388 (unmaintained)	Improvement recommendation	Info	High
QSI-2026-04264	im 15.1.0: informational advisory RUSTSEC-2026-0248 (unmaintained)	Improvement recommendation	Info	High
QSI-2026-04267	libsecp256k1 0.6.0: informational advisory RUSTSEC-2025-0161 (unmaintained)	Improvement recommendation	Info	High
QSI-2026-04270	net2 0.2.37: informational advisory RUSTSEC-2020-0016 (unmaintained)	Improvement recommendation	Info	High
QSI-2026-04242	anyhow 1.0.80 is affected by RUSTSEC-2026-0190 (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-04269	memmap2 0.5.10 is affected by RUSTSEC-2026-0186 (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-04315	tokio 1.29.1 is affected by RUSTSEC-2026-0386 (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-04239	No post-quantum capable cryptographic library detected	Insufficient data	Info	Medium, preliminary
QSI-2026-04240	adler 1.0.2: informational advisory RUSTSEC-2025-0056 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-04241	ansi_term 0.11.0: informational advisory RUSTSEC-2021-0139 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-04247	bitmaps 2.1.0: informational advisory RUSTSEC-2026-0247 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-04265	instant 0.1.12: informational advisory RUSTSEC-2024-0384 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-04271	number_prefix 0.4.0: informational advisory RUSTSEC-2025-0119 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-04283	paste 1.0.9: informational advisory RUSTSEC-2024-0436 (unmaintained)	Improvement recommendation	Info	Low

QSI-2026-04284	proc-macro-error 1.0.4: informational advisory RUSTSEC-2024-0370 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-04293	ring 0.16.20: informational advisory RUSTSEC-2025-0010 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-04300	rustls-pemfile 0.2.1: informational advisory RUSTSEC-2025-0134 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-04301	rustls-pemfile 1.0.0: informational advisory RUSTSEC-2025-0134 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-04307	sized-chunks 0.6.5: informational advisory RUSTSEC-2026-0251 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-04317	unsafe-libyaml 0.2.10: informational advisory RUSTSEC-2024-0449 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-04320	yaml-rust 0.4.5: informational advisory RUSTSEC-2024-0320 (unmaintained)	Improvement recommendation	Info	Low

Detailed findings

QSI-2026-04273 · DEP-KNOWN-ADVISORY

High

openssl 0.10.64 is affected by GHSA-8c75-8mhr-p7r9 (CVE-2026-41678)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-8c75-8mhr-p7r9 (CVE-2026-41678) for crates.io package openssl at version 0.10.64: rust-openssl has incorrect bounds assertion in aes key wrap. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/openssl@0.10.64
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	51.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-8c75-8mhr-p7r9
```

EVIDENCE

tool_output · OSV.dev GHSA-8c75-8mhr-p7r9 · manifest · SHA-256 3aad5bd9d1c003ab...


```
{"id": "GHSA-8c75-8mhr-p7r9", "aliases": ["CVE-2026-41678"], "modified":
"2026-09-10T03:50:43.807790048Z", "summary": "rust-openssl has incorrect bounds assertion in aes key
wrap", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:H/VI:H/VA:H/
SC:N/SI:N/SA:N/E:U"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.78).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-8c75-8mhr-p7r9

QSI-2026-04274 · DEP-KNOWN-ADVISORY

High

openssl 0.10.64 is affected by GHSA-ghm9-cr32-g9qj (CVE-2026-41681)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-ghm9-cr32-g9qj (CVE-2026-41681) for crates.io package openssl at version 0.10.64: rust-openssl: rustMdCtxRef::digest_final() writes past caller buffer with no length check. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/openssl@0.10.64
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	51.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-ghm9-cr32-g9qj
```

EVIDENCE

tool_output · OSV.dev GHSA-ghm9-cr32-g9qj · manifest · SHA-256 a28b4158e70d0068…


```
{"id": "GHSA-ghm9-cr32-g9qj", "aliases": ["CVE-2026-41681"], "modified":
"2026-09-10T03:51:01.732377930Z", "summary": "rust-openssl: rustMdCtxRef::digest_final() writes past
caller buffer with no length check", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/
AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N/E:U"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.78).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-ghm9-cr32-g9qj

QSI-2026-04275 · DEP-KNOWN-ADVISORY

High

openssl 0.10.64 is affected by GHSA-hppc-g8h3-xhp3 (CVE-2026-41898)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-hppc-g8h3-xhp3 (CVE-2026-41898) for crates.io package openssl at version 0.10.64: rust-openssl: Unchecked callback length in PSK/cookie trampolines leaks adjacent memory to peer. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/openssl@0.10.64
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC

Priority score	51.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-hppc-g8h3-xhp3
```

EVIDENCE

tool_output · OSV.dev GHSA-hppc-g8h3-xhp3 · manifest · SHA-256 4f9db19321f900c7...


```
{"id": "GHSA-hppc-g8h3-xhp3", "aliases": ["CVE-2026-41898"], "modified":
"2026-09-10T03:51:02.103657748Z", "summary": "rust-openssl: Unchecked callback length in PSK/cookie
trampolines leaks adjacent memory to peer", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/
AV:N/AC:L/AT:P/PR:N/UI:N/VC:H/VI:N/VA:L/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.78).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-hppc-g8h3-xhp3

QSI-2026-04277 · DEP-KNOWN-ADVISORY

High

openssl 0.10.64 is affected by GHSA-pqf5-4pqq-29f5 (CVE-2026-41676)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-pqf5-4pqq-29f5 (CVE-2026-41676) for crates.io package openssl at version 0.10.64: rust-openssl: Deriver::derive and PkeyCtxRef::derive can overflow short buffers on OpenSSL 1.1.1. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/openssl@0.10.64
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	51.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-pqf5-4pqq-29f5
```

EVIDENCE

tool_output · OSV.dev GHSA-pqf5-4pqq-29f5 · manifest · SHA-256 d611e6c5503009eb...


```
{"id": "GHSA-pqf5-4pqq-29f5", "aliases": ["CVE-2026-41676"], "modified":
"2026-09-10T03:51:02.503624598Z", "summary": "rust-openssl: Deriver::derive and PkeyCtxRef::derive
can overflow short buffers on OpenSSL 1.1.1", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/
AV:N/AC:L/AT:P/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N/E:U"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.78).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-pqf5-4pqq-29f5

QSI-2026-04281 · DEP-KNOWN-ADVISORY

High

openssl 0.10.64 is affected by GHSA-xp3w-r5p5-63rr (CVE-2026-42327)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-xp3w-r5p5-63rr (CVE-2026-42327) for crates.io package openssl at version 0.10.64: rust-openssl has undefined behavior in X509Ref::ocsp_responders for certificates with non-UTF-8 OCSP URLs. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/openssl@0.10.64
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	51.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-xp3w-r5p5-63rr
```

EVIDENCE

tool_output · OSV.dev GHSA-xp3w-r5p5-63rr · manifest · SHA-256 36fb4bcac33ef3c8...

{"id": "GHSA-xp3w-r5p5-63rr", "aliases": ["CVE-2026-42327"], "modified": "2026-09-10T03:51:07.254489393Z", "summary": "rust-openssl has undefined behavior in X509Ref::ocsp_responders for certificates with non-UTF-8 OCSP URLs", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:H/VA:N/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.79).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-xp3w-r5p5-63rr

QSI-2026-04285 · DEP-KNOWN-ADVISORY

High

quinn-proto 0.10.6 is affected by GHSA-4w2j-m93h-cj5j (CVE-2026-25800, RUSTSEC-2026-0185)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-4w2j-m93h-cj5j (CVE-2026-25800, RUSTSEC-2026-0185) for crates.io package quinn-proto at version 0.10.6: Quinn: Remote memory exhaustion in quinn-proto from unbounded out-of-order stream reassembly. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quinn-proto@0.10.6
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	51.3 / 100 (Small technology company)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-4w2j-m93h-cj5j
```

EVIDENCE

tool_output · OSV.dev GHSA-4w2j-m93h-cj5j · manifest · SHA-256 554b1aef9d075ba0...

{"id": "GHSA-4w2j-m93h-cj5j", "aliases": ["CVE-2026-25800", "RUSTSEC-2026-0185"], "modified": "2026-09-10T03:51:10.288925502Z", "summary": "Quinn: Remote memory exhaustion in quinn-proto from unbounded out-of-order stream reassembly", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.11.15).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-4w2j-m93h-cj5j

QSI-2026-04286 · DEP-KNOWN-ADVISORY

High

quinn-proto 0.10.6 is affected by GHSA-6xvm-j4wr-6v98 (CVE-2026-31812, RUSTSEC-2026-0037)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-6xvm-j4wr-6v98 (CVE-2026-31812, RUSTSEC-2026-0037) for crates.io package quinn-proto at version 0.10.6: Quinn affected by unauthenticated remote DoS via panic in QUIC transport parameter parsing. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quinn-proto@0.10.6
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	51.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-6xvm-j4wr-6v98
```

EVIDENCE

tool_output · OSV.dev GHSA-6xvm-j4wr-6v98 · manifest · SHA-256 803b73c2d64bc84f...


```
{"id": "GHSA-6xvm-j4wr-6v98", "aliases": ["CVE-2026-31812", "RUSTSEC-2026-0037"], "modified": "2026-09-10T03:50:37.796449419Z", "summary": "Quinn affected by unauthenticated remote DoS via panic in QUIC transport parameter parsing", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.11.14).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-6xvm-j4wr-6v98

QSI-2026-04311 · DEP-KNOWN-ADVISORY

High

tar 0.4.40 is affected by GHSA-gchp-q4r4-x4ff (CVE-2026-33055, RUSTSEC-2026-0068)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-gchp-q4r4-x4ff (CVE-2026-33055, RUSTSEC-2026-0068) for crates.io package tar at version 0.4.40: tar-rs incorrectly ignores PAX size headers if header size is nonzero. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/tar@0.4.40
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	51.3 / 100 (Small technology company)
CVSS v3.1	8.1 — CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-gchp-q4r4-x4ff
```

EVIDENCE

tool_output · OSV.dev GHSA-gchp-q4r4-x4ff · manifest · SHA-256 87cdd295ae2dd672…


```
{"id": "GHSA-gchp-q4r4-x4ff", "aliases": ["CVE-2026-33055", "RUSTSEC-2026-0068"], "modified":
"2026-09-10T03:50:39.204912381Z", "summary": "tar-rs incorrectly ignores PAX size headers if header
size is nonzero", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/
I:H/A:N"}, {"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:L/VI:L/VA:N/SC:N/SI:N/
SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.4.45).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-gchp-q4r4-x4ff

QSI-2026-04302 · DEP-KNOWN-ADVISORY

High

rustls-webpki 0.101.7 is affected by GHSA-82j2-j2ch-gfr8 (CVE-2026-93599, RUSTSEC-2026-0104)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-82j2-j2ch-gfr8 (CVE-2026-93599, RUSTSEC-2026-0104) for crates.io package rustls-webpki at version 0.101.7: rustls-webpki: Denial of service via panic on malformed CRL BIT STRING. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls-webpki@0.101.7
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	38.5 / 100 (Small technology company)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-82j2-j2ch-gfr8
```

EVIDENCE

tool_output · OSV.dev GHSA-82j2-j2ch-gfr8 · manifest · SHA-256 a2f685e85eb5c808...


```
{"id": "GHSA-82j2-j2ch-gfr8", "aliases": ["CVE-2026-93599", "RUSTSEC-2026-0104"], "modified":
"2026-09-19T03:55:33.412079637Z", "summary": "rustls-webpki: Denial of service via panic on
malformed CRL BIT STRING", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/
S:U/C:N/I:N/A:H"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.103.13, 0.104.0-alpha.7).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-82j2-j2ch-gfr8

QSI-2026-04331 · DEP-KNOWN-ADVISORY

High

semver 6.3.0 is affected by GHSA-c2qf-rxjj-qqgw (CVE-2022-25883)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-c2qf-rxjj-qqgw (CVE-2022-25883) for npm package semver at version 6.3.0: semver vulnerable to Regular Expression Denial of Service. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:npm/semver@6.3.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	38.5 / 100 (Small technology company)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-c2qf-rxjj-qqgw
```

EVIDENCE

tool_output · OSV.dev GHSA-c2qf-rxjj-qqgw · manifest · SHA-256 48eb8102bb480f77…


```
{"id": "GHSA-c2qf-rxjj-qqgw", "aliases": ["CVE-2022-25883"], "modified":
"2026-09-10T03:50:02.224637541Z", "summary": "semver vulnerable to Regular Expression Denial of
Service", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/
A:H"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (5.7.2, 6.3.1, 7.5.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-c2qf-rxjj-qqgw

QSI-2026-04333 · DEP-KNOWN-ADVISORY

High

@babel/plugin-transform-modules-systemjs 7.19.6 is affected by GHSA-fv7c-fp4j-7gwp (CVE-2026-44728)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-fv7c-fp4j-7gwp (CVE-2026-44728) for npm package @babel/plugin-transform-modules-systemjs at version 7.19.6: @babel/plugin-transform-modules-systemjs

generates arbitrary code when compiling malicious input. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:npm/@babel/plugin-transform-modules-systemjs@7.19.6
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	38.5 / 100 (Small technology company)
CVSS v3.1	8.2 — CVSS:3.1/AV:L/AC:L/PR:L/UI:R/S:C/C:H/I:H/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-fv7c-fp4j-7gwp
```

EVIDENCE

tool_output · OSV.dev GHSA-fv7c-fp4j-7gwp · manifest · SHA-256 e3684d1cb03fd6fb...


```
{"id": "GHSA-fv7c-fp4j-7gwp", "aliases": ["CVE-2026-44728"], "modified":
"2026-09-10T03:51:05.541786109Z", "summary": "@babel/plugin-transform-modules-systemjs generates
arbitrary code when compiling malicious input", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/
AV:L/AC:L/PR:L/UI:R/S:C/C:H/I:H/A:H"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (7.29.4, 8.0.0-alpha.13).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-fv7c-fp4j-7gwp

QSI-2026-04336 · DEP-KNOWN-ADVISORY

High

js-yaml 3.14.1 is affected by GHSA-2883-xcg3-v3hh (CVE-2026-84375)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-2883-xcg3-v3hh (CVE-2026-84375) for npm package js-yaml at version 3.14.1: js-yaml: maxTotalMergeKeys does not limit CPU use for empty merge sources. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:npm/js-yaml@3.14.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	38.5 / 100 (Small technology company)

CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-2883-xcg3-v3hh
```

EVIDENCE

tool_output · OSV.dev GHSA-2883-xcg3-v3hh · manifest · SHA-256 c5452b9803a81784...


```
{"id": "GHSA-2883-xcg3-v3hh", "aliases": ["CVE-2026-84375"], "modified":
"2026-09-08T21:30:05.575808098Z", "summary": "js-yaml: maxTotalMergeKeys does not limit CPU use for
empty merge sources", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/
C:N/I:N/A:H"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (3.15.2, 4.3.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-2883-xcg3-v3hh

QSI-2026-04337 · DEP-KNOWN-ADVISORY

High

js-yaml 3.14.1 is affected by GHSA-52cp-r559-cp3m (CVE-2026-59869)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-52cp-r559-cp3m (CVE-2026-59869) for npm package js-yaml at version 3.14.1: js-yaml: YAML merge-key chains can force quadratic CPU consumption. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:npm/js-yaml@3.14.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	38.5 / 100 (Small technology company)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-52cp-r559-cp3m
```

EVIDENCE

tool_output · OSV.dev GHSA-52cp-r559-cp3m · manifest · SHA-256 468ca95d3480349e...


```
{"id": "GHSA-52cp-r559-cp3m", "aliases": ["CVE-2026-59869"], "modified":
"2026-09-10T03:50:12.263307536Z", "summary": "js-yaml: YAML merge-key chains can force quadratic CPU
consumption", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/
A:H"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (3.15.0, 4.3.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-52cp-r559-cp3m

QSI-2026-04338 · DEP-KNOWN-ADVISORY

High

js-yaml 3.14.1 is affected by GHSA-5p4m-2wfm-xmqj

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-5p4m-2wfm-xmqj for npm package js-yaml at version 3.14.1: JS-YAML: Quadratic CPU consumption in !!omap resolution (3.x and 4.x) — CVE-2026-59870 fix not backported. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:npm/js-yaml@3.14.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	38.5 / 100 (Small technology company)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-5p4m-2wfm-xmqj
```

EVIDENCE

tool_output · OSV.dev GHSA-5p4m-2wfm-xmqj · manifest · SHA-256 b856f3b817bbe160...


```
{"id": "GHSA-5p4m-2wfm-xmqj", "aliases": [], "modified": "2026-09-10T03:50:53.407436483Z",
"summary": "JS-YAML: Quadratic CPU consumption in !!omap resolution (3.x and 4.x) — CVE-2026-59870
```

fix not backported", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (3.15.1, 4.3.1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-5p4m-2wfm-xmqj

QSI-2026-04342 · DEP-KNOWN-ADVISORY

High

semver 5.7.1 is affected by GHSA-c2qf-rxjj-qqgw (CVE-2022-25883)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-c2qf-rxjj-qqgw (CVE-2022-25883) for npm package semver at version 5.7.1: semver vulnerable to Regular Expression Denial of Service. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:npm/semver@5.7.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	38.5 / 100 (Small technology company)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-c2qf-rxjj-qqgw
```

EVIDENCE

tool_output · OSV.dev GHSA-c2qf-rxjj-qqgw · manifest · SHA-256 48eb8102bb480f77…

{"id": "GHSA-c2qf-rxjj-qqgw", "aliases": ["CVE-2022-25883"], "modified": "2026-09-10T03:50:02.224637541Z", "summary": "semver vulnerable to Regular Expression Denial of Service", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (5.7.2, 6.3.1, 7.5.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-c2qf-rxjj-qqgw

QSI-2026-04248 · DEP-KNOWN-ADVISORY

Medium

block-buffer 0.7.3 is affected by GHSA-qwgh-2vcv-g2f7

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-qwgh-2vcv-g2f7 for crates.io package block-buffer at version 0.7.3: block_buffer: panic corrupts inline buffer position. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/block-buffer@0.7.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	44.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-qwgh-2vcv-g2f7
```

EVIDENCE

tool_output · OSV.dev GHSA-qwgh-2vcv-g2f7 · manifest · SHA-256 d6b6882147b53b54...


```
{"id": "GHSA-qwgh-2vcv-g2f7", "aliases": [], "modified": "2026-08-19T19:30:06.686866977Z",
"summary": "block_buffer: panic corrupts inline buffer position", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-qwgh-2vcv-g2f7

QSI-2026-04249 · DEP-KNOWN-ADVISORY

Medium

block-buffer 0.9.0 is affected by GHSA-qwgh-2vcv-g2f7

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-qwgh-2vcv-g2f7 for crates.io package block-buffer at version 0.9.0: block_buffer: panic corrupts inline buffer position. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/block-buffer@0.9.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	44.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-qwgh-2vcv-g2f7
```

EVIDENCE

tool_output · OSV.dev GHSA-qwgh-2vcv-g2f7 · manifest · SHA-256 d6b6882147b53b54...


```
{"id": "GHSA-qwgh-2vcv-g2f7", "aliases": [], "modified": "2026-08-19T19:30:06.686866977Z",
"summary": "block_buffer: panic corrupts inline buffer position", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-qwgh-2vcv-g2f7

QSI-2026-04250 · DEP-KNOWN-ADVISORY

Medium

block-buffer 0.10.4 is affected by GHSA-qwgh-2vcv-g2f7

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-qwgh-2vcv-g2f7 for crates.io package block-buffer at version 0.10.4: block_buffer: panic corrupts inline buffer position. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/block-buffer@0.10.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	44.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-qwgh-2vcv-g2f7
```

EVIDENCE

tool_output · OSV.dev GHSA-qwgh-2vcv-g2f7 · manifest · SHA-256 d6b6882147b53b54...


```
{"id": "GHSA-qwgh-2vcv-g2f7", "aliases": [], "modified": "2026-08-19T19:30:06.686866977Z",
"summary": "block_buffer: panic corrupts inline buffer position", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-qwgh-2vcv-g2f7

QSI-2026-04251 · DEP-KNOWN-ADVISORY

Medium

borsh 0.9.3 is affected by GHSA-fjx5-qpf4-xjf2 (RUSTSEC-2023-0033)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-fjx5-qpf4-xjf2 (RUSTSEC-2023-0033) for crates.io package borsh at version 0.9.3: Parsing borsh messages with ZST which are not-copy/clone is unsound. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/borsh@0.9.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC

Priority score	44.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-fjx5-qpf4-xjf2
```

EVIDENCE

tool_output · OSV.dev GHSA-fjx5-qpf4-xjf2 · manifest · SHA-256 88fd195164d98371…


```
{"id": "GHSA-fjx5-qpf4-xjf2", "aliases": ["RUSTSEC-2023-0033"], "modified": "2024-09-23T16:34:09Z",
"summary": "Parsing borsh messages with ZST which are not-copy/clone is unsound", "severity": null,
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (1.0.0-alpha.1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-fjx5-qpf4-xjf2

QSI-2026-04252 · DEP-KNOWN-ADVISORY

Medium

borsh 0.10.3 is affected by GHSA-fjx5-qpf4-xjf2 (RUSTSEC-2023-0033)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-fjx5-qpf4-xjf2 (RUSTSEC-2023-0033) for crates.io package borsh at version 0.10.3: Parsing borsh messages with ZST which are not-copy/clone is unsound. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/borsh@0.10.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	44.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-fjx5-qpf4-xjf2
```

EVIDENCE

tool_output · OSV.dev GHSA-fjx5-qpf4-xjf2 · manifest · SHA-256 88fd195164d98371…


```
{"id": "GHSA-fjx5-qpf4-xjf2", "aliases": ["RUSTSEC-2023-0033"], "modified": "2024-09-23T16:34:09Z",
"summary": "Parsing borsh messages with ZST which are not-copy/clone is unsound", "severity": null,
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (1.0.0-alpha.1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-fjx5-qpf4-xjf2

QSI-2026-04253 · DEP-KNOWN-ADVISORY

Medium

bytes 1.5.0 is affected by GHSA-434x-w66g-qw3r (CVE-2026-25541, RUSTSEC-2026-0007)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-434x-w66g-qw3r (CVE-2026-25541, RUSTSEC-2026-0007) for crates.io package bytes at version 1.5.0: bytes has integer overflow in BytesMut::reserve. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/bytes@1.5.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	44.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-434x-w66g-qw3r
```

EVIDENCE

tool_output · OSV.dev GHSA-434x-w66g-qw3r · manifest · SHA-256 1d4e2bdd391ddcb0…


```
{"id": "GHSA-434x-w66g-qw3r", "aliases": ["CVE-2026-25541", "RUSTSEC-2026-0007"], "modified":
"2026-09-10T03:50:33.995841351Z", "summary": "bytes has integer overflow in BytesMut::reserve",
```

```
"severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:L/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/
SI:N/SA:N/E:P"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (1.11.1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-434x-w66g-qw3r

QSI-2026-04254 · DEP-KNOWN-ADVISORY

Medium

crossbeam-channel 0.5.12 is affected by GHSA-pg9f-39pc-qf8g (CVE-2025-4574, RUSTSEC-2025-0024)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-pg9f-39pc-qf8g (CVE-2025-4574, RUSTSEC-2025-0024) for crates.io package crossbeam-channel at version 0.5.12: crossbeam-channel Vulnerable to Double Free on Drop. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/crossbeam-channel@0.5.12
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	44.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-pg9f-39pc-qf8g
```

EVIDENCE

tool_output · OSV.dev GHSA-pg9f-39pc-qf8g · manifest · SHA-256 6e9fcb37d5bd8e20…


```
{"id": "GHSA-pg9f-39pc-qf8g", "aliases": ["CVE-2025-4574", "RUSTSEC-2025-0024", "TROVE-2025-013"],
"modified": "2026-09-10T03:50:57.409985647Z", "summary": "crossbeam-channel Vulnerable to Double
Free on Drop", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:N/
VI:L/VA:L/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default

against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.5.15).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-pg9f-39pc-qf8g

QSI-2026-04258 · DEP-KNOWN-ADVISORY

Medium

ed25519-dalek 1.0.1 is affected by GHSA-w5vr-6qhr-36cc (CVE-2022-50237, RUSTSEC-2022-0093)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-w5vr-6qhr-36cc (CVE-2022-50237, RUSTSEC-2022-0093) for crates.io package ed25519-dalek at version 1.0.1: `ed25519-dalek` Double Public Key Signing Function Oracle Attack. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/ed25519-dalek@1.0.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	44.1 / 100 (Small technology company)
CVSS v3.1	5.9 — CVSS:3.1/AV:L/AC:H/PR:N/UI:N/S:C/C:H/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-w5vr-6qhr-36cc
```

EVIDENCE

tool_output · OSV.dev GHSA-w5vr-6qhr-36cc · manifest · SHA-256 cb6ff0415cd158ac...


```
{"id": "GHSA-w5vr-6qhr-36cc", "aliases": ["CVE-2022-50237", "RUSTSEC-2022-0093"], "modified":
"2026-02-04T03:12:24.206854Z", "summary": "`ed25519-dalek` Double Public Key Signing Function Oracle
Attack", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:L/AC:H/PR:N/UI:N/S:C/C:H/I:N/A:N"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (2.0.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-w5vr-6qhr-36cc

QSI-2026-04276 · DEP-KNOWN-ADVISORY

Medium

openssl 0.10.64 is affected by GHSA-phqj-4mhp-q6mq (CVE-2026-45784)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-phqj-4mhp-q6mq (CVE-2026-45784) for crates.io package openssl at version 0.10.64: rust-openssl: Potential out-of-bounds write in `CipherCtxRef::cipher_update_inplace` for AES-KW-PAD ciphers. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/openssl@0.10.64
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	44.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-phqj-4mhp-q6mq
```

EVIDENCE

tool_output · OSV.dev GHSA-phqj-4mhp-q6mq · manifest · SHA-256 61c6e9c92e963bb8...


```
{"id": "GHSA-phqj-4mhp-q6mq", "aliases": ["CVE-2026-45784"], "modified":
"2026-09-10T03:51:06.601254514Z", "summary": "rust-openssl: Potential out-of-bounds write in
`CipherCtxRef::cipher_update_inplace` for AES-KW-PAD ciphers", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:L/AC:L/AT:N/PR:N/UI:N/VC:N/VI:L/VA:L/SC:N/SI:N/SA:N"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.80).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-phqj-4mhp-q6mq

QSI-2026-04282 · DEP-KNOWN-ADVISORY

Medium

openssl 0.10.64 is affected by GHSA-xv59-967r-8726 (CVE-2026-44662)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-xv59-967r-8726 (CVE-2026-44662) for crates.io package openssl at version 0.10.64: rust-openssl vulnerable to heap buffer overflow when encrypting with AES key-wrap-with-padding. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/openssl@0.10.64
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	44.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-xv59-967r-8726
```

EVIDENCE

tool_output · OSV.dev GHSA-xv59-967r-8726 · manifest · SHA-256 25d6e9f4bd277191...


```
{"id": "GHSA-xv59-967r-8726", "aliases": ["CVE-2026-44662"], "modified":
"2026-09-10T03:51:07.319185525Z", "summary": "rust-openssl vulnerable to heap buffer overflow when
encrypting with AES key-wrap-with-padding", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/
AV:L/AC:L/AT:N/PR:N/UI:N/VC:N/VI:L/VA:L/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.79).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-xv59-967r-8726

QSI-2026-04297 · DEP-KNOWN-ADVISORY

Medium

rustls 0.21.10 is affected by GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346) for crates.io package rustls at version 0.21.10: Rustls: Session Debug formatting exposes TLS master secrets and resumption PSKs. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls@0.21.10
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	44.1 / 100 (Small technology company)
CVSS v3.1	4.0 — CVSS:3.1/AV:L/AC:H/PR:H/UI:R/S:U/C:H/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-c8m5-c952-6cm4
```

EVIDENCE

tool_output · OSV.dev GHSA-c8m5-c952-6cm4 · manifest · SHA-256 b8f49a7948da20f1...


```
{"id": "GHSA-c8m5-c952-6cm4", "aliases": ["RUSTSEC-2026-0346"], "modified":
"2026-10-27T16:15:05.354395696Z", "summary": "Rustls: Session Debug formatting exposes TLS master
secrets and resumption PSKs", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:L/AC:H/PR:H/
UI:R/S:U/C:H/I:N/A:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.46, 0.24.0-dev.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-c8m5-c952-6cm4

QSI-2026-04306 · DEP-KNOWN-ADVISORY

Medium

serde_with 2.3.3 is affected by GHSA-7gcf-g7xr-8hxj

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-7gcf-g7xr-8hxj for crates.io package serde_with at version 2.3.3: serde_with: KeyValueMap serialization panics on empty sequence or map entries. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/serde_with@2.3.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC

Priority score	44.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-7gcf-g7xr-8hxj
```

EVIDENCE

tool_output · OSV.dev GHSA-7gcf-g7xr-8hxj · manifest · SHA-256 b42c751004bfb387…


```
{"id": "GHSA-7gcf-g7xr-8hxj", "aliases": [], "modified": "2026-09-10T03:51:10.897685062Z",
"summary": "serde_with: KeyValueMap serialization panics on empty sequence or map entries",
"severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:L/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:L/SC:N/
SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (3.21.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-7gcf-g7xr-8hxj

QSI-2026-04310 · DEP-KNOWN-ADVISORY

Medium

tar 0.4.40 is affected by GHSA-3pv8-6f4r-ffg2

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-3pv8-6f4r-ffg2 for crates.io package tar at version 0.4.40: tar has a PAX header desynchronization issue. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/tar@0.4.40
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	44.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-3pv8-6f4r-ffg2
```

EVIDENCE

tool_output · OSV.dev GHSA-3pv8-6f4r-ffg2 · manifest · SHA-256 ea380731f63af3a9…


```
{"id": "GHSA-3pv8-6f4r-ffg2", "aliases": [], "modified": "2026-09-10T03:51:04.454810375Z",
"summary": "tar has a PAX header desynchronization issue", "severity": null, "declared_in_manifest":
true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.4.46).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-3pv8-6f4r-ffg2

QSI-2026-04312 · DEP-KNOWN-ADVISORY

Medium

tar 0.4.40 is affected by GHSA-j4xf-2g29-59ph (CVE-2026-33056, RUSTSEC-2026-0067)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-j4xf-2g29-59ph (CVE-2026-33056, RUSTSEC-2026-0067) for crates.io package tar at version 0.4.40: tar-rs `unpack_in` can chmod arbitrary directories by following symlinks. The audited code names tar::Entry::unpack, tar::Entry::unpack_in: the affected code may be reachable.

Affected asset	dependency:crates.io/tar@0.4.40
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	44.1 / 100 (Small technology company)
CVSS v3.1	6.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-j4xf-2g29-59ph
```

EVIDENCE

tool_output · OSV.dev GHSA-j4xf-2g29-59ph · manifest · SHA-256 7583d567822bc971…

{"id": "GHSA-j4xf-2g29-59ph", "aliases": ["CVE-2026-33056", "RUSTSEC-2026-0067"], "modified": "2026-09-10T03:50:39.751471613Z", "summary": "tar-rs `unpack_in` can chmod arbitrary directories by following symlinks", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:N"}, {"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:L/VA:N/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.4.45).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-j4xf-2g29-59ph

QSI-2026-04259 · DEP-KNOWN-ADVISORY

Medium

h2 0.3.24 is affected by GHSA-q6cp-qfwq-4gcv (RUSTSEC-2024-0332)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-q6cp-qfwq-4gcv (RUSTSEC-2024-0332) for crates.io package h2 at version 0.3.24: h2 servers vulnerable to degradation of service with CONTINUATION Flood. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/h2@0.3.24
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	5.3 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-q6cp-qfwq-4gcv
```

EVIDENCE

tool_output · OSV.dev GHSA-q6cp-qfwq-4gcv · manifest · SHA-256 e7ad8af144d30542…

{"id": "GHSA-q6cp-qfwq-4gcv", "aliases": ["RUSTSEC-2024-0332"], "modified": "2026-09-10T03:49:18.784343884Z", "summary": "h2 servers vulnerable to degradation of service with CONTINUATION Flood", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L"}], "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.3.26, 0.4.4).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-q6cp-qfwq-4gcv

QSI-2026-04261 · DEP-KNOWN-ADVISORY

Medium

idna 0.1.5 is affected by GHSA-h97m-ww89-6jmq (CVE-2024-12224, RUSTSEC-2024-0421)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-h97m-ww89-6jmq (CVE-2024-12224, RUSTSEC-2024-0421) for crates.io package idna at version 0.1.5: `idna` accepts Punycode labels that do not produce any non-ASCII when decoded. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/idna@0.1.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-h97m-ww89-6jmq
```

EVIDENCE

tool_output · OSV.dev GHSA-h97m-ww89-6jmq · manifest · SHA-256 40c8af539f6e5002…


```
{"id": "GHSA-h97m-ww89-6jmq", "aliases": ["CVE-2024-12224", "RUSTSEC-2024-0421"], "modified": "2026-09-10T03:50:21.562272915Z", "summary": "`idna` accepts Punycode labels that do not produce any non-ASCII when decoded", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (1.0.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-h97m-ww89-6jmq

QSI-2026-04262 · DEP-KNOWN-ADVISORY

Medium

idna 0.5.0 is affected by GHSA-h97m-ww89-6jmq (CVE-2024-12224, RUSTSEC-2024-0421)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-h97m-ww89-6jmq (CVE-2024-12224, RUSTSEC-2024-0421) for crates.io package idna at version 0.5.0: `idna` accepts Punycode labels that do not produce any non-ASCII when decoded. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/idna@0.5.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-h97m-ww89-6jmq
```

EVIDENCE

tool_output · OSV.dev GHSA-h97m-ww89-6jmq · manifest · SHA-256 40c8af539f6e5002…


```
{"id": "GHSA-h97m-ww89-6jmq", "aliases": ["CVE-2024-12224", "RUSTSEC-2024-0421"], "modified":
"2026-09-10T03:50:21.562272915Z", "summary": "`idna` accepts Punycode labels that do not produce any
non-ASCII when decoded", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:H/AT:N/PR:N/
UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (1.0.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-h97m-ww89-6jmq

QSI-2026-04292 · DEP-KNOWN-ADVISORY

Medium

ring 0.16.20 is affected by GHSA-4p46-pwfr-66x6 (CVE-2025-4432, RUSTSEC-2025-0009)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-4p46-pwfr-66x6 (CVE-2025-4432, RUSTSEC-2025-0009) for crates.io package ring at version 0.16.20: Some AES functions may panic when overflow checking is enabled in ring. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/ring@0.16.20
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-4p46-pwfr-66x6
```

EVIDENCE

tool_output · OSV.dev GHSA-4p46-pwfr-66x6 · manifest · SHA-256 e1cdbbc1af725f41...


```
{"id": "GHSA-4p46-pwfr-66x6", "aliases": ["CVE-2025-4432", "GHSA-c86p-w88r-qvqr", "GO-2025-3678", "RUSTSEC-2025-0009"], "modified": "2026-09-10T03:50:56.900994558Z", "summary": "Some AES functions may panic when overflow checking is enabled in ring", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/SA:N/E:U"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.17.12).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-4p46-pwfr-66x6

QSI-2026-04294 · DEP-KNOWN-ADVISORY

Medium

ring 0.17.3 is affected by GHSA-4p46-pwfr-66x6 (CVE-2025-4432, RUSTSEC-2025-0009)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-4p46-pwfr-66x6 (CVE-2025-4432, RUSTSEC-2025-0009) for crates.io package ring at version 0.17.3: Some AES functions may panic when overflow checking is enabled in ring. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/ring@0.17.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-4p46-pwfr-66x6
```

EVIDENCE

tool_output · OSV.dev GHSA-4p46-pwfr-66x6 · manifest · SHA-256 e1cdbbc1af725f41...


```
{"id": "GHSA-4p46-pwfr-66x6", "aliases": ["CVE-2025-4432", "GHSA-c86p-w88r-qvqr", "GO-2025-3678",
"RUSTSEC-2025-0009"], "modified": "2026-09-10T03:50:56.900994558Z", "summary": "Some AES functions
may panic when overflow checking is enabled in ring", "severity": [{"type": "CVSS_V4", "score":
"CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/SA:N/E:U"}], "declared_in_manifest":
false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.17.12).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-4p46-pwfr-66x6

QSI-2026-04313 · DEP-KNOWN-ADVISORY

Medium

time 0.3.9 is affected by GHSA-r6v5-fh4h-64xc (CVE-2026-25727, RUSTSEC-2026-0009)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-r6v5-fh4h-64xc (CVE-2026-25727, RUSTSEC-2026-0009) for crates.io package time at version 0.3.9: time vulnerable to stack exhaustion Denial of Service attack. The audited code names time::Date::parse, time::Time::parse: the affected code may be reachable.

Affected asset	dependency:crates.io/time@0.3.9
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-r6v5-fh4h-64xc
```

EVIDENCE

tool_output · OSV.dev GHSA-r6v5-fh4h-64xc · manifest · SHA-256 47bed44226c6f8f5...


```
{"id": "GHSA-r6v5-fh4h-64xc", "aliases": ["CVE-2026-25727", "RUSTSEC-2026-0009"], "modified": "2026-09-10T03:50:35.583241382Z", "summary": "time vulnerable to stack exhaustion Denial of Service attack", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:H/AT:N/PR:L/UI:A/VC:N/VI:N/VA:H/SC:N/SI:N/SA:H"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.3.47).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-r6v5-fh4h-64xc

QSI-2026-04332 · DEP-KNOWN-ADVISORY

Medium

@babel/helpers 7.19.4 is affected by GHSA-968p-4wvh-cqc8 (CVE-2025-27789)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-968p-4wvh-cqc8 (CVE-2025-27789) for npm package @babel/helpers at version 7.19.4: Babel has inefficient RegExp complexity in generated code with .replace when transpiling named capturing groups. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:npm/@babel/helpers@7.19.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.

Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	6.2 — CVSS:3.1/AV:L/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-968p-4wvh-cqc8
```

EVIDENCE

tool_output · OSV.dev GHSA-968p-4wvh-cqc8 · manifest · SHA-256 7bc3174869552dd6…


```
{"id": "GHSA-968p-4wvh-cqc8", "aliases": ["CVE-2025-27789"], "modified":
"2026-09-10T03:50:22.971593530Z", "summary": "Babel has inefficient RegExp complexity in generated
code with .replace when transpiling named capturing groups", "severity": [{"type": "CVSS_V3",
"score": "CVSS:3.1/AV:L/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (7.26.10, 8.0.0-alpha.17).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-968p-4wvh-cqc8

QSI-2026-04334 · DEP-KNOWN-ADVISORY

Medium

@babel/runtime 7.19.4 is affected by GHSA-968p-4wvh-cqc8 (CVE-2025-27789)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-968p-4wvh-cqc8 (CVE-2025-27789) for npm package @babel/runtime at version 7.19.4: Babel has inefficient RegExp complexity in generated code with .replace when transpiling named capturing groups. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:npm/@babel/runtime@7.19.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	6.2 — CVSS:3.1/AV:L/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-968p-4wvh-cqc8
```

EVIDENCE

tool_output · OSV.dev GHSA-968p-4wvh-cqc8 · manifest · SHA-256 7bc3174869552dd6...


```
{"id": "GHSA-968p-4wvh-cqc8", "aliases": ["CVE-2025-27789"], "modified":
"2026-09-10T03:50:22.971593530Z", "summary": "Babel has inefficient RegExp complexity in generated
code with .replace when transpiling named capturing groups", "severity": [{"type": "CVSS_V3",
"score": "CVSS:3.1/AV:L/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (7.26.10, 8.0.0-alpha.17).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-968p-4wvh-cqc8

QSI-2026-04335 · DEP-KNOWN-ADVISORY

Medium

@babel/runtime-corejs3 7.19.6 is affected by GHSA-968p-4wvh-cqc8 (CVE-2025-27789)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-968p-4wvh-cqc8 (CVE-2025-27789) for npm package @babel/runtime-corejs3 at version 7.19.6: Babel has inefficient RegExp complexity in generated code with .replace when transpiling named capturing groups. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:npm/@babel/runtime-corejs3@7.19.6
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	6.2 — CVSS:3.1/AV:L/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-968p-4wvh-cqc8
```

EVIDENCE

tool_output · OSV.dev GHSA-968p-4wvh-cqc8 · manifest · SHA-256 7bc3174869552dd6...

{"id": "GHSA-968p-4wvh-cqc8", "aliases": ["CVE-2025-27789"], "modified": "2026-09-10T03:50:22.971593530Z", "summary": "Babel has inefficient RegExp complexity in generated code with .replace when transpiling named capturing groups", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:L/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (7.26.10, 8.0.0-alpha.17).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-968p-4wvh-cqc8

QSI-2026-04339 · DEP-KNOWN-ADVISORY

Medium

js-yaml 3.14.1 is affected by GHSA-h67p-54hq-rp68 (CVE-2026-53550)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-h67p-54hq-rp68 (CVE-2026-53550) for npm package js-yaml at version 3.14.1: JS-YAML: Quadratic-complexity DoS in merge key handling via repeated aliases. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:npm/js-yaml@3.14.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	5.3 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-h67p-54hq-rp68
```

EVIDENCE

tool_output · OSV.dev GHSA-h67p-54hq-rp68 · manifest · SHA-256 505b2f9aa992c862…

{"id": "GHSA-h67p-54hq-rp68", "aliases": ["CVE-2026-53550"], "modified": "2026-09-10T03:50:49.729923880Z", "summary": "JS-YAML: Quadratic-complexity DoS in merge key handling via repeated aliases", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L"}], "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default

against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (3.15.0, 4.2.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-h67p-54hq-rp68

QSI-2026-04340 · DEP-KNOWN-ADVISORY

Medium

js-yaml 3.14.1 is affected by GHSA-mh29-5h37-fv8m (CVE-2025-64718)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-mh29-5h37-fv8m (CVE-2025-64718) for npm package js-yaml at version 3.14.1: js-yaml has prototype pollution in merge (<<). The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:npm/js-yaml@3.14.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	5.3 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-mh29-5h37-fv8m
```

EVIDENCE

tool_output · OSV.dev GHSA-mh29-5h37-fv8m · manifest · SHA-256 49ecaa3fb7cde599…


```
{"id": "GHSA-mh29-5h37-fv8m", "aliases": ["CVE-2025-64718"], "modified":
"2026-09-10T03:50:58.469126910Z", "summary": "js-yaml has prototype pollution in merge (<<)",
"severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (3.14.2, 4.1.1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-mh29-5h37-fv8m

QSI-2026-04343 · DEP-KNOWN-ADVISORY

Medium

@sideway/formula 3.0.0 is affected by GHSA-c2jc-4fpr-4vhg (CVE-2023-25166)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-c2jc-4fpr-4vhg (CVE-2023-25166) for npm package @sideway/formula at version 3.0.0: @sideway/formula contains Regular Expression Denial of Service (ReDoS) Vulnerability. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:npm/@sideway/formula@3.0.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	5.5 — CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-c2jc-4fpr-4vhg
```

EVIDENCE

tool_output · OSV.dev GHSA-c2jc-4fpr-4vhg · manifest · SHA-256 cab09e1d236aa833...


```
{"id": "GHSA-c2jc-4fpr-4vhg", "aliases": ["CVE-2023-25166"], "modified":
"2023-11-08T04:11:50.947189Z", "summary": "@sideway/formula contains Regular Expression Denial of
Service (ReDoS) Vulnerability", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:L/AC:L/PR:N/
UI:R/S:U/C:N/I:N/A:H"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (3.0.1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-c2jc-4fpr-4vhg

QSI-2026-04238 · CHAINMAP-QV

Low

Transaction signing for 1 chain(s) relies on elliptic-curve signatures

Long-term post-quantum risk | Confidence: High

The wallet's message definitions cover Solana. These chains authorize transactions with Ed25519, which Shor's algorithm breaks on a cryptographically relevant quantum computer. A wallet cannot move a chain to post-quantum signatures on its own: the chain has to adopt a scheme first.

Affected asset	chain-map
Data source	storage-proto/proto/confirmed_block.proto
Detection method	Message definitions (.proto) matched to QSI's table of chain signature schemes.
Analyzer	chain_map 1.2.0 · 2026-10-28 12:15 UTC
Priority score	39.1 / 100 (Small technology company)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=5.0, y=3.0, z=12.0 → time available under this scenario

POTENTIAL IMPACT

Once a CRQC exists, an attacker who sees an account's public key could derive the private key and move funds; how soon keys are exposed depends on each chain (address reuse, account model).

REPRODUCTION STEPS

```
Open the .proto files named in the evidence.
```

EVIDENCE

file_excerpt · storage-proto/proto/confirmed_block.proto · line 3 · SHA-256 8e2b99d91a450afa...

```
package solana.storage.ConfirmedBlock;
```

file_excerpt · storage-proto/proto/entries.proto · line 3 · SHA-256 5d19891f93f3ce3e...

```
package solana.storage.Entries;
```

file_excerpt · storage-proto/proto/transaction_by_addr.proto · line 3 · SHA-256 1284fb928ee86825...

```
package solana.storage.TransactionByAddr;
```

file_excerpt · wen-restart/proto/wen_restart.proto · line 2 · SHA-256 663c888ac6e80064...

```
package solana.wen_restart_proto;
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Chains are recognized from the names of the message definitions (.proto files and packages); the schemes are the chains' documented account signatures, not an analysis of the wallet's signing code.

RECOMMENDATION

Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them. Keep the signing layer crypto-agile per chain (algorithm identifiers in messages and storage, room for larger keys and signatures) and track each chain's post-quantum proposals, so that a new scheme can be added when a chain activates it.

RETEST PROCEDURE

Re-run when a chain activates a post-quantum signature scheme or the wallet adds one.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards

QSI-2026-04243 · DEP-KNOWN-ADVISORY

Low

atty 0.2.14 is affected by GHSA-g98v-hv3f-hcfr (RUSTSEC-2021-0145)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-g98v-hv3f-hcfr (RUSTSEC-2021-0145) for crates.io package atty at version 0.2.14: atty potential unaligned read. The advisory names no affected functions, so reachability was not determined. It affects only windows targets.

Affected asset	dependency:crates.io/atty@0.2.14
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	38.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-g98v-hv3f-hcfr
```

EVIDENCE

tool_output · OSV.dev GHSA-g98v-hv3f-hcfr · manifest · SHA-256 d81376bb46074299…


```
{"id": "GHSA-g98v-hv3f-hcfr", "aliases": ["RUSTSEC-2021-0145"], "modified":
"2026-09-10T03:49:53.897184297Z", "summary": "atty potential unaligned read", "severity": null,
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-g98v-hv3f-hcfr

QSI-2026-04256 · DEP-KNOWN-ADVISORY

Low

curve25519-dalek 3.2.1 is affected by GHSA-x4gp-pqpj-f43q (CVE-2024-58262, RUSTSEC-2024-0344)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-x4gp-pqpj-f43q (CVE-2024-58262, RUSTSEC-2024-0344) for crates.io package curve25519-dalek at version 3.2.1: curve25519-dalek has timing variability in `curve25519-dalek`'s `Scalar29::sub`/`Scalar52::sub`. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/curve25519-dalek@3.2.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	38.1 / 100 (Small technology company)
CVSS v3.1	2.9 — CVSS:3.1/AV:L/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-x4gp-pqpj-f43q
```

EVIDENCE

tool_output · OSV.dev GHSA-x4gp-pqpj-f43q · manifest · SHA-256 9c5ba7e4d1d09d2c...


```
{"id": "GHSA-x4gp-pqpj-f43q", "aliases": ["CVE-2024-58262", "RUSTSEC-2024-0344"], "modified":
"2026-09-10T03:50:15.886084155Z", "summary": "curve25519-dalek has timing variability in
`curve25519-dalek`'s `Scalar29::sub`/`Scalar52::sub`", "severity": [{"type": "CVSS_V3", "score":
"CVSS:3.1/AV:L/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (4.1.3).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-x4gp-pqpj-f43q

QSI-2026-04280 · DEP-KNOWN-ADVISORY

Low

openssl 0.10.64 is affected by GHSA-xmgf-hq76-4vx2 (CVE-2026-41677)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-xmgf-hq76-4vx2 (CVE-2026-41677) for crates.io package openssl at version 0.10.64: rust-opennssl has an Out-of-bounds read in PEM password callback when returning an oversized length. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/openssl@0.10.64
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	38.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-xmgf-hq76-4vx2
```

EVIDENCE

tool_output · OSV.dev GHSA-xmgf-hq76-4vx2 · manifest · SHA-256 50287afcf37f9747…


```
{"id": "GHSA-xmgf-hq76-4vx2", "aliases": ["CVE-2026-41677"], "modified":
"2026-09-10T03:50:44.840710191Z", "summary": "rust-opennssl has an Out-of-bounds read in PEM
password callback when returning an oversized length", "severity": [{"type": "CVSS_V4", "score":
"CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:N/VA:L/SC:N/SI:N/SA:N/E:U"}], "declared_in_manifest":
true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.78).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-xmgf-hq76-4vx2

QSI-2026-04290 · DEP-KNOWN-ADVISORY

Low

rand 0.7.3 is affected by GHSA-cq8v-f236-94qc (RUSTSEC-2026-0097)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-cq8v-f236-94qc (RUSTSEC-2026-0097) for crates.io package rand at version 0.7.3: Rand is unsound with a custom logger using rand::rng(). The audited code names rand::rng, rand::thread_rng: the affected code may be reachable.

Affected asset	dependency:crates.io/rand@0.7.3
Data source	OSV.dev

Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	38.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-cq8v-f236-94qc
```

EVIDENCE

tool_output · OSV.dev GHSA-cq8v-f236-94qc · manifest · SHA-256 a61cde8ef254431f...


```
{"id": "GHSA-cq8v-f236-94qc", "aliases": ["RUSTSEC-2026-0097"], "modified":
"2026-09-10T03:50:43.958966498Z", "summary": "Rand is unsound with a custom logger using
rand::rng()", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.1, 0.8.6, 0.9.3).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-cq8v-f236-94qc

QSI-2026-04291 · DEP-KNOWN-ADVISORY

Low

rand 0.8.5 is affected by GHSA-cq8v-f236-94qc (RUSTSEC-2026-0097)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-cq8v-f236-94qc (RUSTSEC-2026-0097) for crates.io package rand at version 0.8.5: Rand is unsound with a custom logger using rand::rng(). The audited code names rand::rng, rand::thread_rng: the affected code may be reachable.

Affected asset	dependency:crates.io/rand@0.8.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	38.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-cq8v-f236-94qc
```

EVIDENCE

tool_output · OSV.dev GHSA-cq8v-f236-94qc · manifest · SHA-256 a61cde8ef254431f...


```
{"id": "GHSA-cq8v-f236-94qc", "aliases": ["RUSTSEC-2026-0097"], "modified":
"2026-09-10T03:50:43.958966498Z", "summary": "Rand is unsound with a custom logger using
rand::rng()", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.1, 0.8.6, 0.9.3).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-cq8v-f236-94qc

QSI-2026-04295 · DEP-KNOWN-ADVISORY

Low

rpassword 7.3.1 is affected by GHSA-2p6r-x3vv-xqm2

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-2p6r-x3vv-xqm2 for crates.io package rpassword at version 7.3.1: rpassword affected by partial password reveal when input is interrupted. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rpassword@7.3.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	38.1 / 100 (Small technology company)
CVSS v3.1	3.8 — CVSS:3.1/AV:P/AC:H/PR:H/UI:R/S:U/C:H/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-2p6r-x3vv-xqm2
```

EVIDENCE

tool_output · OSV.dev GHSA-2p6r-x3vv-xqm2 · manifest · SHA-256 11185d1da1f8cb81...


```
{"id": "GHSA-2p6r-x3vv-xqm2", "aliases": [], "modified": "2026-09-10T03:51:04.143649116Z",
"summary": "rpassword affected by partial password reveal when input is interrupted ", "severity":
```

[{"type": "CVSS_V3", "score": "CVSS:3.1/AV:P/AC:H/PR:H/UI:R/S:U/C:H/I:N/A:N"}],
"declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (7.5.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-2p6r-x3vv-xqm2

QSI-2026-04298 · DEP-KNOWN-ADVISORY

Low

rustls 0.21.10 is affected by GHSA-h2v8-394m-p7vv

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-h2v8-394m-p7vv for crates.io package rustls at version 0.21.10: Rustls: Brotli certificate decompression can allocate an attacker-controlled amount of memory up to 1 GiB before authentication. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls@0.21.10
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	38.1 / 100 (Small technology company)
CVSS v3.1	3.7 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:L

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-h2v8-394m-p7vv
```

EVIDENCE

tool_output · OSV.dev GHSA-h2v8-394m-p7vv · manifest · SHA-256 ef730867cc8cb815…

{"id": "GHSA-h2v8-394m-p7vv", "aliases": ["RUSTSEC-2026-0348"], "modified":
"2026-10-27T16:15:05.337819489Z", "summary": "Rustls: Brotli certificate decompression can allocate
an attacker-controlled amount of memory up to 1 GiB before authentication.", "severity": [{"type":
"CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:L"}], "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default

against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.46, 0.24.0-dev.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-h2v8-394m-p7vv

QSI-2026-04299 · DEP-KNOWN-ADVISORY

Low

rustls 0.21.10 is affected by GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349) for crates.io package rustls at version 0.21.10: rustls: An unauthenticated ServerHello poisons the per-name key-exchange record, so later ClientHellos carry only a classical X25519 share. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls@0.21.10
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	38.1 / 100 (Small technology company)
CVSS v3.1	3.7 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-w44r-93j7-qv28
```

EVIDENCE

tool_output · OSV.dev GHSA-w44r-93j7-qv28 · manifest · SHA-256 b623bcfe2c8c4d87…


```
{"id": "GHSA-w44r-93j7-qv28", "aliases": ["RUSTSEC-2026-0349"], "modified":
"2026-10-27T16:15:05.340347056Z", "summary": "rustls: An unauthenticated ServerHello poisons the
per-name key-exchange record, so later ClientHellos carry only a classical X25519 share",
"severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.46, 0.24.0-dev.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-w44r-93j7-qv28

QSI-2026-04314 · DEP-KNOWN-ADVISORY

Low

tokio 1.29.1 is affected by GHSA-rr8g-9fpq-6wmg (RUSTSEC-2025-0023)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-rr8g-9fpq-6wmg (RUSTSEC-2025-0023) for crates.io package tokio at version 1.29.1: Tokio broadcast channel calls clone in parallel, but does not require `Sync`. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/tokio@1.29.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	38.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-rr8g-9fpq-6wmg
```

EVIDENCE

tool_output · OSV.dev GHSA-rr8g-9fpq-6wmg · manifest · SHA-256 0b8ec087b92f8e51...


```
{"id": "GHSA-rr8g-9fpq-6wmg", "aliases": ["RUSTSEC-2025-0023"], "modified":
"2026-09-10T03:50:24.081979053Z", "summary": "Tokio broadcast channel calls clone in parallel, but
does not require `Sync`", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/
UI:N/VC:N/VI:L/VA:N/SC:N/SI:N/SA:N/E:U"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (1.38.2, 1.43.1, 1.44.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-rr8g-9fpq-6wmg

QSI-2026-04303 · DEP-KNOWN-ADVISORY

Low

rustls-webpki 0.101.7 is affected by GHSA-965h-392x-2mh5 (CVE-2026-93600, RUSTSEC-2026-0098)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-965h-392x-2mh5 (CVE-2026-93600, RUSTSEC-2026-0098) for crates.io package rustls-webpki at version 0.101.7: webpki: Name constraints for URI names were incorrectly accepted. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls-webpki@0.101.7
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	28.6 / 100 (Small technology company)
CVSS v3.1	2.2 — CVSS:3.1/AV:N/AC:H/PR:H/UI:N/S:U/C:N/I:L/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-965h-392x-2mh5
```

EVIDENCE

tool_output · OSV.dev GHSA-965h-392x-2mh5 · manifest · SHA-256 7dfbf39859f72638…


```
{"id": "GHSA-965h-392x-2mh5", "aliases": ["CVE-2026-93600", "RUSTSEC-2026-0098"], "modified":
"2026-09-19T03:55:32.245575348Z", "summary": "webpki: Name constraints for URI names were
incorrectly accepted", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:H/UI:N/S:U/
C:N/I:L/A:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.103.12, 0.104.0-alpha.6).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-965h-392x-2mh5

QSI-2026-04304 · DEP-KNOWN-ADVISORY

Low

rustls-webpki 0.101.7 is affected by GHSA-xgp8-3hg3-c2mh (CVE-2026-93601, RUSTSEC-2026-0099)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-xgp8-3hg3-c2mh (CVE-2026-93601, RUSTSEC-2026-0099) for crates.io package rustls-webpki at version 0.101.7: webpki: Name constraints were accepted for certificates asserting a wildcard name. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls-webpki@0.101.7
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	28.6 / 100 (Small technology company)
CVSS v3.1	2.2 — CVSS:3.1/AV:N/AC:H/PR:H/UI:N/S:U/C:N/I:L/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-xgp8-3hg3-c2mh
```

EVIDENCE

tool_output · OSV.dev GHSA-xgp8-3hg3-c2mh · manifest · SHA-256 c068ea92e7b545b1...


```
{"id": "GHSA-xgp8-3hg3-c2mh", "aliases": ["CVE-2026-93601", "RUSTSEC-2026-0099"], "modified":
"2026-09-19T03:55:49.146112754Z", "summary": "webpki: Name constraints were accepted for
certificates asserting a wildcard name", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/
AC:H/PR:H/UI:N/S:U/C:N/I:L/A:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.103.12, 0.104.0-alpha.6).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-xgp8-3hg3-c2mh

QSI-2026-04316 · DEP-KNOWN-ADVISORY

Low

tracing-subscriber 0.3.7 is affected by GHSA-xwfj-jgwm-7wp5 (CVE-2025-58160, RUSTSEC-2025-0055)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-xwfj-jgwm-7wp5 (CVE-2025-58160, RUSTSEC-2025-0055) for crates.io package tracing-subscriber at version 0.3.7: Tracing logging user input may result in poisoning logs with ANSI escape sequences. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/tracing-subscriber@0.3.7

Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	28.6 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-xwfj-jgwm-7wp5
```

EVIDENCE

tool_output · OSV.dev GHSA-xwfj-jgwm-7wp5 · manifest · SHA-256 c5ea2040929b0bf0...


```
{"id": "GHSA-xwfj-jgwm-7wp5", "aliases": ["CVE-2025-58160", "RUSTSEC-2025-0055"], "modified":
"2026-09-10T03:50:27.766863705Z", "summary": " Tracing logging user input may result in poisoning
logs with ANSI escape sequences", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/
AT:P/PR:N/UI:P/VC:N/VI:L/VA:N/SC:N/SI:N/SA:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.3.20).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-xwfj-jgwm-7wp5

QSI-2026-04330 · DEP-KNOWN-ADVISORY

Low

@babel/core 7.19.6 is affected by GHSA-4x5r-pxfx-6jf8 (CVE-2026-49356)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-4x5r-pxfx-6jf8 (CVE-2026-49356) for npm package @babel/core at version 7.19.6: @babel/core: Arbitrary File Read via sourceMappingURL Comment. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:npm/@babel/core@7.19.6
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	28.6 / 100 (Small technology company)
CVSS v3.1	3.2 — CVSS:3.1/AV:L/AC:H/PR:N/UI:N/S:C/C:L/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-4x5r-pxfx-6jf8
```

EVIDENCE

tool_output · OSV.dev GHSA-4x5r-pxfx-6jf8 · manifest · SHA-256 5f71a1b5a670c67d...


```
{"id": "GHSA-4x5r-pxfx-6jf8", "aliases": ["CVE-2026-49356"], "modified":
"2026-09-10T03:50:48.280629201Z", "summary": "@babel/core: Arbitrary File Read via sourceMappingURL
Comment", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:L/AC:H/PR:N/UI:N/S:C/C:L/I:N/
A:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (7.29.6, 8.0.0-rc.6).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-4x5r-pxfx-6jf8

QSI-2026-04341 · DEP-KNOWN-ADVISORY

Low

@babel/core 7.12.9 is affected by GHSA-4x5r-pxfx-6jf8 (CVE-2026-49356)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-4x5r-pxfx-6jf8 (CVE-2026-49356) for npm package @babel/core at version 7.12.9: @babel/core: Arbitrary File Read via sourceMappingURL Comment. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:npm/@babel/core@7.12.9
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	28.6 / 100 (Small technology company)
CVSS v3.1	3.2 — CVSS:3.1/AV:L/AC:H/PR:N/UI:N/S:C/C:L/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-4x5r-pxfx-6jf8
```

EVIDENCE

tool_output · OSV.dev GHSA-4x5r-pxfx-6jf8 · manifest · SHA-256 5f71a1b5a670c67d...


```
{"id": "GHSA-4x5r-pxfx-6jf8", "aliases": ["CVE-2026-49356"], "modified":
"2026-09-10T03:50:48.280629201Z", "summary": "@babel/core: Arbitrary File Read via sourceMappingURL
Comment", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:L/AC:H/PR:N/UI:N/S:C/C:L/I:N/
A:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (7.29.6, 8.0.0-rc.6).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-4x5r-pxfx-6jf8

QSI-2026-04230 · TLSCODE-NO-PQ-HYBRID

Low

TLS without a post-quantum key exchange: rustls before 0.23 (ring only)

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

rustls before 0.23 (ring only) at Cargo.toml:289: the configured key exchange (ring) has no hybrid ML-KEM group such as X25519MLKEM768 (RFC 10024), so the handshake cannot negotiate one.

Affected asset	tls-code:rustls-old
Data source	Cargo.toml
Detection method	Static reading of TLS library configuration in code and manifests: crypto provider, group and curve lists, GODEBUG.
Analyzer	tls_code 1.2.0 · 2026-10-28 12:15 UTC
Priority score	28.2 / 100 (Small technology company)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=5.0, y=3.0, z=12.0 → time available under this scenario

POTENTIAL IMPACT

Traffic protected only by classical ECDHE could be recorded today and decrypted once a CRQC exists (harvest now, decrypt later). Relevant when transmitted data must stay confidential for many years.

REPRODUCTION STEPS

```
Open Cargo.toml:289 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · Cargo.toml · line 289 · SHA-256 1c1c37735d8f9da6... · File 8c4c8376ebed19b2...

```
288 | rustc_version = "0.4"
289 | rustls = { version = "0.21.10", default-features = false, features = ["quic"] }
290 | rustversion = "1.0.14"
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Read from code and manifests only: the library versions deployed and settings made outside the code (environment, launch flags) were not determined.

RECOMMENDATION

Upgrade rustls to 0.23 or later with the aws-lc-rs provider and the prefer-post-quantum feature.

RETEST PROCEDURE

Connect with a client that offers X25519MLKEM768 (openssl s_client -groups X25519MLKEM768 with OpenSSL 3.5+, or a Go 1.24+ client) and confirm the negotiated group.

RFC 10024 — Hybrid ECDHE-MLKEM key agreement for TLS 1.3 (X25519MLKEM768, SecP256r1MLKEM768, SecP384r1MLKEM1024); IANA — Transport Layer Security (TLS) Parameters (Supported Groups, SignatureScheme, Cipher Suites); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-04233 · CODE-QV-ASYMMETRIC

Low

Quantum-vulnerable ECDSA: transaction and message signing (3 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

4 reference(s) to ECDSA across 3 file(s), e.g. sdk/bpf/c/inc/solana_sdk.h:18. Role, judged from paths, function names and nearby code: transaction and message signing. A CRQC derives the private key from a public key that is already known (on chain after the first spend, in reused addresses): funds and approvals controlled by these keys need a migration path.

Affected asset	source-code:ECDSA:transaction_signing
Data source	sdk/bpf/c/inc/solana_sdk.h
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-28 12:15 UTC
Priority score	25.0 / 100 (Small technology company)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=5.0, y=3.0, z=12.0 → time available under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open sdk/bpf/c/inc/solana_sdk.h:18 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · sdk/bpf/c/inc/solana_sdk.h · line 18 · SHA-256 7ea2f477e30b94c7… · File a405253924b7b311…

```
17 | #include <sol/return_data.h>
18 | #include <sol/secp256k1.h>
19 | #include <sol/sha.h>
```

file_excerpt · sdk/sbf/c/inc/solana_sdk.h · line 18 · SHA-256 7ea2f477e30b94c7... · File cf7f5762db7a8767...

```
17 | #include <sol/return_data.h>
18 | #include <sol/secp256k1.h>
19 | #include <sol/sha.h>
```

file_excerpt · sdk/src/feature_set.rs · line 786 · SHA-256 368177c1bb059d58... · File 80fded8a6c463a43...

```
785 |     pub static ref FEATURE_NAMES: HashMap<Pubkey, &'static str> = [
786 |         (secp256k1_program_enabled::id(), "secp256k1 program"),
787 |         (deprecate_rewards_sysvar::id(), "deprecate unused rewards sysvar"),
```

file_excerpt · sdk/src/feature_set.rs · line 857 · SHA-256 deab6efe86d8254a... · File 80fded8a6c463a43...

```
856 |         (check_physical_overlapping::id(), "check physical overlapping regions"),
857 |         (limit_secp256k1_recovery_id::id(), "limit secp256k1 recovery id"),
858 |         (disable_deprecated_loader::id(), "disable the deprecated BPF loader"),
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-04234 · CODE-QV-ASYMMETRIC

Low

Quantum-vulnerable BN254 (alt_bn128): transaction and message signing (1 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

1 reference(s) to BN254 (alt_bn128) across 1 file(s), e.g. sdk/bpf/c/inc/solana_sdk.h:6. Role, judged from paths, function names and nearby code: transaction and message signing. A CRQC derives the private key from a public key that is already known (on chain after the first spend, in reused addresses): funds and approvals controlled by these keys need a migration path.

Affected asset	source-code:BN254 (alt_bn128):transaction_signing
Data source	sdk/bpf/c/inc/solana_sdk.h
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-28 12:15 UTC

Priority score	25.0 / 100 (Small technology company)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=5.0, y=3.0, z=12.0 → time available under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open sdk/bpf/c/inc/solana_sdk.h:6 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · sdk/bpf/c/inc/solana_sdk.h · line 6 · SHA-256 9952563698b1bcbc... · File a405253924b7b311...

```
5 |
6 | #include <sol/alt_bn128.h>
7 | #include <sol/assert.h>
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-04235 · CODE-QV-ASYMMETRIC

Low

Quantum-vulnerable Ed25519: transaction and message signing (1 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

20 reference(s) to Ed25519 across 1 file(s), e.g. sdk/src/signer/keypair.rs:10. Role, judged from paths, function names and nearby code: transaction and message signing. A CRQC derives the private key from a public key that is already known (on chain after the first spend, in reused addresses): funds and approvals controlled by these keys need a migration path.

Affected asset	source-code:Ed25519:transaction_signing
Data source	sdk/src/signer/keypair.rs
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-28 12:15 UTC
Priority score	25.0 / 100 (Small technology company)
CVSS v3.1	not applicable

Mosca's inequality (x + y > z) x=5.0, y=3.0, z=12.0 → time available under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open sdk/src/signer/keypair.rs:10 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · sdk/src/signer/keypair.rs · line 10 · SHA-256 7ae788012069eb47… · File eec8f8eadb37c439…

```
 9 |     },
10 |     ed25519_dalek::Signer as DalekSigner,
11 |     ed25519_dalek_bip32::Error as Bip32Error,
```

file_excerpt · sdk/src/signer/keypair.rs · line 25 · SHA-256 628e3ed54eb2db72… · File eec8f8eadb37c439…

```
24 | #[derive(Debug)]
25 | pub struct Keypair(ed25519_dalek::Keypair);
26 |
```

file_excerpt · sdk/src/signer/keypair.rs · line 36 · SHA-256 1c9d963316c58174… · File eec8f8eadb37c439…

```
35 |     {
36 |         Self(ed25519_dalek::Keypair::generate(csprng))
37 |     }
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-04236 · CODE-QV-ASYMMETRIC Low

Quantum-vulnerable Pedersen commitment: threshold signing and MPC protocols (25 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

162 reference(s) to Pedersen commitment across 25 file(s), e.g. zk-token-sdk/src/encryption/elgamal.rs:21. Role, judged from paths, function names and nearby code: threshold signing and

MPC protocols. Paillier, Pedersen commitments and the discrete-logarithm proofs inside threshold ECDSA and EdDSA protocols all fall to Shor's algorithm; a post-quantum threshold scheme is a protocol change, not a parameter change.

Affected asset	source-code:Pedersen commitment:threshold_mpc
Data source	zk-token-sdk/src/encryption/elgamal.rs
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-28 12:15 UTC
Priority score	25.0 / 100 (Small technology company)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=5.0, y=3.0, z=12.0 → time available under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open zk-token-sdk/src/encryption/elgamal.rs:21 and inspect the quoted lines; the evidence lists
further files.
```

EVIDENCE

file_excerpt · zk-token-sdk/src/encryption/elgamal.rs · line 21 · SHA-256 9298f8295108602f… · File 86bb24aa05ac08d3…

```
   20 |             pedersen::{
   21 |                 Pedersen, PedersenCommitment, PedersenOpening, G, H,
PEDERSEN_COMMITMENT_LEN,
   22 |             },
```

file_excerpt · zk-token-sdk/src/encryption/elgamal.rs · line 565 · SHA-256 dbc3b217c5a9ab26… · File 86bb24aa05ac08d3…

```
  564 | pub struct ElGamalCiphertext {
  565 |     pub commitment: PedersenCommitment,
  566 |     pub handle: DecryptHandle,
```

file_excerpt · zk-token-sdk/src/encryption/elgamal.rs · line 571 · SHA-256 6bd5a4ab503d98d2… · File 86bb24aa05ac08d3…

```
  570 |         let point = amount.into() * &(*G);
  571 |         let commitment_to_add = PedersenCommitment::new(point);
  572 |         ElGamalCiphertext {
```

file_excerpt · zk-token-sdk/src/encryption/grouped_elgamal.rs · line 19 · SHA-256 524aa0ac348b1711… · File 38a6094207a922d3…

```
   18 |             elgamal::{DecryptHandle, ElGamalCiphertext, ElGamalPubkey, ElGamalSecretKey},
   19 |             pedersen::{Pedersen, PedersenCommitment, PedersenOpening},
   20 |         },
```

file_excerpt · zk-token-sdk/src/encryption/grouped_elgamal.rs · line 130 · SHA-256 d0706622e1f99f3c… · File 38a6094207a922d3…

```
  129 | pub struct GroupedElGamalCiphertext<const N: usize> {
  130 |     pub commitment: PedersenCommitment,
  131 |     pub handles: [DecryptHandle; N],
```

file_excerpt · zk-token-sdk/src/encryption/grouped_elgamal.rs · line 188 · SHA-256 09c7997e14f67b5c… · File 38a6094207a922d3…

```
187 |         let mut iter = bytes.chunks(RISTRETTO_POINT_LEN);
188 |         let commitment = PedersenCommitment::from_bytes(iter.next()?)?;
189 |
```

file_excerpt · zk-token-sdk/src/encryption/pedersen.rs · line 44 · SHA-256 22037efeafeac0ad… · File d6f2258856eab766…

```
 43 |     #[allow(clippy::new_ret_no_self)]
 44 |     pub fn new<T: Into<Scalar>>(amount: T) -> (PedersenCommitment, PedersenOpening) {
 45 |         let opening = PedersenOpening::new_rand();
```

file_excerpt · zk-token-sdk/src/encryption/pedersen.rs · line 56 · SHA-256 8977d8cf7015a927… · File d6f2258856eab766…

```
 55 |     #[allow(non_snake_case)]
 56 |     pub fn with<T: Into<Scalar>>(amount: T, opening: &PedersenOpening) -> PedersenCommitment
{
 57 |         let x: Scalar = amount.into();
```

file_excerpt · zk-token-sdk/src/encryption/pedersen.rs · line 60 · SHA-256 4baa28fb5e42e5c4… · File d6f2258856eab766…

```
 59 |
 60 |         PedersenCommitment(RistrettoPoint::multiscalar_mul(&[x, *r], &[*G, *H]))
 61 |     }
```

file_excerpt · zk-token-sdk/src/instruction/batched_range_proof/batched_range_proof_u128.rs · line 6 · SHA-256 4ba01b50b4dadc95… · File 38185b5e816685db…

```
  5 |     crate::{
  6 |         encryption::pedersen::{PedersenCommitment, PedersenOpening},
  7 |         errors::{ProofGenerationError, ProofVerificationError},
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Track post-quantum threshold signatures (NIST IR 8214C) and keep the protocol layer ready to swap the signature scheme; record which keys and shares must stay valid for how long.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-04266 · DEP-KNOWN-ADVISORY

Low

keccak 0.1.5 is affected by GHSA-3288-p39f-rqpv (RUSTSEC-2026-0012)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GHSA-3288-p39f-rqpv (RUSTSEC-2026-0012) for crates.io package keccak at version 0.1.5: Unsoundness in opt-in ARMv8 assembly backend for `keccak`. The affected code

sits behind the `asm` Cargo feature, off by default, which no audited manifest enables: the advisory does not apply unless another dependency enables it.

Affected asset	dependency:crates.io/keccak@0.1.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	24.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-3288-p39f-rqpv
```

EVIDENCE

tool_output · OSV.dev GHSA-3288-p39f-rqpv · manifest · SHA-256 d5a8f5565101ab9d...


```
{"id": "GHSA-3288-p39f-rqpv", "aliases": ["RUSTSEC-2026-0012"], "modified":
"2026-09-10T03:50:59.332505686Z", "summary": "Unsoundness in opt-in ARMv8 assembly backend for
`keccak`", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:L/AC:H/AT:P/PR:N/UI:N/VC:N/VI:L/
VA:N/SC:N/SI:N/SA:N/E:U"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.1.6).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-3288-p39f-rqpv

QSI-2026-04231 · CODE-QV-ASYMMETRIC

Low

Quantum-vulnerable Ed25519: role not determined (9 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

23 reference(s) to Ed25519 across 9 file(s), e.g. core/src/cluster_info_vote_listener.rs:340. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:Ed25519:general
Data source	core/src/cluster_info_vote_listener.rs
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-28 12:15 UTC

Priority score	23.6 / 100 (Small technology company)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=5.0, y=3.0, z=12.0 → time available under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open core/src/cluster_info_vote_listener.rs:340 and inspect the quoted lines; the evidence lists
further files.
```

EVIDENCE

file_excerpt · core/src/cluster_info_vote_listener.rs · line 340 · SHA-256 3d37dba77d8fc83a... · File aa0d6940567503ed...

```
339 |         // Votes should already be filtered by this point.
340 |         sigverify::ed25519_verify_cpu(
341 |             &mut packet_batches,
```

file_excerpt · core/src/sigverify.rs · line 8 · SHA-256 fe4de448f72450e4... · File f2603c5fb1f59bb2...

```
  7 | pub use solana_perf::sigverify::{
  8 |     count_packets_in_batches, ed25519_verify_cpu, ed25519_verify_disabled, init, TxOffset,
  9 | };
```

file_excerpt · core/src/sigverify.rs · line 141 · SHA-256 a7ff0601451a0963... · File f2603c5fb1f59bb2...

```
140 |     ) -> Vec<PacketBatch> {
141 |         sigverify::ed25519_verify(
142 |             &mut batches,
```

file_excerpt · core/src/sigverify_stage.rs · line 228 · SHA-256 31d5114baba7d1a7... · File dcf4753cfcde544e...

```
227 |     ) -> Vec<PacketBatch> {
228 |         sigverify::ed25519_verify_disabled(&mut batches);
229 |         batches
```

file_excerpt · entry/src/entry.rs · line 579 · SHA-256 d7da3bedbc73dacc... · File 78ebfa9bf1dc5779...

```
578 |             let mut verify_time = Measure::start("sigverify");
579 |             sigverify::ed25519_verify(
580 |                 &mut packet_batches,
```

file_excerpt · ledger/src/sigverify_shreds.rs · line 280 · SHA-256 04e411cf46997eee... · File 3c8ba53b70a1d499...

```
279 |     unsafe {
280 |         let res = (api.ed25519_verify_many)(
281 |             elems.as_ptr(),
```

file_excerpt · ledger/src/sigverify_shreds.rs · line 410 · SHA-256 e4162b5dcf2e5554... · File 3c8ba53b70a1d499...

```
409 |     unsafe {
410 |         let res = (api.ed25519_sign_many)(
411 |             elems.as_mut_ptr(),
```

file_excerpt · perf/src/perf_libs.rs · line 27 · SHA-256 6d30fe89b1d1bdc3... · File beaa7b81041765a6...

```
   26 |     #[allow(clippy::type_complexity)]
   27 |     pub ed25519_verify_many: Symbol<
   28 |         'a,
```

file_excerpt · perf/src/perf_libs.rs · line 45 · SHA-256 1b30044c34b32e73… · File beaa7b81041765a6…

```
   44 |     #[allow(clippy::type_complexity)]
   45 |     pub ed25519_sign_many: Symbol<
   46 |         'a,
```

file_excerpt · perf/src/sigverify.rs · line 518 · SHA-256 704b1c78782591af… · File 7ce48d271cd888f4…

```
  517 |
  518 | pub fn ed25519_verify_cpu(batches: &mut [PacketBatch], reject_non_vote: bool, packet_count:
usize) {
  519 |     debug!("CPU ECDSA for {}", packet_count);
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-04232 · CODE-QV-ASYMMETRIC

Low

Quantum-vulnerable BN254 (alt_bn128): role not determined (10 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

15 reference(s) to BN254 (alt_bn128) across 10 file(s), e.g. programs/bpf_loader/src/syscalls/mod.rs:26. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:BN254 (alt_bn128):general
Data source	programs/bpf_loader/src/syscalls/mod.rs
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-28 12:15 UTC
Priority score	23.6 / 100 (Small technology company)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=5.0, y=3.0, z=12.0 → time available under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open programs/bpf_loader/src/syscalls/mod.rs:26 and inspect the quoted lines; the evidence lists
further files.
```

EVIDENCE

file_excerpt · programs/bpf_loader/src/syscalls/mod.rs · line 26 · SHA-256 dc42c1c8ee5bb74c... · File b02d54c0d7275856...

```
   25 |         account_info::AccountInfo,
   26 |         alt_bn128::prelude::{
   27 |             alt_bn128_addition, alt_bn128_multiplication, alt_bn128_pairing, AltBn128Error,
```

file_excerpt · programs/bpf_loader/src/syscalls/mod.rs · line 1501 · SHA-256 3db3b7d92bc21917... · File b02d54c0d7275856...

```
 1500 |     ) -> Result<u64, Error> {
 1501 |         use solana_sdk::alt_bn128::prelude::{ALT_BN128_ADD, ALT_BN128_MUL,
ALT_BN128_PAIRING};
 1502 |         let budget = invoke_context.get_compute_budget();
```

file_excerpt · programs/bpf_loader/src/syscalls/mod.rs · line 1749 · SHA-256 7fa1c56f8ad026f2... · File b02d54c0d7275856...

```
 1748 |     ) -> Result<u64, Error> {
 1749 |         use solana_sdk::alt_bn128::compression::prelude::{
 1750 |             alt_bn128_g1_compress, alt_bn128_g1_decompress, alt_bn128_g2_compress,
```

file_excerpt · programs/sbf/build.rs · line 67 · SHA-256 0cd39a5d4a06ed47... · File b14b8ccec8ce55a5...

```
   66 |             "alloc",
   67 |             "alt_bn128",
   68 |             "alt_bn128_compression",
```

file_excerpt · programs/sbf/c/src/alt_bn128/alt_bn128.c · line 4 · SHA-256 bdfe31948c062be6... · File 60d644d5ab9e5fa7...

```
    3 |  */
    4 | #include <sol/alt_bn128.h>
    5 | #include <sol/assert.h>
```

file_excerpt · programs/sbf/rust/alt_bn128/src/lib.rs · line 5 · SHA-256 345323dc9672e60f... · File c605c8b104ebc6a8...

```
    4 | use solana_program::{
    5 |     alt_bn128::prelude::{alt_bn128_addition, alt_bn128_multiplication, alt_bn128_pairing},
    6 |     custom_heap_default, custom_panic_default, msg,
```

file_excerpt · programs/sbf/rust/alt_bn128/src/lib.rs · line 718 · SHA-256 701438176427241a... · File c605c8b104ebc6a8...

```
  717 | pub extern "C" fn entrypoint(_input: *mut u8) -> u64 {
  718 |     msg!("alt_bn128");
  719 |
```

file_excerpt · programs/sbf/rust/alt_bn128_compression/src/lib.rs · line 5 · SHA-256 5ea84cc24eeb401d... · File 66cff7a9351d5f6e...

```
    4 | use solana_program::{
    5 |     alt_bn128::compression::prelude::{
    6 |         alt_bn128_g1_compress, alt_bn128_g1_decompress, alt_bn128_g2_compress,
```

file_excerpt · sdk/program/src/alt_bn128/compression.rs · line 2 · SHA-256 124b02485c74c15a... · File a28a59533009fd89...

```
 1 | pub mod prelude {
 2 |     pub use crate::alt_bn128::compression::{
 3 |         alt_bn128_compression_size::*, consts::*, target_arch::*, AltBn128CompressionError,
```

file_excerpt · sdk/program/src/alt_bn128/compression.rs · line 70 · SHA-256 2889ad8e4d4f836f… · File a28a59533009fd89…

```
69 |         super::*,
70 |         crate::alt_bn128::compression::alt_bn128_compression_size,
71 |         ark_serialize::{CanonicalDeserialize, CanonicalSerialize, Compress, Validate},
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to a post-quantum algorithm; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-04237 · CODE-QV-ASYMMETRIC

Low

Quantum-vulnerable Bulletproofs: role not determined (2 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

6 reference(s) to Bulletproofs across 2 file(s), e.g. zk-token-sdk/src/range_proof/generators.rs:64. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:Bulletproofs:general
Data source	zk-token-sdk/src/range_proof/generators.rs
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-28 12:15 UTC
Priority score	23.6 / 100 (Small technology company)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=5.0, y=3.0, z=12.0 → time available under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open zk-token-sdk/src/range_proof/generators.rs:64 and inspect the quoted lines; the evidence lists
further files.
```

EVIDENCE

file_excerpt · zk-token-sdk/src/range_proof/generators.rs · line 64 · SHA-256 f6ab6366149e606c… · File 053f893abb301669…

```
63 | #[derive(Clone)]
64 | pub struct BulletproofGens {
65 |     /// The maximum number of usable generators.
```

file_excerpt · zk-token-sdk/src/range_proof/generators.rs · line 73 · SHA-256 1324375ba59b02a2… · File 053f893abb301669…

```
72 |
73 | impl BulletproofGens {
74 |     pub fn new(gens_capacity: usize) -> Result<Self, RangeProofGeneratorError> {
```

file_excerpt · zk-token-sdk/src/range_proof/generators.rs · line 75 · SHA-256 747aceec7b062de8… · File 053f893abb301669…

```
74 |     pub fn new(gens_capacity: usize) -> Result<Self, RangeProofGeneratorError> {
75 |         let mut gens = BulletproofGens {
76 |             gens_capacity: 0,
```

file_excerpt · zk-token-sdk/src/range_proof/mod.rs · line 25 · SHA-256 173f62711d17ee33… · File c2531ba8a655b36c…

```
24 |             errors::{RangeProofGenerationError, RangeProofVerificationError},
25 |             generators::BulletproofGens,
26 |             inner_product::InnerProductProof,
```

file_excerpt · zk-token-sdk/src/range_proof/mod.rs · line 96 · SHA-256 52eec9967b27baa0… · File c2531ba8a655b36c…

```
95 |
96 |         let bp_gens = BulletproofGens::new(nm)
97 |             .map_err(|_| RangeProofGenerationError::MaximumGeneratorLengthExceeded)?;
```

file_excerpt · zk-token-sdk/src/range_proof/mod.rs · line 267 · SHA-256 64d78bef4a47738b… · File c2531ba8a655b36c…

```
266 |         let nm: usize = bit_lengths.iter().sum();
267 |         let bp_gens = BulletproofGens::new(nm)
268 |             .map_err(|_| RangeProofVerificationError::MaximumGeneratorLengthExceeded)?;
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to a post-quantum algorithm; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-04255 · DEP-ADVISORY-UNRATED

Low

crossbeam-epoch 0.9.5 is affected by RUSTSEC-2026-0204 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0204 for crates.io package crossbeam-epoch at version 0.9.5: Invalid pointer dereference in `fmt::Pointer` impl for `Atomic` and `Shared` when the underlying pointer is invalid. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/crossbeam-epoch@0.9.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0204
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0204 · manifest · SHA-256 87f069b4fa857d22...


```
{"id": "RUSTSEC-2026-0204", "aliases": [], "modified": "2026-07-06T22:30:04.159269138Z", "summary": "Invalid pointer dereference in `fmt::Pointer` impl for `Atomic` and `Shared` when the underlying pointer is invalid", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.9.20) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0204

QSI-2026-04260 · DEP-ADVISORY-UNRATED

Low

h2 0.3.24 is affected by RUSTSEC-2026-0258 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0258 for crates.io package h2 at version 0.3.24: h2 unbounded empty DATA frames. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/h2@0.3.24
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0258
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0258 · manifest · SHA-256 d8694780e4da4b8e...


```
{"id": "RUSTSEC-2026-0258", "aliases": ["GHSA-q83h-524g-xf6h"], "modified":
"2026-10-12T18:00:10.934581734Z", "summary": "h2 unbounded empty DATA frames", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.4.16) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0258

QSI-2026-04263 · DEP-ADVISORY-UNRATED

Low

im 15.1.0 is affected by RUSTSEC-2023-0126 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2023-0126 for crates.io package im at version 15.1.0: Aliasing violation in `OrdSet` insertion. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/im@15.1.0
Data source	OSV.dev

Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2023-0126
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2023-0126 · manifest · SHA-256 160dfa85ba32ad67…


```
{"id": "RUSTSEC-2023-0126", "aliases": [], "modified": "2026-08-10T19:45:04.530371817Z", "summary":
"Aliasing violation in `OrdSet` insertion", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (none published yet; see the advisory for mitigations) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2023-0126

QSI-2026-04268 · DEP-ADVISORY-UNRATED

Low

lru 0.7.8 is affected by RUSTSEC-2026-0253 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0253 for crates.io package lru at version 0.7.8: Potential use-after-free due to lack of panic safety in `LruCache::pop()`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/lru@0.7.8
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0253
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0253 · manifest · SHA-256 82a341ad1e624183...


```
{"id": "RUSTSEC-2026-0253", "aliases": [], "modified": "2026-08-11T11:15:06.101553049Z", "summary":
"Potential use-after-free due to lack of panic safety in `LruCache::pop()`", "severity": null,
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.18.2) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0253

QSI-2026-04287 · DEP-ADVISORY-UNRATED

Low

quinn-proto 0.10.6 is affected by RUSTSEC-2026-0338 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0338 for crates.io package quinn-proto at version 0.10.6: Remote peer can panic quinn-proto with zero-length STREAM frames during unordered reads. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quinn-proto@0.10.6
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0338
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0338 · manifest · SHA-256 91b2bd8f15b3c6dd...


```
{"id": "RUSTSEC-2026-0338", "aliases": ["GHSA-465w-v9q3-7j98"], "modified":
"2026-10-12T18:15:01.969514645Z", "summary": "Remote peer can panic quinn-proto with zero-length
STREAM frames during unordered reads", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.11.18) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0338

QSI-2026-04288 · DEP-ADVISORY-UNRATED

Low

quinn-proto 0.10.6 is affected by RUSTSEC-2026-0339 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0339 for crates.io package quinn-proto at version 0.10.6: Unbounded growth of pending connection ID retirements in quinn-proto. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quinn-proto@0.10.6
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0339
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0339 · manifest · SHA-256 754eb18e6ed8e143...

{"id": "RUSTSEC-2026-0339", "aliases": ["GHSA-hmxj-32vh-65vr"], "modified": "2026-10-12T18:15:01.956822776Z", "summary": "Unbounded growth of pending connection ID retirements in quinn-proto", "severity": null, "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.11.17) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0339

QSI-2026-04289 · DEP-ADVISORY-UNRATED

Low

quinn-proto 0.10.6 is affected by RUSTSEC-2026-0342 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0342 for crates.io package quinn-proto at version 0.10.6: Zero-length DATAGRAM frames bypass the receive buffer limit in quinn-proto. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quinn-proto@0.10.6
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0342
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0342 · manifest · SHA-256 e1697cd703466ae8...

{"id": "RUSTSEC-2026-0342", "aliases": ["GHSA-2hv7-gw8g-gpq5"], "modified": "2026-10-12T18:15:01.956681478Z", "summary": "Zero-length DATAGRAM frames bypass the receive buffer limit in quinn-proto", "severity": null, "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo

feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.11.17) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0342

QSI-2026-04305 · DEP-ADVISORY-UNRATED

Low

rustls-webpki 0.101.7 is affected by RUSTSEC-2026-0382 (CVE-2026-111943) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0382 (CVE-2026-111943) for crates.io package rustls-webpki at version 0.101.7: Certificate verification may accept distrusted intermediates. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls-webpki@0.101.7
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0382
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0382 · manifest · SHA-256 9111e73d75239253…


```
{"id": "RUSTSEC-2026-0382", "aliases": ["CVE-2026-111943", "GO-2026-6809", "RUSTSEC-2026-0381",
"RUSTSEC-2026-0383"], "modified": "2026-10-21T00:55:56.763143468Z", "summary": "Certificate
verification may accept distrusted intermediates", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.103.16, 0.104.0-alpha.8) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0382

QSI-2026-04308 · DEP-ADVISORY-UNRATED

Low

sized-chunks 0.6.5 is affected by RUSTSEC-2026-0255 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0255 for crates.io package sized-chunks at version 0.6.5: Panic-safety unsoundness in `Chunk`, `RingBuffer`, and `InlineArray` (use-after-free / double-free). The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code names sized_chunks::Chunk::clear: the affected code may be reachable.

Affected asset	dependency:crates.io/sized-chunks@0.6.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0255
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0255 · manifest · SHA-256 d9e32fa55cbe4b80…


```
{"id": "RUSTSEC-2026-0255", "aliases": [], "modified": "2026-08-12T10:30:03.078996208Z", "summary": "Panic-safety unsoundness in `Chunk`, `RingBuffer`, and `InlineArray` (use-after-free / double-free)", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (none published yet; see the advisory for mitigations) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0255

QSI-2026-04309 · DEP-ADVISORY-UNRATED

Low

solana_rbpf 0.8.0 is affected by RUSTSEC-2026-0191 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0191 for crates.io package solana_rbpf at version 0.8.0: `EbpfVm::invoke_function` performs out-of-bounds pointer arithmetic. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code names solana_rbpf::vm::EbpfVm::invoke_function: the affected code may be reachable.

Affected asset	dependency:crates.io/solana_rbpf@0.8.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0191
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0191 · manifest · SHA-256 07a5a3a266ff92d3...


```
{"id": "RUSTSEC-2026-0191", "aliases": [], "modified": "2026-06-29T14:45:04.175629528Z", "summary":
"`EbpfVm::invoke_function` performs out-of-bounds pointer arithmetic", "severity": null,
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (none published yet; see the advisory for mitigations) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0191

QSI-2026-04318 · DEP-ADVISORY-UNRATED

Low

webpki-roots 0.24.0 is affected by RUSTSEC-2026-0381 (CVE-2026-111943) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0381 (CVE-2026-111943) for crates.io package webpki-roots at version 0.24.0: Bundled root certificates allow trust in distrusted emSign intermediates. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/webpki-roots@0.24.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0381
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0381 · manifest · SHA-256 a97aff76592b6090…


```
{"id": "RUSTSEC-2026-0381", "aliases": ["CVE-2026-111943", "GO-2026-6809", "RUSTSEC-2026-0382",
"RUSTSEC-2026-0383"], "modified": "2026-10-21T06:30:02.818201920Z", "summary": "Bundled root
certificates allow trust in distrusted emSign intermediates", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.26.11, 1.0.10) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0381

QSI-2026-04319 · DEP-ADVISORY-UNRATED

Low

webpki-roots 0.25.2 is affected by RUSTSEC-2026-0381 (CVE-2026-111943) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0381 (CVE-2026-111943) for crates.io package webpki-roots at version 0.25.2: Bundled root certificates allow trust in distrusted emSign intermediates. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/webpki-roots@0.25.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0381
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0381 · manifest · SHA-256 a97aff76592b6090…


```
{"id": "RUSTSEC-2026-0381", "aliases": ["CVE-2026-111943", "GO-2026-6809", "RUSTSEC-2026-0382",
"RUSTSEC-2026-0383"], "modified": "2026-10-21T06:30:02.818201920Z", "summary": "Bundled root
certificates allow trust in distrusted emSign intermediates", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.26.11, 1.0.10) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0381

QSI-2026-04321 · DEP-ADVISORY-UNRATED

Low

zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0395 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0395 for crates.io package zstd-safe at version 5.0.1+zstd.1.5.2: Use-after-free with `CParameter::StableInBuffer`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::CCtx::set_parameter); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@5.0.1+zstd.1.5.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0395
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0395 · manifest · SHA-256 cf314e3df3f714ad...


```
{"id": "RUSTSEC-2026-0395", "aliases": [], "modified": "2026-10-26T14:00:06.388344282Z", "summary":
"Use-after-free with `CParameter::StableInBuffer`", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0395

QSI-2026-04322 · DEP-ADVISORY-UNRATED

Low

zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0397 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0397 for crates.io package zstd-safe at version 5.0.1+zstd.1.5.2: `OutBuffer::around_pos` exposes uninitialized memory. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::OutBuffer::around_pos); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@5.0.1+zstd.1.5.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0397
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0397 · manifest · SHA-256 e1cc2d6a8e69a560...


```
{"id": "RUSTSEC-2026-0397", "aliases": [], "modified": "2026-10-26T14:00:05.089587004Z", "summary": "`OutBuffer::around_pos` exposes uninitialized memory", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0397

QSI-2026-04323 · DEP-ADVISORY-UNRATED

Low

zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0399 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0399 for crates.io package zstd-safe at version 5.0.1+zstd.1.5.2: Use-after-free through `init_using_cdict` and `init_using_ddict`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::CCtx::init_using_cdict, zstd_safe::DCtx::init_using_ddict); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@5.0.1+zstd.1.5.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC

Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0399
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0399 · manifest · SHA-256 dde7c9d1fcd35a89…


```
{"id": "RUSTSEC-2026-0399", "aliases": [], "modified": "2026-10-26T14:00:05.792431051Z", "summary":
"Use-after-free through `init_using_cdict` and `init_using_ddict`", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0399

QSI-2026-04324 · DEP-ADVISORY-UNRATED

Low

zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0400 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0400 for crates.io package zstd-safe at version 5.0.1+zstd.1.5.2: Use-after-free of a dictionary after a one-shot call on a context with an open stream. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::DCtx::decompress, zstd_safe::DCtx::decompress_using_ddict, zstd_safe::DCtx::decompress_using_dict); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@5.0.1+zstd.1.5.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0400
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0400 · manifest · SHA-256 12a31cd97694259b...


```
{"id": "RUSTSEC-2026-0400", "aliases": [], "modified": "2026-10-26T14:00:05.692077560Z", "summary":
"Use-after-free of a dictionary after a one-shot call on a context with an open stream", "severity":
null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0400

QSI-2026-04325 · DEP-ADVISORY-UNRATED

Low

zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0401 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0401 for crates.io package zstd-safe at version 5.0.1+zstd.1.5.2: Out-of-bounds read in `train_from_buffer` when sample sizes overflow. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::train_from_buffer); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@5.0.1+zstd.1.5.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0401
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0401 · manifest · SHA-256 8f606743a027e187…


```
{"id": "RUSTSEC-2026-0401", "aliases": [], "modified": "2026-10-26T14:00:04.231502512Z", "summary":
"Out-of-bounds read in `train_from_buffer` when sample sizes overflow", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0401

QSI-2026-04326 · DEP-ADVISORY-UNRATED

Low

zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0402 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0402 for crates.io package zstd-safe at version 5.0.1+zstd.1.5.2: Heap buffer overflow in `CCtx::try_clone` on a multithreaded context. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::CCtx::try_clone); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@5.0.1+zstd.1.5.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0402
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0402 · manifest · SHA-256 1659ee65665b5ae7…

{"id": "RUSTSEC-2026-0402", "aliases": [], "modified": "2026-10-26T14:00:05.685817733Z", "summary": "Heap buffer overflow in `CCtx::try_clone` on a multithreaded context", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0402

QSI-2026-04327 · DEP-ADVISORY-UNRATED

Low

zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0403 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0403 for crates.io package zstd-safe at version 5.0.1+zstd.1.5.2: Uninitialized memory exposed when streaming decompression of a legacy frame fails. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::DCtx::decompress_stream); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@5.0.1+zstd.1.5.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0403
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0403 · manifest · SHA-256 b1d1701270f636af...

{"id": "RUSTSEC-2026-0403", "aliases": [], "modified": "2026-10-26T14:00:05.787441176Z", "summary": "Uninitialized memory exposed when streaming decompression of a legacy frame fails", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0403

QSI-2026-04328 · DEP-ADVISORY-UNRATED

Low

zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0404 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0404 for crates.io package zstd-safe at version 5.0.1+zstd.1.5.2: Double free in `DCtx::try_clone`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::DCtx::try_clone); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@5.0.1+zstd.1.5.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0404
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0404 · manifest · SHA-256 7c25f3932e55150f...


```
{"id": "RUSTSEC-2026-0404", "aliases": [], "modified": "2026-10-26T14:00:05.092817237Z", "summary":
"Double free in `DCtx::try_clone`", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0404

QSI-2026-04329 · DEP-ADVISORY-UNRATED

Low

zstd-safe 5.0.1+zstd.1.5.2 is affected by RUSTSEC-2026-0406 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0406 for crates.io package zstd-safe at version 5.0.1+zstd.1.5.2: Use-after-free when changing a multithreaded context with an unfinished frame. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::CCtx::disable_dictionary, zstd_safe::CCtx::init, zstd_safe::CCtx::load_dictionary, zstd_safe::CCtx::ref_cdict, zstd_safe::CCtx::ref_prefix, zstd_safe::CCtx::reset ...); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@5.0.1+zstd.1.5.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0406
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0406 · manifest · SHA-256 deca0b7103bdc0c3...


```
{"id": "RUSTSEC-2026-0406", "aliases": [], "modified": "2026-10-26T14:00:05.095427051Z", "summary":
"Use-after-free when changing a multithreaded context with an unfinished frame", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0406

QSI-2026-04272 · DEP-KNOWN-ADVISORY

Info

openssl 0.10.64 is affected by GHSA-4fcv-w3qc-ppgg (RUSTSEC-2025-0022)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-4fcv-w3qc-ppgg (RUSTSEC-2025-0022) for crates.io package openssl at version 0.10.64: rust-openssl Use-After-Free in `Md::fetch` and `Cipher::fetch`. None of the affected functions (openssl::cipher::Cipher::fetch, openssl::md::Md::fetch) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:crates.io/openssl@0.10.64
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	28.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-4fcv-w3qc-ppgg
```

EVIDENCE

tool_output · OSV.dev GHSA-4fcv-w3qc-ppgg · manifest · SHA-256 5f39e15490656881…


```
{"id": "GHSA-4fcv-w3qc-ppgg", "aliases": ["RUSTSEC-2025-0022"], "modified":
"2026-09-10T03:50:56.938932795Z", "summary": "rust-openssl Use-After-Free in `Md::fetch` and
`Cipher::fetch`", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:H/AT:P/PR:N/UI:N/VC:N/
VI:N/VA:L/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.72).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-4fcv-w3qc-ppgg

QSI-2026-04278 · DEP-KNOWN-ADVISORY

Info

openssl 0.10.64 is affected by GHSA-q445-7m23-qrmw (RUSTSEC-2024-0357)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-q445-7m23-qrmw (RUSTSEC-2024-0357) for crates.io package openssl at version 0.10.64: openssl's `MemBio::get_buf` has undefined behavior with empty buffers. None of the affected functions (openssl::bio::MemBio::get_buf) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:crates.io/openssl@0.10.64
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	28.3 / 100 (Small technology company)
CVSS v3.1	6.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:L

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-q445-7m23-qrmw
```

EVIDENCE

tool_output · OSV.dev GHSA-q445-7m23-qrmw · manifest · SHA-256 e5aac99d59ed0230…


```
{"id": "GHSA-q445-7m23-qrmw", "aliases": ["RUSTSEC-2024-0357"], "modified":
"2026-09-10T03:50:16.826604285Z", "summary": "openssl's `MemBio::get_buf` has undefined behavior
with empty buffers", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/
C:N/I:L/A:L"}, {"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:L/VA:L/SC:N/
SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.66).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-q445-7m23-qrmw

QSI-2026-04279 · DEP-KNOWN-ADVISORY

Info

openssl 0.10.64 is affected by GHSA-rpmj-rpgj-qmpm (CVE-2025-24898, RUSTSEC-2025-0004)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-rpmj-rpgj-qmpm (CVE-2025-24898, RUSTSEC-2025-0004) for crates.io package openssl at version 0.10.64: rust-openssl ssl::select_next_proto use after free. None of the affected functions (openssl::ssl::select_next_proto) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:crates.io/openssl@0.10.64
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	28.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-rpmj-rpgj-qmpm
```

EVIDENCE

tool_output · OSV.dev GHSA-rpmj-rpgj-qmpm · manifest · SHA-256 c2da7e4a4e929537…


```
{"id": "GHSA-rpmj-rpgj-qmpm", "aliases": ["CVE-2025-24898", "RUSTSEC-2025-0004"], "modified":
"2026-09-10T03:50:06.186180196Z", "summary": "rust-openssl ssl::select_next_proto use after free",
"severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:H/AT:P/PR:N/UI:N/VC:L/VI:N/VA:L/SC:N/
SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.70).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-rpmj-rpgj-qmpm

QSI-2026-04296 · DEP-KNOWN-ADVISORY

Info

rustls 0.21.10 is affected by GHSA-6g7w-8wpp-frhj (CVE-2024-32650, RUSTSEC-2024-0336)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-6g7w-8wpp-frhj (CVE-2024-32650, RUSTSEC-2024-0336) for crates.io package rustls at version 0.21.10: Denial of Service Vulnerability in Rustls Library. None of the affected functions (rustls::ConnectionCommon::complete_io) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:crates.io/rustls@0.21.10

Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	28.3 / 100 (Small technology company)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-6g7w-8wpp-frhj
```

EVIDENCE

tool_output · OSV.dev GHSA-6g7w-8wpp-frhj · manifest · SHA-256 4c7c44aaf23fe1a2...


```
{"id": "GHSA-6g7w-8wpp-frhj", "aliases": ["CVE-2024-32650", "RUSTSEC-2024-0336"], "modified":
"2026-09-10T03:50:12.362313607Z", "summary": "Denial of Service Vulnerability in Rustls Library",
"severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.21.11, 0.22.4, 0.23.5).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-6g7w-8wpp-frhj

QSI-2026-04244 · DEP-ADVISORY-INFORMATIONAL

Info

atty 0.2.14: informational advisory RUSTSEC-2024-0375 (unmaintained)

Improvement recommendation | Confidence: High

OSV.dev lists RUSTSEC-2024-0375 for crates.io package atty at version 0.2.14 as informational (unmaintained): `atty` is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/atty@0.2.14
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.4 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0375
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0375 · manifest · SHA-256 5ab589485ba21a4b...


```
{"id": "RUSTSEC-2024-0375", "aliases": [], "modified": "2024-09-26T12:26:22Z", "summary": "`atty` is unmaintained", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0375

QSI-2026-04245 · DEP-ADVISORY-INFORMATIONAL

Info

backoff 0.4.0: informational advisory RUSTSEC-2025-0012 (unmaintained)

Improvement recommendation | Confidence: High

OSV.dev lists RUSTSEC-2025-0012 for crates.io package backoff at version 0.4.0 as informational (unmaintained): `backoff` is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/backoff@0.4.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.4 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0012
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0012 · manifest · SHA-256 816a40adb812df8b...


```
{"id": "RUSTSEC-2025-0012", "aliases": [], "modified": "2025-08-06T09:33:04Z", "summary": "`backoff` is unmaintained.", "severity": null, "declared_in_manifest": true}
```

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2025-0012

QSI-2026-04246 · DEP-ADVISORY-INFORMATIONAL

Info

bincode 1.3.3: informational advisory RUSTSEC-2025-0141 (unmaintained)

Improvement recommendation | Confidence: High

OSV.dev lists RUSTSEC-2025-0141 for crates.io package bincode at version 1.3.3 as informational (unmaintained): Bincode is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/bincode@1.3.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.4 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0141
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0141 · manifest · SHA-256 2d4ec91d374dc1d1...


```
{"id": "RUSTSEC-2025-0141", "aliases": [], "modified": "2026-01-16T11:07:28.867553Z", "summary":
"Bincode is unmaintained", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2025-0141

QSI-2026-04257 · DEP-ADVISORY-INFORMATIONAL

Info

derivative 2.2.0: informational advisory RUSTSEC-2024-0388 (unmaintained)

Improvement recommendation | Confidence: High

OSV.dev lists RUSTSEC-2024-0388 for crates.io package derivative at version 2.2.0 as informational (unmaintained): `derivative` is unmaintained; consider using an alternative. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/derivative@2.2.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.4 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0388
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0388 · manifest · SHA-256 0624a2acbe96d2e8...


```
{"id": "RUSTSEC-2024-0388", "aliases": [], "modified": "2024-11-10T13:34:40Z", "summary":
"`derivative` is unmaintained; consider using an alternative", "severity": null,
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0388

QSI-2026-04264 · DEP-ADVISORY-INFORMATIONAL

Info

im 15.1.0: informational advisory RUSTSEC-2026-0248 (unmaintained)

Improvement recommendation | Confidence: High

OSV.dev lists RUSTSEC-2026-0248 for crates.io package im at version 15.1.0 as informational (unmaintained): im is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/im@15.1.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.

Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.4 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0248
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0248 · manifest · SHA-256 98fe6fbd127fa4e0...


```
{"id": "RUSTSEC-2026-0248", "aliases": [], "modified": "2026-08-10T19:45:04.540038805Z", "summary":
"im is unmaintained", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2026-0248

QSI-2026-04267 · DEP-ADVISORY-INFORMATIONAL

Info

libsecp256k1 0.6.0: informational advisory RUSTSEC-2025-0161 (unmaintained)

Improvement recommendation | Confidence: High

OSV.dev lists RUSTSEC-2025-0161 for crates.io package libsecp256k1 at version 0.6.0 as informational (unmaintained): libsecp256k1 is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/libsecp256k1@0.6.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.4 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0161
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0161 · manifest · SHA-256 287d3b0ed00abdfa...


```
{"id": "RUSTSEC-2025-0161", "aliases": [], "modified": "2026-04-14T11:30:08.962845Z", "summary":
"libsecp256k1 is unmaintained", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2025-0161

QSI-2026-04270 · DEP-ADVISORY-INFORMATIONAL

Info

net2 0.2.37: informational advisory RUSTSEC-2020-0016 (unmaintained)

Improvement recommendation | Confidence: High

OSV.dev lists RUSTSEC-2020-0016 for crates.io package net2 at version 0.2.37 as informational (unmaintained): `net2` crate has been deprecated; use `socket2` instead. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/net2@0.2.37
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	20.4 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2020-0016
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2020-0016 · manifest · SHA-256 d9b2ce19bd36810a...


```
{"id": "RUSTSEC-2020-0016", "aliases": [], "modified": "2020-10-02T01:29:11Z", "summary": "`net2`
crate has been deprecated; use `socket2` instead", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2020-0016

QSI-2026-04242 · DEP-ADVISORY-UNRATED

Info

anyhow 1.0.80 is affected by RUSTSEC-2026-0190 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0190 for crates.io package anyhow at version 1.0.80: Unsoundness in `Error::downcast_mut()`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (anyhow::Error::downcast_mut) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:crates.io/anyhow@1.0.80
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	17.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0190
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0190 · manifest · SHA-256 9b326e11cad5998f...


```
{"id": "RUSTSEC-2026-0190", "aliases": [], "modified": "2026-06-29T14:15:03.650725453Z", "summary":
"Unsoundness in `Error::downcast_mut()`", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (1.0.103) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0190

QSI-2026-04269 · DEP-ADVISORY-UNRATED

Info

memmap2 0.5.10 is affected by RUSTSEC-2026-0186 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0186 for crates.io package memmap2 at version 0.5.10: Unchecked pointer offset in crate `memmap2`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (memmap2::Mmap::advise_range, memmap2::Mmap::unchecked_advise_range, memmap2::MmapMut::advise_range, memmap2::MmapMut::flush_async_range, memmap2::MmapMut::flush_range, memmap2::MmapMut::unchecked_advise_range) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:crates.io/memmap2@0.5.10
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	17.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0186
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0186 · manifest · SHA-256 abc4a56ddad0b63a...


```
{"id": "RUSTSEC-2026-0186", "aliases": [], "modified": "2026-06-22T18:15:03.600280397Z", "summary":
"Unchecked pointer offset in crate `memmap2`", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.9.11) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0186

QSI-2026-04315 · DEP-ADVISORY-UNRATED

Info

tokio 1.29.1 is affected by RUSTSEC-2026-0386 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0386 for crates.io package tokio at version 1.29.1: `AsyncFd::new` and related constructors violate I/O safety. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (tokio::io::unix::AsyncFd::new, tokio::io::unix::AsyncFd::try_new, tokio::io::unix::AsyncFd::try_with_interest, tokio::io::unix::AsyncFd::with_interest) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:crates.io/tokio@1.29.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	17.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0386
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0386 · manifest · SHA-256 1ebb594fd9923dc0...


```
{"id": "RUSTSEC-2026-0386", "aliases": [], "modified": "2026-10-23T14:45:03.847864944Z", "summary":
"`AsyncFd::new` and related constructors violate I/O safety", "severity": null,
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (1.51.6, 1.53.3) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0386

QSI-2026-04239 · DEP-NO-PQC-LIBRARY

Info

No post-quantum capable cryptographic library detected

Insufficient data | Confidence: Medium | preliminary — requires further verification

Across 158 dependency manifests, QSI found crypto libraries (curve25519-dalek, ed25519-dalek, node-forge, openssl, ring, rustls) but none from its PQC-capable list.

Affected asset	dependencies
Data source	dependency manifests
Detection method	Dependency name matching.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	13.4 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Readiness indicator only: PQC support may come from the platform (OpenSSL, OS, cloud KMS) rather than application dependencies.

REPRODUCTION STEPS

```
Review the dependency manifests listed in the evidence.
```

EVIDENCE

dependency · Cargo.lock, Cargo.toml, account-decoder/Cargo.toml, accounts-db/Cargo.toml, accounts-db/store-tool/Cargo.toml, banks-client/Cargo.toml, banks-interface/Cargo.toml, banks-server/Cargo.toml, bloom/Cargo.toml, bucket_map/Cargo.toml, cargo-registry/Cargo.toml, clap-utils/Cargo.toml, clap-v3-utils/Cargo.toml, cli/Cargo.toml, cli-config/Cargo.toml, cli-output/Cargo.toml, client/Cargo.toml, connection-cache/Cargo.toml, core/Cargo.toml, cost-model/Cargo.toml, docs/package-lock.json, docs/package.json, d · SHA-256 873aaf1b8950113f…

```
Crypto libraries: curve25519-dalek, ed25519-dalek, node-forge, openssl, ring, rustls. PQC support depends on the version for: openssl
```

LIMITATIONS OF THE CHECK

Absence of evidence is not evidence of absence: system libraries and transitive dependencies may not be listed.

RECOMMENDATION

Confirm where PQC support will come from (TLS terminator, KMS/HSM, library upgrade).

RETEST PROCEDURE

Re-scan after upgrades.

FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM); FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA)

QSI-2026-04240 · DEP-ADVISORY-INFORMATIONAL

Info

adler 1.0.2: informational advisory RUSTSEC-2025-0056 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2025-0056 for crates.io package adler at version 1.0.2 as informational (unmaintained): adler crate is unmaintained, use adler2 instead. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/adler@1.0.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0056
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0056 · manifest · SHA-256 e9b7ae0431d69f62...


```
{"id": "RUSTSEC-2025-0056", "aliases": [], "modified": "2025-09-05T09:05:48Z", "summary": "adler crate is unmaintained, use adler2 instead", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2025-0056

QSI-2026-04241 · DEP-ADVISORY-INFORMATIONAL

Info

ansi_term 0.11.0: informational advisory RUSTSEC-2021-0139 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2021-0139 for crates.io package ansi_term at version 0.11.0 as informational (unmaintained): ansi_term is Unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/ansi_term@0.11.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2021-0139
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2021-0139 · manifest · SHA-256 de5d4542b27afa47…


```
{"id": "RUSTSEC-2021-0139", "aliases": [], "modified": "2023-09-06T22:52:31Z", "summary": "ansi_term
is Unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2021-0139

QSI-2026-04247 · DEP-ADVISORY-INFORMATIONAL

Info

bitmaps 2.1.0: informational advisory RUSTSEC-2026-0247 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2026-0247 for crates.io package bitmaps at version 2.1.0 as informational (unmaintained): bitmaps is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/bitmaps@2.1.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0247
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0247 · manifest · SHA-256 0490df19bf77e955…


```
{"id": "RUSTSEC-2026-0247", "aliases": [], "modified": "2026-08-10T19:45:04.540318330Z", "summary":
"bitmaps is unmaintained", "severity": null, "declared_in_manifest": false}
```

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2026-0247

QSI-2026-04265 · DEP-ADVISORY-INFORMATIONAL

Info

instant 0.1.12: informational advisory RUSTSEC-2024-0384 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2024-0384 for crates.io package instant at version 0.1.12 as informational (unmaintained): `instant` is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/instant@0.1.12
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0384
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0384 · manifest · SHA-256 7f4b719b4e4bb232…


```
{"id": "RUSTSEC-2024-0384", "aliases": [], "modified": "2024-11-10T13:10:28Z", "summary": "`instant` is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0384

QSI-2026-04271 · DEP-ADVISORY-INFORMATIONAL

Info

number_prefix 0.4.0: informational advisory RUSTSEC-2025-0119 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2025-0119 for crates.io package number_prefix at version 0.4.0 as informational (unmaintained): number_prefix crate is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/number_prefix@0.4.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0119
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0119 · manifest · SHA-256 fdb2df9598c08223…


```
{"id": "RUSTSEC-2025-0119", "aliases": [], "modified": "2025-11-18T08:13:56Z", "summary":
"number_prefix crate is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2025-0119

QSI-2026-04283 · DEP-ADVISORY-INFORMATIONAL

Info

paste 1.0.9: informational advisory RUSTSEC-2024-0436 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2024-0436 for crates.io package paste at version 1.0.9 as informational (unmaintained): paste - no longer maintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/paste@1.0.9
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.

Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0436
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0436 · manifest · SHA-256 ea867adb8ba26c96...


```
{"id": "RUSTSEC-2024-0436", "aliases": [], "modified": "2026-01-27T22:03:15.694766Z", "summary":
"paste - no longer maintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0436

QSI-2026-04284 · DEP-ADVISORY-INFORMATIONAL

Info

proc-macro-error 1.0.4: informational advisory RUSTSEC-2024-0370 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2024-0370 for crates.io package proc-macro-error at version 1.0.4 as informational (unmaintained): proc-macro-error is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/proc-macro-error@1.0.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0370
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0370 · manifest · SHA-256 31fe0830d6149ef7…


```
{"id": "RUSTSEC-2024-0370", "aliases": [], "modified": "2026-06-07T20:00:03.923932350Z", "summary":
"proc-macro-error is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0370

QSI-2026-04293 · DEP-ADVISORY-INFORMATIONAL

Info

ring 0.16.20: informational advisory RUSTSEC-2025-0010 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2025-0010 for crates.io package ring at version 0.16.20 as informational (unmaintained): Versions of *ring* prior to 0.17 are unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/ring@0.16.20
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0010
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0010 · manifest · SHA-256 06c65bc49c12c2b3…


```
{"id": "RUSTSEC-2025-0010", "aliases": [], "modified": "2025-03-07T15:46:47Z", "summary": "Versions
of *ring* prior to 0.17 are unmaintained.", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2025-0010

QSI-2026-04300 · DEP-ADVISORY-INFORMATIONAL

Info

rustls-pemfile 0.2.1: informational advisory RUSTSEC-2025-0134 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2025-0134 for crates.io package rustls-pemfile at version 0.2.1 as informational (unmaintained): rustls-pemfile is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/rustls-pemfile@0.2.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0134
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0134 · manifest · SHA-256 8a337a969850fe57...


```
{"id": "RUSTSEC-2025-0134", "aliases": [], "modified": "2025-12-05T19:07:59.622592Z", "summary":
"rustls-pemfile is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2025-0134

QSI-2026-04301 · DEP-ADVISORY-INFORMATIONAL

Info

rustls-pemfile 1.0.0: informational advisory RUSTSEC-2025-0134 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2025-0134 for crates.io package rustls-pemfile at version 1.0.0 as informational (unmaintained): rustls-pemfile is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/rustls-pemfile@1.0.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0134
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0134 · manifest · SHA-256 8a337a969850fe57...


```
{"id": "RUSTSEC-2025-0134", "aliases": [], "modified": "2025-12-05T19:07:59.622592Z", "summary":
"rustls-pemfile is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2025-0134

QSI-2026-04307 · DEP-ADVISORY-INFORMATIONAL

Info

sized-chunks 0.6.5: informational advisory RUSTSEC-2026-0251 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2026-0251 for crates.io package sized-chunks at version 0.6.5 as informational (unmaintained): sized-chunks is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/sized-chunks@0.6.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0251
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0251 · manifest · SHA-256 b1194118ff1622d8...


```
{"id": "RUSTSEC-2026-0251", "aliases": [], "modified": "2026-08-10T19:45:04.444367447Z", "summary":
"sized-chunks is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2026-0251

QSI-2026-04317 · DEP-ADVISORY-INFORMATIONAL

Info

unsafe-libyaml 0.2.10: informational advisory RUSTSEC-2024-0449 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2024-0449 for crates.io package unsafe-libyaml at version 0.2.10 as informational (unmaintained): unsafe-libyaml is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/unsafe-libyaml@0.2.10
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0449
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0449 · manifest · SHA-256 26d102e813573cb2...


```
{"id": "RUSTSEC-2024-0449", "aliases": [], "modified": "2026-10-12T11:45:02.518189315Z", "summary":
"unsafe-libyaml is unmaintained", "severity": null, "declared_in_manifest": false}
```

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0449

QSI-2026-04320 · DEP-ADVISORY-INFORMATIONAL

Info

yaml-rust 0.4.5: informational advisory RUSTSEC-2024-0320 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2024-0320 for crates.io package yaml-rust at version 0.4.5 as informational (unmaintained): yaml-rust is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/yaml-rust@0.4.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:15 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0320
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0320 · manifest · SHA-256 773ccb39b8497321…


```
{"id": "RUSTSEC-2024-0320", "aliases": [], "modified": "2024-11-01T12:31:51Z", "summary": "yaml-rust is unmaintained.", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0320

Evidence

ID	Type	Data source	SHA-256
QSI-2026-04273	tool_output	OSV.dev GHSA-8c75-8mhr-p7r9 (manifest)	3aad5bd9d1c003ab2b96d5db0793f28cb8f0c5142257f336b7b43c
QSI-2026-04274	tool_output	OSV.dev GHSA-ghm9-cr32-g9qj (manifest)	a28b4158e70d006847d7366caffb35a0fcacb32dc5bb1b22e93370
QSI-2026-04275	tool_output	OSV.dev GHSA-hppc-g8h3-xhp3 (manifest)	4f9db19321f900c752849d513eab3ae2a1db5bbadb0d39d6898cd3
QSI-2026-04277	tool_output	OSV.dev GHSA-pqf5-4pqq-29f5 (manifest)	d611e6c5503009eb10feaf4c65c39dd3401d4942de3ff07feb17de
QSI-2026-04281	tool_output	OSV.dev GHSA-xp3w-r5p5-63rr (manifest)	36fb4bcac33ef3c8a4dc8eb85bbb24052e75e938b10468cfe0c2a9
QSI-2026-04285	tool_output	OSV.dev GHSA-4w2j-m93h-cj5j (manifest)	554b1aef9d075ba0bd70d3fb8539f8dc512ec0e77a79619f801c80
QSI-2026-04286	tool_output	OSV.dev GHSA-6xvm-j4wr-6v98 (manifest)	803b73c2d64bc84ffac2f990cf6c1d2142c4327294705149543a95
QSI-2026-04311	tool_output	OSV.dev GHSA-gchp-q4r4-x4ff (manifest)	87cdd295ae2dd672df4247da0e39ccd4b1bfc5a9c525e9004ccb94
QSI-2026-04302	tool_output	OSV.dev GHSA-82j2-j2ch-gfr8 (manifest)	a2f685e85eb5c808cb9d2de44620be02b2f87b43da592ad8769d4a
QSI-2026-04331	tool_output	OSV.dev GHSA-c2qf-rxjj-qqgw (manifest)	48eb8102bb480f77c2ef0fe2b6aa51c62e706e91dcb49135c44702
QSI-2026-04333	tool_output	OSV.dev GHSA-fv7c-fp4j-7gwp (manifest)	e3684d1cb03fd6fb3bd3a79d6225f3462943419778e3ab139a00af
QSI-2026-04336	tool_output	OSV.dev GHSA-2883-xcg3-v3hh (manifest)	c5452b9803a817841029bc3bb77580dd32682e52b603a117dc610d
QSI-2026-04337	tool_output	OSV.dev GHSA-52cp-r559-cp3m (manifest)	468ca95d3480349e7c4b9faa16bea570194eb65fff234542e93374
QSI-2026-04338	tool_output	OSV.dev GHSA-5p4m-2wfm-xmqj (manifest)	b856f3b817bbe160d357174ddd82acc736df3638a9da5baa0beaf0
QSI-2026-04342	tool_output	OSV.dev GHSA-c2qf-rxjj-qqgw (manifest)	48eb8102bb480f77c2ef0fe2b6aa51c62e706e91dcb49135c44702
QSI-2026-04248	tool_output	OSV.dev GHSA-qwgh-2vcv-g2f7 (manifest)	d6b6882147b53b546abda839d3d2c62d6153a00310710d653406a9
QSI-2026-04249	tool_output	OSV.dev GHSA-qwgh-2vcv-g2f7 (manifest)	d6b6882147b53b546abda839d3d2c62d6153a00310710d653406a9
QSI-2026-04250	tool_output	OSV.dev GHSA-qwgh-2vcv-g2f7 (manifest)	d6b6882147b53b546abda839d3d2c62d6153a00310710d653406a9
QSI-2026-04251	tool_output	OSV.dev GHSA-fjx5-qpf4-xjf2 (manifest)	88fd195164d983713fac6c314f531ec02bcc042410c6889cee63cc

QSI-2026-04252	tool_output	OSV.dev GHSA-fjx5-qpf4-xjf2 (manifest)	88fd195164d983713fac6c314f531ec02bcc042410c6889cee63cc
QSI-2026-04253	tool_output	OSV.dev GHSA-434x-w66g-qw3r (manifest)	1d4e2bdd391ddcb0e9e30902adad4f7d97ebbc1bb6b8f5b9ebebc5
QSI-2026-04254	tool_output	OSV.dev GHSA-pg9f-39pc-qf8g (manifest)	6e9fcb37d5bd8e20da897df5e48e3b2936d1873b059a092dbb3301
QSI-2026-04258	tool_output	OSV.dev GHSA-w5vr-6qhr-36cc (manifest)	cb6ff0415cd158ac4633f9487cdfad72db5743ccc805b563e6cb01
QSI-2026-04276	tool_output	OSV.dev GHSA-phqj-4mhp-q6mq (manifest)	61c6e9c92e963bb8a32a02f44131615481897f1baf425212190b1b
QSI-2026-04282	tool_output	OSV.dev GHSA-xv59-967r-8726 (manifest)	25d6e9f4bd277191f2701bfca57ff06fcd74519faa488b871483ab
QSI-2026-04297	tool_output	OSV.dev GHSA-c8m5-c952-6cm4 (manifest)	b8f49a7948da20f17a5b61070e9e354a2a3e38b5743f8f41c9b2f3
QSI-2026-04306	tool_output	OSV.dev GHSA-7gcf-g7xr-8hxj (manifest)	b42c751004bfb387a1f24d4e9b23157ae70dc8f33fdb503f87f6d0
QSI-2026-04310	tool_output	OSV.dev GHSA-3pv8-6f4r-ffg2 (manifest)	ea380731f63af3a9d11d5db2269a81a3bb262ca10b6cbc95fecc4f
QSI-2026-04312	tool_output	OSV.dev GHSA-j4xf-2g29-59ph (manifest)	7583d567822bc9713af02e4a42b6f6f00fb6473592e32391935e5b
QSI-2026-04259	tool_output	OSV.dev GHSA-q6cp-qfwq-4gcv (manifest)	e7ad8af144d30542aa056718f1be39811d71daaede7804a47fecd1
QSI-2026-04261	tool_output	OSV.dev GHSA-h97m-ww89-6jmq (manifest)	40c8af539f6e50020125000c4380931e3435fb8fa2a2435a2de734
QSI-2026-04262	tool_output	OSV.dev GHSA-h97m-ww89-6jmq (manifest)	40c8af539f6e50020125000c4380931e3435fb8fa2a2435a2de734
QSI-2026-04292	tool_output	OSV.dev GHSA-4p46-pwfr-66x6 (manifest)	e1cdbbc1af725f418da298fa7a437fcbd6f367648d47c3f7680fcf
QSI-2026-04294	tool_output	OSV.dev GHSA-4p46-pwfr-66x6 (manifest)	e1cdbbc1af725f418da298fa7a437fcbd6f367648d47c3f7680fcf
QSI-2026-04313	tool_output	OSV.dev GHSA-r6v5-fh4h-64xc (manifest)	47bed44226c6f8f5c94bfd27c3dd67ade62aa708c5d61bcca37c2b
QSI-2026-04332	tool_output	OSV.dev GHSA-968p-4wvh-cqc8 (manifest)	7bc3174869552dd66bd418f9e04c71cb361db3e4d72f4664a1168c
QSI-2026-04334	tool_output	OSV.dev GHSA-968p-4wvh-cqc8 (manifest)	7bc3174869552dd66bd418f9e04c71cb361db3e4d72f4664a1168c
QSI-2026-04335	tool_output	OSV.dev GHSA-968p-4wvh-cqc8 (manifest)	7bc3174869552dd66bd418f9e04c71cb361db3e4d72f4664a1168c
QSI-2026-04339	tool_output	OSV.dev GHSA-h67p-54hq-rp68 (manifest)	505b2f9aa992c862d89253c0dde26c7ce71187e9ad1d587f0095fc

QSI-2026-04340	tool_output	OSV.dev GHSA-mh29-5h37-fv8m (manifest)	49ecaa3fb7cde599cd864883a7d4bad32fa41ff9564c4ed1654dc5
QSI-2026-04343	tool_output	OSV.dev GHSA-c2jc-4fpr-4vhg (manifest)	cab09e1d236aa833c2650ed0a679f5b19f7aae58fd966394fca18d
QSI-2026-04238	file_excerpt	storage-proto/proto/confirmed_block.proto (line 3)	8e2b99d91a450afa4aceb26eb53041ebc00059bdf39042088ba2d4
QSI-2026-04238	file_excerpt	storage-proto/proto/entries.proto (line 3)	5d19891f93f3ce3eab8c33dd398b9043696f7776245e3f02d43a5d
QSI-2026-04238	file_excerpt	storage-proto/proto/transaction_by_addr.proto (line 3)	1284fb928ee8682589f66ee68c357038bdd73e06898e986c7ced5a
QSI-2026-04238	file_excerpt	wen-restart/proto/wen_restart.proto (line 2)	663c888ac6e800641d3baf0614554bc94a8d2b4732ac9ad28e63b1
QSI-2026-04243	tool_output	OSV.dev GHSA-g98v-hv3f-hcfr (manifest)	d81376bb46074299840475fb75b153ea76607daa4eb168913dccc5
QSI-2026-04256	tool_output	OSV.dev GHSA-x4gp-pqpj-f43q (manifest)	9c5ba7e4d1d09d2c4281ad759683fef0dfc421b4b4415921e436a1
QSI-2026-04280	tool_output	OSV.dev GHSA-xmgf-hq76-4vx2 (manifest)	50287afcf37f9747f276888bb1248e939d92db2e15c3f47950ac56
QSI-2026-04290	tool_output	OSV.dev GHSA-cq8v-f236-94qc (manifest)	a61cde8ef254431f750cff43ce8ebe999ba61525990761c3c15b83
QSI-2026-04291	tool_output	OSV.dev GHSA-cq8v-f236-94qc (manifest)	a61cde8ef254431f750cff43ce8ebe999ba61525990761c3c15b83
QSI-2026-04295	tool_output	OSV.dev GHSA-2p6r-x3vv-xqm2 (manifest)	11185d1da1f8cb816c844017a664ac6f9b6f004091db1e12a3eda6
QSI-2026-04298	tool_output	OSV.dev GHSA-h2v8-394m-p7vv (manifest)	ef730867cc8cb815c91955194f5da4ea1c0131c459ebef7b69607d
QSI-2026-04299	tool_output	OSV.dev GHSA-w44r-93j7-qv28 (manifest)	b623bcfe2c8c4d8706ab88fdde828cce35c31267db92f075982196
QSI-2026-04314	tool_output	OSV.dev GHSA-rr8g-9fpq-6wmg (manifest)	0b8ec087b92f8e517fa86ad41f421dc6d897f5c467346c42b1cc6f
QSI-2026-04303	tool_output	OSV.dev GHSA-965h-392x-2mh5 (manifest)	7dfbf39859f726382fb5bacff8569cd96b6823e01f426668833099
QSI-2026-04304	tool_output	OSV.dev GHSA-xgp8-3hg3-c2mh (manifest)	c068ea92e7b545b187eef89198d9b7ef2f675512c425f066436656
QSI-2026-04316	tool_output	OSV.dev GHSA-xwfj-jgwm-7wp5 (manifest)	c5ea2040929b0bf0d590c444d6ef1ef2de439865d4d25d158415ac
QSI-2026-04330	tool_output	OSV.dev GHSA-4x5r-pxfx-6jf8 (manifest)	5f71a1b5a670c67dd7f59ea74e809d2535212120b0cb536b016fe2

QSI-2026-04341	tool_output	OSV.dev GHSA-4x5r-pxfx-6jf8 (manifest)	5f71a1b5a670c67dd7f59ea74e809d2535212120b0cb536b016fe2
QSI-2026-04230	file_excerpt	Cargo.toml (line 289)	1c1c37735d8f9da680d292dcf245e4a55c60b259a3b7c1fb11fe8f
QSI-2026-04233	file_excerpt	sdk/bpf/c/inc/solana_sdk.h (line 18)	7ea2f477e30b94c74af3d9d7076fecc50c8f171d7519b312cf0ebb
QSI-2026-04233	file_excerpt	sdk/sbf/c/inc/solana_sdk.h (line 18)	7ea2f477e30b94c74af3d9d7076fecc50c8f171d7519b312cf0ebb
QSI-2026-04233	file_excerpt	sdk/src/feature_set.rs (line 786)	368177c1bb059d5866c586895db4bb409fa42674f8ac5e5b56dec9
QSI-2026-04233	file_excerpt	sdk/src/feature_set.rs (line 857)	deab6efe86d8254aee4dadde03ced64b2d395f9be02a8070226d02
QSI-2026-04234	file_excerpt	sdk/bpf/c/inc/solana_sdk.h (line 6)	9952563698b1bcbc913d96839d77fbfdf00a67fc90f816686bf015
QSI-2026-04235	file_excerpt	sdk/src/signer/keypair.rs (line 10)	7ae788012069eb47d66e43c5b32f8eecf1d074d57a390603fdc728
QSI-2026-04235	file_excerpt	sdk/src/signer/keypair.rs (line 25)	628e3ed54eb2db72bd4afd7046167a9a13117e9f60ff243f5b3bf1
QSI-2026-04235	file_excerpt	sdk/src/signer/keypair.rs (line 36)	1c9d963316c581741e1225025050eb7559bf8c0650f0aa1eb93d9c
QSI-2026-04236	file_excerpt	zk-token-sdk/src/encryption/elgamal.rs (line 21)	9298f8295108602f64bbb5cf175ad688e9deb4aba9c0fc41fb9b3a
QSI-2026-04236	file_excerpt	zk-token-sdk/src/encryption/elgamal.rs (line 565)	dbc3b217c5a9ab26bfac98c5f164cbb882835525ad42448e932887
QSI-2026-04236	file_excerpt	zk-token-sdk/src/encryption/elgamal.rs (line 571)	6bd5a4ab503d98d2ae1e1738c30c9c242bb50a72d0238de2462450
QSI-2026-04236	file_excerpt	zk-token-sdk/src/encryption/grouped_elgamal.rs (line 19)	524aa0ac348b171139743a7cbfdf687c53d0c03d42a02a0ba9f5a6
QSI-2026-04236	file_excerpt	zk-token-sdk/src/encryption/grouped_elgamal.rs (line 130)	d0706622e1f99f3caeccbddeb5f38c8e6e5033b65da6bd735f5502
QSI-2026-04236	file_excerpt	zk-token-sdk/src/encryption/grouped_elgamal.rs (line 188)	09c7997e14f67b5caac525fe6cfe67652dcc0ec6163b756374bed3
QSI-2026-04236	file_excerpt	zk-token-sdk/src/encryption/pedersen.rs (line 44)	22037efeafeac0ad3ed74d1c46ff831dae6c515b520462ddaea34d
QSI-2026-04236	file_excerpt	zk-token-sdk/src/encryption/pedersen.rs (line 56)	8977d8cf7015a927959a20fcd825e892c3c61fb1adb88934764b84
QSI-2026-04236	file_excerpt	zk-token-sdk/src/encryption/pedersen.rs (line 60)	4baa28fb5e42e5c4f739e9726dd584b0ec7ca794493e7e3130ad32
QSI-2026-04236	file_excerpt	zk-token-sdk/src/instruction/batched_range_proof/batched_range_proof_u128.rs (line 6)	4ba01b50b4dadc9583e0ac1ba03fd295cf2000365dc624031b7f80

QSI-2026-04266	tool_output	OSV.dev GHSA-3288-p39f-rqpv (manifest)	d5a8f5565101ab9d60521142f31c54583db5b87e9a59fc99e1fa93
QSI-2026-04231	file_excerpt	core/src/cluster_info_vote_listener.rs (line 340)	3d37dba77d8fc83a37cdad17d2701692409557806642 4d2a1c124f
QSI-2026-04231	file_excerpt	core/src/sigverify.rs (line 8)	fe4de448f72450e4c3bdbc6d7badb9eb350f357872abe034fd34d5
QSI-2026-04231	file_excerpt	core/src/sigverify.rs (line 141)	a7ff0601451a096305ee1fe83a51028c664b0ef9e36e46b398fe77
QSI-2026-04231	file_excerpt	core/src/sigverify_stage.rs (line 228)	31d5114baba7d1a754509e636ad432f7f446783b3b114f90f684a6
QSI-2026-04231	file_excerpt	entry/src/entry.rs (line 579)	d7da3bedbc73dacccf9889c0de997d70f6fd5aa592e17181138c6f
QSI-2026-04231	file_excerpt	ledger/src/sigverify_shreds.rs (line 280)	04e411cf46997eee530e97a63de09cf3302ad3103d1e09bb097ce9
QSI-2026-04231	file_excerpt	ledger/src/sigverify_shreds.rs (line 410)	e4162b5dcf2e5554118be06f5cc2c2a26cfb4d0452f04434ca197d
QSI-2026-04231	file_excerpt	perf/src/perf_libs.rs (line 27)	6d30fe89b1d1bdc30529b8b3c93d7e4ba1fff23125ae744fd14412
QSI-2026-04231	file_excerpt	perf/src/perf_libs.rs (line 45)	1b30044c34b32e73dbd56591cf845a2a1a1fc38dcd1a06e7aa16a2
QSI-2026-04231	file_excerpt	perf/src/sigverify.rs (line 518)	704b1c78782591afb31cbb43ac4d453207abbc1eddd3b7a494aae1
QSI-2026-04232	file_excerpt	programs/bpf_loader/src/syscalls/mod.rs (line 26)	dc42c1c8ee5bb74cffb9f5675c629b35bbf12c1a9bb71d5e1b437b
QSI-2026-04232	file_excerpt	programs/bpf_loader/src/syscalls/mod.rs (line 1501)	3db3b7d92bc219178a130887d0166b86182673c5037f8c5c6bee55
QSI-2026-04232	file_excerpt	programs/bpf_loader/src/syscalls/mod.rs (line 1749)	7fa1c56f8ad026f23d32e5595e123849aa1e0f55f62ed0d79f79c7
QSI-2026-04232	file_excerpt	programs/sbf/build.rs (line 67)	0cd39a5d4a06ed47d4cf6c624342ab45b08447902ab5b24a9cdcef
QSI-2026-04232	file_excerpt	programs/sbf/c/src/alt_bn128/alt_bn128.c (line 4)	bdfe31948c062be62cd5bfe8a03da9a8252acfaf8ea7dc6c340017
QSI-2026-04232	file_excerpt	programs/sbf/rust/alt_bn128/src/lib.rs (line 5)	345323dc9672e60f3f93d33833ccd7319278bcd3ded54d00950f79
QSI-2026-04232	file_excerpt	programs/sbf/rust/alt_bn128/src/lib.rs (line 718)	701438176427241ab5eb0d5873724855dec5ce0e1dc3574b6a80d1
QSI-2026-04232	file_excerpt	programs/sbf/rust/alt_bn128_compression/src/lib.rs (line 5)	5ea84cc24eeb401d23e1d9b20f694f13363d2df13017933ef0a94f
QSI-2026-04232	file_excerpt	sdk/program/src/alt_bn128/compression.rs (line 2)	124b02485c74c15a922ae612b50cec6fc2a604da76f493aff32a68
QSI-2026-04232	file_excerpt	sdk/program/src/alt_bn128/compression.rs (line 70)	2889ad8e4d4f836ffb2dc117aac23fb6c40bec8ad2c5352732490b5
QSI-2026-04237	file_excerpt	zk-token-sdk/src/range_proof/generators.rs (line 64)	f6ab6366149e606c37824b26a1e43c2fb78935e3114389bf5af2cc

QSI-2026-04237	file_excerpt	zk-token-sdk/src/range_proof/generators.rs (line 73)	1324375ba59b02a28c43c40c68384631ae812ef9bc23718b3b12aa
QSI-2026-04237	file_excerpt	zk-token-sdk/src/range_proof/generators.rs (line 75)	747aceec7b062de80d4997be97db7774e30d69d2ffbfe4651d7a6c
QSI-2026-04237	file_excerpt	zk-token-sdk/src/range_proof/mod.rs (line 25)	173f62711d17ee330d7d6aa029c05d6016a75a5686dc511336b62e
QSI-2026-04237	file_excerpt	zk-token-sdk/src/range_proof/mod.rs (line 96)	52eec9967b27baa041a0b2d924db5be444ef5d5018afdfe989f834
QSI-2026-04237	file_excerpt	zk-token-sdk/src/range_proof/mod.rs (line 267)	64d78bef4a47738b1674b844297f66f7f01a770ca09a01ad9a8634
QSI-2026-04255	tool_output	OSV.dev RUSTSEC-2026-0204 (manifest)	87f069b4fa857d22ba2571deff7f541f4622924fb5fc8545cd46d3
QSI-2026-04260	tool_output	OSV.dev RUSTSEC-2026-0258 (manifest)	d8694780e4da4b8ee995c62dbd89ea4aef9579bf2c51b2a4b677a2
QSI-2026-04263	tool_output	OSV.dev RUSTSEC-2023-0126 (manifest)	160dfa85ba32ad679ef9d8bff3c892d61723f2ab6af7ffc83631d3
QSI-2026-04268	tool_output	OSV.dev RUSTSEC-2026-0253 (manifest)	82a341ad1e624183fd43c087afde5eb620b02fb5f5dbd7e44d5cee
QSI-2026-04287	tool_output	OSV.dev RUSTSEC-2026-0338 (manifest)	91b2bd8f15b3c6ddb6b1a8021b9ff2dd98645bbf68e5e0b15b8100
QSI-2026-04288	tool_output	OSV.dev RUSTSEC-2026-0339 (manifest)	754eb18e6ed8e143f4c1e6730eb3dad29c8743897205cc360d051a
QSI-2026-04289	tool_output	OSV.dev RUSTSEC-2026-0342 (manifest)	e1697cd703466ae830a7d12e1e0766cc3c48ce32f9bf3e90ea282e
QSI-2026-04305	tool_output	OSV.dev RUSTSEC-2026-0382 (manifest)	9111e73d752392534752d5ea5c9da4ec9a422a29c088531d446d16
QSI-2026-04308	tool_output	OSV.dev RUSTSEC-2026-0255 (manifest)	d9e32fa55cbe4b80cbe44d1226473818856e6e173466b8dfdd916a
QSI-2026-04309	tool_output	OSV.dev RUSTSEC-2026-0191 (manifest)	07a5a3a266ff92d3e7da120d01c47dc7ec2246a01ad76dd2290420

QSI-2026-04318	tool_output	OSV.dev RUSTSEC-2026-0381 (manifest)	a97aff76592b60902cd4b16acc1ea2e7be27cd23fb1cd59575028f4
QSI-2026-04319	tool_output	OSV.dev RUSTSEC-2026-0381 (manifest)	a97aff76592b60902cd4b16acc1ea2e7be27cd23fb1cd59575028f4
QSI-2026-04321	tool_output	OSV.dev RUSTSEC-2026-0395 (manifest)	cf314e3df3f714ad17083f648e4d6822839805759c13c152cf2b2e
QSI-2026-04322	tool_output	OSV.dev RUSTSEC-2026-0397 (manifest)	e1cc2d6a8e69a560eb15d719dcb988b36e18b940b8913145ec52a7
QSI-2026-04323	tool_output	OSV.dev RUSTSEC-2026-0399 (manifest)	dde7c9d1fcd35a89a4e462b7b42373ae75187190ebfffa3876d9e2
QSI-2026-04324	tool_output	OSV.dev RUSTSEC-2026-0400 (manifest)	12a31cd97694259b60fd13de0204d4257a30facebdbf5eb19bc091
QSI-2026-04325	tool_output	OSV.dev RUSTSEC-2026-0401 (manifest)	8f606743a027e187f8815975be52f1a4018a22a8d8cacc5d66407f
QSI-2026-04326	tool_output	OSV.dev RUSTSEC-2026-0402 (manifest)	1659ee65665b5ae755a87f2715370efa327fc3064514c61888dd4f
QSI-2026-04327	tool_output	OSV.dev RUSTSEC-2026-0403 (manifest)	b1d1701270f636af5d21f2b55cbd122bcd0df90ce4dce6793aa926
QSI-2026-04328	tool_output	OSV.dev RUSTSEC-2026-0404 (manifest)	7c25f3932e55150f3788cd8fcee7738d3c905758f825a562b19f78
QSI-2026-04329	tool_output	OSV.dev RUSTSEC-2026-0406 (manifest)	deca0b7103bdc0c3ed051bcdb0dbd3d63e215fecdbdba6a7f24f9f
QSI-2026-04272	tool_output	OSV.dev GHSA-4fcv-w3qc-ppgg (manifest)	5f39e15490656881beb8d8fe7e9a378678c7e7d222efa1db294299
QSI-2026-04278	tool_output	OSV.dev GHSA-q445-7m23-qrmw (manifest)	e5aac99d59ed02309315e7dacc9c23bf9b2fc66a931c932537ceee
QSI-2026-04279	tool_output	OSV.dev GHSA-rpmj-rpgj-qmpm (manifest)	c2da7e4a4e9295370252573626f1a6ede4af1f4c111a59d7665d6f
QSI-2026-04296	tool_output	OSV.dev GHSA-6g7w-8wpp-frhj (manifest)	4c7c44aaf23fe1a2eeb55732c482d24a14a922e88d913b2003cc39
QSI-2026-04244	tool_output	OSV.dev RUSTSEC-2024-0375 (manifest)	5ab589485ba21a4b551852292d871ffa8242a5548f609f54b6f55b

QSI-2026-04245	tool_output	OSV.dev RUSTSEC-2025-0012 (manifest)	816a40adb812df8b86e1e124ae3cc792e36ed026e571318b62dabe
QSI-2026-04246	tool_output	OSV.dev RUSTSEC-2025-0141 (manifest)	2d4ec91d374dc1d163952a86f9da46edd4e89ca1a0fd828fd523b2
QSI-2026-04257	tool_output	OSV.dev RUSTSEC-2024-0388 (manifest)	0624a2acbe96d2e8c44b2e7c9e0253aa4d99e8e969cd062a4b077f
QSI-2026-04264	tool_output	OSV.dev RUSTSEC-2026-0248 (manifest)	98fe6fbd127fa4e0594c014a49ab9f663bd756f904f5a70bc9cd94
QSI-2026-04267	tool_output	OSV.dev RUSTSEC-2025-0161 (manifest)	287d3b0ed00abdfa2431a9984273bfae1b5e960ba6376570a4f107
QSI-2026-04270	tool_output	OSV.dev RUSTSEC-2020-0016 (manifest)	d9b2ce19bd36810a17e4c9438ef5ad525e1c6a457fc693576c0a07
QSI-2026-04242	tool_output	OSV.dev RUSTSEC-2026-0190 (manifest)	9b326e11cad5998fcbb9f1ebd28aa1272c12693cad71de91698880
QSI-2026-04269	tool_output	OSV.dev RUSTSEC-2026-0186 (manifest)	abc4a56ddad0b63aae8760b21a5d27d9651dcf6482143baacadf82
QSI-2026-04315	tool_output	OSV.dev RUSTSEC-2026-0386 (manifest)	1ebb594fd9923dc03209b41738d3f9cf8f324941e8844709473c64
QSI-2026-04239	dependency	Cargo.lock, Cargo.toml, account-decoder/ Cargo.toml, accounts-db/ Cargo.toml, accounts-db/ store-tool/Cargo.toml, banks-client/Cargo.toml, banks-interface/Cargo.toml, banks-server/Cargo.toml, bloom/Cargo.toml, bucket_map/Cargo.toml, cargo-registry/Cargo.toml, clap-utils/Cargo.toml, clap-v3-utils/Cargo.toml, cli/ Cargo.toml, cli-config/ Cargo.toml, cli-output/ Cargo.toml, client/ Cargo.toml, connection-cache/Cargo.toml, core/ Cargo.toml, cost-model/ Cargo.toml, docs/package-lock.json, docs/ package.json, d	873aaf1b8950113f66ad4504eb0962c08e2a05a4777a1601d708ff

QSI-2026-04240	tool_output	OSV.dev RUSTSEC-2025-0056 (manifest)	e9b7ae0431d69f626bc876560ccaff44bb57b35757fd9296256424
QSI-2026-04241	tool_output	OSV.dev RUSTSEC-2021-0139 (manifest)	de5d4542b27afa47634a32a636aaf6122580e13132fee8a7d4fc9e
QSI-2026-04247	tool_output	OSV.dev RUSTSEC-2026-0247 (manifest)	0490df19bf77e9550b234acd867daf2068a02e110718d7cc15521f
QSI-2026-04265	tool_output	OSV.dev RUSTSEC-2024-0384 (manifest)	7f4b719b4e4bb232235b9d7f05f5a0b3918208f119164caa2133d8
QSI-2026-04271	tool_output	OSV.dev RUSTSEC-2025-0119 (manifest)	fdb2df9598c08223c197071bbc0a302c79f15f783a40297c48b451
QSI-2026-04283	tool_output	OSV.dev RUSTSEC-2024-0436 (manifest)	ea867adb8ba26c96c3779becf55b3de25d46f37f23ab55131e09c9
QSI-2026-04284	tool_output	OSV.dev RUSTSEC-2024-0370 (manifest)	31fe0830d6149ef7bd8a557f7bdf7451b97b71aa4e25f7a96204c4
QSI-2026-04293	tool_output	OSV.dev RUSTSEC-2025-0010 (manifest)	06c65bc49c12c2b310641d982d20a797bd6e77a10a2b1f0a90c929
QSI-2026-04300	tool_output	OSV.dev RUSTSEC-2025-0134 (manifest)	8a337a969850fe57bfcbd48340c157654002251ff4155f018ebd3f
QSI-2026-04301	tool_output	OSV.dev RUSTSEC-2025-0134 (manifest)	8a337a969850fe57bfcbd48340c157654002251ff4155f018ebd3f
QSI-2026-04307	tool_output	OSV.dev RUSTSEC-2026-0251 (manifest)	b1194118ff1622d83b3984da14414e9ccdfe6ae60a578d626deeae
QSI-2026-04317	tool_output	OSV.dev RUSTSEC-2024-0449 (manifest)	26d102e813573cb2577fa623e28e26359b004df953372bdda3fd7c
QSI-2026-04320	tool_output	OSV.dev RUSTSEC-2024-0320 (manifest)	773ccb39b8497321518510dcf5661ce8011377dd59df5abcc44b58

Post-quantum assessment

	Key establishment (x = how long data must stay confidential; harvest now, decrypt later)	Signatures (x = how long signatures/ keys must stay trusted)
Data/key lifetime x	5	5
Migration time y	3	3
Assumed years to CRQC z	12 (central)	12
x + y − z	-4 → time available under this scenario	-4 → time available under this scenario

No signature lifetime is set for the project; the data lifetime is used as an assumption.

Planning assumptions: x for key establishment, x for signatures, y are the defaults of the risk profile “Small technology company”, not the client's figures; with the client's actual lifetimes the verdict can change.

Post-quantum maturity: Level 0 of 4 — no post-quantum cryptography

- Classical only — channel key exchange (TLS, Noise, handshakes): TLS (classical groups) (1 file(s))

Next step: Inventory where classical public-key cryptography protects long-lived data and keys, and choose the first migration: usually a hybrid TLS key exchange and wrapped keys.

Levels: 0 none; 1 present, not wired; 2 in use outside the critical paths; 3 hybrid in a critical path; 4 post-quantum by default in the critical paths (root of trust, key wrapping, channel key exchange). Judged from code and manifests.

What the quantum-vulnerable algorithms do

Role	Algorithms (files)	ID	First step
channel key exchange (TLS, Noise, handshakes)	TLS ECDHE (1)	QSI-2026-04230	Move the handshake to a hybrid key exchange (X25519MLKEM768 in TLS 1.3; a hybrid KEM in Noise-based protocols)
threshold signing and MPC protocols	Pedersen commitment (25)	QSI-2026-04236	Track post-quantum threshold signatures (NIST IR 8214C) and keep the protocol layer ready to swap the signature scheme; record which keys and shares must stay valid for how long
transaction and message signing	Ed25519 (5), ECDSA (3), BN254 (alt_bn128) (1)	QSI-2026-04233, QSI-2026-04234, QSI-2026-04235, QSI-2026-04238	Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them

role not determined	BN254 (alt_bn128) (10), Ed25519 (9), Bulletproofs (2)	QSI-2026-04231, QSI-2026-04232, QSI-2026-04237	Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility

Roles are judged from file paths, function names and the code around each match; review confirms them. Root-of-trust keys and wrapped keys come first: they are hard to replace or can be recorded today.

z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Quantum status	Count
weak classically	15
reduced margin (Grover), approved	23
Grover: acceptable to NIST, below ECCG/ANSSI guidance	17
n/a	31
vulnerable (Shor)	103

Detailed findings: QSI-2026-04238, QSI-2026-04230, QSI-2026-04233, QSI-2026-04234, QSI-2026-04235, QSI-2026-04236, QSI-2026-04231, QSI-2026-04232, QSI-2026-04237

PQC readiness questionnaire

No readiness questionnaire was completed for this project.

Quantum algorithms relevant to this inventory

Quantum algorithm	Effect	Inventoried algorithms (rows)	What it means for this audit
Shor's algorithm — factoring Q1: quantum computation offline, classical access to the victim	breaks	RSA (29)	Breaks RSA at every key length: a longer modulus only raises the cost polynomially. Plan migration to ML-KEM (or a hybrid) for key establishment and ML-DSA / SLH-DSA for signatures; start with keys protecting data that must stay confidential for years (harvest now, decrypt later) and with long-lived signatures.
Shor's algorithm — discrete logarithms in finite fields Q1: quantum computation offline, classical access to the victim	breaks	BN254 (alt_bn128) (15), ElGamal (4)	Breaks finite-field Diffie–Hellman and DSA at every size. Move key establishment to ML-KEM (hybrid with X25519 or ECDH during the transition) and signatures to ML-DSA or SLH-DSA.

Shor's algorithm — elliptic-curve discrete logarithms Q1: quantum computation offline, classical access to the victim	breaks	BN254 (alt_bn128) (15), Bulletproofs (2), ECDSA (13), Ed25519 (15), Pedersen commitment (25)	Elliptic-curve keys are expected to fall before RSA keys of comparable classical strength. On blockchains, coins whose public key is already on chain (reused addresses, pay-to-public-key and Taproot outputs) are exposed first; plan the move to post-quantum signatures and avoid key reuse in the meantime.
Grover's algorithm — key search and preimages Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	BLAKE3 (5), HMAC (1), Keccak-256 (3), SHA-1 (15), SHA-2 (27), SHA-3 (3), SHAKE (1)	Not a break. 256-bit keys (AES-256, ChaCha20) keep a comfortable margin; AES-128 meets NIST category 1, while some authorities ask for 256-bit keys in quantum-resistant contexts (see the AES-128 entry). Prefer 256-bit keys for long-lived data; 256-bit hashes need no change for preimage resistance.
Brassard–Høyer–Tapp — collision search Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	BLAKE3 (5), Keccak-256 (3), SHA-1 (15), SHA-2 (27), SHA-3 (3), SHAKE (1)	256-bit hashes (SHA-256, SHA3-256) remain adequate for collision resistance; 160-bit hashes are already weak classically (SHA-1 collisions are practical). Use 384/512-bit hashes where NIST categories 4–5 are required.

Effects: breaks — replace the algorithm; weakens — larger keys or outputs restore the margin; included in standard parameters — no action at standard parameter sets; only with superposition queries — not applicable to ordinary deployments.

Limitations and assumptions

- This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.
- z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Remediation plan

QSI-2026-04273 · P2 · 30 days root-cause fix

Upgrade openssl to a fixed version (0.10.78).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-8c75-8mhr-p7r9 (CVE-2026-41678).

QSI-2026-04274 · P2 · 30 days root-cause fix

Upgrade openssl to a fixed version (0.10.78).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-ghm9-cr32-g9qj (CVE-2026-41681).

QSI-2026-04275 · P2 · 30 days root-cause fix

Upgrade openssl to a fixed version (0.10.78).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-hppc-g8h3-xhp3 (CVE-2026-41898).

QSI-2026-04277 · P2 · 30 days root-cause fix

Upgrade openssl to a fixed version (0.10.78).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low

Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-pqf5-4pqq-29f5 (CVE-2026-41676).

QSI-2026-04281 · P2 · 30 days root-cause fix

Upgrade openssl to a fixed version (0.10.79).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-xp3w-r5p5-63rr (CVE-2026-42327).

QSI-2026-04285 · P2 · 30 days root-cause fix

Upgrade quinn-proto to a fixed version (0.11.15).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-4w2j-m93h-cj5j (CVE-2026-25800, RUSTSEC-2026-0185).

QSI-2026-04286 · P2 · 30 days root-cause fix

Upgrade quinn-proto to a fixed version (0.11.14).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-6xvm-j4wr-6v98 (CVE-2026-31812, RUSTSEC-2026-0037).

QSI-2026-04311 · P2 · 30 days root-cause fix

Upgrade tar to a fixed version (0.4.45).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-gchp-q4r4-x4ff (CVE-2026-33055, RUSTSEC-2026-0068).

QSI-2026-04302 · P2 · 30 days root-cause fix

Upgrade rustls-webpki to a fixed version (0.103.13, 0.104.0-alpha.7).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-82j2-j2ch-gfr8 (CVE-2026-93599, RUSTSEC-2026-0104).

QSI-2026-04331 · P2 · 30 days root-cause fix

Upgrade semver to a fixed version (5.7.2, 6.3.1, 7.5.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-c2qf-rxjj-qqgw (CVE-2022-25883).

QSI-2026-04333 · P2 · 30 days root-cause fix

Upgrade @babel/plugin-transform-modules-systemjs to a fixed version (7.29.4, 8.0.0-alpha.13).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low

Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-fv7c-fp4j-7gwp (CVE-2026-44728).

QSI-2026-04336 · P2 · 30 days

root-cause fix

Upgrade js-yaml to a fixed version (3.15.2, 4.3.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-2883-xcg3-v3hh (CVE-2026-84375).

QSI-2026-04337 · P2 · 30 days

root-cause fix

Upgrade js-yaml to a fixed version (3.15.0, 4.3.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-52cp-r559-cp3m (CVE-2026-59869).

QSI-2026-04338 · P2 · 30 days

root-cause fix

Upgrade js-yaml to a fixed version (3.15.1, 4.3.1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-5p4m-2wfm-xmqj.

QSI-2026-04342 · P2 · 30 days root-cause fix

Upgrade semver to a fixed version (5.7.2, 6.3.1, 7.5.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-c2qf-rxjj-qqgw (CVE-2022-25883).

QSI-2026-04248 · P2 · 30 days root-cause fix

Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-qwgh-2vcv-g2f7.

QSI-2026-04249 · P2 · 30 days root-cause fix

Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-qwgh-2vcv-g2f7.

QSI-2026-04250 · P2 · 30 days root-cause fix

Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low

Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-qwgh-2vcv-g2f7.

QSI-2026-04251 · P2 · 30 days

root-cause fix

Upgrade borsh to a fixed version (1.0.0-alpha.1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-fjx5-qpf4-xjf2 (RUSTSEC-2023-0033).

QSI-2026-04252 · P2 · 30 days

root-cause fix

Upgrade borsh to a fixed version (1.0.0-alpha.1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-fjx5-qpf4-xjf2 (RUSTSEC-2023-0033).

QSI-2026-04253 · P2 · 30 days

root-cause fix

Upgrade bytes to a fixed version (1.11.1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-434x-w66g-qw3r (CVE-2026-25541, RUSTSEC-2026-0007).

QSI-2026-04254 · P2 · 30 days root-cause fix

Upgrade crossbeam-channel to a fixed version (0.5.15).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-pg9f-39pc-qf8g (CVE-2025-4574, RUSTSEC-2025-0024).

QSI-2026-04258 · P2 · 30 days root-cause fix

Upgrade ed25519-dalek to a fixed version (2.0.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-w5vr-6qhr-36cc (CVE-2022-50237, RUSTSEC-2022-0093).

QSI-2026-04276 · P2 · 30 days root-cause fix

Upgrade openssl to a fixed version (0.10.80).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-phqj-4mhp-q6mq (CVE-2026-45784).

QSI-2026-04282 · P2 · 30 days root-cause fix

Upgrade openssl to a fixed version (0.10.79).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low

Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-xv59-967r-8726 (CVE-2026-44662).

QSI-2026-04297 · P2 · 30 days

root-cause fix

Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346).

QSI-2026-04306 · P2 · 30 days

root-cause fix

Upgrade serde_with to a fixed version (3.21.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-7gcf-g7xr-8hxj.

QSI-2026-04310 · P2 · 30 days

root-cause fix

Upgrade tar to a fixed version (0.4.46).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-3pv8-6f4r-ffg2.

QSI-2026-04312 · P2 · 30 days root-cause fix

Upgrade tar to a fixed version (0.4.45).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-j4xf-2g29-59ph (CVE-2026-33056, RUSTSEC-2026-0067).

QSI-2026-04259 · P2 · 30 days root-cause fix

Upgrade h2 to a fixed version (0.3.26, 0.4.4).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-q6cp-qfwq-4gcv (RUSTSEC-2024-0332).

QSI-2026-04261 · P2 · 30 days root-cause fix

Upgrade idna to a fixed version (1.0.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-h97m-ww89-6jmq (CVE-2024-12224, RUSTSEC-2024-0421).

QSI-2026-04262 · P2 · 30 days root-cause fix

Upgrade idna to a fixed version (1.0.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low

Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-h97m-ww89-6jmq (CVE-2024-12224, RUSTSEC-2024-0421).

QSI-2026-04292 · P2 · 30 days root-cause fix

Upgrade ring to a fixed version (0.17.12).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-4p46-pwfr-66x6 (CVE-2025-4432, RUSTSEC-2025-0009).

QSI-2026-04294 · P2 · 30 days root-cause fix

Upgrade ring to a fixed version (0.17.12).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-4p46-pwfr-66x6 (CVE-2025-4432, RUSTSEC-2025-0009).

QSI-2026-04313 · P2 · 30 days root-cause fix

Upgrade time to a fixed version (0.3.47).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	

	Dependency scan no longer reports GHSA-r6v5-fh4h-64xc (CVE-2026-25727, RUSTSEC-2026-0009).

QSI-2026-04332 · P2 · 30 days

root-cause fix

Upgrade @babel/helpers to a fixed version (7.26.10, 8.0.0-alpha.17).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-968p-4wvh-cqc8 (CVE-2025-27789).

QSI-2026-04334 · P2 · 30 days

root-cause fix

Upgrade @babel/runtime to a fixed version (7.26.10, 8.0.0-alpha.17).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-968p-4wvh-cqc8 (CVE-2025-27789).

QSI-2026-04335 · P2 · 30 days

root-cause fix

Upgrade @babel/runtime-corejs3 to a fixed version (7.26.10, 8.0.0-alpha.17).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-968p-4wvh-cqc8 (CVE-2025-27789).

QSI-2026-04339 · P2 · 30 days

root-cause fix

Upgrade js-yaml to a fixed version (3.15.0, 4.2.0).

Rationale	Eliminates the root cause described in the finding.

Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-h67p-54hq-rp68 (CVE-2026-53550).

QSI-2026-04340 · P2 · 30 days root-cause fix

Upgrade js-yaml to a fixed version (3.14.2, 4.1.1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-mh29-5h37-fv8m (CVE-2025-64718).

QSI-2026-04343 · P2 · 30 days root-cause fix

Upgrade @sideway/formula to a fixed version (3.0.1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-c2jc-4fpr-4vhg (CVE-2023-25166).

QSI-2026-04243 · P2 · 30 days root-cause fix

Upgrade atty to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.

Closure criteria	Dependency scan no longer reports GHSA-g98v-hv3f-hcfr (RUSTSEC-2021-0145).

QSI-2026-04256 · P2 · 30 days

root-cause fix

Upgrade curve25519-dalek to a fixed version (4.1.3).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-x4gp-pqpj-f43q (CVE-2024-58262, RUSTSEC-2024-0344).

QSI-2026-04280 · P2 · 30 days

root-cause fix

Upgrade openssl to a fixed version (0.10.78).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-xmgf-hq76-4vx2 (CVE-2026-41677).

QSI-2026-04290 · P2 · 30 days

root-cause fix

Upgrade rand to a fixed version (0.10.1, 0.8.6, 0.9.3).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-cq8v-f236-94qc (RUSTSEC-2026-0097).

QSI-2026-04291 · P2 · 30 days root-cause fix

Upgrade rand to a fixed version (0.10.1, 0.8.6, 0.9.3).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-cq8v-f236-94qc (RUSTSEC-2026-0097).

QSI-2026-04295 · P2 · 30 days root-cause fix

Upgrade rpassword to a fixed version (7.5.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-2p6r-x3vv-xqm2.

QSI-2026-04298 · P2 · 30 days root-cause fix

Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-h2v8-394m-p7vv.

QSI-2026-04299 · P2 · 30 days root-cause fix

Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.

Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349).

QSI-2026-04314 · P2 · 30 days

root-cause fix

Upgrade tokio to a fixed version (1.38.2, 1.43.1, 1.44.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-rr8g-9fpq-6wmg (RUSTSEC-2025-0023).

QSI-2026-04303 · P2 · 30 days

root-cause fix

Upgrade rustls-webpki to a fixed version (0.103.12, 0.104.0-alpha.6).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-965h-392x-2mh5 (CVE-2026-93600, RUSTSEC-2026-0098).

QSI-2026-04304 · P2 · 30 days

root-cause fix

Upgrade rustls-webpki to a fixed version (0.103.12, 0.104.0-alpha.6).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-xgp8-3hg3-c2mh (CVE-2026-93601, RUSTSEC-2026-0099).

QSI-2026-04316 · P2 · 30 days root-cause fix

Upgrade tracing-subscriber to a fixed version (0.3.20).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-xwfj-jgwm-7wp5 (CVE-2025-58160, RUSTSEC-2025-0055).

QSI-2026-04330 · P2 · 30 days root-cause fix

Upgrade @babel/core to a fixed version (7.29.6, 8.0.0-rc.6).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-4x5r-pxfx-6jf8 (CVE-2026-49356).

QSI-2026-04341 · P2 · 30 days root-cause fix

Upgrade @babel/core to a fixed version (7.29.6, 8.0.0-rc.6).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-4x5r-pxfx-6jf8 (CVE-2026-49356).

QSI-2026-04266 · P2 · 30 days root-cause fix

Upgrade keccak to a fixed version (0.1.6).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.

Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-3288-p39f-rqpv (RUSTSEC-2026-0012).

QSI-2026-04272 · P2 · 30 days

root-cause fix

Upgrade openssl to a fixed version (0.10.72).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-4fcv-w3qc-ppgg (RUSTSEC-2025-0022).

QSI-2026-04278 · P2 · 30 days

root-cause fix

Upgrade openssl to a fixed version (0.10.66).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-q445-7m23-qrmw (RUSTSEC-2024-0357).

QSI-2026-04279 · P2 · 30 days

root-cause fix

Upgrade openssl to a fixed version (0.10.70).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-rpmj-rpgj-qmpm (CVE-2025-24898, RUSTSEC-2025-0004).

QSI-2026-04296 · P2 · 30 days root-cause fix

Upgrade rustls to a fixed version (0.21.11, 0.22.4, 0.23.5).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-6g7w-8wpp-frhj (CVE-2024-32650, RUSTSEC-2024-0336).

QSI-2026-04230 · P2 · 60 days root-cause fix

Upgrade rustls to 0.23 or later with the aws-lc-rs provider and the prefer-post-quantum feature.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	ClientHello grows by about 1.2 KB; a few old middleboxes mishandle large handshakes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	A PQ-capable client negotiates X25519MLKEM768.

QSI-2026-04255 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0204; upgrade crossbeam-epoch to a fixed version (0.9.20) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0204, or the triage is recorded.

QSI-2026-04260 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0258; upgrade h2 to a fixed version (0.4.16) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.

Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0258, or the triage is recorded.

QSI-2026-04263 · P3 · 60 days root-cause fix

Triage RUSTSEC-2023-0126; upgrade im to a fixed version (none published yet; see the advisory for mitigations) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2023-0126, or the triage is recorded.

QSI-2026-04268 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0253; upgrade lru to a fixed version (0.18.2) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0253, or the triage is recorded.

QSI-2026-04287 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0338; upgrade quinn-proto to a fixed version (0.11.18) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.

Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0338, or the triage is recorded.

QSI-2026-04288 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0339; upgrade quinn-proto to a fixed version (0.11.17) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0339, or the triage is recorded.

QSI-2026-04289 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0342; upgrade quinn-proto to a fixed version (0.11.17) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0342, or the triage is recorded.

QSI-2026-04305 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0382 (CVE-2026-111943); upgrade rustls-webpki to a fixed version (0.103.16, 0.104.0-alpha.8) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	

	Dependency scan no longer reports RUSTSEC-2026-0382 (CVE-2026-111943), or the triage is recorded.

QSI-2026-04308 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0255; upgrade sized-chunks to a fixed version (none published yet; see the advisory for mitigations) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0255, or the triage is recorded.

QSI-2026-04309 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0191; upgrade solana_rbpf to a fixed version (none published yet; see the advisory for mitigations) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0191, or the triage is recorded.

QSI-2026-04318 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0381 (CVE-2026-111943); upgrade webpki-roots to a fixed version (0.26.11, 1.0.10) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0381 (CVE-2026-111943), or the triage is recorded.

QSI-2026-04319 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0381 (CVE-2026-111943); upgrade webpki-roots to a fixed version (0.26.11, 1.0.10) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0381 (CVE-2026-111943), or the triage is recorded.

QSI-2026-04321 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0395; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0395, or the triage is recorded.

QSI-2026-04322 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0397; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0397, or the triage is recorded.

QSI-2026-04323 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0399; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0399, or the triage is recorded.

QSI-2026-04324 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0400; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0400, or the triage is recorded.

QSI-2026-04325 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0401; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0401, or the triage is recorded.

QSI-2026-04326 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0402; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0402, or the triage is recorded.

QSI-2026-04327 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0403; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0403, or the triage is recorded.

QSI-2026-04328 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0404; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0404, or the triage is recorded.

QSI-2026-04329 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0406; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0406, or the triage is recorded.

QSI-2026-04242 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0190; upgrade anyhow to a fixed version (1.0.103) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0190, or the triage is recorded.

QSI-2026-04269 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0186; upgrade memmap2 to a fixed version (0.9.11) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0186, or the triage is recorded.

QSI-2026-04315 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0386; upgrade tokio to a fixed version (1.51.6, 1.53.3) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0386, or the triage is recorded.

QSI-2026-04238 · P3 · 90 days short-term risk reduction

Add Ed25519 usages at the wallet's transaction signing to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-04233 · P3 · 90 days short-term risk reduction

Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-04234 · P3 · 90 days short-term risk reduction

Add BN254 (alt_bn128) usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-04235 · P3 · 90 days short-term risk reduction

Add Ed25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-04236 · P3 · 90 days short-term risk reduction

Add Pedersen commitment usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-04231 · P3 · 90 days short-term risk reduction

Add Ed25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-04232 · P3 · 90 days short-term risk reduction

Add BN254 (alt_bn128) usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-04237 · P3 · 90 days short-term risk reduction

Add Bulletproofs usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-04238 · P4 · 90 days root-cause fix

Plan migration of Ed25519 to ? (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ? or a hybrid scheme in use.

QSI-2026-04233 · P4 · 90 days root-cause fix

Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-04234 · P4 · 90 days root-cause fix

Plan migration of BN254 (alt_bn128) to (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows or a hybrid scheme in use.

QSI-2026-04235 · P4 · 90 days root-cause fix

Plan migration of Ed25519 to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-04236 · P4 · 90 days root-cause fix

Plan migration of Pedersen commitment to (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows or a hybrid scheme in use.

QSI-2026-04231 · P4 · 90 days root-cause fix

Plan migration of Ed25519 to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-04232 · P4 · 90 days root-cause fix

Plan migration of BN254 (alt_bn128) to (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows or a hybrid scheme in use.

QSI-2026-04237 · P4 · 90 days root-cause fix

Plan migration of Bulletproofs to (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows or a hybrid scheme in use.

QSI-2026-04244 · P4 · 90 days root-cause fix

Replace atty with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	atty replaced, or the decision recorded.

QSI-2026-04245 · P4 · 90 days root-cause fix

Replace backoff with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.

Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	backoff replaced, or the decision recorded.

QSI-2026-04246 · P4 · 90 days

root-cause fix

Replace bincode with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	bincode replaced, or the decision recorded.

QSI-2026-04257 · P4 · 90 days

root-cause fix

Replace derivative with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	derivative replaced, or the decision recorded.

QSI-2026-04264 · P4 · 90 days

root-cause fix

Replace im with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	im replaced, or the decision recorded.

QSI-2026-04267 · P4 · 90 days root-cause fix

Replace libsecp256k1 with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	libsecp256k1 replaced, or the decision recorded.

QSI-2026-04270 · P4 · 90 days root-cause fix

Replace net2 with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	net2 replaced, or the decision recorded.

QSI-2026-04240 · P4 · 90 days root-cause fix

Replace adler with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	adler replaced, or the decision recorded.

QSI-2026-04241 · P4 · 90 days root-cause fix

Replace ansi_term with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.

Tests after change	Re-run the retest procedure from the finding.
Closure criteria	ansi_term replaced, or the decision recorded.

QSI-2026-04247 · P4 · 90 days root-cause fix

Replace bitmaps with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	bitmaps replaced, or the decision recorded.

QSI-2026-04265 · P4 · 90 days root-cause fix

Replace instant with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	instant replaced, or the decision recorded.

QSI-2026-04271 · P4 · 90 days root-cause fix

Replace number_prefix with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	number_prefix replaced, or the decision recorded.

QSI-2026-04283 · P4 · 90 days root-cause fix

Replace paste with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.

Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	paste replaced, or the decision recorded.

QSI-2026-04284 · P4 · 90 days root-cause fix

Replace proc-macro-error with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	proc-macro-error replaced, or the decision recorded.

QSI-2026-04293 · P4 · 90 days root-cause fix

Replace ring with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	ring replaced, or the decision recorded.

QSI-2026-04300 · P4 · 90 days root-cause fix

Replace rustls-pemfile with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	rustls-pemfile replaced, or the decision recorded.

QSI-2026-04301 · P4 · 90 days root-cause fix

Replace rustls-pemfile with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	rustls-pemfile replaced, or the decision recorded.

QSI-2026-04307 · P4 · 90 days root-cause fix

Replace sized-chunks with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	sized-chunks replaced, or the decision recorded.

QSI-2026-04317 · P4 · 90 days root-cause fix

Replace unsafe-libyaml with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	unsafe-libyaml replaced, or the decision recorded.

QSI-2026-04320 · P4 · 90 days root-cause fix

Replace yaml-rust with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.

Tests after change	Re-run the retest procedure from the finding.
Closure criteria	yaml-rust replaced, or the decision recorded.

Priorities for 30, 60 and 90 days

30 days

Priority	ID	Action	Type
P2	QSI-2026-04273	Upgrade openssl to a fixed version (0.10.78).	root-cause fix
P2	QSI-2026-04274	Upgrade openssl to a fixed version (0.10.78).	root-cause fix
P2	QSI-2026-04275	Upgrade openssl to a fixed version (0.10.78).	root-cause fix
P2	QSI-2026-04277	Upgrade openssl to a fixed version (0.10.78).	root-cause fix
P2	QSI-2026-04281	Upgrade openssl to a fixed version (0.10.79).	root-cause fix
P2	QSI-2026-04285	Upgrade quinn-proto to a fixed version (0.11.15).	root-cause fix
P2	QSI-2026-04286	Upgrade quinn-proto to a fixed version (0.11.14).	root-cause fix
P2	QSI-2026-04311	Upgrade tar to a fixed version (0.4.45).	root-cause fix
P2	QSI-2026-04302	Upgrade rustls-webpki to a fixed version (0.103.13, 0.104.0-alpha.7).	root-cause fix
P2	QSI-2026-04331	Upgrade semver to a fixed version (5.7.2, 6.3.1, 7.5.2).	root-cause fix
P2	QSI-2026-04333	Upgrade @babel/plugin-transform-modules-systemjs to a fixed version (7.29.4, 8.0.0-alpha.13).	root-cause fix
P2	QSI-2026-04336	Upgrade js-yaml to a fixed version (3.15.2, 4.3.2).	root-cause fix
P2	QSI-2026-04337	Upgrade js-yaml to a fixed version (3.15.0, 4.3.0).	root-cause fix
P2	QSI-2026-04338	Upgrade js-yaml to a fixed version (3.15.1, 4.3.1).	root-cause fix
P2	QSI-2026-04342	Upgrade semver to a fixed version (5.7.2, 6.3.1, 7.5.2).	root-cause fix
P2	QSI-2026-04248	Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-04249	Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-04250	Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-04251	Upgrade borsh to a fixed version (1.0.0-alpha.1).	root-cause fix

P2	QSI-2026-04252	Upgrade borsh to a fixed version (1.0.0-alpha.1).	root-cause fix
P2	QSI-2026-04253	Upgrade bytes to a fixed version (1.11.1).	root-cause fix
P2	QSI-2026-04254	Upgrade crossbeam-channel to a fixed version (0.5.15).	root-cause fix
P2	QSI-2026-04258	Upgrade ed25519-dalek to a fixed version (2.0.0).	root-cause fix
P2	QSI-2026-04276	Upgrade openssl to a fixed version (0.10.80).	root-cause fix
P2	QSI-2026-04282	Upgrade openssl to a fixed version (0.10.79).	root-cause fix
P2	QSI-2026-04297	Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).	root-cause fix
P2	QSI-2026-04306	Upgrade serde_with to a fixed version (3.21.0).	root-cause fix
P2	QSI-2026-04310	Upgrade tar to a fixed version (0.4.46).	root-cause fix
P2	QSI-2026-04312	Upgrade tar to a fixed version (0.4.45).	root-cause fix
P2	QSI-2026-04259	Upgrade h2 to a fixed version (0.3.26, 0.4.4).	root-cause fix
P2	QSI-2026-04261	Upgrade idna to a fixed version (1.0.0).	root-cause fix
P2	QSI-2026-04262	Upgrade idna to a fixed version (1.0.0).	root-cause fix
P2	QSI-2026-04292	Upgrade ring to a fixed version (0.17.12).	root-cause fix
P2	QSI-2026-04294	Upgrade ring to a fixed version (0.17.12).	root-cause fix
P2	QSI-2026-04313	Upgrade time to a fixed version (0.3.47).	root-cause fix
P2	QSI-2026-04332	Upgrade @babel/helpers to a fixed version (7.26.10, 8.0.0-alpha.17).	root-cause fix
P2	QSI-2026-04334	Upgrade @babel/runtime to a fixed version (7.26.10, 8.0.0-alpha.17).	root-cause fix
P2	QSI-2026-04335	Upgrade @babel/runtime-corejs3 to a fixed version (7.26.10, 8.0.0-alpha.17).	root-cause fix
P2	QSI-2026-04339	Upgrade js-yaml to a fixed version (3.15.0, 4.2.0).	root-cause fix
P2	QSI-2026-04340	Upgrade js-yaml to a fixed version (3.14.2, 4.1.1).	root-cause fix
P2	QSI-2026-04343	Upgrade @sideway/formula to a fixed version (3.0.1).	root-cause fix

P2	QSI-2026-04243	Upgrade atty to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-04256	Upgrade curve25519-dalek to a fixed version (4.1.3).	root-cause fix
P2	QSI-2026-04280	Upgrade openssl to a fixed version (0.10.78).	root-cause fix
P2	QSI-2026-04290	Upgrade rand to a fixed version (0.10.1, 0.8.6, 0.9.3).	root-cause fix
P2	QSI-2026-04291	Upgrade rand to a fixed version (0.10.1, 0.8.6, 0.9.3).	root-cause fix
P2	QSI-2026-04295	Upgrade rpassword to a fixed version (7.5.0).	root-cause fix
P2	QSI-2026-04298	Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).	root-cause fix
P2	QSI-2026-04299	Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).	root-cause fix
P2	QSI-2026-04314	Upgrade tokio to a fixed version (1.38.2, 1.43.1, 1.44.2).	root-cause fix
P2	QSI-2026-04303	Upgrade rustls-webpki to a fixed version (0.103.12, 0.104.0-alpha.6).	root-cause fix
P2	QSI-2026-04304	Upgrade rustls-webpki to a fixed version (0.103.12, 0.104.0-alpha.6).	root-cause fix
P2	QSI-2026-04316	Upgrade tracing-subscriber to a fixed version (0.3.20).	root-cause fix
P2	QSI-2026-04330	Upgrade @babel/core to a fixed version (7.29.6, 8.0.0-rc.6).	root-cause fix
P2	QSI-2026-04341	Upgrade @babel/core to a fixed version (7.29.6, 8.0.0-rc.6).	root-cause fix
P2	QSI-2026-04266	Upgrade keccak to a fixed version (0.1.6).	root-cause fix
P2	QSI-2026-04272	Upgrade openssl to a fixed version (0.10.72).	root-cause fix
P2	QSI-2026-04278	Upgrade openssl to a fixed version (0.10.66).	root-cause fix
P2	QSI-2026-04279	Upgrade openssl to a fixed version (0.10.70).	root-cause fix
P2	QSI-2026-04296	Upgrade rustls to a fixed version (0.21.11, 0.22.4, 0.23.5).	root-cause fix

60 days

Priority	ID	Action	Type
P2	QSI-2026-04230	Upgrade rustls to 0.23 or later with the aws-lc-rs provider and the prefer-post-quantum feature.	root-cause fix

P3	QSI-2026-04255	Triage RUSTSEC-2026-0204; upgrade crossbeam-epoch to a fixed version (0.9.20) if it applies.	root-cause fix
P3	QSI-2026-04260	Triage RUSTSEC-2026-0258; upgrade h2 to a fixed version (0.4.16) if it applies.	root-cause fix
P3	QSI-2026-04263	Triage RUSTSEC-2023-0126; upgrade im to a fixed version (none published yet; see the advisory for mitigations) if it applies.	root-cause fix
P3	QSI-2026-04268	Triage RUSTSEC-2026-0253; upgrade lru to a fixed version (0.18.2) if it applies.	root-cause fix
P3	QSI-2026-04287	Triage RUSTSEC-2026-0338; upgrade quinn-proto to a fixed version (0.11.18) if it applies.	root-cause fix
P3	QSI-2026-04288	Triage RUSTSEC-2026-0339; upgrade quinn-proto to a fixed version (0.11.17) if it applies.	root-cause fix
P3	QSI-2026-04289	Triage RUSTSEC-2026-0342; upgrade quinn-proto to a fixed version (0.11.17) if it applies.	root-cause fix
P3	QSI-2026-04305	Triage RUSTSEC-2026-0382 (CVE-2026-111943); upgrade rustls-webpki to a fixed version (0.103.16, 0.104.0-alpha.8) if it applies.	root-cause fix
P3	QSI-2026-04308	Triage RUSTSEC-2026-0255; upgrade sized-chunks to a fixed version (none published yet; see the advisory for mitigations) if it applies.	root-cause fix
P3	QSI-2026-04309	Triage RUSTSEC-2026-0191; upgrade solana_rbpf to a fixed version (none published yet; see the advisory for mitigations) if it applies.	root-cause fix
P3	QSI-2026-04318	Triage RUSTSEC-2026-0381 (CVE-2026-111943); upgrade webpki-roots to a fixed version (0.26.11, 1.0.10) if it applies.	root-cause fix
P3	QSI-2026-04319	Triage RUSTSEC-2026-0381 (CVE-2026-111943); upgrade webpki-roots to a fixed version (0.26.11, 1.0.10) if it applies.	root-cause fix
P3	QSI-2026-04321	Triage RUSTSEC-2026-0395; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-04322	Triage RUSTSEC-2026-0397; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-04323	Triage RUSTSEC-2026-0399; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-04324	Triage RUSTSEC-2026-0400; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-04325	Triage RUSTSEC-2026-0401; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-04326	Triage RUSTSEC-2026-0402; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-04327	Triage RUSTSEC-2026-0403; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-04328	Triage RUSTSEC-2026-0404; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix

P3	QSI-2026-04329	Triage RUSTSEC-2026-0406; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-04242	Triage RUSTSEC-2026-0190; upgrade anyhow to a fixed version (1.0.103) if it applies.	root-cause fix
P3	QSI-2026-04269	Triage RUSTSEC-2026-0186; upgrade memmap2 to a fixed version (0.9.11) if it applies.	root-cause fix
P3	QSI-2026-04315	Triage RUSTSEC-2026-0386; upgrade tokio to a fixed version (1.51.6, 1.53.3) if it applies.	root-cause fix

90 days

Priority	ID	Action	Type
P3	QSI-2026-04238	Add Ed25519 usages at the wallet's transaction signing to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-04233	Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-04234	Add BN254 (alt_bn128) usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-04235	Add Ed25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-04236	Add Pedersen commitment usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-04231	Add Ed25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-04232	Add BN254 (alt_bn128) usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-04237	Add Bulletproofs usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P4	QSI-2026-04238	Plan migration of Ed25519 to ? (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-04233	Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-04234	Plan migration of BN254 (alt_bn128) to (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix

P4	QSI-2026-04235	Plan migration of Ed25519 to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-04236	Plan migration of Pedersen commitment to (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-04231	Plan migration of Ed25519 to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-04232	Plan migration of BN254 (alt_bn128) to (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-04237	Plan migration of Bulletproofs to (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-04244	Replace atty with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04245	Replace backoff with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04246	Replace bincode with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04257	Replace derivative with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04264	Replace im with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04267	Replace libsecp256k1 with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04270	Replace net2 with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04240	Replace adler with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04241	Replace ansi_term with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04247	Replace bitmaps with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04265	Replace instant with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04271	Replace number_prefix with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04283	Replace paste with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04284	Replace proc-macro-error with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04293	Replace ring with a maintained alternative or record why it stays.	root-cause fix

P4	QSI-2026-04300	Replace rustls-pemfile with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04301	Replace rustls-pemfile with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04307	Replace sized-chunks with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04317	Replace unsafe-libyaml with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04320	Replace yaml-rust with a maintained alternative or record why it stays.	root-cause fix

Verification after remediation

ID	Retest procedure
QSI-2026-04273	Re-run the dependency scan after upgrading.
QSI-2026-04274	Re-run the dependency scan after upgrading.
QSI-2026-04275	Re-run the dependency scan after upgrading.
QSI-2026-04277	Re-run the dependency scan after upgrading.
QSI-2026-04281	Re-run the dependency scan after upgrading.
QSI-2026-04285	Re-run the dependency scan after upgrading.
QSI-2026-04286	Re-run the dependency scan after upgrading.
QSI-2026-04311	Re-run the dependency scan after upgrading.
QSI-2026-04302	Re-run the dependency scan after upgrading.
QSI-2026-04331	Re-run the dependency scan after upgrading.
QSI-2026-04333	Re-run the dependency scan after upgrading.
QSI-2026-04336	Re-run the dependency scan after upgrading.
QSI-2026-04337	Re-run the dependency scan after upgrading.
QSI-2026-04338	Re-run the dependency scan after upgrading.
QSI-2026-04342	Re-run the dependency scan after upgrading.
QSI-2026-04248	Re-run the dependency scan after upgrading.
QSI-2026-04249	Re-run the dependency scan after upgrading.
QSI-2026-04250	Re-run the dependency scan after upgrading.
QSI-2026-04251	Re-run the dependency scan after upgrading.
QSI-2026-04252	Re-run the dependency scan after upgrading.
QSI-2026-04253	Re-run the dependency scan after upgrading.
QSI-2026-04254	Re-run the dependency scan after upgrading.
QSI-2026-04258	Re-run the dependency scan after upgrading.
QSI-2026-04276	Re-run the dependency scan after upgrading.
QSI-2026-04282	Re-run the dependency scan after upgrading.
QSI-2026-04297	Re-run the dependency scan after upgrading.
QSI-2026-04306	Re-run the dependency scan after upgrading.
QSI-2026-04310	Re-run the dependency scan after upgrading.
QSI-2026-04312	Re-run the dependency scan after upgrading.
QSI-2026-04259	Re-run the dependency scan after upgrading.

QSI-2026-04261	Re-run the dependency scan after upgrading.
QSI-2026-04262	Re-run the dependency scan after upgrading.
QSI-2026-04292	Re-run the dependency scan after upgrading.
QSI-2026-04294	Re-run the dependency scan after upgrading.
QSI-2026-04313	Re-run the dependency scan after upgrading.
QSI-2026-04332	Re-run the dependency scan after upgrading.
QSI-2026-04334	Re-run the dependency scan after upgrading.
QSI-2026-04335	Re-run the dependency scan after upgrading.
QSI-2026-04339	Re-run the dependency scan after upgrading.
QSI-2026-04340	Re-run the dependency scan after upgrading.
QSI-2026-04343	Re-run the dependency scan after upgrading.
QSI-2026-04238	Re-run when a chain activates a post-quantum signature scheme or the wallet adds one.
QSI-2026-04243	Re-run the dependency scan after upgrading.
QSI-2026-04256	Re-run the dependency scan after upgrading.
QSI-2026-04280	Re-run the dependency scan after upgrading.
QSI-2026-04290	Re-run the dependency scan after upgrading.
QSI-2026-04291	Re-run the dependency scan after upgrading.
QSI-2026-04295	Re-run the dependency scan after upgrading.
QSI-2026-04298	Re-run the dependency scan after upgrading.
QSI-2026-04299	Re-run the dependency scan after upgrading.
QSI-2026-04314	Re-run the dependency scan after upgrading.
QSI-2026-04303	Re-run the dependency scan after upgrading.
QSI-2026-04304	Re-run the dependency scan after upgrading.
QSI-2026-04316	Re-run the dependency scan after upgrading.
QSI-2026-04330	Re-run the dependency scan after upgrading.
QSI-2026-04341	Re-run the dependency scan after upgrading.
QSI-2026-04230	Connect with a client that offers X25519MLKEM768 (openssl s_client -groups X25519MLKEM768 with OpenSSL 3.5+, or a Go 1.24+ client) and confirm the negotiated group.
QSI-2026-04233	Re-run the inventory after refactoring.
QSI-2026-04234	Re-run the inventory after refactoring.
QSI-2026-04235	Re-run the inventory after refactoring.
QSI-2026-04236	Re-run the inventory after refactoring.
QSI-2026-04266	Re-run the dependency scan after upgrading.

QSI-2026-04231	Re-run the inventory after refactoring.
QSI-2026-04232	Re-run the inventory after refactoring.
QSI-2026-04237	Re-run the inventory after refactoring.
QSI-2026-04255	Re-run the dependency scan after upgrading.
QSI-2026-04260	Re-run the dependency scan after upgrading.
QSI-2026-04263	Re-run the dependency scan after upgrading.
QSI-2026-04268	Re-run the dependency scan after upgrading.
QSI-2026-04287	Re-run the dependency scan after upgrading.
QSI-2026-04288	Re-run the dependency scan after upgrading.
QSI-2026-04289	Re-run the dependency scan after upgrading.
QSI-2026-04305	Re-run the dependency scan after upgrading.
QSI-2026-04308	Re-run the dependency scan after upgrading.
QSI-2026-04309	Re-run the dependency scan after upgrading.
QSI-2026-04318	Re-run the dependency scan after upgrading.
QSI-2026-04319	Re-run the dependency scan after upgrading.
QSI-2026-04321	Re-run the dependency scan after upgrading.
QSI-2026-04322	Re-run the dependency scan after upgrading.
QSI-2026-04323	Re-run the dependency scan after upgrading.
QSI-2026-04324	Re-run the dependency scan after upgrading.
QSI-2026-04325	Re-run the dependency scan after upgrading.
QSI-2026-04326	Re-run the dependency scan after upgrading.
QSI-2026-04327	Re-run the dependency scan after upgrading.
QSI-2026-04328	Re-run the dependency scan after upgrading.
QSI-2026-04329	Re-run the dependency scan after upgrading.
QSI-2026-04272	Re-run the dependency scan after upgrading.
QSI-2026-04278	Re-run the dependency scan after upgrading.
QSI-2026-04279	Re-run the dependency scan after upgrading.
QSI-2026-04296	Re-run the dependency scan after upgrading.
QSI-2026-04244	Re-run the dependency scan after the change.
QSI-2026-04245	Re-run the dependency scan after the change.
QSI-2026-04246	Re-run the dependency scan after the change.
QSI-2026-04257	Re-run the dependency scan after the change.
QSI-2026-04264	Re-run the dependency scan after the change.

QSI-2026-04267	Re-run the dependency scan after the change.
QSI-2026-04270	Re-run the dependency scan after the change.
QSI-2026-04242	Re-run the dependency scan after upgrading.
QSI-2026-04269	Re-run the dependency scan after upgrading.
QSI-2026-04315	Re-run the dependency scan after upgrading.
QSI-2026-04239	Re-scan after upgrades.
QSI-2026-04240	Re-run the dependency scan after the change.
QSI-2026-04241	Re-run the dependency scan after the change.
QSI-2026-04247	Re-run the dependency scan after the change.
QSI-2026-04265	Re-run the dependency scan after the change.
QSI-2026-04271	Re-run the dependency scan after the change.
QSI-2026-04283	Re-run the dependency scan after the change.
QSI-2026-04284	Re-run the dependency scan after the change.
QSI-2026-04293	Re-run the dependency scan after the change.
QSI-2026-04300	Re-run the dependency scan after the change.
QSI-2026-04301	Re-run the dependency scan after the change.
QSI-2026-04307	Re-run the dependency scan after the change.
QSI-2026-04317	Re-run the dependency scan after the change.
QSI-2026-04320	Re-run the dependency scan after the change.

Tools used

Tool	Version
blockchain	1.0.0
certificates	1.1.0
chain_map	1.0.0
configs	1.1.0
dependencies	1.2.0
inventory_document	1.1.0
solidity	1.2.0
source_code	1.3.0
tls_code	1.1.0
tls_live	1.0.0
qsi-engine	1.2.0
OSV.dev API	v1

Sources and normative documents

Reviewed: 2026-10-13

1. A. Chailloux, M. Naya-Plasencia, A. Schrottenloher — An Efficient Quantum Collision Search Algorithm and Implications on Symmetric Cryptography (ASIACRYPT 2017; IACR ePrint 2017/847) — IACR ePrint. https://eprint.iacr.org/2017/847 (peer-reviewed article: Õ(2^{2n/5}) time, O(n) qubits, Õ(2^{n/5}) classical memory)
2. C. Chevignard, P.-A. Fouque, A. Schrottenloher — Reducing the Number of Qubits in Quantum Discrete Logarithms on Elliptic Curves (IACR ePrint 2026/280) — IACR ePrint. https://eprint.iacr.org/2026/280 (revision of a EUROCRYPT 2026 paper: 3.12n + o(n) qubits; for n = 256, 1193 qubits and 22 runs of 2^38.98 Toffoli gates)
3. C. Gidney — How to factor 2048 bit RSA integers with less than a million noisy qubits (arXiv:2505.15917) — arXiv. https://arxiv.org/abs/2505.15917 (preprint (2025-05-21): < 1 million noisy qubits, < 1 week, 0.1% gate error, 1 µs surface-code cycle)
4. C. Gidney, M. Ekerå — How to factor 2048 bit RSA integers in 8 hours using 20 million noisy qubits (Quantum 5, 433) — Quantum. https://doi.org/10.22331/q-2021-04-15-433 (peer-reviewed article (2021): 10^-3 gate error, 1 µs cycle, 10 µs reaction time)
5. C. Zalka — Grover's quantum searching algorithm is optimal (Phys. Rev. A 60, 2746, 1999; arXiv:quant-ph/9711070) — APS. https://doi.org/10.1103/PhysRevA.60.2746 (peer-reviewed article: optimal for any success probability; parallel search gains no more than splitting the space)
6. Common Vulnerability Scoring System v3.1: Specification Document — FIRST. https://www.first.org/cvss/v3.1/specification-document (final)
7. D. J. Bernstein — Cost analysis of hash collisions: Will quantum computers make SHARCS obsolete? (2009) — cr.yp.to. https://cr.yp.to/hash/collisioncost-20090823.pdf (paper dated 2009-08-23)
8. D. Litinski — How to compute a 256-bit elliptic curve private key with only 50 million Toffoli gates (arXiv:2306.08585) — arXiv. https://arxiv.org/abs/2306.08585 (preprint (2023-06-14): 6000 modules × 1152 physical qubits, one key per 10 minutes under its architecture assumptions)
9. FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM) — NIST. https://csrc.nist.gov/pubs/fips/203/final (final (August 2024))
10. FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA) — NIST. https://csrc.nist.gov/pubs/fips/204/final (final (August 2024))
11. FIPS 205 — Stateless Hash-Based Digital Signature Standard (SLH-DSA) — NIST. https://csrc.nist.gov/pubs/fips/205/final (final (August 2024))
12. G. Brassard, P. Høyer, A. Tapp — Quantum Algorithm for the Collision Problem (LATIN '98; arXiv:quant-ph/9705002) — Springer / arXiv. https://arxiv.org/abs/quant-ph/9705002 (peer-reviewed article: collisions of r-to-one functions in O((N/r)^{1/3}) expected evaluations)
13. IANA — Transport Layer Security (TLS) Parameters (Supported Groups, SignatureScheme, Cipher Suites) — IANA. https://www.iana.org/assignments/tls-parameters/ (living registry (checked 2026-10-13); 'Recommended' column Y/N/D)
14. J. Proos, C. Zalka — Shor's discrete logarithm quantum algorithm for elliptic curves (Quantum Inf. Comput. 3(4), 2003; arXiv:quant-ph/0301141) — Quantum Information & Computation. https://doi.org/10.26421/QIC3.4-3 (peer-reviewed article)
15. L. K. Grover — A fast quantum mechanical algorithm for database search (STOC 1996) — ACM. https://doi.org/10.1145/237814.237866 (peer-reviewed article)
16. M. Amy et al. — Estimating the cost of generic quantum pre-image attacks on SHA-2 and SHA-3 (SAC 2016; arXiv:1603.09383) — Springer / arXiv. https://arxiv.org/abs/1603.09383 (peer-reviewed article: SHA-256 about 2^153.8 surface-code cycles on 2^12.6 logical qubits; SHA3-256 about 2^146.5 cycles on 2^20)
17. M. Cain et al. — Shor's algorithm is possible with as few as 10,000 reconfigurable atomic qubits (arXiv:2603.28627) — arXiv. https://arxiv.org/abs/2603.28627 (preprint (2026-03-30): P-256 in a few days with 26,000 physical neutral-atom qubits; RSA-2048 one to two orders of magnitude longer)
18. M. Ekerå, J. Gärtner — A high-level comparison of state-of-the-art quantum algorithms for breaking asymmetric cryptography (arXiv:2405.14381) — arXiv. https://arxiv.org/abs/2405.14381 (preprint (2024-05-23): Regev-style algorithms show no overall advantage yet for cryptographic RSA and finite-field sizes)
19. M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018) — IEEE. https://doi.org/10.1109/MSP.2018.3761723 (peer-reviewed article; source of the x + y > z migration inequality)
20. M. Roetteler, M. Naehrig, K. Svore, K. Lauter — Quantum resource estimates for computing elliptic curve discrete logarithms (ASIACRYPT 2017) — IACR / arXiv. https://arxiv.org/abs/1706.06752 (peer-reviewed article: at most 9n + 2⌈log2 n⌉ + 10 qubits and 448 n^3 log2 n + 4090 n^3 Toffoli gates)
21. NIST IR 8547 — Transition to Post-Quantum Cryptography Standards — NIST. https://csrc.nist.gov/pubs/ir/8547/ipd (initial public draft (November 2024); proposes deprecating quantum-vulnerable public-key algorithms after 2030 and disallowing them after 2035 — dates may change in the final version)

22. NIST — Post-Quantum Cryptography Standardization: Evaluation Criteria, Security (Call for Proposals, Section 4.A.5) — NIST. https://csrc.nist.gov/Projects/Post-Quantum-Cryptography/Post-Quantum-Cryptography-Standardization/Evaluation-Criteria/Security-(Evaluation-Criteria) (security categories: AES-128 key search 2^170/MAXDEPTH quantum gates, AES-192 2^233/MAXDEPTH, AES-256 2^298/MAXDEPTH; MAXDEPTH 2^40–2^96)
23. OSV advisory GHSA-2883-xcg3-v3hh — OSV.dev. https://osv.dev/vulnerability/GHSA-2883-xcg3-v3hh (modified 2026-09-08T21:30:05.575808098Z)
24. OSV advisory GHSA-2p6r-x3vv-xqm2 — OSV.dev. https://osv.dev/vulnerability/GHSA-2p6r-x3vv-xqm2 (modified 2026-09-10T03:51:04.143649116Z)
25. OSV advisory GHSA-3288-p39f-rqpv — OSV.dev. https://osv.dev/vulnerability/GHSA-3288-p39f-rqpv (modified 2026-09-10T03:50:59.332505686Z)
26. OSV advisory GHSA-3pv8-6f4r-ffg2 — OSV.dev. https://osv.dev/vulnerability/GHSA-3pv8-6f4r-ffg2 (modified 2026-09-10T03:51:04.454810375Z)
27. OSV advisory GHSA-434x-w66g-qw3r — OSV.dev. https://osv.dev/vulnerability/GHSA-434x-w66g-qw3r (modified 2026-09-10T03:50:33.995841351Z)
28. OSV advisory GHSA-4fcv-w3qc-ppgg — OSV.dev. https://osv.dev/vulnerability/GHSA-4fcv-w3qc-ppgg (modified 2026-09-10T03:50:56.938932795Z)
29. OSV advisory GHSA-4p46-pwfr-66x6 — OSV.dev. https://osv.dev/vulnerability/GHSA-4p46-pwfr-66x6 (modified 2026-09-10T03:50:56.900994558Z)
30. OSV advisory GHSA-4w2j-m93h-cj5j — OSV.dev. https://osv.dev/vulnerability/GHSA-4w2j-m93h-cj5j (modified 2026-09-10T03:51:10.288925502Z)
31. OSV advisory GHSA-4x5r-pxfx-6jf8 — OSV.dev. https://osv.dev/vulnerability/GHSA-4x5r-pxfx-6jf8 (modified 2026-09-10T03:50:48.280629201Z)
32. OSV advisory GHSA-52cp-r559-cp3m — OSV.dev. https://osv.dev/vulnerability/GHSA-52cp-r559-cp3m (modified 2026-09-10T03:50:12.263307536Z)
33. OSV advisory GHSA-5p4m-2wfm-xmqj — OSV.dev. https://osv.dev/vulnerability/GHSA-5p4m-2wfm-xmqj (modified 2026-09-10T03:50:53.407436483Z)
34. OSV advisory GHSA-6g7w-8wpp-frhj — OSV.dev. https://osv.dev/vulnerability/GHSA-6g7w-8wpp-frhj (modified 2026-09-10T03:50:12.362313607Z)
35. OSV advisory GHSA-6xvm-j4wr-6v98 — OSV.dev. https://osv.dev/vulnerability/GHSA-6xvm-j4wr-6v98 (modified 2026-09-10T03:50:37.796449419Z)
36. OSV advisory GHSA-7gcf-g7xr-8hxj — OSV.dev. https://osv.dev/vulnerability/GHSA-7gcf-g7xr-8hxj (modified 2026-09-10T03:51:10.897685062Z)
37. OSV advisory GHSA-82j2-j2ch-gfr8 — OSV.dev. https://osv.dev/vulnerability/GHSA-82j2-j2ch-gfr8 (modified 2026-09-19T03:55:33.412079637Z)
38. OSV advisory GHSA-8c75-8mhr-p7r9 — OSV.dev. https://osv.dev/vulnerability/GHSA-8c75-8mhr-p7r9 (modified 2026-09-10T03:50:43.807790048Z)
39. OSV advisory GHSA-965h-392x-2mh5 — OSV.dev. https://osv.dev/vulnerability/GHSA-965h-392x-2mh5 (modified 2026-09-19T03:55:32.245575348Z)
40. OSV advisory GHSA-968p-4wvh-cqc8 — OSV.dev. https://osv.dev/vulnerability/GHSA-968p-4wvh-cqc8 (modified 2026-09-10T03:50:22.971593530Z)
41. OSV advisory GHSA-c2jc-4fpr-4vhg — OSV.dev. https://osv.dev/vulnerability/GHSA-c2jc-4fpr-4vhg (modified 2023-11-08T04:11:50.947189Z)
42. OSV advisory GHSA-c2qf-rxjj-qqgw — OSV.dev. https://osv.dev/vulnerability/GHSA-c2qf-rxjj-qqgw (modified 2026-09-10T03:50:02.224637541Z)
43. OSV advisory GHSA-c8m5-c952-6cm4 — OSV.dev. https://osv.dev/vulnerability/GHSA-c8m5-c952-6cm4 (modified 2026-10-27T16:15:05.354395696Z)
44. OSV advisory GHSA-cq8v-f236-94qc — OSV.dev. https://osv.dev/vulnerability/GHSA-cq8v-f236-94qc (modified 2026-09-10T03:50:43.958966498Z)
45. OSV advisory GHSA-fjx5-qpf4-xjf2 — OSV.dev. https://osv.dev/vulnerability/GHSA-fjx5-qpf4-xjf2 (modified 2024-09-23T16:34:09Z)
46. OSV advisory GHSA-fv7c-fp4j-7gwp — OSV.dev. https://osv.dev/vulnerability/GHSA-fv7c-fp4j-7gwp (modified 2026-09-10T03:51:05.541786109Z)
47. OSV advisory GHSA-g98v-hv3f-hcfr — OSV.dev. https://osv.dev/vulnerability/GHSA-g98v-hv3f-hcfr (modified 2026-09-10T03:49:53.897184297Z)
48. OSV advisory GHSA-gchp-q4r4-x4ff — OSV.dev. https://osv.dev/vulnerability/GHSA-gchp-q4r4-x4ff (modified 2026-09-10T03:50:39.204912381Z)
49. OSV advisory GHSA-ghm9-cr32-g9qj — OSV.dev. https://osv.dev/vulnerability/GHSA-ghm9-cr32-g9qj (modified 2026-09-10T03:51:01.732377930Z)
50. OSV advisory GHSA-h2v8-394m-p7vv — OSV.dev. https://osv.dev/vulnerability/GHSA-h2v8-394m-p7vv (modified 2026-10-27T16:15:05.337819489Z)

51. OSV advisory GHSA-h67p-54hq-rp68 — OSV.dev. https://osv.dev/vulnerability/GHSA-h67p-54hq-rp68 (modified 2026-09-10T03:50:49.729923880Z)
52. OSV advisory GHSA-h97m-ww89-6jmq — OSV.dev. https://osv.dev/vulnerability/GHSA-h97m-ww89-6jmq (modified 2026-09-10T03:50:21.562272915Z)
53. OSV advisory GHSA-hppc-g8h3-xhp3 — OSV.dev. https://osv.dev/vulnerability/GHSA-hppc-g8h3-xhp3 (modified 2026-09-10T03:51:02.103657748Z)
54. OSV advisory GHSA-j4xf-2g29-59ph — OSV.dev. https://osv.dev/vulnerability/GHSA-j4xf-2g29-59ph (modified 2026-09-10T03:50:39.751471613Z)
55. OSV advisory GHSA-mh29-5h37-fv8m — OSV.dev. https://osv.dev/vulnerability/GHSA-mh29-5h37-fv8m (modified 2026-09-10T03:50:58.469126910Z)
56. OSV advisory GHSA-pg9f-39pc-qf8g — OSV.dev. https://osv.dev/vulnerability/GHSA-pg9f-39pc-qf8g (modified 2026-09-10T03:50:57.409985647Z)
57. OSV advisory GHSA-phqj-4mhp-q6mq — OSV.dev. https://osv.dev/vulnerability/GHSA-phqj-4mhp-q6mq (modified 2026-09-10T03:51:06.601254514Z)
58. OSV advisory GHSA-pqf5-4pqq-29f5 — OSV.dev. https://osv.dev/vulnerability/GHSA-pqf5-4pqq-29f5 (modified 2026-09-10T03:51:02.503624598Z)
59. OSV advisory GHSA-q445-7m23-qrmw — OSV.dev. https://osv.dev/vulnerability/GHSA-q445-7m23-qrmw (modified 2026-09-10T03:50:16.826604285Z)
60. OSV advisory GHSA-q6cp-qfwq-4gcv — OSV.dev. https://osv.dev/vulnerability/GHSA-q6cp-qfwq-4gcv (modified 2026-09-10T03:49:18.784343884Z)
61. OSV advisory GHSA-qwgh-2vcv-g2f7 — OSV.dev. https://osv.dev/vulnerability/GHSA-qwgh-2vcv-g2f7 (modified 2026-08-19T19:30:06.686866977Z)
62. OSV advisory GHSA-r6v5-fh4h-64xc — OSV.dev. https://osv.dev/vulnerability/GHSA-r6v5-fh4h-64xc (modified 2026-09-10T03:50:35.583241382Z)
63. OSV advisory GHSA-rpmj-rpgj-qmpm — OSV.dev. https://osv.dev/vulnerability/GHSA-rpmj-rpgj-qmpm (modified 2026-09-10T03:50:06.186180196Z)
64. OSV advisory GHSA-rr8g-9fpq-6wmg — OSV.dev. https://osv.dev/vulnerability/GHSA-rr8g-9fpq-6wmg (modified 2026-09-10T03:50:24.081979053Z)
65. OSV advisory GHSA-w44r-93j7-qv28 — OSV.dev. https://osv.dev/vulnerability/GHSA-w44r-93j7-qv28 (modified 2026-10-27T16:15:05.340347056Z)
66. OSV advisory GHSA-w5vr-6qhr-36cc — OSV.dev. https://osv.dev/vulnerability/GHSA-w5vr-6qhr-36cc (modified 2026-02-04T03:12:24.206854Z)
67. OSV advisory GHSA-x4gp-pqpj-f43q — OSV.dev. https://osv.dev/vulnerability/GHSA-x4gp-pqpj-f43q (modified 2026-09-10T03:50:15.886084155Z)
68. OSV advisory GHSA-xgp8-3hg3-c2mh — OSV.dev. https://osv.dev/vulnerability/GHSA-xgp8-3hg3-c2mh (modified 2026-09-19T03:55:49.146112754Z)
69. OSV advisory GHSA-xmgf-hq76-4vx2 — OSV.dev. https://osv.dev/vulnerability/GHSA-xmgf-hq76-4vx2 (modified 2026-09-10T03:50:44.840710191Z)
70. OSV advisory GHSA-xp3w-r5p5-63rr — OSV.dev. https://osv.dev/vulnerability/GHSA-xp3w-r5p5-63rr (modified 2026-09-10T03:51:07.254489393Z)
71. OSV advisory GHSA-xv59-967r-8726 — OSV.dev. https://osv.dev/vulnerability/GHSA-xv59-967r-8726 (modified 2026-09-10T03:51:07.319185525Z)
72. OSV advisory GHSA-xwfj-jgwm-7wp5 — OSV.dev. https://osv.dev/vulnerability/GHSA-xwfj-jgwm-7wp5 (modified 2026-09-10T03:50:27.766863705Z)
73. OSV advisory RUSTSEC-2020-0016 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2020-0016 (modified 2020-10-02T01:29:11Z)
74. OSV advisory RUSTSEC-2021-0139 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2021-0139 (modified 2023-09-06T22:52:31Z)
75. OSV advisory RUSTSEC-2023-0126 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2023-0126 (modified 2026-08-10T19:45:04.530371817Z)
76. OSV advisory RUSTSEC-2024-0320 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0320 (modified 2024-11-01T12:31:51Z)
77. OSV advisory RUSTSEC-2024-0370 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0370 (modified 2026-06-07T20:00:03.923932350Z)
78. OSV advisory RUSTSEC-2024-0375 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0375 (modified 2024-09-26T12:26:22Z)
79. OSV advisory RUSTSEC-2024-0384 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0384 (modified 2024-11-10T13:10:28Z)
80. OSV advisory RUSTSEC-2024-0388 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0388 (modified 2024-11-10T13:34:40Z)

81. OSV advisory RUSTSEC-2024-0436 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0436 (modified 2026-01-27T22:03:15.694766Z)
82. OSV advisory RUSTSEC-2024-0449 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0449 (modified 2026-10-12T11:45:02.518189315Z)
83. OSV advisory RUSTSEC-2025-0010 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2025-0010 (modified 2025-03-07T15:46:47Z)
84. OSV advisory RUSTSEC-2025-0012 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2025-0012 (modified 2025-08-06T09:33:04Z)
85. OSV advisory RUSTSEC-2025-0056 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2025-0056 (modified 2025-09-05T09:05:48Z)
86. OSV advisory RUSTSEC-2025-0119 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2025-0119 (modified 2025-11-18T08:13:56Z)
87. OSV advisory RUSTSEC-2025-0134 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2025-0134 (modified 2025-12-05T19:07:59.622592Z)
88. OSV advisory RUSTSEC-2025-0141 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2025-0141 (modified 2026-01-16T11:07:28.867553Z)
89. OSV advisory RUSTSEC-2025-0161 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2025-0161 (modified 2026-04-14T11:30:08.962845Z)
90. OSV advisory RUSTSEC-2026-0186 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0186 (modified 2026-06-22T18:15:03.600280397Z)
91. OSV advisory RUSTSEC-2026-0190 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0190 (modified 2026-06-29T14:15:03.650725453Z)
92. OSV advisory RUSTSEC-2026-0191 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0191 (modified 2026-06-29T14:45:04.175629528Z)
93. OSV advisory RUSTSEC-2026-0204 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0204 (modified 2026-07-06T22:30:04.159269138Z)
94. OSV advisory RUSTSEC-2026-0247 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0247 (modified 2026-08-10T19:45:04.540318330Z)
95. OSV advisory RUSTSEC-2026-0248 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0248 (modified 2026-08-10T19:45:04.540038805Z)
96. OSV advisory RUSTSEC-2026-0251 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0251 (modified 2026-08-10T19:45:04.444367447Z)
97. OSV advisory RUSTSEC-2026-0253 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0253 (modified 2026-08-11T11:15:06.101553049Z)
98. OSV advisory RUSTSEC-2026-0255 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0255 (modified 2026-08-12T10:30:03.078996208Z)
99. OSV advisory RUSTSEC-2026-0258 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0258 (modified 2026-10-12T18:00:10.934581734Z)
100. OSV advisory RUSTSEC-2026-0338 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0338 (modified 2026-10-12T18:15:01.969514645Z)
101. OSV advisory RUSTSEC-2026-0339 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0339 (modified 2026-10-12T18:15:01.956822776Z)
102. OSV advisory RUSTSEC-2026-0342 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0342 (modified 2026-10-12T18:15:01.956681478Z)
103. OSV advisory RUSTSEC-2026-0381 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0381 (modified 2026-10-21T06:30:02.818201920Z)
104. OSV advisory RUSTSEC-2026-0382 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0382 (modified 2026-10-21T00:55:56.763143468Z)
105. OSV advisory RUSTSEC-2026-0386 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0386 (modified 2026-10-23T14:45:03.847864944Z)
106. OSV advisory RUSTSEC-2026-0395 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0395 (modified 2026-10-26T14:00:06.388344282Z)
107. OSV advisory RUSTSEC-2026-0397 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0397 (modified 2026-10-26T14:00:05.089587004Z)
108. OSV advisory RUSTSEC-2026-0399 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0399 (modified 2026-10-26T14:00:05.792431051Z)
109. OSV advisory RUSTSEC-2026-0400 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0400 (modified 2026-10-26T14:00:05.692077560Z)
110. OSV advisory RUSTSEC-2026-0401 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0401 (modified 2026-10-26T14:00:04.231502512Z)

111. OSV advisory RUSTSEC-2026-0402 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0402 (modified 2026-10-26T14:00:05.685817733Z)
112. OSV advisory RUSTSEC-2026-0403 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0403 (modified 2026-10-26T14:00:05.787441176Z)
113. OSV advisory RUSTSEC-2026-0404 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0404 (modified 2026-10-26T14:00:05.092817237Z)
114. OSV advisory RUSTSEC-2026-0406 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0406 (modified 2026-10-26T14:00:05.095427051Z)
115. P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997) — SIAM. https://doi.org/10.1137/S0097539795293172 (peer-reviewed article)
116. R. Babbush et al. — Securing Elliptic Curve Cryptocurrencies against Quantum Vulnerabilities: Resource Estimates and Mitigations (arXiv:2603.28846) — arXiv. https://arxiv.org/abs/2603.28846 (preprint (2026-03-30, v2 2026-04-15): 256-bit ECDLP with < 1200 logical qubits and < 90 M Toffoli gates (or < 1450 and < 70 M); < 500,000 physical qubits at 10^-3 error, minutes)
117. RFC 10024 — Hybrid ECDHE-MLKEM key agreement for TLS 1.3 (X25519MLKEM768, SecP256r1MLKEM768, SecP384r1MLKEM1024) — IETF. https://www.rfc-editor.org/rfc/rfc10024 (standards track; checked 2026-10-13)
118. S. Jaques, M. Naehrig, M. Roetteler, F. Virdia — Implementing Grover oracles for quantum key search on AES and LowMC (EUROCRYPT 2020; arXiv:1910.01700) — Springer / arXiv. https://arxiv.org/abs/1910.01700 (peer-reviewed article: lower cost estimates for the AES key searches that define the NIST categories)

Appendices

A. Cryptographic inventory

Algorithm	Parameter	Quantum status	Classical status	Count	Locations	Examples
SHA-1	SHA-1	weak classically	deprecated	15	15	storage-bigtable/src/pki-goog-roots.pem (line 1028); storage-bigtable/src/pki-goog-roots.pem (line 1062); storage-bigtable/src/pki-goog-roots.pem (line 156)
HMAC		reduced margin (Grover), approved	acceptable	1	1	sdk/src/signer/keypair.rs:12
SHA-2	SHA-512	reduced margin (Grover), approved	acceptable	2	2	ledger/src/sigverify_shreds.rs:340; sdk/src/signer/keypair.rs:252
SHA-2	SHA-384	reduced margin (Grover), approved	acceptable	16	16	storage-bigtable/src/pki-goog-roots.pem (line 1006); storage-bigtable/src/pki-goog-roots.pem (line 1096); storage-bigtable/src/pki-goog-roots.pem (line 1121)
SHA-3	SHA3-512	reduced margin (Grover), approved	acceptable	3	3	zk-token-sdk/src/encryption/auth_encryption.rs:138; zk-token-sdk/src/encryption/elgamal.rs:441; zk-token-sdk/src/encryption/pedersen.rs:15
SHAKE	SHAKE256	reduced margin (Grover), approved	acceptable	1	1	zk-token-sdk/src/range_proof/generators.rs:21
BLAKE3		Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	5	5	accounts-db/src/accounts_hash.rs:1171; programs/sbf/rust/sha/src/lib.rs:27; sdk/bpf/c/inc/sol/blake3.h
Keccak-256	Keccak-256	Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	3	3	programs/bpf_loader/src/syscalls/mod.rs:201; sdk/program/src/keccak.rs:8; sdk/src/secp256k1_instruction.rs:852

SHA-2	SHA-256	Grover: acceptable to NIST, below ECCG/ ANSSI guidance	acceptable	9	9	cargo-registry/src/ crate_handler.rs:287; storage-bigtable/src/pki-goog-roots.pem (line 101); storage-bigtable/src/pki-goog-roots.pem (line 187)
Crypto library openssl (OpenSSL)	0.10.64	n/a	acceptable	2	2	Cargo.lock; programs/sbf/Cargo.lock
Crypto library ring (ring (Rust))	0.16.20	n/a	acceptable	2	2	Cargo.lock; programs/sbf/Cargo.lock
Crypto library ring (ring (Rust))	0.17.3	n/a	acceptable	2	2	Cargo.lock; programs/sbf/Cargo.lock
Crypto library rustls (rustls)	0.21.10	n/a	acceptable	3	3	Cargo.lock; Cargo.toml; programs/ sbf/Cargo.lock
Crypto library ed25519-dalek (ed25519-dalek)	1.0.1	n/a	acceptable	2	2	Cargo.lock; programs/sbf/Cargo.lock
Crypto library curve25519-dalek (ed25519-dalek)	3.2.1	n/a	acceptable	3	3	Cargo.lock; Cargo.toml; programs/ sbf/Cargo.lock
Crypto library openssl (OpenSSL)	0.10	n/a	acceptable	1	1	Cargo.toml
Crypto library ed25519-dalek (ed25519-dalek)	=1.0.1	n/a	acceptable	1	1	Cargo.toml

Crypto library ed25519-dalek (ed25519-dalek)	workspace	n/a	acceptable	4	4	accounts-db/Cargo.toml; cli-output/Cargo.toml; runtime/Cargo.toml
Crypto library rustls (rustls)	workspace	n/a	acceptable	4	4	core/Cargo.toml; quic-client/Cargo.toml; streamer/Cargo.toml
Crypto library node-forge (node-forge)	1.3.1	n/a	acceptable	1	1	docs/package-lock.json
Crypto library curve25519-dalek (ed25519-dalek)	workspace	n/a	acceptable	5	5	perf/Cargo.toml; programs/zk-token-proof/Cargo.toml; sdk/Cargo.toml
Crypto library openssl (OpenSSL)	workspace	n/a	acceptable	1	1	storage-bigtable/Cargo.toml
BN254 (alt_bn128)		vulnerable (Shor)	acceptable	15	15	programs/bpf_loader/src/syscalls/mod.rs:26; programs/sbf/build.rs:67; programs/sbf/c/src/alt_bn128/alt_bn128.c:4
Bulletproofs		vulnerable (Shor)	acceptable	2	2	zk-token-sdk/src/range_proof/generators.rs:64; zk-token-sdk/src/range_proof/mod.rs:25
ECDSA	secp256k1	vulnerable (Shor)	acceptable	3	3	sdk/bpf/c/inc/solana_sdk.h:18; sdk/sbf/c/inc/solana_sdk.h:18; sdk/src/feature_set.rs:786
ECDSA	secp384r1	vulnerable (Shor)	acceptable	9	9	storage-bigtable/src/pki-goog-roots.pem (line 1006) — GTS Root R4; storage-bigtable/src/pki-goog-roots.pem (line 1096) — COMODO ECC Certification Authority; storage-bigtable/src/pki-goog-roots.pem (line 1164) — USERTrust ECC Certification Authority
ECDSA	secp256r1	vulnerable (Shor)	acceptable	1	1	storage-bigtable/src/pki-goog-roots.pem (line 882) — GlobalSign
Ed25519	Ed25519	vulnerable (Shor)	acceptable	11	11	core/src/cluster_info_vote_listener.rs:340; core/src/sigverify.rs:8; core/src/sigverify_stage.rs:228

Ed25519		vulnerable (Shor)	acceptable	4	4	storage-proto/proto/confirmed_block.proto:3; storage-proto/proto/entries.proto:3; storage-proto/proto/transaction_by_addr.proto:3
ElGamal		vulnerable (Shor)	deprecated	4	4	zk-token-sdk/src/encryption/elgamal.rs; zk-token-sdk/src/encryption/grouped_elgamal.rs; zk-token-sdk/src/zk_token_elgamal/pod/elgamal.rs
Pedersen commitment		vulnerable (Shor)	acceptable	25	25	zk-token-sdk/src/encryption/elgamal.rs:21; zk-token-sdk/src/encryption/grouped_elgamal.rs:19; zk-token-sdk/src/encryption/pedersen.rs:44
RSA	2048-bit	vulnerable (Shor)	acceptable	22	22	storage-bigtable/src/pki-goog-roots.pem (line 101) — DigiCert Assured ID Root G2; storage-bigtable/src/pki-goog-roots.pem (line 1028) — AAA Certificate Services; storage-bigtable/src/pki-goog-roots.pem (line 1062) — COMODO Certification Authority
RSA	4096-bit	vulnerable (Shor)	acceptable	7	7	storage-bigtable/src/pki-goog-roots.pem (line 1121) — COMODO RSA Certification Authority; storage-bigtable/src/pki-goog-roots.pem (line 1189) — USERTrust RSA Certification Authority; storage-bigtable/src/pki-goog-roots.pem (line 274) — DigiCert Trusted Root G4

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

B. JSON

qsi.report/1 · SHA-256 95cafacb721dbd2090c5af18bd163aecd86fc6cb4bfd30be3473880d42dfd4eb

C. Input files

File	Size	SHA-256
Cargo.lock	209098	4d874033eb93b0ad58084d1b15a307b7f02d4c27a2ff99e233bede0eff677a
Cargo.toml	19071	8c4c8376ebed19b2cde08a736d46d07a14f87d5d941a05d4542547b2425123
account-decoder/Cargo.toml	1154	c5aabb10f7aefcb4b6f009e0aa75a892f123f55a901e765ab634d974d0959d
account-decoder/src/lib.rs	8883	f07c463960b0e675f01bb3506f198dc09729a87da043909523894cf45ba356
account-decoder/src/parse_account_data.rs	6000	4e187623a5015d06160074fcb10328601f919cd7f89bc70adbf82cf75ed28e
account-decoder/src/parse_address_lookup_table.rs	4181	1b1abd021a3fa76a6e2e303c33e9bec173417180fc0190ef2b90559c231443

account-decoder/src/parse_bpf_loader.rs	7335	1401a3b13210db19c02502be9797c2b30b8fa7f21eb5e467506dddfaa1a3b3
account-decoder/src/parse_config.rs	4826	c5008e4ea82e1d71ac95b9a34e1ae7c82b96ec4bde1b7db2e5feeb42fc6b9e
account-decoder/src/parse_nonce.rs	2621	d06322c790e48128293cf0b8c6b473b575e9c1eb214dd5b19854e0194b12ef
account-decoder/src/parse_stake.rs	7597	66ddd24b5b93542e6cc1ab55778074413cc00bf647f1af4e1691666d664394
account-decoder/src/parse_sysvar.rs	13373	095ff21acbf200b1a8785cce7628bd50447f073a85f4ec7304be10518168e3
account-decoder/src/parse_token.rs	24096	2bb6516dec16181d6938b2e95b8eba69d5aca757c04cf570318c29059b495c
account-decoder/src/parse_token_extension.rs	23963	d6646951853cb03ddc263237fcb24aa876e805bd5c45ccc48f18bdb7838c86
account-decoder/src/parse_vote.rs	4603	4b60a905fe442297de8423aea07469733615e1d9701e35545ef70af4cc70ea
account-decoder/src/validator_info.rs	465	a5ae8672b8d8dd73f917c1e86ca511c8f64f71a21d4fb900147fb6cd075fa9
accounts-db/Cargo.toml	3157	4cda1a186d64e5a247e7793b174fc6583f986be7f210abff425a1543308060
accounts-db/src/account_info.rs	8299	4b28c52e007d564681d275177de56cf7f1a02eaa9b4164326ed8f045329f9e
accounts-db/src/account_storage/meta.rs	9388	fd66101a8a1aefb207a678d7396d5029b3c8a600f26995cd52a8615e45e3c0
accounts-db/src/account_storage.rs	19406	f86fc96dd587438705afd4735e1ae03018e8f2a8f9f03a1d5bd589bee82b91
accounts-db/src/accounts.rs	83402	f3f54871c59b8793d8ca24d369025c67a2a5f98da3c8793aaeabc3d4a9d412
accounts-db/src/accounts_cache.rs	11726	5dcec95bf00337b75cc89eec1598b89b5800ebebbf65b2c49c0528481724c1
accounts-db/src/accounts_db/geyser_plugin_utils.rs	16075	97ce35f43a0995fa16a1533afb7d07e78a9b62c78639c153e47d2c1ae3b5d9
accounts-db/src/accounts_db.rs	720716	4813386265a631e7b039ad2db6cab66158bb078389da7eb1569955ef6645f6
accounts-db/src/accounts_file.rs	6113	d7a3ddb7ff077dacaee0baa920c93c7402eb1e8071477cfc03d3d93c45a8c6
accounts-db/src/accounts_hash.rs	97838	f6a24c9681ce6b8bf35a97d1d4700a2e5f352bc5194c59a3b71887fc8e3a36
accounts-db/src/accounts_index/in_mem_accounts_index.rs	88682	e63e921b4057e9dfe6af52faa2c7d54f87fe6b94bbca87364ec429744f508f
accounts-db/src/accounts_index.rs	151053	a0335fa025196c3a4fac8b47e5f15c87b4917b34904ac900cb521fb2d70665
accounts-db/src/accounts_index_storage.rs	6282	8bdb70f9bf55400069ff5c891231abf29b741ff249c0c9ba33730a666045f4
accounts-db/src/accounts_partition.rs	28009	057750a32c248273c6645b24d28fca27d56208bd05020934ee7ac6406a3c9d
accounts-db/src/accounts_update_notifier_interface.rs	987	78ccb0ea83d24ab115a36f3b4d652e8f8ebf1865a383f9d9aafe2122b3812a
accounts-db/src/active_stats.rs	3150	c0c86cb36104d93a0b0884002b12803071af9abdc68921a2fb5945aae65361
accounts-db/src/ancestors.rs	6674	af0f2d8e4a590a27eadfe132c4337526db489b9ef098a614bc9d814d32b9b7
accounts-db/src/ancient_append_vecs.rs	148133	98c8e7996f4799d6df93a0bc9670d16ce6a524cf67f9d061911a6081706108
accounts-db/src/append_vec.rs	52022	94075633305eda2dcdb2fc8da863dc03dbc521daab595628a5790376662192
accounts-db/src/blockhash_queue.rs	9435	6c6568fdba055f914a26fa9183c4ccb1599b3ebcdb03569af4b841d89ff41a
accounts-db/src/bucket_map_holder.rs	22829	7d41c1af2d3f6f4864d1d379f7b079e64ba4ca1c837b9b9ac7733cecedb495

accounts-db/src/bucket_map_holder_stats.rs	23453	eb131aa7c118464dbbb305afe017473189962cc17131ca1073fce9e61bbe51
accounts-db/src/cache_hash_data.rs	22289	a080b3f881f4fdb65a246b27efb955cec692d0408ca1ffc6e4389c28dbcfea
accounts-db/src/cache_hash_data_stats.rs	2604	64fbefe7a79334e91638367a25278ce44391070b80f0edefbec4692f48349e
accounts-db/src/contains.rs	1271	b02e95c030a56d1f0853710a81383c883d2d97bcd3d45a45625fc3fa18debb
accounts-db/src/epoch_accounts_hash/manager.rs	6541	307bd57d38ea6be5c0641f4ff77bed31c3e75d51071ed656b71e150585289d
accounts-db/src/epoch_accounts_hash.rs	1211	78133f530563e95c4d87d1f8c67309407649d8f0cb805467578abcfd7cecc9
accounts-db/src/hardened_unpack.rs	35128	1786e5795bd90d45c0663ae72468c484ccfe7c893647d70170bbb72bff84b6
accounts-db/src/inline_spl_token.rs	2896	a1d6faad2d08bc101ee8b03984394de6dbd1d987f22f1d6d5d7d24da05afcd
accounts-db/src/inline_spl_token_2022.rs	715	0720c6f0be4c05596bc021220b358b37e0e485b10c19e31f8cc6f524a08c61
accounts-db/src/lib.rs	1266	6283fe225eed1b19e1ef16a353c11efe2b8770337c0e06f45f4de2cde5a2cb
accounts-db/src/partitioned_rewards.rs	5073	4001ae3b5132f6cf9d983895b264d02beaf43854cc895d0fad583826d53588
accounts-db/src/pubkey_bins.rs	6544	8007efea11f70c2a4d2f33d3a1ef8650ec9db6a9f34c436a11c4dcd8ea857b
accounts-db/src/read_only_accounts_cache.rs	15081	543f0869ce7503e5eacc53cf29b45805a03e4e87d90badf4ab7d3960630764
accounts-db/src/rolling_bit_field/iterators.rs	2588	8bba87f0eaa6ac1d46768f6816b93119163d012688192bb46f310aaf365cf0
accounts-db/src/rolling_bit_field.rs	35355	4dc8ffa7a5499fe99eca10d25063e5ec2c1f15100478ac456a61e7ff104117
accounts-db/src/secondary_index.rs	8058	09fb88d2609b47ceabf064696260ccfa9075d3b788881c4ef83509853c5b62
accounts-db/src/shared_buffer_reader.rs	38851	693fbbcc8a3d8d0d862a6d0a9771305f8c5de3688ad3a241c6d3a17ddbff05
accounts-db/src/sorted_storages.rs	17457	f78f7f1ebcad3732e2f54009132ac50588191cfe1ea917bfc2b281f7be8a7c
accounts-db/src/stake_rewards.rs	3071	e8cce6ea3acace1ae9542db338d691bf0cb8b8e64195635081aa30d6a0c39d
accounts-db/src/storable_accounts.rs	21194	a67562f2a9b61c282d368227579382efdadcafcef48b3d5405a2cc90917eca
accounts-db/src/tiered_storage/byte_block.rs	13713	1d3d9d33b3038d781b7d5bbb7be521c520ec960c9b3ad5211688c0170447cc
accounts-db/src/tiered_storage/error.rs	1102	fc8fbca36dc8d8ed3beb703f8dbe994fbe24ff3c23597f457ac8522a153a18
accounts-db/src/tiered_storage/file.rs	6121	8b197de484b07333251d0fc8a6bee9e7149985243df6c71e1b4c069bb9633b
accounts-db/src/tiered_storage/footer.rs	16778	ef330b0a5bf95419cc80fde8f50434f3c1199b0c1f840be7bcd7d6a0b03226
accounts-db/src/tiered_storage/hot.rs	54042	db3ef724ce60ce9ebf437992d4be821d34d73a8968743a3be7f6354d1d777c
accounts-db/src/tiered_storage/index.rs	12348	0469bff9501df0b413227dc23d9a0413b90a80d52879616fc963377ccd347b
accounts-db/src/tiered_storage/meta.rs	9788	e0c87f66a3e030b9be2fc348d88d945a62d7615c7f3a425eda5e1c33a314a8
accounts-db/src/tiered_storage/mmap_utils.rs	2388	f62c834c6a590ae56505a23bb5495873fde17213dcf9a2060dd1711f1bc682
accounts-db/src/tiered_storage/owners.rs	6443	f2363db19db77f4bf59bd0c603904cc932e9ba2ff66cd15a70e9c72986386e
accounts-db/src/tiered_storage/readable.rs	2957	aa5caa3cf355d6d6709f62a15c9ed598f6457398bad107b549d8fac834d496

accounts-db/src/tiered_storage.rs	15413	dbcc071b4489eb4da469c0b56f27f825657220b1942c03ac433d6ab5e4b2e1
accounts-db/src/utils.rs	8461	b58b282620d2ddb69905958fc60d77b7dc9a0e7d9b631a1e41376a630377ea
accounts-db/src/verify_accounts_hash_in_background.rs	5523	9b956f317bd571e5f0f55b8602bc94c7eee01c549361d92ee4f5afaea39a12
accounts-db/src/waitable_condvar.rs	2891	2d20c7c7a76eee5b01ce8cb326afca4afcc50b3b8b84bd29c0513ecc89f3cb
accounts-db/store-tool/Cargo.toml	576	7a14aceef49d15de48a2e9535c4a03c3d37c27eea231f2904df5fa9d139613
accounts-db/store-tool/src/main.rs	2596	fb236b2f6338214c4b652a67461f19b5ea94fb5d5249f38cbd87123ed982af
banks-client/Cargo.toml	969	14e8bcefb7b4b58fef2cb03a0a42b3bee5fb45d435906c40c1b5adec8447db
banks-client/src/error.rs	2529	510159054a056e4206b994382a039a3ca96e1ee1c35d9778e1b4ca810a2961
banks-client/src/lib.rs	26225	c5fbb6d4b707036992b3bc183743100da0e85c533f8071ebfe130b07afed1f
banks-interface/Cargo.toml	611	15dacc1e50bae7bf9d272e722e140c943ba20e17d6bbccd0b690c7554a76f1
banks-interface/src/lib.rs	4075	2978c8cc9a31f60678a490b9c5347d55b9efc94dba33d2ef7a6b7f809dac2e
banks-server/Cargo.toml	965	338e8a775df823b24fc76a049def9ae76932b09b6e83def0b4fdf4ae54c125
banks-server/src/banks_server.rs	17187	adea1f330c4a2864b945ae01cbb09e167e16cabf64d7648934fb1b53cc4482
banks-server/src/lib.rs	65	acec6bf7bcadd1514157ccd0d6c2f590c88c9196b4981edf22c25f69a443f0
bloom/Cargo.toml	862	a981a96440173f8dae2057b6c7ab5d170dc7015ba58c17ff12cbe5262244d9
bloom/src/bloom.rs	15905	87e1db1c98030265f2cebbf49587578e6125511a6988ba548d871a6982fb01
bloom/src/lib.rs	136	5705232a9b3fbcc023b6bd26578d64e62fec58cf870e058b19b8094c9df3c1
bucket_map/Cargo.toml	922	72b0329a971aec421199aa37828f3b16829484cb5e54b71370aa085d27d95b
bucket_map/src/bucket.rs	66054	1f163bc619bf7b4bc598ada05396b291249ec23d1c6bebf9a9c2af0e32dae7
bucket_map/src/bucket_api.rs	5139	ee2d48081ec9d0201de7b34900253c43a767548717e79cc276f66d5657f65c
bucket_map/src/bucket_item.rs	194	06f7089f1ed04066827e1e1db4865692a818f7ed571967c8807e82c4db4541
bucket_map/src/bucket_map.rs	24809	4f28f1d0419bb53621f08d498c1676aa6170ea48c4f576895cc041f7f37119
bucket_map/src/bucket_stats.rs	1084	407db1b6f4c9bbfc68b3db2389f3300a2d92ab07c4b44fe68c3e547e289fdb
bucket_map/src/bucket_storage.rs	25381	72973259594ac37459689f142f320c51cc23fb9bd98d9227a45467971b2efa
bucket_map/src/index_entry.rs	19384	ea6f6c7c8a9fabafd8fc449fa2cb5a528a632199daf8ebed024f39db451821
bucket_map/src/lib.rs	230	0f5e20dbea9ba2f658a6b9a81ebabcf2347ecc713271fb160df719f84523ca
bucket_map/src/restart.rs	23692	e9f4c60fafc203b0663be4bc89937727d65cb8d5c757b063c85a86ba124417
cargo-registry/Cargo.toml	1384	5b3399122179049427d461f43dce3bf30703c9598b4f66fe8b213debde20d8
cargo-registry/src/client.rs	8251	6040d31521c9a6d5abbbee81cf358f3920802fd4c011d4de7025452cfe93c8
cargo-registry/src/crate_handler.rs	15092	e3b2112eade7d592a413e4fab96c83ff8178bd810f1b06001930e42ec520c0
cargo-registry/src/main.rs	10075	a621bd27376eabf98ebad235f866f558ead7a4a42bd32552390ab3cb064e99
cargo-registry/src/response_builder.rs	1666	ceb5f1e5d2e41783716ffca5476d49d55fe5f155fae452b9704f156778843d

cargo-registry/src/sparse_index.rs	9224	c3d26487ff55aed448fc08160446f3c881c2bdb2ddd33db8f33706f36e5b10
ci/order-crates-for-publishing.py	5600	88b5ac6d462273fcfee6c958cf971fde8c0bdec36827c30303aebbc4e3fb5b
clap-utils/Cargo.toml	839	dd4e53cc1f8575a5a74c46c35ae3158c82b22bc6297652ca563412e42f5f83
clap-utils/src/compute_unit_price.rs	552	3066ddccb0f3db9334c7f835947e322581ff3096608a52d07a5f52ac2fd627
clap-utils/src/fee_payer.rs	694	942354f00b8706e0f0aa055ddf4d0961cc829c1d3649be78623461fe102baa
clap-utils/src/input_parsers.rs	11636	12651291f04b5f2a9a491055dd386a399c8ea06ac7f7e36a64f7416523f297
clap-utils/src/input_validators.rs	12450	9b81869b5ec9d30193dff8db0648fe0b65dfc9b48d971017000a4ff21d8009
clap-utils/src/keypair.rs	49013	e3d4e8fde0129d3b6b69d73d7545cd36acede5d8d2bffa46bb4842fe4dde0e
clap-utils/src/lib.rs	873	c6b6fb4e347ce9819fd62a7daf0fd3bb4ab51087303acd8949dd01f85b722e
clap-utils/src/memo.rs	400	c5dad9ebb83dd441c4a85619883bd8269868ce5e8faa81618a8fc9082a5ab7
clap-utils/src/nonce.rs	1606	ccdda48fb2795d40d3ba633c4f89394cf676049badd4f5ae9bd7c8a69cfbd4
clap-utils/src/offline.rs	2919	421bfb8166ceb76002f279609d7e8c879429da57dd0b9222604bae8aead28d
clap-v3-utils/Cargo.toml	927	5b1e3d0ad0e71cb09bc84cceb127e38967b514364927aa3bfdb9c0496569cd
clap-v3-utils/src/fee_payer.rs	708	de452e79bad6b4dc9320b28a3f86d271bee02407d2ebe0673fb3fde8d74ce1
clap-v3-utils/src/input_parsers/mod.rs	17646	b3bf6d79c54d42871b34a637f508c1bff9a7dc83e4e78abd53c462d6ef8f84
clap-v3-utils/src/input_parsers/signer.rs	30595	3bfaebc1d5472d39458734c92c4e7f4e725783ee5101ee2cb2b7c2de078562
clap-v3-utils/src/input_validators.rs	13771	be0cb73f65faaaef2bbe454cfffbafa7588872aec23f66b2163b1a501247e8
clap-v3-utils/src/keygen/derivation_path.rs	1112	869a7707b66ff05518c89b76d7bcdb6d2011b4d1ddff13ac56a4acb8387d91
clap-v3-utils/src/keygen/mnemonic.rs	3148	1ee0ac2a40b9dfc41627dd4ba5ea5e0f7c92bca9152fe8567d4fcbf69ee027
clap-v3-utils/src/keygen/mod.rs	1236	ad6df26d2b08e49211cf7e4ee1215f01e6f64e7933fc6b76dda2ef83b63a24
clap-v3-utils/src/keypair.rs	47369	42d5001e600b9557dc6add24cabfcad1d468f88760c1b0c62917e7536e5886
clap-v3-utils/src/lib.rs	762	4425d974d97c6843fdc72f412c7665748c92b97272413e181369ea4a81e0a0
clap-v3-utils/src/memo.rs	386	6ab3a68e781acafe1003e8045c74b01fb2ff6555a5af5d7dd82039a35621c2
clap-v3-utils/src/nonce.rs	1576	3eee903123675b24799479b71ad9c2a48a0111a50a89c6f4df29e3528a45ee
clap-v3-utils/src/offline.rs	2930	45c45e0f62acac2fc3239c032f1abc32dc989d2a36665608daa1698d58ed2f
cli/Cargo.toml	2465	63bb1152ff0d95ef44728516caa5068e81ff58fed9c525d4afe97f5dc0f235
cli/src/address_lookup_table.rs	35716	1f8934e0c94c524d758524a8351514464cf9f06fa10ae0a0c31aa7b31f9de2
cli/src/checks.rs	10495	8f4deb0f821221d42ecfe2124e7b8ee99483601c6a575b1a36c55742c0dc61
cli/src/clap_app.rs	8718	3f02da13656d4fc1a7377f00c4f7ed28a427382c0f56a7f8f755894e93f859
cli/src/cli.rs	95682	7ac246045f6c8070aaf4a9e9810790f629a6f76c7e47631af1fbd0c887ebaf
cli/src/cluster_query.rs	88694	547f1ff99bebaec8eb6300c5411a93cc6af5e1f8c33a3903c07ce77abc0801
cli/src/compute_unit_price.rs	556	269b0138c11acf0e3c0035d1c3d115a30fb40da5b426c2a30e630292030d69
cli/src/feature.rs	33348	364550b399c3eb42263922f9289982a0023b43e67784a4773d45fce08aa82b

cli/src/inflation.rs	5068	27e0913696b470d65dcc738837d513de04ed9f5679c3bb17d5360f32c44cfe
cli/src/lib.rs	959	d216f53e3f4bd82eb51657859faf7fe0373876ab62f19dba1c6c0f1f72efcd
cli/src/main.rs	10952	5ffcef4f0f182312c8aaa43c513d26bfe3460962d03cd7f931a0fcf9426228
cli/src/memo.rs	615	9239ea4a15cad62bb82e0726a31c3f2f2e48d283898a2f67046a493094ce1a
cli/src/nonce.rs	42096	2f42d86c804bebff1b286d42f260fbc799186810030a5924042df5b6774c1a
cli/src/program.rs	146147	62c903a8d70456b85f90a09a3dbe62054e4e9ca9d909f7c7d3fe8b6454ba61
cli/src/program_v4.rs	65627	ca4815783c9a64f35d60693ae838a39bca51eca9934365db58f90b506a4e2e
cli/src/spend_utils.rs	5723	31c10110d3082608de1c6290fc8d10888c6e6854372bb9e7534dd53109ef7b
cli/src/stake.rs	201075	624230d4ca7273bdce1724135203b14b1335950e8382ad3cdd5877221b9331
cli/src/validator_info.rs	23391	e2fa3164f55d998ad564f872700a98f9fbed8d4b14377af31bd193792d090b
cli/src/vote.rs	91685	334d3e59d7eba18fc3fc242b75974dd6c6c7f8e6c5554217b575a0809a746d
cli/src/wallet.rs	38936	ef1512977319089268de6183acbff61dddd82dddc918499b22a7021cae6118
cli-config/Cargo.toml	727	ddf892febe253b85de183e51570dd3dffd5d19e7f1adbafaced48c86b0a7c3
cli-config/src/config.rs	6925	053c8b401cd0c6c63c88ebbfe301d8520a51cfad8f90047892beb161a2fef8
cli-config/src/config_input.rs	3975	56219bd81a440bab978f94b17eb4e20f088a42307097a18ce00bc25710d9b9
cli-config/src/lib.rs	3795	b972195bcfa0f08a4dd9336f3f62f0cffa9ddbb0feeff2e50d472faf804c8e
cli-output/Cargo.toml	1192	ba7dc27dc4909f2afd760c0bd97247d777368f228f1820d251d8cb3a79dc60
cli-output/src/cli_output.rs	111019	cb9d6a8a4220dd8560dea9e59f118a28bf416b9d8ceb151f61221167aa30cd
cli-output/src/cli_version.rs	1498	f5358be282cffdc534e1984cd22d7b5a50df8199de0ea542169a05b47aff10
cli-output/src/display.rs	31076	329d7ef495e01a7a40262aa52f1bd88bb4dfe89982539321066e7a92f52a13
cli-output/src/lib.rs	434	1f6935fbefacf176aac2e3782d177464f0bd6a8a47c4fb77f60ae4ac772594
client/Cargo.toml	1435	0dd000e23c6075d72eea62b796c91ecd9fe6b4294f50a748c333ae1236e5fc
client/src/connection_cache.rs	10872	71752ff30c44b8958ad0d6039379406bdf4b01303fd4a8720eb00bc5709377
client/src/lib.rs	1819	73b5c9e23026655412e664350507347de025ba72c1f66591123d0efbbdaa0e
client/src/nonblocking/mod.rs	869	9cc2d7aa72efc8a88c6aa319943c72447280383e70b9c089d2871b171e22c9
client/src/nonblocking/quic_client.rs	365	997903cf01cf29c49a966e8a1ba58158f73266f3bbf29aff227dbc5e034dc0
client/src/nonblocking/tpu_client.rs	4888	6f288c6a39688a406cb15bc06d6ff520df65f723600219afaeb925ffc0fb2e
client/src/nonblocking/tpu_connection.rs	248	b30a71c1f4e20f6d952cdb9a83a3136247b137a56515f307d52d3f3119bcab
client/src/nonblocking/udp_client.rs	231	15c75cfcc826db7573d20186125e543b62d13dc90ab58743f8133565ed84ee
client/src/quic_client.rs	212	dd7067641a850c17e6497009e216d34b04e41bfb6b8d5c6577654b8815b4f6
client/src/send_and_confirm_transactions_in_parallel.rs	19877	9973c7fae84d22e0af026446895724fcb03ce0fff339bf578bbc7e05008546
client/src/thin_client.rs	10036	078acf76658312c690983ed49da02ece2b6ab05529a5d60e169a93f485ed16

client/src/tpu_client.rs	4965	bf76c3dd9f6baf1dea23cf0ac0513346c58bb7a92de1bfb5fb08645d6c1a7b
client/src/tpu_connection.rs	287	781bf0d83aab49047f1bccde22db1990fa537c4dfcd9a2ee80a9c4f5189d27
client/src/transaction_executor.rs	6604	000aa4e6542d4ffd86f60bfcd1ffeddd5280dc8e7a3bb956c28d5d632dc8dd
client/src/udp_client.rs	205	451ec9b554e663045e7a7b5d4dcb495bd1fdda517ed1b6c6e0bbd47556c9e4
connection-cache/Cargo.toml	981	51ef426afe4590707762004c0f8bf289cd99bd777bfbef4117b4338ed12843
connection-cache/src/client_connection.rs	1628	34156ec82b79a492ace6b464d05cd3d662453e674d4be27702d6f79f828819
connection-cache/src/connection_cache.rs	26836	070efae08a628ba4f305efb456e54b302b3a5ebbd39ab3c72afc7f8512ea18
connection-cache/src/connection_cache_stats.rs	7759	7d384e37093c30da5102d53e02a822040eb1926e474d21e9aafcbc0a9a9e90
connection-cache/src/lib.rs	193	75e8796bcda141c34764725f1701c7559e16a8542a1786595962c65ea61143
connection-cache/src/nonblocking/client_connection.rs	433	452f0bc171c174181149691fd5f931ae324f4903af1b74a37b140098425850
connection-cache/src/nonblocking/mod.rs	27	2a27a2e74b31f9ad5a22c844771ccae8eb0b29c5e089df2aefc4a1da6c77c0
core/Cargo.toml	4092	9477424e2d4baa12c3aa283fda16ac7b5361794fa41a8c45ae38efabf201d9
core/src/accounts_hash_verifier.rs	31500	de47fb4024eb46248f0e4c87e276b51b7b423401ec8842d078be2cc47d4275
core/src/admin_rpc_post_init.rs	895	8d1bbb4e9e3ae598f1861cf72da861399df992c585675e38ec73e75473b725
core/src/banking_stage/committer.rs	6752	2e65771da30058fa6100e6721ee2d9261afe048795528facba75ef8be70b87
core/src/banking_stage/consume_worker.rs	33592	aaac2e0c8ebc8ab3ff49624a5e3dfffa29f1f8d3b2bb4af3102ad66c87d8a1
core/src/banking_stage/consumer.rs	105131	e09e0c47f21907c8c258bf63a857c008d26b8008b05d82dfc16fa97c6007e9
core/src/banking_stage/decision_maker.rs	10508	6cb2f1b5e93486dfb9d412d526bcecf93847c71f550e1df6dd42cdf5d1516d
core/src/banking_stage/forward_packet_batches_by_accounts.rs	13483	b60dd4fcb53ad307acb7d3d191b8b57f081ae7619ea0d92bd865050ca110ca
core/src/banking_stage/forward_worker.rs	7551	02903672e55b31e610844c2c53a28afb51b28a8bd04811ca916c5a75fbe6f5
core/src/banking_stage/forwarder.rs	19111	949a8ce5fd68fcf47b9facaae2eb4133227a4dc0db9f4bbabf729715def14e
core/src/banking_stage/immutable_deserialized_packet.rs	5354	91856665b0f3f53ec9f44757aaac487f3499073da798068e6d69a7a4be10f6
core/src/banking_stage/latest_unprocessed_votes.rs	30139	51d2653a84cd4dac70abd3b298074256e406333ab3bdf91c9bd1486d4a8530
core/src/banking_stage/leader_slot_metrics.rs	45036	4b055b4937de5c6caf3684990fba331560d004ca26dd762287b09abf5266c8
core/src/banking_stage/leader_slot_timing_metrics.rs	9520	e64d198b7955c36c242a5075f2a8a19992fb153b349575cb710760b97a2a40
core/src/banking_stage/multi_iterator_scanner.rs	14504	e90559c937cf94c88b7fb43d8cdfb915801fdcc07205bd10c65c28c7024a0d
core/src/banking_stage/packet_deserializer.rs	8779	18c2a6dc186ef83769c13ff8f48d563f80a5a7b24ac4e87decc65fa7d029c1
core/src/banking_stage/packet_receiver.rs	7392	560037dd7d1109e0918a24b34936617b9a5518443e2fb65ef04955606b8a97

core/src/banking_stage/qos_service.rs	36340	2eea69910bf82cc6b9c1fa551decd087f7f45b4cca582322d0fca228d52016
core/src/banking_stage/read_write_account_set.rs	9828	35123f835fc31e449ab9569e545f0770ed6092e493476cb7d1044686f99d92
core/src/banking_stage/scheduler_messages.rs	1729	1352ae96fca3f18cdcc9edd899dc1082476cdc5e661e658e4e35d45fe3078e
core/src/banking_stage/transaction_scheduler/batch_id_generator.rs	340	231065d7da16b95eabcd5f7af2c98317fbac7908eef6ee22144782ad780e27
core/src/banking_stage/transaction_scheduler/in_flight_tracker.rs	4204	b37327b83554f6f8dc2b4555d5b44cd3f34fc700fe482207692e6b125a07ac
core/src/banking_stage/transaction_scheduler/mod.rs	383	e88f4a0e6d63a57e260027fa89a6fbb016ecbb437405795663723f752281ae
core/src/banking_stage/transaction_scheduler/prio_graph_scheduler.rs	31283	c50bc3a8afcf969db42921f6d41087de2b0b4a8c3c78c8dcd522799af2616d
core/src/banking_stage/transaction_scheduler/scheduler_controller.rs	38812	822025d11c4e89fd79146e066cfc5a1ac22fc9013c68e1d02527641a705507
core/src/banking_stage/transaction_scheduler/scheduler_error.rs	258	dea16f2f824c65c62f76f3fdcf5503c05981f9ba49d1869322927af9f5daae
core/src/banking_stage/transaction_scheduler/scheduler_metrics.rs	11386	41714e778eb2461d6a85bb6fb980983b51e97b64dcc9a8f6aabfe23bde1b16
core/src/banking_stage/transaction_scheduler/thread_aware_account_locks.rs	24045	b086a9db9c6da01155c457537cbd9f655e647686f68615422dc714d78c61c1
core/src/banking_stage/transaction_scheduler/transaction_id_generator.rs	470	926e75e5346ecec45820d434fc9c5dba6e6bb73117d10afaea96e626fb6c7e
core/src/banking_stage/transaction_scheduler/transaction_priority_id.rs	1058	161de87b06656837f5a065e588f64c1863c339a37b1e0575e763500eca4037
core/src/banking_stage/transaction_scheduler/transaction_state.rs	10395	c1df257ad4d43f7094eb6eb0a9849b03f1f80d2d202054158dc44a6a4e70ed
core/src/banking_stage/transaction_scheduler/transaction_state_container.rs	9156	e8c3fb6bb2890f5ff851ef02bb7d92bc993819037ba3a6cbb28d4cfc375dbd
core/src/banking_stage/unprocessed_packet_batches.rs	19875	9f993304a21f068f2982695e8eeccea60b8706389fe9041ccbd80752e89eeb
core/src/banking_stage/unprocessed_transaction_storage.rs	54015	06e1c0e62c2b7307cc5d26f57de9a8a75fea54435f1c3258941fdf1451bc00
core/src/banking_stage.rs	58576	93a225d5f5a2eb995a64af00204f54636ad3119f1b31057583eb2d3ce1d70f
core/src/banking_trace.rs	20500	35097f40d8bc9c5c54b5a52198d7c90e35e17a3bfb98589cd196bad3fbebd9
core/src/cache_block_meta_service.rs	2482	92f9770bfe43ee347292161a1928147cba4695b94a76c31d08a2ef17ee31eb

core/src/cluster_info_vote_listener.rs	76487	aa0d6940567503edb7bde4c952802d00cebd6d3ac23ab8acd2c56d9cdf0ed5
core/src/cluster_slots_service/cluster_slots.rs	13670	420329314e0eb95f59640252d08b0a6767c3057b9c4a43cb632716d29656f5
core/src/cluster_slots_service.rs	7404	70209155cb7ff62b2bd283ca143be1b9572e2ba145a0fe42019fbe3bf52c3e
core/src/commitment_service.rs	25344	fc7d22c67f77308cf795ce5a53f04dfcbcc497388b524fc3909b985222ae18
core/src/completed_data_sets_service.rs	4870	a9b4d5061f753fe3276290ccbbae0eba51b9b51903fa2973e073f67f4db02b
core/src/consensus/fork_choice.rs	1606	5fa6e99e7c4050d4af496117dc4a14892d153172b2e2cde76977b93ed73adf
core/src/consensus/heaviest_subtree_fork_choice.rs	178974	60eeedb0f760d7dff10fc7aec997266194e833ede2d80e14172db999025f84
core/src/consensus/latest_validator_votes_for_frozen_banks.rs	20345	91f8beca7f5d5b4fab22708ad5324fd656b2a94475721650e9f61851c47eb3
core/src/consensus/progress_map.rs	26213	d379c5d85a95027d89037431fe5ac457ad5fce12ec8155e76f872d3b9db98d
core/src/consensus/tower1_14_11.rs	1662	69e1c28eff47e01440807bf6c7d63ef058604f56830ea4b1bf34ad00f33cc1
core/src/consensus/tower1_7_14.rs	2607	719c344915652db70a41a5e0e678cb4fd3946d852d356ba462a5ab6bb6ebf6
core/src/consensus/tower_storage.rs	14299	30f6086a48695cb8b6386316005a3caa5527f5efdd3e638c4d543e8555a0bb
core/src/consensus/tree_diff.rs	1099	aca5d3f3fecefc8982b338f9ec4cea080705b3e130b1975e9eb4aeb0da03a7
core/src/consensus/vote_stake_tracker.rs	3417	65b7ddb5a9d0b437693f3a25c46137b7930b21c291a54053671cee27a66817
core/src/consensus.rs	140896	d0638e740e057cfbf88a94e597ac04fa34618eef8c442e8127e88ced8dcaeb
core/src/cost_update_service.rs	1271	be110a422e53cd6bf21567f49a8477a504bab108fcbb321f4b116ef1192dc9
core/src/drop_bank_service.rs	1227	a7728d7334c7d7a59400f732e1a2ce65e5c034242fa91bb363a1a58a7d8718
core/src/fetch_stage.rs	9148	4986e5cc466b7080463481f7511a62315619ea5714803446e2cc63b362d6ec
core/src/gen_keys.rs	2380	fe179a8db39c7a66c687a9a59637a5f4e636fad8c43bf89f472e4ff5c92738
core/src/lib.rs	1935	e498d65824de77df3c796bad8a9b2f1a2e297504c576e819ef6c0a504fa9e4
core/src/next_leader.rs	1025	842b63a4802b272345196bfcefcd30b77a740265ddfbba7e0cd606d613640c
core/src/optimistic_confirmation_verifier.rs	13922	a510270c9cc4c14fe4920cca6ef4111cb5cf71a3c2e68d3ff550aebb3d1675
core/src/poh_timing_report_service.rs	2886	ff662f2f456660f6620875581b579615936123a86b8656b55f7c0b1335a7a0
core/src/poh_timing_reporter.rs	8110	efe6f6ea473b2e48ad0c5dc8b74a22aa2a9791001956be6bf2caa09295ee43
core/src/repair/ancestor_hashes_service.rs	93186	28b52db82dacc2a0b3e7fae3467970dd32f885d6703b9c477947b03016658b
core/src/repair/cluster_slot_state_verifier.rs	97615	81abf6f45333d91e8fff9690bf073aabcf9bce64f969c4705da2da009c2fdc
core/src/repair/duplicate_repair_status.rs	52132	70c87d4c436e6ea45e3e815d525283c1b1c8bcadf1f61fe89b7aeae6234d27
core/src/repair/mod.rs	424	8a8041cc441956324227cbfe8a938ea651fb41bec8872b993cc34f46861d9e
core/src/repair/outstanding_requests.rs	6663	d52643e93d72cc0201ded2b0a782b92c25c41e9106892144514e72e6f99232
core/src/repair/packet_threshold.rs	2362	b62deb31e5c6770e9633f9a1d93293d5fb8419e537ea5c383817e732d8ebfe
core/src/repair/quic_endpoint.rs	39619	1ccf3a8d87fcd0aeb6f6d146381aeb53ce78c0edb1e4b4faba29f1fda3cbc7

core/src/repair/repair_generic_traversal.rs	12340	e3ff60dfe92b42df0f300b4bd77ade50b4a92614d7d84b0fc2ff1a7220df3a
core/src/repair/repair_response.rs	3229	f9acb84aa72033f586da012ddbf2b373d20e7e0e7c548aa7e0ed0062309cd9
core/src/repair/repair_service.rs	64846	ed0f91b5bee9a2475509d12da22cd1b68649d16df0fecce6469798e2486c90
core/src/repair/repair_weight.rs	105388	0f8d0d5ec48bfa8f660640dc5834b071a067c877af9dd363a58a6a5793225d
core/src/repair/repair_weighted_traversal.rs	13270	3ae57d59443d7856b524f01c39119f117005f0f981fe6c01fa7fdb3d07c995
core/src/repair/request_response.rs	160	49a35edd3a29b4a5666cf03f3de9bb8a07316a90694b4c854a7959eaeaaba3
core/src/repair/result.rs	943	cd70a83d359a1accfc07df508f97c7d38b17f9450fb671e24d1068dd4328f5
core/src/repair/serve_repair.rs	92578	b92df904c34d2ee88fb9d6d89827cafc05a3bb29158d382322676b002b9d77
core/src/repair/serve_repair_service.rs	3414	4b32d2429d85c3f6983e91c8990f3ec22d0cb9eac1532f4cee38be5438e2a3
core/src/replay_stage.rs	350857	b238163746778aa7712469be5705330cae59baec72802978d5248149d4d31e
core/src/result.rs	2410	1eca1f0bba7e91726d859c09fef0968f368be296b0b11dd3ff713a6e66f8a6
core/src/rewards_recorder_service.rs	2712	5267fa1b33f8d021eda58f1d536a5d7d0adc4e70fe8bd6630936fbb62d06f5
core/src/sample_performance_service.rs	3757	34dc2a6ec03726a622975ca4ae7dcc4b1ce6932ac7f5596b85a1dd2a030d68
core/src/shred_fetch_stage.rs	20750	691b376da51401c02e7411e5559f427878f008d37f0f0752e8bc0555e12694
core/src/sigverify.rs	4897	f2603c5fb1f59bb2be331143092d2f82ece1bc68d6c5ff834558ff23075627
core/src/sigverify_stage.rs	25796	dcf4753cfcde544e1aa9e93d79159b95dfb567a4adab1494636dc888e3faaf
core/src/snapshot_packager_service/ snapshot_gossip_manager.rs	5996	40630fe565d650f335714dedf91af6279fe31f590435516cc0f669cacd697a
core/src/snapshot_packager_service.rs	15255	c239ca41d6f436ccac420e58311bfde469a835bf04f0c291cb73dc869082e5
core/src/staked_nodes_updater_service.rs	1505	f80be873dec3a8eaaafed524c7974ed6e421e1d8a5025b8b72e301ee28a5db
core/src/stats_reporter_service.rs	1396	441def53a12f953dd62ee85492b2e511a490974e58b0fd0365a81edcff4118
core/src/system_monitor_service.rs	41145	95695c651a99454a265a9387e4a23b0bc32cd783564c3470720edc3157943b
core/src/tpu.rs	11631	14d4a941d598ece6b38cbf5b2ab23221a59d3a1a76ae450149c3e542010336
core/src/tpu_entry_notifier.rs	3667	89e961b2bf15de5693087d859698353c24b8a92622e325c5af38009fb68a1c
core/src/tracer_packet_stats.rs	8020	15941291797845eb3153951b4c6fd7cbd0986c1f9b58cab558a3d3aba03b1f
core/src/tvu.rs	20688	009f8b07d7655567be9bf4a67c0efcd23f4e38c37d5a297a6818f3988831af
core/src/ unfrozen_gossip_verified_vote_hashes.rs	5229	51fd317ae57c9dde623340e9ea9307b4817b6de86f33c3eb1f03e8102e2c97
core/src/validator.rs	112493	bffb05d523a03cfff8c01c87856155c40bd360d0423d6e33164b087e60deb4
core/src/verified_vote_packets.rs	34759	6e9b06dfe7422b0bb496cc9acbc3240d67d291bb3867ca48f3a021999a5a4d
core/src/vote_simulator.rs	13066	703f4b1c24502d5cd1829cd2def8ad725e370f3baa801ad9449a54da91283f
core/src/voting_service.rs	2919	32db1eff18f91c9fb35ce550e0d8e7a2e560d7813e4b2cd14224bfeb74552e
core/src/warm_quic_cache_service.rs	2761	97ffe0b652c42305144e0d76c2c18416c216c0f98e59cc52f0b2469ee45f95
core/src/window_service.rs	29713	3d2bd73fcc3296dad7dc21cb17b20f48f09ac7fac7231e412712002f357880

cost-model/Cargo.toml	1368	72ac4ce21bafde43c07b817669be107cb07f8df6c71ea9b7b79de39446883a
cost-model/src/block_cost_limits.rs	4336	027da30734690314a8bb81c462af848fce80679cc8ab1ed205356150a0ff92
cost-model/src/cost_model.rs	27557	bd094ab8a6bdfa26b5e4f491a5ced8f0b525f396bf62eac1688468f6a58a92
cost-model/src/cost_tracker.rs	33708	4f218b9bb71e5b6685063a5777205451c33dd2460f69c115f3675d20e70dbf
cost-model/src/lib.rs	260	1491ae1f33932ee7b2f902ce6b6ad4340da20f2ff36412725064fd25eaf138
cost-model/src/transaction_cost.rs	8891	a08db89efcd7bc62183bb9d2a57df2827da6cb1c23fbf51acdb047c540a361
docs/babel.config.js	89	543f91b48879d760be7a7c722f9fa482e471d6c197418ce6f77d1c058e2891
docs/components/Card.jsx	1492	c24246f680017a7fd885ae319e6218058c33e09bbe29d1f5c773c3e904732b
docs/components/HomeCtaLinks.jsx	727	b7affda948f01ffe6a77abc9318375dc553b6f6b35e2e8db0a3018962ed198
docs/docusaurus.config.js	5141	24fe99743dcab1ab29bd2da7adbb67404dcf7c52226335fe876cf2527cea2a
docs/package-lock.json	1013758	076d69350ccd7ff9471aaf757f71812490adfbe5a19d05e374fb8f551f11cc
docs/package.json	1602	51f062b6cd16dbc6567501ef27b50255a200e6f056fd7d5168362a623a44ab
docs/sidebars.js	2712	d7687324c619045aa4c36e950bae921b28f224238152f455782e952e2c0e51
docs/src/theme/Footer/index.js	3602	f137ffb9d052c3a478225c29ea42abda0a3a0613925f3f4ef544bf0b204a36
docs/static/katex/contrib/auto-render.js	11435	fbbfe11b98b0b126f495ef586975ecf21934123ad36b0ec56d63a308acba49
docs/static/katex/contrib/auto-render.min.js	3519	a04b9054bc0ee488bab2e6c286d2dbad8e60c7b343454f94249f63bef6aef8
docs/static/katex/contrib/auto-render.mjs	6489	89dfea6cc71f502ad13a8eefbf598e05e0ebdd9d7e0cec657800e6fd823b08
docs/static/katex/contrib/copy-tex.js	7634	1431ffa4254ea0f0d7471fc679f413fd68b58166b3c966e6eec5ddf786df03
docs/static/katex/contrib/copy-tex.min.js	2315	2ab2237329021bc443986c8327f6e61357fb68a54e5d233d224023718c0220
docs/static/katex/contrib/copy-tex.mjs	2814	53894a5e70622117ae87a4253b92293aa235cc079ffadcf54c9ab6cc4b947d
docs/static/katex/contrib/mathtex-script-type.js	5382	24e74003dbdfbdfa14706c66e7f5ee1c3d40c76287446167d1ec475a57d2ac
docs/static/katex/contrib/mathtex-script-type.min.js	1774	6fc7625443a03c3c54a740ae6028bbfa56f9c4819c82bb4876bbc4f1dfe8ce
docs/static/katex/contrib/mathtex-script-type.mjs	755	4bed88aad2fa0d109a1f592f2f668b39340796aa70e9d72c95252eb59e02f4
docs/static/katex/contrib/mhchem.js	80601	5816cb85ed1616b0a65443abc0d7bd6c772cba85d39ef974b7ebb0c5cff973
docs/static/katex/contrib/mhchem.min.js	34236	788ed3b72f3a796fade4278b8f6a3befe6ca816d632f38900121c8de587eb2
docs/static/katex/contrib/mhchem.mjs	75558	82e78c634e33d1b9b69ca52fd9a2d4dd5b09fa8d0d519febfd753e6cf1b01e
docs/static/katex/contrib/render-a11y-string.js	24362	2a700c33c92fe379309969324980bc8f4ee2f8458520fca8557ffd51b1c17e
docs/static/katex/contrib/render-a11y-string.min.js	8827	2faa9e6552840a1d2e2754ed9e2ab3a5dda7e02f84a93bc20dc26ac5aaf39c
docs/static/katex/contrib/render-a11y-string.mjs	19478	b2951fc18a3b2016fe08f455eb10bb7c8ef9cfb7e00234adc76528b3e7a019

docs/static/katex/katex.js	593507	c80478aab8a663057ea23ff8d80859581ab937221593aa3bded284a04f0c25
docs/static/katex/katex.min.js	257661	d6a849c0082c48f5524a39505537b01d2e3d79aa006cecfae7576f79400d54
docs/static/katex/katex.mjs	559723	7fb4ac0855e52393ee914af319e70c162aa13f52b4edf082a19cc5c27008cf
dos/Cargo.toml	1342	4421186d1ecb4063a8dddd30672b0f7ad071700c02026e3d3ba334612eba67
dos/src/cli.rs	13139	d74c22b211d9d981951015e8f718b10d20432c434f3be8aa2079d41ece99d7
dos/src/lib.rs	56	99bc0ff96dd06065fe4d5191f7b45eca235c2b02ba7a8f177c26111a30f2e5
dos/src/main.rs	45714	c598b9ce0715a02fb5c2762b94eaef937b5845715591d8a00af69f4a7de82b
download-utils/Cargo.toml	834	7c145b0a0a21f2c948e00c8f4e4fe1ef43d3b9794df520fef2a4816b260837
download-utils/src/lib.rs	11804	6d5fb272b25fc947cd5b8a9df7837c94b299154c7f7725a88424684c92d931
entry/Cargo.toml	1046	2d1fc02112e3fa4bceb586d82ec072b58f4bc5196620cf3c48daa418a2cb70
entry/src/entry.rs	49755	78ebfa9bf1dc577933ca9a476c81bfaff5a04aa25f18be65f98667b6b0f611
entry/src/lib.rs	90	942a0af681102878e8d2f030711e83d91258d41cdee3104eeb16dee889f695
entry/src/poh.rs	9993	1e5ea60737418a8ededdfbd0a46b53b4d31c8dc28b3d6b752ac323cd73a3f2
faucet/Cargo.toml	1093	e06bc257b6d7300dbfe7ae4c5d3118d2891ed800a0062cf689664bba5d202f
faucet/src/bin/faucet.rs	3374	27f5db342f5567c1fc8365802217881a88e5ec6e41b50efbaeba9a3fb8a211
faucet/src/faucet.rs	23457	1158c8b434200e390dd179ed5df030b7596a3a05e6eb748e3fc21009677d40
faucet/src/faucet_mock.rs	702	14826e74dfe49cedf671071615fb410d2788e9fc710dc7c15d5aee714ddb43
faucet/src/lib.rs	37	12f8d5160b7dde8cfbe09b3fd5c50066d065d661f5a8126424125cc1b1aedc
frozen-abi/Cargo.toml	1216	e57ab32d50c351dc63d77cc570d6fc9a43e863c8467f2dea710a987645b4af
frozen-abi/build.rs	748	6b3e8086a184eb40df00377c2c8e2e52ecdcb56d27a80c67ddf0393c24194b
frozen-abi/macro/Cargo.toml	572	5817420cc663c66b89bcdee08016e42c4d244da70bc92912edb29ea450a585
frozen-abi/macro/src/lib.rs	15080	3b3c83eec14f465bb98c0f06d6bbcbe1285ac5c6911e5cca575beb60b0eb46
frozen-abi/src/abi_digester.rs	22042	005579a9e1be75c2537b787d6a1301ab30a87d414f04400536c0a8868a56f6
frozen-abi/src/abi_example.rs	18917	a480127e68b45850d55a2056bcd72454a630c89a314122ad19fc882d547a3b
frozen-abi/src/hash.rs	543	6a91561b531148efc7ea97106ddbade0f24f7ee2b8e499dfca7bb1d59b538b
frozen-abi/src/lib.rs	551	cfbe50eac87ff2f11a6b97ffbd9fb9c9bc73ba3905adbca13897c2c27e5c6a
genesis/Cargo.toml	1266	1b85f12d770c4045085e225715b27542e93c238f823f1626e419a13f7cfb6b
genesis/src/address_generator.rs	686	93420019dac412b96072c0adb5f9ee0478c899e917c0f0a838cb66012d97bc
genesis/src/genesis_accounts.rs	10711	b3404c5d3c3889a2fdc9f3e19c68ae68b63c13673488e0621c2d808a58d31a
genesis/src/lib.rs	392	8fb412cafce00d5097842e70b4fb49608bd0141518b039697853695acfc6c1
genesis/src/main.rs	39469	115341e30e923caddb94601a593e972635d81688db24117f770e75de55fbb8
genesis/src/stakes.rs	12066	b393c52a1e211d84685ca61ba733bdefc44c34e206924367896feffb9dc313
genesis/src/unlocks.rs	6715	bd5782f08b273bf1cbf8afe81af9f4e9ee1ab1a302828a41fc0dd2f83d684c

genesis-utils/Cargo.toml	653	c411dd64d085734338e1b02354febca69c1477c3ff588f26906e43fe8fc713
genesis-utils/src/lib.rs	4007	ee3dd749cf52d6eb4390972b51fff99dbd6117f02b0c198b555277c0ca22e3
geyser-plugin-interface/Cargo.toml	583	1dca09c2177051de5f21408aeb3e4c8ca3e3a9d576e161dbb6c1106120d041
geyser-plugin-interface/src/geyser_plugin_interface.rs	14661	87bb09df630d53b167857307d763a4cac453c51b4b656ef399b4042ce94f83
geyser-plugin-interface/src/lib.rs	33	28fc18e87bc0d285cf76b2eda2a4430137f52edb7aa9449a1d0494e9a9fc2c
geyser-plugin-manager/Cargo.toml	1125	15c987a63c445a14dd73f77a454a27b6591233ff2b07fe5f814e538c36ba10
geyser-plugin-manager/src/accounts_update_notifier.rs	6563	c57f8897b209ec1270a5da492e9d16b50a57c1d7432d3ed3ed716c88515c9c
geyser-plugin-manager/src/block_metadata_notifier.rs	3930	b2a35ff31cbd91f21acd8b05c64580ec4b877627935b9b7e472854c6253f5d
geyser-plugin-manager/src/block_metadata_notifier_interface.rs	718	f0f149df7274253b6f0d2540aec5eae4add8c072c39a26f5543c75f6c16214
geyser-plugin-manager/src/entry_notifier.rs	2575	69331e59082291f4cd1692cd1293fcb15b4a7255809a1a18365dd3dda381eb
geyser-plugin-manager/src/geyser_plugin_manager.rs	19271	4dab3c44ac42dc46dbecf8452a8fd6af9dc05173efff232b7a5e29d5323f6d
geyser-plugin-manager/src/geyser_plugin_service.rs	10159	f326cd25d824e457be2ee872ac102707155acb9333a4ab3e945d55e1f7fe4d
geyser-plugin-manager/src/lib.rs	346	0806ef560a22844325fd50ec6136c433dfbe910323464bcba5de210a003ad4
geyser-plugin-manager/src/slot_status_notifier.rs	2724	72d3026c7010c3ef045c4567de19979803e8c67830bc27090a775bbfa9a379
geyser-plugin-manager/src/slot_status_observer.rs	2857	cbbb107c94d4f10381e75de04d19d1f512f459614a0744f91b68f3ef2024c3
geyser-plugin-manager/src/transaction_notifier.rs	3374	0af44a7ecf46a20110797a3a81f09b3eb7506c6898e3fd0165eb019bab65f4
gossip/Cargo.toml	2321	1836fa27790af3468555a21e02587699499a5b1b089d905615b2203b64ad1a
gossip/src/cluster_info.rs	188054	4de7d90d03e96cdf6752df390ae05d36aba5e2fe0dc17ec6cda19a9c494020
gossip/src/cluster_info_metrics.rs	24862	6ce1a7c6d00e9eb857724bf1ac92802b014c9605f6b1cfad63d92491bd5747
gossip/src/contact_info.rs	33665	d7e058baa622584a4b35c3be7ce66a6d0b6f41216500b15ab8980afa0929f4
gossip/src/crds.rs	59662	cd22f2e68ec6ea30e3515e6ba0703060b1fdbebb97b6a3c2b4fe11198cabc2
gossip/src/crds_entry.rs	4363	2ef49923b9aab1c6053e8fe18231fac797ab46e4d0d20740819b561ffa79b7
gossip/src/crds_gossip.rs	15827	9c4c5e729b65db2034eff0672dae2b0171377b18fc08b388a9fe570e74df1c
gossip/src/crds_gossip_error.rs	175	fdda087f68756fcbeeb92d9825cdf9ebded3404cd1a3909261b9dd6d9c1225
gossip/src/crds_gossip_pull.rs	53536	a4118964b8dc47ab800cae5575dbd18196a1da9053373826f800439acb4b7c
gossip/src/crds_gossip_push.rs	22439	a919208496d041b867d34bda0d3ea4eb62bf4ab9e9263953113e5554dd1879
gossip/src/crds_shards.rs	7931	55d369177a6b3f67c88c552f097972649b33b102f98b3e78ce4374fa0cb179
gossip/src/crds_value.rs	39437	2262d9ff396e613fea5bd5f8a7cf9ecb3cb741eab0b543d692fac73a74660a

gossip/src/deprecated.rs	492	8fedc43c4aa0d4895b1b874f225501e5ed62cf2552f3f5fd4991ef3877b0d8
gossip/src/duplicate_shred.rs	37054	783653405749d7bd3ced926fd1cd424cd88f4a127081204dac8b993aa66ae2
gossip/src/duplicate_shred_handler.rs	19916	58a960db1e5881b6dc43432e07061ac85f31d7a8acb027e86f78ced9f93ed9
gossip/src/duplicate_shred_listener.rs	4135	e7a8e8b50f916ac6b1f61bcef30c184810f05bdc00d409364168c580238f6a
gossip/src/epoch_slots.rs	17825	76ea05600b23b57f07e62259fba871196d010b41dd21ba10b8ec0cd2b68556
gossip/src/gossip_error.rs	820	a138b20e30c18997155e706e533143e10409ea4b82310330930ec481e5c3a7
gossip/src/gossip_service.rs	14618	8cf8bde0fcc997300b972e4b5e1129395419a0730674db9c76a5e1532c914b
gossip/src/legacy_contact_info.rs	10885	ed6df80cb7bbd87cd72baf0f4417c04d8027352c78f4557dab90852f63ab5b
gossip/src/lib.rs	918	b2ca530cea248fbe0c3333ae2ffeaf8457d6844b36fc6f72cc9d84234271bd
gossip/src/main.rs	12148	c008fb8243b8c6c76d8605de412e385e1085682d28df5661d78136d23a4759
gossip/src/ping_pong.rs	13644	0a47ec80ec3a057557b8aa9112726f26eb1700b3cd27a4b98623730d256e8f
gossip/src/push_active_set.rs	12878	85f0b1bcbf8b92505b136893f5d5a49d4cdb9dcb129be01cd14c61aaa2ce70
gossip/src/received_cache.rs	6558	8e4f57ad29dc138d061aaa5054de5827e95405d6ea257b7ce42ad6b1cf8bfd
gossip/src/restart_crds_values.rs	12468	ded07eed583f5b7e7f1f2d34723e275d7f33aafd5d985cb4744a0d59b9572c
gossip/src/weighted_shuffle.rs	13167	c9abd7e3a5d99c1d9b2608bd9d202b0697c313e8737e6e9710bb6b91df0e34
install/Cargo.toml	1623	9a93265111e7751aa217cad22330e9fa9b19aebef109f03c71449283a19502
install/build.rs	347	0b8d02bf24b9c8b107220e4a3a2dcbc800b20982ec492ce32e675641a31906
install/src/bin/solana-install-init.rs	699	79799b842bbcad06506c35fdab720f12d654e6b6ab07b1e6a66041cae586c3
install/src/build_env.rs	130	ff4fa84f35301b5883e1e7ce750dbd6bd59d80154a9a6be3767279ecee87e1
install/src/command.rs	46391	fcc980f5fba993217541acd790803f7b16dcf6e1a6f9de460337eb0d557042
install/src/config.rs	7173	d4386f96552936be22f27a7ae946cf6ca312e3213e91c5bef814c51279b692
install/src/defaults.rs	767	7806b06eca0fe3f872e6eb9741638c825aef8cfe81dc769bf71e9b3c7ebb23
install/src/lib.rs	13233	89592f7fa84625759695795e7833559d022c67c9e96b5c8643a2e4700dd3b5
install/src/main.rs	63	a88e6cb2444e8e415950386c1df334f291ef6f70e8de7cdf5b76ac6ca64336
install/src/stop_process.rs	1978	eba4e41980dc42cdb3619fcb33044926786946ef8b99f38d444646113c4c75
install/src/update_manifest.rs	1948	108fc60b3877a51ffda8f45470f6e2565a708cecf23ce4914e66c563e896c0
keygen/Cargo.toml	910	a7c0bd96222bdca37a4e212b1fe49b11ad0e337339a7fc63903770cdffd27e
keygen/src/keygen.rs	41499	72b87b83ec0049e608539ba3cdaa0e0b99e30b5c0898648cdc668f45f98b7b
ledger/Cargo.toml	3355	6cac0ca0e6c805de8b25cdbc902bd7ba00ca01978cd95f519a2786b37acfa3
ledger/src/ancestor_iterator.rs	5652	130931defe188503d0f379a684f0cdef93307404b5290a78428d029065de79
ledger/src/bank_forks_utils.rs	14449	3ba3e604406e81477898e443b62a275742377706ac4b0b4bddce55cea7950a
ledger/src/bigtable_delete.rs	1667	a6752ce51ae646264ecda31ccc7b62fc346d00d17a2e3beded19f726387d60
ledger/src/bigtable_upload.rs	10119	429fd1d80216f640a34377ea49899767b27a22cd038a9469375d5c1142a5fe

ledger/src/bigtable_upload_service.rs	4551	7d49006bb57fd573f3f38cdb4d94b4c1b6da7346e8a81c11e4d84ec44e0693
ledger/src/block_error.rs	1265	25fae5c2d466897c162129c3feccf5692887ca11df6a190078afe31af71bc5
ledger/src/blockstore/blockstore_purge.rs	46190	265ae6d1705937157bb05b92a760a6774a1daefd610b473ed2ac43ca84a8be
ledger/src/blockstore.rs	410656	81d9a47902260f5af803917bb3258ff823c58f60019e23020c8317d2d571ca
ledger/src/blockstore_cleanup_service.rs	18868	35a40428b513468dbe858229d159e70dff90bbc63f11e69177688aa1c971d0
ledger/src/blockstore_db.rs	83271	f03d35c22193c25710fff6244a96bb8c3c1a6d8fac8cc9bf7604d99f6a02d1
ledger/src/blockstore_meta.rs	22572	0453b4d696f36fcf8f2c9dc06527eec89ca21e7bae45bcec435b334c6f233c
ledger/src/blockstore_metric_report_service.rs	1419	5959538e87ffeafd68020d101af704c581e2e916e21e31d56a7a2d2b6ec448
ledger/src/blockstore_metrics.rs	27800	b657858eafd306b2490decf31a0ec937339408e4cd45f9f3e1f25eee8905cb
ledger/src/blockstore_options.rs	9807	5388343d37c29a4010641dfecabdbff92685f3c6b0adbd6147da86dbacd239
ledger/src/blockstore_processor.rs	171453	7f761caadbee78effa0dd37045918e8a48cd378a3efdb13cdcc9dfc37597ad
ledger/src/entry_notifier_interface.rs	336	e5c158ef4826db8c05cf87a82d976265fd4a8eadd811cecbdf7622cdcf8afe
ledger/src/entry_notifier_service.rs	2255	3cac4d4b095b89650e4b0d99632ea682d6951d695830a2fea919d6cb33db25
ledger/src/genesis_utils.rs	490	728f36cc6bbd5b90e9fa759414b5b56f311af6697fdabf0e6a27d01af1da66
ledger/src/leader_schedule.rs	7782	bf3b8af5cb3f62e6882720aa6a57d17b201765ec511b228c8078a4110bfee0
ledger/src/leader_schedule_cache.rs	22476	2036e5d8efda12eca529778b73bb6c307fa4ad404317cf0810bcdea19d9827
ledger/src/leader_schedule_utils.rs	5228	7740d275420a12ac1da2635723460f8d0804e240cdb69d459b554e14f15876
ledger/src/lib.rs	1083	895d100244a8a4bddda8a2e1f2d391b4510c8cff48546741884e7d94d0bead
ledger/src/next_slots_iterator.rs	3318	d41ce1c24a74d0beac874ce8f5759f4a591682f44a6d19d821445cb3c6fee8
ledger/src/rooted_slot_iterator.rs	7209	689e258608356ccd8ceb72fa70a5ff30bfcb83380c4c872079fc695b5c54a6
ledger/src/shred/common.rs	2749	72b1b11bca1e02cf8f0ab7f3eaa39a7f93a217b0033042b3bc13307191a9b6
ledger/src/shred/legacy.rs	17288	29198a4fe61a4700e6c3871ac93aa34dab35d202f027d927304a8f1a594954
ledger/src/shred/merkle.rs	71414	947a487c8077663c76027e65a1643cb0f39109535964c2c81aa566205ada5c
ledger/src/shred/shred_code.rs	6362	69f01de5e9a14e9fa357d8b512e157b2d356cb2592f2dffd36825abef4f1f8
ledger/src/shred/shred_data.rs	6184	280ae5bef144594c85e5546e1b42bdad9cf805f72c4b023e0fda1c85676363
ledger/src/shred/stats.rs	7476	06c921ef69877336d5c459cf0f1b559e4c4f57ed40cd92446bfeaf1725852a
ledger/src/shred/traits.rs	2234	699d9e29ab8ce22671282811a84a52e2d905b5d4148449800500b1ac171c49
ledger/src/shred.rs	67559	fa3ecf6c2be466aa151d6b5492bb4362fa2ff204d1cd5422d0682eb80bb763
ledger/src/shredder.rs	47925	9d56993276e753248fcac4974a163eaaa5e35bf8f49e1331b5832428851231
ledger/src/sigverify_shreds.rs	33344	3c8ba53b70a1d499464e3c47c443804cd43460a7b60b929d4408e4c488bbd5
ledger/src/slot_stats.rs	5156	9bf5982f49520ecf2844a2ef9fbf506e752389232320d4c479832678ecef1a
ledger/src/staking_utils.rs	4262	9168b83c8b7f831e5b0b533b75368a33bd29c63e1b1d5ef17a8853f52fafab

ledger/src/token_balances.rs	16717	6f64410e712d24dcce65eb86ebec485aec0d7a5385048440fae8e2e7ae00cc
ledger/src/transaction_address_lookup_table_scanner.rs	1373	0fd292ec4215147f1b8f155d90ccc9a09830aad490130b87daca57fb252e4a
ledger/src/use_snapshot_archives_at_startup.rs	2729	05be7c895e250a6b8f277dfd48f967a8ba0ce5ddb158a10b22d1a4e969d64e
ledger-tool/Cargo.toml	2357	a5de8c11c20f3302b9fb25a9b15395fa85eb403fb96f9b3dc349f9f53c0f73
ledger-tool/src/args.rs	6516	f39296c571a8a0858dbd2c50c1ecbd8eecc1a347da1bec4e332daa987259a4
ledger-tool/src/bigtable.rs	58691	8b94b68d520530168f312bedb6ad3ace762e18e7f51a75fc830a8067ac5e44
ledger-tool/src/blockstore.rs	45770	2d64ae7a8497581338d8913f30750520389f61864e20140c7b7c59743c4655
ledger-tool/src/error.rs	408	b9305acb1f9175ba86f585091ea5382687b6a724e2085fa5d915462fc71986
ledger-tool/src/ledger_path.rs	473	3d84dde0218c8f8992d3b0d5a334df4ab50bf86a44fa2e4f66f2e9011c8466
ledger-tool/src/ledger_utils.rs	22844	6994a65a65d464afa6e7780ef21011c94f751669397ca81c2cdd5ab9d8b12f
ledger-tool/src/main.rs	139639	89359d6e3ebfbe920b05641bd3cd35466d42c39ab05dd4e20eebea6a8b965c
ledger-tool/src/output.rs	27702	aca85984b433dce70d2edcf60c97496789702e36076cf069b993b16abda34f
ledger-tool/src/program.rs	22646	48d9770d3e10123eb23f3c7433ee72686ae64c01cdefc7176c6d0ffecd7957
local-cluster/Cargo.toml	1779	f63179a85836835c138cb99166863d0adc463b3149e7efef007b243bdc15f1
local-cluster/src/cluster.rs	2465	53b5d2f78a9b347e0a3db62837f31980ff809a760919148d0e18e9e32755ec
local-cluster/src/lib.rs	194	b315c48ab29228228d047d8397b136093b0fcb51f96a91f883c6e4ad1bb328
local-cluster/src/local_cluster.rs	36282	4ae7ea9ff97eb4e61c97a33af655a19bb40531de056f3141dab09a1702e471
local-cluster/src/local_cluster_snapshot_utils.rs	5485	061277c74b5bde305bd9b669bce372b8c0c60578b555d07cd95f960ebfd814
local-cluster/src/validator_configs.rs	4454	9e7ec33ad82c2352bd114eb4fd157a5abf33f3e6c5421570795c1f046919e4
log-analyzer/Cargo.toml	666	86ae7ee865cd3c2a32294f12475ed424cf8e48ec55ed4a449f623d7eef4bd7
log-analyzer/src/main.rs	8303	f15fd6e0ecab0df68effa7474092a99cdf562ce68da6ef7976559c643a49c7
logger/Cargo.toml	510	ba599e0288ebb4c02776a270a5682bb9be9092ccd6d08a3fca1308cf4d4780
logger/src/lib.rs	2104	bf89df503f812eb0015a52f4ee21324df77c77e684bfc649120fcdd86e4855
measure/Cargo.toml	487	e91414b8bd73c78e75f1737a91762ead285d7cf75ee4883421e70877b94167
measure/src/lib.rs	76	1276527fb1b17c47f04b943bbe4c8611ac639e711250bb033e46ddc8bff710
measure/src/macros.rs	5590	6da0d8cd44f15a7e7cab7c0273423b155af2cb76b53b41eddd90dc0452e136
measure/src/measure.rs	3800	c6362984e4e4568e829dd2168539013824be4591f6f7daeee19511858ac467
memory-management/Cargo.toml	275	566771eb6d4ba465454bb44844d4659ccb94c8031100743df575be13ca6f29
memory-management/src/aligned_memory.rs	10021	a3ce60c5876d267ba485c77a986eae478d1c5f8760ed6254be45337ec9dda2
memory-management/src/lib.rs	273	c0a2f218b441a86a3859173ec3e9ec9663e7da67703937bf25619c3a62ad45

merkle-tree/Cargo.toml	573	f0a9c8ff14afe286a5b2d1db03d919a5dc310233b82f81e898ce93c620d241
merkle-tree/src/lib.rs	98	0572d18adc85720842952cf9d0c5ab2360fd3269d96f91bd75fc0954749e9f
merkle-tree/src/merkle_tree.rs	9017	0336480fa4f9e5646473776a6f925d383d9ed153429f072e25c6ed0f7b834d
metrics/Cargo.toml	875	1a367801871911917b04d132fa29ac6db959fb56ba8734a0fbe4ddf9dc248d
metrics/scripts/adjust-dashboard-for-channel.py	8642	aa2537a5a2336ea9c9403cb039ebd11d368a14aa496808f5c739aa4b469afc
metrics/src/counter.rs	11347	3db6a3b0f74c1d6830d9fed91853e4f1913ae9a937e64567220aa14fa220a0
metrics/src/datapoint.rs	11985	bce9e26fb492885dc3f3685399155e7eb8fea140a101f0e688957e3985d32b
metrics/src/lib.rs	2442	7bceb3ce47bc45af2c278af2bc6e977d533d8dea764b2f1583929101ad8c11
metrics/src/metrics.rs	21788	08d1e4b2c3c32004d4b1eb1fafe79e48bb940c29a66b2a5a4d6371863f2148
metrics/src/poh_timing_point.rs	5348	a6ddf4aab0b94b8ecd0cad2a7a680cc907ac8d193e23103011eb66663cde6f
net/scripts/add-datacenter-solana-user-authorized_keys.sh	409	9c03aa5d7db175ccd2e1d56a6a3254d6cc3749feae0b20388529fc87e68d8c
net/scripts/add-testnet-solana-user-authorized_keys.sh	563	669d7e2e76942b24976d62e22efe042784b6d9204358da2c617f4cdae51284
net/scripts/solana-user-authorized_keys.sh	6363	90c82f30e876e7314b980bf86673e9ebb8d08236eecfe0ba3b2fcda194d0b7
net-shaper/Cargo.toml	641	ec536a541212bb99f357b319139708a668aebe3e3546fea44ccba8c5e675a0
net-shaper/src/main.rs	19969	f8d1c2254c12f81389db5319902fe4b33d5ec43bec38bcfcd955604b1be996
net-utils/Cargo.toml	1069	638e2821d0f23a2384ceb15e0b205c80e6432b1db969302bd75c7321b818d8
net-utils/src/bin/ip_address.rs	750	8a9f071e669cb92dc5553753f6e80ca12a8b0d6248976b1a386bed396e0076
net-utils/src/bin/ip_address_server.rs	864	ef49761ab8cb820530ed6f0fa6bc3262f0f184e67e8e172d08517998915af1
net-utils/src/ip_echo_server.rs	6303	c9557a4e7e5a9924d38889b286c9e713e9a7bbebfc10cc9649fb4fe48b31f9
net-utils/src/lib.rs	29527	a914ac445681b8c120c6e7f04e19ea6806b16f4ebdebe6bdcfab5029ae13f6
notifier/Cargo.toml	624	cc82c084f26ecfdc855dda9d655d07ae18e7777b58851eb54de7af9bdddb6c
notifier/src/lib.rs	8733	b0510064cdf106330e0b62b86965df61ea1ff112b39cfa8261844370e68497
perf/Cargo.toml	1438	7eb008951863fb8764c3b370f4089800059d406dc6a42788cbfaba77c1a92a
perf/build.rs	1066	6530c0cda629dab5aec4fafccda21dd7c5cccea49741140208830e18eb11f6
perf/src/cuda_runtime.rs	9881	4f5806ef3ce3b1837da76c2f80407048fc81aa2df95f87f73a28e01f44f440
perf/src/data_budget.rs	3689	215bc4514ea86f49b9ef20a9366cc3c92f51442132a3d7d646185c78b6798c
perf/src/deduper.rs	10735	19852b729e792333bf9e8249a5d2a8f1f6b2c6a45f5ecb8c1af8d2e47a09c3
perf/src/discard.rs	915	6000077476524663df03e9ce8c227fc847db5fc8628b69089dabdc4bb528ff
perf/src/lib.rs	2430	d1a17beac8c5daf49bc6be354fb0da186672a8f93095da1cb424397974d553
perf/src/packet.rs	8351	0d1444f9ce76e01491b6f511f1877e63ec69c47cd6ca287504239eed63a304
perf/src/perf_libs.rs	5912	beaa7b81041765a635ebd8daaea471b3888fc824523abae4e5b55eecb28fb4

perf/src/recycler.rs	8632	d2a2856f2c6b9dfce4fcefac41e97ff036757c6f2ed5f16cfd54bbf2cf19c5
perf/src/recycler_cache.rs	602	cabdd55a6479da8ed08b249b0fb5459fbbbe83e98d66d75b908ddbe3c959b0
perf/src/sigverify.rs	60501	7ce48d271cd888f4aadce324a54e23463b1c759de8e6b40dd8a09db40eeda2
perf/src/thread.rs	4595	54a308f339e27a1b5e5427953d2213be078c81382d8dbe6a66128d527acc9b
poh/Cargo.toml	1179	d4cd63b1039f2a99a92099abb8cf65cf000d982d73f672d6fdb01e04a8bf4f
poh/src/leader_bank_notifier.rs	10007	10fdf496cbed167641a8d401cdc9b929bfacb1d454417d5c6edeacc78e5a43
poh/src/lib.rs	215	ec5def30991f7d74170a72a0a58c21cad36b18ee301811794247bfa710c896
poh/src/poh_recorder.rs	80841	1b04e9582d729ab3ae15461f2f47fb0f4fdc0d2cfbd81d7b9b670615a068bd
poh/src/poh_service.rs	21449	89c7ed9fe506fa04bb20a7a690c6ec7651e74bb54c6de1c19484233629b34f
program-runtime/Cargo.toml	1436	d86c612df1036503942b3c1dcfa665ea11d5c442143f394c2009663663402c
program-runtime/src/compute_budget.rs	10580	9caa515b1322200261625b700260802ad5650d409ec55cf1cc4c2b9ccf4987
program-runtime/src/compute_budget_processor.rs	19552	f0b324c9304f3883daa764725db6b1e658f9475403457a1f70eb3bfa6237d7
program-runtime/src/invoke_context.rs	48114	b8697e2e1da65c4b224d9fd4f0f0f9cc52144b651af553f11736309b83978d
program-runtime/src/lib.rs	542	195c50f1a82b1317ee8ef4f7c1191ddec0c6cd78ac199c4bcc7d2c47d762b0
program-runtime/src/loaded_programs.rs	105444	dc10af05f50a7901ac03aaae88d31f803a40b62581ad6f20113408d420fdf9
program-runtime/src/log_collector.rs	3494	753efe8059336d30ca82be4795016c40c7b3e5c8ba9c220db22bb28bb16677
program-runtime/src/message_processor.rs	26333	0b12d108d70f3967069e554ff4136019aa6c0319ce613da4ccf008293fab45
program-runtime/src/prioritization_fee.rs	3373	3d6ae1240061c712ec032db9d2ba7792b168f63fe1c800a504f52be31e5e03
program-runtime/src/runtime_config.rs	567	f6f20cc2457cb998ab099a19708b9f810c0d962c2fb3a561e8f2fdd63b2cba
program-runtime/src/stable_log.rs	2904	c8f123555437a95f937cb3c2cef4f0d96d6c91c8834bf036f28f36a1d44448
program-runtime/src/sysvar_cache.rs	10909	4263f9defde1230d8d1f13bb1f6170bead9c0708b9596095c13dd7f6d1250f
program-runtime/src/timings.rs	18563	23c73082de42170b2fd83689f924cde359460e61642b9194063d482f0d33e2
programs/address-lookup-table/Cargo.toml	1088	2cb38447bac7ea57625c7d66d2a67e228542d39bc9300b2f2e7bf9dd93c8b4
programs/address-lookup-table/src/lib.rs	380	d2aa2abe5232a6d15be7eca6622f2dfe4991b04e0fed9a858caf288f92a719
programs/address-lookup-table/src/processor.rs	19296	e98750d2e2ea1a50956f224d1c8bf79255a58a1ace5005d32063cfec383ad5
programs/bpf_loader/Cargo.toml	1090	ea4c7c64fc6396090ef7156cdc88a98c0b4051c7554b42d848dbc2984d03e9
programs/bpf_loader/gen-syscall-list/Cargo.toml	293	ba4dcf76d2c1f875b0bc97861530517c8bea9821812f350f015d5b0735b90d
programs/bpf_loader/gen-syscall-list/build.rs	1408	ad949df414c1793dc0d05808b12be03780495cc9a5b0b36e2d6af74a44dc70
programs/bpf_loader/gen-syscall-list/src/main.rs	58	8309f9b0f5e958f48adc37af306cc168fdff8b97ab11c5b860c426a521a58d
programs/bpf_loader/src/lib.rs	146261	a39cfc5e659a672845e693a4c495ff92bf8da00d75b467919c0c11c46a3a7e

programs/bpf_loader/src/serialization.rs	45899	0eb16e089fc1d22a016a45d9a022f5335e0c8b4d43753fdd627f8d28152ffe
programs/bpf_loader/src/syscalls/cpi.rs	104406	8db0abc3ff8baa3ebf40a3171e9629702359a463dc72a45e0c837910329d9a
programs/bpf_loader/src/syscalls/logging.rs	4434	cf4b35ec1b0d9cc4c8f0b5f0261c4631c8a3381cfee1b5e6cd7a7e75ba2392
programs/bpf_loader/src/syscalls/mem_ops.rs	31416	870f2bd626e61cdf0c9c7c0a5b4e614c88615316eba3a8edd2ac34ec3a57e3
programs/bpf_loader/src/syscalls/mod.rs	145289	b02d54c0d7275856274e8ac2507d8fc2dc1f335c91224a3a821450e172dff7
programs/bpf_loader/src/syscalls/sysvar.rs	4037	ea854d41c71526213fd1cffe3540780051b6d0993cc03390a681a2e3676086
programs/compute-budget/Cargo.toml	579	bdfb756010c420a76f0c15c7dae8db7e1877d930db36c0db0008ec3bb4a53d
programs/compute-budget/src/lib.rs	272	552ffb972b1c98e75e4c7e5846a3d564b1b68592bf48ad8fafa80123388eb9
programs/config/Cargo.toml	763	8fbb7de7089f629a1540fea97738a390a55783d30df41de4300f05632cc0c7
programs/config/src/config_instruction.rs	1665	7726bcbed6aebab2f93add8233d7359a75c5d9db2618dc628a63fd8dc0eecd
programs/config/src/config_processor.rs	30367	1770928a5eae910f6afd3010ae988cc9cc205798eba66b9bfec47d371149d6
programs/config/src/date_instruction.rs	1588	d74289692a015ee998079a2f5fa850a22f07343be32af208b22e1e056f42fa
programs/config/src/lib.rs	1952	bb89a4d67b12fdb82334ea60134df51223dc4fa8fcafdad9784197b9cdc5b1
programs/loader-v4/Cargo.toml	643	00a8a4ce1b4cff8b04896c3b80c3fe99df241787158425560dbf07f5896736
programs/loader-v4/src/lib.rs	59659	fb6b63d63cace09f130cd33caa924dd0aee71cebf6acfde28e84eb95e4259c
programs/sbf/Cargo.lock	184349	506d9cd942f0098faef4bececc022af6fb1e84e52fbe452c8d2741a0190edf1
programs/sbf/Cargo.toml	7187	99af567112a879a4c51d3e213b9117ca32f335347d0259bcc3ea4751d6a184
programs/sbf/build.rs	4128	b14b8ccec8ce55a5f1305006c3026b153ca00ddcba98cc6bf668e626307913
programs/sbf/c/src/alloc/alloc.c	1716	26b15be5533759f5238bedf6746ce451572f48c4c39354f06457902ea859cc
programs/sbf/c/src/alt_bn128/alt_bn128.c	6233	60d644d5ab9e5fa72bb57446cd04d28848c33bbd4aacd838b39df7c288abe8
programs/sbf/c/src/alt_bn128_compression/alt_bn128.c	2388	a22771b3b757945b896f9e7ef387eaec18e9e7be56f493af2de69c186e97be
programs/sbf/c/src/big_mod_exp/big_mod_exp.c	1778	4884a99f1c51fd80d3a7297b3ee1c5031e79b3b9800bc6e3ccbf6d972cc779
programs/sbf/c/src/deprecated_loader/deprecated_loader.c	697	472ddfea2271698ae513e99351648d76b0cb84bb367e671133a0b793f56af6
programs/sbf/c/src/dup_accounts/dup_accounts.c	3025	e55d44403133b27f75da5e560cf8ce89bc9d09475f070f8e4fc00cb9ecc5a4
programs/sbf/c/src/error_handling/error_handling.c	1172	08ba00e13022c3a0b9301fb7415d66f3e253e8e804515e029d07cec3a143c3
programs/sbf/c/src/float/float.c	934	2bec48a5ce9f536a9584cb85a8792ac88cac81fe737a994e8eab0609ef7fb8
programs/sbf/c/src/invoke/invoke.c	33993	d3ec898c4983351c6db1f6697f4ef89ff4b1441667b1d3dfeaa46733c1c35b
programs/sbf/c/src/invoked/instruction.h	679	09602f27fa5f7857ab9011ccb6322c79cbce86c62d911640f2f72f191e3ce4
programs/sbf/c/src/invoked/invoked.c	10646	a39a48b3b864ac20b41af5b5d32e2f6553c880f5be75b6372edf47ba4af1d5

programs/sbf/c/src/log_data/log_data.c	766	752a37ea54e178dc6027904956eeed1d672842020b705144c4aa7ab8c41361
programs/sbf/c/src/move_funds/move_funds.c	987	54c18cfa75858754d59fd988f0f1181d92a519320182d3ae0413c11e76f973
programs/sbf/c/src/multiple_static/multiple_static.c	249	d3ba8d888d8aee7e67482a1c623545a26541c6b484c48c8b2ca0f296b9a6ef
programs/sbf/c/src/noop/noop.c	377	a1dee57f82c05725d9f5d55199de0c19e5bf9740b1a28b10ef045c4f91398d
programs/sbf/c/src/noop++/noop++.cc	373	6d8431ef27d88a75633e5d9d43e87925cbf0d5368ec08065a894575a0ab763
programs/sbf/c/src/panic/panic.c	204	dfb2c74da15cc1a807c0bfaa2c116d5f0d4d3404e67bf9187b8fb006cc9766
programs/sbf/c/src/poseidon/poseidon.c	12104	de1ed4a17fe15ee48bdacf9737216abba430878860d2a356cd4b321eb3fb94
programs/sbf/c/src/read_program/read_program.c	579	4fa5c99b3f945a21bac2108af8fc2302fcdd08e3e80cf81e7006038580abfd
programs/sbf/c/src/relative_call/relative_call.c	276	5e1f0e88ef495e28634f1675f280d1dffff37525321df5ea2d192b787b20c7
programs/sbf/c/src/remaining_compute_units/remaining_compute_units.c	482	25fae13c9761f309b4d3904e392139ce6c744bef7b8f0248dd384c43e8032d
programs/sbf/c/src/return_data/return_data.c	910	6c66de66745fb2768c8f18299d230a4229eda7f47b270462c3532f001d823d
programs/sbf/c/src/sanity/sanity.c	660	a9ae499460886abb78370fe15b3cef1791f24cce4ee76b40279ea1a94ddcdd
programs/sbf/c/src/sanity++/sanity++.cc	712	44d37f141eae13e81103b689c77497abe7147ec93350ace158463eb00f99c3
programs/sbf/c/src/sbf_to_sbf/entrypoint.c	272	7096c55f4cbbe601784da8dd438ea8d91b768ffdde6d7ffde89048bc311f5d
programs/sbf/c/src/sbf_to_sbf/helper.c	190	06b5e2889170a1c261ea450cfb154ffe77b3a58425eb599e9c74120747ee88
programs/sbf/c/src/sbf_to_sbf/helper.h	146	e3a70558caff4874565354394ced121bd5aba472bba1bb47f8cc89135bb8c0
programs/sbf/c/src/secp256k1_recover/secp256k1_recover.c	1887	20e4afe6e9fe22957dda8c3edf441b11944aa50843ceac329786a9dc409264
programs/sbf/c/src/ser/ser.c	1021	69a63629dca785a838c536fd66feb8f24e6e1687204a4995cdce31b18da0a9
programs/sbf/c/src/sha/sha.c	2652	ad8056c9c799393442055bc0de841ec689ef753309a50dbb57c7148db4d9b4
programs/sbf/c/src/stdlib/stdlib.c	625	41a7cabc3b413cbf813ee35227f15143442091440cdc5e29ede0463d73399f
programs/sbf/c/src/struct_pass/struct_pass.c	381	732067c2f04d266a4c8d995151edfda082b2b8e6e491bc71c20fac139fad7d
programs/sbf/c/src/struct_ret/struct_ret.c	511	56eb16ed1df4c4842d9f1dae04d275c00da2e97430c7915de3ad727029e7ce
programs/sbf/c/src/tuner/tuner.c	1217	73d0a6ab770fbaae8c35571cc1e45a44791e612533f48807fcacd9f54a592f
programs/sbf/c/src/tuner-variable-iterations/tuner-variable-iterations.c	1108	2a4edde4c053383940314acd395bddc3de61432bb7029ded755bb9bbe4cbf3
programs/sbf/rust/128bit/Cargo.toml	526	a6803b11785552c725b95b36ee95c5c550f4c2b061e6e0a7f19388174e4f6b
programs/sbf/rust/128bit/src/lib.rs	2092	b58d96e0bf07eea7a886c84e868ab74a39912a3aaa26fbac7efd342fe8898f
programs/sbf/rust/128bit_dep/Cargo.toml	453	9d19387dca04a4b64a4dcebe83d14bc78a0884d093ba224fd8f11002a2bf9f

programs/sbf/rust/128bit_dep/src/lib.rs	685	fa9f5c852247f8cfc90ee5a51b7905fbc54426f4f98a8ae11f16ef72248604
programs/sbf/rust/alloc/Cargo.toml	474	8f211b984926ce7531b3ca2035624f885d5c98949ea89520b87b732b953a69
programs/sbf/rust/alloc/src/lib.rs	2214	a9ef4474cb63f430077209fd5d8f0301520670b29f00a13058d61b17024110
programs/sbf/rust/alt_bn128/Cargo.toml	478	4dcfa2a6ae11d652240903e90a68288ee3c8fedddd7f22467e278444a7fb55
programs/sbf/rust/alt_bn128/src/lib.rs	51950	c605c8b104ebc6a8cd6a7e8280da1600752287bb6a4cd72c98e63930a95555
programs/sbf/rust/alt_bn128_compression/Cargo.toml	490	e6d32f3d87c7d91f1dc21207b79d1823f55e800b9180c558395b92c3b13f80
programs/sbf/rust/alt_bn128_compression/src/lib.rs	3315	66cff7a9351d5f6e3e5de7c8d15a4c0a84f3a9ef690d3cd4d034e766659fb7
programs/sbf/rust/big_mod_exp/Cargo.toml	607	fd714c3d3ef3dd0a69dd7a02f511f631229698731f0fa98fe59db4837f2417
programs/sbf/rust/big_mod_exp/src/lib.rs	4582	11104b99c09e18a10ae5eb62dd50d384e422257fcd99177a26f2dd4f670599
programs/sbf/rust/call_depth/Cargo.toml	484	b054d46f71acb2b6018eaf1db249972615ed04b2c3b741f0617f33da17f188
programs/sbf/rust/call_depth/src/lib.rs	790	7676cc40760d0778aac1d48c0d5a9d22eefdfe5f6ef6afcc3296a8ff5ffc1d
programs/sbf/rust/caller_access/Cargo.toml	490	00eb2ac66a921724dd25ac72752af3347fc42ac56bf2fb83c8b54bdf18db88
programs/sbf/rust/caller_access/src/lib.rs	1458	08c4365093eb73921e4d65b11ef4c06528ce5636bcea3e772bbedb4695dc95
programs/sbf/rust/curve25519/Cargo.toml	531	0703e40adcf831958c8de84bd72e99137ac262be4aca379c5712f64546e1e7
programs/sbf/rust/curve25519/src/lib.rs	2711	4e5c694fdee8b360c0aba7b1dbbf79c5d6ad040c86940fa6e38c8c643aae57
programs/sbf/rust/custom_heap/Cargo.toml	541	367d6452000e731e9a218876d55d73e228bc45da22ece13bbcac1ca47f9b1c
programs/sbf/rust/custom_heap/src/lib.rs	2238	26b7d848ce39e23c45ba0a54c15295b3de65d93f5a8849b906eb86a3d1345f
programs/sbf/rust/dep_crate/Cargo.toml	573	79011a6706ca254637d89d838d250ded4a7da0a67d8d73715dabbf75fa6f8b
programs/sbf/rust/dep_crate/src/lib.rs	679	7dc83bdfb747440de5cb2cd937719909070ad207517c4d7621f4aeb0f21286
programs/sbf/rust/deprecated_loader/Cargo.toml	498	998d7b184ddeb18f9344bc34420f75607822770181be645d24ad2242070473
programs/sbf/rust/deprecated_loader/src/lib.rs	5869	42208db2afe8850d2f4d889b5d739dbbc8327708710edf8cce9969c1096fe5
programs/sbf/rust/dup_accounts/Cargo.toml	488	449a874715694a0bcf61f940f5192b97b248d15d01693f6cb1c1df53854ae1
programs/sbf/rust/dup_accounts/src/lib.rs	3399	847c78576ca5aa9f7f57ed658aead17f5a9b33c6000a9b2f7d730bbcc39d76
programs/sbf/rust/error_handling/Cargo.toml	593	b9bf3328e45522938f8bfdc137a513daecf3da0211f54a06a26223b33ac9b1
programs/sbf/rust/error_handling/src/lib.rs	2293	475e6c9883e2bb5ef6cb589f24764bd4f98996c7153c3f247060ab6190bf63
programs/sbf/rust/external_spend/Cargo.toml	492	27b6da71c626133fb6800c6b550f07afa947eb9383d195d2644b48d9dbfd6b
programs/sbf/rust/external_spend/src/lib.rs	750	6ed29916060eb9513eade40492b289d50a809a44c6e496d4b16ac9f2c48fe1
programs/sbf/rust/finalize/Cargo.toml	480	b34d308dd7a7bdd853028b4ce1b45d19cfed6a4665c82d786727d8d29c4847
programs/sbf/rust/finalize/src/lib.rs	703	2a361a88462fcc09fec1b1b5b47b645ffce4c05920daae2106d56fe999d49d

programs/sbf/rust/get_minimum_delegation/Cargo.toml	508	aacdbf89c878c544c5468695c40ebc39ec8e1a38f13e5601305843246d0f2b
programs/sbf/rust/get_minimum_delegation/src/lib.rs	656	55d6df6efeecebfc6bffc5d3b2fa2bce96f5ca54e6ff187300ea4f7ac48cd1
programs/sbf/rust/inner_instruction_alignment_check/Cargo.toml	530	881be91e6813cfa1a89904ea9a10a014f4dcc9aad6e8c93f54fbde0a594128
programs/sbf/rust/inner_instruction_alignment_check/src/lib.rs	1096	8101b125fa0b2a986e5c88cd782a9020f5faea3160d4920bc7bf060039a067
programs/sbf/rust/instruction_introspection/Cargo.toml	514	f35e9de485fbc8830fcf3b5bff7247e431c05f2643b7ad0912e437545b9d3d
programs/sbf/rust/instruction_introspection/src/lib.rs	1973	ff6d10d46327b16cb029c044a0869939063ba8befdd788bfe26d05c62f4f1c
programs/sbf/rust/invoke/Cargo.toml	659	add1b16665a3d564014895b285930cbb9d56d3da2b26d332895bfb941f43ca
programs/sbf/rust/invoke/src/instructions.rs	2821	40e90ae01d18f80fb2ab99bf4770f4cfda90cbfa338b5e88b52590b27fd35f
programs/sbf/rust/invoke/src/lib.rs	115	4135d6f22aefda318640728e961f6440c08e991eded320551d1f7e85e319dd
programs/sbf/rust/invoke/src/processor.rs	57083	5cdb8259ca2a490d675ddce7c246c83a7a84d58afa82bdf42d3da89d7147a9
programs/sbf/rust/invoke_and_error/Cargo.toml	496	5e4ab1e44d932331d9bcf80e40aa1928ee32c8120f36963c9dfd8c9599253e
programs/sbf/rust/invoke_and_error/src/lib.rs	978	1461b719b478e56fdb591052ce61da3db8f6b51444b0b6624d221e721ac8fb
programs/sbf/rust/invoke_and_ok/Cargo.toml	490	ac828e3ab45b67f50ac34700bd70a9ae4d08745e908963b73406ad3ef3716b
programs/sbf/rust/invoke_and_ok/src/lib.rs	1014	d02f6593d1549fd23b4a5aaefe15e1279c8fe20bd4415415e88e0cebd0642f
programs/sbf/rust/invoke_and_return/Cargo.toml	498	5507691d025b46bd08a0646c368f7e65ad58f189494b31b0bfb0fe90dd11ce
programs/sbf/rust/invoke_and_return/src/lib.rs	1105	fd8223d1f8d851ec2cd5b065e109f08b43e1234b87a0df4d3b6e46ebd1c4e7
programs/sbf/rust/invoked/Cargo.toml	532	959ce57c399a6acfbf809019c5b40d322f8e9ad7d2465945822f8ad91f22fb
programs/sbf/rust/invoked/src/instructions.rs	1302	7e4aa8b8f5286532b898a18a34400f7c6e85ea7552b1c28e164b75cd45b9ee
programs/sbf/rust/invoked/src/lib.rs	116	9b8f00eb36ba5ea103c77d0e937eab527455616aa9c91576fe5fe536f277fd
programs/sbf/rust/invoked/src/processor.rs	12468	76187ec2247fb8bec11332fb6cc1a86f6106787293e2fb17efe0ea2334f59e
programs/sbf/rust/iter/Cargo.toml	472	b0f9bd27a6a0199a3af0b8e1f391453d6db70b340033c1d90c153fdc63c648
programs/sbf/rust/iter/src/lib.rs	739	af22f7db4cfe9a928268eb3fc29d8d232df36d4c8185b532034c06de79fa52
programs/sbf/rust/log_data/Cargo.toml	534	b2b3a42912d9235dd6ccd987794c230f9767ba5509ea0b45fc9224fb6f78b7
programs/sbf/rust/log_data/src/lib.rs	627	5a04adf0e1c91a936441417c4a453cbaa916ebf11d55dcbe21a829cf3cdba2
programs/sbf/rust/many_args/Cargo.toml	535	252b286b5a605241ff1d87212b10e8ad5277637a0036aa0018259b17acfdb2
programs/sbf/rust/many_args/src/helper.rs	508	cf11f3badf09bee77ed86a8bf6495b76ca75448ddeb0d7798095f14b621582

programs/sbf/rust/many_args/src/lib.rs	957	db32dc78529c9208d55d01046e19b22d0ca719f6ff46eeaa25771c5e330a74
programs/sbf/rust/many_args_dep/Cargo.toml	459	f7e4e7b7f7ea7d73143b40fecf22adde1896733a6d76ff403604a16ac6661d
programs/sbf/rust/many_args_dep/src/lib.rs	1587	f5e6996d72f27e74e832ba8d07c26931a3a87d211be42da75e6781ed6c877c
programs/sbf/rust/mem/Cargo.toml	699	3e6f0573b87b29303882fc168e116a8b6b15a84c851a4cab1ec112f3223748
programs/sbf/rust/mem/src/entrypoint.rs	1103	276552369c8e1ff4617a0902fe2ffc080e8b0b833434765e5140a76061224e
programs/sbf/rust/mem/src/lib.rs	6555	43dbd40ed53814324821c435410eeb65d2206998dafd1cd6fce26c99c9d469
programs/sbf/rust/membuiltins/Cargo.toml	551	1f4a4a12724bae1987dcbe7c4213cecb740eac9cf2afcabc5a3dbac131c60b
programs/sbf/rust/membuiltins/src/lib.rs	1240	d7c5e673b6f5050ec8ae4de7b4de701f5fdabc37dcc1dbd738a14b31c78d13
programs/sbf/rust/noop/Cargo.toml	472	41dea57c1b5d499c7cc4b436c7d95b2d0b9bd34d244a64a1580e5d6a288bd7
programs/sbf/rust/noop/src/lib.rs	394	76c6856cea32d4256936384f197b0a0d942d4eeb75aca015e083f9a8eb68f3
programs/sbf/rust/panic/Cargo.toml	531	107c63a4fc4173974083683b56145f7b6d148ada7db349c4db07f6c3a3c9b8
programs/sbf/rust/panic/src/lib.rs	728	a3d7af9de14064398bde2bf0c67b04806f3de24c8ddf6c84a422f1f310a7b8
programs/sbf/rust/param_passing/Cargo.toml	547	458aae63354532a3aded7a94d8aaec3a0bc4a1552af34de30552c7bdbbc9a0
programs/sbf/rust/param_passing/src/lib.rs	935	ed128ff4ef5f3f779863675ffc63de446d2ec1d2a6d51d4f7c083a8e06f02f
programs/sbf/rust/param_passing_dep/Cargo.toml	483	4344082cb19f92192b47dd9c66284112d565230e4f0c899616e0ec4553513d
programs/sbf/rust/param_passing_dep/src/lib.rs	1031	b5f3caeb860436a52e19b09eea615fd7dbabc70338df39f047bd9c4cf57aa8
programs/sbf/rust/poseidon/Cargo.toml	477	072b5f64be8027f07753a0a1e2d749eb59fb1346bcb5ada6f74b5a8650a22d
programs/sbf/rust/poseidon/src/lib.rs	6389	1623bfed624a16710a8c1fb1614e3130e62e7bc8a3c7de4e6d9ebc880483cf
programs/sbf/rust/rand/Cargo.toml	556	d8255025768d15ebb5cc780c827dbc9ebea9e19c8f80507dbec7e182d3a4be
programs/sbf/rust/rand/src/lib.rs	466	370b2fa84d10b594bbbfc65b4941db93036449638 46a68a1ba059dabfa5ad7
programs/sbf/rust/realloc/Cargo.toml	532	a5b7a23a89762eab774bea887a3e462b0cf0bf0e46d6ebe4182619958a58b9
programs/sbf/rust/realloc/src/instructions.rs	2784	6db7c750b923186fa1ac61abef2fa7384f6c0228f83a1ede99f6f43ff91501
programs/sbf/rust/realloc/src/lib.rs	90	17122a2bf771da49ed2cf85e806dd93cd2209f3230452260bd26bf8570bc3d
programs/sbf/rust/realloc/src/processor.rs	7370	84190f2263a07545c4dc9d76c10ef3a3fb814bb9f804d445352ff18d472162
programs/sbf/rust/realloc_invoke/Cargo.toml	593	20c229ad59e0e13c76cc1b39a01d6b9a98fda3d29bcfe1f6b829492ddc3768
programs/sbf/rust/realloc_invoke/src/instructions.rs	880	1d4a1b7d26a2652ada9f26d48c13b4e8ae67c63255fe6d0c6e681d9a0374ce
programs/sbf/rust/realloc_invoke/src/lib.rs	90	17122a2bf771da49ed2cf85e806dd93cd2209f3230452260bd26bf8570bc3d
programs/sbf/rust/realloc_invoke/src/processor.rs	12826	55b673a89031194e43f428309b06ad2f8cf912bc864521f16ed1d802ac012a
programs/sbf/rust/remaining_compute_units/Cargo.toml	739	be2a537ee08d7bfda94f3ce8019b99bbc437537906e2b1ab5dc8a44f18d7f6

programs/sbf/rust/remaining_compute_units/src/lib.rs	821	3de651e4d3522a349a71157f26e85ded34eb3974f0597a46973138e179b952
programs/sbf/rust/ro_account_modify/Cargo.toml	490	c3c4e0e95d2a38deb5ea4c7dd00b41d96e7861fe0918f061ffb3695f8884b9
programs/sbf/rust/ro_account_modify/src/lib.rs	2217	f1f5fa58c268b281c62c2c8d6249539390c384de75051d0ecaf196934e8d1c
programs/sbf/rust/ro_modify/Cargo.toml	482	303ce56570bd4b7848b2b6d0f965cf681260f1bf81a67c085962410a33cc97
programs/sbf/rust/ro_modify/src/lib.rs	6283	461f0f51c00d2f77284227368a9bc7403fe28068f16b8b81cbe2385e7654b1
programs/sbf/rust/sanity/Cargo.toml	686	8ba2922e158b1fc70d6c9794bcda758760712a3515fddf2cb6dcb05f1c1190
programs/sbf/rust/sanity/src/lib.rs	2822	f71bbcb852a0b32710b076c3445fbca4f50861d4703d5b63f054fabe308237
programs/sbf/rust/secp256k1_recover/Cargo.toml	534	1b0ae18c2a082efdfe01d8ad6168669459cb103369d3da3679e5b897bf9a4a
programs/sbf/rust/secp256k1_recover/src/lib.rs	3902	a72b28de4f9704743d69ecd92a7712576a0b58a201c8cc9ac483522215ec5a
programs/sbf/rust/sha/Cargo.toml	500	c9785ee78b6d51e111ed7c8bf95cdb7d47bf3b319fe2b1bd0fa21876d92405
programs/sbf/rust/sha/src/lib.rs	1312	173295145983c3f55048607cdc12bc21ebb0a0b2ff1b397194d1c925fefafd
programs/sbf/rust/sibling_inner_instruction/Cargo.toml	552	14eb5775e4ad6351170b63bfcf9f947413ac83a29aff1b97151839ae7b1383
programs/sbf/rust/sibling_inner_instruction/src/lib.rs	1896	42eba45be1669d727615555d33c9f3822870f62a5b364c1c9e7989eaa51cf6
programs/sbf/rust/sibling_instruction/Cargo.toml	546	9f9782c03956ba22b2be991ab15bb8b5fb761efe3fc44460b98656b5ea8087
programs/sbf/rust/sibling_instruction/src/lib.rs	2839	72c6f75ab4956739cd8bcf3437c50ed8561e3765911cead9355076149f9acb
programs/sbf/rust/simulation/Cargo.toml	714	ba078dae6a9c500e4057af07c0a2ca76fc967d7cd60b59ac1572d580e465ea
programs/sbf/rust/simulation/src/lib.rs	1516	51e25d2f2e15371ceb750007268d36f2297042db01fe0afb4f5f7af0ee7dc0
programs/sbf/rust/spoof1/Cargo.toml	476	8c28ace927c23425486ccc3239623cac7fcc47c6f175fd98fa467f490e9d5c
programs/sbf/rust/spoof1/src/lib.rs	1249	cd9d1a3c77212aed02c709a38a95df3407f8f8275149d9893e988f2f77905f
programs/sbf/rust/spoof1_system/Cargo.toml	490	83a65704b6db041330496accf9d3800713e4d36c1e13971cb9450e40a1c400
programs/sbf/rust/spoof1_system/src/lib.rs	565	94114b8bf92f32cfae8e508f40cb27c22e881bbcd0deeeffea526b6adaef49
programs/sbf/rust/sysvar/Cargo.toml	686	5c05f599bd630a3f0e28766c295ce32d4b42bd571acc6755528cd8ef196764
programs/sbf/rust/sysvar/src/lib.rs	4688	5c433b00be03ab8317769ae0c348b14406c0ae71e156a80ad4559722268488
programs/sbf/rust/upgradeable/Cargo.toml	523	7a7398c883202be03e47f7b92469cc570e0adb736ff523c3cc12e77477efd8
programs/sbf/rust/upgradeable/src/lib.rs	514	06d58513db002e9586f892d7eb534bcb079fd1e7afc431159ec2a89bd6c244
programs/sbf/rust/upgraded/Cargo.toml	514	e7d6173f49eb58f07c3be01f0c0442b896f5387e917ce9b117b14d0ca80def
programs/sbf/rust/upgraded/src/lib.rs	508	98a75e943768831fe0f7f9a0711c8bf77fcf262c466cf3e22d79c1f03a0fea

programs/stake/Cargo.toml	908	ba8879a6d4e165660ea58001065087df5b72b9272fdacf689c63b642a5e736
programs/stake/src/config.rs	1293	ce7a7d57c6a7a35fe20187d55e9f283a099f4577abd627d2d6afc2a3619abe
programs/stake/src/lib.rs	1268	2f8c3cf7e2f16678e9a1a7d4deef7f8bcc3291c0d6bb3588700f2bb1b23201
programs/stake/src/points.rs	8784	175f8afedad54e612b500f1007d85e14f9606bbf398d8ba6f1d70c0c8a9ad3
programs/stake/src/rewards.rs	20971	aba435c64d779b58714bbc1ff6da0464599e1b5f9c7df8151816520cbd9bd0
programs/stake/src/stake_instruction.rs	307931	a224b998869bb8f3132fb3292c051b3a9f9c2ebd1a7c053645abaa0d500182
programs/stake/src/stake_state.rs	105078	56709de614bdb5d56e3da158cc480722d473d66cb3f16e78768d67e3594b13
programs/system/Cargo.toml	765	e7b29a253677e0e0ff23285152bb629dcabba55ff64f542f6cefc66b325cbc
programs/system/src/lib.rs	993	4d2032d553f2fa693abb122beb7415d6bcc816bba923698fdb0e0a6ae3261a
programs/system/src/system_instruction.rs	46793	cfe2cca7042ef8927120f55889d2671e1bceac53192e4fb81519a6c291a730
programs/system/src/system_processor.rs	74431	afd51f6b4068e1fbe6085bb7240d74b0f9e3805a8f0bcf5d9e5e0303baf8ee
programs/vote/Cargo.toml	1114	9eecd0be90fcd963618e7cabe772b10e7eddfb863558b04ef46cade66c8b14
programs/vote/src/lib.rs	373	c121537c0969f0dafa17306d65c155c9efb08d089ea0a7f843b3361d6af363
programs/vote/src/vote_processor.rs	75079	0112da438cb04e17c0946114db64d0e42736c0204def650b61a3a54672ca0d
programs/vote/src/vote_state/mod.rs	146518	6c5e96a65a77e7b555b709ee9fb7e874f939e1e799de26ba4da2a686c7e0fe
programs/vote/src/vote_transaction.rs	3113	391a85a3df6410a6ba611b85c28703ae5ec57d406817401d155f33aac82e43
programs/zk-token-proof/Cargo.toml	690	2a4ff7d9a18d9b4b55e0f8e030f73ff27cb236636fc978facee9cdda290f45
programs/zk-token-proof/src/lib.rs	15679	cc711ef7b5b5dc8da45574ff72f4110907e62ac5a234c715248dcfdae8c64b
pubsub-client/Cargo.toml	1222	ce7884297aae8703f65661f898669dc7b9ea7ebb0cfd0c3cc11bdd565e402f
pubsub-client/src/lib.rs	88	d34cdf0d4349fe51089aec1a25d899adbe18c8e970dff84eae0cc571d39ce4
pubsub-client/src/nonblocking/mod.rs	23	8cb744f31cb343b5734cecedca5f08547f1e3da2f78abf672c21a22185a44f
pubsub-client/src/nonblocking/pubsub_client.rs	30842	76fc2b074964c73da5f1bf8f436e36cbde9370005bc2b9e812d75e506ab54d
pubsub-client/src/pubsub_client.rs	29879	c608c8347f38ddbc7caaa4eef61725dcf2560c96cbb3f0c145561e987a8268
quic-client/Cargo.toml	1159	2027c89019bf4dcbd9c4fcf989d3a91a3a92b5816dd5ec4669b759ac864451
quic-client/src/lib.rs	10084	ea0612378cfc9885bb5b7b94bdfb07fdc1cdf017bfbd99affcf6d354f260e5
quic-client/src/nonblocking/mod.rs	21	46539172217670f3400f381437ea5bf5e4d1ff9acf628739f5d327fb7bbc0f
quic-client/src/nonblocking/quic_client.rs	21629	7b5c9004b9d333644ae3f4e09b5076165b0cb47364aee63a091ea4e70a162e
quic-client/src/quic_client.rs	5792	f37244bfff99d44f3a6a519390179141bd3898565af2dc7a708c9e3b6d712d
rayon-threadlimit/Cargo.toml	508	644ea7fe8dbd493130d16438915e60788f43c3dadeb66e457a3034f8d9c37e
rayon-threadlimit/src/lib.rs	692	d7e32c514b779b3fadb83907b4ea9a79635871f109c591bc91ef0d5fbf8d4b
rbpf-cli/Cargo.toml	359	98761fbeb4d0b13a80b2de040b57860c67ba982c49735e728e5d5f52bd2932
rbpf-cli/src/main.rs	191	13df81ef25c898f088ae35d669c6a45c82d542f8ebdf63c002bc1913d7f0ac

remote-wallet/Cargo.toml	1210	30fc298f608eb1ef12ae9f0d4a2e6e6ac7175e27dcf0a37dcdabcd563b780e
remote-wallet/src/bin/ledger-udev.rs	2131	f59ac7477c1881c1f8b0057300b34e37c57bab264c38de06b8ab5502c7dee9
remote-wallet/src/ledger.rs	23064	6f42cdaacb4ee34f48aeb67fffd9fbed239abafc01633054e8cbcc012197c0
remote-wallet/src/ledger_error.rs	2520	71a0b93e2abc9f2809bbd872151e542d440aa915cb2c4754605599035187d4
remote-wallet/src/lib.rs	166	cfaaf5b3d3f19ccb8e3fb3534921e84859b2556cd2b7f52bed2beefc369a7a
remote-wallet/src/locator.rs	12019	d092a0366b8ca03fa0b0d529926ebf7f0202bd66a30cc765a9742500b2248b
remote-wallet/src/remote_keypair.rs	2300	0c4734ba8f118222fed333a0f20945b4ea89a7a632f4952823a525a0643b40
remote-wallet/src/remote_wallet.rs	13797	105c61d56e0d2f64c1ab3e0ed6da8e329464b1bce8e09a286a95fdf20eb0d1
rpc/Cargo.toml	2660	cb54e43c893730ac0659292f3dc28c76e16774f3a85f63719e6a00f81f84b5
rpc/src/cluster_tpu_info.rs	8510	d6cfbc575db2d7d901aefae3616b6b62ef94df24b1a7ee29207012b5de9cc0
rpc/src/lib.rs	621	76dbba693cd6ae36980f760029f3eb9e495d7555487f106bc602bed715ff3e
rpc/src/max_slots.rs	142	9e31dcdd3bd0b8947cc1e2057c4d29adfffcd29ee5dcae865b4814a91bcb66
rpc/src/optimistically_confirmed_bank_tracker.rs	27987	fe705add2bec7cf658ea7fc47c43ace62b5fcd72e8f6392f6b0a4f8e32ce75
rpc/src/parsed_token_accounts.rs	3459	333534c3917ba63139b27b6d1c6324d6140f5e071926b7e0922b17eae93b6b
rpc/src/rpc/account_resolver.rs	457	45b52a42ee4a09fede5b5fd22d6aff7ee67c6bdef1415df2f67a77462becb0
rpc/src/rpc.rs	363194	5807624f25c1c858e77d91ef8c96ba65994742ca4b0a940cce3bb7b751980f
rpc/src/rpc_cache.rs	2014	fde6cd4ac274080934f4e56c16dcff8c1ffde187fcc3244d74fe0ab35010e5
rpc/src/rpc_completed_slots_service.rs	1794	7aab62a79fd3529edc0b97724f80f5d7679971db725d94f292ad66605f8eaf
rpc/src/rpc_health.rs	8947	d4ae98c3f538c223a02d81d4a062504a0c79b29396268b5a217d08ab86edb4
rpc/src/rpc_pubsub.rs	52778	2eab3a07d54a5198aa703254dc6be0dba8993c3995f8df2bbf59c90dc746f8
rpc/src/rpc_pubsub_service.rs	17583	ab3fc9f0a576677557d25031282ec1111ef69d43f58d29326e2dbd93661027
rpc/src/rpc_service.rs	35344	d98d37ef6c34b118327c6a0f7ccdca09e9b84548425e66cdd54ac3adc7788f
rpc/src/rpc_subscription_tracker.rs	28545	9be7f8be1557681a9f3aa836044f60881dceb31bd6393317d3da60a875e83f
rpc/src/rpc_subscriptions.rs	122117	b3ead927df2a54c7c40d8983ce698ade847a68abd134b9e5658265f9d45997
rpc/src/transaction_notifier_interface.rs	525	497c94200a974c03932e29dad9411e66989f08c23aac73407aa94220cf74bd
rpc/src/transaction_status_service.rs	17340	3e39871fe2821d426d6f1cb6d94d73661f9b215a1eb1ebbe881f112283a761
rpc-client/Cargo.toml	1504	75e566e5c27c0933427d3964dfb15329f74d039be6156e78422489581c4b3e
rpc-client/src/http_sender.rs	8769	801097eacdc77406004a2b04c05d7a961d80e97d617961ff6680e7d2d9d62f
rpc-client/src/lib.rs	434	9f1940c3a494ba4806c01a5489bde9cb92f22ca0beeda48d8c132fe3a77b0a
rpc-client/src/mock_sender.rs	22058	08925822d858ff83a08d937005be460de656e3854238ae3ce57555f685e3de
rpc-client/src/nonblocking/mod.rs	20	fd1374dbc7df7ff6b81503320120ed726b38c8d6393b9307357a656fba93d5
rpc-client/src/nonblocking/rpc_client.rs	204017	09b67c9e8b420bf9dbc6c6e33266deb92429e0ab7795c5590e8aa292b0d9a6

rpc-client/src/rpc_client.rs	168425	4d7734adc2deb4c870c53dfdcbadf9da369c27fd457797f252cd8657e82a92
rpc-client/src/rpc_sender.rs	1032	19f91ee5248941356e4201bad01453b9cb2a9fb4fdd35121c4d7c84234cbc3
rpc-client/src/spinner.rs	1401	47bbcd97759abd3d26c73e571fad99cd094a69ab26ad2d352d07b4a826dfdb
rpc-client-api/Cargo.toml	1035	e218168cfa41515cddf1c89f0c5c545f3b50d84bd0dfbd5319fbe8fc97a028
rpc-client-api/src/client_error.rs	4647	04ac12aae1c124d9bd248cd58e9c3a8c1d4f501038d28db86b203d35654ac1
rpc-client-api/src/config.rs	11040	bae472cbd05fb3aef062e34637056b840b774c0039d9a079e443b26464e2d3
rpc-client-api/src/custom_error.rs	9466	b36220f9bdd6526a96838d5aa1513f302deb7b30f04aac7c526ba8a0b40e9f
rpc-client-api/src/deprecated_config.rs	3965	5ce5ff107753f940e056afb1dfec2b840b1ea46881eb9d279fc71c8c16b376
rpc-client-api/src/error_object.rs	104	c224092c4d9c7610d9eae86edaa23497ab8b3c6bfd1a6a57f7909756315a95
rpc-client-api/src/filter.rs	14851	a03cae469a155ba1a4b53033644c92e18080d1db53d79f0530abadab7486ba
rpc-client-api/src/lib.rs	266	db49aa0bacccbb6a8af42f16df1d1be2331df9e6242c4fa64e2856bdc5a82e
rpc-client-api/src/request.rs	14372	efddd4a392fe6e1208389b9a18c7dcaf6e176160d54b367bd090a71abf4fb0
rpc-client-api/src/response.rs	18049	fb16d9917ca2cbc8d1e9e280ba014546d8fcf1cdb09bea3d6368ea2102c8d5
rpc-client-api/src/version_req.rs	663	dfb836253ec15334bad40ea73a3c1e490bbfbf5d06046ccafa5ea33ff82bc7
rpc-client-nonce-utils/Cargo.toml	847	1fbbe6f39b022d9e1250fd3cbc298168450ca7de24df9d8e937fc925214891
rpc-client-nonce-utils/src/blockhash_query.rs	17738	f7a33d137beb5cd911d42bc0f83c8eb24535a173330c1dacd6f46e59132dd2
rpc-client-nonce-utils/src/lib.rs	1597	458fff6a8c01388c3f23e26772e791a493f1178e9fadfd232d4822a17a974b
rpc-client-nonce-utils/src/nonblocking/blockhash_query.rs	14490	0974eac39628d987697bbc765688133943b07b6bc1aa7b404c908141118420
rpc-client-nonce-utils/src/nonblocking/mod.rs	7852	bfbf4c580dc24e0d34f39559553e430bb82ccf5c3c7df50adb9762128bcbde
runtime/Cargo.toml	3754	702012096ba97e6c5fe88c2d018538abacd087e2c34263ab71d3ea15e09d95
runtime/src/accounts_background_service/stats.rs	5335	2e1a97ee0cd3dd7be6269bbd04af56d4b8dab2120b3f56e3ef85d302339f47
runtime/src/accounts_background_service.rs	48372	da831bb8824a0f27fca62946d94e813a47dedd22fabbc37b0ff7e8a19d5160
runtime/src/bank/address_lookup_table.rs	1657	b6e3ec3d63cd34f0b2eef124b264acfa4c6c625a547ede437c98f258793c05
runtime/src/bank/bank_hash_details.rs	11653	0c6640ac639d9911cde56872e5c92e64c0ac00b8e5822b4e44be30910044ed
runtime/src/bank/builtin_programs.rs	2520	faf602fc966a09e1414f9d463b9e0843c7dfd569279353956643a812f2d296
runtime/src/bank/epoch_accounts_hash_utils.rs	8220	8e698177e2c925c38688ce604a93455090cd441e32441a571bbbf6e1b3cc3c
runtime/src/bank/fee_distribution.rs	32567	e907e52476597944ecbb3e039a4ebc89ca67a2d35d838ab657de028e942c08
runtime/src/bank/metrics.rs	6620	267639227ee2633b30a9522c72be4152d99db98b20a81568f9ab2ca1db7b1d
runtime/src/bank/serde_snapshot.rs	26071	e33350c769245ac57274b45eb5d5f694a015fddc6204211df0e25ade8ff123
runtime/src/bank/sysvar_cache.rs	7483	865babef13584aa57c42063e8c0df46e3d48df273370a3dda8048e83cf37de

runtime/src/bank.rs	316227	d63aa7973ad02ae7fe0b7271fb586265efdb90d7ae102fa511cbede6d8a3a6
runtime/src/bank_client.rs	12663	6181acc7d6865e62f6e675eac00821187e0042f7fb91070eae1a9ec45f5a33
runtime/src/bank_forks.rs	41807	b9f2667b37c5561964ed75cb97004370f477a79838479c8296e8bb449aa0be
runtime/src/bank_utils.rs	2028	1370c747e08cf3e3c4c72a9407b811797b8c2bb9e27749beb90ac0b2fa6c8b
runtime/src/builtins.rs	3883	2e880e167e4249ec84a4de6fd39a75ca7453dc5d06676975fad7312fa2f6c9
runtime/src/commitment.rs	12920	9118a3c46459ac954a72dea4eeb5b78882ccbf9f999564780d68d947707959
runtime/src/compute_budget_details.rs	6876	dd8a3a360fa1232432341209bb9ca0582d0a366dc7e9959b829483a48c4716
runtime/src/epoch_rewards_hasher.rs	3449	2f3b1db772c6314888a26a92eb32da66341e3267f0b08c21cd774e0d3dbf8b
runtime/src/epoch_stakes.rs	8147	e2c94971b486c509b024c46cc982003a168a685cea7f0d8cc4f482fc879844
runtime/src/genesis_utils.rs	9368	8361d3191ba28217ccca220ccc15456e9a14f21932c302cb0ee3f108b7347e
runtime/src/inline_spl_associated_token_account.rs	319	0e8e7b7192e183b63ef904b39ebfec9d42835c9a0e246aedc9893f55e70d40
runtime/src/installed_scheduler_pool.rs	20913	4ca00683f2eabd8fd069490d76ebb75e4b564d7a58d0e75a090da1f3dfa9e9
runtime/src/lib.rs	1132	394858bc2cda5d790882202404bdc1053cf7da662966be34a546e5083a1b5b
runtime/src/loader_utils.rs	9815	80603b06c3514756732d90816da1808ad8e274e430df69dc584aa9878cb9da
runtime/src/non_circulating_supply.rs	14026	bdbcfb0db0c311affe23e6acf16db562e0acffcb65e9ab39d7d38d07373279
runtime/src/prioritization_fee.rs	14350	6d975e782258834d12f9a2d6a00cd0915e62b15d39335173884d67c33467d5
runtime/src/prioritization_fee_cache.rs	37538	79009615436a200199353aa7abbbb553690b9e774169cf7336bdafcc58c0d4
runtime/src/root_bank_cache.rs	3363	69d74a866c9d5b9edda5f0764deb06250fa5af9049eedb444986622cb8f880
runtime/src/serde_snapshot/newer.rs	18949	f7f8617e79d024db27a35550e0fe4e4cdc8ee653e35e1faa8019e8c0824f69
runtime/src/serde_snapshot/storage.rs	1188	96e4aa73b4df267c4008478ab570621d92859c55b2052e2d857f6568d92ea8
runtime/src/serde_snapshot/utils.rs	3516	054d258d8b4557b09a2155eafa99b02324cba9c3e9d24fb87fcae4fa33a78b
runtime/src/serde_snapshot.rs	34814	ea3c96304cee6b420c43ae93d6f4074f4f51cdb85322364d08b6209ee7ff1c
runtime/src/snapshot_archive_info.rs	4862	2ca21cd618e4f8653b29aed557da121fc9a695b1814c0f71f1ed0072deddf6
runtime/src/snapshot_bank_utils.rs	101108	b71c76688b12d95f8b9de0131154c5840cd082b6a6276cdfb9424adccc22b7
runtime/src/snapshot_config.rs	3628	8f0ef636e0ca55d35244224d5fde564fd658e0e775253baa263c4fd6fa0284
runtime/src/snapshot_hash.rs	2057	b5a6fd5ee76a8bb796944c4108442ef5f50c518ba5af8a6a78526e1301c628
runtime/src/snapshot_minimizer.rs	25930	e35545aa867566cff5bac09abd306c621621f5a428983c55cf17893f07286b
runtime/src/snapshot_package/compare.rs	17273	13ec45ba188b330885acea74df5aedff8f1c71e55c5b75a449c4f64f2a53df
runtime/src/snapshot_package.rs	12848	5ecceaddf49e68467f35088753488346215d7f139266d2287f2c2678a4e2df
runtime/src/snapshot_utils/archive_format.rs	5518	6a900b53ae6ee630dbf2b8c90550039d6c3cde5ab30567e60bb74129b64a61
runtime/src/snapshot_utils/snapshot_storage_rebuilder.rs	19899	49f415a0924a0ea926e294c2e31a2789d772c08b52d023017e5ce36872e91c
runtime/src/snapshot_utils.rs	123909	71917338ab947df8b73870c013c500527ff0105a69963771eb794a644be5d8

runtime/src/stake_account.rs	3406	42dcfd811f26c06e86761caa6b16973f26f6ebb09cb438db7a16ca0719dd88
runtime/src/stake_history.rs	4368	2488d506098e5d40770e173e31965cd3e01b4c60e1af189901ff80384779b5
runtime/src/stake_weighted_timestamp.rs	27535	5df75e9119bb493af926a087b2900188b7ad9a2df570b388eff2a6f9368445
runtime/src/stakes.rs	41198	2cf6d5133d6fadbbabe23d20c2eea81030967cdb13643f506ba485cfd3c42f
runtime/src/static_ids.rs	506	d600307ec4074e96c6aa5a60f955f7fb3429826eb90a03a642fdeaba43ecac
runtime/src/status_cache.rs	19259	02ed3dd3ff7c18f9364f6c4c44c05e56fbd7e6edd801485a5a8ea41d8df21c
runtime/src/transaction_batch.rs	6787	3ae9ce82722d40a39e130d4b954036ae7ed55e235619e4b5ef0076a86e24d1
runtime-transaction/Cargo.toml	802	c23a6d74b94a3d1c244c085b35ad1e37c6cdb17f884d2bed1fb0e6bdd3a1ad
runtime-transaction/src/lib.rs	168	b48630799564594 06c0f86ba20c9a03cfc606ad93c53f4091b0e0e36f365d7
runtime-transaction/src/runtime_transaction.rs	10587	6c3d78bc4ba60fbee9ea5c07d0ac9a8be90460e477d43b2e0431efceb0d9a6
runtime-transaction/src/transaction_meta.rs	2434	f4949e1b6980e9c2278473dfcb02d5d0bdd89543f0c9c4af9826137795dd3e
rust-toolchain.toml	31	9526694ebc85d50dc10644587e1af672024de145bcb7e7e9e2e596210a98af
scripts/perf-plot.py	1090	20ecb266262149a7c94d86f7b7240bb21aa84f3807651fb087244ca3f9d039
scripts/perf-stats.py	3201	22c82b101411e87419d2661d3cb75df79aa664ce96d6b95f437fb8ba98bcfd
sdk/Cargo.toml	3349	3399112e334c3a51fc9519c4ace585af93b9bf866947976f8bb9741812e7b5
sdk/bpf/c/inc/deserialize_deprecated.h	39	76c96c25637df160388fac89f265c0af946dae909fa37fbb0d979cb35946b0
sdk/bpf/c/inc/sol/alt_bn128.h	1227	6dfa66a68da0f981befec320bdca3f32e54443dd9e0923667703435dffb926
sdk/bpf/c/inc/sol/assert.h	1283	d6e5277f9b84fa34f1405b4821b3aff9c51c8ffbc4e91ba967e9b3aab080f6
sdk/bpf/c/inc/sol/big_mod_exp.h	841	f23757041ed8125474bc9e06ef8ab674a8742ec70c2ddaf8a0d2eaf36d3acd
sdk/bpf/c/inc/sol/blake3.h	905	ea7e9ad0f96d06c80590f16f61e1b23bcdd0bb45107718e2fd02231c828be8
sdk/bpf/c/inc/sol/constants.h	801	7dd040c41526b0676d0f2ab7e2a9137065106e83a4d83a375b95d28d52307b
sdk/bpf/c/inc/sol/cpi.h	3825	c2d690c425ecc264fe50ddc94ea627f1ea59559c15c24e3402776de9cd4971
sdk/bpf/c/inc/sol/deserialize.h	4071	20b026a4b7865fbe3168b7a0528a25e43fbdeafe2bb961695ebd947fa7ff72
sdk/bpf/c/inc/sol/deserialize_deprecated.h	3420	d12ce6b752923207f0ea6ff482428238d9a883b5676694bc3021748f21fb65
sdk/bpf/c/inc/sol/entrypoint.h	1663	2f99d265e925adf204041008ccfae84844a486bfe456f75ee03e2c04ee9374
sdk/bpf/c/inc/sol/keccak.h	909	9780b586ec94b5f910bdc43db238be9b0f2ada642e2315ced1237644412bd7
sdk/bpf/c/inc/sol/log.h	4244	9caac66e5dd0cf3e631a9e47fc3436fee8b14f77a66f76e4ec45714187dbce
sdk/bpf/c/inc/sol/pubkey.h	3973	d8ea0937512c557a149c2e76b9e1e4bd55a2de4c2f6b09216ac55c3245e66c
sdk/bpf/c/inc/sol/return_data.h	1831	b3ee9bb2cc62054f6976db9eda7580e7607bfcc9a3473bab20030ecf7e950b
sdk/bpf/c/inc/sol/secp256k1.h	1765	a93bb16fed3b16d2ad47cb9401fc88287789784341b88b4707c2042424be55
sdk/bpf/c/inc/sol/sha.h	881	e312670abef76576ca009061ad3ad0962752d4d8bbfd0c45dfca460475344c
sdk/bpf/c/inc/sol/string.h	2069	1fb1db89fba24801dc0c014fdd6543c96ebddd051787f768005e069122df54

sdk/bpf/c/inc/sol/types.h	3883	674240cfa1959e7859642cc39d2622d37612d87c5358da6cef73e25f20f4f5
sdk/bpf/c/inc/solana_sdk.h	511	a405253924b7b31176ebae33eb0e5a39253f748cd6726ceffebea3cfa19354
sdk/bpf/c/inc/stdio.h	81	b05557a562439eb2981507f79f90855a72aaf716cc068a4d96727b958162fd
sdk/bpf/c/inc/stdlib.h	37	866e40d29930b07886fba1a881cf11cb43a1e19ce00e656d67c6f6e528afdf
sdk/bpf/c/inc/string.h	117	6f4df1d6b44c637a874dbb45a4137751174ec335e8c8e1ae6164991aad6b66
sdk/bpf/c/inc/sys/param.h	13	b3adf106d95b8934f690943f2921308b90be5b766c4c8ba250c792de564002
sdk/bpf/c/inc/wchar.h	13	b3adf106d95b8934f690943f2921308b90be5b766c4c8ba250c792de564002
sdk/cargo-build-bpf/Cargo.toml	521	9d2711d54cd2f571beff9e09ba491411511d2f7069903f8e5bbcf47abbe674
sdk/cargo-build-bpf/src/main.rs	1512	9413a48839833fd03ba0412668f7126ad8a1d9104fc5650ca0c8310da5ce83
sdk/cargo-build-sbf/Cargo.toml	1110	89da67cb03d6725d61ed596d131693b480283fe313b8d18b16b92ab6b4a763
sdk/cargo-build-sbf/src/main.rs	39532	b9fc6e291869515fa74b6429849d5cd1e6c4e0bcafa882d2229266020251ea
sdk/cargo-test-bpf/Cargo.toml	395	7dc7ad046bb1f514276fe302b9df120a05e3aba3dc271766d19cc6933d1603
sdk/cargo-test-bpf/src/main.rs	1839	d77e25b8dcdfa85cd6dc7f31a89760dae3dcc556e782f5ce7288c8237df014
sdk/cargo-test-sbf/Cargo.toml	617	333f925c7da9225571bbf6c2b772c682f0ba7bed2343ca3784b60539173bb2
sdk/cargo-test-sbf/src/main.rs	13615	cfbd8d0bbf04fef3c91a2b16c9dc4892de7fff3849a11eda97fe8b999c4638
sdk/gen-headers/Cargo.toml	380	b7f61076008b5fb15b7c6bacf631a961a004935b35b8d62b42846889daeabc
sdk/gen-headers/src/main.rs	5469	c7e8567b71a4d3d306021133811953ff0bc408785ae424046802936da385ac
sdk/macro/Cargo.toml	609	fc626d0feaa0a28b857672307f3d4e7642ddd987322b94f48aea7f0b46e323
sdk/macro/src/lib.rs	14021	c9a3c400761f50185d8272bbc065dc47d7a7f289371f355291c99d6701e443
sdk/program/Cargo.toml	3586	cee38b95b2f1d16f3623ed305ef56d6f9512eb61420183479515bff1b21646
sdk/program/package.json	390	abd63f0bc5f0971c1fa6f3b1f493a86575ea2f4b1f03d7ac6bc4863e5a4a8a
sdk/program/src/account_info.rs	16801	dc0096411ce48bed4ec21e0b0ba45f39de5e3c72d69db2594ac12a65acb624
sdk/program/src/address_lookup_table/error.rs	767	7d70f63a07f233de8cec22a2838db3978bb0a8374ef64149dd259e6d079719
sdk/program/src/address_lookup_table/instruction.rs	7531	0666f3125b37f849a7c31f34d5ff9e503bab3d509bb849413fd89bf6682fb2
sdk/program/src/address_lookup_table/mod.rs	553	74f20f9f246bdde23ca52549a93c9b571ed9367b811123c16777bf5cb218d4
sdk/program/src/address_lookup_table/state.rs	17346	e6aafdaf12dd9d8bf299c01990af674d226e493113dc6abe429a0b7ac8f8b8
sdk/program/src/alt_bn128/compression.rs	34814	a28a59533009fd89edc2be62fa6e848ebbdab25c8d7a6dfa0e9b62302e3877
sdk/program/src/alt_bn128/mod.rs	48589	00f7a919c02f0f16d2b0d13223a47bd2145548992796138ad548d7a5e2bba3
sdk/program/src/atomic_u64.rs	916	55a2e2786ef2a4c8fe21f9641eb0da22de41fe390bfb24e5fb090fd904b183
sdk/program/src/big_mod_exp.rs	6133	f47176dfdfc851661c601c57bfce453071f65a30febe05bdc117cd754794bd

sdk/program/src/blake3.rs	5741	05feb9c11ee2087213f2694b83435e6984d50eedc5c7c948b373303afd194c
sdk/program/src/borsh.rs	15236	7129931ddef846426de5c572736d5f39cfb9f37886b80d25397d7da5abdc26
sdk/program/src/borsh0_10.rs	1033	d153b45e2f0004cb01efbdd0f78202086bb3cbfd994cec768317cd50b913e1
sdk/program/src/borsh0_9.rs	1177	62b63500b6c1360d45ca701bfe0a2bd0a89961ffdd7ad9bdb75d38618a0794
sdk/program/src/borsh1.rs	506	b98dfc1c960f5b68f451feec652f5963e57897da3a7265ea0cc061d90648d8
sdk/program/src/bpf_loader.rs	1119	20214ac69534e387311bf2a367ca4ab6fcc1b58e1816de737fd4677e0499d4
sdk/program/src/bpf_loader_deprecated.rs	667	2a33c794f849520c88e29f7f4d25f8cf080f2ed62fa517fc34af5cf68205df
sdk/program/src/bpf_loader_upgradeable.rs	18337	d56cdc315d79c160d7582a555860b814f7553362fde32990b754976687ab2a
sdk/program/src/clock.rs	8829	69408f4e02c360a90fc0583f8e2f3078e4b9328a1235f0b76494ad73a54ac3
sdk/program/src/compute_units.rs	339	d6dc0c333f753bd01a853ee5c37102355c82b279b794db754b3ac1ddcdb6be
sdk/program/src/debug_account_data.rs	759	f8072c717b837976cfe08f08f7907f3febf5564be6b3f3975680159d90623a
sdk/program/src/decode_error.rs	2039	2e7fafda7ee226572133a48ee55f8e53fc2d58db86c5533f28a76fe8481eff
sdk/program/src/ed25519_program.rs	181	76bbc11d182696c6ddd719cc39c443fc3bf3bec007d5b0af13293d36fab9f0
sdk/program/src/entrypoint.rs	16336	244d919d95bf4682e45cdca6c77de858047a334eba9a6037252424669d57ab
sdk/program/src/entrypoint_deprecated.rs	4858	f4d7d209109593e7feb89b84a5896d80cc3a71221a2da5ca2c42cd52b0f1eb
sdk/program/src/epoch_rewards.rs	2246	e5eb93b01cffed162dd3228899ee4cd1676bd315a51a5c43b5ca3bdb7e3af3
sdk/program/src/epoch_schedule.rs	10119	e42406544424d4fe23faf1068d1d6ba0044e4d93d6c734db1206ad1a856726
sdk/program/src/example_mocks.rs	9001	30904240b13eec561ae7583e9710b61e87d06760803ee6d524692812317a40
sdk/program/src/feature.rs	3063	0f2f0a1762870a6dd2b3acb5a72eacf248c34f07c6a38a9197be182ee2dd75
sdk/program/src/fee_calculator.rs	12486	3fb3caf382de313c523abb596f4042d26edc8f0540d6092b8f1cf38cf730a7
sdk/program/src/hash.rs	6126	5370764878a2ae9bfe903486505fc77c2da04ae5510b0d2f32bcf2f7687d8e
sdk/program/src/incinerator.rs	241	41f8178091d73232974a470fbbf5b6f23b9f428e02c54c3bf1c05a2df0cd8c
sdk/program/src/instruction.rs	27104	73e5b0ccc41d73c925bb090ec2819a4327a6da9304889ec1235b148f45c474
sdk/program/src/keccak.rs	3926	fe68d5a3510faa797db21b4460321fc0457e09a2af9f5f2654bba864c32d90
sdk/program/src/lamports.rs	651	1e3f869ee610442849498faf2f7511e32c568bab71390c3969e9a9a9e65872
sdk/program/src/last_restart_slot.rs	302	4a9d8cad6b823c69cc48a9096697d5a0b548b8862d7024c0db9f9a66e4bad8
sdk/program/src/lib.rs	28634	dd83e72a8de95edbd2d79a68dc2aca748234fe053d0e0d24ac575f424e810f
sdk/program/src/loader_instruction.rs	1619	9e59f6041affffe0d9e391a39ebf409be74b372a674c9df3ab2b97efbc6824
sdk/program/src/loader_upgradeable_instruction.rs	6888	87a1467387f1bd9bdbb3cfe8aa584e7510bca6db0a96b5f88cbb83d0dc6358
sdk/program/src/loader_v4.rs	13623	8bb60bd2991e27e7b5733eabf74d393baec49d5b61f71829fc4c076ad0adfc
sdk/program/src/loader_v4_instruction.rs	3066	ec34343d79cc48652cedd139d5c5af5d1b852dbfca20402a10265aa8f668e9
sdk/program/src/log.rs	5633	c6e8614299832441bd49516fbda5f9e2438b684e7be452f5dda994d5eb5248

sdk/program/src/message/account_keys.rs	11099	5332a55d8e89084e0254f92e7241dc23887b91dcf36f70d1a553d61619f442
sdk/program/src/message/address_loader.rs	1721	6cc08619e6c9417f5425d57abd28ce5dfdd39b3f8284b281fc2e371cffcf07
sdk/program/src/message/compiled_keys.rs	22474	b6b63b9a581e416e222ab90c5fecce23b4dc0f70807f66931044726ac7cc11
sdk/program/src/message/legacy.rs	33255	4ffac4c781a2bc7cde2ec52ca9fe5c98fee5d1b45937294d0f525829d3f201
sdk/program/src/message/mod.rs	4993	f6020334d707c6060853a2a298750036d94af65f4ecbf14928651053cabb6f
sdk/program/src/message/sanitized.rs	23927	3833befc8b32514be17e440817a35ac1a3fc4899d2e8d15d2a7cf5ae97c72e
sdk/program/src/message/versions/mod.rs	14789	ea32fdb1d53430cca1011d0b16d161dcdb89a33e3b7c6fa9bc76129877954d
sdk/program/src/message/versions/sanitized.rs	1450	c7046234b940c3e468049281f9d3e39c4218e42a13b4dbceddd989605436a3
sdk/program/src/message/versions/v0/loaded.rs	11684	84d52a9e09fad43139d41bfdfad98ed7a075f2c048f1cd600c8ee77da11aec
sdk/program/src/message/versions/v0/mod.rs	25105	1febbbf00050ed58fb9e03ac669e837e95cac7dcf404e2390f346460182d2c
sdk/program/src/native_token.rs	1079	a6481bb72042547c902c9fd58192201eeb0083b2edc070375c96f3eb49fe02
sdk/program/src/nonce/mod.rs	116	2d02d158db33c86e6764b4ad77a88d3192b00dbd0e31cc9e0580df263f7d8b
sdk/program/src/nonce/state/current.rs	3183	d57712e751ccf38042b7609769d0c95e11501b67d6a6ee27ae9fcf87f42e08
sdk/program/src/nonce/state/mod.rs	9198	6fc7da0bc993c6cb18bb6f4d0b85fa071496e13cf74793d987346334d3ac43
sdk/program/src/poseidon.rs	15582	62824483a40b2112d17f2d0baba42cd125218e337d5fbefe17f8a84eb26abd
sdk/program/src/program.rs	20971	33f46f4c7aa476f418526a4cac64401de75ed110ee3710dd6c944293736a9b
sdk/program/src/program_error.rs	16852	7e29782c1980ebd5e6d191fd2e055bd4688092d8e2e3284f72f30ad5d86ade
sdk/program/src/program_memory.rs	4268	e14d548aea8a93abe2ef437455cfbc46108917fcf7dee97a937882cf849754
sdk/program/src/program_option.rs	30883	9be40978e9447abcd41bcc8706a766d1eebc91fb5b651ca5144dfe3a41b9ab
sdk/program/src/program_pack.rs	1579	b2d54191aa3aa2df48311af82e8440a203160d6e0401d7c3292f47e6d4d7a4
sdk/program/src/program_stubs.rs	7698	d12a7fea45a4f706bd91fdb37829c0b7cd8875d2c036a010e946398340d984
sdk/program/src/program_utils.rs	1575	70709056f0d89919f8c91f09740721e181e6e7bbbb9ada915df73a9b129d27
sdk/program/src/pubkey.rs	35843	d2d3e31f542c7e662c0e36f3eabfb73c2146e485fd0ba10738f2e748d8ab2c
sdk/program/src/rent.rs	6995	7f2edfe899abdb01ac3828691d748752b8c814651a24d9aeec1bf470cb9b12
sdk/program/src/sanitize.rs	1069	87b062ecd0f893ec59bc309327638a93f4b7871fbe74ed69ead5871cebcd45
sdk/program/src/secp256k1_program.rs	467	d2de3331d95a0e50b4ba9e025b1a99e47f09bc012a592c6c2f626d044e3621
sdk/program/src/secp256k1_recover.rs	17194	06b76c033dbc26522d5e902e39861ac51c5b2c0f3d4b4b9e62ed71ccbd017c
sdk/program/src/serde_varint.rs	8799	78b7c9857f2f26ae36e1ec202b42df93c2a388e58bd5e9e472c4d1e7bad602
sdk/program/src/serialize_utils/cursor.rs	3965	1e6b54a6d6c4a4459d5c7d0a0394c1eeb04e41a10f2289f39f2eec5eee058a
sdk/program/src/serialize_utils/mod.rs	1968	5b0d6693289c9ccb8fc9c7dcb50f35a26b3e79732131136efdda441d3b3a5b
sdk/program/src/short_vec.rs	12000	e25627dcfed5b8098ae830e2c986ae976f7f44ebe178420b2d5d0016f9ea40

sdk/program/src/slot_hashes.rs	3123	dabec8c128d1330f436161d76c3004790fb0552cce90c3983d63215eab8193
sdk/program/src/slot_history.rs	6887	5439a4142613c3c5822b9b1157806497d1a1536860555c9b3889b355ec72da
sdk/program/src/stable_layout/stable_instruction.rs	3151	4d8cfd4cbf16a3520096a026e3ff7849749f131d7bd8d45ce006179a132d54
sdk/program/src/stable_layout/stable_rc.rs	882	419e409a6c9a8a6026c35bf9951d246b58c20ec4b83b2fef335465c6ae88ec
sdk/program/src/stable_layout/stable_ref_cell.rs	731	da9ae20e4e60384160a2145b6574c3412a03a77a1dbaebd32a862af3ade8fe
sdk/program/src/stable_layout/stable_slice.rs	901	c39c32f1a1716e841e9da9655b276e540b0f009c9472324bcc3123272f1ebf
sdk/program/src/stable_layout/stable_vec.rs	5892	b2e116dcaa88f222dd150fb4e81c04d0dc68463decdce7eabc9f654f12cf4e
sdk/program/src/stable_layout.rs	212	943a2150b8fd89c8ca7ac3c81b4cf908fc407de419560f807fcb1501eb37cb
sdk/program/src/stake/config.rs	1114	7866e02c4d32a604586901b45fe5b7eefcddd4362c385e98819a23447423f5
sdk/program/src/stake/deprecated.rs	173	6b0a1ece4394bebf79b4e7e4c62ed9397dad0fa82e18a9a99f36283013ab23
sdk/program/src/stake/instruction.rs	28027	f12fa41c5c5143436fdc3ec89c2f1de57a0792c552c8328e3b99f6d224a809
sdk/program/src/stake/mod.rs	582	2c6e4d19c579fa95eb561d7191e60218c1b0662c0e2627ad5c1f39c009d16a
sdk/program/src/stake/stake_flags.rs	4370	008c094b2a5a9cab392833e6c9d55cee1334009e2d2e332fbd119b8ee41e7d
sdk/program/src/stake/state.rs	47570	f9da32ca6e1b486649b1f74548e70fa48cf6e8c1d31c891fb7767483d8a7a1
sdk/program/src/stake/tools.rs	5210	1b1bc0758ee46b9653a84527187beafca0b6482f175bf736a8c57ae23a6ec3
sdk/program/src/stake_history.rs	3323	d46cfcb44da72effa68b066abf6bbdd0f433a4b61ff34af415607db9affe6c
sdk/program/src/syscalls/definitions.rs	5975	33a59a9ed3aa5858e3d86815205ef1be3cd7508e404a25699b47ba9a268c60
sdk/program/src/syscalls/mod.rs	1060	89946836b953ae7fd925fed9bf6e862c9e81877dd270ffbd924a1c5487f4a5
sdk/program/src/system_instruction.rs	60567	11290063479656abb54515942cb02dbc0945ce380bac46f62af067d8a0a47c
sdk/program/src/system_program.rs	168	1c39e35ff03861152f46cd22d800950caac11ecba40de8acb703ec7e157828
sdk/program/src/sysvar/clock.rs	4348	3fabbda95419371cbe401e41a763dc4fdce71e4236e122e90b72c586dc292d
sdk/program/src/sysvar/epoch_rewards.rs	4650	8a1409577fa80ca953b3fc0801cc1a7653edd979d6dc50df1928579fe9890b
sdk/program/src/sysvar/epoch_schedule.rs	4545	01b9a6fc2c1e6732ab28b1bc8c24c6e007a418925a05e072e50a9b1201ac03
sdk/program/src/sysvar/fees.rs	1920	4ca94455b1ed92cabc1d6e159392933115963ba5a31d0723fd81465cecddf5
sdk/program/src/sysvar/instructions.rs	19664	5e1b66e9c00c27bb85eecec3e85b62a51df06547040bf0512eab6749de50a8
sdk/program/src/sysvar/last_restart_slot.rs	1563	df8322068de7f3f1a899ac4c0a2eea7e747cc05a31a9922d6f4cb49a067a41
sdk/program/src/sysvar/mod.rs	9552	fd0e9260ddd911dadad785fb0775904671d387b9f74df3778fcf5e3d9def8e
sdk/program/src/sysvar/recent_blockhashes.rs	5258	4b4b87dae470778ba22d51646706f5fbe46decdc33074ffe5b4deac80e6bdf
sdk/program/src/sysvar/rent.rs	4024	622b3f90c4071d60561da52794665fa0373e487e0a8f5115eb565b5dbd406b
sdk/program/src/sysvar/rewards.rs	496	0cc5f8c15962d10f8cdca0a3fda2289742ab2e956fd1d02699e4a2d2f6b9e6

sdk/program/src/sysvar/slot_hashes.rs	2952	ce15d1f3ba28402a5e2f03740982f7432f0f562996d5139d712c316d85fb64
sdk/program/src/sysvar/slot_history.rs	2656	2574aa1b299dcf75d0763abff1d2dd472874e6cdada98c7ca41b6d685c8588
sdk/program/src/sysvar/stake_history.rs	3414	8efdf7fb806314838a1b568fc9500c368d0e4485f4a6a10804be0aa725e2e6
sdk/program/src/vote/authorized_voters.rs	3710	e450b1e913c6526ba2279b9cd9eb795d5fdeaef74f5e5ba004b4358a64a4d6
sdk/program/src/vote/error.rs	3114	be1fde89843dd7f66d5bc77cf365eedf59642b9a83c9134f34a4a025801a66
sdk/program/src/vote/instruction.rs	16965	ab8884a9f9c7695b2877ead0944522d3d8f38b7bbd29e789c254d3408938d4
sdk/program/src/vote/mod.rs	278	96a650f2027e5b8b2b001b06d011309fc5485253ecbd8c2a758cfbfefc5012
sdk/program/src/vote/state/mod.rs	51678	58f4dd05377a0768f5eb97765bc87b5dba27f4d73fa6e5aa8a5b14dec70a59
sdk/program/src/vote/state/vote_state_0_23_5.rs	1728	31d67e151c39458d6c6704e8b1a5d18ca59ec94f1cb758742bfefc651cc355
sdk/program/src/vote/state/vote_state_1_14_11.rs	2845	e177552c4345e00ec616728be1477515f96b557630f5c148c4886fec1479f9
sdk/program/src/vote/state/vote_state_deserialize.rs	4428	04c04c7f214e01bb54d14bcbed55f16d6b826c7579214a3fa1480883ccff31
sdk/program/src/vote/state/vote_state_versions.rs	3347	b33591290aff888396d5e9dad36a8860168e12632b35444ce94656b6a0272f
sdk/program/src/wasm/hash.rs	1853	8e80cb085fd2d965d8f069e1cf03d02b141efca614dec9540bcb590dfe3247
sdk/program/src/wasm/instructions.rs	753	26ee08cb0e73a3562b467fe49a6ea657c6bae654c654629da0de573b89c538
sdk/program/src/wasm/mod.rs	624	940b55f28a727d2ed9f60b2f05697c05fd7944c902bbc46986edf67fdcecb7
sdk/program/src/wasm/pubkey.rs	4159	dab63fff724dbab7419024d345bd411e279e84f3ba7dd30bf5c63a5acff452
sdk/program/src/wasm/system_instruction.rs	3051	317410afe7e3b6502678e1fe548a6f04ce09fb68a944626e090d0dced0071c
sdk/sbf/c/inc/deserialize_deprecated.h	39	76c96c25637df160388fac89f265c0af946dae909fa37fbb0d979cb35946b0
sdk/sbf/c/inc/sol/alt_bn128.h	1609	fb68b592b5907ef24edadf99a93a7b067a77b8018d06a701b6268b0583e3d3
sdk/sbf/c/inc/sol/alt_bn128_compression.h	2040	862b9c3e0b03f98316115c1197238f24494e596aef13b5fd54bdee3cf4a2a8
sdk/sbf/c/inc/sol/assert.h	1283	1292878e8644dc3353b3ffe5fc69d92e80a01f077c90e78592a92b3f502d1e
sdk/sbf/c/inc/sol/big_mod_exp.h	841	7db01d5b613e3d64f3a80bef1c8b19672226d66a96f05830b99ec9a214f436
sdk/sbf/c/inc/sol/blake3.h	905	d1e25b432d1ad3ee76e11553b1d316a0846b18db31757e6309fdb977d5ff5b
sdk/sbf/c/inc/sol/compute_units.h	885	73d756c41af6330a21be5d991607079522ba2bac0386db721065150c382b8c
sdk/sbf/c/inc/sol/constants.h	801	7dd040c41526b0676d0f2ab7e2a9137065106e83a4d83a375b95d28d52307b
sdk/sbf/c/inc/sol/cpi.h	3825	69088c537c37d4273cc589562c6bc5259aa8073e68f67f165c6d04b984980e
sdk/sbf/c/inc/sol/deserialize.h	4071	fb9f6e9b59f258dfc33473ce5600d50bb7b70220777fd42dd822debcfd2662
sdk/sbf/c/inc/sol/deserialize_deprecated.h	3420	113d2f4577684caa2ff6f4607e98537079c597349db145aab6c457715076fe
sdk/sbf/c/inc/sol/entrypoint.h	1663	2f99d265e925adf204041008ccfae84844a486bfe456f75ee03e2c04ee9374
sdk/sbf/c/inc/sol/keccak.h	909	494afe3bd2dce9a04d3a85307ec0c86c36d933f790e7c3607b59cad0ab8eef

sdk/sbf/c/inc/sol/last_restart_slot.h	734	5eed71c9a0f459a2def5c44382726dcdc1c819ef58a38b648e777a08ac0398
sdk/sbf/c/inc/sol/log.h	4244	011ce595baa8887ec8e1ff9c650e029a8c54dd134c5732048938d1c8a83367
sdk/sbf/c/inc/sol/poseidon.h	1900	6d1b0e6e0b03376f9ab792613742456e77f037ce3cd8b2461647d0e3fb1fac
sdk/sbf/c/inc/sol/pubkey.h	3973	e6d5a5d1a366335770a29b3e0105aca3510f89fb8f47da089fd1ceaf178980
sdk/sbf/c/inc/sol/return_data.h	1831	cef06f3d6cc37c5af62f5d16b507c439103611aaf7be56a0a17c2f4cc770ae
sdk/sbf/c/inc/sol/secp256k1.h	1765	4e3818e514f6c0b85e0dd1c334a26c539092fc9fc3cf13dc9f18516d870bfe
sdk/sbf/c/inc/sol/sha.h	881	a312d6e84db9062d2b91a212cce1d9806a1ed7532ac7b662871636c5ebd58c
sdk/sbf/c/inc/sol/string.h	2069	1fb1db89fba24801dc0c014fdd6543c96ebddd051787f768005e069122df54
sdk/sbf/c/inc/sol/types.h	3883	e52965f8bd283e8ac7b504022d394b718dd2ba77270e9ce34f6b64acd55532
sdk/sbf/c/inc/solana_sdk.h	515	cf7f5762db7a87677bfb62b357c6950cba6d1146bc2a4e3adc8eacab7bde1d
sdk/sbf/c/inc/stdio.h	81	b05557a562439eb2981507f79f90855a72aaf716cc068a4d96727b958162fd
sdk/sbf/c/inc/stdlib.h	37	866e40d29930b07886fba1a881cf11cb43a1e19ce00e656d67c6f6e528afdf
sdk/sbf/c/inc/string.h	116	1fa8b80022c45e01274e452964efad09dd7e7951e060874a3c8ca03bab3206
sdk/sbf/c/inc/sys/param.h	13	b3adf106d95b8934f690943f2921308b90be5b766c4c8ba250c792de564002
sdk/sbf/c/inc/wchar.h	13	b3adf106d95b8934f690943f2921308b90be5b766c4c8ba250c792de564002
sdk/src/account.rs	39305	904b5f91eb9900a77a21124c043c3c3d8d0677b2c493d466467eda71b24046
sdk/src/account_utils.rs	2656	9a96503c3db89651f4afc31b96d0668a7edf993a412dbc9fc9f2ac651c7623
sdk/src/client.rs	8585	21c1c152e20d5622cab9801d1f99dce7e782cb1eddc25f9f2996dd790d09e0
sdk/src/commitment_config.rs	7607	1fe9d3c10867f9f55509665ef384afcba92e2c2dfd050d354767d9282bc6fa
sdk/src/compute_budget.rs	2539	1982e9b74cf8edc3dce57960148e285f67dd88188740cf833fda60b4bb6824
sdk/src/derivation_path.rs	24424	b3a9b9ab7b0ab3e007e71383a0429181ddd51855e6aa26276567f811fbfd17
sdk/src/deserialize_utils.rs	3945	00d54f360c463751deb793c6b6283d5f9e57b530317b417bd2200ffc3982d8
sdk/src/ed25519_instruction.rs	12559	e43547f4202a7119c74606d9f40e6cccbbd54abf2bdfb60511fb082637ad5c
sdk/src/entrypoint.rs	1156	f357445988f1cf2d2edfc6ed0a072b459df948f1ecad2615be8789a7ec6333
sdk/src/entrypoint_deprecated.rs	1081	64c3df18b406382aeeae138814bf0a3cf867e522e929163fcc473e74550f37
sdk/src/epoch_info.rs	783	7c64abf28424ba386023f8d8edb3f12532900e98cc0216757b1222be7486ac
sdk/src/epoch_rewards_hasher.rs	7302	19bb51328bbda63f931584f3d4ef5563dc254dc8079674bd014c1d1f1244c7
sdk/src/example_mocks.rs	1595	07de8dfc8326b3a58fa619d2a0484058959808c84643ce7502a05a2c21a8e3
sdk/src/exit.rs	653	fa0588f468cb44c7ed1a57df47b00233c08d16eff5e35e6632c09980a72fda
sdk/src/feature.rs	1136	b6d88297db7717f1c2a0ed9bab1c666b1b8d7989d156494fd971b12fee7cb2
sdk/src/feature_set.rs	49577	80fded8a6c463a43277a186a8c2c4e512cb2ab036c366e1fd59e87265ea42d
sdk/src/fee.rs	7277	27c92ef535902a01677db428d81ef67a6ce24b6c1a54345caf28fb066d37b3
sdk/src/genesis_config.rs	11616	cdcd6d0ea8a70cca70e0b59ccaca14d6073bebe73487f6d25c2edc7a500f43

sdk/src/hard_forks.rs	3129	ed4a7bc55b5103dddcec33c3948fa70db48430e25866b171e1a0b18876b898
sdk/src/hash.rs	568	0489cbf3488fa13a2b9b3c20a8522c71d058d161dbeec4b6795f1220501b29
sdk/src/inflation.rs	3814	1a060a111baa4a9da167f47f4582db864f2e81d1b9ac496d416212c2f2b341
sdk/src/inner_instruction.rs	728	03c1deb171cef55749e77283ef56c965bdef51cf8735fae019686b2acec08e
sdk/src/lib.rs	6641	fd4e50b095453acb3d87888c927e3d374738dd41d2a5995e209c569c1d9503
sdk/src/log.rs	262	ed94aecd34ebf638e335afb1c2cb8ee7f5ee208e3aa4a4b57bb7b28fb150cb
sdk/src/native_loader.rs	1078	5f71ce9b609bc6a305c0613ed9c45787d3670ef61beb19c18ed526af72a5ad
sdk/src/net.rs	95	1f844c5f92a3fbe022e3a069a00160691e4fbe1cec60fe2c5bafb8119a36cd
sdk/src/nonce_account.rs	4556	de7a32ce4e4260a0961a041859e92cfe7b5772bb3453d49989bab1e421de1a
sdk/src/nonce_info.rs	9275	21689c19205671a95dc42e437d697a886a7d5b707c5f5aeefbc8c30a89b340
sdk/src/offchain_message.rs	11088	c9aec275365bf0a69602f621f97a31a025675764a0fecdc6128e0d290cf227
sdk/src/packet.rs	9941	d2dcfdb25baf117fa1f79ba98511628d3195a3b406b179072b464a94b43180
sdk/src/poh_config.rs	1115	8180a00b0c52f75f2cca5bd69d7ad2cca01e4e0a2a6803e51989024b221c28
sdk/src/precompiles.rs	3700	54daa3902016b5b3ec0ce1a64992019af55ae5531c6caaac39eb5c952d0e33
sdk/src/program_utils.rs	1400	94dc1fb51af8e02db17b0d0a3d735372df8daaa16c426a150d06f859aada7b
sdk/src/pubkey.rs	1415	ff98adb04d7998348d4eff833ba42652286bbaaf3d779a579a3f91ce75572d
sdk/src/quic.rs	1930	683ba5636878ca2b914e8c3f253c0a54b478475ace565efffc4cb87208be04
sdk/src/recent_blockhashes_account.rs	5464	3ab4fc396ad04cc22e2a4041dff9692aa842d6b3101333679fa9dc34c3dc3f
sdk/src/rent_collector.rs	17881	c06f08445ce474518d9f910db28872f440dc0f2a3cb73a08eebedac1e4b906
sdk/src/rent_debits.rs	1860	30c143eb94b847af83ff219a7534e4c62fea82a8d337a2a10b104dffc3bc19
sdk/src/reserved_account_keys.rs	10758	48730c10e232c0a05433aeddd04671bcd304fdf9940be39e45432ed17f946b
sdk/src/reward_info.rs	452	feb7bc6c4ce32d68a936b4627679f96980dc5709de6e39cc0bcd14c2dd33d6
sdk/src/reward_type.rs	603	56d48ddef9ab3c8c1d49ceb7b7cc4e02e712b88b55cdf9e9427c2052b0164e
sdk/src/rpc_port.rs	251	760f52b950e1dc5d75fdb82110a70e80f86009aec046188bb19b489be96259
sdk/src/secp256k1_instruction.rs	54159	c38857c4a056ce8ee87a7169aae6b6014dfc97bc6437479b9577bcaa40139f
sdk/src/shred_version.rs	1984	5e3a1e02c5377d61445bcef1fed9f6c0e301065fb8274bcda0e3431af8144d
sdk/src/signature.rs	6651	b05d2e10627d2d748bc2e9d7ed19e0eea586c1483e1620bc470e82e731fe18
sdk/src/signer/keypair.rs	12358	eec8f8eadb37c4398427f8c19b2d3ee3690246b636cc8625b9a31e9b245637
sdk/src/signer/mod.rs	6890	eb73e3cbc873a2a2f0f3062a374a360f436230cc25ce25494d5551613aa251
sdk/src/signer/null_signer.rs	949	b8968e30548cf016a9f4bac8b5aed16c37f2f03799e392745f6d86b3d77f6e
sdk/src/signer/presigner.rs	2443	1328a565fdcd85a90559a7991dfd3c9f3d773efb785da9bed16fc59b85af22
sdk/src/signer/signers.rs	3566	6ea67f7e8af5f441ca5a68c0bfc40a670c12b41256408b1268087e4a68118a
sdk/src/simple_vote_transaction_checker.rs	990	74a50b30c4e3421d85270f63b864eeab24982fc63cac55af3544c41966bc33

sdk/src/system_transaction.rs	2924	c4508aecef472865c3c34de9b3e6f39cfee92196f9246fd4e7c072403380c5
sdk/src/timing.rs	8481	79ce6e9e27059c9426f74a3690ac0435ac2675de93c769082f98fa80f2692b
sdk/src/transaction/error.rs	8180	957980fc7cdd36bd73945ef39ee7f4b424377f92377158fb7da2826cf76b73
sdk/src/transaction/mod.rs	62469	e6c453517f47e2aa9dcc94d70a4b29d3ad579425aaea2da44f702ee5f5fd13
sdk/src/transaction/sanitized.rs	12586	f8d3ff3e839da6254bfe7dac37cfc3cb3fa2e9e42b6e37f71def4c2bb5a09f
sdk/src/transaction/versioned/mod.rs	11760	ac3a48cfbb0ee2a12d05862f16e0f56008608cf9deda646f02b6dd374e6f89
sdk/src/transaction/versioned/sanitized.rs	2421	f259815e130c78b91d7b6b62e7f1ca560697193e4a4382c720324019d8a400
sdk/src/transaction_context.rs	44476	c17bab5e2d532b3dd31a8f27b8ec71d3f588dbaba81aa3e949ea04d849cdf1
sdk/src/transport.rs	728	7146d0197c539fcb3bc4091a5d61eb98407e8fc72a54ad627d407c8ed84ea1
sdk/src/wasm/keypair.rs	935	84654dc99087423e91845566abd5e6fb1540e8bd2335d5b1415021a4c45046
sdk/src/wasm/mod.rs	107	297c5213a134a61d02053a32f854232da846d07a0ad1a475574702896151db
sdk/src/wasm/transaction.rs	1628	a93866e93d4da772042f715b960758926e0f1322e56636fa8936eaef19640b
send-transaction-service/Cargo.toml	866	2972b8017d78c557251dbaa98bf483dce5b64badf081554d2481675c788fd2
send-transaction-service/src/lib.rs	138	72d08f6a4cf9c859aec28033fcdbe337211df6719dbe6fda479684303450ca
send-transaction-service/src/send_transaction_service.rs	51670	51f9f7369936c35c3049678f594da3639056a8022a58437cc6dc7884ce8188
send-transaction-service/src/tpu_info.rs	845	515429b6e1e97338207b79dd56cad75eaffcc48f9928425e9a306c6b145085
stake-accounts/Cargo.toml	917	b812f2b631d8844fa701dc14853ac4a5adbbd5f5655c42378b9f2bfeda162b
stake-accounts/src/arg_parser.rs	14185	c618766b7d1fa5bf368808d0d471a6201e2f9a56f0c75d43256b6d41dd78d8
stake-accounts/src/args.rs	9987	c3ba6025b7b3e1e22f29f6f7c43dcc90a202d110041725c6dd3025bbd0d818
stake-accounts/src/main.rs	8883	f42ab70fa75893e0802b3a2a596105f540e3ff0a6ff220ec80ee7bec80ab34
stake-accounts/src/stake_accounts.rs	23196	a17231a2c6e8701420a5f9c7deee7e2b258aea02c8ef43889f1125d416a1d8
storage-bigtable/Cargo.toml	1796	dc4a729e1d2ea66f442f25f1a281e07c4afa8ac4fa91a678983458e942a52d
storage-bigtable/build-proto/Cargo.toml	529	9f4871f985019346132506e29dfaebc0fdb6fb02a0f25061b7a7d671d87ef4
storage-bigtable/build-proto/src/main.rs	773	527dc039ee1360fc9448ae8c3ac3eb4f0567c8d00694f701bec97f54591962
storage-bigtable/proto/google.api.rs	68787	76afcac609e5f64472c9ef1ee167db81eff55928f423861ff3195b4df4823b
storage-bigtable/proto/google.bigtable.v2.rs	93158	08618dd9a9d7f77ba8adcaf84cb1360142f204144faf016539e0763d306536
storage-bigtable/proto/google.protobuf.rs	0	e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b8
storage-bigtable/proto/google.rpc.rs	1290	5f26abc11f34b3ecdb5525f7415ec4e498331bb7da7ad6b59f89b6a27e1fb2
storage-bigtable/src/access_token.rs	4838	be1b1270a8639834e1cd2d016b362486b545978227ead7c8be77dd4d01fa50
storage-bigtable/src/bigtable.rs	37855	1561df8cdc7e3cd3059a284c7312d431de376e20b215a24c383020d3392383
storage-bigtable/src/compression.rs	3233	43e8eb1ff82e82052c5788982bb8282fba852468b57c9797de6f4304fe48b2
storage-bigtable/src/lib.rs	41365	adf41fc4b6b93864fc2c00c70744e107abf4d24e800ec547cd20b9fac73fae

storage-bigtable/src/pki-goog-roots.pem	72865	6b1ad80fb0b67022b23a965429740c7643c50583d0f16e0a9f1357cd16d225
storage-bigtable/src/root_ca_certificate.rs	828	3d9cf5db73ea380a6112535ea46eaf8329da052940ddb311bbd1fd362ee868
storage-proto/Cargo.toml	1045	bd4d0c02899c876e1aa4618f8874f6b254431c4bda41ed8206d54c394e8dbd
storage-proto/build.rs	1048	e1efd69e7bf1c757dbeb4ff83ace84e157509f422d7d9d66c21bbad3b5f6ea
storage-proto/proto/confirmed_block.proto	3255	fc41cf60d4a08e1aa398b6205c2fb7bf9be6b2881ac7850017c02039838b74
storage-proto/proto/entries.proto	269	d7bd865af74fdb0bc412de83c6d5fc710f86c5330b282080bfb775af943619
storage-proto/proto/transaction_by_addr.proto	3981	613462506a866f7c2315f3f60d197d17a6e76b1a25662456f4513de34495c2
storage-proto/src/convert.rs	79868	a1ea782d349290a19da6d503787360fb8d5cc7a3be2b24ada60f45012c2576
storage-proto/src/lib.rs	7651	b86392f409fd038e15e6d24ea2e220168a8dadb9c00d7ae8d26e74998dc841
streamer/Cargo.toml	1309	0806a0e82ce90e7cab8ea410ab04080beb28bd3e541624e3aab7bce8ad8bb7
streamer/src/lib.rs	265	66528c143257a83ad13a99056fa3e4f9af65ede352b9afd980d0a8edca1f26
streamer/src/nonblocking/mod.rs	71	f60f4b1f744503b6b3d05b3ec81bb9a8226e34a5e8b1965f59c1a563d5d7ac
streamer/src/nonblocking/quic.rs	75921	926360208be9145f0b5b76cc4a73fc32012f291dd84e6db1d50d673d620e9c
streamer/src/nonblocking/recvmmsg.rs	7533	9059c575284c8add6be5383a2f0340a4690e8e0df4197e8c8679ffaf517a6a
streamer/src/nonblocking/sendmmsg.rs	9602	e460368b50ff12f333955eab146e03174a3ec09f0a8e16d6c00ba5b9ecf75a
streamer/src/nonblocking/stream_throttle.rs	19723	a8647004c5c1899290f314677e89ebd34d3df891e609d8bf04b5ae49658282
streamer/src/packet.rs	5907	89fac04b287d7641e8269015c78f9c977ecd00777d7db72a1c9310983f6884
streamer/src/quic.rs	21251	ad29c77138bcc68ee775231aba819ba0031e5c530a81329e489709af1d7fa4
streamer/src/recvmmsg.rs	10338	5f839f17ba399d4f27bda99fafc1244e105cc26685f5dd1d4b2130b3269e5d
streamer/src/sendmmsg.rs	12477	47666bc0bfd12f26a757a1350f1709f1c10f03e5973cbc469bb3a28165dfcc
streamer/src/socket.rs	1115	b3fc71968db96d4511a5ebb5e6d425190b5ec5c424371024fddfec3cca7981
streamer/src/streamer.rs	16551	555fd447e8b66d5b6faf7cd59d2a9593d4b0dc1ba4bc33d7dc20ae59b473c9
streamer/src/tls_certificates.rs	6215	98eba2c6ddec745054a63b0e9e32d60ab21a110b431382a1bb6951f9adea42
svm/Cargo.toml	1163	40002ef7fca5ca549587fcf7c8cc2a142c25cd626721d0444ecf1f2abddc30
svm/src/account_loader.rs	83803	885966c68fe70f47ccd328bcfa2b4514afaa0e68858a5c9d4f5b1604aaf18b
svm/src/account_overrides.rs	2026	90c7756da74d7d0d2618d8de5d4cd73c31c3fd47345df8eb71320ff9d61278
svm/src/account_rent_state.rs	10419	387f10118c16e2a232fd8324fe77199e3c53a89202179233319d1c6db22a85
svm/src/lib.rs	422	6669c36c241a1b55fe3cafed643db7af8e5f92ab8bfdb9a1a1656c0b5c80ce
svm/src/transaction_account_state_info.rs	7973	4dfa1609888e6fb3f0fb7c8e1d9299689b38be844e3ff86f921c120ca6047b
svm/src/transaction_error_metrics.rs	6854	ddf64ad347b58d27f22d06186010acdc55d6411df0cb902c133728cfc522bd
svm/src/transaction_processor.rs	80756	2f1d387df62482dc43216dc01dedec82bd310cb5978ccc0498c6c340f1ebbf
svm/src/transaction_results.rs	3465	6ecf4ea494d20abf099e665c8b03ab0bb98a1c2222de9ee52ee86c910b55f7

thin-client/Cargo.toml	710	3865a9767fe9acb99f5be390a5c1a8e7d7fc62e151a5c7aafa00ad18acc2cc
thin-client/src/lib.rs	65	9821fb7b1df2167eecc3731767c62b14f6df3a11505641ad4a2a0894319c6f
thin-client/src/thin_client.rs	22827	b07bf1bdeb072da16014e8fea4ac46587092197f9fca73f8cd1f3fe4887405
tokens/Cargo.toml	1514	b57d58a6ffe990fc7091bc65f03db2fd965a710668b6ebfbe9d33a371937ff
tokens/src/arg_parser.rs	25957	7586f09e0ab3558f0be2d084c1a17a62d8f3411127ac911fe1f68a600d5005
tokens/src/args.rs	1412	01b2bca324445967aa8bc5bccaf6c8605e66f6dd658351a872c1a36f358085
tokens/src/commands.rs	97025	86fdfdbc62449dec7e2691b0c19025c5cbb5fd436bb91054bc606077686220
tokens/src/db.rs	13600	ddd119d470b49881a64ed80316fcbe940edf2d88e3727ea42e7eec5f088d72
tokens/src/lib.rs	160	aed62dc5511002bbbdc957b788d7c47fdd15edab416b395fc97731395686b4
tokens/src/main.rs	2003	fe8546cfd30a0007dbf5efa9517bf0cee48dc79864be59582c15cb39b7c43b
tokens/src/spl_token.rs	6129	bea7dc761ab35167f080fd0b0b9e1ff1a88820218cceaa867d16cb46e5ac0a
tokens/src/stake.rs	536	938cc14c982fcb23ce65f7814f137361292215ec000c4005369172e8183192
tokens/src/token_display.rs	1788	70c30da1e6118498e71781af06df7c17c0c6298fd38b9348d7141c840d0947
tpu-client/Cargo.toml	1192	5546f308f57df707073f060f26a743b5d96850fe87d0bc1e7193fa86367cce
tpu-client/src/lib.rs	115	d85c2d933aa3eb45f0ceeea7885a79020e3e63af829552864f11df99218e18
tpu-client/src/nonblocking/mod.rs	20	381b22cc10e162b8da76240ee85f0a99b41dbe1873bd4d499f70e963da8189
tpu-client/src/nonblocking/tpu_client.rs	32261	6f1e1010cdcaa571c9a87fd506bb6fd14a495bea4ad22e6c9b710cc08c5b74
tpu-client/src/tpu_client.rs	9911	eaeb2d489c1272bedb63673be33fe8b7286b03f30e7a1e95e17421dae9737c
transaction-dos/Cargo.toml	1113	dc46cc9e515258d6615ecb9247d653aac7bb2bfcaa3c2d029a2b5c2822811e
transaction-dos/src/main.rs	26065	4c652e55573e0cf1f534c027173151acb967f7498bf1db4df6f6baba4e806d
transaction-status/Cargo.toml	1258	6ceaf3119c58c3ef177260b8ecb0670336c99e4d8ebe1da0c493ef49d533c2
transaction-status/src/extract_memos.rs	4380	358bac455c72a4f1be77eeab28b036e66a920f1544e77a54570383ae8ac33c
transaction-status/src/lib.rs	55597	743da16247cd4ce9a18f96006a727330988e34135adcb1e32e434a559ac98d
transaction-status/src/option_serializer.rs	1987	e1318c69e8c19d6da60f9cfcc338d3cb8348c0c59f0d70a9766145e46c32ce
transaction-status/src/parse_accounts.rs	5825	a8cb8164c3dbd7e3e4cfb630ffe7f5327e263c4b724083c68ae7d03ef9fe3b
transaction-status/src/parse_address_lookup_table.rs	14143	feac71f736884463c7e865900fed04055e2d05245523f7f11ad1fe13655c46
transaction-status/src/parse_associated_token.rs	12492	1cefda8e05b9fbc09d88e1aa807bfb86067b91aff8ce8ec13fabc137c8a609
transaction-status/src/parse_bpf_loader.rs	30895	41dd3969201379a75491efec301fa394dab1e204734ffead04595951bd0522
transaction-status/src/parse_instruction.rs	7823	b8c8f4007d1eb386e3dde645d9a6423df288321a0ee16e7c954b93ddf9d24e
transaction-status/src/parse_stake.rs	47719	11c8bc71a717532157489b534988905d111315305615933050cfb572e16b7e
transaction-status/src/parse_system.rs	26118	a087ff02947bbf1fa397741dfaf8f34e1d0c32a5ab513f5c968d285d063ade

transaction-status/src/parse_token/extension/confidential_transfer.rs	16612	6e14302dd97264ce4ddd1865b947ba488d948fcf62554896a240f5437b2d5c
transaction-status/src/parse_token/extension/confidential_transfer_fee.rs	7249	36145a314cd4f2e97d60ab7d0a630bdb6844ca5a01fdfc3851fbb8f34c0e90
transaction-status/src/parse_token/extension/cpi_guard.rs	5494	c5787248a02c70bb05d889b20505441277cf3ef41410f826cc5c3da139d3ca
transaction-status/src/parse_token/extension/default_account_state.rs	5599	8cee44ee2fe1d05942879015e77a87b63c9cf7469a191d48a06fa2ec9e7a38
transaction-status/src/parse_token/extension/group_member_pointer.rs	6942	87fd6a1577c951ac1d9f128caaa3d3c3bd5a31d973bf2216fe33f3c92d7a8c
transaction-status/src/parse_token/extension/group_pointer.rs	6735	c376e5c98bcbf3444d8cd84e9798b8fadf72929417eaa57c27d02b6c532cd7
transaction-status/src/parse_token/extension/interest_bearing_mint.rs	2515	6d3ed32d7f0fe99640b392bd1cd2dcc1af7725d253f9eca9e6d7cab5fb948e
transaction-status/src/parse_token/extension/memo_transfer.rs	5881	d31f1422471c65b190b627ccf5305295aa365c8b6eac9cfb03b1e224871209
transaction-status/src/parse_token/extension/metadata_pointer.rs	6946	8cbed891191b461092933f4315df0e80dc40704e00901acc46a4497416cfe3
transaction-status/src/parse_token/extension/mint_close_authority.rs	2620	0421c2796cdefd9be6039c269ccc904e8756fb6af834741b525f9764d0b48d
transaction-status/src/parse_token/extension/mod.rs	485	795b6e603db690c03cc6858f767ea3bbd516243af998f653cec52008190bde
transaction-status/src/parse_token/extension/permanent_delegate.rs	1693	d11011872a70c60670baa82dcb676c8fd46b367d14dc802d9d8119c516c8dd
transaction-status/src/parse_token/extension/reallocate.rs	4026	f6618d917edab1853909e61901754bb28d43e93327e2c205f2e34fc602e52b
transaction-status/src/parse_token/extension/transfer_fee.rs	21367	348c55387e5abd5c4f45e732b6760c26617d7a1f91bae5bee319860aa91e2a
transaction-status/src/parse_token/extension/transfer_hook.rs	6668	75e6e8f1bf0dbd06d64d1c31b7e97bd7d5bf899417634f86b8591dfece26b4
transaction-status/src/parse_token.rs	85509	1d7ed9a5ac630b21e0de77d5d0c84fafc575326db9434b86efd7ba0ef87b7c
transaction-status/src/parse_vote.rs	36150	738c443be93faed8c7bee609a85ae451dde1c862d6da33a746772c0e9fa44f
transaction-status/src/token_balances.rs	609	46ccc19fc6330178e300fe6f45ca49f228f2ed2fdf572f44323ff77af66c92
turbine/Cargo.toml	1611	8e9d45c4b979b686ef938da594b9bd82f1733d40bc418efe157cf31596553
turbine/src/broadcast_stage/broadcast_duplicates_run.rs	16865	f9811a010f188fdb18d31e745dd101098f5a7f8392aea24ade18734620ba17
turbine/src/broadcast_stage/broadcast_fake_shreds_run.rs	7305	1c90a3cc0d17d32372f857496df255ef24c51ee78ea4272bdbc14448515172
turbine/src/broadcast_stage/broadcast_metrics.rs	13685	68788237fe020e649e7b5412b5ac04a724f26d436c6f9a531e58cb04b899cc

turbine/src/broadcast_stage/broadcast_utils.rs	7851	008221bc569f77192e4c20639c2f5c68ec6159ae9c03fbd9a69a190b169dab
turbine/src/broadcast_stage/fail_entry_verification_broadcast_run.rs	8025	14512469d574cc5058d847ad0d11da59eb168e2f1cc6b2c7e79a5d566375a9
turbine/src/broadcast_stage/standard_broadcast_run.rs	34152	470bb014d34de2c3a8655f1aa19f0f719bb6e2d9c79d0f0748340ca9bcd10f
turbine/src/broadcast_stage.rs	27386	cd7e09cfdc49ff982422d3f38b6ce13f8c9d9f3c6d735f291960ec7d3774b7
turbine/src/cluster_nodes.rs	27910	d047ba243478704e1d997fcac2c11fe2f1400e0c54d2e19f3174b1a4ad7f2a
turbine/src/lib.rs	298	5cb0a1733385d2bac134047d3540e9d63ca627d348ac3416db4cdfba931895
turbine/src/quic_endpoint.rs	29490	5068d5d7ad5eaed03b1aa09b576afb8b439eeb8021a1add8cc5d7d93e074d7
turbine/src/retransmit_stage.rs	24577	a857a0223c534b10efaf3f2cb54e9e415825d763dde26166286432fb8263ab
turbine/src/sigverify_shreds.rs	11322	ac90073871859040c97af2840e21545ad6958c42e1d0055b3067cc7e8bbc30
udp-client/Cargo.toml	607	3aeea520df1c4879e815f32a3f83f05e2aa1cf67c2d675cb2ad99c7f47f878
udp-client/src/lib.rs	3325	498c3396061efe43d13ce24bf2cac732385dd60c00fd32fc7df4ccd00e02e9
udp-client/src/nonblocking/mod.rs	20	86b200bfbfff6240f6c8089a77cce86e6264ef47e3cc6d7960d435808a4df7
udp-client/src/nonblocking/udp_client.rs	2841	d8b8c2ec4f5393726cd81a4f8718c4de2fabf527122e4a5e732244e7b20af3
udp-client/src/udp_client.rs	1602	b3eb2e164f52346e86b7ae425059fc63efa821492e11b1faf85dab8d5ce6a2
unified-scheduler-logic/Cargo.toml	406	605908692c4cbcbd63ce523039e378b8f5cdcfe4013bb7183ead35d768c652
unified-scheduler-logic/src/lib.rs	424	f2b174b75ae72cd753254357f93977a672e6a0b666511a177555a08f78bb83
unified-scheduler-pool/Cargo.toml	925	a17d4e042d84595cd9dd608f01a30272448c27b38679a7e50047dd95458028
unified-scheduler-pool/src/lib.rs	48790	0496d76bc227bb51eb0bd08ec36534e8f580b4c9d98e84bd2f2ba7209e7d2a
upload-perf/Cargo.toml	503	30c77cc9235c5f36d2ee7efc357de94c3caedf0c7a5e8ea413d33493d4480a
upload-perf/src/upload-perf.rs	4017	9fd8a3761ade8b1252ae9237f610e252e887a55a74d662e9d15f2bab320a8a
validator/Cargo.toml	3022	2645c729f6017c4709a18d92fa177458f96d4ebbd55af8a69c53d76ac98c28
validator/src/admin_rpc_service.rs	51343	b8f8675cf0643a75ce89f9013223fcd467cad5b97011e71e319f8f56b77105
validator/src/bin/solana-test-validator.rs	20598	bb2224aeb6ef4d737bbef89c6b384990e7acef5d5ca071c417ed94636da2fb
validator/src/bootstrap.rs	65717	6468d9d27853657f5f8e41fd1fc10fd1f230be3b80dfb60d0d12a55b7ffe9d
validator/src/cli.rs	120578	b62cf026602a1e249c5332e790a2b294d68743b673449f94b1d9f67b80ee8c
validator/src/dashboard.rs	11215	5a33b8b8cc7fe94dde242469bc07cfea826afaf3a0b353308711d2b409230e
validator/src/lib.rs	4998	3ab96f159a588bfb2a99fa9b95fc09f34d83ea971e687f1f8eadde3e5fdd16
validator/src/main.rs	83306	d6afe3e1a2a0dbbc7c5676c027b945ceee538a135798c2d79bcf4ea5d7cc06
version/Cargo.toml	757	e1802c418000665f8c2130486e52fbffc07ecd5f49dfa397a695fe534024bd
version/src/legacy.rs	2311	53bad78192660688dd63b599fae21cf5c01cfa8adf714742e791c6ffafdd75
version/src/lib.rs	4787	115e8bc3916433004ffc1e6310776f7e453e59b756bf31f55a39d7c0789ac1

vote/Cargo.toml	988	5f0ec2f076473bf1419a1e58f9621036cbb71a477846c6fd156fedbcc705a8
vote/src/lib.rs	302	86f41e5bb2454717b9614f365993245abff675ba0b56243b997ecf9420db8c
vote/src/vote_account.rs	20927	3c12b39488a6d10aefc6d8695038f3e9ffd2197653b604374201ee9fe4943d
vote/src/vote_parser.rs	5023	79b9689643ab47d6afc54bc6af7a6202f2f1aedb1e66cd7f2cd26a37b698d0
vote/src/vote_sender_types.rs	189	2fe78808ba282345abc35e6e3d89e2d9ab5e5100214850b871039e89e0f24a
vote/src/vote_transaction.rs	2120	02237844cce6941b6d80a4e8ae63774ae3cecd938d2338b65ce833e7b9f586
watchtower/Cargo.toml	891	63f1e7c4652edf42ac7716b1ad92f4629164e9f42d614f22cc50512a36aa37
watchtower/src/main.rs	16981	0bef251a61018cd3cab335a580495b1c72140fde98bc3861cd1e8df6dbc6ff
wen-restart/Cargo.toml	1540	2bfb03c4a5e4decde21dde4a0df355f3acd4ca63b2e5bfbdf3e91a6967ec53
wen-restart/build.rs	563	4d20f52b091e069fe5484746ad0b17a2e2c450832f8e3fe869f854700f9e20
wen-restart/proto/wen_restart.proto	725	723a5f3ec66fc7708d9d1fb03d201f772c29422b25111172b989638f15a961
wen-restart/src/last_voted_fork_slots_aggregate.rs	18323	09d93ca9cbe7e0cd31badd6773f23638b2200d5268283195b660cdc3a7b770
wen-restart/src/lib.rs	217	d81d911c3ccdebbce0dceb5fd63d7b2a721e06b86d2a4ff7f22d2a705162d8
wen-restart/src/wen_restart.rs	42807	4e26ae92d9e3b76b53d0da12639abbc643eb5f5d2840bcf370d666b0690532
zk-keygen/Cargo.toml	1249	c1a428606757e77876e44315c09c22e48fd9e5d2f08a6d1fa70d199c9a55fb
zk-keygen/src/main.rs	16364	dfbb500f6a78ce616587439eda032bb83bc0bdc637e6b8b801bbd421468d62
zk-token-sdk/Cargo.toml	1273	8f59c8d825c6a32afd878722f9bccdcae5e3d77c0bf3286908e53130da1f4d
zk-token-sdk/src/curve25519/curve_syscall_traits.rs	3716	b233fbfbb0a846708ef0fdc03e6a40ab021ff71f826bd28924e0fea01fb36f
zk-token-sdk/src/curve25519/edwards.rs	12683	1eaa3aa154a5f45e77dd740253150b56b11736f1cb01211136f36cca9459ab
zk-token-sdk/src/curve25519/errors.rs	155	045c33ec24fa5786d47e3b12e22281806d8217eedd7809ee884368d461a56f
zk-token-sdk/src/curve25519/mod.rs	310	a7178ae96a160c454ce3de5c12d34ddce34f1d17a23ee8ccb21a3e58906556
zk-token-sdk/src/curve25519/ristretto.rs	12996	1a5a85f95cb47c8c31e2ffb2896c81725960ec8f65e5c51323e20b8092ee45
zk-token-sdk/src/curve25519/scalar.rs	702	e2e71ab43f891306aa8c97027e230d2ffd0fa1fd5343cd5baa4dab6ab38541
zk-token-sdk/src/encryption/auth_encryption.rs	9723	174e1a75b2b70c007ac43b478b97d6f152770334e50aa63dd1362b9208b717
zk-token-sdk/src/encryption/discrete_log.rs	11490	d15f6ab3e713cffa776884123db398fd3b699d67861e1b5997992b41753ff4
zk-token-sdk/src/encryption/elgamal.rs	36090	86bb24aa05ac08d3c6c2d33994bf09450e80d6e3eba093db81cb8e75b1f3b9
zk-token-sdk/src/encryption/grouped_elgamal.rs	9813	38a6094207a922d35bdc53c64bd65fc29f8d2373ce8fb580745eb7819502e6
zk-token-sdk/src/encryption/mod.rs	839	29fe2fa141edb1d1c4dbd1f1ad8bc5ce7c031fba3b69f6fc6d866e017c5982
zk-token-sdk/src/encryption/pedersen.rs	10244	d6f2258856eab766a7de5851e9712b68790d3e9f8433ae42bc0475ed4e8e63
zk-token-sdk/src/errors.rs	2758	1655b32ff65cae9f2fb94a4d341a37fdc6f8e31ac8887cd5f8d7fcfbdf144f

zk-token-sdk/src/instruction/batched_grouped_ciphertext_validity.rs	7710	213ea25f776d575f6d579e4cbaace0f8fad7c3ea856f984fabdff26ab85eee
zk-token-sdk/src/instruction/batched_range_proof/batched_range_proof_u128.rs	6906	38185b5e816685db2bcfdbe9ebeb5e5a2f4b5d3b9ce21e3972492580fe5fdc
zk-token-sdk/src/instruction/batched_range_proof/batched_range_proof_u256.rs	7086	c2c36a812d6843caa4698c23dd616f192bc9ceef946c5cb31add08bd7c3dd9
zk-token-sdk/src/instruction/batched_range_proof/batched_range_proof_u64.rs	6830	f3a54e52c2dffa598a21d2a9ff7e7c5c59284b87ed31d1c6dd5d7d3d190738
zk-token-sdk/src/instruction/batched_range_proof/mod.rs	4824	ae96f1dcd78c60597a9f6268ac935ec09f19b59742fb820726806aed06cab6
zk-token-sdk/src/instruction/ciphertext_ciphertext_equality.rs	7415	3ffe6f8a6da40498af94cd5416e1499e4956a6cdbada0a4f6930fd384d27da
zk-token-sdk/src/instruction/ciphertext_commitment_equality.rs	4886	72bd962369741195989499 91c116e2d8822889691b8568f09a29c14e6e051e
zk-token-sdk/src/instruction/errors.rs	394	0bc1bd83ee855e6116dec4e8dca742346d563dd454918e51153fa88e57af75
zk-token-sdk/src/instruction/fee_sigma.rs	7215	564fd45660c26eff384cc0f0c336de84b63917cb4c3d74f826d1e81baff250
zk-token-sdk/src/instruction/grouped_ciphertext_validity.rs	5963	db9037192382577d4e1f2247d439c1207d6d63e556f9dd7ec3341afbfd0835
zk-token-sdk/src/instruction/mod.rs	2678	956a83e159a9f955975c3d08654bf77b1caf7de77bbec3f29d9b1d1e349ced
zk-token-sdk/src/instruction/pubkey_validity.rs	3247	0b2d4ef5ec1d6b1feae4cd76673d955742885aa2b7dd043770ecf8ff68f0cb
zk-token-sdk/src/instruction/range_proof.rs	3897	cef4a9744026eceb366a4820f0ff233b26deaf7bc1f9a190ea8be6d779b1a3
zk-token-sdk/src/instruction/transfer/encryption.rs	3046	e959859c11a11bea1887b66c08cf744df4b5ca037140af4d2529ed0d5cd041
zk-token-sdk/src/instruction/transfer/mod.rs	9480	722978813da87a7e7dc816870371429672ebbc87bfaf9fb93fcc1c659b7905
zk-token-sdk/src/instruction/transfer/with_fee.rs	36533	74db4aea4c32973ef26c429c9276befc05f0796e08342647e4d7fb2ed93db2
zk-token-sdk/src/instruction/transfer/without_fee.rs	21565	98c900e8f45c3b4f67ed2e498215058037c08aed91e69fd113a9951465a67f
zk-token-sdk/src/instruction/withdraw.rs	7184	a70130d13a975d3849a12be34bfe6568f1fafeaa315c581750b5c826893184
zk-token-sdk/src/instruction/zero_balance.rs	4098	65f0f6fd09f4bec06df77c7a86e52bdafaeca3469df6cf0e41b188a91e0f78
zk-token-sdk/src/lib.rs	1556	1ff2a616b03f287d620d36a9b0fdd05b85a600e1361fb70814bd3eb961d173
zk-token-sdk/src/macros.rs	1922	3d6b42385f032070521c898f7bca21aaf91dc965039ec9002a1aa290b96a27
zk-token-sdk/src/range_proof/errors.rs	1589	daa07b262015613476d66064ef4e19acd8de8747ee3d80c2016ed723f8d539
zk-token-sdk/src/range_proof/generators.rs	4078	053f893abb30166919a3704804ab35efcc7b01ba1fb55c6b148260d4b419b3

zk-token-sdk/src/range_proof/inner_product.rs	18116	618a2aa9a61b039f8d8092d6baea1b6b46fa00aa7d948c19e1f8656189c44b
zk-token-sdk/src/range_proof/mod.rs	18034	c2531ba8a655b36c5482571267f802b2a5198f07d79a2042300a4a95946d3b
zk-token-sdk/src/range_proof/util.rs	3914	8fc42314d08181aeae9f6727c26958522b678711ef04fc76180d01f57507cb
zk-token-sdk/src/sigma_proofs/batched_grouped_ciphertext_validity_proof.rs	6449	1d3d8df2937caae390a8749b8fffb2a3cc89979bc2970a1ffd750dec28755f
zk-token-sdk/src/sigma_proofs/ciphertext_ciphertext_equality_proof.rs	12641	e1928e09fcf17825795b105b4be8ad50a8c8aaf2eca54b9938b46fa6acd757
zk-token-sdk/src/sigma_proofs/ciphertext_commitment_equality_proof.rs	15431	5740d1a79d9befb8c48bccecdf4bbaef1292abaf353463b386589fa8148090
zk-token-sdk/src/sigma_proofs/errors.rs	2080	7601d23de3ad18dcf35c04d4fc0d9061e50a1621871aa7b9e47fd6685bb2c7
zk-token-sdk/src/sigma_proofs/fee_proof.rs	24261	5f30badd9e5fe651a73104fc773249ad6551c03298d466f058670d6675ae99
zk-token-sdk/src/sigma_proofs/grouped_ciphertext_validity_proof.rs	13714	e4db518b43c4cb81a406379b38a4d8b356f90126338475ceeecc2a1347d921
zk-token-sdk/src/sigma_proofs/mod.rs	2068	bee420a5d554538d662c267f258f85dcd6e5b5230839d76b549254a09a8afb
zk-token-sdk/src/sigma_proofs/pubkey_proof.rs	5768	a74ff2344f18b0c50a3bce86769875cdb511b2227889b5cce9b33b74dda9f9
zk-token-sdk/src/sigma_proofs/zero_balance_proof.rs	10436	58d74dfd3d787e8f9831e39a99c323710ec491d68dfd8f6965af378de8a062
zk-token-sdk/src/transcript.rs	6607	fb496b9a95af4b8aef6aa29dfd579b509bba5535c8857dbe48ea6442ca0403
zk-token-sdk/src/zk_token_elgamal/convert.rs	4874	b1e0c30160e7df3cde3591bc4149c7b23f7bc9622826b2c59f7ef08640653b
zk-token-sdk/src/zk_token_elgamal/decryption.rs	1092	abef15e047a7c9e4164b42fa2fa3197edc2d70bd98431c9edd26532ca83f2e
zk-token-sdk/src/zk_token_elgamal/mod.rs	63	b5a12bb1d4e23c0f7e112dbe730d562655eda32d36e1f6bf309febd6b0c945
zk-token-sdk/src/zk_token_elgamal/ops.rs	10778	2d79f2da476968c7056941656d64d7e4c222b1304f20ae5b3bab2a19510514
zk-token-sdk/src/zk_token_elgamal/pod/auth_encryption.rs	2634	c320c9b4299a28e3bc780733145e7013b6281e6521bf3f51fbd3f63d16ca30
zk-token-sdk/src/zk_token_elgamal/pod/elgamal.rs	5497	5818b3f9787559d49e48e2e7eb9e93f5c42803b3928f135a4b7260054b5640
zk-token-sdk/src/zk_token_elgamal/pod/grouped_elgamal.rs	2973	fc58fbe7368b6266d2a25446dbd636e4076407aec9aefdd018bd957f2f8a15
zk-token-sdk/src/zk_token_elgamal/pod/instruction.rs	2508	55420b3ba1a47f6815d9bea549884c0ee216391394de1bc6aa875eb695058a
zk-token-sdk/src/zk_token_elgamal/pod/mod.rs	3257	9fe3cef2243924cfa6cb6d7afd363a0ba0b21236c63b4a8b7b9f07b1292357
zk-token-sdk/src/zk_token_elgamal/pod/pedersen.rs	1618	c6db4396ebe348342b818f3c3787faf66dc6b8a7029555751716e370e67b24

zk-token-sdk/src/zk_token_elgamal/pod/range_proof.rs	6010	c4221b601ae30f5e19742cd5f1f44fab850881e30970de4decf6bdb155be6e
zk-token-sdk/src/zk_token_elgamal/pod/sigma_proofs.rs	7777	887515befd57875268a5b7e8112e06a980a7d233096c1de61d8e63687c6e09
zk-token-sdk/src/zk_token_proof_instruction.rs	19878	2bda86f5aa5d601a70a46aef978d55e3efb64d242141f8563d5f186cfdcee7
zk-token-sdk/src/zk_token_proof_program.rs	579	5f2cb3d4656f9590426442579bbb787bd10148495d9797dd7aaa71898294ab
zk-token-sdk/src/zk_token_proof_state.rs	2772	aa4b9ff856ee8811a8d826b86390b404a3c301aa1dcfded9b4b52c87a97cfb