QUANTUM SECURITY INTELLIGENCE

Security & Post-Quantum Readiness Audit Report

foundry @ 7f0a409a5c20 · Foundry (Paradigm) — public repository (passive review)

Organization	QSI
Report date	2026-10-28 12:26 UTC
Report version	1
Audit run	0faa8d96-4d0e-46ac-8957-54843d2a3625 · Document audit · 2026-10-28 12:26 UTC
Analyzer engine	qsi-engine 1.2.0
Risk profile	Security software vendor
Content SHA-256	`37dc71482c0ac19cdfddf6850b40a433a909c798e26a1f8725c5dfb354258319`
Signature key (Ed25519, SHA-256 fingerprint; the signature is the separate file report.sig.json)	`5b3cf9c9bd0fa54447e2b5dfa7a6bab569bd0c666fa46949599e5c348d17083e`

Contents

1. Executive summary
2. Scope and boundaries
3. Methodology
4. Assets examined and not examined
5. Architecture overview
6. Overall security posture
7. Findings by severity
8. Detailed findings
9. Evidence
10. Post-quantum assessment
11. Limitations and assumptions
12. Remediation plan
13. Priorities for 30, 60 and 90 days
14. Verification after remediation
15. Tools used
16. Sources and normative documents
17. Appendices

This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.

Executive summary

18	0	2	3	10
Findings in total	Critical	High	Medium	Low

Classification	Count
Confirmed technical vulnerability	0
Known vulnerable component	7
Confirmed configuration error	0
Potential cryptographic risk	0
Long-term post-quantum risk	6
Improvement recommendation	4
Insufficient data	1

Top 5

ID	Severity	Detailed findings	Priority score
QSI-2026-04469	High	quick-xml 0.39.4 is affected by RUSTSEC-2026-0194	37.7
QSI-2026-04470	High	quick-xml 0.39.4 is affected by RUSTSEC-2026-0195	37.7
QSI-2026-04456	Medium	TLS without a post-quantum key exchange: rustls with the ring crypto provider preliminary	38.1
QSI-2026-04462	Medium	block-buffer 0.9.0 is affected by GHSA-qwgh-2vcv-g2f7	33.2
QSI-2026-04463	Medium	block-buffer 0.10.4 is affected by GHSA-qwgh-2vcv-g2f7	33.2

Mosca's inequality (x + y > z): x = 10, y = 3, z = 8 → migration would finish too late under this scenario. z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Post-quantum maturity: Level 4 of 4 — post-quantum by default in the critical paths. Next step: Keep the inventory current and review new code paths before release.

Scope and boundaries

Mode: Document audit

Repository: https://github.com/foundry-rs/foundry @ 7f0a409a5c2016f16cb2e8618a750cc04e13977c — evidence links open the lines at this commit.

Supplied inputs

761 files, 13820446 bytes in total, 17 redaction(s); the per-file SHA-256 list is in appendix C.

Methodology

The audit was performed by the QSI engine 1.2.0. Each analyzer emits facts (rule, parameters, evidence); finding texts are generated from the rule catalog. Methodology sources are listed under "Sources and normative documents".

Prioritization uses an explainable weighted model (severity, exploitability, exposure, confidentiality/integrity/availability impact weighted by the "Security software vendor" profile, asset criticality, urgency, ease of remediation) with a confidence multiplier. CVSS v3.1 is applied only to technical vulnerabilities with a defined vector. Long-term quantum risks use Mosca's inequality; their severity is capped at Medium and they are never presented as exploitable vulnerabilities.

Finding classes: confirmed technical vulnerability; known vulnerable component (a dependency version named in an advisory; whether the affected code is reachable is assessed separately, and a component confirmed by review becomes a vulnerability); confirmed configuration error; potential cryptographic risk; long-term post-quantum risk; improvement recommendation; insufficient data. Heuristic findings are marked preliminary; analyst decisions are shown next to the findings.

Coverage of checks

Area	Status	Count	Examples
source_code	checked	705	.github/scripts/benchmark_clickhouse.py: 477 lines scanned with 16 rule patterns and 122 registry patterns; .github/scripts/compare-benchmark-thresholds.py: 141 lines scanned with 16 rule patterns and 122 registry patterns; .github/scripts/finalize-release.py: 313 lines scanned with 16 rule patterns and 122 registry patterns
smart_contracts	checked	14	.github/scripts/contracts/BatchCounter.sol: built-in Solidity pattern checks; .github/scripts/contracts/CounterWithRequire.sol: built-in Solidity pattern checks; .github/scripts/contracts/DeployAndCall.s.sol: built-in Solidity pattern checks
slither	not checked	14	slither is not installed on the server (pip install slither-analyzer + solc)
dependencies	checked	41	Cargo.lock: 1180 dependencies parsed (1180 pinned); Cargo.toml: 156 dependencies parsed (7 pinned); crates/anvil/Cargo.toml: 81 dependencies parsed (0 pinned)
secrets	checked	8	crates/cast/src/cmd/keychain.rs: 1 redacted value(s) not reported (comments, test modules, fixture declarations, placeholders, values the source annotates as published, or hex values not bound to a secret name); crates/cheatcodes/src/toml.rs: 3 redacted value(s) not reported (comments, test modules, fixture declarations, placeholders, values the source annotates as published, or hex values not bound to a secret name); crates/common/fmt/src/ui.rs: 8 redacted value(s) not reported (comments, test modules, fixture declarations, placeholders, values the source annotates as published, or hex values not bound to a secret name)
tls_code	checked	1	crates/cli/src/utils/mod.rs: TLS key-exchange settings read
osv_advisories	checked	1	1000 pinned packages queried at OSV.dev; 8 affected

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

Assets examined and not examined

Supplied inputs: 761 (input files: C)

Not checked

- slither: slither is not installed on the server (pip install slither-analyzer + solc)
- slither: slither is not installed on the server (pip install slither-analyzer + solc)
- slither: slither is not installed on the server (pip install slither-analyzer + solc)
- slither: slither is not installed on the server (pip install slither-analyzer + solc)
- slither: slither is not installed on the server (pip install slither-analyzer + solc)
- slither: slither is not installed on the server (pip install slither-analyzer + solc)
- slither: slither is not installed on the server (pip install slither-analyzer + solc)
- slither: slither is not installed on the server (pip install slither-analyzer + solc)
- slither: slither is not installed on the server (pip install slither-analyzer + solc)
- slither: slither is not installed on the server (pip install slither-analyzer + solc)
- slither: slither is not installed on the server (pip install slither-analyzer + solc)
- slither: slither is not installed on the server (pip install slither-analyzer + solc)
- slither: slither is not installed on the server (pip install slither-analyzer + solc)
- slither: slither is not installed on the server (pip install slither-analyzer + solc)
- slither: slither is not installed on the server (pip install slither-analyzer + solc)

Architecture overview

Static review of the source tree foundry at 7f0a409a5c2016f16cb2e8618a750cc04e13977c. 761 files analysed; of 2104 files, 1113 are test, fuzzing, benchmark or example code and were left out, 230 are not read by any analyzer, 0 exceed the per-file limit and 0 did not fit the total limit. No requests were sent to the owner's systems.

Overall security posture


63
Indicative posture index (0–100)

16.0%
Quantum-vulnerable share of inventory

100
Cryptographic inventory

Derived from findings in scope (confirmed and potential issues weighted by severity). Indicative only; not comparable across differently scoped audits.

Findings by severity



ID	Detailed findings	Classification	Severity	Confidence
QSI-2026-04469	quick-xml 0.39.4 is affected by RUSTSEC-2026-0194	Known vulnerable component	High	Low
QSI-2026-04470	quick-xml 0.39.4 is affected by RUSTSEC-2026-0195	Known vulnerable component	High	Low
QSI-2026-04456	TLS without a post-quantum key exchange: rustls with the ring crypto provider	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-04462	block-buffer 0.9.0 is affected by GHSA-qwgh-2vcv-g2f7	Known vulnerable component	Medium	Low
QSI-2026-04463	block-buffer 0.10.4 is affected by GHSA-qwgh-2vcv-g2f7	Known vulnerable component	Medium	Low
QSI-2026-04453	Floating pragma (^0.8.13) in 12 file(s)	Improvement recommendation	Low	High
QSI-2026-04460	Floating pragma (>=0.8.13 <0.9.0) in 2 file(s)	Improvement recommendation	Low	High
QSI-2026-04454	Quantum-vulnerable ECDSA: transaction and message signing (9 file(s))	Long-term post-quantum risk	Low	Medium, preliminary
QSI-2026-04459	Quantum-vulnerable BLS12-381: transaction and message signing (3 file(s))	Long-term post-quantum risk	Low	Medium, preliminary
QSI-2026-04455	Quantum-vulnerable ECDSA: role not determined (1 file(s))	Long-term post-quantum risk	Low	Medium, preliminary
QSI-2026-04457	Quantum-vulnerable ECDSA: authentication and identity (certificates, tokens, device attestation) (1 file(s))	Long-term post-quantum risk	Low	Medium, preliminary
QSI-2026-04458	Quantum-vulnerable BLS12-381: role not determined (1 file(s))	Long-term post-quantum risk	Low	Medium, preliminary
QSI-2026-04464	crypto-bigint 0.5.5 is affected by RUSTSEC-2026-0387 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04465	crypto-bigint 0.7.5 is affected by RUSTSEC-2026-0387 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-04466	ctutils 0.4.3 is affected by RUSTSEC-2026-0385 (no severity rating)	Known vulnerable component	Low	Low, preliminary

QSI-2026-04461	No post-quantum capable cryptographic library detected	Insufficient data	Info	Medium, preliminary
QSI-2026-04467	derivative 2.2.0: informational advisory RUSTSEC-2024-0388 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-04468	paste 1.0.15: informational advisory RUSTSEC-2024-0436 (unmaintained)	Improvement recommendation	Info	Low

Detailed findings

QSI-2026-04469 · DEP-KNOWN-ADVISORY

High

quick-xml 0.39.4 is affected by RUSTSEC-2026-0194

Known vulnerable component | Confidence: Low

OSV.dev reports RUSTSEC-2026-0194 for crates.io package quick-xml at version 0.39.4: Quadratic run time when checking a start tag for duplicate attribute names. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quick-xml@0.39.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:26 UTC
Priority score	37.7 / 100 (Security software vendor)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0194
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0194 · manifest · SHA-256 028cd2f8044c5c52...


```
{"id": "RUSTSEC-2026-0194", "aliases": [], "modified": "2026-07-02T08:00:03.849273679Z", "summary": "Quadratic run time when checking a start tag for duplicate attribute names", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.41.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0194

QSI-2026-04470 · DEP-KNOWN-ADVISORY

High

quick-xml 0.39.4 is affected by RUSTSEC-2026-0195

Known vulnerable component | Confidence: Low

OSV.dev reports RUSTSEC-2026-0195 for crates.io package quick-xml at version 0.39.4: Unbounded namespace-declaration allocation in `NsReader` enables memory-exhaustion denial of service. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quick-xml@0.39.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:26 UTC
Priority score	37.7 / 100 (Security software vendor)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0195
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0195 · manifest · SHA-256 7934c935f3154b61…


```
{"id": "RUSTSEC-2026-0195", "aliases": [], "modified": "2026-07-02T09:00:04.037478193Z", "summary": "Unbounded namespace-declaration allocation in `NsReader` enables memory-exhaustion denial of service", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.41.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0195

QSI-2026-04456 · TLSCODE-NO-PQ-HYBRID

Medium

TLS without a post-quantum key exchange: rustls with the ring crypto provider

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

rustls with the ring crypto provider at crates/cli/src/utils/mod.rs:260: the configured key exchange (ring) has no hybrid ML-KEM group such as X25519MLKEM768 (RFC 10024), so the handshake cannot negotiate one.

Affected asset	tls-code:rustls
Data source	crates/cli/src/utils/mod.rs
Detection method	Static reading of TLS library configuration in code and manifests: crypto provider, group and curve lists, GODEBUG.

Analyzer	tls_code 1.2.0 · 2026-10-28 12:26 UTC
Priority score	38.1 / 100 (Security software vendor)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=3.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Traffic protected only by classical ECDHE could be recorded today and decrypted once a CRQC exists (harvest now, decrypt later). Relevant when transmitted data must stay confidential for many years.

REPRODUCTION STEPS

```
Open crates/cli/src/utils/mod.rs:260 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · crates/cli/src/utils/mod.rs · line 260 · SHA-256 0084c5a919bee677… · File 0784360683f1c5dc…

```
259 |     // https://github.com/snapview/tokio-tungstenite/issues/353
260 |     rustls::crypto::ring::default_provider()
261 |         .install_default()
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Read from code and manifests only: the library versions deployed and settings made outside the code (environment, launch flags) were not determined.

RECOMMENDATION

Build rustls with the aws-lc-rs provider (rustls::crypto::aws_lc_rs) and the prefer-post-quantum feature, which puts X25519MLKEM768 first.

RETEST PROCEDURE

Connect with a client that offers X25519MLKEM768 (openssl s_client -groups X25519MLKEM768 with OpenSSL 3.5+, or a Go 1.24+ client) and confirm the negotiated group.

RFC 10024 — Hybrid ECDHE-MLKEM key agreement for TLS 1.3 (X25519MLKEM768, SecP256r1MLKEM768, SecP384r1MLKEM1024); IANA — Transport Layer Security (TLS) Parameters (Supported Groups, SignatureScheme, Cipher Suites); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-04462 · DEP-KNOWN-ADVISORY

Medium

block-buffer 0.9.0 is affected by GHSA-qwgh-2vcv-g2f7

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-qwgh-2vcv-g2f7 for crates.io package block-buffer at version 0.9.0: block_buffer: panic corrupts inline buffer position. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/block-buffer@0.9.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:26 UTC

Priority score	33.2 / 100 (Security software vendor)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-qwgh-2vcv-g2f7
```

EVIDENCE

tool_output · OSV.dev GHSA-qwgh-2vcv-g2f7 · manifest · SHA-256 ac22c9ee6301d8c1...


```
{"id": "GHSA-qwgh-2vcv-g2f7", "aliases": [], "modified": "2026-08-19T19:30:06.686866977Z",
"summary": "block_buffer: panic corrupts inline buffer position", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-qwgh-2vcv-g2f7

QSI-2026-04463 · DEP-KNOWN-ADVISORY

Medium

block-buffer 0.10.4 is affected by GHSA-qwgh-2vcv-g2f7

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-qwgh-2vcv-g2f7 for crates.io package block-buffer at version 0.10.4: block_buffer: panic corrupts inline buffer position. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/block-buffer@0.10.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:26 UTC
Priority score	33.2 / 100 (Security software vendor)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-qwgh-2vcv-g2f7
```

EVIDENCE

tool_output · OSV.dev GHSA-qwgh-2vcv-g2f7 · manifest · SHA-256 ac22c9ee6301d8c1...


```
{"id": "GHSA-qwgh-2vcv-g2f7", "aliases": [], "modified": "2026-08-19T19:30:06.686866977Z",
"summary": "block_buffer: panic corrupts inline buffer position", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-qwgh-2vcv-g2f7

QSI-2026-04453 · SOL-FLOATING-PRAGMA

Low

Floating pragma (^0.8.13) in 12 file(s)

Improvement recommendation | Confidence: High

pragma ^0.8.13 in 12 file(s), first at .github/scripts/contracts/BatchCounter.sol:2. (related: SWC-103)

Affected asset	solidity:pragma:^0.8.13
Data source	.github/scripts/contracts/BatchCounter.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-28 12:26 UTC
Priority score	33.5 / 100 (Security software vendor)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open .github/scripts/contracts/BatchCounter.sol:2 and inspect the quoted lines; the evidence lists
further files.
```

EVIDENCE

file_excerpt · .github/scripts/contracts/BatchCounter.sol · line 2 · SHA-256 7c3708d9069ee803... · File d573ae940de4141c...

```
1 | // SPDX-License-Identifier: UNLICENSED
2 | pragma solidity ^0.8.13;
3 |
4 | contract BatchCounter {
```

file_excerpt · .github/scripts/contracts/CounterWithRequire.sol · line 2 · SHA-256 5ba651f9d9a85f87… · File 427bf1ddf5d91be6…

```
1 | // SPDX-License-Identifier: UNLICENSED
2 | pragma solidity ^0.8.13;
3 |
4 | contract Counter {
```

file_excerpt · .github/scripts/contracts/DeployAndCall.s.sol · line 2 · SHA-256 e480e29012507cfc… · File 1595eb42765b9e3b…

```
1 | // SPDX-License-Identifier: UNLICENSED
2 | pragma solidity ^0.8.13;
3 |
4 | import {Script, console} from "forge-std/Script.sol";
```

file_excerpt · crates/forge/assets/solidity/CounterTemplate.s.sol · line 2 · SHA-256 7da697e70396e179… · File 87e3edfaadcbf61a…

```
1 | // SPDX-License-Identifier: UNLICENSED
2 | pragma solidity ^0.8.13;
3 |
4 | import {Script} from "forge-std/Script.sol";
```

file_excerpt · crates/forge/assets/solidity/CounterTemplate.sol · line 2 · SHA-256 5ba651f9d9a85f87… · File 4b5eaa107784609c…

```
1 | // SPDX-License-Identifier: UNLICENSED
2 | pragma solidity ^0.8.13;
3 |
4 | contract Counter {
```

file_excerpt · crates/forge/assets/solidity/CounterTemplate.t.sol · line 2 · SHA-256 b7d9e25cb26900b8… · File 6525887dd3620bd7…

```
1 | // SPDX-License-Identifier: UNLICENSED
2 | pragma solidity ^0.8.13;
3 |
4 | import {Test} from "forge-std/Test.sol";
```

file_excerpt · crates/forge/assets/tempo/MailTemplate.s.sol · line 2 · SHA-256 7da697e70396e179… · File 1d13a522def4b491…

```
1 | // SPDX-License-Identifier: UNLICENSED
2 | pragma solidity ^0.8.13;
3 |
4 | import {Script} from "forge-std/Script.sol";
```

file_excerpt · crates/forge/assets/tempo/MailTemplate.sol · line 2 · SHA-256 255e8e20fe021924… · File be683ed20abdc3da…

```
1 | // SPDX-License-Identifier: UNLICENSED
2 | pragma solidity ^0.8.13;
3 |
4 | import {ITIP20} from "tempo-std/interfaces/ITIP20.sol";
```

file_excerpt · crates/forge/assets/tempo/MailTemplate.t.sol · line 2 · SHA-256 b7d9e25cb26900b8… · File f0aaa90bd7882e28…

```
1 | // SPDX-License-Identifier: UNLICENSED
2 | pragma solidity ^0.8.13;
```

```
3 |
4 | import {Test} from "forge-std/Test.sol";
```

file_excerpt · crates/forge/assets/vyper/CounterTemplate.s.sol · line 2 · SHA-256 7da697e70396e179… · File 89deefbf70e5943c…

```
1 | // SPDX-License-Identifier: UNLICENSED
2 | pragma solidity ^0.8.13;
3 |
4 | import {Script} from "forge-std/Script.sol";
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-04460 · SOL-FLOATING-PRAGMA

Low

Floating pragma (>=0.8.13 <0.9.0) in 2 file(s)

Improvement recommendation | Confidence: High

pragma >=0.8.13 <0.9.0 in 2 file(s), first at crates/evm/traces/src/decoder/monad/IMonadStaking.sol:2. (related: SWC-103)

Affected asset	solidity:pragma:>=0.8.13 <0.9.0
Data source	crates/evm/traces/src/decoder/monad/IMonadStaking.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-28 12:26 UTC
Priority score	33.5 / 100 (Security software vendor)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open crates/evm/traces/src/decoder/monad/IMonadStaking.sol:2 and inspect the quoted lines; the
evidence lists further files.
```

EVIDENCE

file_excerpt · crates/evm/traces/src/decoder/monad/IMonadStaking.sol · line 2 · SHA-256 0966fab580a62d69… · File 04c61cabeb2fe14c…

```
1 | // SPDX-License-Identifier: MIT
2 | pragma solidity >=0.8.13 <0.9.0;
```

```
3 |
4 | // Mirrors category-labs/monad-std/src/interfaces/IMonadStaking.sol for trace decoding.
```

file_excerpt · crates/evm/traces/src/decoder/monad/IReserveBalance.sol · line 2 · SHA-256 c6df50db795a18ca… · File 7479aa5f41b8ce31…

```
1 | // SPDX-License-Identifier: MIT
2 | pragma solidity >=0.8.13 <0.9.0;
3 |
4 | // Mirrors category-labs/monad-std/src/interfaces/IReserveBalance.sol for trace decoding.
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-04454 · CODE-QV-ASYMMETRIC

Low

Quantum-vulnerable ECDSA: transaction and message signing (9 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

13 reference(s) to ECDSA across 9 file(s), e.g. crates/anvil/src/eth/backend/cheats.rs:11. Role, judged from paths, function names and nearby code: transaction and message signing. A CRQC derives the private key from a public key that is already known (on chain after the first spend, in reused addresses): funds and approvals controlled by these keys need a migration path.

Affected asset	source-code:ECDSA:transaction_signing
Data source	crates/anvil/src/eth/backend/cheats.rs
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-28 12:26 UTC
Priority score	29.7 / 100 (Security software vendor)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=5.0, y=3.0, z=8.0 → tight margin

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open crates/anvil/src/eth/backend/cheats.rs:11 and inspect the quoted lines; the evidence lists
further files.
```

EVIDENCE

file_excerpt · crates/anvil/src/eth/backend/cheats.rs · line 11 · SHA-256 e08fa6015cef9b6d… · File 31fbcf6016a3810c…

```
   10 |     PrecompileHalt, PrecompileId, PrecompileOutput, PrecompileResult, call_eth_precompile,
   11 |     secp256k1::ec_recover_run, utilities::right_pad,
   12 | };
```

file_excerpt · crates/anvil/src/eth/backend/tempo.rs · line 271 · SHA-256 52f153efb18e1710… · File 3bba5daeff0a18a0…

```
  270 |                 account, // msg_sender (root account authorizes its own key)
  271 |                 account, // key ID = account address for secp256k1
  272 |                 SignatureType::Secp256k1,
```

file_excerpt · crates/cast/src/cmd/keychain.rs · line 153 · SHA-256 5d58b11e699bbe1d… · File ea0a6cf003885ea9…

```
  152 |         /// Signature type: secp256k1, p256, or webauthn.
  153 |         #[arg(default_value = "secp256k1", value_parser = parse_signature_type)]
  154 |         key_type: SignatureType,
```

file_excerpt · crates/cast/src/cmd/keychain.rs · line 462 · SHA-256 b07c462df7c1e737… · File ea0a6cf003885ea9…

```
  461 |     /// The root signature type is determined by the configured signer.
  462 |     #[arg(long, default_value = "secp256k1", value_parser = parse_auth_signature_type)]
  463 |     key_type: AuthSignatureType,
```

file_excerpt · crates/cast/src/cmd/keychain.rs · line 578 · SHA-256 4a236801a5d76ecf… · File ea0a6cf003885ea9…

```
  577 |     match s.to_lowercase().as_str() {
  578 |         "secp256k1" => Ok(AuthSignatureType::Secp256k1),
  579 |         "p256" => Ok(AuthSignatureType::P256),
```

file_excerpt · crates/cast/src/cmd/tempo/zone/mod.rs · line 221 · SHA-256 46a53d505e0d3369… · File 3534969a0c0a712a…

```
  220 |                     && k256::PublicKey::from_sec1_bytes(&self.reveal_to).is_ok(),
  221 |                 "--reveal-to must be a compressed secp256k1 public key"
  222 |             );
```

file_excerpt · crates/cheatcodes/src/error.rs · line 10 · SHA-256 3c595041c68eace6… · File c181922ad0f3e4d3…

```
    9 | use foundry_wallets::error::WalletSignerError;
   10 | use k256::ecdsa::signature::Error as SignatureError;
   11 | use revm::context_interface::result::EVMError;
```

file_excerpt · crates/common/src/tempo/session.rs · line 321 · SHA-256 de4949f2f75dc96d… · File 59453fcff95b4f79…

```
  320 |         .ok_or_else(|| eyre::eyre!("managed access key has no local signing material"))?;
  321 |     ensure!(key.key_type == KeyType::Secp256k1, "only secp256k1 managed access keys are
supported");
  322 |     let signer = foundry_wallets::utils::create_local_signer(&key.key)?;
```

file_excerpt · crates/evm/networks/src/lib.rs · line 29 · SHA-256 c1eed0230f405adb… · File 82ee234439f0109c…

```
   28 |     Precompile as RevmPrecompile,
   29 |     secp256r1::{P256VERIFY, P256VERIFY_OSAKA},
   30 | };
```

file_excerpt · crates/evm/symbolic/src/lib.rs · line 28 · SHA-256 8a680edc9e74629b… · File 15cac19e5476b5c4…

```
   27 |         database::DatabaseRef,
   28 |         precompile::{blake2, bn254, hash, identity, kzg_point_evaluation, modexp,
secp256k1},
   29 |         primitives::hardfork::SpecId,
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-04459 · CODE-QV-ASYMMETRIC

Low

Quantum-vulnerable BLS12-381: transaction and message signing (3 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

39 reference(s) to BLS12-381 across 3 file(s), e.g. crates/evm/core/src/precompiles.rs:34. Role, judged from paths, function names and nearby code: transaction and message signing. A CRQC derives the private key from a public key that is already known (on chain after the first spend, in reused addresses): funds and approvals controlled by these keys need a migration path.

Affected asset	source-code:BLS12-381:transaction_signing
Data source	crates/evm/core/src/precompiles.rs
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-28 12:26 UTC
Priority score	29.7 / 100 (Security software vendor)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=5.0, y=3.0, z=8.0 → tight margin

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open crates/evm/core/src/precompiles.rs:34 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · crates/evm/core/src/precompiles.rs · line 34 · SHA-256 e9d6760e61c5d956… · File 2de3445f021fd297…

```
33 | /// The BLS12-381 G1ADD precompile address.
34 | pub const BLS12_G1ADD: Address = Address::with_last_byte(0x0b);
35 |
```

file_excerpt · crates/evm/core/src/precompiles.rs · line 37 · SHA-256 cc66a9c2775894a5… · File 2de3445f021fd297…

```
36 | /// The BLS12-381 G1MSM precompile address.
37 | pub const BLS12_G1MSM: Address = Address::with_last_byte(0x0c);
38 |
```

file_excerpt · crates/evm/core/src/precompiles.rs · line 40 · SHA-256 f64918fb0a20f796… · File 2de3445f021fd297…

```
39 | /// The BLS12-381 G2ADD precompile address.
40 | pub const BLS12_G2ADD: Address = Address::with_last_byte(0x0d);
41 |
```

file_excerpt · crates/evm/traces/src/decoder/mod.rs · line 28 · SHA-256 851a2373c0ad3c5e… · File 9a1d93e87fc5f3d5…

```
27 |     precompiles::{
28 |         BLAKE_2F, BLS12_G1ADD, BLS12_G1MSM, BLS12_G2ADD, BLS12_G2MSM, BLS12_MAP_FP_TO_G1,
29 |         BLS12_MAP_FP2_TO_G2, BLS12_PAIRING_CHECK, CELO_TRANSFER, EC_ADD, EC_MUL, EC_PAIRING,
```

file_excerpt · crates/evm/traces/src/decoder/mod.rs · line 29 · SHA-256 8f52a29c8533dabc… · File 9a1d93e87fc5f3d5…

```
28 |         BLAKE_2F, BLS12_G1ADD, BLS12_G1MSM, BLS12_G2ADD, BLS12_G2MSM, BLS12_MAP_FP_TO_G1,
29 |         BLS12_MAP_FP2_TO_G2, BLS12_PAIRING_CHECK, CELO_TRANSFER, EC_ADD, EC_MUL, EC_PAIRING,
30 |         EC_RECOVER, IDENTITY, MOD_EXP, POINT_EVALUATION, RIPEMD_160, SHA_256,
```

file_excerpt · crates/evm/traces/src/decoder/mod.rs · line 424 · SHA-256 2dd54823637c9ad3… · File 9a1d93e87fc5f3d5…

```
423 |             (POINT_EVALUATION, "PointEvaluation".to_string()),
424 |             (BLS12_G1ADD, "BLS12_G1ADD".to_string()),
425 |             (BLS12_G1MSM, "BLS12_G1MSM".to_string()),
```

file_excerpt · crates/evm/traces/src/decoder/precompiles.rs · line 7 · SHA-256 6a45e6e6e64988c4… · File 939dd5d3921de298…

```
6 |     precompiles::{
7 |         BLAKE_2F, BLS12_G1ADD, BLS12_G1MSM, BLS12_G2ADD, BLS12_G2MSM, BLS12_MAP_FP_TO_G1,
8 |         BLS12_MAP_FP2_TO_G2, BLS12_PAIRING_CHECK, CELO_TRANSFER, EC_ADD, EC_MUL, EC_PAIRING,
```

file_excerpt · crates/evm/traces/src/decoder/precompiles.rs · line 8 · SHA-256 1cbc4db457beccee… · File 939dd5d3921de298…

```
7 |         BLAKE_2F, BLS12_G1ADD, BLS12_G1MSM, BLS12_G2ADD, BLS12_G2MSM, BLS12_MAP_FP_TO_G1,
8 |         BLS12_MAP_FP2_TO_G2, BLS12_PAIRING_CHECK, CELO_TRANSFER, EC_ADD, EC_MUL, EC_PAIRING,
9 |         EC_RECOVER, IDENTITY, MOD_EXP, P256_VERIFY, POINT_EVALUATION, RIPEMD_160, SHA_256,
```

file_excerpt · crates/evm/traces/src/decoder/precompiles.rs · line 332 · SHA-256 8ab37a93305db1d4… · File 939dd5d3921de298…

```
331 |     fn address(&self) -> Address {
332 |         BLS12_G1ADD
333 |     }
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-04455 · CODE-QV-ASYMMETRIC

Low

Quantum-vulnerable ECDSA: role not determined (1 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

4 reference(s) to ECDSA across 1 file(s), e.g. crates/cheatcodes/src/crypto.rs:26. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:ECDSA:general
Data source	crates/cheatcodes/src/crypto.rs
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-28 12:26 UTC
Priority score	28.3 / 100 (Security software vendor)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=5.0, y=3.0, z=8.0 → tight margin

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open crates/cheatcodes/src/crypto.rs:26 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · crates/cheatcodes/src/crypto.rs · line 26 · SHA-256 a551137cff413619… · File 194dec89b94c09b4…

```
   25 |
   26 | use p256::ecdsa::{
   27 |     Signature as P256Signature, SigningKey as P256SigningKey,
signature::hazmat::PrehashSigner,
```

file_excerpt · crates/cheatcodes/src/crypto.rs · line 526 · SHA-256 2d2ae3b338f8f2b9… · File 194dec89b94c09b4…

```
  525 |         .into_option()
  526 |         .ok_or_else(|| fmt_err!("invalid secp256k1 {name}"))
  527 | }
```

file_excerpt · crates/cheatcodes/src/crypto.rs · line 537 · SHA-256 7c1a1c232d462506… · File 194dec89b94c09b4…

```
  536 |             bool::from(x_field.is_zero()) && !bool::from(y_field.is_zero()),
  537 |             "invalid secp256k1 {name}"
  538 |         );
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability.

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-04457 · CODE-QV-ASYMMETRIC

Low

Quantum-vulnerable ECDSA: authentication and identity (certificates, tokens, device attestation) (1 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

2 reference(s) to ECDSA across 1 file(s), e.g. crates/common/src/tempo/auth.rs:115. Role, judged from paths, function names and nearby code: authentication and identity (certificates, tokens, device attestation). Short-lived authentication stays safe until a CRQC exists; long-lived identities (device attestation, CA and SSH keys) need a plan earlier.

Affected asset	source-code:ECDSA:authentication
Data source	crates/common/src/tempo/auth.rs
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-28 12:26 UTC
Priority score	28.3 / 100 (Security software vendor)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=5.0, y=3.0, z=8.0 → tight margin

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open crates/common/src/tempo/auth.rs:115 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · crates/common/src/tempo/auth.rs · line 115 · SHA-256 e8866289afb498a1… · File 78b112c3b9d63276…

```
114 |         code_challenge: sha256_b64url(&code_verifier),
115 |         key_type: "secp256k1",
116 |         pub_key: pub_key_hex,
```

file_excerpt · crates/common/src/tempo/auth.rs · line 191 · SHA-256 54ee92aeb19ba7ea… · File 78b112c3b9d63276…

```
190 |                     eyre::bail!(
191 |                         "wallet returned keyType {:?} but secp256k1 was requested",
192 |                         signed.authorization.key_type,
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Keep credentials short-lived and plan ML-DSA certificates, tokens and keys as the ecosystem supports them.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-04458 · CODE-QV-ASYMMETRIC

Low

Quantum-vulnerable BLS12-381: role not determined (1 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

7 reference(s) to BLS12-381 across 1 file(s), e.g. crates/debugger/src/node.rs:291. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:BLS12-381:general
Data source	crates/debugger/src/node.rs
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-28 12:26 UTC
Priority score	28.3 / 100 (Security software vendor)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=5.0, y=3.0, z=8.0 → tight margin

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open crates/debugger/src/node.rs:291 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · crates/debugger/src/node.rs · line 291 · SHA-256 b5a33afbc1109218… · File faf733e62eb7e172…

```
290 |         precompiles::POINT_EVALUATION => Some("pointEvaluation"),
291 |         precompiles::BLS12_G1ADD => Some("bls12G1Add"),
292 |         precompiles::BLS12_G1MSM => Some("bls12G1Msm"),
```

file_excerpt · crates/debugger/src/node.rs · line 292 · SHA-256 7f2d22ce6fc44deb... · File faf733e62eb7e172...

```
291 |         precompiles::BLS12_G1ADD => Some("bls12G1Add"),
292 |         precompiles::BLS12_G1MSM => Some("bls12G1Msm"),
293 |         precompiles::BLS12_G2ADD => Some("bls12G2Add"),
```

file_excerpt · crates/debugger/src/node.rs · line 293 · SHA-256 cb4c72ccdcd20bf1... · File faf733e62eb7e172...

```
292 |         precompiles::BLS12_G1MSM => Some("bls12G1Msm"),
293 |         precompiles::BLS12_G2ADD => Some("bls12G2Add"),
294 |         precompiles::BLS12_G2MSM => Some("bls12G2Msm"),
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to a post-quantum algorithm; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-04464 · DEP-ADVISORY-UNRATED

Low

crypto-bigint 0.5.5 is affected by RUSTSEC-2026-0387 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0387 for crates.io package crypto-bigint at version 0.5.5: Multiple timing variability issues in operations intended to be constant-time. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/crypto-bigint@0.5.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:26 UTC
Priority score	20.4 / 100 (Security software vendor)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0387
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0387 · manifest · SHA-256 eab63427da988e95...


```
{"id": "RUSTSEC-2026-0387", "aliases": [], "modified": "2026-10-24T03:45:02.365137418Z", "summary":
"Multiple timing variability issues in operations intended to be constant-time", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.7.6) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0387

QSI-2026-04465 · DEP-ADVISORY-UNRATED

Low

crypto-bigint 0.7.5 is affected by RUSTSEC-2026-0387 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0387 for crates.io package crypto-bigint at version 0.7.5: Multiple timing variability issues in operations intended to be constant-time. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/crypto-bigint@0.7.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:26 UTC
Priority score	20.4 / 100 (Security software vendor)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0387
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0387 · manifest · SHA-256 eab63427da988e95...

{"id": "RUSTSEC-2026-0387", "aliases": [], "modified": "2026-10-24T03:45:02.365137418Z", "summary": "Multiple timing variability issues in operations intended to be constant-time", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.7.6) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0387

QSI-2026-04466 · DEP-ADVISORY-UNRATED

Low

ctutils 0.4.3 is affected by RUSTSEC-2026-0385 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0385 for crates.io package ctutils at version 0.4.3: Non-constant-time mask generation and `u128` comparisons. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/ctutils@0.4.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:26 UTC
Priority score	20.4 / 100 (Security software vendor)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0385
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0385 · manifest · SHA-256 200470326c8a5ad1...

{"id": "RUSTSEC-2026-0385", "aliases": [], "modified": "2026-10-23T08:30:02.389575143Z", "summary": "Non-constant-time mask generation and `u128` comparisons", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo

feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.4.4) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0385

QSI-2026-04461 · DEP-NO-PQC-LIBRARY

Info

No post-quantum capable cryptographic library detected

Insufficient data | Confidence: Medium | preliminary — requires further verification

Across 41 dependency manifests, QSI found crypto libraries (curve25519-dalek, ecdsa, jsonwebtoken, k256, p256, ring, rustls, secp256k1, x25519-dalek) but none from its PQC-capable list.

Affected asset	dependencies
Data source	dependency manifests
Detection method	Dependency name matching.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:26 UTC
Priority score	13.5 / 100 (Security software vendor)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Readiness indicator only: PQC support may come from the platform (OpenSSL, OS, cloud KMS) rather than application dependencies.

REPRODUCTION STEPS

```
Review the dependency manifests listed in the evidence.
```

EVIDENCE

dependency · Cargo.lock, Cargo.toml, crates/anvil/Cargo.toml, crates/anvil/core/Cargo.toml, crates/anvil/rpc/Cargo.toml, crates/anvil/server/Cargo.toml, crates/cast/Cargo.toml, crates/cheatcodes/Cargo.toml, crates/chisel/Cargo.toml, crates/cli/Cargo.toml, crates/cli-markdown/Cargo.toml, crates/common/Cargo.toml, crates/common/fmt/Cargo.toml, crates/config/Cargo.toml, crates/debugger/Cargo.toml, crates/doc/Cargo.toml, crates/evm/abi/Cargo.toml, crates/evm/core/Cargo.toml, crates/evm/coverage/Cargo.toml, crate · SHA-256 9ef612a016445014…

```
Crypto libraries: curve25519-dalek, ecdsa, jsonwebtoken, k256, p256, ring, rustls, secp256k1,
x25519-dalek
```

LIMITATIONS OF THE CHECK

Absence of evidence is not evidence of absence: system libraries and transitive dependencies may not be listed.

RECOMMENDATION

Confirm where PQC support will come from (TLS terminator, KMS/HSM, library upgrade).

RETEST PROCEDURE

Re-scan after upgrades.

FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM); FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA)

QSI-2026-04467 · DEP-ADVISORY-INFORMATIONAL

Info

derivative 2.2.0: informational advisory RUSTSEC-2024-0388 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2024-0388 for crates.io package derivative at version 2.2.0 as informational (unmaintained): `derivative` is unmaintained; consider using an alternative. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/derivative@2.2.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:26 UTC
Priority score	11.6 / 100 (Security software vendor)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0388
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0388 · manifest · SHA-256 3438f6c3cab3309f...


```
{"id": "RUSTSEC-2024-0388", "aliases": [], "modified": "2024-11-10T13:34:40Z", "summary":
"`derivative` is unmaintained; consider using an alternative", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0388

QSI-2026-04468 · DEP-ADVISORY-INFORMATIONAL

Info

paste 1.0.15: informational advisory RUSTSEC-2024-0436 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2024-0436 for crates.io package paste at version 1.0.15 as informational (unmaintained): paste - no longer maintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/paste@1.0.15
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 12:26 UTC
Priority score	11.6 / 100 (Security software vendor)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0436
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0436 · manifest · SHA-256 ea867adb8ba26c96...


```
{"id": "RUSTSEC-2024-0436", "aliases": [], "modified": "2026-01-27T22:03:15.694766Z", "summary":
"paste - no longer maintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0436

Evidence

ID	Type	Data source	SHA-256
QSI-2026-04469	tool_output	OSV.dev RUSTSEC-2026-0194 (manifest)	028cd2f8044c5c52031532eb91141d581476948b4fd115c63b565c4f523
QSI-2026-04470	tool_output	OSV.dev RUSTSEC-2026-0195 (manifest)	7934c935f3154b61c623e871c948769f40fd83ae102d44328fbedb57647
QSI-2026-04456	file_excerpt	crates/cli/src/utils/mod.rs (line 260)	0084c5a919bee6778c8436c47d41f06240827ab128eb7ef31339267091e
QSI-2026-04462	tool_output	OSV.dev GHSA-qwgh-2vcv-g2f7 (manifest)	ac22c9ee6301d8c1e4b09ca6951303d71527ccba2df30c96af92531d8ef
QSI-2026-04463	tool_output	OSV.dev GHSA-qwgh-2vcv-g2f7 (manifest)	ac22c9ee6301d8c1e4b09ca6951303d71527ccba2df30c96af92531d8ef
QSI-2026-04453	file_excerpt	.github/scripts/contracts/BatchCounter.sol (line 2)	7c3708d9069ee80391b81af25f28478d8257cfe3f51a51b01be98275555
QSI-2026-04453	file_excerpt	.github/scripts/contracts/CounterWithRequire.sol (line 2)	5ba651f9d9a85f874646356b2e4882d9492ccd2c37892a189cd79790bf2
QSI-2026-04453	file_excerpt	.github/scripts/contracts/DeployAndCall.s.sol (line 2)	e480e29012507cfc6f4594f7a4fd4ab65d0adce3b3bb9b2323614637a52
QSI-2026-04453	file_excerpt	crates/forge/assets/solidity/CounterTemplate.s.sol (line 2)	7da697e70396e1794f5ccb8835bcc5b58068f231c41d272719e977b7d83
QSI-2026-04453	file_excerpt	crates/forge/assets/solidity/CounterTemplate.sol (line 2)	5ba651f9d9a85f874646356b2e4882d9492ccd2c37892a189cd79790bf2
QSI-2026-04453	file_excerpt	crates/forge/assets/solidity/CounterTemplate.t.sol (line 2)	b7d9e25cb26900b8a13c01b38782749ef0421704305f08208da38ed8f1d
QSI-2026-04453	file_excerpt	crates/forge/assets/tempo/MailTemplate.s.sol (line 2)	7da697e70396e1794f5ccb8835bcc5b58068f231c41d272719e977b7d83

QSI-2026-04453	file_excerpt	crates/forge/assets/tempo/MailTemplate.sol (line 2)	255e8e20fe021924c3a1bb809df0f9e26f8b4ba0d7d3d1c43464a6ec821
QSI-2026-04453	file_excerpt	crates/forge/assets/tempo/MailTemplate.t.sol (line 2)	b7d9e25cb26900b8a13c01b38782749ef0421704305f08208da38ed8f1d
QSI-2026-04453	file_excerpt	crates/forge/assets/vyper/CounterTemplate.s.sol (line 2)	7da697e70396e1794f5ccb8835bcc5b58068f231c41d272719e977b7d83
QSI-2026-04460	file_excerpt	crates/evm/traces/src/decoder/monad/IMonadStaking.sol (line 2)	0966fab580a62d690b1abff6275e91d132627c82ac011aa8596cc8723b7
QSI-2026-04460	file_excerpt	crates/evm/traces/src/decoder/monad/IReserveBalance.sol (line 2)	c6df50db795a18ca9b1093b55e2b9d19cda0e05d8bc4e6d47c5566653ea
QSI-2026-04454	file_excerpt	crates/anvil/src/eth/backend/cheats.rs (line 11)	e08fa6015cef9b6d59779c9f3e7c25ea0e325b4424289d7c3b847ae6965
QSI-2026-04454	file_excerpt	crates/anvil/src/eth/backend/tempo.rs (line 271)	52f153efb18e17109443cc34089b5a89d1a1b4c83b8f5e68fba410ec9d1
QSI-2026-04454	file_excerpt	crates/cast/src/cmd/keychain.rs (line 153)	5d58b11e699bbe1d28e4a75b890106a088de2218bba25f8fb944230db03
QSI-2026-04454	file_excerpt	crates/cast/src/cmd/keychain.rs (line 462)	b07c462df7c1e73749099155ee6aaeaa1569cdd4568e13a1e1317ebef0f
QSI-2026-04454	file_excerpt	crates/cast/src/cmd/keychain.rs (line 578)	4a236801a5d76ecf75ecddf66d49cbadc28fe918e5218ae8bcbf2b0ab0c
QSI-2026-04454	file_excerpt	crates/cast/src/cmd/tempo/zone/mod.rs (line 221)	46a53d505e0d3369700709c58dabf91c816e81e59906959d5af8ac3fc76
QSI-2026-04454	file_excerpt	crates/cheatcodes/src/error.rs (line 10)	3c595041c68eace648d774f0f69f05dd96ce13575114ecabcc71e2b3e83
QSI-2026-04454	file_excerpt	crates/common/src/tempo/session.rs (line 321)	de4949f2f75dc96d7fa04e685806f1689470b0efacc7d096b13a61c80c7
QSI-2026-04454	file_excerpt	crates/evm/networks/src/lib.rs (line 29)	c1eed0230f405adbff40033b2879b8000d521e302866b4850d9ad7705f2
QSI-2026-04454	file_excerpt	crates/evm/symbolic/src/lib.rs (line 28)	8a680edc9e74629b043692fee273270f039ea08b7aea8752cfa55e855b9

QSI-2026-04459	file_excerpt	crates/evm/core/src/precompiles.rs (line 34)	e9d6760e61c5d95615b59c481b236749a952ceda871fa5873803470b529
QSI-2026-04459	file_excerpt	crates/evm/core/src/precompiles.rs (line 37)	cc66a9c2775894a525021ffc6fe4d347f52ebe34064d82f6e4400f828c6
QSI-2026-04459	file_excerpt	crates/evm/core/src/precompiles.rs (line 40)	f64918fb0a20f796360c240232d3a80a6b804fce081c3effd117316c46a
QSI-2026-04459	file_excerpt	crates/evm/traces/src/decoder/mod.rs (line 28)	851a2373c0ad3c5e1fd446403193f757e5c833428427e332fc9ae97a7b3
QSI-2026-04459	file_excerpt	crates/evm/traces/src/decoder/mod.rs (line 29)	8f52a29c8533dabc5a48d03c5d190efe2583470180e7a803d173c4a93d6
QSI-2026-04459	file_excerpt	crates/evm/traces/src/decoder/mod.rs (line 424)	2dd54823637c9ad3500d6cdd67ea43a290e670e39a2ada89aacfa0b0c28
QSI-2026-04459	file_excerpt	crates/evm/traces/src/decoder/precompiles.rs (line 7)	6a45e6e6e64988c4d23c76ecc0727fe03dd6eb0a7a8f7f864be6f51f820
QSI-2026-04459	file_excerpt	crates/evm/traces/src/decoder/precompiles.rs (line 8)	1cbc4db457becceed23c646a85a2191cb78062453411a6177172fa8e5e1
QSI-2026-04459	file_excerpt	crates/evm/traces/src/decoder/precompiles.rs (line 332)	8ab37a93305db1d491ed6efe32d5e924492f9493e2c298523b61abac7d4
QSI-2026-04455	file_excerpt	crates/cheatcodes/src/crypto.rs (line 26)	a551137cff41361990a5981742fde03e462e2a4e7b40a49fba299d7f1e7
QSI-2026-04455	file_excerpt	crates/cheatcodes/src/crypto.rs (line 526)	2d2ae3b338f8f2b933a2a78de2bb94bc04717a27b2ef71b413d6c154c3d
QSI-2026-04455	file_excerpt	crates/cheatcodes/src/crypto.rs (line 537)	7c1a1c232d462506831f9bb7247a932ae80cf42f2152bf84d0ef117aa4f
QSI-2026-04457	file_excerpt	crates/common/src/tempo/auth.rs (line 115)	e8866289afb498a1ad1214bcef2aa268e90cbd3b50ca37d9682ea1fb0df
QSI-2026-04457	file_excerpt	crates/common/src/tempo/auth.rs (line 191)	54ee92aeb19ba7eadea1ba0f5101140294f899f35d74cd9254d58fb4aff
QSI-2026-04458	file_excerpt	crates/debugger/src/node.rs (line 291)	b5a33afbc110921885d6fdc2b239b77fa64c68479bad7f0654313bd4f95
QSI-2026-04458	file_excerpt	crates/debugger/src/node.rs (line 292)	7f2d22ce6fc44deb9ea5a0267f4ae6d9e169b33af3f20db693583e3c0a1
QSI-2026-04458	file_excerpt	crates/debugger/src/node.rs (line 293)	cb4c72ccdcd20bf16e22255941bc70ae5baacd7ea1ae3ca30e0d13cb5f1

QSI-2026-04464	tool_output	OSV.dev RUSTSEC-2026-0387 (manifest)	eab63427da988e95becf061fd8169abcb9634f743aeeb7567dfa2ba2667
QSI-2026-04465	tool_output	OSV.dev RUSTSEC-2026-0387 (manifest)	eab63427da988e95becf061fd8169abcb9634f743aeeb7567dfa2ba2667
QSI-2026-04466	tool_output	OSV.dev RUSTSEC-2026-0385 (manifest)	200470326c8a5ad19deb3639dff41d33749b1153097b6b87ef95e4beec7
QSI-2026-04461	dependency	Cargo.lock, Cargo.toml, crates/anvil/Cargo.toml, crates/anvil/core/Cargo.toml, crates/anvil/rpc/Cargo.toml, crates/anvil/server/Cargo.toml, crates/cast/Cargo.toml, crates/cheatcodes/Cargo.toml, crates/chisel/Cargo.toml, crates/cli/Cargo.toml, crates/cli-markdown/Cargo.toml, crates/common/Cargo.toml, crates/common/fmt/Cargo.toml, crates/config/Cargo.toml, crates/debugger/Cargo.toml, crates/doc/Cargo.toml, crates/evm/abi/Cargo.toml, crates/evm/core/Cargo.toml, crates/evm/coverage/Cargo.toml, crate	9ef612a016445014f08d85cc3387a0a580edeb71639dbaf41d6ca6d92c8
QSI-2026-04467	tool_output	OSV.dev RUSTSEC-2024-0388 (manifest)	3438f6c3cab3309fb6388762a19097619076b18baff08e3e9ab34fa9694
QSI-2026-04468	tool_output	OSV.dev RUSTSEC-2024-0436 (manifest)	ea867adb8ba26c96c3779becf55b3de25d46f37f23ab55131e09c98a8b0

Post-quantum assessment

	Key establishment (x = how long data must stay confidential; harvest now, decrypt later)	Signatures (x = how long signatures/ keys must stay trusted)
Data/key lifetime x	10	5
Migration time y	3	3
Assumed years to CRQC z	8 (early)	8
x + y − z	5 → migration would finish too late under this scenario	0 → tight margin

Planning assumptions: x for key establishment, x for signatures, y are the defaults of the risk profile “Security software vendor”, not the client's figures; with the client's actual lifetimes the verdict can change.

Post-quantum maturity: Level 4 of 4 — post-quantum by default in the critical paths

- Hybrid — channel key exchange (TLS, Noise, handshakes): Cargo.toml (classical group + X25519MLKEM768)
- In use: X25519MLKEM768 — Cargo.toml

Next step: Keep the inventory current and review new code paths before release.

Levels: 0 none; 1 present, not wired; 2 in use outside the critical paths; 3 hybrid in a critical path; 4 post-quantum by default in the critical paths (root of trust, key wrapping, channel key exchange). Judged from code and manifests.

What the quantum-vulnerable algorithms do

Role	Algorithms (files)	ID	First step
channel key exchange (TLS, Noise, handshakes)	TLS ECDHE (1)	QSI-2026-04456	Move the handshake to a hybrid key exchange (X25519MLKEM768 in TLS 1.3; a hybrid KEM in Noise-based protocols)
transaction and message signing	ECDSA (9), BLS12-381 (3)	QSI-2026-04454, QSI-2026-04459	Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them
authentication and identity (certificates, tokens, device attestation)	ECDSA (1)	QSI-2026-04457	Keep credentials short-lived and plan ML-DSA certificates, tokens and keys as the ecosystem supports them
role not determined	BLS12-381 (1), ECDSA (1)	QSI-2026-04455, QSI-2026-04458	Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility

Roles are judged from file paths, function names and the code around each match; review confirms them. Root-of-trust keys and wrapped keys come first: they are hard to replace or can be recorded today.

z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Quantum status	Count
weak classically	1
reduced margin (Grover), approved	2
Grover: acceptable to NIST, below ECCG/ANSSI guidance	59
hybrid	1
n/a	21
vulnerable (Shor)	16

Detailed findings: QSI-2026-04456, QSI-2026-04454, QSI-2026-04459, QSI-2026-04455, QSI-2026-04457, QSI-2026-04458

PQC readiness questionnaire

No readiness questionnaire was completed for this project.

Quantum algorithms relevant to this inventory

Quantum algorithm	Effect	Inventoried algorithms (rows)	What it means for this audit
Shor's algorithm — discrete logarithms in finite fields Q1: quantum computation offline, classical access to the victim	breaks	BLS12-381 (4)	Breaks finite-field Diffie–Hellman and DSA at every size. Move key establishment to ML-KEM (hybrid with X25519 or ECDH during the transition) and signatures to ML-DSA or SLH-DSA.
Shor's algorithm — elliptic-curve discrete logarithms Q1: quantum computation offline, classical access to the victim	breaks	BLS12-381 (4), ECDSA (12), X25519MLKEM768 (1)	Elliptic-curve keys are expected to fall before RSA keys of comparable classical strength. On blockchains, coins whose public key is already on chain (reused addresses, pay-to-public-key and Taproot outputs) are exposed first; plan the move to post-quantum signatures and avoid key reuse in the meantime.

Grover's algorithm — key search and preimages Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	AES-256 (1), HKDF (1), Keccak-256 (55), RIPEMD-160 (1), SHA-2 (4)	Not a break. 256-bit keys (AES-256, ChaCha20) keep a comfortable margin; AES-128 meets NIST category 1, while some authorities ask for 256-bit keys in quantum-resistant contexts (see the AES-128 entry). Prefer 256-bit keys for long-lived data; 256-bit hashes need no change for preimage resistance.
Brassard–Høyer–Tapp — collision search Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	Keccak-256 (55), RIPEMD-160 (1), SHA-2 (4)	256-bit hashes (SHA-256, SHA3-256) remain adequate for collision resistance; 160-bit hashes are already weak classically (SHA-1 collisions are practical). Use 384/512-bit hashes where NIST categories 4–5 are required.
Quantum lattice sieving Q1: quantum computation offline, classical access to the victim	included in standard parameters	X25519MLKEM768 (1)	No change for ML-KEM or ML-DSA at the standard parameter sets. A 2024 claim of a polynomial-time quantum LWE algorithm was withdrawn after a bug was found (see claims).

Effects: breaks — replace the algorithm; weakens — larger keys or outputs restore the margin; included in standard parameters — no action at standard parameter sets; only with superposition queries — not applicable to ordinary deployments.

Limitations and assumptions

- This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.
- z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.
- slither — not checked: slither is not installed on the server (pip install slither-analyzer + solc)
- slither — not checked: slither is not installed on the server (pip install slither-analyzer + solc)
- slither — not checked: slither is not installed on the server (pip install slither-analyzer + solc)
- slither — not checked: slither is not installed on the server (pip install slither-analyzer + solc)
- slither — not checked: slither is not installed on the server (pip install slither-analyzer + solc)
- slither — not checked: slither is not installed on the server (pip install slither-analyzer + solc)
- slither — not checked: slither is not installed on the server (pip install slither-analyzer + solc)
- slither — not checked: slither is not installed on the server (pip install slither-analyzer + solc)
- slither — not checked: slither is not installed on the server (pip install slither-analyzer + solc)
- slither — not checked: slither is not installed on the server (pip install slither-analyzer + solc)
- slither — not checked: slither is not installed on the server (pip install slither-analyzer + solc)
- slither — not checked: slither is not installed on the server (pip install slither-analyzer + solc)
- slither — not checked: slither is not installed on the server (pip install slither-analyzer + solc)
- slither — not checked: slither is not installed on the server (pip install slither-analyzer + solc)

Remediation plan

QSI-2026-04469 · P2 · 30 days

root-cause fix

Upgrade quick-xml to a fixed version (0.41.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0194.

QSI-2026-04470 · P2 · 30 days

root-cause fix

Upgrade quick-xml to a fixed version (0.41.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0195.

QSI-2026-04462 · P2 · 30 days

root-cause fix

Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-qwgh-2vcv-g2f7.

QSI-2026-04463 · P2 · 30 days

root-cause fix

Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.

Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-qwgh-2vcv-g2f7.

QSI-2026-04456 · P2 · 60 days root-cause fix

Build rustls with the aws-lc-rs provider (rustls::crypto::aws_lc_rs) and the prefer-post-quantum feature, which puts X25519MLKEM768 first.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	ClientHello grows by about 1.2 KB; a few old middleboxes mishandle large handshakes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	A PQ-capable client negotiates X25519MLKEM768.

QSI-2026-04464 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0387; upgrade crypto-bigint to a fixed version (0.7.6) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0387, or the triage is recorded.

QSI-2026-04465 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0387; upgrade crypto-bigint to a fixed version (0.7.6) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.

Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0387, or the triage is recorded.

QSI-2026-04466 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0385; upgrade ctutils to a fixed version (0.4.4) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0385, or the triage is recorded.

QSI-2026-04453 · P3 · 90 days root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open .github/scripts/contracts/BatchCounter.sol:2 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-04460 · P3 · 90 days root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open crates/evm/traces/src/decoder/monad/IMonadStaking.sol:2 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-04454 · P3 · 90 days

short-term risk reduction

Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-04459 · P3 · 90 days

short-term risk reduction

Add BLS12-381 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-04455 · P3 · 90 days

short-term risk reduction

Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-04457 · P3 · 90 days

short-term risk reduction

Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-04458 · P3 · 90 days

short-term risk reduction

Add BLS12-381 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-04454 · P4 · 90 days

root-cause fix

Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-04459 · P4 · 90 days root-cause fix

Plan migration of BLS12-381 to (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows or a hybrid scheme in use.

QSI-2026-04455 · P4 · 90 days root-cause fix

Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-04457 · P4 · 90 days root-cause fix

Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-04458 · P4 · 90 days root-cause fix

Plan migration of BLS12-381 to (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows or a hybrid scheme in use.

QSI-2026-04467 · P4 · 90 days root-cause fix

Replace derivative with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	derivative replaced, or the decision recorded.

QSI-2026-04468 · P4 · 90 days root-cause fix

Replace paste with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	paste replaced, or the decision recorded.

Priorities for 30, 60 and 90 days

30 days

Priority	ID	Action	Type
P2	QSI-2026-04469	Upgrade quick-xml to a fixed version (0.41.0).	root-cause fix
P2	QSI-2026-04470	Upgrade quick-xml to a fixed version (0.41.0).	root-cause fix
P2	QSI-2026-04462	Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-04463	Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix

60 days

Priority	ID	Action	Type
P2	QSI-2026-04456	Build rustls with the aws-lc-rs provider (rustls::crypto::aws_lc_rs) and the prefer-post-quantum feature, which puts X25519MLKEM768 first.	root-cause fix
P3	QSI-2026-04464	Triage RUSTSEC-2026-0387; upgrade crypto-bigint to a fixed version (0.7.6) if it applies.	root-cause fix
P3	QSI-2026-04465	Triage RUSTSEC-2026-0387; upgrade crypto-bigint to a fixed version (0.7.6) if it applies.	root-cause fix
P3	QSI-2026-04466	Triage RUSTSEC-2026-0385; upgrade ctutils to a fixed version (0.4.4) if it applies.	root-cause fix

90 days

Priority	ID	Action	Type
P3	QSI-2026-04453	Pin the compiler version used in testing.	root-cause fix
P3	QSI-2026-04460	Pin the compiler version used in testing.	root-cause fix
P3	QSI-2026-04454	Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-04459	Add BLS12-381 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-04455	Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction

P3	QSI-2026-04457	Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-04458	Add BLS12-381 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P4	QSI-2026-04454	Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-04459	Plan migration of BLS12-381 to (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-04455	Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-04457	Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-04458	Plan migration of BLS12-381 to (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-04467	Replace derivative with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-04468	Replace paste with a maintained alternative or record why it stays.	root-cause fix

Verification after remediation

ID	Retest procedure
QSI-2026-04469	Re-run the dependency scan after upgrading.
QSI-2026-04470	Re-run the dependency scan after upgrading.
QSI-2026-04456	Connect with a client that offers X25519MLKEM768 (openssl s_client -groups X25519MLKEM768 with OpenSSL 3.5+, or a Go 1.24+ client) and confirm the negotiated group.
QSI-2026-04462	Re-run the dependency scan after upgrading.
QSI-2026-04463	Re-run the dependency scan after upgrading.
QSI-2026-04453	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-04460	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-04454	Re-run the inventory after refactoring.
QSI-2026-04459	Re-run the inventory after refactoring.
QSI-2026-04455	Re-run the inventory after refactoring.
QSI-2026-04457	Re-run the inventory after refactoring.
QSI-2026-04458	Re-run the inventory after refactoring.
QSI-2026-04464	Re-run the dependency scan after upgrading.
QSI-2026-04465	Re-run the dependency scan after upgrading.
QSI-2026-04466	Re-run the dependency scan after upgrading.
QSI-2026-04461	Re-scan after upgrades.
QSI-2026-04467	Re-run the dependency scan after the change.
QSI-2026-04468	Re-run the dependency scan after the change.

Tools used

Tool	Version
blockchain	1.0.0
certificates	1.1.0
chain_map	1.0.0
configs	1.1.0
dependencies	1.2.0
inventory_document	1.1.0
solidity	1.2.0
source_code	1.3.0
tls_code	1.1.0
tls_live	1.0.0
qsi-engine	1.2.0
OSV.dev API	v1

Sources and normative documents

Reviewed: 2026-10-13

1. A. Becker, L. Ducas, N. Gama, T. Laarhoven — New directions in nearest neighbor searching with applications to lattice sieving (SODA 2016; IACR ePrint 2015/1128) — IACR ePrint. https://eprint.iacr.org/2015/1128 (peer-reviewed article: classical sieving in 2^{0.292n + o(n)})
2. A. Chailloux, J. Loyer — Lattice sieving via quantum random walks (ASIACRYPT 2021; IACR ePrint 2021/570) — IACR ePrint. https://eprint.iacr.org/2021/570 (peer-reviewed article: 2^{0.2570d + o(d)}, previously 2^{0.2653d + o(d)} (Laarhoven))
3. A. Chailloux, M. Naya-Plasencia, A. Schrottenloher — An Efficient Quantum Collision Search Algorithm and Implications on Symmetric Cryptography (ASIACRYPT 2017; IACR ePrint 2017/847) — IACR ePrint. https://eprint.iacr.org/2017/847 (peer-reviewed article: Õ(2^{2n/5}) time, O(n) qubits, Õ(2^{n/5}) classical memory)
4. C. Chevignard, P.-A. Fouque, A. Schrottenloher — Reducing the Number of Qubits in Quantum Discrete Logarithms on Elliptic Curves (IACR ePrint 2026/280) — IACR ePrint. https://eprint.iacr.org/2026/280 (revision of a EUROCRYPT 2026 paper: 3.12n + o(n) qubits; for n = 256, 1193 qubits and 22 runs of 2^38.98 Toffoli gates)
5. C. Gidney, M. Ekerå — How to factor 2048 bit RSA integers in 8 hours using 20 million noisy qubits (Quantum 5, 433) — Quantum. https://doi.org/10.22331/q-2021-04-15-433 (peer-reviewed article (2021): 10^-3 gate error, 1 µs cycle, 10 µs reaction time)
6. C. Zalka — Grover's quantum searching algorithm is optimal (Phys. Rev. A 60, 2746, 1999; arXiv:quant-ph/9711070) — APS. https://doi.org/10.1103/PhysRevA.60.2746 (peer-reviewed article: optimal for any success probability; parallel search gains no more than splitting the space)
7. CRYSTALS-Kyber — Algorithm Specifications and Supporting Documentation (round 3, 2021-08-04) — CRYSTALS team. https://pq-crystals.org/kyber/data/kyber-specification-round3-20210804.pdf (NIST round-3 submission: core-SVP cost 2^{0.292β} classical, 2^{0.265β} quantum; Kyber768 166 quantum bits)
8. Common Vulnerability Scoring System v3.1: Specification Document — FIRST. https://www.first.org/cvss/v3.1/specification-document (final)
9. D. J. Bernstein — Cost analysis of hash collisions: Will quantum computers make SHARCS obsolete? (2009) — cr.yp.to. https://cr.yp.to/hash/collisioncost-20090823.pdf (paper dated 2009-08-23)
10. D. Litinski — How to compute a 256-bit elliptic curve private key with only 50 million Toffoli gates (arXiv:2306.08585) — arXiv. https://arxiv.org/abs/2306.08585 (preprint (2023-06-14): 6000 modules × 1152 physical qubits, one key per 10 minutes under its architecture assumptions)
11. FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM) — NIST. https://csrc.nist.gov/pubs/fips/203/final (final (August 2024))
12. FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA) — NIST. https://csrc.nist.gov/pubs/fips/204/final (final (August 2024))
13. FIPS 205 — Stateless Hash-Based Digital Signature Standard (SLH-DSA) — NIST. https://csrc.nist.gov/pubs/fips/205/final (final (August 2024))
14. G. Brassard, P. Høyer, A. Tapp — Quantum Algorithm for the Collision Problem (LATIN '98; arXiv:quant-ph/9705002) — Springer / arXiv. https://arxiv.org/abs/quant-ph/9705002 (peer-reviewed article: collisions of r-to-one functions in O((N/r)^{1/3}) expected evaluations)
15. IANA — Transport Layer Security (TLS) Parameters (Supported Groups, SignatureScheme, Cipher Suites) — IANA. https://www.iana.org/assignments/tls-parameters/ (living registry (checked 2026-10-13); 'Recommended' column Y/N/D)
16. J. Proos, C. Zalka — Shor's discrete logarithm quantum algorithm for elliptic curves (Quantum Inf. Comput. 3(4), 2003; arXiv:quant-ph/0301141) — Quantum Information & Computation. https://doi.org/10.26421/QIC3.4-3 (peer-reviewed article)
17. L. K. Grover — A fast quantum mechanical algorithm for database search (STOC 1996) — ACM. https://doi.org/10.1145/237814.237866 (peer-reviewed article)
18. M. Amy et al. — Estimating the cost of generic quantum pre-image attacks on SHA-2 and SHA-3 (SAC 2016; arXiv:1603.09383) — Springer / arXiv. https://arxiv.org/abs/1603.09383 (peer-reviewed article: SHA-256 about 2^153.8 surface-code cycles on 2^12.6 logical qubits; SHA3-256 about 2^146.5 cycles on 2^20)
19. M. Cain et al. — Shor's algorithm is possible with as few as 10,000 reconfigurable atomic qubits (arXiv:2603.28627) — arXiv. https://arxiv.org/abs/2603.28627 (preprint (2026-03-30): P-256 in a few days with 26,000 physical neutral-atom qubits; RSA-2048 one to two orders of magnitude longer)
20. M. Ekerå, J. Gärtner — A high-level comparison of state-of-the-art quantum algorithms for breaking asymmetric cryptography (arXiv:2405.14381) — arXiv. https://arxiv.org/abs/2405.14381 (preprint (2024-05-23): Regev-style algorithms show no overall advantage yet for cryptographic RSA and finite-field sizes)
21. M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018) — IEEE. https://doi.org/10.1109/MSP.2018.3761723 (peer-reviewed article; source of the x + y > z migration inequality)

22. M. Roetteler, M. Naehrig, K. Svore, K. Lauter — Quantum resource estimates for computing elliptic curve discrete logarithms (ASIACRYPT 2017) — IACR / arXiv. https://arxiv.org/abs/1706.06752 (peer-reviewed article: at most 9n + 2⌈log2 n⌉ + 10 qubits and 448 n^3 log2 n + 4090 n^3 Toffoli gates)
23. NIST IR 8547 — Transition to Post-Quantum Cryptography Standards — NIST. https://csrc.nist.gov/pubs/ir/8547/ipd (initial public draft (November 2024); proposes deprecating quantum-vulnerable public-key algorithms after 2030 and disallowing them after 2035 — dates may change in the final version)
24. NIST — Post-Quantum Cryptography Standardization: Evaluation Criteria, Security (Call for Proposals, Section 4.A.5) — NIST. https://csrc.nist.gov/Projects/Post-Quantum-Cryptography/Post-Quantum-Cryptography-Standardization/Evaluation-Criteria/Security-(Evaluation-Criteria) (security categories: AES-128 key search 2^170/MAXDEPTH quantum gates, AES-192 2^233/MAXDEPTH, AES-256 2^298/MAXDEPTH; MAXDEPTH 2^40–2^96)
25. OSV advisory GHSA-qwgh-2vcv-g2f7 — OSV.dev. https://osv.dev/vulnerability/GHSA-qwgh-2vcv-g2f7 (modified 2026-08-19T19:30:06.686866977Z)
26. OSV advisory RUSTSEC-2024-0388 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0388 (modified 2024-11-10T13:34:40Z)
27. OSV advisory RUSTSEC-2024-0436 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0436 (modified 2026-01-27T22:03:15.694766Z)
28. OSV advisory RUSTSEC-2026-0194 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0194 (modified 2026-07-02T08:00:03.849273679Z)
29. OSV advisory RUSTSEC-2026-0195 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0195 (modified 2026-07-02T09:00:04.037478193Z)
30. OSV advisory RUSTSEC-2026-0385 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0385 (modified 2026-10-23T08:30:02.389575143Z)
31. OSV advisory RUSTSEC-2026-0387 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0387 (modified 2026-10-24T03:45:02.365137418Z)
32. P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997) — SIAM. https://doi.org/10.1137/S0097539795293172 (peer-reviewed article)
33. R. Babbush et al. — Securing Elliptic Curve Cryptocurrencies against Quantum Vulnerabilities: Resource Estimates and Mitigations (arXiv:2603.28846) — arXiv. https://arxiv.org/abs/2603.28846 (preprint (2026-03-30, v2 2026-04-15): 256-bit ECDLP with < 1200 logical qubits and < 90 M Toffoli gates (or < 1450 and < 70 M); < 500,000 physical qubits at 10^-3 error, minutes)
34. RFC 10024 — Hybrid ECDHE-MLKEM key agreement for TLS 1.3 (X25519MLKEM768, SecP256r1MLKEM768, SecP384r1MLKEM1024) — IETF. https://www.rfc-editor.org/rfc/rfc10024 (standards track; checked 2026-10-13)
35. S. Jaques, M. Naehrig, M. Roetteler, F. Virdia — Implementing Grover oracles for quantum key search on AES and LowMC (EUROCRYPT 2020; arXiv:1910.01700) — Springer / arXiv. https://arxiv.org/abs/1910.01700 (peer-reviewed article: lower cost estimates for the AES key searches that define the NIST categories)
36. Smart Contract Weakness Classification (SWC) Registry — SWC community (no longer actively maintained). https://swcregistry.io/ (historic reference; still widely cited)

Appendices

A. Cryptographic inventory

Algorithm	Parameter	Quantum status	Classical status	Count	Locations	Examples
RIPEMD-160	RIPEMD-160	weak classically	legacy	1	1	crates/evm/traces/src/decoder/precompiles.rs:78
AES-256	AES-256	reduced margin (Grover), approved	acceptable	1	1	crates/cast/src/cmd/tempo/zone/encryption.rs:6
HKDF		reduced margin (Grover), approved	acceptable	1	1	crates/cast/src/cmd/tempo/zone/encryption.rs:9
Keccak-256	Keccak-256	Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	55	55	crates/anvil/core/src/eth/transaction/mod.rs:82; crates/anvil/src/config.rs:222; crates/anvil/src/eth/api.rs:964
SHA-2	SHA-256	Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	4	4	.github/scripts/benchmark_clickhouse.py:170; crates/cast/src/cmd/tempo/zone/encryption.rs:13; crates/common/src/external_compiler.rs:276
X25519MLKEM768		hybrid	acceptable	1	1	Cargo.toml:494
Crypto library p256 (RustCrypto elliptic curves)	0.13.2	n/a	acceptable	1	1	Cargo.lock
Crypto library k256 (RustCrypto elliptic curves)	0.13.4	n/a	acceptable	1	1	Cargo.lock
Crypto library p256 (RustCrypto elliptic curves)	0.14.0	n/a	acceptable	1	1	Cargo.lock
Crypto library ecdsa (python-ecdsa)	0.16.9	n/a	acceptable	1	1	Cargo.lock
Crypto library ecdsa (python-ecdsa)	0.17.0	n/a	acceptable	1	1	Cargo.lock

Crypto library ring (ring (Rust))	0.17.14	n/a	acceptable	1	1	Cargo.lock
Crypto library rustls (rustls)	0.23.46	n/a	acceptable	2	2	Cargo.lock; Cargo.toml
Crypto library secp256k1 (secp256k1 bindings)	0.30.0	n/a	acceptable	1	1	Cargo.lock
Crypto library secp256k1 (secp256k1 bindings)	0.31.1	n/a	acceptable	1	1	Cargo.lock
Crypto library jsonwebtoken (jsonwebtoken (Node))	10.4.0	n/a	acceptable	1	1	Cargo.lock
Crypto library x25519-dalek (ed25519-dalek)	3.0.0	n/a	acceptable	1	1	Cargo.lock
Crypto library curve25519-dalek (ed25519-dalek)	5.0.0	n/a	acceptable	1	1	Cargo.lock
Crypto library k256 (RustCrypto elliptic curves)	0.13	n/a	acceptable	1	1	Cargo.toml
Crypto library k256 (RustCrypto elliptic curves)	workspace	n/a	acceptable	3	3	crates/cast/Cargo.toml; crates/cheatcodes/Cargo.toml; crates/common/Cargo.toml
Crypto library p256 (RustCrypto elliptic curves)	0.13	n/a	acceptable	1	1	crates/cheatcodes/Cargo.toml
Crypto library ecdsa (python-ecdsa)	0.16	n/a	acceptable	1	1	crates/cheatcodes/Cargo.toml
Crypto library rustls (rustls)	workspace	n/a	acceptable	1	1	crates/cli/Cargo.toml
Crypto library jsonwebtoken (jsonwebtoken (Node))	9.0.3	n/a	acceptable	1	1	editors/vscode/package-lock.json
BLS12-381		vulnerable (Shor)	acceptable	4	4	crates/debugger/src/node.rs:291; crates/evm/core/src/precompiles.rs:34; crates/evm/traces/src/decoder/mod.rs:28

ECDSA	secp256k1	vulnerable (Shor)	acceptable	10	10	crates/anvil/src/eth/backend/cheats.rs:11; crates/anvil/src/eth/backend/tempo.rs:271; crates/cast/src/cmd/keychain.rs:153
ECDSA	P-256	vulnerable (Shor)	acceptable	2	2	crates/cheatcodes/src/crypto.rs:26; crates/evm/networks/src/lib.rs:29

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

B. JSON

qsi.report/1 · SHA-256 37dc71482c0ac19cdfddf6850b40a433a909c798e26a1f8725c5dfb354258319

C. Input files

File	Size	SHA-256	Reda
.cargo/config.toml	496	e1030cf1b1c221476b21cf0b0693491fc8b8506f4eb9be92fbf5af210b9779b1	0
.github/scripts/benchmark_clickhouse.py	20787	ecf2466268d103c6477f39bd2ab08d4f837d428fdd133e11612982328a492794	0
.github/scripts/compare-benchmark-thresholds.py	4807	1c6d4ebf60a43f16347f9199ea7c2df73a9da4649857d30b48e41c62ba3a1622	0
.github/scripts/contracts/BatchCounter.sol	343	d573ae940de4141c483f0e933d27ee0c40754f72ccf07f144dc5e3499faaa320	0
.github/scripts/contracts/CounterWithRequire.sol	306	427bf1ddf5d91be68251f54ce74ae541ed241e8014b70a98c656a511a6ecea95	0
.github/scripts/contracts/DeployAndCall.s.sol	727	1595eb42765b9e3b88060afbb49a0f98fae88422c07d8aff4209b2dc0ae181da	0
.github/scripts/finalize-release.py	13109	6fd40f9dc173c98d9ebd753f5836cbe218adb091b834d13a7cb65503954e735a	0
.github/scripts/matrices.py	3734	ccce395736307d2cdb1db7345bee3411e48c118d5f10338fa619517c78b7b0b8	0
Cargo.lock	346630	41f718fa4c0ce70e1b47e3efc513a531ba0c6726277dabb963fc67bb32d49f78	0
Cargo.toml	24712	20deefd91be60baa4e2d2fbe3920c30ed7e7caa5ec44fb552624ae991beae6db	0
crates/anvil/Cargo.toml	6031	abea5ad23023925b79bf6d39dc333106e55b0fd07a01982fb149c0b7c637776c	0
crates/anvil/bin/main.rs	357	014945ca3b087fc2fb4c1681bf804f84f202b472eec1eab73370b985c28d19ab	0
crates/anvil/core/Cargo.toml	1255	92e4e18254f46dbf9e02a0c3ce4d465d416ad55ec3e5906205716ac184473649	0
crates/anvil/core/src/eth/block.rs	16191	5ae5c5c0e5824d76a2ae6e050b43d1415265f91f97f4537f1c5570b04e629a4d	0
crates/anvil/core/src/eth/mod.rs	103288	94b52329b63f049fe2003deca2bdd04ecf2ce7ba0310a4f37a5b6429035e1b25	0
crates/anvil/core/src/eth/serde_helpers.rs	3861	a29fc7ca2c67478ada2e087f6cbb1c501a9a6dae407f219107eb4bbe4987ce66	0
crates/anvil/core/src/eth/subscription.rs	1579	c8cda3db87534c9981eb2416a36c5c61140f2702fc9c6990ae3d570fcdeca359	0

crates/anvil/core/src/eth/transaction/mod.rs	7127	31e1c34e6bf96e75d6764dbfb87d48e0a373020c7f608509df8e91b6a2a2d02c	0
crates/anvil/core/src/eth/wallet.rs	1825	bc850b214b25cf6182b10939ac9b09d237c179a6f67b5fcd18808fc0a9f5915b	0
crates/anvil/core/src/lib.rs	238	60f164c7bce42b1cb605f83682c6393c4762ea32e161573af31906769bfd09ad	0
crates/anvil/core/src/types.rs	617	fd9cfe3664906a1c0b4933a256496f75d1ca6dec998a2b6341716cb979241230	0
crates/anvil/rpc/Cargo.toml	339	80aacf456a16bd29337a7a906ea63ebeaf4837484f3a501857012913227ac225	0
crates/anvil/rpc/src/error.rs	4820	3122e8bd0afa735d16437f3badbe88a40064e3863940f2b908516c7bc29c39c9	0
crates/anvil/rpc/src/lib.rs	279	e228c7206be098af5e3d733833674456bd19235021f294d057a4ac31ece6444d	0
crates/anvil/rpc/src/request.rs	10008	3734a59bcb46ebd2818aa1b72c8e0e290a1d9928e7b9d814a2199e90f221061d	0
crates/anvil/rpc/src/response.rs	2374	38021d1a30abcac3c929122e7d232c0413e07138def36c67c88ba0e930d39a61	0
crates/anvil/server/Cargo.toml	1072	bd97894874cb94fa54f56cb323b2f421c1ecb15452076e7b5567a5dd36d2b6e5	0
crates/anvil/server/src/config.rs	2578	7ff7c490a8d903759e1ece5cffcdb8e774cbaeac13361c3d505717e76cdf7e12	0
crates/anvil/server/src/error.rs	407	1c98788ff135ac8dc9e6201334cdf4aaea0d8fa8881517679d1e1c257aea1125	0
crates/anvil/server/src/handler.rs	12717	00f419075c4d55fd96a952fcd3c398ca5f46f5da56abfb23792699bf39bc07f1	0
crates/anvil/server/src/ipc.rs	6252	c650f768a7d79917792d31eaee4836fb14690efcad5b4edc478ac70ca2aceb3b	0
crates/anvil/server/src/lib.rs	13597	2e6877ada227c84fffb804719fb52a0b6c188999d7eecf2ee94ea724fc0ee893	0
crates/anvil/server/src/pubsub.rs	13298	11157e97c4d8fc83029df748b00a54b6a767c769d9d203acf2a7347bd3606f99	0
crates/anvil/server/src/ws.rs	2365	6a7446aae0920e12e7f506d4c939f12d3299f1b750414e32defea734e11cf175	0
crates/anvil/src/args.rs	2022	e37b9f1851663dc9b1c65fa0affd3cdb5f4d33cd466c64feba222904bb2a8ded	0
crates/anvil/src/cmd.rs	62739	22eed0693ab0baa5b4e1c9b133ec6ef5fde5fd36bbe4b38f0863743c9990a41b	0
crates/anvil/src/config.rs	114953	c7027e252ab18f3ada81c4c7b3fb1b72e854f8dd9a58b904f0dbc026b930485e	0
crates/anvil/src/error.rs	300	38fa9a7c3588858e410f88c326783496b8d63e6daef8454aed4c31e7a40f3519	0
crates/anvil/src/eth/api.rs	248171	ce3cefe14f2f4ee30f2f6bf352a242cf3b3617ea32e14fa25f4f01c7792e2ec0	0
crates/anvil/src/eth/backend/cheats.rs	9880	31fbcf6016a3810cdacd6adcabaa8b97bbeeba80a7ad238e7ae8f16670bdfeb1	0
crates/anvil/src/eth/backend/db.rs	42307	dcc44889732e1bd639c87574758c3612aa784797fa566f713bdef489e4256f32	0
crates/anvil/src/eth/backend/executor/optimism.rs	5280	e2aee0089311395d1467e6ab15546083cad392a8b4da7ff64ad57fbe546c9321	0
crates/anvil/src/eth/backend/executor.rs	38017	a579a3f9044fd24a19e4ee0a8033833c44a7de2107d9fe030185cd5389ba679b	0
crates/anvil/src/eth/backend/fork.rs	39449	993c58ae6204d61590ee662e4f4f3e092f973b2c762c16c810410fd8da524f86	0
crates/anvil/src/eth/backend/genesis.rs	2518	b07487534afa0fd47a7addbc326a73db065cb9368acf1e05b5f8b3e57b64d6f0	0
crates/anvil/src/eth/backend/info.rs	1968	870024ae660d4134c0252413e91bcf0f8145beba826ad8777480f4cf52f12935	0

crates/anvil/src/eth/backend/mem/base.rs	10928	0973b9fc31540d1d0a023f6ee9d61f2060c334d2db168657e3d5faa13679610d	0
crates/anvil/src/eth/backend/mem/cache.rs	4573	94e079b7c558d14b8db33c8732201c5ab80eee36c347af863d2b5496b2102a62	0
crates/anvil/src/eth/backend/mem/fork_db.rs	7193	d5187d494a41712f44a2aadeba319405b4155ec847051e15ba0fb974205da977	0
crates/anvil/src/eth/backend/mem/in_memory_db.rs	35907	6039e63f7f90200da223b632a6b032249df392fbc284a60bb0959772c51e232f	0
crates/anvil/src/eth/backend/mem/inspector.rs	14807	4929578357312a7ffadf0e1758a62a30c67d3e5d60f1703a98068f2cefe0cb14	0
crates/anvil/src/eth/backend/mem/mod.rs	478575	adf028dd539a767de0270f2ed236f231a663f5653184fed1b803f912e472a6e3	0
crates/anvil/src/eth/backend/mem/monad.rs	35995	67c999e22fb886d6af02f2b7a608ff56b6de71e0413c646be9102972e85c363f	0
crates/anvil/src/eth/backend/mem/optimism.rs	1955	f6188a8802387033cbdf7871eeb3934f63de8aac9664a6c9a7a1a40eb09b3ae8	0
crates/anvil/src/eth/backend/mem/state.rs	27273	d6f3ffc8b66185b617f430b95fb83493c199e0ea7adfd1d401d69ea532f45d76	0
crates/anvil/src/eth/backend/mem/storage.rs	47037	cdf13f0e85ced3c9d735cbef8a56f49dd88d9da1f69b650a3a553acd2f12f916	0
crates/anvil/src/eth/backend/mod.rs	270	b4e512990d35fd687e29f8dd9d4de5589c8e4f900598cd16fcc44583a0ab06d8	0
crates/anvil/src/eth/backend/notifications.rs	1340	ea12bd6e5edabe950c89f75ff7554c9a42f9801a20d1f255e73b96315186001e	0
crates/anvil/src/eth/backend/replay.rs	17229	48d6e67f61111d2af3a36beb5589bf06b5f60e71ce6ff36adae5a99cf30e1eec	0
crates/anvil/src/eth/backend/tempo.rs	10906	3bba5daeff0a18a0517bc06b4e9b0534caa5c46f117ab066748d163312c5506a	0
crates/anvil/src/eth/backend/time.rs	22083	9255590a064e9f4ef2fd4a88f7b13ce4ec466c9aef27ddf81279b04fbd134cc1	0
crates/anvil/src/eth/backend/validate.rs	1330	84e79dade8298f6e9244b534f55f345b21482479337589fc10d3d71724536e3a	0
crates/anvil/src/eth/error/base.rs	1467	708c91e8951c2e1fe93fb133da1dba29f61dc10826385f130b0775c47a1bda0a	0
crates/anvil/src/eth/error/mod.rs	31831	d235fb662e2a6fd58d4d7c10592b61013a8bbec58152078d3ae2a76bdc8b66f0	0
crates/anvil/src/eth/error/optimism.rs	2497	3008e7f4efbbe68c145081bef46584aa039f76736d9e3de3ada3b04033901242	0
crates/anvil/src/eth/fees/optimism.rs	7290	08ecff4d5409341afa440e5a8c3a8e6fde35325be29dfd37abc2870adf991755	0
crates/anvil/src/eth/fees.rs	33508	b6cc86328fcd56c7cdd9ac919fa835dcad1241da1ede6319d43130ec19ea82e6	0
crates/anvil/src/eth/macros.rs	247	de8b7226023fb194a25d89452be5620967b3c09f1ae0cba80350d16405ba6c64	0

crates/anvil/src/eth/miner.rs	26629	eb4b67b8f240ba87f9069cb514667c2668befbd76ecc99f3b515ad4ef9a2d580	0
crates/anvil/src/eth/mod.rs	999	9b5dfb5c833aa43dde23a15ccf5f3356af7e97284dd43ed266c8917789638464	0
crates/anvil/src/eth/otterscan/api.rs	17768	199618c2b471befa0fdddc11405883052103cdc127341553a9d4d7d8246da8e2	0
crates/anvil/src/eth/otterscan/mod.rs	13	339973d2699a48cfe2208af247916535e23b436f613c1eba94b60e09cd9d1c6b	0
crates/anvil/src/eth/pool/mod.rs	22837	ac65910be47f201c4902a289b575c84c63bafa6c36347c7049855fce7d5dd922	0
crates/anvil/src/eth/pool/transactions.rs	31199	a9f602eb1cd997f36fe2064d3e36646bd9bf9dc7cd4f0a948c86fc3b7f32dbbc	0
crates/anvil/src/eth/sign.rs	6772	388d52c3950a378c93ea2aea5f513abc01d70cc9facb52e72bee91eae9f1a8b0	0
crates/anvil/src/eth/util.rs	319	089b42724ee727b4f89dd0a40c6f74d2855a128f5002e92c1da0897c8ecd8657	0
crates/anvil/src/evm/mod.rs	7329	e0b6f6ea124720cf1bc915a99a3d3b2577edafeb402671794fe16c0db4718e07	0
crates/anvil/src/evm/optimism.rs	3091	f17918c733a416359d76291fa5b1ada09f934b8f7712afd20374e89d1b9f1809	0
crates/anvil/src/filter.rs	10342	beb85bedff338bfcf6acffbb6e1c11c3c7420a385b2586da9c5ae100f4c6c829	0
crates/anvil/src/lib.rs	15015	e4b92774862bf705868972cac53e55b0e5e50f4fe3d118175f78ae258b9f36dd	0
crates/anvil/src/logging.rs	2211	ae560f0532febedd797cf0b199b923cef64264feb251661a8fed10a5b518ae8c	0
crates/anvil/src/opts.rs	1081	8b70308e27f18fe813cd43d7c1887937dd9994b949e5cd710215bd7b807a46da	0
crates/anvil/src/pubsub.rs	10767	31ba5f5b3f76f5875b9ea6ac4f7ea2ae48938a817f9f9f4495673d3beec2297a	0
crates/anvil/src/server/beacon/error.rs	3784	99453b48a0d01bb1b6087fdf7c2309e95fe30f20b1c294aadd344249c89f07a1	0
crates/anvil/src/server/beacon/handlers.rs	5580	6824ea4ad0dcc7c183a723f23f38966d5343437d7c89d9decf28d2e40c0f42fc	0
crates/anvil/src/server/beacon/mod.rs	655	e8ec8b2b9c2dc97d48bfbfc35722141bdf3bc0f3935469525987ece50bf79104	0
crates/anvil/src/server/beacon/utils.rs	1285	46ed719fe149f644521e8e195a5b4f3395b51f261dc66dbe310b55f2f332f561	0
crates/anvil/src/server/mod.rs	3126	cd50016c1b6c9d9ceb7f9e7207057bc7e16a6690b87e2eb1ade9205c2e817db6	0
crates/anvil/src/server/rpc_handlers.rs	7459	4a830df3e78ed1fa0f625d5f64dbe2b92becc134d2fbf9b13f003d9f18c9eeb0	0
crates/anvil/src/service.rs	9901	f566316c5586dd9d282ccab5f361972f848f56702b010f59173298950b0b9979	0
crates/anvil/src/shutdown.rs	1084	e903baf7a9f0fe917b7733ad0a4de0474fff8b34b9e75043f722573556d75198	0
crates/anvil/src/tasks/block_listener.rs	3992	774b5d2ddb0850bde38b03becd5f99c732275e716392661198af585282e6f7dd	0
crates/anvil/src/tasks/mod.rs	6057	efb4a9bae45b3e77cfa265bcac4cb2aacd25acbc56dba3d38ddddb1855351654	0
crates/cast/Cargo.toml	4511	d782e29438e52280be002114069e8f72282bb6627cb8db0a669aa3fe23af2810	0
crates/cast/bin/main.rs	1258	c899a4a65fd42274255f348c662cfac3d5a35aa443b88fda140db7afe3c15f7b	0
crates/cast/src/args.rs	76897	ca07c14f047aa11d454c2b9a628ebe580a1a4da3c498b3b607620f811fce69fe	0

crates/cast/src/base.rs	13424	4ddce386d9788e1417b8a43d06cf750322d431bbdddb102c3bbe5ba9e88dd41c	0
crates/cast/src/call_spec.rs	16224	4da4189f65188f0382bf67cfc1898cea4ce7d2b2f58a69802f33a5a8c8f44b4a	0
crates/cast/src/cmd/access_list.rs	4915	711f0621ee72410c6972f704553c0ba2eab675219200b8a6cbfb5999e82443a7	0
crates/cast/src/cmd/artifact.rs	2041	a7940ee442f3039e74fc3461022cf81614391beea13dad384af3ee5b1b787911	0
crates/cast/src/cmd/auth.rs	3664	c5c2102fceb960bbcfe45eb5e07f38e0f084ed191631e63a392bc24c3dd37550	0
crates/cast/src/cmd/b2e_payload.rs	2194	2164c62c249e7bcde47326d8a729cd88baaaf0703620b33f0e1c67eec56bf5c5	0
crates/cast/src/cmd/bal.rs	1339	02a94cb796a43650f918ace12dbc272bca290606824979627b215dc2c84dbbbc	0
crates/cast/src/cmd/batch_mktx.rs	6097	cc6d971cb3547f706dd3fa3410bd65f25d30efac2e6b2876c619b3da121d359b	0
crates/cast/src/cmd/batch_send.rs	5917	bcd6480b143b0cfc12a934979f4bc80e2aec6c0e749f1c78742ffcab52615604	0
crates/cast/src/cmd/bind.rs	595	cd627115857297c0da60938f5aa82909958a1eebb4d6a2d48b7bcff95a5bd0d4	0
crates/cast/src/cmd/call.rs	41968	7111f45ebcb61b4732f8e4d9654130d6f3921561639e4dd752ac56678d5cf207	0
crates/cast/src/cmd/call_overrides.rs	8711	ce964e9ffa42d601cac00a7e14f6ab323c9a7880b9312ed33654ed3cb4e5add2	0
crates/cast/src/cmd/constructor_args.rs	1484	780584d3ffc6b210821ddcc41a3d80b1ac8e08aeb0d64115a6bc4eaf4c9c544c	0
crates/cast/src/cmd/create2.rs	20350	bac819f47cbdeeba4f46e5c215d9cde4c4e8fab71b586cd3f3ca96db65d8c26a	0
crates/cast/src/cmd/creation_code.rs	11427	062e8c967e136a5bdbd7e2ee29f421cf4ca55661ef8c984e8da659f79d63cd98	0
crates/cast/src/cmd/da_estimate.rs	2982	9e1cafc7caecf6fc2c65256875f9dfacb3865c0354399f9b8d9858926cc8638b	0
crates/cast/src/cmd/erc20/permit.rs	14413	0a02c7d223092c61b07876b9e025ca5875a71bf5a2233737681a33818b8185c6	0
crates/cast/src/cmd/erc20.rs	11822	10410c587cf31fc50fa233f108a757db70adb690f77a4c6a574c395d408ce7af	0
crates/cast/src/cmd/erc4626.rs	55984	cb89bfe514ccb60e5da588e679fa32c664bbd7828deb497c9ca362f5ed8be34c	0
crates/cast/src/cmd/estimate.rs	5046	f097a07634fbef9dbafb24dfc8f891fd3bc8c90dced13ac06c5d71c1443d6602	0
crates/cast/src/cmd/events.rs	15605	3aaaf2f27bbdd4e623448aa1d50a8bc86cce8b7ad5e059ac64f27191d3f0854c	0
crates/cast/src/cmd/find_block.rs	4893	353bb012783b0a4a669f89ab8ecd2f74fe17913f008ee20ba0c19e046c01fa0f	0
crates/cast/src/cmd/interface.rs	8232	d4d2aebeea5390405cfaf2c924354ef0599531fa8d6629d5f988d1573e8c8d4d	0
crates/cast/src/cmd/keychain.rs	147631	ea0a6cf003885ea9f33bdb910fcad4231fb733d4cb07b389d856539a8476b076	1
crates/cast/src/cmd/logs.rs	32986	4a7e71c0990d6d82d5ad82ded075ca669d582323f0732859f0111c6ca7c28ecf	0
crates/cast/src/cmd/miner.rs	1747	83e8468211c5c142cc17aa1d3ad14e3288bf045691cfd0073c546baa9367838a	0
crates/cast/src/cmd/mktx.rs	11339	945ad6e13691339dffb7be51b675a9f5e8e91185542ae7d9f7821ffb8d94748a	0
crates/cast/src/cmd/mod.rs	11327	f78e11f1ef40d488924811b4562752b19e15f08c8402758a700643140a409fab	0
crates/cast/src/cmd/receive_policy.rs	29539	6fa0ec3e9f663a778a1de5a1ba4bb3518f6f2d56614b16ca7533723228fbea55	0

crates/cast/src/cmd/rpc.rs	2663	3b96f4cec4c7feb778468f3dd973e18105720221c49ca4e5d93feb2a33a9eaa5	0
crates/cast/src/cmd/run.rs	52830	131d63bccf536a54157384968a26a94abc438d7c3dc998322600fcf74b11dc2f	0
crates/cast/src/cmd/safe/contracts.rs	2936	93ff9eb95612e4fea14d645215c618eb06c6fea32c3770b683c878a979d3a64a	0
crates/cast/src/cmd/safe/delegates.rs	4614	c99388a29bc88fd02651ccb628e3cbaabac27eb56ef28d0b30f885d794e5f363	0
crates/cast/src/cmd/safe/deploy.rs	6377	bf3959916b7453d9caa15e64c8debf3adab7f8ad74c57b3549bb6b73f216c9f4	0
crates/cast/src/cmd/safe/execute.rs	5185	4b9b419d579f95daafd4e776a067b10a6219021ea6687ed9dfaf064f61ebfe5d	0
crates/cast/src/cmd/safe/mod.rs	2863	aba35d47972bfc763aa3f89ca440c89cb4bc595f7b85e63c71c775c9492b568b	0
crates/cast/src/cmd/safe/proposal.rs	5637	7a50024bd2a291073f1291d94aef1afec2cf5e555383ffc292cf67859add6e66	0
crates/cast/src/cmd/safe/service.rs	25692	7d1c5a315a47f406b05f6fc4f7776260f215d73f06dd1927fdd4751d17693da8	0
crates/cast/src/cmd/safe/signing.rs	3965	a3992ac2b62bfa903d1d252f40388c7585e948ab0937cc6c5dba19ab10a4c5bb	0
crates/cast/src/cmd/safe/simulate.rs	4983	df8209dec6a30eaf2c8b416c2b6ee3dab9fb18d8a1c7dba39e68e6b91f0f1129	0
crates/cast/src/cmd/safe/transaction.rs	5376	36d7952f468e679f72b560c3272050dffb6d23678530fdc2058dfac7b99be022	0
crates/cast/src/cmd/send.rs	28845	297e1b3886e561c598acd49ab55216efe295b13e5b2ce02194fe6180f0edd064	0
crates/cast/src/cmd/storage.rs	31224	7efd4535605a6ab3ee6e31a77eb43822cc78b2c331121a0fac648be664bae1ce	0
crates/cast/src/cmd/storage_credits.rs	6818	010043901ef1936cdc66bc4cc3375019c86a5674bca67120400efdb81d52683d	0
crates/cast/src/cmd/tempo/zone/abi.rs	2437	5ab4bcad72b7f804f0754cc8dfe350752fe46891a4c91eade8032e0ad84ab908	0
crates/cast/src/cmd/tempo/zone/auth.rs	2881	ef249ddc1ce411691a05416e2659cb979f2bafd2d154032a1eeaa57f55c74c31	0
crates/cast/src/cmd/tempo/zone/earn.rs	9842	51760e61efd583a3849f9962a84a5617f212cbee62a8ca90355e01b71e9a5fb0	0
crates/cast/src/cmd/tempo/zone/encryption.rs	5890	d326aa419e0cb53c2f23d07643bb792dc029b82b750a17f24beb265c3d8ae82e	0
crates/cast/src/cmd/tempo/zone/l1.rs	10500	e03ce5109285eed7fd0f3fc7e94d5319327daba5a180ac1f23c5efbe31edf734	0
crates/cast/src/cmd/tempo/zone/mod.rs	15457	3534969a0c0a712a3fb5e627499da2fc24f9dd4b0f868f43e9356e4e92125a57	0
crates/cast/src/cmd/tempo.rs	3705	84305c59dc4af281ebce79b80f3c0cc88b2cbc26f492cadc475b7506b83530a4	0
crates/cast/src/cmd/tempo_policy_args.rs	11137	7e387203b06d5b81eea31a2671f93ae76d6d4313a2d31f9158cd258bcc24820b	0

crates/cast/src/cmd/tip20/create.rs	4118	65b045ea40bd4057bf53a5f9cdb684fe0528b51f57b68a9eb4bd4a684a2b7370	0
crates/cast/src/cmd/tip20/logo.rs	1368	aa5dfc587af46b8e36f2b761f052bcf46dab3929abd2530c822690dd63fa863d	0
crates/cast/src/cmd/tip20/mine.rs	10254	c3986528bbb6d9ab0c7e73d01109a25e749ef44dcc8fa821fb0c44ba8815ca77	0
crates/cast/src/cmd/tip20/mod.rs	9198	2afc1175160a1a8ee57430c2813a06165fb0b446ed157f3c09d4119afafe18db	0
crates/cast/src/cmd/tip20/role.rs	6822	cc9ca00923bb117332f4a9b7d36cced88505b28cd0b0fd4c864f4cadc05465b9	0
crates/cast/src/cmd/tip403.rs	9659	bc8b54de61399a26633b8dfea9b7b434a380fe361499f696c3d1c5f890a914e2	0
crates/cast/src/cmd/trace.rs	2780	f1453574b91808ec29f31456ae12d83170a136aca1cbcc08ff55b0370b316601	0
crates/cast/src/cmd/txpool.rs	1704	11a618cfcf1044cc426af3829c67ed0185d353960203ab310c75b5fffaafbf24	0
crates/cast/src/cmd/vaddr/create.rs	2808	4a1ab984248debabd86804e05b9806ae7d38c1572374ee507eb1d03d76a5c644	0
crates/cast/src/cmd/vaddr/mod.rs	4235	0559cdbcb8e57b7601393da83ca407844bfa9d20ec1350eea709fd355d04548c	0
crates/cast/src/cmd/vaddr/resolve.rs	1325	d5f007ce17ce054306f1f4dba6fb966aaaebc6160e4b49c34a5e6b3279749b34	0
crates/cast/src/cmd/vaddr/watch.rs	3649	feac4ac65c513306906c87edcaa6d7eaad8252cf48f26301618c307eab3eed04	0
crates/cast/src/cmd/wallet/list.rs	6619	c63d8fa74bab3ddaf186bf2331b7d0258076cc256991c670dd964770da6072a5	0
crates/cast/src/cmd/wallet/mod.rs	65440	00cd702b56ae34933622d9ef9099819e7d30b88ec6b5b21bd34f9cad7fa9939e	0
crates/cast/src/cmd/wallet/process_tree.rs	7189	add4c4c6f5cab22756d71aa5f11fbac6ce89646c9232c8720a4f5cc685d441b9	0
crates/cast/src/cmd/wallet/session.rs	31378	c3188c54b1a6450371cbaf861c6a6276a819df7d05201c73aae0393e9baf7ea1	0
crates/cast/src/cmd/wallet/touch_id.rs	6711	0e7c7e9e14198c946c689c7586fe13b05cad4b3d0dd076f6987dad5e39cd8cc1	0
crates/cast/src/cmd/wallet/vanity.rs	10646	78c7fdc443faef5de0125503e95260dce53e7f5e8cea7f0cf556e8af1beb8d56	0
crates/cast/src/debug.rs	6721	8e5849a28a0394a30b8ab698b5284b699a548540a137fc25ab2ff751530de24d	0
crates/cast/src/evm_version.rs	7661	907d63b089df1ad88d39b4b085d9f35694ecee1c8c5835cacb286b7111d45c7b	0
crates/cast/src/lib.rs	564	319c0e3215220d906f50567d6feb72266333ca9bf12defdafb764c4e423b996b	0
crates/cast/src/opts.rs	51453	e2ba447ed8d7cede05fb23b5135b0ebcce40f7ae98859d46f8b4e72c8dbbc904	0
crates/cast/src/rlp_converter.rs	8028	fc844cdf7804ebca1dedf27ee0fadf7acc5458c3ae8f689c5db07b23aab8334e	0
crates/cast/src/rpc_trace.rs	20594	57af9d945d108bde5ee71a505a71f7b7c2fc69fcefa11117790590f7f7e7a40f	0
crates/cast/src/tempo.rs	12852	40e6c23fa579c0c2b6c0c9b4d10f03cde212d852fb28f552503bec610c535c63	0
crates/cast/src/tx.rs	42221	7acba5cda85a202d2dc0b8d03bff7361ac20f76bbf9972f8a52b4d41c54462d6	0
crates/cheatcodes/Cargo.toml	2699	15e048af18214cacfd79b38b4e6b6f4b68b01da40346bcbdbe78900576c8b3d0	0
crates/cheatcodes/src/base64.rs	932	76dc8360106c4702ec24d3d13a87944b27d73be6fb4416367fd54a049583b5e1	0

crates/cheatcodes/src/config.rs	16488	9f8bde8f6240599647ff268698226d9e4a87e79d810e7eba523526b28d92f2bb	0
crates/cheatcodes/src/crypto.rs	42870	194dec89b94c09b4f26b174039af33c90fbf98af1e25231f61d6578c4f68a73e	0
crates/cheatcodes/src/env.rs	12371	2218b98ee5bb8aa766834e76e60291566d043b963eb35aee932182fd917dfd52	0
crates/cheatcodes/src/error.rs	9026	c181922ad0f3e4d3be9338e219cf23d17a29f21236fa565ba54530a27af735c9	0
crates/cheatcodes/src/evm/fork.rs	24858	21abacd1ec20d2bcf1d1894f6bdb32a4ebf1b1ff6dc67af97dc3b29857ac2006	0
crates/cheatcodes/src/evm/mapping.rs	2414	0cac4b7bd9771d48e6afc2685cbc3a5fc0480f82109ef4ad22cffeca986560aa	0
crates/cheatcodes/src/evm/mock.rs	12035	1ffbf33788161d3638fc8eb046828bcba650bd2eb151f045c7a01916906cf2a3	0
crates/cheatcodes/src/evm/prank.rs	8121	37ea89631b241377ba3342f99f7b21ec6eda7b2b91629bf83e354e654708b4cd	0
crates/cheatcodes/src/evm/record_debug_step.rs	6045	f7c9e16a101d1352ce124375734f9960a65bb9794bb1682eb65634b35fbda3f6	0
crates/cheatcodes/src/evm.rs	100856	0af2787598ba83b4573effcab5a13cd919cb8f1a357c945e5650fe1178d58ea3	0
crates/cheatcodes/src/expected_emit.rs	39131	947622bbe4aecb0379bcc97b6ed48ca6abd6d4407729ba74a4757c2cea61a479	0
crates/cheatcodes/src/external_storage.rs	3300	d891e5f55f6778328ebb31b3ac5dee2ccda255c2cabd6fd5a14655947ea9081b	0
crates/cheatcodes/src/fs.rs	65434	ec82c8a9ad24a7131dbc95463e9dbe679aef826ee98ac7cec4ff28040d0ff551	0
crates/cheatcodes/src/inspector/analysis.rs	6331	04b4fbbbdb1a01d8361b1e6b62ddbd897f9cb73d814a4792e6c71b96b429241e	0
crates/cheatcodes/src/inspector/env_overrides.rs	13056	5508036f0c5ff183e841eb0b080324efac9916f53a7e6fd9171d094423483d16	0
crates/cheatcodes/src/inspector/utils.rs	2394	acbdc5355e2c66a7b14c042842281448216dd4c5ff974077f823d30776e0f04e	0
crates/cheatcodes/src/inspector.rs	169792	ec08c2c28e80041c877312283085a630206dc19f57ab9e54115d6caa9ae91dc7	0
crates/cheatcodes/src/json.rs	52852	fb51bf4aa7a5a11424c56ea455485f5553ae548792b93048c1361a23fb88a5e5	0
crates/cheatcodes/src/lib.rs	7224	f7f77e10a95d9f1c67b2c242a36eeb71616536c381c6f7f096ea9edc765cdd0d	0
crates/cheatcodes/src/monad.rs	8225	538f2016e405f4f145de5e5637a1bce2bfcbf30f633a57dfeaffb50cc943072f	0
crates/cheatcodes/src/script.rs	15171	56c227f65be736706e18982da94b641a6e42da452a013c02b86baf2f7de5238b	0
crates/cheatcodes/src/state.rs	6447	4c71313a5e8067467a7ec7d250710170d088f5d21000a9c9faf891bbef26a1a2	0
crates/cheatcodes/src/string.rs	5668	d6289a588e6523050cd8b62c684c3e538f7b08c75d6e3544797450dfd9ffbd61	0
crates/cheatcodes/src/tempo.rs	1748	2e06f8e8f04fd59f83684095c1cc73bf1308ed1b71c1155fda29f811fd451203	0
crates/cheatcodes/src/toml.rs	21387	4c5b7594e077e1849db4b330d7fe96a24c6535883cbdbb744c6edb5fb2da01d1	3
crates/cheatcodes/src/utils.rs	17749	40722217d33710ceeac5e80a3fdf0f9dcb867619191f907a38b11bdf78fcac48	0
crates/cheatcodes/src/version.rs	3928	df73cbd40611058a68d04f9a5ff359b0eef8d67a38b478381107f25a251fe201	0
crates/chisel/Cargo.toml	2052	a0caf8e4933f815395de271aa93c7fe4b9856a3a01b3606094d270a529078825	0

crates/chisel/bin/main.rs	332	bd76e4de788611712a1a0485abc5e3252a3604043524fb94e72032e5f106f3a4	0
crates/chisel/src/args.rs	12034	e2cf567661b5c135782d969e3e530e3f73e6abb5264eba713659e6b05997fe26	0
crates/chisel/src/cmd.rs	5907	0de6ff36a9f9c7729b1d62c9b1a9963ada4133e174c7103d6fa8c6aee3e4d8d6	0
crates/chisel/src/dispatcher.rs	38308	b88d3679c0a7487cbf742f3d5cd2d34264a1f1a75d7fc44922fce5617f7a36e2	0
crates/chisel/src/executor.rs	43835	2c1f4e32b938186a3af312114dbc3ab1e54e932e4549381725c0c982da5afec2	0
crates/chisel/src/lib.rs	555	851168e414b5b8bba5d8f65a39ef1a7a3cf4179d435a643cb51fd68617f19efa	0
crates/chisel/src/opts.rs	2286	4a08fda55eb8e742059659c9e1dc8b58c87c2b527b92b19720134febba04769a	0
crates/chisel/src/runner.rs	3656	74d492d483d7c4809f8f2d12c31ce989fc48c3c2d151f7655ae999d5367fac2b	0
crates/chisel/src/session.rs	35471	c8e6b667f7764edbead6f820cbfc7b9530736061dc2910c77ebb6ec1d5232e11	0
crates/chisel/src/solidity_helper.rs	11593	c0d10afac440fa805d69d6e7e2f4a1028df44d203664b7a579d7c71b18477998	0
crates/chisel/src/source.rs	46688	98c1e3348a506b5de0b085605e4cd63f7f3b35584578fac3339fc999af5e7721	0
crates/cli/Cargo.toml	2509	6e26830fa7cf2ae6141c4cd678be7adc2c5a627b440596125f8992f2ff4582e4	0
crates/cli/src/clap.rs	1397	6fd145a77df4c1c4966294cb381ee37b25d630236d5a79566abd94ec6b00b829	0
crates/cli/src/handler.rs	2970	2d72596a0633cdc60b7a96f50496e794cdd68157acf605b184fb40d5f588abee	0
crates/cli/src/install.rs	33735	6cbadff479689732774b7e82fd2ac5fe104f3e7ddc7deeac2ba6dbda0c9d4eb5	0
crates/cli/src/json.rs	10876	f3473648415e2acbb634eae2fbe467292f16669ed9aeb78fb865980fa0877ab7	0
crates/cli/src/lib.rs	407	61dd319d9a2285fdeb24aae11eb73c783ad6fb48e35639b4cc4245c56ce30c63	0
crates/cli/src/lockfile.rs	22585	d8864832913621a7f74c13023c4c7210c3636e884e5ee32dddf5bd07d81b5e49	0
crates/cli/src/opts/chain.rs	1408	1f89504ee9f34eff36b6503ee9e1aa1d9e54431bdc982d86f2b6ae78aaebcf12	0
crates/cli/src/opts/dependency.rs	15429	997dd54fcc14c8c63522f2db94fd7eb9bba830f4758b3970fd6fd59342c61c9e	0
crates/cli/src/opts/evm.rs	20516	d925ca5d687dc2a0d8f7a7cdb76a2874a83534b89c80589227a3f0049d201b25	0
crates/cli/src/opts/global.rs	5741	61a64023b98152bdba617bde32bfb3574e617c38c1bcb0aec89ad5a1d7a49c6c	0
crates/cli/src/opts/mod.rs	321	5b286e48d0e12db1b03808a65ec4d2474fd5ad53ca7111633e50f93a3bfe2a10	0
crates/cli/src/opts/rpc.rs	9036	80c432665d0166b324673fbbea56dc9152630175d11f957876b98fd1c050f588	0
crates/cli/src/opts/rpc_common.rs	4510	015e34b778b445339ec59a78546bbd8e04249224c446818b6457d2cc9fb40dac	0
crates/cli/src/opts/tempo/session.rs	16768	8b6c5f40bfeb15e73bc73307a6c2c007d55a5abe67eaf7350b1975982102aceb	0
crates/cli/src/opts/tempo.rs	20485	674cbd3ef8b8fa658be12349ba241195472f72ac7775c405bf1db488a344379a	0
crates/cli/src/opts/tracing.rs	5457	52b337f47c04f2f486f6c83c9b43c86c5ff8aa7748e041cf2a4dac0e7c0fed7a	0
crates/cli/src/opts/transaction.rs	5225	7d42a9bee15422d872c4e4b3002913bf3d0fd7c5027188c59964b8d62f39548a	0
crates/cli/src/utils/abi.rs	2565	1e598a53aa3c73cb0cce60f467181c37c42296ebe7b23b5aa7bc0020a884ff21	0
crates/cli/src/utils/allocator.rs	1275	de46048af5ddae82d7d8cc5dc1a899e6102aaa641d6d5f72cce86b998325e1a0	0
crates/cli/src/utils/cmd.rs	17216	cd833dfabb9235641dcef0d47d6a1de9dde82e7b0a28e7987b46215ce56964da	0

crates/cli/src/utils/mod.rs	59134	0784360683f1c5dcc8fe0cc9fb581d1761f3bb6baa9df157d849695cd49235dc	0
crates/cli/src/utils/suggestions.rs	1471	b20278c3806021a5b013e799d8545546374333ff0fc787305616b31221e0396f	0
crates/cli/src/utils/tempo.rs	8697	15a82cc4b43725650fa92d37580f039132daad4b8682113678eae87b41a9a387	0
crates/cli-markdown/Cargo.toml	465	5dc57e7ff5b7ae9c1caf938df1b551878ec67ceb74ab5e7c2bb4a8f881919c58	0
crates/cli-markdown/src/lib.rs	18718	f0296ed3066add3bdcdea489a4d9b50964707efeaff93b24a98fa468990462a7	0
crates/common/Cargo.toml	3294	7e2925e1957925ea894da1472118155a5ca4c5bdd6788d6a69080007bf7814d0	0
crates/common/build.rs	4046	888378e236140116b10efa7d5be3a82a9c89f22b955f9091bacb051d663dfcdf	0
crates/common/fmt/Cargo.toml	1348	aec0ad33f396623ffde835f84eaf4322dd66b652ae807c0b91878127a8b799fd	0
crates/common/fmt/src/console.rs	28595	74f4433676adcc2ada6d8d9156d43f821040d64d2f920f6fe3e0589cf6229bc8	0
crates/common/fmt/src/dynamic.rs	16550	0dee13518c6ff0bcb0190e5e4f22e8d1beeee7373609825d22a919ea17d6b535	0
crates/common/fmt/src/exp.rs	3930	17ccee7249d7d75450eb2a04c44edf7ba5ad4b1221313cd7fbfdb47ef6dbd5d7	0
crates/common/fmt/src/lib.rs	622	eb2ca61579fb6ffb4fe2e50ba6e3c988f0a50c1c11501b11dfaa391f2e14add3	0
crates/common/fmt/src/ui.rs	85593	ca99ae4073de7a36c4fc534261429c5540c0b5902d5e6c3afe6fc822818b3ab2	8
crates/common/src/abi.rs	17108	3d628ccd6a2e075e0e24b09eff061422312108c318cda0a4d5864301b78b78d5	0
crates/common/src/calc.rs	1470	c40fedce9c98a637be0591c7f0a49a633eb4088742faf7b054fa1e8c9c66d5f9	0
crates/common/src/comments/comment.rs	1859	4537adf9db7b2cbacb439b6eec5bbd4d3c8e3106016a45f804d74cfd3fc6e8b6	0
crates/common/src/comments/inline_config.rs	19803	0f67fe3702517cb27fd12f060c4a776f6619d5c960db484c9eb51a9ae8b560fd	0
crates/common/src/comments/mod.rs	18615	6f092958487c6d34eca008a3ebcbb879272d47c92ed296d8f6c6d91726ffe8fa	0
crates/common/src/compile.rs	43606	96729aaf02f8bdd06bd67075cd57165e1867c9a6e1240192c1d529ef917076f9	0
crates/common/src/constants.rs	4081	35acb8be671e776e8ecb7a361b788232d4f7ce684600050b1c50b9c5f96167c6	0
crates/common/src/contracts.rs	38390	2c9b0cb4a123d5287e761b0356aba518f5355baeea14f6c7de163dcc3a89aee6	0
crates/common/src/errors/fs.rs	6290	0452b64ce065d05c14a16f8d25f6e8abf8ac8a29c9844dfbb0244e22c55804c7	0
crates/common/src/errors/mod.rs	3721	fd3c2247f5f02af0d856ba6559bfcd03797d9fb850282043f8029815ee6b519e	0
crates/common/src/external_compiler.rs	31519	d72b4af15251e81bbf777df644620071ab04c3207272996d50bb5d9f56ff5e19	0
crates/common/src/external_storage.rs	29161	87948be050a3ae1f3da96af73ed3efe06efc0788d7ac54f36f81aa44454fc962	0
crates/common/src/fs.rs	13261	3c988ff90ed09d8410eb66d97923889bb51258c07e225fc479db756f7491bafd	0
crates/common/src/io/macros.rs	9359	0d3b861fd09eb5534da3422d3ee09a7a3b0bad9585ee27ff48865e8fb3b0d615	0
crates/common/src/io/mod.rs	179	8231147184ebb1a6986329f6e5e91b485ae6f449ce8aed6d75e05f0247b323a7	0
crates/common/src/io/shell.rs	18344	9f1e2a25b02bfe98850188a45e3ba632fbf44aef2a682a4fbf66131fe9461eaa	0
crates/common/src/io/stdin.rs	3102	46aacd78bc9718f5540ff4547a60e634099283b0078fa6488b2e3aea41f252e8	0

crates/common/src/io/style.rs	197	6ebea7b8deae70cf989be62924745e27aa6907456033b8286aca5d13298fa99e	0
crates/common/src/iter.rs	752	67f752a8d8ba6f4a9666c03d58ad685b59c2ca33746dbf189b1656d43dddc154	0
crates/common/src/lib.rs	1038	3c8d9ced1b66458bc9608901da2595c4ab17005cf23c92b78657904b5140ca4f	0
crates/common/src/mapping_slots.rs	5660	abfe9cb33326fe2974391a108c36b81565e944c942faba4ec8ce4e9c56187f80	0
crates/common/src/preprocessor/data.rs	12259	deaacf710ce48081c04cd552cbaf9cd35a323e05666d79c84136e386f534fd98	0
crates/common/src/preprocessor/deps.rs	54776	ab813378177d3b865edc610f758e3ab7a8421bb75fb524eddccc0fd40122adf4	0
crates/common/src/preprocessor/mod.rs	41515	077b6d20d5266dea039ad6ef943b811d8005a19905ed9579f18969e136c45d93	0
crates/common/src/provider/curl_transport.rs	7306	46e0adea2cc55df8a13e4010348c24de57fb52ab7faac7c34105725dc18eb6c9	1
crates/common/src/provider/fee.rs	14527	f63c6fe33714e9322bb130d5cfbe209b936d8d36d117a8c0728faa77e5f86b74	0
crates/common/src/provider/mod.rs	24093	031a525fb4587c3bd5f16fa277f0764ad649759149fbfaa03ba65182f5eb5b72	0
crates/common/src/provider/mpp/mod.rs	184	05f3cd3f2f0bc5a5dc9864255bad9d252706b2e238498b7d17544e49d1d9311b	0
crates/common/src/provider/mpp/transport.rs	25412	9e3d5860f0ffb40d7133993e2884102ca18bebb1c29bfb1015bca63aa78067e3	0
crates/common/src/provider/runtime_transport.rs	24498	8ca3597f92d18f9e5f4527210bc8f1bee08d61015153c7ff57024d06972a1d4a	0
crates/common/src/retry.rs	3711	7a9719bce03410ef07c2c94c996f00d925d95f21383480019ed80bcd1081cb79	0
crates/common/src/selectors.rs	28610	09c3440253000c9022ee1eec348480e875c48717b57349ecd3b9e054526bdcb3	0
crates/common/src/serde_helpers.rs	6880	c522f2404d28d499ba57daa334394551f022bd51fc29a4db01b303f889a4d96e	0
crates/common/src/slot_identifier.rs	41543	8407356b41b000b2c86385b18099afe65b2695fc8efeb3bbeb3f33bf2e2c218b	0
crates/common/src/tempo/auth.rs	24956	78b112c3b9d632766a958b36ed9117f1a1d2f94600bd20264f2821750433af6f	0
crates/common/src/tempo/hardfork.rs	7494	01deef067a93613ebfd79c0450ae31bdc3faf6d95f4afbffbbfda536d3c11f87	0
crates/common/src/tempo/keystore.rs	5486	027c781cceb54ee0d78b7105733e83d780c0c10adfaccb8c3f9db977d383d743	0
crates/common/src/tempo/lane.rs	4931	134543a557720bf58317e738945158ff8c389a0530380b472a9e79a6f2376a5e	0
crates/common/src/tempo/mod.rs	16752	098f00b035d1df4150ff0bbfb23f17503228213b4b543f59fc750efbb4969254	0
crates/common/src/tempo/session.rs	15232	59453fcff95b4f79b622c1d88d9979efba6319feafb0de982d4f24cc73aad95b	0
crates/common/src/tempo/session_policy.rs	18659	579b5cd281f1e8132c14b18d683e61f2d780e54a3c6098c76de980c6293c503d	0

crates/common/src/tempo/tip20.rs	3097	772dc61557ee6392da102b7950f5f1d9013c14c0bd5872803c6da6b65421362b	0
crates/common/src/term.rs	9640	a8e6d6649a55519987a1cb053961ba2d840f865c790b5f84ae514498bb61ab88	0
crates/common/src/traits.rs	11258	028eed88b71434544d7f8387c1e6a0baf676222b5ab1247df9cf4fe396957f83	0
crates/common/src/transactions/broadcast.rs	4033	e9944e6ef3923ee5b2683b451cf3db0d850b8274c6e89d3a36b7e862440318a2	0
crates/common/src/transactions/builder.rs	19724	892516b589cb84fb786fc2e2ad1a701ab7f1ff1e045128952b635195c734085d	0
crates/common/src/transactions/mod.rs	136	247f348e0d8747454ffe9b5e65921701d154a6a7c1a3f7d006ce93aac92adde3	0
crates/common/src/transactions/receipt.rs	5903	0f1bdfe87f2dd763396023ba0927c871ec9bc32b8295ca95f277e491eb31b066	0
crates/common/src/utils.rs	4640	7230d7e8d215ae108d0ec405f004dd08408fb935ca77ed325383afe760c453dc	0
crates/common/src/version.rs	1074	31083bb8f494e7ed9ad60fb1e7b201e534e536379ea51cf985ec5948607d76d3	0
crates/common/src/wallet.rs	6229	14be0fd7b850f9c83711e5dfe4f2b9c6d9567d67d92d9a703337e6fd6989956a	0
crates/config/Cargo.toml	1805	b8bb5fbe738bc66c7d3f6d3a8809388203f1607213523c260b982dfd2c1c14b4	0
crates/config/src/bind_json.rs	781	ab6230c83c09c55a731f158e2190776c53954616d0632916fb66c7df8942a1bd	0
crates/config/src/cache.rs	9578	a8ce09eae18fe3201e932ccde05d285c3de05aa0c03df2ec643a3171282c049d	0
crates/config/src/compilation.rs	5944	efe26679be5644b0c10d011125961e45929f13eb08c433aefb9034a76a01e30f	0
crates/config/src/coverage.rs	6448	4574ba9d3f49b09be23485dc4ce1b574ea4997607b3a227b1aec29685d885355	0
crates/config/src/doc.rs	1655	44325362089fce7cca28ab0e3a3a909cb9399800a7b40a345db224c6d8735303	0
crates/config/src/endpoints.rs	20772	baead2a113a3ca4332290f7fbe426dffe359f3e1d7bc59feb3954b7c00d4c8e4	0
crates/config/src/error.rs	11894	d7594efc7edf6d159757351a3fafce4834299d9a6b7241f2bfb35fcd9152b31f	0
crates/config/src/etherscan.rs	20877	3b19f5179363a03833b6ca081a702f1c807aefc262ef9736067058ef6bf1aaf7	0
crates/config/src/extend.rs	2339	b9449078d85a98d8ac3931c0bbf1a21343fbff65dd468926ef86e71af7ab46e5	0
crates/config/src/external_compiler.rs	830	7e7b6ecf3a4bb7a387d67ef325795c14e64ed2d1c4dccc1053190e56b30ff779	0
crates/config/src/fee.rs	2755	99910c1c68beaa257721865286d8b981a06101584b6acfd77d97f4b20b495a2e	0
crates/config/src/filter.rs	9547	b0c25688804a531cc563fd511e588c6935f3c1a7bf25ecb4777f37e00e02f877	0
crates/config/src/fix.rs	10282	72960352eb2f0a9fdd91837aaa247413e9b38eb4c38e25450a165fe598293f70	0
crates/config/src/fmt.rs	8905	bcd3e8389c2b7cf7021c2065ef99c9e9e3da4f6e4e552846dae752e571e38c76	0
crates/config/src/fs_permissions.rs	11328	57d783b0c6b46f9307004344c4e4afc2a5be0996cb429304782a33f23db5b9ec	0
crates/config/src/fuzz.rs	12512	d8b0b42ae07292385d06f679806d2bf3d20507d188235b085e19fdee7c667687	0
crates/config/src/inline/mod.rs	16708	76203e70ae8a1d50ea77d640e080a19e86ffbb6cdcff393e3d76c0abeb648d87	0
crates/config/src/inline/natspec.rs	34114	130bca638405bdff8bc99aa997d82dcf1f3f045e9dddedbfa6d9d99433ab6d93	0
crates/config/src/invariant.rs	10269	e0369b4b6ff5909cc7491201b66f76c99ca756641fe796bc94cdae0c2b2bbdc2	0

crates/config/src/lib.rs	347281	b88e5285452e8ddf089b2e82ca4b72e257b5442524358cb0fb243c8fa26876e5	1
crates/config/src/lint.rs	6588	72d8a269f9f84251d61ba7bf773d0cde23b56c361be223e45523fe693565881b	0
crates/config/src/macros.rs	6610	1489c4c811077583e4a2add9273cc96d98b0480c541821eb477b42c4c8192dbd	0
crates/config/src/mutation.rs	2964	4b08112ce1133fb8cb60eaa41bcead03bd6dff3a79754089a188976d6ce4ad6c	0
crates/config/src/providers/ext.rs	34588	7280decbe19fbf823c480f92e539ae515cc8bfa174d57d0776f486644a4233e9	0
crates/config/src/providers/mod.rs	124	5d70580a3fcf51c87f3e714098c1cb9b6924d383509e82e8cceb59f752b4c3ee	0
crates/config/src/providers/remappings.rs	51144	e3ca809cab8577f194dab53a6d0dc17c5a498702652cb46c23e1a4eb86f1988e	0
crates/config/src/providers/warnings.rs	16698	54596a58f822c8d2d8e78b50027a49551d614cc60038d8ec2ad9ce1d7e721f0e	0
crates/config/src/resolve.rs	2899	345d0d2af1784b818212716cf905ff344007d1ebed98fa0b6dc73d53362233ac	0
crates/config/src/soldeer.rs	1989	1375b2184c062ae55c7458879cb797c2d26bfe9f0d08f474aeb3fcb6dba44948	0
crates/config/src/symbolic.rs	8571	c568c872e7bcbf01b88830313abcd09f1538a0526c72e5818b89fba86fc9d752	0
crates/config/src/trace.rs	1451	2f11fb046030ddafaaa39078199570f9a0d5ed63ad097aad112ac140708e06ab	0
crates/config/src/utils.rs	13610	668399c586c08a7b6c8728e0812346d9807cb02bd19f0e4129b72ded60da324b	0
crates/config/src/vyper.rs	1565	ab343ea8a5d71657b574ddaa75a7cc2dda73d73f357fb45073b3b3e5091cff5e	0
crates/config/src/warning.rs	5042	494525d4d9d1f5854b41b7a4bf93a35731a97933e6010f10dcf65944ba28a031	0
crates/debugger/Cargo.toml	967	dbf8fba9ff7d7f1f26e9a504be9d7c00f2af5d24f65acac6433d1e1849d28a93	0
crates/debugger/src/builder.rs	10487	3d6e4ff0ab94a4ce0b7f3398a76545b8220456b26fe37f709a9baf01e7df2575	0
crates/debugger/src/debugger.rs	6171	582be2f42b813dfca3682fc28eed787312b3a47bf1326fd19d47526a5e193d18	0
crates/debugger/src/dump.rs	4244	8e5d0c599c2e3641c6715b20cd395b65924c6fb924f6855e216f62ffccb146ed	0
crates/debugger/src/lib.rs	477	73cbac7ec9a2f8f43db5505b8ed8377036e68605cf573bc1ab47f06a565ee388	0
crates/debugger/src/node.rs	23798	faf733e62eb7e172582bd2e1704c5c14e6f066303ba39567516cf0ec110a86ff	0
crates/debugger/src/op.rs	8495	f8a93af3eecdc7df79138570044c6c4f164756268ffce2916412723a7f99f99d	0
crates/debugger/src/tui/context.rs	116629	a8dbaa04d3e376a44e4b0170713d6214680457f851c5e36481a6c6bc52c6ae0b	0
crates/debugger/src/tui/draw.rs	88642	0895fa146cc2272c4bfc74fc684d3dcec3e3e83b92d442e951c26a0791c80be4	0
crates/debugger/src/tui/mod.rs	3469	fdb9fb5760ab8fd3b8e1a3aabccf52d10f9f70386984e6e0d80c670072152558	0
crates/debugger/src/tui/storage.rs	7263	4ef546f90e164bbb2aa98dc930434519e10433053abb38fdaede9467e22c28fc	0
crates/doc/Cargo.toml	787	34e679795d733c54b33ad04e2ea2c2e0f357ad4c432d298a0269cc9165570ea4	0
crates/doc/src/builder.rs	13271	accabf24a172cfe8d13fe7addb1eb22a65e5609c8b2661d6ec7464579cc84080	0
crates/doc/src/hir_ext.rs	46184	824937f1f4fe94c14473b029ce61f0da489c1d3a42f86156c82e36780fd24d99	0
crates/doc/src/lib.rs	289	a5a1911cbcb741bc36342720df9edc118b7a707626dd7fefee0f51822f2b2404	0
crates/doc/src/markdown.rs	3974	8d36c4a1e95f0bb1f70cf103a78e00e1ca6ad6eca491a22dd5f5b07cdef3f8c2	0
crates/doc/src/render.rs	55589	dfcb27264018a1ef880fbf810c007eb9352f56c173fee8e10a8a3014bb391e5e	0

crates/doc/src/utils.rs	5653	e5d2cdd2cbc77be33c3eeb5eb38fd8d9280e456fdf92265b8be110d16a81a097	0
crates/doc/src/vocs.rs	27555	05894a78ec1f7e162897ecd069daad51455905d67f38617b9b145d419850fcb6	0
crates/evm/abi/Cargo.toml	551	e973759dbb0dd69a72c30c5c03ad12171740404b254c44b912684a91908a19cb	0
crates/evm/abi/src/console/ds.rs	2584	fcc02485bc12bbf6e62531d6995816347aee260c8cdb924b4cc573f2ab09fdc5	0
crates/evm/abi/src/console/hh.rs	232	f63076167f92e37280fc9fb7fbf875c909285d2470e8f634b77bd7d3475afb72	0
crates/evm/abi/src/console/mod.rs	500	d05bbe627bb3ab10777eb52ceb2c7809a39e2c8be768102f6632211caa77585a	0
crates/evm/abi/src/console.py	1327	5a1e8b94614e3ed414f60dd7bba1c4c4a990d7259bf5a1c32c221a2090122436	0
crates/evm/abi/src/lib.rs	198	6a981e6116475c0cbbba4222d40b8fde059e7f2f401d1aed6e78232a8f83c114	0
crates/evm/core/Cargo.toml	4210	01a5a1ce771123b5e153b8a267603b484049b1e714be7df0da63ddbee6247421	0
crates/evm/core/src/backend/bal.rs	1895	da3a14f7c0b3cead54859f9ea35999249e4ec4e6118ff9339fe444c5bf4e911c	0
crates/evm/core/src/backend/cow.rs	16032	6bc2880d3d275bc8aaa2c15b721794c8a0bdcceed8e7d1d52f759790dcd5b5f7	0
crates/evm/core/src/backend/diagnostic.rs	1790	43e3b4a2cca9f687375cbf14e07eeec18d124e7b82fddbed6a2efd8b83572ec0	0
crates/evm/core/src/backend/error.rs	2172	33cc7af8e6854782e4ae4738817c50c98bff2b4c88b05adc4551f28693ae4ebd	0
crates/evm/core/src/backend/in_memory_db.rs	6856	5e0b748e381924a65395d0f14818afc2e13a74b13dba82abe410f41299c30af2	0
crates/evm/core/src/backend/mod.rs	192198	5d470ccc1a11e393941fbb55974d61483b6357587a4881c7693ddb3964db2d79	0
crates/evm/core/src/backend/snapshot.rs	5467	773f35e043321b485931c7b6c46c91e4ab88a000840d7f80c08d44db68e1a46b	0
crates/evm/core/src/buffer.rs	4128	dba6cf818ce326e73006563c5adcbc86f08c41cda0354b14ed797439ecdc7698	0
crates/evm/core/src/bytecode.rs	7276	ac42465dccdaca204f17371a60f087152ec97284363f533f7da65cda2da457ec	0
crates/evm/core/src/constants.rs	3318	9b14b857687e76ff6155952865d392e586240867e67858ebd73492915d45558b	0
crates/evm/core/src/decode.rs	10458	c6146a70a68a9c94acf02643364956f3720710d3a22026ba418bca9a079bfddd	0
crates/evm/core/src/eip2935.rs	1188	b1842ab5c5bbf250b53e50c4d30441d310f136522bf37a37c1c13f928390069e	0
crates/evm/core/src/env/block.rs	4199	f5a5d9ed7d7f89a200b15c6c802d86bdc84d6bf803778e2c15d0b30728db772e	0
crates/evm/core/src/env/cfg.rs	2686	01f5ae8dd45053f7691f9601d723ce271a0c86bd3131887362e580e973ceb857	0
crates/evm/core/src/env/chain.rs	1058	73984ccd8a1f3974a7ef6a68dc9b621456f96d890e3cd8a68dd635fdc5352bc4	0
crates/evm/core/src/env/context.rs	6939	f88eb7873793f4b5f95779baf6df01795765b7585613634bdb6b198fe6990bc4	0
crates/evm/core/src/env/journal.rs	2791	ce2d62c8acc84da97db411142497234ced833ed0c41985ef733c8ceb2b53d1cb	0
crates/evm/core/src/env/mod.rs	431	d595d27a407679064c17f2c990bdb553a74797a0d2daa8adea30bb2e0d4f1a71	0
crates/evm/core/src/env/rpc.rs	27072	21f772a550e3e73d7a7d99e634dcee6d3844d2be41ea536484a9b6628ae9015b	0

crates/evm/core/src/env/transaction.rs	17780	11b5457c936522e787d4cd8956ada2c506c86eabe9bacb635510e5a930f59dae	0
crates/evm/core/src/evm/base.rs	15683	e9eb477524f91251d2996a54346f33d907955eb71906c13b2e8b7e206abbb1e9	0
crates/evm/core/src/evm/eth.rs	4269	517534957a7923be97e92045eb83a717e27f5de2cab3e66a829f74f640c6f7db	0
crates/evm/core/src/evm/mod.rs	26138	d5b3eae80c8320a3ff7a9ce7382321585124b1545d985a8359614ac9ca2edf9c	0
crates/evm/core/src/evm/monad.rs	51713	ec94eecd5a6ec41984cd52bfd4beb422f49ed7a0155544b9302d00d60fe45483	0
crates/evm/core/src/evm/op.rs	9487	dc430f89f2f84f16907bcf94ec5e885a3f5b7654086a8bc4a6c8547d05cdb7de	0
crates/evm/core/src/evm/tempo.rs	8834	733bd918df7bf11bfbfd4899f3245817bda111bea3ef0873d5b8ad88f70ed01e	0
crates/evm/core/src/fork/bal.rs	6562	743afc3476194bad033757d0419019ff8f5bcf3dcfd290c4b484b91bba62595e	0
crates/evm/core/src/fork/database.rs	14991	3733420b1ec927b8aed17487f67c5a38063f7b83ac768448b432fb59b034f6c4	0
crates/evm/core/src/fork/mod.rs	12924	6eae83b1b812bd1a2a95a45841a646e2af4fcdb16bfa3f329dd640666d531321	0
crates/evm/core/src/fork/multi.rs	59589	fc1f3f101823b4213f1ab87c6017a5a37852b03507235c6394e5c6c29180ad9a	0
crates/evm/core/src/fork/prefetch.rs	6934	e1cea5b45803e6687c14f16c6e64ce48154f218366682380cb1dec34aaa680af	0
crates/evm/core/src/hardfork.rs	34	4ff7c216c3bf0823791b4ee0655baf23cc35bf21b7041c16a1307c9819e66f0f	0
crates/evm/core/src/ic.rs	2150	89404faf69636dc5ec0c3ea2f40749d6f9d609ac8fa451692ad28bd87de24eb2	0
crates/evm/core/src/lib.rs	3124	6b7d608173ccb354b6d141c5850cf0bf57d693360e6741a1c1cd6dcfed1f8248	0
crates/evm/core/src/opts.rs	118847	82d0a1d416f696c53426317777adfb1dcba770465c9fcaf65c71032395a70f05	0
crates/evm/core/src/precompiles.rs	2517	2de3445f021fd297bb57e2ada44a4a64dce3ccf4edb25270ae0f6d497984af28	0
crates/evm/core/src/state_snapshot.rs	2283	3189dfad6e4205299b45fc26cc519dbc382d477eb12aea4fb60769b73dbe7d7d	0
crates/evm/core/src/tempo.rs	7240	e4611a6731e91049121bb28f7ec105183376733a3a848292e5632c39ac539cb5	0
crates/evm/core/src/utils.rs	20652	057ad830684db584dd4e7db64628f66b47a12b779572918cde5999b374ab1a90	0
crates/evm/coverage/Cargo.toml	783	dcdc5a8a873d9ea7c422636368ba40f6b505c03e19cdb34363baadc6a9f3f170	0
crates/evm/coverage/src/analysis.rs	31445	fe634ca6da7731659d066238e6f60e195fcc8e4de4e63c4bac22d75777c4b3c2	0
crates/evm/coverage/src/anchors.rs	9685	6e308d26bda8cd0c47229323fe17832abaf3bf4afc632e4fc3f7d4f60d21f6cd	0
crates/evm/coverage/src/inspector.rs	3488	042f8befe6530c4241383fcb090138b66d597d8572c33672710f9963cefbf227	0
crates/evm/coverage/src/lib.rs	30911	c1e1030188e4c3caebd48c6ac3d86a347e3b3e0518f4fd2063049d88c3bebac8	0
crates/evm/evm/Cargo.toml	2789	b3803ddd6668b099b5216c2fd4b21e13f52964e10856cbe2ad3b357b96c2aa79	0
crates/evm/evm/src/executors/builder.rs	5400	4af64ec77589169a5d09d04d93b619cb3fbe9576e5672181f559e9a1187cb308	0

crates/evm/evm/src/executors/campaign.rs	9620	b7d9c6b4f9aa28c5e5d5648e7c6ba8763eb235079f7a177017a47812797383ba	0
crates/evm/evm/src/executors/corpus.rs	136886	8f0d8bd0fcf304dfeaedcbe23ebf3d325762da552ec96931306aaa3d1c9ffab7	0
crates/evm/evm/src/executors/corpus_io.rs	12602	58b4f9f20bb2967021d174d0c3b40812155ff5fb90918bc25d12305883d06490	0
crates/evm/evm/src/executors/invariant/campaign.rs	41424	1ae69ee40d0c1f5e97e697ed7078b3b90128c2b049dc0c156a9f745c2916f455	0
crates/evm/evm/src/executors/invariant/error.rs	21400	2029b9668d5aa18d697a0301d4b1a03d3097d96afd5e2dfe76874dfa0082e7e4	0
crates/evm/evm/src/executors/invariant/mod.rs	138136	e93d25bd126afd8a3160e8c4ec8f7ee5f2e99db7caabe572a941fbbe69c94682	0
crates/evm/evm/src/executors/invariant/replay.rs	7713	86ff8231dca1f221e9216fbe840b1796ccd53b3593001b89d2b2df20a51e2d01	0
crates/evm/evm/src/executors/invariant/result.rs	24287	bc87a20871f7ae6b17706852af22d293f20aaea1d36c3870b2064259dbb2ef35	0
crates/evm/evm/src/executors/invariant/shrink.rs	48214	7029943008f355d5bb7f9914d3ca02acdd27bad43d73a4ea1c3a434c9a0cf742	0
crates/evm/evm/src/executors/mod.rs	109446	a1dbb96bab8c2465f176bfaeec647057e11b392797b32a5ba1c2716840630a4b	0
crates/evm/evm/src/executors/sancov.rs	2296	29aaab656421fae47fd6e499867bc13bd153cff1fee4f2c7f168c71729335156	0
crates/evm/evm/src/executors/showmap.rs	43745	ebfdc5dc7631a9705fc435bd7accc9bcfadd9b424c0e5c54f2fae5fd73a59dfe	0
crates/evm/evm/src/executors/trace.rs	12972	71ba47af89c227f646dea911cf59b0e14a1ea65fdeae8c6ccc415c5fdd9a0568	0
crates/evm/evm/src/inspectors/chisel_state.rs	1083	a5dafd7270efe4debbc756d72e58e64d08aed5e7616f4acdbf103f6fbfa3c7c1	0
crates/evm/evm/src/inspectors/custom_printer.rs	3437	5a9e8724ede2ab664e911daff8ef174d1f3aabfce9e5e11bc853372c09baebff	0
crates/evm/evm/src/inspectors/edge_cov.rs	22009	7e4c02bff8e312a6cb3055399052a9c88b9950770a431882d70819bec2692dfb	0
crates/evm/evm/src/inspectors/logs.rs	3672	f460744945447d95dce1ac089d158412dda245ba11ac1e49af1936e715f3369b	0
crates/evm/evm/src/inspectors/mod.rs	955	328bd071a3de7f255b751e0391652f1138ba320e2acb07a1703c35ce54a5cf0a	0
crates/evm/evm/src/inspectors/revert_diagnostic.rs	8271	d2731bd2c1a45642b655859dcfb0011c0765e73c40b522cfca6a80012273b0fc	0
crates/evm/evm/src/inspectors/script.rs	1436	d90027b9138d79bad6b291fed29425964b743eabc26a12d32b82b3a9a6090a6d	0

crates/evm/evm/src/inspectors/stack.rs	101307	654cf99d7b9a826b403dfc88d356983738b6dd3b50399a0250028fb5f4865c4b	0
crates/evm/evm/src/inspectors/tempo_labels.rs	2881	35654efac7c293e3757957fd2cae244cf11881c16f91d0e6b02e2fa06bfea0f2	0
crates/evm/evm/src/lib.rs	681	cf30f8dd7a596b6a8814960cc22b98e0ff2a68492891378f2e01d50ce6de5381	0
crates/evm/hardforks/Cargo.toml	1055	e4e43b57255f1b7ae28f04678d205009a82b200f94e7eb16d03008f220d8a3ee	0
crates/evm/hardforks/src/lib.rs	45178	a6e9dfd7ea3cf2e24f7646a682a7de04d56c85b6f5449196701c70429a2e6a37	0
crates/evm/networks/Cargo.toml	1419	e5be4871621defcf34e2f882c6c72533b94fe5f3aee640867bbb3fb95a3de9e4	0
crates/evm/networks/src/arbitrum.rs	2378	385d9112aa2c6266d1ca1c3f088be6eed2fa6d643ca84691f5c55c9d439d2350	0
crates/evm/networks/src/celo/mod.rs	164	831e135796e449a385125f7aef209c5d788b34f1cd93b93391d9787110b5621c	0
crates/evm/networks/src/celo/transfer.rs	4484	67fb433fd139c57e79ffbb98f208e3c7a306981024c098d3e048149e1fb668b3	0
crates/evm/networks/src/lib.rs	81914	82ee234439f0109c51a48fa17d0789db34c14c19f45e8a374639daff758c84cd	0
crates/evm/networks/src/optimism.rs	803	32c1da5f967b42ce359090e02ba3c1f0cce74d49cb2995916f915a66a1e37f23	0
crates/evm/sancov/Cargo.toml	341	efb34d45fafc8ad9fce993343d5a5a737bbeff40335050387fc5248470ac7b0b	0
crates/evm/sancov/src/lib.rs	8139	1fc8303b855ddc6243c4f3844672005155cddc16255963e95a19ec977513624b	0
crates/evm/symbolic/Cargo.toml	1034	6eea12f3dbb9d3fb28ac86e7d37b990796b503908c7dbf5c6b4db4dce692c1bc	0
crates/evm/symbolic/src/abi.rs	36087	a9924a6340a77ea3fa1061032b49f260498db668d1ee424898804c1487f17b5e	0
crates/evm/symbolic/src/consts.rs	1926	e7d77bbcba9fac4a5221803304065f50b31f0999ee80c2f79130d5971577aae7	0
crates/evm/symbolic/src/executor/calls.rs	73781	02657ccfeb6f6674a2edc7be997ebc280aa485dd0777f0a9e674e898ff30f83b	0
crates/evm/symbolic/src/executor/cheatcodes.rs	111666	153aaf1f4f6eb5ce9ebc5215974275ac66095fe3cf7b30fbbc03d3c292a2c1a9	0
crates/evm/symbolic/src/executor/constraints.rs	9554	9085441f46259194c546559e2f004cf77bfb51e3787aa0cb3dad3876c0b95ec7	0
crates/evm/symbolic/src/executor/create.rs	9287	c180db9689f23776ca92e0459920ba5e76710ffed53c14c558a34d0ade6e6111	0
crates/evm/symbolic/src/executor/invariant.rs	14321	2996454d9fc54aa30e5cf705aee4448c6a8ced12571537f32af4db86f7813827	0
crates/evm/symbolic/src/executor/mod.rs	15267	5271578485a5d9f750d1eb1c98c27e7d448f5fa87682dad7b7e015634116053b	0
crates/evm/symbolic/src/executor/opcodes.rs	67382	d681b897105b70ff92f3f3e5e6c670fc511d7b48f498138c1e0f53ddf543ed48	0
crates/evm/symbolic/src/executor/run.rs	36276	d198feffae2abdce5f934512e5d90397b76a4e08e77f693c1281a3eef3d0cdd8	0
crates/evm/symbolic/src/lib.rs	16557	15cac19e5476b5c4aaf6741ae3f2f957081dfdb01dbdcc2794e6f48fffc18b1f	0

crates/evm/symbolic/src/runtime/address.rs	4950	8e26d99f7af5685d34f4744512e88abff7ae78bcd25cca103b1f3f2b91111921	0
crates/evm/symbolic/src/runtime/bytes.rs	23308	8c7e5eabeae27a5c459ef778b9896666d77bef2350f99206453d1eacc27b0eda	0
crates/evm/symbolic/src/runtime/calldata.rs	2978	37e26a1c8858fa1fcfafefe3b42c42067e4d6d8e43c31d704fb9fedfb2208df6	0
crates/evm/symbolic/src/runtime/cheatcodes.rs	37460	d679a7b340e16e1040dad730e8044803bc6e89be03f9cd5ab04254ad9f3bc161	0
crates/evm/symbolic/src/runtime/control.rs	558	41d6f06b3038375f19af633c980c42de626adb9a5eab50cafd63557343e25770	0
crates/evm/symbolic/src/runtime/evm.rs	5407	bf8daa1320eaed2885b05392d0b6d0440dccb0f4abdbb9b0eba1c55ad0d4882c	0
crates/evm/symbolic/src/runtime/expr/bool.rs	37082	f09a19d66da8554b6d1cda682d3a366fd4427ebdfe9561baa4d9cf4314809625	0
crates/evm/symbolic/src/runtime/expr/cx.rs	3627	da1f13a57982b8442725e81805f0d7e1a1375a6f5ffa94b4c2e32030abb574a3	0
crates/evm/symbolic/src/runtime/expr/expr.rs	98135	c7de9505a002bdf19d84b1755bdc847668a32de5cedc701d7b41f94daf3f3d0f	0
crates/evm/symbolic/src/runtime/expr/hashcons.rs	5140	2202925e04afaa0b223efa42ae2f1ca70afac862abb8d585026e10586ae55796	0
crates/evm/symbolic/src/runtime/expr/mod.rs	10728	e4d96ac92d7a7ad4e2be0a9ba90835802cdc11f387a14f6ce56df76da6303d69	0
crates/evm/symbolic/src/runtime/memory.rs	39350	d986bb43a8f068b2cf46d9ea1a3657f5c6d1702d2071852af73d7f1f7afb88ad	0
crates/evm/symbolic/src/runtime/precompiles.rs	10537	4ae57d2dd902566267083f141ae31eb68c45efba84b8272dddd41be8ef769e38	0
crates/evm/symbolic/src/runtime/solver/fallback/mod.rs	38131	46e7eb0c8feee6ae6fd6811837b73db70f7700e33b23f656c46b71d44c33ab41	0
crates/evm/symbolic/src/runtime/solver/mod.rs	65338	af6910f69cea376402bde9e9d5ae2c1f47b156cbf88cf2c02e5222b71861e800	0
crates/evm/symbolic/src/runtime/solver/normalize/mod.rs	87294	b0a2ec5b99d9a78b4c9aeb1706df80c4c6754d7bf9bf7d7361fc9fb3bac59320	0
crates/evm/symbolic/src/runtime/solver/normalize/polynomial.rs	8689	e09bd17036a1f3336fb6d2a8bde4acfd40ed7f8f572b8f84b99c0a1ca276bd8c	0
crates/evm/symbolic/src/runtime/solver/normalize/rounding.rs	6741	a164890836daaeab8495e25d96f2425794c5c824f61be6657c0d81b0b06b3847	0
crates/evm/symbolic/src/runtime/solver/reasoning/mod.rs	258	d48c84e1127d0a2a6e78d22c94f1c3b6a91daa3de7d184662eb5dc893411ece1	0
crates/evm/symbolic/src/runtime/solver/reasoning/monotonic_product.rs	10949	76ad4a2bae114d278f64eb07b46d1db36851342822576b37e00fdce180305692	0

crates/evm/symbolic/src/runtime/solver/smt/mod.rs	11757	0c98d7f51899e09965007e189a11088f2bdef039d5c43af9695a2ced09dfcf0e	0
crates/evm/symbolic/src/runtime/state.rs	92778	89a35a2102909fa9601cba4971bfb8d96d27d47245eb64e9e08d8b4f6620e773	0
crates/evm/symbolic/src/runtime/symbols.rs	1254	131d0defb8beca0476834d5bdb51383a0a2682103fd6eda02c3f5aed5ac2f59a	0
crates/evm/symbolic/src/runtime.rs	6387	688982ec092475eb64b862099f2f95732d2d4002de961289c8e1d5517d0a450d	0
crates/evm/traces/Cargo.toml	2128	66e07791ef76b70839b84e52386fa9fa1dc795a63baa6aab35b6ad166d5286aa	0
crates/evm/traces/src/backtrace/mod.rs	14299	92c3643d9b7c45c698eeda5a04ec8a3b24573fd897de18e8c497e084bd442fbf	0
crates/evm/traces/src/backtrace/source_map.rs	6699	98d5e6855a2b0bfd4f1898ff884900eff76a724497d68e953397f397b59154f8	0
crates/evm/traces/src/debug/mod.rs	20488	a2c075a51fd35140293ff9628455ec58e5f1a328404cb7ef8f0ea3c42650775a	0
crates/evm/traces/src/debug/sources.rs	22367	9c032a89efae721e725784b0129500a909c21886b4180e6cfda9d9327459354e	0
crates/evm/traces/src/decoder/base.rs	28618	3d5a6fbcfac44b6ed38329c3dcc1044558a33bae092fe05fdad70e0ea63f7e36	0
crates/evm/traces/src/decoder/mod.rs	191894	9a1d93e87fc5f3d58e01e88de0ddb2f089a1c2a6bcdec33302b8464e1acb427a	2
crates/evm/traces/src/decoder/monad/IMonadStaking.sol	3926	04c61cabeb2fe14ca7eebfc4f1ce0e8bc23eac4fc3f2296b0e6f1f77d5081d20	0
crates/evm/traces/src/decoder/monad/IReserveBalance.sol	251	7479aa5f41b8ce3110a42256d44aa0cf35f6e6d33c224d3d782f50ef35e91c7f	0
crates/evm/traces/src/decoder/monad.rs	589	3b552e8d8e51eb6eb050be21697a16e697a6e2a14a047cf75fd134bf019792c4	0
crates/evm/traces/src/decoder/precompiles.rs	24685	939dd5d3921de298f94d61d0e833dea91a8414137910920fa0f9fd2f26cae7a1	0
crates/evm/traces/src/erc8021.rs	6335	abbabfc9e9a47ab5d82c01e1fbc496c380dc553403fbe5a50c663d518bccea9b	0
crates/evm/traces/src/folded_stack_trace.rs	14230	88264c2f13ed3b1ac8e4e23b9065fc4b98cdeaa5d4cb560bbde5be1e261a2e6b	0
crates/evm/traces/src/identifier/external.rs	53045	dc9d74e7693ad3f07a35573190c933e46f9d170da93d363b3175f47bb9b661d1	0
crates/evm/traces/src/identifier/local.rs	8192	85da2181233fb62e1d229dfc001cd6ef516ed6f459596137c8f1a032a5aabd1e	0
crates/evm/traces/src/identifier/mod.rs	3573	60204acf601bb06f405263b7296b0c8e23e556da1f4055a16a65db5bce1da976	0
crates/evm/traces/src/identifier/signatures.rs	18590	722f8511013dace7548f8ce8b3cd6575957b7dd538ec8d3bcec62c7f104b40e8	0
crates/evm/traces/src/lib.rs	38994	19d38840840320cdd2da2bd8de3a6485a6eb3d9543145226a77e832b14c41cd6	0

crates/evm/traces/src/speedscope/builder.rs	12049	05b6880f00884ac2847ddbf8d19f699d0005efbe42adce682fb6c128ca6ddc07	0
crates/evm/traces/src/speedscope/mod.rs	84	7c466b80800f6c5978bc0152726f3c6ad3314f9558e0538990fd9895eeb7784a	0
crates/evm/traces/src/speedscope/schema.rs	8702	29663e81f01b5133abc3fd7d8409867a2b46b86d500338d88d1cfb0aea3cc770	0
crates/fmt/Cargo.toml	601	fb5b2daa0ca5e1958ef0796f9f74b9df3b86c1edd5e49ae9828265e31f726672	0
crates/fmt/src/lib.rs	9603	de5e71f58a34ebc6ebcda6defc989485e29b6e7c9b32018c76bb011d636a56ea	0
crates/fmt/src/pp/convenience.rs	4951	11efb6ecd71cae810ca5729b996a5e074c8f1dcf701cf97740704b1391972af8	0
crates/fmt/src/pp/helpers.rs	1204	a598fb9129314d3ce4888c62682c306e15170cbd1b42f87acd265dc8148fea8b	0
crates/fmt/src/pp/mod.rs	16917	dc7109d2ed1e1027b55d14298c95f678a8eb77cea7cad056d300d6d7df8bd5f7	0
crates/fmt/src/pp/ring.rs	2083	8790d04aa29e1819f2c3df1c1e011c7b083e20d790ecc18cba44fc6c93fe442c	0
crates/fmt/src/state/common.rs	35703	6de797bb65d53dc6aad2efa2f35ddc5830ef51eccdcba62148f881c29cbc4d8e	0
crates/fmt/src/state/mod.rs	52418	662b4a20cbf2172ff0ebcd17814116fdc5e29d823cc8525ab984664a963635dd	0
crates/fmt/src/state/sol.rs	138050	3486c15d736629c3d7fd31624fd13da0548b3d5f38699c5d49373d14406a6f53	0
crates/fmt/src/state/yul.rs	13433	73d9816d33b8f71975edd4ab76a9748b17c4d083113094518178cf46c23a0b60	0
crates/forge/Cargo.toml	4824	0e9df26adb3a77b7dc7c5ff780fa8ef64a485a96469e406eb2c4234c14650b16	0
crates/forge/assets/solidity/CounterTemplate.s.sol	379	87e3edfaadcbf61a39942601a11e4b6cc3d86011583aeda13dd148295f2b8ea6	0
crates/forge/assets/solidity/CounterTemplate.sol	258	4b5eaa107784609cabdbd23e34e479cc957ee69bd4c4de2881625b884e6bbacc	0
crates/forge/assets/solidity/CounterTemplate.t.sol	554	6525887dd3620bd7b28a28fce1b9d596441d2ece58f8cbaf15a851f57a460bb7	0
crates/forge/assets/tempo/MailTemplate.s.sol	1090	1d13a522def4b49168fefa58cab8e4d24f6e39ecfdfe5f7bdd85745af51136b8	0
crates/forge/assets/tempo/MailTemplate.sol	3173	be683ed20abdc3da045d719fd40f149d0e53139e94ea7cb931b7bdca8bade116	0
crates/forge/assets/tempo/MailTemplate.t.sol	7071	f0aaa90bd7882e2835cd4cf533c4509300b346964b02b6a2b00a571831f923a9	0
crates/forge/assets/vyper/CounterTemplate.s.sol	407	89deefbf70e5943c117cf9bd88b385c72eabea1f890787ecf88512163b4355cd	0
crates/forge/assets/vyper/CounterTemplate.t.sol	582	99d98893aa2a9eb67b080f5b9c0a10390490bffe14a5e9c79bb9fda9880d1e96	0
crates/forge/assets/vyper/ICounterTemplate.sol	230	b2995f78a5fe8ee34d2935427cb330f094e7e6af80d26a81cff8e65c7f73034a	0
crates/forge/bin/main.rs	545	d061065275441582b0327d0c7d759b76bc700aa46ac72bc43156fa2609051dac	0
crates/forge/src/args.rs	7532	cf8b88d60e9859576655253c9393738e4f4597cd3b3f9d1f08fc1be2c51882c3	0

crates/forge/src/brutalizer/assembly.rs	6325	5cbad2e982afefcf72e1b4487e366f2186f92528e7d174a0343dbd5d4777845d	0
crates/forge/src/brutalizer/mod.rs	6867	6e49d4d0a8529a2c8da5b979d810843cade5511e14f34aa6c5abf274dbfb1165	0
crates/forge/src/brutalizer/transform.rs	1343	569d01c6882f39bc0d1267e2876f21d9b9efcdd43a2f5fcefdf7c8917e2700cb	0
crates/forge/src/brutalizer/value.rs	6782	a55e9f80f85eed7b8db73e1357b0a02a66d04324c87fca2617ccacbc065372cd	0
crates/forge/src/brutalizer/visitor.rs	2720	3ead5689590558efe86958340fb2123268dfc7f210af0867717eed4488d6cc64	0
crates/forge/src/cmd/bind.rs	27007	b86686f67d2b4974241d93aa8bf27fa6b39fa087efa51171a3e28af2617430c6	0
crates/forge/src/cmd/bind_json.rs	19111	0ada130cda38d1a8ed3939643a2f1203438f3ceffb3b562b78777a96df52a9f8	0
crates/forge/src/cmd/build.rs	13796	49181ef185c83fda547eac2f0b28a4ea389d84f1f024cef5681668163426b4fe	0
crates/forge/src/cmd/cache.rs	5379	aa46063e4f90158c4c1e4be543dba704cd657a88d63b83c1dfe2c69860429c90	0
crates/forge/src/cmd/clone.rs	186939	460af7c36d69b43cc6cb589eb9fc990a51517f57637671c6bc172b1efd98731e	0
crates/forge/src/cmd/compiler.rs	7719	522502879be2b2e39848483fe82c987d3be794fd823fa96ac36049c78fa6bacb	0
crates/forge/src/cmd/config.rs	1662	f4e0008aa90b2dcf956ef3fd20fba0c726a3eab7f7547798238faefc340e9efa	0
crates/forge/src/cmd/coverage.rs	34704	0e33a45fcb14c78a0963d3c5c02c8236511b6ddb4620431918905072dc508c53	0
crates/forge/src/cmd/create.rs	38216	5e5d5c4da8775c57a4988825dc8e780101a4c849e8a0ae37d49803e761d7c3ca	0
crates/forge/src/cmd/doc.rs	6330	ea838dc458b23b2c6d963ba988cf4bad0dde9f82e79298efb32fbf0e9f049920	0
crates/forge/src/cmd/eip712.rs	8409	2235910034595dbe655c4284ff4460a43d318a0dc9c61a9e4bd57bf8bc0d8cb3	0
crates/forge/src/cmd/flatten.rs	1652	6ac0bdaee58bfbc93986fd6cc32ce905166e3ab888409c5ae489664eea99eea5	0
crates/forge/src/cmd/fmt.rs	15823	5e88c3fce9607b158cb8b26831ad21e7fff4f960c2c6e3e11d3ab4a5b84e9179	0
crates/forge/src/cmd/fuzz.rs	59049	cfe2d3f5b45f6618be684a02782f96cca1ae4cfcc92cf681d003a22c180f68bc	0
crates/forge/src/cmd/geiger.rs	1781	be1c4f6d8b0596422570294d5f214798c035a3680831c2faa13cf7c3c8197dfd	0
crates/forge/src/cmd/init.rs	14115	4b0acf3cd2891e424ada6e1da2528d2ba13ecbf75f1230d505ff5749db03550b	0
crates/forge/src/cmd/inspect.rs	33168	42768daa24bd610b84f7245de034b79278e5d6c2bce379d83e06fb4ea61c3f25	0
crates/forge/src/cmd/lint.rs	6539	b4ce97823e012caf422067a11ba0599df50ec718f37f052ccec585815cc99c82	0
crates/forge/src/cmd/lsp/editor.rs	17053	39b237cdba5b6e54baa1151ecf5399934168239c6990a6378cf8fb9979495acf	0
crates/forge/src/cmd/lsp.rs	3701	17b7fa4e2e0eba19538ef1270bfddd717891fe202bee84c97cbbf8e76a0ef625	0
crates/forge/src/cmd/mod.rs	815	88bd365f09cb497a166da975d68387017748d53e1e5147aebadf506af8baa541	0
crates/forge/src/cmd/reinit.rs	993	0b5fff6d2dcd6f145f9b2c4dda3b5366528eaddd7b80e07542cfa5d859de1dd0	0
crates/forge/src/cmd/remappings.rs	1563	f36c986444d391c93226a28d5ed8af10d0d1f8c06287bda8c664d5a396a029b7	0
crates/forge/src/cmd/remove.rs	2084	afac27155adc7c9f9ce7425537de32df555405b59de526fe4c6269e07b963b1b	0
crates/forge/src/cmd/selectors.rs	21596	8c47313057f8cb569481cfadd7726cc00455630f88d1f952f6086522ca44ed9d	0
crates/forge/src/cmd/snapshot.rs	26818	17be3c7d3d97b429c98fae2237c432866891747e1b059430c1ed1d51757772b5	0

crates/forge/src/cmd/soldeer.rs	1722	3801da62d96bfd368a911b31e4ab82f76348878cbe7f013cde4ec9bfdf796752	0
crates/forge/src/cmd/tree.rs	971	8d1fc02105ed048386d1b7f3a7dde01ce73cbf6dd119cc8f53024a86bf364ca1	0
crates/forge/src/cmd/update.rs	12357	967bd1384500acbca9233c3294783a9beabd02ca34234867e94ab4c4e25b34b7	0
crates/forge/src/cmd/watch.rs	34607	23aab2ae1ffaafb7f6990fec0c6fb25c84fa7b479aeeb6d44b8a8f2660e8ffd1	0
crates/forge/src/coverage.rs	25739	6297e0a5c530863c7145d7292c2de1d940d17360831e0af9c6182527a6dce3f7	0
crates/forge/src/gas_report.rs	11311	88a83063a70ba8afe3d82ac77a391ef28f549b6ea9944e0230e8e8b89530792e	0
crates/forge/src/lib.rs	930	176f1f3e3cca58c478a7b6e76a98a82d8177fd47fba262631f044f629568e877	0
crates/forge/src/multi_runner.rs	43111	55ad7ba073fc0ce2600a0a34f790f33c3d382ff50fb5137ec86f0d2c70d00121	0
crates/forge/src/mutation/mod.rs	26033	2af69a84233f356a70bb9cd5c3a0aa20b588499dbbe9508805c67b4084487925	0
crates/forge/src/mutation/mutant.rs	14980	2034a0d68159b242e2a428c98c1da4aef086f4769dbe56cc443d819a0d79d726	0
crates/forge/src/mutation/mutators/assembly_mutator.rs	7572	159858c89040961e50edd32f7d7c5b4cdb534bd6e97b049a6ad599f1d8140d4b	0
crates/forge/src/mutation/mutators/assignment_mutator.rs	6274	f1e9c6d1e01254c49c73261f93b7bf6b7d3fa2f92606f4bfdef8b2233ad299a9	0
crates/forge/src/mutation/mutators/binary_op_mutator.rs	4503	a8d0dc1965245d89096b72d6198f6daa5e322d48767564e5e1ac505b74d6cf86	0
crates/forge/src/mutation/mutators/delete_expression_mutator.rs	822	cb70056ccf76f91363f342cafd0a65d52b2dedffcf707e2d1b1b206e5ecec4f6	0
crates/forge/src/mutation/mutators/elim_delegate_mutator.rs	2105	01f7a399e1beb000515b4a21910b7643937d4e588e5a268de4121c988d38c7fd	0
crates/forge/src/mutation/mutators/function_body_mutator.rs	4666	ec5f3ee21b4904e97c18c3aa52ef1c589b6fde8fa2120e5c813313ad8d595a02	0
crates/forge/src/mutation/mutators/mod.rs	5289	74eddc6caecc549deb460492d51f10cc7187863892d91aef06d506ada0e83b07	0
crates/forge/src/mutation/mutators/mutator_registry.rs	3910	1d9d73d03f9ee3516b14e5c21e7bdfe13d8626198a377720767af03cf2c6be31	0
crates/forge/src/mutation/mutators/require_mutator.rs	5724	e273e1fb56d6e4d148f39e3a08b37c27c3b8f1909d67cae1a82ad8556096e356	0
crates/forge/src/mutation/mutators/unary_op_mutator.rs	4695	22ede764e07084dcff8e9be9fd593e0b0c38eedb8a6dade317bb2d6c29dea4c1	0
crates/forge/src/mutation/orchestrator.rs	35005	d41e302611a8e4d8f5b976c2cdbc935ae241225080ac7cf979b750834c2b1cff	0
crates/forge/src/mutation/progress.rs	11053	3fd789665489d073aa6460f795f112fc3a75c986834e6aa4b12c56e7eb58869d	0
crates/forge/src/mutation/reporter.rs	7790	0d35a9eb7f9a87f0f00a18eb4469cf107ca8301224d1fa83cd17250e34d7b74c	0
crates/forge/src/mutation/runner.rs	32749	6e24a553786667d3b2e6aeadcabfab7a2a932b9a20036e476897ca61e18ce6f9	0

crates/forge/src/mutation/type_analysis.rs	28368	c1d193f042a549bd6c88b47c7373c5d0cb7753eeb7fafe5b7fd622a4a884947c	0
crates/forge/src/mutation/visitor.rs	23925	72830db8f8045682b237c4b51ec60a466a6541fcfb1e759511242583db0b3b69	0
crates/forge/src/opts.rs	9596	15ebdc6f4327dedb0777bae4bb5893376b56e6dbb1eb4abee464d33fd22d1b7e	0
crates/forge/src/progress.rs	4362	a847415dbf5ca5c70c70ebd072a30ccadeb82dfe514cd693240026909123859a	0
crates/forge/src/result.rs	89274	3db88876130b346f65e757c307a7e295ebf4fc2e24dae0931443fbe1f640098b	0
crates/forge/src/runner.rs	262591	e83d7cdd1b83b00a113e1b8de2e1e5f596ea923ddd732d78acb96e8a4701b1a8	0
crates/forge/src/symbolic_minimizer.rs	72680	ca91a86c65e3f0931f21c95daa88b1247f42b2c2fdf797a69dd2214ec846d3f8	0
crates/forge/src/symbolic_regression.rs	27799	6315e7ac809aac7499ef5540e47d917b2cee06ae9c3e6e03175c7218f081659a	0
crates/forge/src/workspace.rs	72821	89f68d80d0eadfdbee3e4500f3e5c6cdfab7ba703723ca4a3d2d326cc3833e84	0
crates/linking/Cargo.toml	498	8d6c329fa511eb101cdcdbe8a2e664c98d04a17f2e9d38d11e5d87deec8bcd01	0
crates/linking/src/lib.rs	88999	ee86ecbd103247d668a18be969989bbadbcfb80c2e0b299bcbad7dd4a2dd7811	0
crates/lint/Cargo.toml	594	2495571da9030fd67b6eb2593e4934bdea8f16ff0f728d1166bc46ad13080455	0
crates/lint/src/lib.rs	202	facebcbca14a0b098527336535574871e305ddc3b994d07e3cd296df4dbe69b8	0
crates/lint/src/linter/mod.rs	747	ea17269188b40d97657d5f7090ffe01b9f809e36da26be53161479e8b57b4812	0
crates/lint/src/sol/analysis/access_control.rs	14656	d2b55b8396528d015511f1c40772d397940a05547d16ef76b1b650a2c19ae01f	0
crates/lint/src/sol/analysis/exprs.rs	16354	26c886354fe3fcb5aa073db0e504eccc37b89ec7a5eb6b99de3522e491d0d430	0
crates/lint/src/sol/analysis/helper_cache.rs	1518	f7a52e458d46cf52b13bf6609eb71665d939235c2fad72504de207237a4134d6	0
crates/lint/src/sol/analysis/mod.rs	296	b1b9d4bd5834b3d033c6240c2170fe3bc48f3abe3e1ff36e63d74bce6ac083dc	0
crates/lint/src/sol/analysis/modifier_outcome.rs	7038	5b03b32f0509d8d84de67050767eefb24b46ecbe202c6ed4bf147d243888497d	0
crates/lint/src/sol/analysis/stmts.rs	7357	e6f7725ceb0ffae525e436e6e93ad36e6a02ebe09c7ca0b73208467e7adbc444	0
crates/lint/src/sol/analysis/types.rs	1737	a6656fcb73358c9e81421447cc9c815a441366942ca7b5d1e90930e4bf8cf7aa	0
crates/lint/src/sol/codesize/mod.rs	167	626b501f8704dd2c239b32f922a5a155ee33ff329fde8f81e6ade5e0df37b67f	0
crates/lint/src/sol/codesize/unwrapped_modifier_logic.rs	7807	ff324bff91ed077551470e8b17fac075ea30b9580266d3c35da9ff32af54871d	0
crates/lint/src/sol/gas/cache_array_length.rs	5292	e4014e5fe80df7c21daf6f1bed2449c6367f249e4c3783a0428c1ba3b022a498	0
crates/lint/src/sol/gas/costly_loop.rs	2694	e0390da79ead93d4f60674d01ef72b5fd63b747a4071e1dbd9977ab1424ae053	0
crates/lint/src/sol/gas/custom_errors.rs	1268	c8315d0bdba70b6802ce7beb7a08e53886ecbc7a7443b973df7a70dcd28239d2	0

crates/lint/src/sol/gas/external_function.rs	9403	93785cd52075ce11582e1c49a5e4b6de44435c7aefb0f42d4b9b35301808e82f	0
crates/lint/src/sol/gas/immutable.rs	7978	49a893aa6b7266d2f3c769f162ab73adbf395d9366e247a1c81fef1990973cef	0
crates/lint/src/sol/gas/keccak.rs	1193	5562e071f826ab5460bed31517b5dab8d3463ed355974a06a28a5cac6cb74699	0
crates/lint/src/sol/gas/mod.rs	853	e66ba2b3a9c8fc8e712d06269f217e13db8921c5a52d5406494ec1fcb143564e	0
crates/lint/src/sol/gas/unused_state_variables.rs	1982	3e5aba3d43d6e8762c239e0b918e029499bd9084d0a8e5382a90b3969b70bf06	0
crates/lint/src/sol/gas/var_read_using_this.rs	4983	3ae5970d78f02c63ab0552bd7ac5bc9ed1d3968d3ab4d031d31bebb1f40e7e09	0
crates/lint/src/sol/gas/write_after_write.rs	10640	ce9c35c4d320744e614d0df88a4f1516cab9b56d6c9f3e5d3383e6b1426de785	0
crates/lint/src/sol/high/arbitrary_send_erc20.rs	41612	b97200d45dc2624beeeff34299a5b4060a73e48d6e2ee86895f8675cfc239274	0
crates/lint/src/sol/high/arbitrary_send_eth.rs	39614	b8c6152ca374820d6660e3352a33d3ed86dfa02dafb7dac97a0106fe07d7051f	0
crates/lint/src/sol/high/controlled_delegatecall.rs	20211	e451d8dc8b796dbddd49b14d280a1e33e151c1499c7cc30bc383f2d34400893b	0
crates/lint/src/sol/high/encode_packed_collision.rs	1568	aa6df4b94d47d6605ad08a0f64b971dfafee2707b4205df80b9b9f76a04a1068	0
crates/lint/src/sol/high/enumerable_loop_removal.rs	21178	a98bcf95a7f6356af8e20a17d97b7e36ade2616c007dcad641ff0de9b8550aad	0
crates/lint/src/sol/high/function_selector_collision.rs	30772	926bd3819dc9f1564d24d3cb213ed8ee594ef16418950d0e852f6d6570b15778	0
crates/lint/src/sol/high/incorrect_exp.rs	3504	e8d5e05fb18771a3e1203a7f084a2bb55f97efc2f9417f5a121f0973718e427b	0
crates/lint/src/sol/high/incorrect_shift.rs	1638	ae7de1ad1484fcb6a5ff7fd74006f16efb979b82b4771d4770b6ba915a128782	0
crates/lint/src/sol/high/mod.rs	1442	16c07e40fbd7644efe3c5f76173fde1069aae3cb523d28a1046c23184886e840	0
crates/lint/src/sol/high/protected_vars.rs	48079	a4c22d6f8971284241beda01b41ef40e33cc25de33d84251f0b6dcc96daa6983	0
crates/lint/src/sol/high/reentrancy.rs	83037	a42053772fca3fbfa79eccabd092efabb7ae34220c603d1fa964333d599067be	0
crates/lint/src/sol/high/rtlo.rs	1746	a8f6f86bb20f6a3b06515cb90dfa6da9614712ddd8f3360dcbe649fbb1c388e0	0
crates/lint/src/sol/high/unchecked_calls.rs	3896	6f8d5e088669884032f1426f646d10f43212fb30518b54710bab3d71e02cd988	0
crates/lint/src/sol/high/unprotected_initializer.rs	8496	b42c86f46720f3d54d869040225a2301b9e85db564d41d466f182564fd946d89	0
crates/lint/src/sol/info/boolean_cst.rs	2980	48df49d954279b3887684819e1c07ae09628911536a6741762c5ff0d2a6c1f75	0

crates/lint/src/sol/info/boolean_equal.rs	2103	27b4aa2534b095ebd67289a4af5d4d4de8e6ffe06c76fba99fe9348b75cc589b	0
crates/lint/src/sol/info/cyclomatic_complexity.rs	3637	575162e9cb6f848e6a14d5bee66be2fd9fbe853b0b082dad36179aeb86ff51ba	0
crates/lint/src/sol/info/event_fields.rs	1754	7aaa5053ac374b295ef71acad0dd5f78e3081ea9d49e3d69f51f05d3ed81778f	0
crates/lint/src/sol/info/function_init_state.rs	3275	5af7ff60b16b9107475b43d95fdef455db82d40d7c216317c3570456bd41d54d	0
crates/lint/src/sol/info/imports.rs	4442	86a00023f5db1c86e2db9e5f8f22d200acc7ff0c75565d042104c9b2a817f903	0
crates/lint/src/sol/info/incorrect_using_for.rs	3001	f019a4445dd84ec2a60a5fa0a070b2664748f336edab7c21892996366d11e331	0
crates/lint/src/sol/info/inline_assembly.rs	1733	868776fd8a989c7ffacb4be7c08163000869ff5d4a447849683172b978e26e73	0
crates/lint/src/sol/info/interface_naming.rs	1932	da64d88ac59f80dcf8179d7e9911108c8a734153e613b947caeb79a2d66416fd	0
crates/lint/src/sol/info/internal_function_used_once.rs	7171	1dc1b864732bf56178dc3b20bb1f5bc7e3e7a93b10e37266ead7c871d69ca17d	0
crates/lint/src/sol/info/literal_instead_of_constant.rs	7515	8dc30f0ca37c8ca9046d6458625077752817a23db948051cd0d00fa8f51fb14a	0
crates/lint/src/sol/info/low_level_calls.rs	530	d5dd09b2ccafba7be3ea0229096daf4db29ce06efc91e07eebe44b82e4c95dc8	0
crates/lint/src/sol/info/missing_inheritance.rs	5901	76cf568a47caf032679579dcfb707ebbc63362317eeb7e8d0db2c2409b7a9606	0
crates/lint/src/sol/info/mixed_case.rs	3410	a53b7966f3875e208a9839c51785b8dcce03ac1b93c48bcae4c8e9367a4b2ef9	0
crates/lint/src/sol/info/mod.rs	2735	4ec6a15fbb8a079b803296c04184754d296dc0670d7e6184a766f81cc46b08fb	0
crates/lint/src/sol/info/modifier_used_only_once.rs	2640	255c30d4985a42a164c39786a057a548bca454b9079dda722a5958ba4d7e653a	0
crates/lint/src/sol/info/multi_contract_file.rs	1422	8293107089286a22a74bafa956536ac87ac175dafd2cbfaa15f7c37f226a2fe5	0
crates/lint/src/sol/info/named_struct_fields.rs	1989	f9c7557f91565ee8d94cff8884ac46f9c978a1102eaaf9ef798f17fddb47c4aa	0
crates/lint/src/sol/info/pascal_case.rs	1257	c6b0c4d06282fa4bf7bc979593e2d2ec39efd1c09310c8edcac950108c110a57	0
crates/lint/src/sol/info/pragma_directive.rs	2025	90f70e093d9203e6322bf0bb1d5beb71ef00a3bbe0db47b193d3a064c3a12086	0
crates/lint/src/sol/info/redundant_base_constructor_call.rs	3131	ddb83e97955b91f8449e7ee98ff9bc9dfbcc2c6c77eae2c189f81e414d999221	0
crates/lint/src/sol/info/screaming_snake_case.rs	1196	d5f9358a122a4da3bc62dbe4bed2d2e688d847e52df4ca094c91c4abea985282	0
crates/lint/src/sol/info/todo.rs	3265	bfb6bc57d9dbf1026c820bb65ef346793d2ededda8ffbdcedf13c60f1b3b52f3	0

crates/lint/src/sol/info/too_many_digits.rs	2322	6f5b7bae52626b8014c9b9bcc15e0bf0470f91f18f738236a8ed0cd15482e99d	0
crates/lint/src/sol/info/unsafe_cheatcodes.rs	897	91c2cb75f2e1add42491cd951f6ecb8fd2b427ae6e35b9c9ac95cff0c9c3b3de	0
crates/lint/src/sol/info/unused_error.rs	2994	54e3dcfcea9a48ba14fcc7e1bab75b14770b2a46a01078ad0d2113e22031c91f	0
crates/lint/src/sol/low/block_timestamp.rs	11728	0631c1b5744d8e80049fa897cc0ff737ace78731207f7293177c8510b206e1ff	0
crates/lint/src/sol/low/calls_loop.rs	2921	831e5ae736fff9cab90fed75d99defede5a6965737126f7bc1ea46bd988ea788	0
crates/lint/src/sol/low/delegatecall_loop.rs	851	56194a5be04460353de6c489a2df7de18889c57b620a23ed765a685c290c8557	0
crates/lint/src/sol/low/deprecated_oz_function.rs	2182	c1dd74b7febf0167c53583ff77c17a51d8779244aad2e7d0ad86ff28581aeafc	0
crates/lint/src/sol/low/empty_block.rs	1658	02fcc7d7790d66ee9f6a1a9c70271e35101615c02115507636c9ed4799c81dcb	0
crates/lint/src/sol/low/inconsistent_type_names.rs	3741	bf183e5533aec9e4bbfbb48102e9c4c7ae8d0ec54c0549df857e0b1ed43bdbdc	0
crates/lint/src/sol/low/incorrect_modifier.rs	748	f537040089f2979e244a80107f3e053f5dbb481778e0705e26901d95e0901fe4	0
crates/lint/src/sol/low/missing_events_access_control.rs	27369	dc1ca05f8d49956add489048aa9ab146544e30193ca593271cde26779051dc78	0
crates/lint/src/sol/low/missing_events_arithmetic.rs	21422	36981c699594c02ee652a8105371585c805c80a36ed7372ccfb9f13ca9a6fd11	0
crates/lint/src/sol/low/missing_zero_check.rs	11107	aede4e7f1eee5e28dd73909ca65299347c71d23f1198fda8f9702ca8931cf5e5	0
crates/lint/src/sol/low/mod.rs	1549	c800fcda849d31eb6aab8768bf81dd8d292182a2fe128de83a90ab366f2925f5	0
crates/lint/src/sol/low/msg_value_loop.rs	716	492578c98dd8cf89925e4bd99ab8a06fb9fd3983a2dad29e96858fa4006b9313	0
crates/lint/src/sol/low/payable_loop.rs	7342	d8734f4c6cdb97701a9c27c68081530f17902de213ecf14be99712efd4db494c	0
crates/lint/src/sol/low/reentrancy_events.rs	21121	a87596cda002512457e7fe5a3418e0705bf18666f706e5c87e17f77c20871395	0
crates/lint/src/sol/low/require_revert_in_loop.rs	1458	1f74ebb65469fb3dabcd3b06c096a0c2be83acdf9cd1647f6a2ce65e799a768c	0
crates/lint/src/sol/low/return_bomb.rs	1480	15a342d4936a4e1ca2b77db3608f54f5b248a0060799cd9e48424eb2244c8e0a	0
crates/lint/src/sol/low/solmate_safe_transfer_lib.rs	2399	e2521f7b24615e6b46c405889ba77700c8f70413f8f15fb2ad9b96d99c0aeb77	0
crates/lint/src/sol/macros.rs	3146	9b8414cca615465f8ca8aefa3445229239a2d186603554e2961513a3bb6dc794	0
crates/lint/src/sol/med/assert_state_change.rs	3572	1ed7d9f74fd965fc01bea2bd6df8f0c572065a26377a723a885a42085b8d537a	0

crates/lint/src/sol/med/cheatcode_environment.rs	43555	14f7249c26b0a423247a27210b6e72afb34bd1d593952c2b8f9e4404cb3f228f	0
crates/lint/src/sol/med/dangerous_unary_operator.rs	1791	551dcfa5effb9c60d4b5285a338eea28993e4fe90a3b32e127565921a48342c3	0
crates/lint/src/sol/med/div_mul.rs	11168	3b84e19c7236c9ed5d4f6d70e60ada30293f39c24e121b2e7696acd01aa5eab5	0
crates/lint/src/sol/med/ecrecover.rs	35829	be9813ad3ed37f80e81bfed52b42b21c500d2c4e2dd46797a5d54b5261b7bc74	0
crates/lint/src/sol/med/incorrect_erc20_interface.rs	2179	820012e6a3498233d5c828cd0e114d8d7573fa2cd386eb856667d2c895d8ebfe	0
crates/lint/src/sol/med/incorrect_erc721_interface.rs	2229	718dc3f8d3ab49740ece0662004e0f33e7b83d881e8806767879ce9a0e74c0e9	0
crates/lint/src/sol/med/incorrect_strict_equality.rs	2124	544d5f2d26c62ab13f31fdd1d64fb03a594e6e1cfef105c8d3ae9d9ce6498078	0
crates/lint/src/sol/med/locked_ether.rs	8364	b39b64653b3c7cb31c36559f98f0c71987fe529c1ccfa9c570cd8c8c5c64170d	0
crates/lint/src/sol/med/mapping_deletion.rs	727	ab578411817df848b8404f73000a229c48dda5551aa0d62c36b5ffa13e1b6467	0
crates/lint/src/sol/med/mod.rs	2016	991c7b2d8a9e196574b4d2538eb79621b508aaa084ce635f3429648f81e1114e	0
crates/lint/src/sol/med/non_reentrant_not_first.rs	1083	2b962f01c8dde2c5cb3373f6158e227011b655d73bcdc6a7d180a2efcfc0eec2	0
crates/lint/src/sol/med/tautological_compare.rs	3906	b4c037bfd2c025da39a288c0e8c281ec8162a4872df1d1001fbd5e89fe1700cd	0
crates/lint/src/sol/med/tautology.rs	7284	1e209cf34eae8f16abc4d95607011569b05bba13ed6f64dd064afad414d63d43	0
crates/lint/src/sol/med/tx_origin.rs	1710	1264826bc6ca91501818a5f4780d0ce57387aebfd5d00f5be3571a8b632b5e1b	0
crates/lint/src/sol/med/uninitialized_local.rs	7830	ecb76f649ab8648820457410943187a110f9187266f751f041e3e2862e5cd736	0
crates/lint/src/sol/med/uninitialized_state_variables.rs	11025	e61e1bf7a90a11dbe088c08f126d1f0ebe3e87e9bd1efd565caa40da70f1fff3	0
crates/lint/src/sol/med/unsafe_oz_erc721_mint.rs	62798	06d1057d22af81f5335b47f24d61c44fbd6eb5f3fbeee4e0320655bb1612f3d7	0
crates/lint/src/sol/med/unsafe_typecast.rs	4560	e03151b02dd8e3f795e746b6c249b509c8cd277c7623e0186e92f867d965858e	0
crates/lint/src/sol/med/unused_return.rs	2591	df6ad4ed94f86273ec965a0fb8153203d964ef4f6b4307d1521f574b841fc608	0
crates/lint/src/sol/med/weak_prng.rs	3877	c296bae2a7e319d15a7120eecdb85c96c41bcf7302c755956fb5eedd46d4da44	0
crates/lint/src/sol/mod.rs	31064	7d0be24649bc362b0349549d2bc9cb081e4f248992f2a39fd9d419c2f1d5e9ca	0
crates/lint/src/sol/naming.rs	2524	cb57905ff99b1d7c9b4c7ade748d0d1ae45f08a04ddd5094b0f650874afb3e1f	0
crates/macros/Cargo.toml	452	905220df27f05b71c165e38994b0284eaa4940ec3218bebc23bec541575c4874	0

crates/macros/src/cheatcodes.rs	14286	1a9477ee6265c2a6932ff09b21259e22a77c38e961a348617e26ec70c8e44f33	0
crates/macros/src/console_fmt.rs	4792	3cc88f95e93fe4b760aa220b259503ce9b27b714d3837db6c16cf9754da5d5a5	0
crates/macros/src/lib.rs	877	182ee5e5d8fe9967c06890436f741a567b6dcc373f1b65d35f2ae66221a6dc6e	0
crates/primitives/Cargo.toml	1888	de481f7a4d2bd81b20b9f376ac8ff1c65ee2fa2f19baf132aa7b3487757a7907	0
crates/primitives/src/lib.rs	98	605240cd21bdc57f1b1b76c722ce534d6f6391cf7a2d694543f569baa86a452f	0
crates/primitives/src/network/header.rs	6571	043607b3c3b6f81751500b0df507b6fa81a79eaae8af8da926ba0e455e5f5d82	0
crates/primitives/src/network/mod.rs	2169	88f151db104d7813036eac15c09ade2da4ca7f0a3031e6c8e90bf6c14cd9ce83	0
crates/primitives/src/network/optimism.rs	1864	cc896ed84673cbe7c54c7d83e470a9e79545b63e6fb693737279fbcf63ddbb8f	0
crates/primitives/src/network/receipt.rs	12666	e9c53e0faf4d7c839ca23c673c95300743fda1e3686f3592e1b410c741c6a108	0
crates/primitives/src/transaction/base.rs	9110	bc4d2be481d78ab7fc52836f4a3e85e533277343d0a9b67a651e219e7c1ee589	0
crates/primitives/src/transaction/celo.rs	7679	5a5e0d4bc31c1da30c545dd5024bd0abbbdb6b497678b8fbf844201dfba8c12a	0
crates/primitives/src/transaction/deposit.rs	2266	e9d49c58a29dfc9100663ceff5ff162051a61b2ee8c996447b3bb2183f2026e8	0
crates/primitives/src/transaction/envelope.rs	46741	392149d657345beb715102a6c4f9d7890ef57a60f9882ecdd742c0e6977a2057	0
crates/primitives/src/transaction/mod.rs	533	8c22f7fd1a57815a43a11f4bc8ec11312e3aaae5b1cca61e3fe549d2fe72422a	0
crates/primitives/src/transaction/optimism.rs	7483	123c255b82617d3af7e62141017f69aa67dba2d0ec63435f99e9ab4655e23aae	0
crates/primitives/src/transaction/receipt.rs	33561	e1a0fb900c4edec1d904925cf5c0d72c62a743d23eeee2cf537a8d25757343bc	0
crates/primitives/src/transaction/request.rs	44400	6975b0c2021a0648c3095372ac6e3ab904537857510923032c324786227482c9	0
crates/script/Cargo.toml	2715	21461a0c8a597c68fe5b3ea6b8856565d6a40768176ab03025bd5d855bbde83c	0
crates/script/src/broadcast.rs	107821	bc2cc6769473e19373ef4dfc5693f11a76bc48ff92bf0bb4c934f2281dfb5855	0
crates/script/src/build.rs	23553	904676a22d95ab9ff1016978a233fa3ff85564fa96d81956be6053e957757620	0
crates/script/src/execute.rs	23417	475f314b3e39744f6adb6df9d6af3b1c4cd973cbf98555667ca0f480023ef0b0	0
crates/script/src/lib.rs	102094	d19c43743b2946283ed97332677ad61e8a05b4d1c19bb256ce5a859f45b173c1	1
crates/script/src/library_deployments.rs	14721	60c683e039fae1eaa9b41e511056bab8e9ca7001639283eb20d7e4eb6a03e2b4	0
crates/script/src/multi_sequence.rs	8156	34b3bb1b1cf55f4745c8002ed49d76c096bcb7b5235b5d375e531bac4df44da8	0
crates/script/src/progress.rs	14845	306e61d5b488d4c323e04627104a29d98bc9c59e811a31283c7f54e08a2d8a62	0

crates/script/src/providers.rs	3656	57297d79c9a060c1a463552cf6f35e496ebcd15e4e8cdaf0c7895165a45f00fd	0
crates/script/src/receipts.rs	22771	4efa0c4f4b8b5cac208af6b26bae667cfe9296dfaeced39fc6c8c333404dec32	0
crates/script/src/recovery.rs	78342	4328c5590955e8530c6620aa39f7728057131f12fa3ab92fc68dfed0b6dc7733	0
crates/script/src/runner.rs	27220	dbfa6a9029371d7660ae99ee1c1b3e82c38e16eac83e1a5e2e5761d6465c1b8a	0
crates/script/src/sequence.rs	27247	8104240aca0b00dd08ce62cbf33e30e2bc8a33d5028aded379bb1a2f9655fc86	0
crates/script/src/session.rs	5796	c8c0602a5b677e135e54299e2de050bb89fec9079af8b916b24e430502b4c0c4	0
crates/script/src/simulate/monad.rs	19523	8fee6c5e8597eb5fd5c74ef8b340a59db3c518042206361a9e1ffa67db5ffd2a	0
crates/script/src/simulate.rs	37200	0365eb393ef9cf149fb09d5c5ee0fffe1fade44ecfba32b42fabc5a44a2ec2a8	0
crates/script/src/transaction.rs	12527	aa94e4081143353566a037e89ef193e027d3c772d25b995e4b507ffc2d418bda	0
crates/script/src/verify/external.rs	58203	392679e795e700b5882f603654a14da6c9a565683509a4c517a074e3617bbe93	0
crates/script/src/verify.rs	32812	847b8a04da7c039f77bfe264abb8a8d31eb7e30370b15f27561889d176c1e709	0
crates/script/src/wallet_session.rs	29277	6baae13c8664cb4a3e39f9cf8458c88bd470a49778cd349bfecbdd4e401a0cb9	0
crates/script-sequence/Cargo.toml	766	e74f225bc1a0fe0fbfe8ca2b61c60b5c60150ffc823201b036d544818ae65fbe	0
crates/script-sequence/src/lib.rs	260	f652ab0fd28980c616becb2cc357c1693616378fb130eec2f135714d5e957bee	0
crates/script-sequence/src/reader.rs	11123	eb8e4d54cb9aec43e40e3cc143c93520c6d31ad2db495c2067713d4ff04ef6d7	0
crates/script-sequence/src/sequence.rs	14333	7bf6e2e60cb6ac2adbc18d0ad1987b22bdd6a67293d7912f74983738d36b4afc	0
crates/script-sequence/src/transaction.rs	3955	76799914b6eef6385eb8a49378be60d5b8a914224d2619f8cc2d9b578bdf818c	0
crates/sol-macro-gen/Cargo.toml	816	47c8ee55ac9c87a14b1b748d236800595aeb4c258df94c1b2fa2206c608e68d7	0
crates/sol-macro-gen/src/lib.rs	195	c0f12be28450e726aa8940f4bcec1526323ff839fd41947a4ce35014467874d3	0
crates/sol-macro-gen/src/sol_macro_gen.rs	21388	5e44967fe23257f390a3dd5757e9275fd7635eb87618699d7a5c0d789045456a	0
crates/solar/Cargo.toml	569	d89e5f3a5b79cb66d31ab375b10272afb24c7506580e3cd47ac692fe58767c27	0
crates/solar/bin/main.rs	169	14b2dea020c8b3f4658c4ebbc4f06bce66ba4daf473909d47e4e5c41ad5c8e19	0
crates/tui/Cargo.toml	342	4c9957610ddf05709e9c5729f6a4f1c0d99874eb19206e23b2ab71c215b0ead8	0
crates/tui/src/lib.rs	8274	deec2ae2c481c4d3505826bb483e0993353c001ba7cfe868ef310dee204ba134	0
crates/verify/Cargo.toml	2039	8fa3337bc9f47eba742f6f710bf1123f7fc90c6982d2327320866a03288fffd7	0
crates/verify/src/bytecode.rs	51201	f7f67545c4a3657efe584fdc0e1aabda37a27ea62e56a309f6cb5c8bf0c13d09	0
crates/verify/src/etherscan/flatten.rs	4334	031b67f756fd01253e74232ee8c3ccbea201e4aaab4cac02e94df81c3af2863b	0
crates/verify/src/etherscan/mod.rs	30508	ff7bf3fb1ce0904ffa3dccc92450588f81275fb3c69c0977a5248e1a0c63cbaf	0
crates/verify/src/etherscan/standard_json.rs	1620	3ec88d7335fea8535cf02f4893f972fb21a4223a18607583576f63257c5c1a52	0

crates/verify/src/lib.rs	494	077d2bede5603e2acb5e872ad544f6fab1e656f161ae900207ce6242b22b5a3f	0
crates/verify/src/provider.rs	15310	89f85fc9afe2a58e30bd41a7b429e38dafb445d7e28ea0755f8738cdfc9d2de9	0
crates/verify/src/retry.rs	1885	f5e4f0c9c42d3564aa0507c7eb47d3d5b0781f17387322cae94ab6c830324526	0
crates/verify/src/sourcify.rs	24485	2d4f708d205b7d31826124b7789727d0f45c62ae9d54d6ce0ea456f914d7a17b	0
crates/verify/src/types.rs	1004	e563b8b6e5f129bdb8ac174324fb5e45aa7e71769b52e0ee63a9d11d39a6d63a	0
crates/verify/src/utils.rs	31548	26ee38efe4ee2abbc28119223e2ec1428bf2f0825f3aadf977eed4d96fc9c0ad	0
crates/verify/src/verify.rs	55099	cd8748d191b2599e8a9a7325b8267b89741307140df9f108b572ef9275da7803	0
editors/prepare-vscode.mjs	1981	e5def9c17b066937f5674d882a81e9b31fb880829b9a22a079f5c7e6fb96e53d	0
editors/vscode/package-lock.json	215779	384e98f8ab8f2565e3f8c014ea98fd157a3bbbbc2ff5cd1c8075a68599e560cb	0
editors/vscode/package.json	7794	53ba2a22c770693b368f372f649ab8d34de71954afa48dac4932acf53ef53ada	0
editors/vscode/scripts/bundle.mjs	3639	724796c36d1c56c3ac73588d5a0b3a7f3612de0e580d1882d970c09f36e9a371	0
editors/vscode/scripts/package.mjs	2034	0d383bbb37c491eaacbf9610dd92bed0a1f5f23c414a8c58b00ff45cc6a3abd7	0
editors/vscode/scripts/test-host.cjs	6185	9b0b01e4f00c7790d8c095809367842ad8de9604122497ea018e6a0f65ee030e	0
editors/vscode/src/extension.ts	16555	b9d017e50c1f39f5ca37c3932851966926be874ac81a2b217f4cd27597353c28	0
editors/vscode/src/forge.ts	3456	13c38d9db2a9f94d58b71341fa01885c41e4cf787cd6d50cb5559ca587ef47f4	0
editors/zed/Cargo.lock	21078	e6c2c91373afdcef336e792304d205e657e6110cbade0af0137f5fef73c783f5	0
editors/zed/Cargo.toml	183	204feff22f5783f07891f230a27aaa6cbfc56fe29554208d7cb9f2e0bdd2cd9c	0
editors/zed/src/lib.rs	10465	c256e49a3b6719909e51c47617c3d735c7514c17c0e355563f3624b6a5bd9d70	0