QUANTUM SECURITY INTELLIGENCE

Security & Post-Quantum Readiness Audit Report

monero @ 3fd0f88c20f5 · Monero — public repository (passive review)

Organization	QSI
Report date	2026-10-28 16:45 UTC
Report version	1
Audit run	21c01b41-ab43-493f-81ae-7028dfa36d92 · Document audit · 2026-10-28 16:45 UTC
Analyzer engine	qsi-engine 1.2.0
Risk profile	Crypto exchange, custodian or wallet
Content SHA-256	`c640f43c1f7c8aeef4a0c7208351c7fb5f0d46ab7c3a0401b7c2139ece61dd32`
Signature key (Ed25519, SHA-256 fingerprint; the signature is the separate file report.sig.json)	`5b3cf9c9bd0fa54447e2b5dfa7a6bab569bd0c666fa46949599e5c348d17083e`

Contents

1. Executive summary
2. Scope and boundaries
3. Methodology
4. Assets examined and not examined
5. Architecture overview
6. Overall security posture
7. Findings by severity
8. Detailed findings
9. Evidence
10. Post-quantum assessment
11. Limitations and assumptions
12. Remediation plan
13. Priorities for 30, 60 and 90 days
14. Verification after remediation
15. Tools used
16. Sources and normative documents
17. Appendices

This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.

Executive summary

8	0	0	5	2
Findings in total	Critical	High	Medium	Low

Classification	Count
Confirmed technical vulnerability	0
Known vulnerable component	3
Confirmed configuration error	0
Potential cryptographic risk	0
Long-term post-quantum risk	4
Improvement recommendation	0
Insufficient data	1

Top 5

ID	Severity	Detailed findings	Priority score
QSI-2026-05417	Medium	Transaction signing for 1 chain(s) relies on elliptic-curve signatures	56.8
QSI-2026-05414	Medium	Quantum-vulnerable Ed25519: role not determined (4 file(s)) preliminary	34.2
QSI-2026-05415	Medium	Quantum-vulnerable X25519: role not determined (2 file(s)) preliminary	34.2
QSI-2026-05416	Medium	Quantum-vulnerable ECDH: role not determined (2 file(s)) preliminary	34.2
QSI-2026-05419	Medium	block-buffer 0.10.4 is affected by GHSA-qwgh-2vcv-g2f7	33.1

Mosca's inequality (x + y > z): x = 10, y = 5, z = 8 → migration would finish too late under this scenario. z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Post-quantum maturity: Level 0 of 4 — no post-quantum cryptography. Next step: Inventory where classical public-key cryptography protects long-lived data and keys, and choose the first migration: usually a hybrid TLS key exchange and wrapped keys.

Scope and boundaries

Mode: Document audit

Repository: https://github.com/monero-project/monero @ 3fd0f88c20f559839cafb20911cb13cb45eba7bd — evidence links open the lines at this commit.

Supplied inputs

580 files, 7979041 bytes in total, 0 redaction(s); the per-file SHA-256 list is in appendix C.

Methodology

The audit was performed by the QSI engine 1.2.0. Each analyzer emits facts (rule, parameters, evidence); finding texts are generated from the rule catalog. Methodology sources are listed under "Sources and normative documents".

Prioritization uses an explainable weighted model (severity, exploitability, exposure, confidentiality/integrity/availability impact weighted by the "Crypto exchange, custodian or wallet" profile, asset criticality, urgency, ease of remediation) with a confidence multiplier. CVSS v3.1 is applied only to technical vulnerabilities with a defined vector. Long-term quantum risks use Mosca's inequality; their severity is capped at Medium and they are never presented as exploitable vulnerabilities.

Finding classes: confirmed technical vulnerability; known vulnerable component (a dependency version named in an advisory; whether the affected code is reachable is assessed separately, and a component confirmed by review becomes a vulnerability); confirmed configuration error; potential cryptographic risk; long-term post-quantum risk; improvement recommendation; insufficient data. Heuristic findings are marked preliminary; analyst decisions are shown next to the findings.

Coverage of checks

Area	Status	Count	Examples
source_code	checked	572	src/blockchain_db/blockchain_db.cpp: 507 lines scanned with 16 rule patterns and 122 registry patterns; src/blockchain_db/blockchain_db.h: 1920 lines scanned with 16 rule patterns and 122 registry patterns; src/blockchain_db/lmdb/db_lmdb.cpp: 5817 lines scanned with 16 rule patterns and 122 registry patterns
certificates	error (not checked)	1	src/common/dns_utils.cpp line 79: certificate could not be parsed (ValueError)
certificates_and_keys	checked	1	src/common/dns_utils.cpp: certificates/keys parsed
chain_map	checked	1	src/device_trezor/trezor/protob/messages-monero.proto: Monero
dependencies	checked	2	src/fcmp_pp/fcmp_pp_rust/Cargo.lock: 79 dependencies parsed (79 pinned); src/fcmp_pp/fcmp_pp_rust/Cargo.toml: 7 dependencies parsed (0 pinned)
tls_key_exchange_groups	Insufficient data	1	src/ringct/multiexp.cc line 555: not in the algorithm registry, not assessed: (groups
tls_configuration	checked	1	src/ringct/multiexp.cc: openssl TLS directives parsed
osv_advisories	checked	1	79 pinned packages queried at OSV.dev; 3 affected

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

Assets examined and not examined

Supplied inputs: 576 (input files: C)

Not checked

- certificates: src/common/dns_utils.cpp line 79: certificate could not be parsed (ValueError)
- tls_key_exchange_groups: src/ringct/multiexp.cc line 555: not in the algorithm registry, not assessed: (groups

Architecture overview

Static review of the source tree monero at 3fd0f88c20f559839cafb20911cb13cb45eba7bd. 580 files analysed; of 663 files, 1 are test, fuzzing, benchmark or example code and were left out, 82 are not read by any analyzer, 0 exceed the per-file limit and 0 did not fit the total limit. No requests were sent to the owner's systems.

Overall security posture


93
Indicative posture index (0–100)

41.2%
Quantum-vulnerable share of inventory

34
Cryptographic inventory

Derived from findings in scope (confirmed and potential issues weighted by severity). Indicative only; not comparable across differently scoped audits.

Findings by severity



ID	Detailed findings	Classification	Severity	Confidence
QSI-2026-05417	Transaction signing for 1 chain(s) relies on elliptic-curve signatures	Long-term post-quantum risk	Medium	High
QSI-2026-05414	Quantum-vulnerable Ed25519: role not determined (4 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-05415	Quantum-vulnerable X25519: role not determined (2 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-05416	Quantum-vulnerable ECDH: role not determined (2 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-05419	block-buffer 0.10.4 is affected by GHSA-qwgh-2vcv-g2f7	Known vulnerable component	Medium	Low
QSI-2026-05421	keccak 0.1.5 is affected by GHSA-3288-p39f-rqpv (RUSTSEC-2026-0012)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05420	crypto-bigint 0.5.5 is affected by RUSTSEC-2026-0387 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05418	No post-quantum capable cryptographic library detected	Insufficient data	Info	Medium, preliminary

Detailed findings

QSI-2026-05417 · CHAINMAP-QV

Medium

Transaction signing for 1 chain(s) relies on elliptic-curve signatures

Long-term post-quantum risk | Confidence: High

The wallet's message definitions cover Monero. These chains authorize transactions with Ed25519, which Shor's algorithm breaks on a cryptographically relevant quantum computer. A wallet cannot move a chain to post-quantum signatures on its own: the chain has to adopt a scheme first.

Affected asset	chain-map
Data source	src/device_trezor/trezor/protob/messages-monero.proto
Detection method	Message definitions (.proto) matched to QSI's table of chain signature schemes.
Analyzer	chain_map 1.2.0 · 2026-10-28 16:45 UTC
Priority score	56.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Once a CRQC exists, an attacker who sees an account's public key could derive the private key and move funds; how soon keys are exposed depends on each chain (address reuse, account model).

REPRODUCTION STEPS

```
Open the .proto files named in the evidence.
```

EVIDENCE

file_excerpt · src/device_trezor/trezor/protob/messages-monero.proto · line 2 · SHA-256 2a60fdbae9c4da47…

```
package hw.trezor.messages.monero;
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Chains are recognized from the names of the message definitions (.proto files and packages); the schemes are the chains' documented account signatures, not an analysis of the wallet's signing code.

RECOMMENDATION

Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them. Keep the signing layer crypto-agile per chain (algorithm identifiers in messages and storage, room for larger keys and signatures) and track each chain's post-quantum proposals, so that a new scheme can be added when a chain activates it.

RETEST PROCEDURE

Re-run when a chain activates a post-quantum signature scheme or the wallet adds one.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards

QSI-2026-05414 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable Ed25519: role not determined (4 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

4 reference(s) to Ed25519 across 4 file(s), e.g. src/crypto/crypto_ops_builder/crypto_sign.h:10. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:Ed25519:general
Data source	src/crypto/crypto_ops_builder/crypto_sign.h
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-28 16:45 UTC
Priority score	34.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open src/crypto/crypto_ops_builder/crypto_sign.h:10 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · src/crypto/crypto_ops_builder/crypto_sign.h · line 10 · SHA-256 1633a67376543975… · File 37bae804bf4516a7…

```
    9 | extern int crypto_sign_open(unsigned char *,unsigned long long *,const unsigned char *,unsigned long long,const unsigned char *);
   10 | extern int crypto_sign_keypair(unsigned char *,unsigned char *);
   11 | extern int crypto_sign_publickey(unsigned char *pk, unsigned char *sk, unsigned char *seed);
```

file_excerpt · src/crypto/crypto_ops_builder/include/sodium.h · line 32 · SHA-256 e44ffcfd2c36c50a… · File 010e58c066e38efe…

```
   31 | #include "sodium/crypto_sign.h"
   32 | #include "sodium/crypto_sign_ed25519.h"
   33 | #include "sodium/crypto_stream.h"
```

file_excerpt · src/crypto/crypto_ops_builder/ref10/keypair.c · line 7 · SHA-256 7463cfd8d788a439… · File a2fdd7099b1a4aaa…

```
    6 |
    7 | int crypto_sign_keypair(unsigned char *pk,unsigned char *sk)
    8 | {
```

file_excerpt · src/crypto/crypto_ops_builder/ref10CommentedCombined/keypair.c · line 7 · SHA-256 7463cfd8d788a439… · File a2fdd7099b1a4aaa…

```
6 |
7 | int crypto_sign_keypair(unsigned char *pk,unsigned char *sk)
8 | {
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-05415 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable X25519: role not determined (2 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

2 reference(s) to X25519 across 2 file(s), e.g. src/crypto/crypto_ops_builder/include/sodium.h:25. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:X25519:general
Data source	src/crypto/crypto_ops_builder/include/sodium.h
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-28 16:45 UTC
Priority score	34.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open src/crypto/crypto_ops_builder/include/sodium.h:25 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · src/crypto/crypto_ops_builder/include/sodium.h · line 25 · SHA-256 e2d333bff28206bf… · File 010e58c066e38efe…

```
24 | #include "sodium/crypto_pwhash_scryptsalsa208sha256.h"
25 | #include "sodium/crypto_scalarmult.h"
26 | #include "sodium/crypto_scalarmult_curve25519.h"
```

file_excerpt · src/crypto/x25519.cpp · line 30 · SHA-256 bce348264cf82206… · File aa9696357248dfaa…

```
29 | //paired header
30 | #include "x25519.h"
31 |
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-05416 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable ECDH: role not determined (2 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

3 reference(s) to ECDH across 2 file(s), e.g. src/device_trezor/trezor/protocol.cpp:699. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:ECDH:general
Data source	src/device_trezor/trezor/protocol.cpp
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-28 16:45 UTC
Priority score	34.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open src/device_trezor/trezor/protocol.cpp:699 and inspect the quoted lines; the evidence lists
further files.
```

EVIDENCE

file_excerpt · src/device_trezor/trezor/protocol.cpp · line 699 · SHA-256 7160937a79a3a95f... · File 208d62420b9807b1...

```
698 |     } else {
699 |       CHECK_AND_ASSERT_THROW_MES(8 == ack->ecdh_info().size(), "Invalid ECDH.amount size");
700 |       memcpy(ecdh.amount.bytes, ack->ecdh_info().data(), 8);
```

file_excerpt · src/ringct/rctSigs.cpp · line 1573 · SHA-256 457fe6b06c26b300... · File 2d45e11f8f8aecb5...

```
1572 |         key Ctmp;
1573 |         CHECK_AND_ASSERT_THROW_MES(sc_check(mask.bytes) == 0, "warning, bad ECDH mask");
1574 |         CHECK_AND_ASSERT_THROW_MES(sc_check(amount.bytes) == 0, "warning, bad ECDH amount");
```

file_excerpt · src/ringct/rctSigs.cpp · line 1574 · SHA-256 85f3eb7fcdfb06e0... · File 2d45e11f8f8aecb5...

```
1573 |         CHECK_AND_ASSERT_THROW_MES(sc_check(mask.bytes) == 0, "warning, bad ECDH mask");
1574 |         CHECK_AND_ASSERT_THROW_MES(sc_check(amount.bytes) == 0, "warning, bad ECDH amount");
1575 |         addKeys2(Ctmp, mask, amount, H);
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-05419 · DEP-KNOWN-ADVISORY

Medium

block-buffer 0.10.4 is affected by GHSA-qwgh-2vcv-g2f7

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-qwgh-2vcv-g2f7 for crates.io package block-buffer at version 0.10.4: block_buffer: panic corrupts inline buffer position. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/block-buffer@0.10.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 16:45 UTC

Priority score	33.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-qwgh-2vcv-g2f7
```

EVIDENCE

tool_output · OSV.dev GHSA-qwgh-2vcv-g2f7 · manifest · SHA-256 ac22c9ee6301d8c1...


```
{"id": "GHSA-qwgh-2vcv-g2f7", "aliases": [], "modified": "2026-08-19T19:30:06.686866977Z",
"summary": "block_buffer: panic corrupts inline buffer position", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-qwgh-2vcv-g2f7

QSI-2026-05421 · DEP-KNOWN-ADVISORY

Low

keccak 0.1.5 is affected by GHSA-3288-p39f-rqpv (RUSTSEC-2026-0012)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GHSA-3288-p39f-rqpv (RUSTSEC-2026-0012) for crates.io package keccak at version 0.1.5: Unsoundness in opt-in ARMv8 assembly backend for `keccak`. The affected code sits behind the `asm` Cargo feature, off by default, which no audited manifest enables: the advisory does not apply unless another dependency enables it.

Affected asset	dependency:crates.io/keccak@0.1.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 16:45 UTC
Priority score	25.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-3288-p39f-rqpv
```

EVIDENCE

tool_output · OSV.dev GHSA-3288-p39f-rqpv · manifest · SHA-256 d5a8f5565101ab9d...


```
{"id": "GHSA-3288-p39f-rqpv", "aliases": ["RUSTSEC-2026-0012"], "modified":
"2026-09-10T03:50:59.332505686Z", "summary": "Unsoundness in opt-in ARMv8 assembly backend for
`keccak`", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:L/AC:H/AT:P/PR:N/UI:N/VC:N/VI:L/
VA:N/SC:N/SI:N/SA:N/E:U"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.1.6).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-3288-p39f-rqpv

QSI-2026-05420 · DEP-ADVISORY-UNRATED

Low

crypto-bigint 0.5.5 is affected by RUSTSEC-2026-0387 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0387 for crates.io package crypto-bigint at version 0.5.5: Multiple timing variability issues in operations intended to be constant-time. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/crypto-bigint@0.5.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 16:45 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0387
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0387 · manifest · SHA-256 eab63427da988e95...

```
{"id": "RUSTSEC-2026-0387", "aliases": [], "modified": "2026-10-24T03:45:02.365137418Z", "summary": "Multiple timing variability issues in operations intended to be constant-time", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.7.6) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0387

QSI-2026-05418 · DEP-NO-PQC-LIBRARY

Info

No post-quantum capable cryptographic library detected

Insufficient data | Confidence: Medium | preliminary — requires further verification

Across 2 dependency manifests, QSI found crypto libraries (curve25519-dalek, ecdsa, k256, p256) but none from its PQC-capable list.

Affected asset	dependencies
Data source	dependency manifests
Detection method	Dependency name matching.
Analyzer	dependencies 1.2.0 · 2026-10-28 16:45 UTC
Priority score	13.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Readiness indicator only: PQC support may come from the platform (OpenSSL, OS, cloud KMS) rather than application dependencies.

REPRODUCTION STEPS

```
Review the dependency manifests listed in the evidence.
```

EVIDENCE

dependency · src/fcmp_pp/fcmp_pp_rust/Cargo.lock, src/fcmp_pp/fcmp_pp_rust/Cargo.toml · SHA-256 db5d4da5ee6bd530...

```
Crypto libraries: curve25519-dalek, ecdsa, k256, p256
```

LIMITATIONS OF THE CHECK

Absence of evidence is not evidence of absence: system libraries and transitive dependencies may not be listed.

RECOMMENDATION

Confirm where PQC support will come from (TLS terminator, KMS/HSM, library upgrade).

RETEST PROCEDURE

Re-scan after upgrades.

FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM); FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA)

Evidence

ID	Type	Data source	SHA-256
QSI-2026-05417	file_excerpt	src/device_trezor/trezor/protob/messages-monero.proto (line 2)	2a60fdbae9c4da472daabb0e85b95bb7592b561df57b5344c02f5d16
QSI-2026-05414	file_excerpt	src/crypto/crypto_ops_builder/crypto_sign.h (line 10)	1633a67376543975d71960dfc141c8df6517fb680e0f0bafa39f3e86
QSI-2026-05414	file_excerpt	src/crypto/crypto_ops_builder/include/sodium.h (line 32)	e44ffcfd2c36c50a32623005fa4fc3a6955d56c815105774ac58780b
QSI-2026-05414	file_excerpt	src/crypto/crypto_ops_builder/ref10/keypair.c (line 7)	7463cfd8d788a4394462333e573eb707e802d719f8151ef9326694b2
QSI-2026-05414	file_excerpt	src/crypto/crypto_ops_builder/ref10CommentedCombined/keypair.c (line 7)	7463cfd8d788a4394462333e573eb707e802d719f8151ef9326694b2
QSI-2026-05415	file_excerpt	src/crypto/crypto_ops_builder/include/sodium.h (line 25)	e2d333bff28206bff3400c47b5c6881b1ec65e0ebd19b05659e42ceb
QSI-2026-05415	file_excerpt	src/crypto/x25519.cpp (line 30)	bce348264cf8220651dfc34ba2a085d131c4931555ecc9701059e13a
QSI-2026-05416	file_excerpt	src/device_trezor/trezor/protocol.cpp (line 699)	7160937a79a3a95f9c7a63fe81b770c6ed8c34318e8970a885614486
QSI-2026-05416	file_excerpt	src/ringct/rctSigs.cpp (line 1573)	457fe6b06c26b300f98003a4b0493c6e84abdfae48a650dac0be78ba
QSI-2026-05416	file_excerpt	src/ringct/rctSigs.cpp (line 1574)	85f3eb7fcdfb06e0bff054a2e92336f11459a212c26b5ea7770cc9bc
QSI-2026-05419	tool_output	OSV.dev GHSA-qwgh-2vcv-g2f7 (manifest)	ac22c9ee6301d8c1e4b09ca6951303d71527ccba2df30c96af92531c
QSI-2026-05421	tool_output	OSV.dev GHSA-3288-p39f-rqpv (manifest)	d5a8f5565101ab9d60521142f31c54583db5b87e9a59fc99e1fa93d6
QSI-2026-05420	tool_output	OSV.dev RUSTSEC-2026-0387 (manifest)	eab63427da988e95becf061fd8169abcb9634f743aeeb7567dfa2ba2
QSI-2026-05418	dependency	src/fcmp_pp/fcmp_pp_rust/Cargo.lock, src/fcmp_pp/fcmp_pp_rust/Cargo.toml	db5d4da5ee6bd5304400a63ce961218e4d81bf3dc595a99c76e75ace

Post-quantum assessment

	Key establishment (x = how long data must stay confidential; harvest now, decrypt later)	Signatures (x = how long signatures/ keys must stay trusted)
Data/key lifetime x	10	10
Migration time y	5	5
Assumed years to CRQC z	8 (early)	8
x + y − z	7 → migration would finish too late under this scenario	7 → migration would finish too late under this scenario

Planning assumptions: x for key establishment, x for signatures, y are the defaults of the risk profile “Crypto exchange, custodian or wallet”, not the client's figures; with the client's actual lifetimes the verdict can change.

Post-quantum maturity: Level 0 of 4 — no post-quantum cryptography

Next step: Inventory where classical public-key cryptography protects long-lived data and keys, and choose the first migration: usually a hybrid TLS key exchange and wrapped keys.

Levels: 0 none; 1 present, not wired; 2 in use outside the critical paths; 3 hybrid in a critical path; 4 post-quantum by default in the critical paths (root of trust, key wrapping, channel key exchange). Judged from code and manifests.

What the quantum-vulnerable algorithms do

Role	Algorithms (files)	ID	First step
transaction and message signing	Ed25519 (1)	QSI-2026-05417	Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them
role not determined	Ed25519 (4), ECDH (2), X25519 (2)	QSI-2026-05414, QSI-2026-05415, QSI-2026-05416	Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility

Roles are judged from file paths, function names and the code around each match; review confirms them. Root-of-trust keys and wrapped keys come first: they are hard to replace or can be recorded today.

z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Quantum status	Count
reduced margin (Grover), approved	10

Grover: acceptable to NIST, below ECCG/ANSSI guidance	6
n/a	4
vulnerable (Shor)	14

Detailed findings: QSI-2026-05417, QSI-2026-05414, QSI-2026-05415, QSI-2026-05416

PQC readiness questionnaire

No readiness questionnaire was completed for this project.

Quantum algorithms relevant to this inventory

Quantum algorithm	Effect	Inventoried algorithms (rows)	What it means for this audit
Shor's algorithm — elliptic-curve discrete logarithms Q1: quantum computation offline, classical access to the victim	breaks	Bulletproofs (4), ECDH (2), Ed25519 (5), X25519 (3)	Elliptic-curve keys are expected to fall before RSA keys of comparable classical strength. On blockchains, coins whose public key is already on chain (reused addresses, pay-to-public-key and Taproot outputs) are exposed first; plan the move to post-quantum signatures and avoid key reuse in the meantime.
Grover's algorithm — key search and preimages Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	AES-128 (1), BLAKE2 (3), ChaCha20-Poly1305 (3), HMAC (2), PBKDF2 (2), SHA-2 (4), SHA-3 (1)	Not a break. 256-bit keys (AES-256, ChaCha20) keep a comfortable margin; AES-128 meets NIST category 1, while some authorities ask for 256-bit keys in quantum-resistant contexts (see the AES-128 entry). Prefer 256-bit keys for long-lived data; 256-bit hashes need no change for preimage resistance.
Brassard–Høyer–Tapp — collision search Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	BLAKE2 (3), SHA-2 (4), SHA-3 (1)	256-bit hashes (SHA-256, SHA3-256) remain adequate for collision resistance; 160-bit hashes are already weak classically (SHA-1 collisions are practical). Use 384/512-bit hashes where NIST categories 4–5 are required.

Effects: breaks — replace the algorithm; weakens — larger keys or outputs restore the margin; included in standard parameters — no action at standard parameter sets; only with superposition queries — not applicable to ordinary deployments.

Limitations and assumptions

- This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.
- z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.
- certificates — error (not checked): src/common/dns_utils.cpp line 79: certificate could not be parsed (ValueError)
- tls_key_exchange_groups — Insufficient data: src/ringct/multiexp.cc line 555: not in the algorithm registry, not assessed: (groups

Remediation plan

QSI-2026-05419 · P2 · 30 days

root-cause fix

Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-qwgh-2vcv-g2f7.

QSI-2026-05421 · P2 · 30 days

root-cause fix

Upgrade keccak to a fixed version (0.1.6).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-3288-p39f-rqpv (RUSTSEC-2026-0012).

QSI-2026-05420 · P3 · 60 days

root-cause fix

Triage RUSTSEC-2026-0387; upgrade crypto-bigint to a fixed version (0.7.6) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0387, or the triage is recorded.

QSI-2026-05417 · P3 · 90 days short-term risk reduction

Add Ed25519 usages at the wallet's transaction signing to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-05414 · P3 · 90 days short-term risk reduction

Add Ed25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-05415 · P3 · 90 days short-term risk reduction

Add X25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-05416 · P3 · 90 days

short-term risk reduction

Add ECDH usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-05417 · P4 · 90 days

root-cause fix

Plan migration of Ed25519 to ? (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ? or a hybrid scheme in use.

QSI-2026-05414 · P4 · 90 days

root-cause fix

Plan migration of Ed25519 to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-05415 · P4 · 90 days root-cause fix

Plan migration of X25519 to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH or a hybrid scheme in use.

QSI-2026-05416 · P4 · 90 days root-cause fix

Plan migration of ECDH to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH or a hybrid scheme in use.

Priorities for 30, 60 and 90 days

30 days

Priority	ID	Action	Type
P2	QSI-2026-05419	Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-05421	Upgrade keccak to a fixed version (0.1.6).	root-cause fix

60 days

Priority	ID	Action	Type
P3	QSI-2026-05420	Triage RUSTSEC-2026-0387; upgrade crypto-bigint to a fixed version (0.7.6) if it applies.	root-cause fix

90 days

Priority	ID	Action	Type
P3	QSI-2026-05417	Add Ed25519 usages at the wallet's transaction signing to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-05414	Add Ed25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-05415	Add X25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-05416	Add ECDH usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P4	QSI-2026-05417	Plan migration of Ed25519 to ? (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-05414	Plan migration of Ed25519 to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-05415	Plan migration of X25519 to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-05416	Plan migration of ECDH to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix

Verification after remediation

ID	Retest procedure
QSI-2026-05417	Re-run when a chain activates a post-quantum signature scheme or the wallet adds one.
QSI-2026-05414	Re-run the inventory after refactoring.
QSI-2026-05415	Re-run the inventory after refactoring.
QSI-2026-05416	Re-run the inventory after refactoring.
QSI-2026-05419	Re-run the dependency scan after upgrading.
QSI-2026-05421	Re-run the dependency scan after upgrading.
QSI-2026-05420	Re-run the dependency scan after upgrading.
QSI-2026-05418	Re-scan after upgrades.

Tools used

Tool	Version
blockchain	1.0.0
certificates	1.1.0
chain_map	1.0.0
configs	1.1.0
dependencies	1.2.0
inventory_document	1.1.0
solidity	1.2.0
source_code	1.3.0
tls_code	1.1.0
tls_live	1.0.0
qsi-engine	1.2.0
OSV.dev API	v1

Sources and normative documents

Reviewed: 2026-10-13

1. A. Chailloux, M. Naya-Plasencia, A. Schrottenloher — An Efficient Quantum Collision Search Algorithm and Implications on Symmetric Cryptography (ASIACRYPT 2017; IACR ePrint 2017/847) — IACR ePrint. https://eprint.iacr.org/2017/847 (peer-reviewed article: Õ(2^{2n/5}) time, O(n) qubits, Õ(2^{n/5}) classical memory)
2. C. Chevignard, P.-A. Fouque, A. Schrottenloher — Reducing the Number of Qubits in Quantum Discrete Logarithms on Elliptic Curves (IACR ePrint 2026/280) — IACR ePrint. https://eprint.iacr.org/2026/280 (revision of a EUROCRYPT 2026 paper: 3.12n + o(n) qubits; for n = 256, 1193 qubits and 22 runs of 2^38.98 Toffoli gates)
3. C. Zalka — Grover's quantum searching algorithm is optimal (Phys. Rev. A 60, 2746, 1999; arXiv:quant-ph/9711070) — APS. https://doi.org/10.1103/PhysRevA.60.2746 (peer-reviewed article: optimal for any success probability; parallel search gains no more than splitting the space)
4. Common Vulnerability Scoring System v3.1: Specification Document — FIRST. https://www.first.org/cvss/v3.1/specification-document (final)
5. D. J. Bernstein — Cost analysis of hash collisions: Will quantum computers make SHARCS obsolete? (2009) — cr.yp.to. https://cr.yp.to/hash/collisioncost-20090823.pdf (paper dated 2009-08-23)
6. D. Litinski — How to compute a 256-bit elliptic curve private key with only 50 million Toffoli gates (arXiv:2306.08585) — arXiv. https://arxiv.org/abs/2306.08585 (preprint (2023-06-14): 6000 modules × 1152 physical qubits, one key per 10 minutes under its architecture assumptions)
7. FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM) — NIST. https://csrc.nist.gov/pubs/fips/203/final (final (August 2024))
8. FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA) — NIST. https://csrc.nist.gov/pubs/fips/204/final (final (August 2024))
9. FIPS 205 — Stateless Hash-Based Digital Signature Standard (SLH-DSA) — NIST. https://csrc.nist.gov/pubs/fips/205/final (final (August 2024))
10. G. Brassard, P. Høyer, A. Tapp — Quantum Algorithm for the Collision Problem (LATIN '98; arXiv:quant-ph/9705002) — Springer / arXiv. https://arxiv.org/abs/quant-ph/9705002 (peer-reviewed article: collisions of r-to-one functions in O((N/r)^{1/3}) expected evaluations)
11. J. Proos, C. Zalka — Shor's discrete logarithm quantum algorithm for elliptic curves (Quantum Inf. Comput. 3(4), 2003; arXiv:quant-ph/0301141) — Quantum Information & Computation. https://doi.org/10.26421/QIC3.4-3 (peer-reviewed article)
12. L. K. Grover — A fast quantum mechanical algorithm for database search (STOC 1996) — ACM. https://doi.org/10.1145/237814.237866 (peer-reviewed article)
13. M. Amy et al. — Estimating the cost of generic quantum pre-image attacks on SHA-2 and SHA-3 (SAC 2016; arXiv:1603.09383) — Springer / arXiv. https://arxiv.org/abs/1603.09383 (peer-reviewed article: SHA-256 about 2^153.8 surface-code cycles on 2^12.6 logical qubits; SHA3-256 about 2^146.5 cycles on 2^20)
14. M. Cain et al. — Shor's algorithm is possible with as few as 10,000 reconfigurable atomic qubits (arXiv:2603.28627) — arXiv. https://arxiv.org/abs/2603.28627 (preprint (2026-03-30): P-256 in a few days with 26,000 physical neutral-atom qubits; RSA-2048 one to two orders of magnitude longer)
15. M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018) — IEEE. https://doi.org/10.1109/MSP.2018.3761723 (peer-reviewed article; source of the x + y > z migration inequality)
16. M. Roetteler, M. Naehrig, K. Svore, K. Lauter — Quantum resource estimates for computing elliptic curve discrete logarithms (ASIACRYPT 2017) — IACR / arXiv. https://arxiv.org/abs/1706.06752 (peer-reviewed article: at most 9n + 2⌈log2 n⌉ + 10 qubits and 448 n^3 log2 n + 4090 n^3 Toffoli gates)
17. NIST IR 8547 — Transition to Post-Quantum Cryptography Standards — NIST. https://csrc.nist.gov/pubs/ir/8547/ipd (initial public draft (November 2024); proposes deprecating quantum-vulnerable public-key algorithms after 2030 and disallowing them after 2035 — dates may change in the final version)
18. NIST — Post-Quantum Cryptography Standardization: Evaluation Criteria, Security (Call for Proposals, Section 4.A.5) — NIST. https://csrc.nist.gov/Projects/Post-Quantum-Cryptography/Post-Quantum-Cryptography-Standardization/Evaluation-Criteria/Security-(Evaluation-Criteria) (security categories: AES-128 key search 2^170/MAXDEPTH quantum gates, AES-192 2^233/MAXDEPTH, AES-256 2^298/MAXDEPTH; MAXDEPTH 2^40–2^96)
19. OSV advisory GHSA-3288-p39f-rqpv — OSV.dev. https://osv.dev/vulnerability/GHSA-3288-p39f-rqpv (modified 2026-09-10T03:50:59.332505686Z)
20. OSV advisory GHSA-qwgh-2vcv-g2f7 — OSV.dev. https://osv.dev/vulnerability/GHSA-qwgh-2vcv-g2f7 (modified 2026-08-19T19:30:06.686866977Z)
21. OSV advisory RUSTSEC-2026-0387 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0387 (modified 2026-10-24T03:45:02.365137418Z)

22. P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997) — SIAM. https://doi.org/10.1137/S0097539795293172 (peer-reviewed article)
23. R. Babbush et al. — Securing Elliptic Curve Cryptocurrencies against Quantum Vulnerabilities: Resource Estimates and Mitigations (arXiv:2603.28846) — arXiv. https://arxiv.org/abs/2603.28846 (preprint (2026-03-30, v2 2026-04-15): 256-bit ECDLP with < 1200 logical qubits and < 90 M Toffoli gates (or < 1450 and < 70 M); < 500,000 physical qubits at 10^-3 error, minutes)
24. S. Jaques, M. Naehrig, M. Roetteler, F. Virdia — Implementing Grover oracles for quantum key search on AES and LowMC (EUROCRYPT 2020; arXiv:1910.01700) — Springer / arXiv. https://arxiv.org/abs/1910.01700 (peer-reviewed article: lower cost estimates for the AES key searches that define the NIST categories)

Appendices

A. Cryptographic inventory

Algorithm	Parameter	Quantum status	Classical status	Count	Locations	Examples
ChaCha20-Poly1305	ChaCha20-Poly1305	reduced margin (Grover), approved	acceptable	3	3	src/crypto/crypto_ops_builder/include/sodium.h:6; src/device_trezor/trezor/protocol.cpp:45; src/device_trezor/trezor/protocol.hpp:95
HMAC		reduced margin (Grover), approved	acceptable	2	2	src/crypto/hmac-keccak.c; src/crypto/hmac-keccak.h
PBKDF2		reduced margin (Grover), approved	acceptable	2	2	src/mnemonics/polyseed/pbkdf2.c; src/mnemonics/polyseed/pbkdf2.h
SHA-2	SHA-512	reduced margin (Grover), approved	acceptable	3	3	src/crypto/crypto_ops_builder/sha512-blocks.c; src/crypto/crypto_ops_builder/sha512-hash.c; src/crypto/crypto_ops_builder/sha512.h
AES-128	AES-128	Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	1	1	src/gen_ssl_cert/gen_ssl_cert.cpp:191
BLAKE2		Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	3	3	src/crypto/blake2b.c; src/crypto/blake2b.h; src/crypto/crypto_ops_builder/include/sodium.h:17
SHA-2		Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	1	1	src/common/util.cpp:688
SHA-3		Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	1	1	src/net/tor_address.cpp:297
Crypto library p256 (RustCrypto elliptic curves)	0.13.2	n/a	acceptable	1	1	src/fcmp_pp/fcmp_pp_rust/Cargo.lock

Crypto library k256 (RustCrypto elliptic curves)	0.13.4	n/a	acceptable	1	1	src/fcmp_pp/fcmp_pp_rust/Cargo.lock
Crypto library ecdsa (python-ecdsa)	0.16.9	n/a	acceptable	1	1	src/fcmp_pp/fcmp_pp_rust/Cargo.lock
Crypto library curve25519-dalek (ed25519-dalek)	4.1.3	n/a	acceptable	1	1	src/fcmp_pp/fcmp_pp_rust/Cargo.lock
Bulletproofs		vulnerable (Shor)	acceptable	4	4	src/ringct/bulletproofs.cc; src/ringct/bulletproofs.h; src/ringct/bulletproofs_plus.cc
ECDH		vulnerable (Shor)	acceptable	2	2	src/device_trezor/trezor/protocol.cpp:699; src/ringct/rctSigs.cpp:1573
Ed25519	Ed25519	vulnerable (Shor)	acceptable	4	4	src/crypto/crypto_ops_builder/crypto_sign.h:10; src/crypto/crypto_ops_builder/include/sodium.h:32; src/crypto/crypto_ops_builder/ref10/keypair.c:7
Ed25519	CLSAG ring signatures on the Ed25519 curve	vulnerable (Shor)	acceptable	1	1	src/device_trezor/trezor/protob/messages-monero.proto:2
X25519	X25519	vulnerable (Shor)	acceptable	3	3	src/crypto/crypto_ops_builder/include/sodium.h:25; src/crypto/x25519.cpp:30; src/crypto/x25519.h

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

B. JSON

qsi.report/1 · SHA-256 c640f43c1f7c8aeef4a0c7208351c7fb5f0d46ab7c3a0401b7c2139ece61dd32

C. Input files

File	Size	SHA-256
src/blockchain_db/blockchain_db.cpp	14998	890ecabf5b5b3046efc36767bebb115654e662633df252af4c5c94dbf8fa7ab0
src/blockchain_db/blockchain_db.h	65455	9f95afd9ba80177d01c5ce2a38559cf8056ea2062c0971374b0e4cbcc902a1cc
src/blockchain_db/lmdb/db_lmdb.cpp	199577	ddb3f55db39b117b77fae106977c1f953cc7f294ec0015cc4547a1836431181b
src/blockchain_db/lmdb/db_lmdb.h	19787	2bbc80cd3f0eac0542dbf314cafc7748c93e86d3dda39ff5e891fee33563a6fc

src/blockchain_db/locked_txn.h	2725	b951cbb91e2ce9822ddd1b79efdbc6101786b27ceb8f307d50eb7db49b88e185
src/blockchain_db/testdb.h	14991	c994d82bfcd68fc243efcc9d4bc3af0444bf4aefbb7a06dd3115305cd55d608a
src/blockchain_utilities/blockchain_ancestry.cpp	25111	1be8151d216744856a96fcd757c9abe9edbcd38ed498ea05edafc6d8f42f3e80
src/blockchain_utilities/blockchain_depth.cpp	12179	f312d133720dbba014b68f432f5e52e48bcf336cd6612560ee3fabd037f00774
src/blockchain_utilities/blockchain_export.cpp	7117	09d63a1b7df2f44f5ce82a3ebd039feb5c7ea9705ae535150077cfc0ac8e5304
src/blockchain_utilities/blockchain_import.cpp	25490	0cc04b1128dc6914e55472b56391404439eb4d0540acd0d431f72eaebe1d1617
src/blockchain_utilities/blockchain_prune.cpp	28434	c86e11a72f5411d087c465fd8e03955b206a6fe75d065a52e756727fbff70bb8
src/blockchain_utilities/blockchain_prune_known_spent_data.cpp	9632	590311cbf7bcf1b43fad9bb16f017373774bc516238363544ad02e2677ad62ac
src/blockchain_utilities/blockchain_stats.cpp	13527	e0590a2821af17c404e7acaee96361ad1893a0bb07f3010941a1148a9288eb29
src/blockchain_utilities/blockchain_usage.cpp	8669	69d8fb3002050900298e5b033cf62fbdec9133c3a4935703fbab39e500cf45ce
src/blockchain_utilities/blockchain_utilities.h	1878	ec9af7520b77f351f2fb14054802d5ad3ab14f6199e7b673cfaa12d3059d1813
src/blockchain_utilities/blocksdat_file.cpp	6325	d1ec96224cfb317ba72eb593a9f42dc38d7e2ec6d2cd967ee60465e28332e9c2
src/blockchain_utilities/blocksdat_file.h	2851	9b832d52d85361da3210a24988920eb5469ff44fb4b25be0a2b02743ca976b33
src/blockchain_utilities/bootstrap_file.cpp	20694	936637ad87c6e09aa232c0dbc335b9422c6b341809115479b75ebec2db4deced
src/blockchain_utilities/bootstrap_file.h	3632	7b827ae0f6668b504315db0df26855abf765763b16d58b96fe4e792a27df558a
src/blockchain_utilities/bootstrap_serialization.h	3253	563c0471b16361bdf72e242a9624ad2c07da7398c17c0f55411db33f7e0fc887
src/blocks/blocks.cpp	953	c7a8210a3988eceb40614e11d709b89309c928bb03b36038e22f11cc658ea5dc
src/blocks/blocks.h	261	516a7d0c3eca2ba098e870799fadf336b0fd5fc7b05ae1749e47ef2fe0b6d874
src/checkpoints/checkpoints.cpp	18539	0aed431c9dae90fea54352ad178e36a0c4de9691854b611664b487f17f0d3a37
src/checkpoints/checkpoints.h	7925	3885e86d412d43ba1760d7906d3bca1d1513e776fa88b7b708f6d44c379d859c
src/common/aligned.c	4016	43b5fe181d2b96dee9b93f6ca28e53e4939a9bf7e2d0c55c4713389442ff4dcf
src/common/aligned.h	1897	7542430220ae4323f0b9ff95c9a8fa5c22f99fe01f65690329e633dce65e20d3
src/common/apply_permutation.h	3139	5e4df1872cdb736f7779073982f4f243912914943f73e4d21c5c8636cfe32f18
src/common/base58.cpp	8837	c8fe6a65c896ed0cb0cf15da636aecaba91dbae74d4c46d8d238f5a7ee9b9677
src/common/base58.h	2041	d1e4aa494afcfa1f3a8c7db7ab954c1e627f7e39a393c3476a7a2c8743a225b2
src/common/combinator.cpp	1960	080cb5468b083aefb5adad0b79dbd5c77d1b4c0e2339d2449a39cdfa32f0313a
src/common/combinator.h	2933	f551c2c9f06e7339185ffad5ab8e47ae2de98b6225b7dd776403a752205ed9be

src/common/command_line.cpp	2814	66c5c1c2068e42f121e3b7832cd2f4de9b48859acf52c9647365db549b500ed4
src/common/command_line.h	9584	3c28f210b54126bb49d20f79de04691b35dfa9af7cbdc5f997217f82513cfb3a
src/common/common_fwd.h	1823	9af357568cefeef0716c0595b7d6ac4d1756a86899e8656cd3d47b2071df3daf
src/common/container_helpers.h	6318	d48485d9ecb19c8dffa6945265003ee61905c49df6e29cd71a07aaa5fc8e2c49
src/common/dns_utils.cpp	18122	901dc39605a1abe1cfbdfdc099db215b0fbdcc5d4a74caab8be6b8962cf851a4
src/common/dns_utils.h	6858	5e61a2c1f7623e14da75973333085470b5d2eff7c3f87a79ed21fb9cb214960a
src/common/download.cpp	12535	d85190aee67a61f17aea6d816511cf0605ec4e7d433df9263948ecc06220cf5f
src/common/download.h	2576	c2cf51c93cb04cf065a0658fe5e20cd00c579aba413463e584d6d814ada8ea71
src/common/error.cpp	2997	55e30474dfcf316a11e00851e1d77ab45382caedd016ab052836cca0ba17c8f7
src/common/error.h	2170	557d3b8d8972a0aef0845fe0c1860eca9358bbecfb9feb50e0271d4f63feb655
src/common/expect.cpp	2780	ebc611bd15a0ea473e52ed4e600efeb8fae9ee1128dbb42ba70b0cef8090863e
src/common/expect.h	15578	06987bba9651a493267083e57232dcccb01165bbc5c8ae9b7f6060f360bf2bc1
src/common/hash_combine.h	1925	99ebe9023c690ae314928bb2e7785f058fb2db0a73aa46cf19e9a6b43b884f42
src/common/http_connection.h	2387	02967080463dffb770a210c7286c98565ad6beaeac37bf2f8843103b940445d5
src/common/i18n.h	1764	ffc4ba21b5730841063ab9c28d81ee447ab9658dc49ca30decadb600f642218e
src/common/json_util.h	2266	f72581d610f82053c7849fea6ddf471a290c887288c393888895da487efc85a6
src/common/notify.cpp	3095	6f8b2d581f3574bb066309e1de4599a568c0da1a02ac446b92210882d4f962bb
src/common/notify.h	1998	8ce1eaaf309623a589f1422c70b23f4fe32bc690e7fb21ff2d3d0cab2c8369be
src/common/password.cpp	7761	b7b1e1c2e7110f2ae3602aecb7b91e4c75ea5bdda8bfbfa1cd772331b0b961b6
src/common/password.h	3912	dcfd038b0ca8d6cd316e81368de633678ccbd8f6480229c2b23299b30cdec2b4
src/common/perf_timer.cpp	5978	66201160bab1cf6c9c5bfebfdda8a7cda1a7fed888c97265b9705393d7cd1bde
src/common/perf_timer.h	3242	5b9d780468eacfe5cfeadbab956f60caf69c333cbc86f45c261e903924680249
src/common/powerof.h	353	4669eb750178448dd9775a91708540996538c2e90f7894ba8b4c41e1a74b86b3
src/common/pruning.cpp	5637	5ca6dbfd1955cc20652340f38a09bde3095a25dfb009b767138a7bd5b60240bc
src/common/pruning.h	2890	99b109af93885f5d25df1eec6dc73bb92b816bef51bde5760f833d56c21e6bfb
src/common/rpc_client.h	4273	e60fe2835eed2eb8f7cb6105a414068b9170e7d177e2bd9f73e91440b3b8b892
src/common/scoped_message_writer.h	4377	8794aa8d232a721826938cc4f36890fee7898030e0b00a2f0e85ecad4a62c61a
src/common/sfinae_helpers.h	5127	57881b5a5a96b742c30d9d7a0a23b2e9b7c89e882db3b4c224544a38cc2be549
src/common/spawn.cpp	4216	576fb7ef7f6a79cb386bf3f557775a47eefd8f9cad63c8733049a27a26077c42
src/common/spawn.h	1748	a48847020b18a58cb752775e3ad67874ad274919c8aac56577588385972a4eb8
src/common/stack_trace.cpp	5655	cc3a10a9287929dc7170469bb09059ef42a8c209f43369b024bbf0c8d6309319
src/common/stack_trace.h	1736	09257cfdac0924837ea5ff22d0ba3542a93983feb775dfa31f1229ffd8bb2ef8
src/common/threadpool.cpp	5094	f1d905daeb44a8212ceea81e697144abb79f16f0e7e4283a615356f69d717e1e

src/common/threadpool.h	3546	7293c96684cda10ba3d620d30d94396cfd20e6998e24f8b8a86bb8d1c852b858
src/common/timings.cc	4265	25b7cca7c8fd78d170ce437ef0b1568ca22f1f1fa6f727ac1cc8d3c8f9cd3472
src/common/timings.h	687	d05dcb2f54d461991268b4f6ec018d8b3faff602e84a5a036051e947ad644428
src/common/unordered_containers_boost_serialization.h	4474	282c8091c7cb455f85ecaec302cfad06c5e14b2b3e43a444f8e79fa5d2daf075
src/common/updates.cpp	4443	40c2c39f8978779647adf830064992a53697b9657d4d34ce38107803bea4e4c0
src/common/updates.h	1921	294ade0f86f9fdfff401118853a04d31690cb0e720507ca7439065456a485fb9
src/common/utf8.h	3844	584f39c455b3693c6ad5870e5ec4e1ddc065497d86a6ecd18569c388498305e9
src/common/util.cpp	34509	9be89e62f530d6f487df8a54c501ee44698fcb167543f08a2f2fa628dc90042f
src/common/util.h	8431	cf67beb2f899e754198d25b6592ae24c315fb8a9716f1300012cc8fc487a1572
src/common/va_args.h	1868	b15e986afe97d30cf756892ec561ce5305cf59829d947c515da8d8d999bddfdb
src/common/varint.h	5200	5db99e352da835800079fd971fee46d9369c30f73488d0a49f7ada812018868f
src/crypto/CryptonightR_JIT.c	3327	dff68e134c9eb3fa01769260354e63abc77ce890ffca278b0e4663974e0bbeb3
src/crypto/CryptonightR_JIT.h	853	a062cdfda3df5f5f9d23a23440930811281b8045b6d202ed4fcaa6f57a896e9a
src/crypto/CryptonightR_template.h	45536	a10ec27257974333a662c19193babd2708ad165428bae2ed83f8cdfba3460627
src/crypto/aesb.c	7200	fec400edc936046855faf8cb3dc2508451588ee37fee7423ebbd95ee931d0150
src/crypto/blake256.c	11334	e97b22ff7c9022b41eba55cedf185431dffbf355f333ab12bbe68af065370f92
src/crypto/blake256.h	2884	6550d57620c3a3a6d2ed59353655b984b8463d020e77ab41a12ce8ee46b51462
src/crypto/blake2b.c	16682	cc7fd489f410caf9db9f24d8d43d1ab8bd7cefd239f44e284940a63e30522ebb
src/crypto/blake2b.h	4363	1ac31a0e76721d1be876d0162da58ccd35d5dd7576ea90889990c1e66af9d5e8
src/crypto/c_threads.h	3814	14cfa2506e924ba0c8c532df55ef1721f858d085befbbb12713f4d077ae8af47
src/crypto/chacha.c	5152	39217bce7447a4e7aa7df9e827068f91bc085bf67001a8fbed8abd3c1ce6fd93
src/crypto/chacha.h	4329	67afe061305907098f1562c3758e24a3bff08b3bfc0184557345f3ddc24fe218
src/crypto/crypto-ops-data.c	89586	94bee88043845662892a6f489347ad2b4f37744ff6b21c47a1aa0f3e52aed985
src/crypto/crypto-ops.c	119401	7da995bedd791475d85c9f7f1fde32c2b287a64d7184a294abacad53c0ca64ed
src/crypto/crypto-ops.h	8021	9b2d2e0bbfd9c8061607ca596f21e4d2ddb0b25d0225fd88590feb07eaeab5e9
src/crypto/crypto.cpp	28177	4262aaf44304788f07660abc7c75df0d0042aa280ba064d0244c5f075b0c5859
src/crypto/crypto.h	17990	875e5755a556cb4d6a1ae4d03850985a9d558f9951633a51519fb2f78b332faf
src/crypto/crypto_ops_builder/api.h	54	964817f8bb5b69762a52352a9a37d4e1ef4edf06f40c8c063891ffe83762bc72
src/crypto/crypto_ops_builder/crypto-ops-data.c	88295	d3d062b58f7f217a2ff3bb2e0c40c4592d7ecb771069bf1aa1154e6a4423efff
src/crypto/crypto_ops_builder/crypto-ops-old.c	88461	e81ec67482514e89f91885fa1d6458b809db932f98d66a9bb4b6a27ca21703f3

src/crypto/crypto_ops_builder/crypto-ops.h	4248	8bfd65dc841ff9db62578ca879b00703603b2477c45a4cbe40119f05d4098cf6
src/crypto/crypto_ops_builder/crypto_int32.h	81	238803073441714ec17cd8b5f499f697f3dced53951daec0746eb79be45693d7
src/crypto/crypto_ops_builder/crypto_sign.h	593	37bae804bf4516a7150f53b9ce93cc8afeea6ea0f7844e8cf1a8afe9bfcdd928
src/crypto/crypto_ops_builder/crypto_uint32.h	93	13f943899ccdbaf3b50fdab4658a1ca67d59abdb17c08a6be6ed31a30378556c
src/crypto/crypto_ops_builder/crypto_verify_32.h	175	bf7159913d5daf6d43841b41d48a95162137b7a76061f4d6f93d58bc003db903
src/crypto/crypto_ops_builder/include/sodium/crypto_int32.h	106	7466cd927cf8d488429f07f67d5ab4e7b44d5f03255854f5ce94e90d31f22591
src/crypto/crypto_ops_builder/include/sodium/crypto_int64.h	106	84789af2e9d29ee05909fbfd4fca6e53066a99b170494d56bf40d0322f98aa67
src/crypto/crypto_ops_builder/include/sodium/crypto_uint16.h	110	72c0ee8769c0be4cebed882b7daf429364be15acd3345eb489a5cefdc49a61c6
src/crypto/crypto_ops_builder/include/sodium/crypto_uint32.h	110	95ade98289486611bc56e1b11e0e99a4c3df02973048dc40275e60350ecbce8b
src/crypto/crypto_ops_builder/include/sodium/crypto_uint64.h	110	039abc368ad01d76295be0bbea2b64ccb449a76444a001b476fbc05a91c1d742
src/crypto/crypto_ops_builder/include/sodium/crypto_uint8.h	106	dedaa634cd59ebc5db41be8ae0536114652f601df95938c96e3865d7240d81e4
src/crypto/crypto_ops_builder/include/sodium/crypto_verify_32.h	344	c0027cf769c1f6a01c2df6a58cac045157f5da304974efdcecd8f000d72f422b
src/crypto/crypto_ops_builder/include/sodium/randombytes.h	1362	e17ffd7744c59d66844cf0db1fdc3eb271a92b6eca82e219b3ae6e81fdf5f922
src/crypto/crypto_ops_builder/include/sodium.h	1814	010e58c066e38efea63848b024903cfdc5f659a8495bdc7f1c3f4a45f366dcb9
src/crypto/crypto_ops_builder/randombytes.c	1011	2f91ccc384c1f86077f1e5cea9152b23458cd4304433a8097e49c92e9af2f23c
src/crypto/crypto_ops_builder/ref10/api.h	121	9d7cfd2c451dcf8ca38837dd602c8915ec246ed461a355c218a2bf9edd48ea6c
src/crypto/crypto_ops_builder/ref10/base.h	76457	dac873e5965b34e29a14b56bc63f9434fbba16b3513daf53c7b0b2d07b614ac0
src/crypto/crypto_ops_builder/ref10/base.py	1343	83148d97984e2812d79eddfb06942217db284a7ab6077d05e309e6fff66314af
src/crypto/crypto_ops_builder/ref10/base2.h	2388	1dbe1b61a3b7689d840eec4be7569261d719e67cf9ed5ad1b51c5e34583bec94
src/crypto/crypto_ops_builder/ref10/base2.py	1231	59566c7896508e4adcad02b37410703d10f5cac0726c60f3b81944809468022f
src/crypto/crypto_ops_builder/ref10/d.h	91	4729f3315d4815f5f3cb47d3f176ad0e907471aa3a9afc8d80484d2da98723a2
src/crypto/crypto_ops_builder/ref10/d.py	565	6c9277207d8537153653f936d51e8fac47203e78d9c341e2bccb919619e7d440

src/crypto/crypto_ops_builder/ref10/d2.h	90	0248fcb39acf255d78e0d19d6d605275a1939a7f61001f58f376569ecc0c5256
src/crypto/crypto_ops_builder/ref10/d2.py	567	e3aff85dcca7c5706e8a94d045e3246f8786c834074edf1d3ee41bc983e10156
src/crypto/crypto_ops_builder/ref10/fe.h	1939	37c8cf172c190b37134e6c9f9bf61f12c790126ecedc2abd6ecddffa71a4fd92
src/crypto/crypto_ops_builder/ref10/fe_0.c	170	825fc6d85b392d15c9b26c26ad2ccfb664a1c09658d8e2d26c54e37ac6e8b509
src/crypto/crypto_ops_builder/ref10/fe_1.c	170	a7ab32148848f7c44bc78b1e6d53c7bd633f629694b3b2dc075cc06d5eb17054
src/crypto/crypto_ops_builder/ref10/fe_add.c	1255	f838729610a80bb3a988fdfe1a8a9e9ab01648006492adf1ff35b544a38cf398
src/crypto/crypto_ops_builder/ref10/fe_cmov.c	1283	dc5f5993f3268ee20a333407e2d4b7a26a38ce1f8be7ce20b11c7d8f05efe03d
src/crypto/crypto_ops_builder/ref10/fe_copy.c	454	0f91f42eac64053f508537fff726561d2e21cd88f5f7fa304f34f419545a9121
src/crypto/crypto_ops_builder/ref10/fe_frombytes.c	2222	ae43a9b293d0950e4a87b5fdeaf59fbb9374aaa910f7aa295ee9e9521cec9a8a
src/crypto/crypto_ops_builder/ref10/fe_invert.c	135	504b694c38ab523f9514164a6f19dfa2987e5561525e4ebb1964c33028b0a6fb
src/crypto/crypto_ops_builder/ref10/fe_isnegative.c	266	c15116f89c80c6d393e6aa2e8ef6ad8b164e7b61f04bd208064f61e70f394697
src/crypto/crypto_ops_builder/ref10/fe_isnonzero.c	315	d39c476ead289b2cb93d11588afe13f24ba824af81e45ee935930f4d02587443
src/crypto/crypto_ops_builder/ref10/fe_mul.c	10744	77a67c16eebaa095e171caca018ceee1646a737eb314cebe72f05fff8a7d6b14
src/crypto/crypto_ops_builder/ref10/fe_neg.c	855	3ce85c334bbe9fa2e7e231d2319ec3d29cd03781c7b3108570635348652732c5
src/crypto/crypto_ops_builder/ref10/fe_pow22523.c	127	c6fca170f96ae1decbf89b9a0eef5e3973e3332fb064d8a39da20535148fdbc7
src/crypto/crypto_ops_builder/ref10/fe_sq.c	5980	a35384fbebe43092b465a2abd12abbf2ae1b2f337a711688c5487c06ce0dc56e
src/crypto/crypto_ops_builder/ref10/fe_sq2.c	6106	2abf4c6b3ed21ed8a805f2c0be1b9db4d88cdde9a0c710f24d070c5f2d01e076
src/crypto/crypto_ops_builder/ref10/fe_sub.c	1255	1a2afa4c5fc5fcec3dfd1344dbb41ba3b1c93acea47f74b413216b9c8f374c11
src/crypto/crypto_ops_builder/ref10/fe_tobytes.c	3189	678b10c1f49937ceccabddbaebe0982dea91a2620bdd81e29207178a959d97aa
src/crypto/crypto_ops_builder/ref10/ge.h	2869	827267cd894408c3e10443a51c257ce5dfc93ad032eff178a101d12cc9d1ace7
src/crypto/crypto_ops_builder/ref10/ge_add.c	125	cc236e58ad907a18671f2b5782ff9f4d2383a9848bc589b9fda83b3ecc55c05a
src/crypto/crypto_ops_builder/ref10/ge_add.h	2080	ac78e776b39f2eb09cb6588bb86f34f3cf970f81d124136920bf8ba5c3e8b3b8
src/crypto/crypto_ops_builder/ref10/ge_double_scalarmult.c	2371	225189d7203c85950c21a0a19120919bcc2cf91b50fa6c7453106321b362c463

src/crypto/crypto_ops_builder/ref10/ge_frombytes.c	987	6e65ae1c056f1dc11da16b2bd4aabad151db3abcd5ab7fbfaca7e784c18496d1
src/crypto/crypto_ops_builder/ref10/ge_madd.c	128	daf288d47d4d7356821912391ad2279a7ae5696a28bde7830b1660672ab5e6b4
src/crypto/crypto_ops_builder/ref10/ge_madd.h	1900	a39615f652006291a3fb0299728243191937b98e0e91fc8bf8196f96075a8d60
src/crypto/crypto_ops_builder/ref10/ge_msub.c	128	a7e060f539ad7a19428491fce2328ab2d5a6b5e1967a41e24bea8c80fe526a15
src/crypto/crypto_ops_builder/ref10/ge_msub.h	1900	ee0e1ecc451b7b30ea9ba9c71035d371414ce26267ca94523b12877a01c84e82
src/crypto/crypto_ops_builder/ref10/ge_p1p1_to_p2.c	165	be6e9b143c304c652534eea0fa9c92031005db7c83b824e7cf95581c093f9983
src/crypto/crypto_ops_builder/ref10/ge_p1p1_to_p3.c	191	ce67bc193d4d9c81ff18532ab5c1e74ccf519e8349ed19ff112feb22df27a3d2
src/crypto/crypto_ops_builder/ref10/ge_p2_0.c	86	1277df80612424d2eeb17e6700687b6fa24bfb5549f774c2112bc20fc39ebcfb
src/crypto/crypto_ops_builder/ref10/ge_p2_dbl.c	112	3d6aba9a349542b8350c5bbc8f69252d463b14605ad65d35241e89812482e780
src/crypto/crypto_ops_builder/ref10/ge_p2_dbl.h	1476	68aece7c0d6d99f8c6a91b4708d85336f060f9dfe171c1484097c4e380d1f884
src/crypto/crypto_ops_builder/ref10/ge_p3_0.c	100	e11b72f763151ef2ce652a0bf7991673b01e6ce74f15e90fd4af28cde505a52b
src/crypto/crypto_ops_builder/ref10/ge_p3_dbl.c	131	343ec8eddef9d91d130e3bbf443cdd64d226cd129530fede2126a837e31aab49
src/crypto/crypto_ops_builder/ref10/ge_p3_to_cached.c	246	7fb03b81ba8d513990c3ed90128fcb8bbff1012d8a4e7573fb50a0c0c6af0fcf
src/crypto/crypto_ops_builder/ref10/ge_p3_to_p2.c	149	1a29bfa686815c7c694d6cd2c660314f00e2bc53278478b7d8d51ede5133c34c
src/crypto/crypto_ops_builder/ref10/ge_p3_tobytes.c	228	232f48e92a096e1a9c5c18ce2bc80583d42236740501bff7d57eb9b9cc6310f4
src/crypto/crypto_ops_builder/ref10/ge_precomp_0.c	110	602db7879544d2084b3a6b21b33950b2b6974fabc36a8c867ad7207ac7a7b115
src/crypto/crypto_ops_builder/ref10/ge_scalarmult_base.c	2477	08d424c208d9f52a0dce884720413dc37449bee2ea6997e0d1cc5061433ff445
src/crypto/crypto_ops_builder/ref10/ge_sub.c	125	b1efea5ffb664ce1302099db84073cd959a4f9754f62ea73a1c58aac47e8f2df
src/crypto/crypto_ops_builder/ref10/ge_sub.h	2080	ee9a421a8a9778518748c93c1e9e7a08032601bfea0b5a7ecf266d1fc1b6a95c
src/crypto/crypto_ops_builder/ref10/ge_tobytes.c	225	6a54bfa8dbe907892fdb5b8f11581e3c6afaca1d9bf8f452ba9d6af3ea72ec6b

src/crypto/crypto_ops_builder/ref10/keypair.c	415	a2fdd7099b1a4aaa2deee29991b032b1d5dc9744dc87152b1a76d3783b5e602c
src/crypto/crypto_ops_builder/ref10/open.c	1036	9fd51699dde7bc7362c52fb98831b79b6355611fe21cfe132ff6ee4f3c9cecfc
src/crypto/crypto_ops_builder/ref10/pow22523.h	5518	32a9c7273c98fe428c7e1349f940e346960e84219b2d3c3cd0ada753e305fd86
src/crypto/crypto_ops_builder/ref10/pow225521.h	5527	7ab9170e5237fa676da2acd90cfe72a0357852114aeb937e210dc7dd6b9ff3df
src/crypto/crypto_ops_builder/ref10/sc.h	382	8ca4cb1ddc03571b62d668853f652b6116a8a93c439e32a529924bc0acc16c9c
src/crypto/crypto_ops_builder/ref10/sc_muladd.c	12494	5970a794d5e3691abee3514fe7a51c100bafcd1ef6053109a252ed7a6635194a
src/crypto/crypto_ops_builder/ref10/sc_reduce.c	8139	957ca57f09db9b46e6f25d530c2d913765893a7be36d34dfbcd3dc4524546299
src/crypto/crypto_ops_builder/ref10/sign.c	817	d71fce453b41ccd285fb4f9b8843e06e352b537be96519c595b438de9c840709
src/crypto/crypto_ops_builder/ref10/sqrtm1.h	87	eb5c2da31ae65159d3a2aa590dcac6594a384a731f918828c6e0d99fc1844b86
src/crypto/crypto_ops_builder/ref10/sqrtm1.py	563	fcfd6bd207bd9a0d34cef97bb6166691f720e8c52c6a48ed4e032edb26511c11
src/crypto/crypto_ops_builder/ref10CommentedCombined/MakeCryptoOps.py	9683	4d5cc2faa31dd389927ed392e52f203c33111973a53d2d70b4e6897ea4e1b9ec
src/crypto/crypto_ops_builder/ref10CommentedCombined/api.h	121	9d7cfd2c451dcf8ca38837dd602c8915ec246ed461a355c218a2bf9edd48ea6c
src/crypto/crypto_ops_builder/ref10CommentedCombined/base.h	76457	dac873e5965b34e29a14b56bc63f9434fbba16b3513daf53c7b0b2d07b614ac0
src/crypto/crypto_ops_builder/ref10CommentedCombined/base.py	1343	83148d97984e2812d79eddfb06942217db284a7ab6077d05e309e6fff66314af
src/crypto/crypto_ops_builder/ref10CommentedCombined/base2.h	2388	1dbe1b61a3b7689d840eec4be7569261d719e67cf9ed5ad1b51c5e34583bec94
src/crypto/crypto_ops_builder/ref10CommentedCombined/base2.py	1231	59566c7896508e4adcad02b37410703d10f5cac0726c60f3b819448094680221
src/crypto/crypto_ops_builder/ref10CommentedCombined/crypto-ops.h	4188	d0cb06f9d36ae77217103dcce693f31e088101b616c617b42706cc76578abd55
src/crypto/crypto_ops_builder/ref10CommentedCombined/d.h	91	4729f3315d4815f5f3cb47d3f176ad0e907471aa3a9afc8d80484d2da98723a2
src/crypto/crypto_ops_builder/ref10CommentedCombined/d.py	565	6c9277207d8537153653f936d51e8fac47203e78d9c341e2bccb919619e7d440
src/crypto/crypto_ops_builder/ref10CommentedCombined/d2.h	90	0248fcb39acf255d78e0d19d6d605275a1939a7f61001f58f376569ecc0c5256
src/crypto/crypto_ops_builder/ref10CommentedCombined/d2.py	567	e3aff85dcca7c5706e8a94d045e3246f8786c834074edf1d3ee41bc983e10156

src/crypto/crypto_ops_builder/ref10CommentedCombined/fe.h	1939	37c8cf172c190b37134e6c9f9bf61f12c790126ecedc2abd6ecddffa71a4fd92
src/crypto/crypto_ops_builder/ref10CommentedCombined/fe_0.c	170	825fc6d85b392d15c9b26c26ad2ccfb664a1c09658d8e2d26c54e37ac6e8b509
src/crypto/crypto_ops_builder/ref10CommentedCombined/fe_1.c	170	a7ab32148848f7c44bc78b1e6d53c7bd633f629694b3b2dc075cc06d5eb17054
src/crypto/crypto_ops_builder/ref10CommentedCombined/fe_add.c	1255	f838729610a80bb3a988fdfe1a8a9e9ab01648006492adf1ff35b544a38cf398
src/crypto/crypto_ops_builder/ref10CommentedCombined/fe_cmov.c	1283	dc5f5993f3268ee20a333407e2d4b7a26a38ce1f8be7ce20b11c7d8f05efe03c
src/crypto/crypto_ops_builder/ref10CommentedCombined/fe_copy.c	454	0f91f42eac64053f508537fff726561d2e21cd88f5f7fa304f34f419545a9121
src/crypto/crypto_ops_builder/ref10CommentedCombined/fe_frombytes.c	2222	ae43a9b293d0950e4a87b5fdeaf59fbb9374aaa910f7aa295ee9e9521cec9a8a
src/crypto/crypto_ops_builder/ref10CommentedCombined/fe_invert.c	135	504b694c38ab523f9514164a6f19dfa2987e5561525e4ebb1964c33028b0a6fb
src/crypto/crypto_ops_builder/ref10CommentedCombined/fe_isnegative.c	266	c15116f89c80c6d393e6aa2e8ef6ad8b164e7b61f04bd208064f61e70f394697
src/crypto/crypto_ops_builder/ref10CommentedCombined/fe_isnonzero.c	315	d39c476ead289b2cb93d11588afe13f24ba824af81e45ee935930f4d02587443
src/crypto/crypto_ops_builder/ref10CommentedCombined/fe_mul.c	10744	77a67c16eebaa095e171caca018ceee1646a737eb314cebe72f05fff8a7d6b14
src/crypto/crypto_ops_builder/ref10CommentedCombined/fe_neg.c	855	3ce85c334bbe9fa2e7e231d2319ec3d29cd03781c7b3108570635348652732c5
src/crypto/crypto_ops_builder/ref10CommentedCombined/fe_pow22523.c	127	c6fca170f96ae1decbf89b9a0eef5e3973e3332fb064d8a39da20535148fdbc7
src/crypto/crypto_ops_builder/ref10CommentedCombined/fe_sq.c	5980	a35384fbebe43092b465a2abd12abbf2ae1b2f337a711688c5487c06ce0dc56e
src/crypto/crypto_ops_builder/ref10CommentedCombined/fe_sq2.c	6106	2abf4c6b3ed21ed8a805f2c0be1b9db4d88cdde9a0c710f24d070c5f2d01e076
src/crypto/crypto_ops_builder/ref10CommentedCombined/fe_sub.c	1255	1a2afa4c5fc5fcec3dfd1344dbb41ba3b1c93acea47f74b413216b9c8f374c11
src/crypto/crypto_ops_builder/ref10CommentedCombined/fe_tobytes.c	3189	678b10c1f49937ceccabddbaebe0982dea91a2620bdd81e29207178a959d97aa
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge.h	2869	827267cd894408c3e10443a51c257ce5dfc93ad032eff178a101d12cc9d1ace7
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_add.c	125	cc236e58ad907a18671f2b5782ff9f4d2383a9848bc589b9fda83b3ecc55c05a
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_add.h	2080	ac78e776b39f2eb09cb6588bb86f34f3cf970f81d124136920bf8ba5c3e8b3b8

src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_double_scalarmult.c	2371	225189d7203c85950c21a0a19120919bcc2cf91b50fa6c7453106321b362c463
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_frombytes.c	987	6e65ae1c056f1dc11da16b2bd4aabad151db3abcd5ab7fbfaca7e784c18496d1
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_madd.c	128	daf288d47d4d7356821912391ad2279a7ae5696a28bde7830b1660672ab5e6b4
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_madd.h	1900	a39615f652006291a3fb0299728243191937b98e0e91fc8bf8196f96075a8d60
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_msub.c	128	a7e060f539ad7a19428491fce2328ab2d5a6b5e1967a41e24bea8c80fe526a15
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_msub.h	1900	ee0e1ecc451b7b30ea9ba9c71035d371414ce26267ca94523b12877a01c84e82
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_p1p1_to_p2.c	165	be6e9b143c304c652534eea0fa9c92031005db7c83b824e7cf95581c093f9983
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_p1p1_to_p3.c	191	ce67bc193d4d9c81ff18532ab5c1e74ccf519e8349ed19ff112feb22df27a3d2
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_p2_0.c	86	1277df80612424d2eeb17e6700687b6fa24bfb5549f774c2112bc20fc39ebcfb
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_p2_dbl.c	112	3d6aba9a349542b8350c5bbc8f69252d463b14605ad65d35241e89812482e780
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_p2_dbl.h	1476	68aece7c0d6d99f8c6a91b4708d85336f060f9dfe171c1484097c4e380d1f884
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_p3_0.c	100	e11b72f763151ef2ce652a0bf7991673b01e6ce74f15e90fd4af28cde505a52b
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_p3_dbl.c	131	343ec8eddef9d91d130e3bbf443cdd64d226cd129530fede2126a837e31aab49
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_p3_to_cached.c	246	7fb03b81ba8d513990c3ed90128fcb8bbff1012d8a4e7573fb50a0c0c6af0fcf
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_p3_to_p2.c	149	1a29bfa686815c7c694d6cd2c660314f00e2bc53278478b7d8d51ede5133c34c
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_p3_tobytes.c	228	232f48e92a096e1a9c5c18ce2bc80583d42236740501bff7d57eb9b9cc6310f4
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_precomp_0.c	110	602db7879544d2084b3a6b21b33950b2b6974fabc36a8c867ad7207ac7a7b115

src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_scalarmult_base.c	2477	08d424c208d9f52a0dce884720413dc37449bee2ea6997e0d1cc5061433ff445
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_sub.c	125	b1efea5ffb664ce1302099db84073cd959a4f9754f62ea73a1c58aac47e8f2df
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_sub.h	2080	ee9a421a8a9778518748c93c1e9e7a08032601bfea0b5a7ecf266d1fc1b6a95c
src/crypto/crypto_ops_builder/ref10CommentedCombined/ge_tobytes.c	225	6a54bfa8dbe907892fdb5b8f11581e3c6afaca1d9bf8f452ba9d6af3ea72ec6b
src/crypto/crypto_ops_builder/ref10CommentedCombined/keypair.c	415	a2fdd7099b1a4aaa2deee29991b032b1d5dc9744dc87152b1a76d3783b5e602c
src/crypto/crypto_ops_builder/ref10CommentedCombined/open.c	1036	9fd51699dde7bc7362c52fb98831b79b6355611fe21cfe132ff6ee4f3c9cecfc
src/crypto/crypto_ops_builder/ref10CommentedCombined/pow22523.h	5518	32a9c7273c98fe428c7e1349f940e346960e84219b2d3c3cd0ada753e305fd86
src/crypto/crypto_ops_builder/ref10CommentedCombined/pow225521.h	5527	7ab9170e5237fa676da2acd90cfe72a0357852114aeb937e210dc7dd6b9ff3df
src/crypto/crypto_ops_builder/ref10CommentedCombined/sc.h	382	8ca4cb1ddc03571b62d668853f652b6116a8a93c439e32a529924bc0acc16c9d
src/crypto/crypto_ops_builder/ref10CommentedCombined/sc_muladd.c	12494	5970a794d5e3691abee3514fe7a51c100bafcd1ef6053109a252ed7a6635194a
src/crypto/crypto_ops_builder/ref10CommentedCombined/sc_reduce.c	8139	957ca57f09db9b46e6f25d530c2d913765893a7be36d34dfbcd3dc4524546299
src/crypto/crypto_ops_builder/ref10CommentedCombined/sc_sub.xmr.c	16943	c0feab4474da4f2d5023d61c2b7c8973e54042e0d5fb9d32047b39c7d763050c
src/crypto/crypto_ops_builder/ref10CommentedCombined/sign.c	817	d71fce453b41ccd285fb4f9b8843e06e352b537be96519c595b438de9c840709
src/crypto/crypto_ops_builder/ref10CommentedCombined/sqrtm1.h	87	eb5c2da31ae65159d3a2aa590dcac6594a384a731f918828c6e0d99fc1844b86
src/crypto/crypto_ops_builder/ref10CommentedCombined/sqrtm1.py	563	fcfd6bd207bd9a0d34cef97bb6166691f720e8c52c6a48ed4e032edb26511c11
src/crypto/crypto_ops_builder/ref10CommentedCombined/xmrSpecificOld.c	22902	6a4ebfa9e017a1cfe125add6444f55aec1f5d1f152da21cda6dd02a02088927b
src/crypto/crypto_ops_builder/sha512-blocks.c	6437	6a651d1d0a5e3ee0af98fd180b750097f646913be3725bf2ff683f116f75e8e1
src/crypto/crypto_ops_builder/sha512-hash.c	1804	66d6e138a4ebb147d2581af487115bd3265cf81069ee5c7fb2d030786593090
src/crypto/crypto_ops_builder/sha512.h	243	48a0f71abcada8dbc6f2fa7272c2d8cdbe6f1e871bfd4ed9d6b3d64f20906b04
src/crypto/crypto_ops_builder/verify.c	473	9cbbc9a8d5fd0599365d8cfde7f3f8b1c94fc80272a4a1e0bd38e0c31c2c7289
src/crypto/duration.h	3040	cfb2430d8c207c61b65200f02a38144e37cfcbffb1c523616cfee2508a384ea2

src/crypto/generators.cpp	14212	62520504016a2ee95c7b0dcbac93e4b39aac7b245e0b193b66e2f7fe2d5ef39b
src/crypto/generators.h	2133	f035faafe63a192dabe9cadef9ac125981cb1ad5e7a4eee4671c2a94986fa493
src/crypto/generic-ops.h	4018	d24614c94eb59017554b9349be8b3ee277388b3281979626aa09b72aa664460a
src/crypto/groestl.c	11960	542ccf2655689086d6369115b318deab977060e354d0d5d2aa8e8f1688c4bfb4
src/crypto/groestl.h	3103	464fbe8356ec602a2fbb3e3fbd034c5c9f7f453d4e71fb4134b8a0cedf54d703
src/crypto/groestl_tables.h	14083	e8e33e6f9b97f72e197b4dfdcd85289b5e93973e16cd66205646cedf4dfe5f4c
src/crypto/hash-def.h	1675	f09795fb08fa68acd88957b551bbbcd81c896b4ab319c9aad45a2f3b08b5f994
src/crypto/hash-extra-blake.c	1865	56fb87bbea92024e67bec636b59d92cad8ee9788e2ac6463d806f79ae4beb622
src/crypto/hash-extra-groestl.c	1885	6109ee3af549187f181334158875f629ee5936b887a1f0f3d6cfb080e7d34859
src/crypto/hash-extra-jh.c	2070	8c5ccd706c6cfab5ffb570673b11c47ed9c11080141f2a2bd6a17c406cc6ef18
src/crypto/hash-extra-skein.c	2048	4d104ea4a63736a3cb595164eeaa3b3a017a7176e9a96959fad56f5adba78c6e
src/crypto/hash-ops.h	4481	6340b58874b4645cc90d6cf97f87c157b8c8605421aafebcb8fd0bfc7424920a
src/crypto/hash.c	2338	56a62dc76510b7d9c5e4fd4f7fdcf09aa86a68d0e0e98b002bb8ab22277f112c
src/crypto/hash.cpp	3957	3214ca89b4b885357294958b18d0d78d9e223df56358b651f3492475522ead72
src/crypto/hash.h	3121	89fee28ecd6b8c7d71ad3df58e28205551fb2709ae7dc1a98a5af961d581688b
src/crypto/hmac-keccak.c	2989	e67a1afa52bab3adef2a6a0d8c3bb99c558d3e94f23748b114c7543efb710e99
src/crypto/hmac-keccak.h	2356	e2fc2dd3a89cbd454b98b45cff6432dba19138774dbc1e6bdcb56260b07ea11a
src/crypto/initializer.h	2768	735dca21f7181d4be1fb08450297ec264f904d55137298990e20b634bc362801
src/crypto/jh.c	25452	f6c6b6983e67da79371d195e857e8f3c9f419ca84c5b77063862ce6222a04073
src/crypto/jh.h	828	ca4f3570ce36a46bdc24e749ad1d60f9216ee708076d61fd9f1a1ed33662617
src/crypto/keccak.c	6738	56aec12b01d0b85dfff97f8d32e9dbe1bdf4f5cc76a4a97a93af73aa05c98b39
src/crypto/keccak.h	993	dde2bdb591a893b8ca5890b7e3d5be906812d4b3977e9006b5434e1cf35d3be7
src/crypto/oaes_lib.c	8292	e81aea08da377b8831ce937ee2c18c5a1fb423c566caef0f608b6d717a1fbef5
src/crypto/oaes_lib.h	3397	1aff1cfc2bd5102e518827247b21c2c07666c2f24b5dce11cb34a7a7c50fb99c
src/crypto/random.c	6281	a600a0a54df08eff9be89335daea5299d961fa43dc024c488eceb5a610ec93c6
src/crypto/random.h	2070	cfcb0a4b9dc5472dbadb1f018e50e72b25c5ed1007c8dc293de0b7aade440e16
src/crypto/rx-slow-hash.c	15956	1e8ecab05829bd0e2607c5d677629c3e9d4908f8e7754baf0a37dabfdc2af427
src/crypto/skein.c	84748	96bdda389bcb9b87811f52c33b74840bd38f4900f8dc163ed358704e32a805c2
src/crypto/skein.h	1910	9f1d7fd31d8d9776974af1e33441da6caa33a3e08c0ad5b86e5f1215af7a2fec
src/crypto/skein_port.h	8334	741a2fda82c22b29865ebe1c640e65a48d5c4935a8f8ec16f68eccc379ef79d2
src/crypto/slow-hash.c	57460	886ae10164b0593e35df7419cd5834ce66a6db5a5f54a623a5364804f868fd83
src/crypto/tree-hash.c	8235	1869b24e5cf1f9c36b23d743d251ddbcd6227f5d1c781cb60f800cb1e0ce5cb1
src/crypto/variant2_int_sqrt.h	7769	680314b217892f7ef62d30386a69854ceb607cfd1d4d946fdbe5344259f156cf

src/crypto/variant4_random_math.h	13674	52423d93368918c7dc17d793ad5c1d9c3f152a03849b43d2182bf0a6eba9244
src/crypto/wallet/crypto.h	2547	020a41b52135f2ce48977ea7077354f182f3748819f348bb8c965b73394db99
src/crypto/wire.h	1883	a1748e10504d14cb6202f86b048016e518752ca96b81ca61bb4fc3b4827222d
src/crypto/x25519.cpp	4237	aa9696357248dfaa733e4a512a1c6b4eff6c6e9cd4787ec7914f13cd7d3a78f
src/crypto/x25519.h	3330	752f814403b6ac65e071b794c670ff4c1befe28f6f1a4072f2205bab3ef0648
src/cryptonote_basic/account.cpp	13581	bc0220f0efe219365058dd9771060c44cf6571521fb906eacfe89e749572df0
src/cryptonote_basic/account.h	7943	d9d5dc7dbb2ce3ada4a72c70e2e0de982f77adbdf5a828a0f55c6bf487b8335
src/cryptonote_basic/account_boost_serialization.h	2294	9e407789747d9be7f9fbd6ec6ed61e92edf6e682cb2f749aad892a33d903709
src/cryptonote_basic/blobdatatype.h	1877	c1924f5ad550f030970046354d3ba7a85e909da013f1c6abe6467d144492f0e
src/cryptonote_basic/connection_context.cpp	3938	52b3b29894003d821229e60b4197304fa1a6513f4809020a91eb5c4cadf078f
src/cryptonote_basic/connection_context.h	6139	da57dcfc2429ccaedc22849dd5897f05fc591f3066ab891e6421ce45fde1193
src/cryptonote_basic/cryptonote_basic.h	23702	204962967bb9f093b577b3ba014d9d742ec9a706137b16e20128e44b1102745
src/cryptonote_basic/cryptonote_basic_impl.cpp	12627	9ad62ed4650dbdc338826869f0a42e7bdf1d74c153059d1d55e47b99ac5b736
src/cryptonote_basic/cryptonote_basic_impl.h	6531	d38a12c2b89d894b9fd8349d62c1145c83fcc160dd8076f3014a3f206b9f1d7
src/cryptonote_basic/cryptonote_boost_serialization.h	12987	5f284bf26ed20e1134d62929734111e25a3867e2e40f3acdd1ce77b7b273e0b
src/cryptonote_basic/cryptonote_format_utils.cpp	75265	065a550a474b7eb3bd3a3a5e08c190294883c0e84496336e15d4d86edf67c9a
src/cryptonote_basic/cryptonote_format_utils.h	16704	6b3be1845d396921c65ff3e13e83f860c3991fb2d07884bd4b8bb1ae4e9e3d9
src/cryptonote_basic/cryptonote_format_utils_basic.cpp	2195	ef8ad44714feff9ab34babe75c982448820fee8f807f4b39f7207eb2c93dab1
src/cryptonote_basic/difficulty.cpp	9281	96f4776d7b624f952df85220630100e57de469f40b5ff4af15ed56489d0e465
src/cryptonote_basic/difficulty.h	2910	c5f1674bf6ed674c3682259628a2c81e87e8b9150198bd443691feba1477296
src/cryptonote_basic/events.h	2153	d4880274f21fa3a2845818056230fda5ae47c6e3b81e801aa4695b0512e8bed
src/cryptonote_basic/fwd.h	1727	2d23b2b8da870c54d4db7f305a5bc9b8ccc65a867e826848295eaa7c2944f3c
src/cryptonote_basic/hardfork.cpp	12424	67e76b5140de6b799b1479e4dcd917bb906e0a8e49dbee8fa14e6880c3291b9
src/cryptonote_basic/hardfork.h	9987	e28a84dc295baacd4cbc4f1dfaf597065058afc34fe1683283a5e8c72c9f122
src/cryptonote_basic/merge_mining.cpp	3385	537857dc323d1debc7a7bcea0cbb4e21d4c7438b9485d1f8675f53b6a48bd82
src/cryptonote_basic/merge_mining.h	1915	919bbc1eda13d8f329233e9b22d5160ca2facb746b32a60bd59efa939943c18
src/cryptonote_basic/miner.cpp	45038	467207ed6b4b1dc693cab2a81fdbeda8a7cb120c515ee885ed012b8790a67682
src/cryptonote_basic/miner.h	8222	9cac6b0a6329e48ffbf9e969c76a435430555ff4fd288726375d6e98364efbb

src/cryptonote_basic/subaddress_index.h	3393	e155a9aa113048064186d8cd52a9c04ccc749e2565b93ec700b65f1f8697120
src/cryptonote_basic/tx_extra.h	6059	ae91d15d11be1ac887ecd658ca9a2c78d4d5ccb1d072e24b31ab6268efd97e6
src/cryptonote_basic/verification_context.h	3521	e81b2a8d69421e19d43b1905601563e13bb7f13fade10fd3f222f42cd460c05
src/cryptonote_config.h	19904	61d6d6a85ad582ac87aa22011e25417dc437871f460e90adec5697eff17224f
src/cryptonote_core/blockchain.cpp	216305	23ad915e0df0e46bb0ae614076e4095edb513b6e325f44152716abe15d9b542
src/cryptonote_core/blockchain.h	70469	768071da3a2c8e8a55d9630ed84d236054b610da4d50a4dfc459107fa413ed5
src/cryptonote_core/blockchain_and_pool.h	2399	e9231c8881f356315f9a1d20eabb64525083468771422a72fb25883bb822d9e
src/cryptonote_core/cryptonote_core.cpp	79945	21098bf0ef9e97e85af2da82af446352f6d2ebc9e3e08f77d92e49b7c79c906
src/cryptonote_core/cryptonote_core.h	40658	0db747916552178b45bd42afeb0fa141c7af7b9882b023b1bc31e38d0da9da9
src/cryptonote_core/cryptonote_tx_utils.cpp	32529	8e5bef1af8b1dc4d9c1c20bdbb3d794956a015fc4f40204913815297a09190f
src/cryptonote_core/cryptonote_tx_utils.h	9935	03dc4e38355d5cd5a7dccc92fc427483169fcae4c6357de025c26116c8924b34
src/cryptonote_core/i_core_events.h	2032	7604bb4c8bfecf6d660950177851b203f93414f6c5b9c4ff14174e8731112058
src/cryptonote_core/tx_pool.cpp	81184	df1ffcaf62938ac348c940e632e82440fc0c402c9434913c0c1b65e9949c6df6
src/cryptonote_core/tx_pool.h	27949	b5ecd519b2885f9c5639168023009f26c5a832fd7532469c48bbef14409c08a7
src/cryptonote_core/tx_sanity_check.cpp	3764	0f9ac93798074919e4185ecee1ce7fba5215a4ac634f57d750758625131f592c
src/cryptonote_core/tx_sanity_check.h	1876	e18a475346ca5c3e028c549f0b6f446a71102d9c5b800ead24a0191f482128e6
src/cryptonote_core/tx_verification_utils.cpp	19093	7ef9f66ffff4ef0da57814c87ed2da241b3c88bd94842d01a60e7f78eec11a8c
src/cryptonote_core/tx_verification_utils.h	7508	4ce264c92b4477f3f06d1553a27ebe8297a11a14e251b6d5adcffd012ae288a4
src/cryptonote_protocol/block_entry_utils.h	6026	fabd51964c431ee5ca92b21e5cb96c8dbd8919d64c2fa893f7f376187977c9db
src/cryptonote_protocol/block_queue.cpp	18400	71c884b4dfe5c58c651d52ac0feb45523754aa518b2fffab3711e8f52910b4b9
src/cryptonote_protocol/block_queue.h	6522	68f509fc085855cb156e1aa81f2e0f824e16a900e1387b3df4f9b923866f948c
src/cryptonote_protocol/cryptonote_protocol_defs.h	11991	4459e0d2186d3d16ed7d70d3291f6612cd92f1f37774cf9a24decf9fba0b6b9f
src/cryptonote_protocol/cryptonote_protocol_handler-base.cpp	5183	8e4d2a5aaf4f837ddd53ea4920939be76494828b61bb46809c983a6975d9c5d6
src/cryptonote_protocol/cryptonote_protocol_handler.h	12513	d3004caf4394207bde153782668053d22c833d5ee20ae7e187e8ad5395304d01
src/cryptonote_protocol/cryptonote_protocol_handler_common.h	3360	ac282102baff1b289cb56f1157d607ef91d45e235926e4ece931889861edcd69
src/cryptonote_protocol/enums.h	2176	1ed7d02504dc98b9f291071cde570f4953294710baa930fb8be201ef60272b49
src/cryptonote_protocol/fwd.h	1704	aa1e77275411e986363a96a62ad789f248b3449763a0c78514bb541cc4b7812c
src/cryptonote_protocol/levin_notify.cpp	35623	18e10ce8b9b512bf4a244327d8a8bc98c830eb48736c186e0c3014c8c77e47dc

src/cryptonote_protocol/levin_notify.h	4879	d833a6870a9d14389d5c4bb1e5f3fda9331a7c086060e1cc295a7c170bf57ec
src/daemon/command_line_args.h	6299	80b157c96eb7d7d526404c448c1f5e325faf374795fc6e22051d1f213c1141c
src/daemon/command_parser_executor.cpp	31960	451a849f130ed6776801a9ef5061c4152a606375984a5c729348d2ae711c191
src/daemon/command_parser_executor.h	5200	b1eece0b4902f79065483aa4a71e06b2a4fedc05fd549b5624a303b665573aa
src/daemon/command_server.cpp	15651	afb861a09efe150dbee664fe7840d7bbb1c0a8aa845a7b5f5be8a2415109a29
src/daemon/command_server.h	2733	155a4b80d9fb8da517ac1de41f83c870eb1186f61b0a17956b34cbf8d1468f2
src/daemon/core.h	3941	43ce7f59d00e5067186dacd521e85d844cef81a462987ee3e183132ce937690
src/daemon/daemon.cpp	12131	e4ac6c5273b1e56e0269cc1002df6fc79726300a4a4e2846feebf2ccbf1a692
src/daemon/daemon.h	2262	b4a843b991536194f4126feb6668a6f71cea6b11ffcf2790ec65912f2abb49e
src/daemon/executor.cpp	2695	dbadf166b9642c7c0c291d0ad649a1e0c6c6e288626a75ee187ebf61274d3dc
src/daemon/executor.h	2557	10eca95089cffc28bf3a0d12629994a0e9496495dcdbe5dcecefa6fc8389d85
src/daemon/main.cpp	14632	e03b76b68743cbf45ac4556776088a6bb0bf34867026a8278b0c571688d4a94
src/daemon/p2p.h	3194	c89da42f7e346582845cc34003ab6e879552c69e2ec85f88e81cd920b2f7474
src/daemon/protocol.h	2993	83e3026ace1589e223c16ef99fbfb5b12843b64e4efff14fcab89d843dcfcc7
src/daemon/rpc.h	3606	13092e9c708e74b0fc4a01a3ddc5e370c7a94499f5f851eca5c4196257d788b
src/daemon/rpc_command_executor.cpp	81552	123748c3026078d8030887a697640d49ed124fc8f6f319dac46af38954877cd
src/daemon/rpc_command_executor.h	4959	510b1e255dec37b63608ef629b65c416d188d81b19e9ceec36f97557a300c20
src/daemonizer/daemonizer.h	2888	a7a8f317f5cc7ac23a16154c11e136e8c6c27973972598f1ac38b83b9a5b790
src/daemonizer/posix_fork.cpp	4955	b31b452441c3222219f179abdf0985136cb18cff35a0a090c5a937bb034f253
src/daemonizer/posix_fork.h	1703	5af6e0a3922c65baef730c2e2b148f6c2fdb58bab30d21b1cebfccbeeed0edd
src/daemonizer/windows_service.cpp	8747	c866149846c9a36d6ef359ddec3f2c3dd0fbebbf4aeb7f85e78bccc5c02de41
src/daemonizer/windows_service.h	2138	8ba0b57e991bf896851459efc39ddbfca8ac43764ac4a18ef2f96c3460109ae
src/daemonizer/windows_service_runner.h	5199	ffcccc98a2c47cf1db69d76341d8002d9eb59c606d16bdf58e97267a6f3a6ef
src/debug_utilities/cn_deserialize.cpp	7653	ce2a7fbbf26f426f512e310f096998b27855cd9b233324630052d86c1b91371
src/debug_utilities/dns_checks.cpp	5527	ce18f66bd59d07280694b75b877eb4abf073cb5b0dbae30489ab791f8f2e0f1
src/debug_utilities/object_sizes.cpp	4337	7bceb8a710b12782a5402f1dab4ef3293c716cc09ede6385020e00366470f26
src/device/device.cpp	4122	4b26053f49c5f63c49e9a9aa63ec0c3e96152164e72ddde6079f6af2bc0ca03
src/device/device.hpp	14868	ceb92cdf2fa18db1839a9599bcd089ff400fa1e0a28ba261629fc9c232c9fff
src/device/device_cold.hpp	6499	687982f119dd95475e765ed866b08fd93e3bcf1e81e31e640688a5df8d52567
src/device/device_default.cpp	22758	b01708afb69af47cd85de6ed0c1125005920bb7b060bb736ef7932f7a7fd184
src/device/device_default.hpp	10608	f4680e7f86ea2ebf3aba361760105d68f39be2045279110b4493237a73cf081
src/device/device_io.hpp	2100	04e13668eadbc57e51736a94ac7ddc125777b134ccdbc545abf464c2eb5c85d

src/device/device_io_hid.cpp	13867	5f66c743b1edc5bec3acc6f60686c47126d5b13b82c212a055674f713b054c75
src/device/device_io_hid.hpp	4193	56b98eee55009fbe3e61efe3847593ff6f7031cedb2d20c96d6dbad481b4b8c6
src/device/device_ledger.cpp	95324	e9be6b96becd58617dc99a8ab3996174a59303bfb431f44fc3a6aa8e0c7a9089
src/device/device_ledger.hpp	16651	4540240c76aefc04267af721a3227b43c347d310186cb1027a1e7c530bc8da72
src/device/log.cpp	5787	d5a58ef9ec6c318bebafa3d76fbaaf9bba43cc036e47d4c62b29145a105af034
src/device/log.hpp	3803	a33cb58b12101b78b1c07f85352ed52b78075e4f5dd7888c9cc99ec93127824b
src/device_trezor/device_trezor.cpp	30321	a3284befdac91e9bb837475888aab9d3d47fa684a59777e4e2f420061fe72a69
src/device_trezor/device_trezor.hpp	9128	70c9dda60b84e55becb5111c900dced7f94d4ca3d30a43ab223335ef002ed83c
src/device_trezor/device_trezor_base.cpp	20027	70484771a0f9da8a52a111f70dccfa9f84b8be564f94a380c14e0542e0052f71
src/device_trezor/device_trezor_base.hpp	12846	df347e26bbe4130b99ba4ca36459fa751b8f06fb76978c6c9d90403e84c0ea4c
src/device_trezor/trezor/debug_link.cpp	3123	1517dca749b900495fe00be101c6246fafdcfd1fbd9731b437f67d5c7a5c645c
src/device_trezor/trezor/debug_link.hpp	3461	b0b35f56d320b19547e271e0889f7dbbd1d893835e7af05a469075dca0a14e1c
src/device_trezor/trezor/exceptions.hpp	7206	941f49d6f71b0c7e2183bfa416cb86d7fdf8541fb72ccc398ea01724efcc9f0c
src/device_trezor/trezor/messages_map.cpp	5399	82f0a9e90f76baf7eea73a056faff80931d6b3cbca757e9f800e0cc9369e5691
src/device_trezor/trezor/messages_map.hpp	3921	a2d63ae5bf68cbf4579e8a7e27c009ab22633b63c9151a1e20ad310f8b31a0f9
src/device_trezor/trezor/protob/messages-common.proto	6918	cff96d8dc8c6e3943afc8d14ac3e0aaaf2b609d387766bc5f889f7ab861be24c
src/device_trezor/trezor/protob/messages-debug.proto	10196	b4226439d34ea46d6b706a7d2f010f6f10c92d83db93743bac3039a41ae64d17
src/device_trezor/trezor/protob/messages-management.proto	30030	81391eedb4a960a5332e5f3d40b1f316ac635ebb0e471f8e6d4233d5a670d6aa
src/device_trezor/trezor/protob/messages-monero.proto	15967	b5b5d9b971f5834db8b41901cf6e89fcfa491e6ac3e8bc26287465b8881ee4d2
src/device_trezor/trezor/protob/messages.proto	24596	60d5a9fe9fc43f3c131beb51f677b78037830cc2860bcd288b4db031cb671dd8
src/device_trezor/trezor/protob/options.proto	3772	91cdd9232d1e08fef809b9814e33ab07a5a0e4885ea10ee71a1f9785106d27a7
src/device_trezor/trezor/protocol.cpp	44357	208d62420b9807b1f6031655fc422468a2c306e1523276a27ee7c216ad559b19
src/device_trezor/trezor/protocol.hpp	14674	f06aaedb3060f23e0a937e0b8d051f8544046e7228337bf4700eefd28a5f919e
src/device_trezor/trezor/transport.cpp	41677	d15b58f2d40646c9a6a8222cd6da75dc38304be0faff784307783511f13d8709
src/device_trezor/trezor/transport.hpp	14295	bda32b96a4853236b1dde3a36a41fc2a12eaa7473d406c2ccd4dc3edec2ee6c0
src/device_trezor/trezor/trezor_defs.hpp	2711	bb3cfb5dca576a61c599d5498e6caab1ef96b114f5ff9b5a7305e2aec4fef2dc
src/device_trezor/trezor.hpp	1990	aa0be0f4131eb22e9201a899db73253851d0b1e26bfeb2d5e1d661ef2072230c
src/fcmp_pp/curve_trees.cpp	49581	481bbba5852dfe401c5ae5146e5e12881d276fcf7f91f3fb7f3c1cc52fddc11c

src/fcmp_pp/curve_trees.h	10640	4cd9e819ed3917feb9a33ef416223bb7e68a6539f2e5c9d46a4b9daf162b849
src/fcmp_pp/fcmp_pp_crypto.cpp	4714	75bf9d17c712e5ff6238745c0ca66723d0f2b2084afdac4fabc129a2aef97c34
src/fcmp_pp/fcmp_pp_crypto.h	4276	a9d1ef69e8ff60c018c25791ce1e27ecbd3573489827d0f23ddd1d99f3e31132
src/fcmp_pp/fcmp_pp_rust/Cargo.lock	20760	b69c300c2ce402e4050ef2a7015a852cb584bf55060af2722bd6b107a300be5a
src/fcmp_pp/fcmp_pp_rust/Cargo.toml	1224	92b9f088f56eaf892c4bec7fcc387d3fb3a33624254989105e3a0481e8374703
src/fcmp_pp/fcmp_pp_rust/fcmp++.h	6477	54796b3106fef176fe83cff2a26bbd1aca64e7b40ebe32c5024ae0bc9399d3d0
src/fcmp_pp/fcmp_pp_rust/src/lib.rs	7054	c716dc4002996f66097051550f143ccc1805aac29ed8f36af769565e978af0ac
src/fcmp_pp/fcmp_pp_types.cpp	4921	316e306c4c59294d1afafaa56384779bddfadd250eddc2e650f1cff31d2c9ffa
src/fcmp_pp/fcmp_pp_types.h	7831	b74e86f5dd23fa696158b071c0a9395b6bdd67c26923fceaf52ad6346855252
src/fcmp_pp/ffi_api_c_compat.c	46	bdfe5cf8538074b03e4577bcbf357106195c04dd0430766d7ce0f7c03c9a0caf
src/fcmp_pp/tower_cycle.cpp	8817	1cfb35096882577b273c9c3a22b18f36f72f94227bc9ceae595bfc6a2e6454d2
src/fcmp_pp/tower_cycle.h	5976	bf021c24bfee6238902561814fe775aa0daa7f9eebd1336c64e867850a71964e
src/gen_multisig/gen_multisig.cpp	9435	9c53df5c2003ca158cba7d8c2296c7e235d4919f7a6b35f8f26800b7f43ecd84
src/gen_ssl_cert/gen_ssl_cert.cpp	9041	08c54d396e000b26e47d25fcee42a0441fb57b192a3560fc08b9f0b307567eb0
src/hardforks/hardforks.cpp	5804	919ce96a538abc81e2af0971a38765c4d4f2be64b5bdd00e3868fdb8ece72182
src/hardforks/hardforks.h	2273	a75869264df3a069f9f0391b1827da70411f9edf052557bce29d1cec3963352
src/lmdb/database.cpp	5839	18a7c471dc7fcba5c2b4480dbf809e2395e37c9c03daa7b28012b838ba261a16
src/lmdb/database.h	5006	a1aef2ee4e3e46a3c9da582dc11fbdeb1dc09b52499fed4345f6c0bc8eedcc6d
src/lmdb/error.cpp	3812	364cc360f8e673a18e9857109c90780e33f467101cdb5d4ea45b34d483edd6b8
src/lmdb/error.h	2494	1a00589f4a11055a1963ffd19d426c6bb82cce352156b271ff973f764d40a30b
src/lmdb/key_stream.h	9725	7000b76657e6a5dcc2106c457c710b9d744acf8a4f311ad0e6ae24a661bfe6e8
src/lmdb/table.cpp	2110	8c3ecbd7e101b3dc629b896ba4c655c894d9c2137a8214b0813aa816d4c6fe56
src/lmdb/table.h	4182	79b3a675ddf9a3f433189dd62ee2d0516859f079b9261c545f34181bec847dc9
src/lmdb/transaction.h	3471	6af112d7e57063a2354853c3ba1e69f20b5bdde0610b28d69b499be48e2d93f4
src/lmdb/util.h	6252	99a8b89464ad04b7a49e500509a9b2af976f2734baac7f4a5784bb55d8afe415
src/lmdb/value_stream.cpp	2993	003f3c6b1f3a3658192bacb1f29760ec503358757007b24fb6196ec0b4da54e6
src/lmdb/value_stream.h	11217	ba0f1e108df3068be7730839d006623babb47e101250ccab7b08e379ba76dbde
src/mnemonics/chinese_simplified.h	26291	4a38fbe7279616aa78aa11dbcf425d0ba5305fd2089cb4421d544f2c540d50fc
src/mnemonics/dutch.h	34414	775d05f737f453d6798876d99961bb3bcfc49d47cb57860d3c0b2a03b9a64822
src/mnemonics/electrum-words.cpp	25437	41b2b72db444e4893c6abd6dac9a34d54c929e2b9394988ec22d758146625163
src/mnemonics/electrum-words.h	8880	eff1c41ae6935091ee40b57bd3044b053e8700ffe0b1a049926a90981c591020
src/mnemonics/english.h	33172	9bd756d29e689aae0e6e7f8b1196c4f35df350225c4668d4f6f41842f05fc2ca
src/mnemonics/english_old.h	32389	20c9090994c5b441f2e550cddbf266d604b64e495d9b172e45a8031e1aa5d578

src/mnemonics/esperanto.h	30916	382d9f9bfcf293e4dc9f156042fe5a3f2a151191bae368a494eaf53c77e16043
src/mnemonics/french.h	30898	f4e42ab4eb9824a2cd829f132e33dfc46ae31c5788a37c9726d393e7cc809a82
src/mnemonics/german.h	34100	7b910a96bc94d19eb3e4edd8179db383a68b03a7608396bbee0fdc46a7d4e88e
src/mnemonics/italian.h	34533	d02956b528db827646a1f6f78c1a19716b9334985cb893eb09409834a04045db
src/mnemonics/japanese.h	42380	3701f067006b60e95e266e7a385b472c5bddeb6f476e737eed6d3b7febefe6d5
src/mnemonics/language_base.h	7885	2bc256f01c6904af914cb7c6526254267ed463882e216fd0eb1d9bbdf4bf5bb4
src/mnemonics/lojban.h	28601	6c84dedd2609060f30368b92b5e377207e28afcda5401b5060d57c633e623a04
src/mnemonics/polyseed/pbkdf2.c	3257	f03848974bafc867280a7f8d25551b0832c61993b71d6f78bc8a178a73f41557
src/mnemonics/polyseed/pbkdf2.h	1748	6d3ab3e361a1a868b9dc84d8aca1be1c067f8fab2b507f65411c4fcb8420fb97
src/mnemonics/polyseed/polyseed.cpp	11144	314b882bc71f3862021c6261f90cfffb457217cff71ae87244e1558a8778dd03
src/mnemonics/polyseed/polyseed.hpp	4641	2a7332bf708f96b3d0d202a29d1c79caa65e99b7a832bdede62c58a53ab57748
src/mnemonics/portuguese.h	36110	0a6b191930a29f1ae827c1f5f8905548035bac5e5b41386f0978cf39e4adcfa1
src/mnemonics/russian.h	42516	2d3f282d11e917fcdd6248b87002f5b982b6abaa773e9676d21886b6a50a4762
src/mnemonics/singleton.h	2277	f540c185cd745a39e6780916163e3710ea20e8e97569e842b5b15e80adfb2256
src/mnemonics/spanish.h	33863	994a941260f53e066753204f4b92c20bb1d830b58e76ff89c2caa71c34d546ef
src/multisig/multisig.cpp	6813	8945675dc70155c253622cb497b32094da82790c725f4cd283ba48d3376fad50
src/multisig/multisig.h	3375	f0a8feffa4fd4e211b2804cc4ca1375d28ce31f56389f31093b7ad49a1b74d40
src/multisig/multisig_account.cpp	11230	8b7e6a0ecd4286d79873e8e6f0d5a994d75deaef3e1665c6ac3c9c274a14eeac
src/multisig/multisig_account.h	16041	1f1c17870645d04ff57edc7b6f63c9cbf00d1322356fb37e8e8ec1e13443356f
src/multisig/multisig_account_kex_impl.cpp	47621	427206dd22bff7c9575b99c0ebb87f51b3cd734baec11182bd9b44bbc6b3eb3f
src/multisig/multisig_clsag_context.cpp	10109	9102b7d879bf7509300576470235dff5f876fefd967df2d9f8733565b84cc3cc
src/multisig/multisig_clsag_context.h	5567	93409100d656e65a685419273e2b349571b7e0a9c058a09e88d647cf942f14aa
src/multisig/multisig_kex_msg.cpp	12502	9b7e993aeb21688019500f8c5cbe06f2339a811cbfa9b9a67a3a014276a5bf80
src/multisig/multisig_kex_msg.h	4168	e083328e759d04437e637f685dcead17f1908f502242b2ff95b43e942e81b3b4
src/multisig/multisig_kex_msg_serialization.h	2767	c9dbf4b439bf85f5eeb910635ac422dd7dc23f8d30cdd5db27052ef0f0f94388
src/multisig/multisig_tx_builder_ringct.cpp	39982	4c40b206bf31cff470430dbb4d96f86c0721e7b803785b6cdd58084a4b01a306
src/multisig/multisig_tx_builder_ringct.h	4240	8fdff6a9a7ed02e4ce8735860c3476357e37116cdba7ab1738d6065ba62886da
src/net/dandelionpp.cpp	7824	c84e34bd2f4c07ae978c0fff1088819fa38182e05712ba2936467e874e4c9f50
src/net/dandelionpp.h	4401	3e0c264071eacef26a8bfca377d7399bf10c4e04a8dd344aa5d6c4879203562e
src/net/error.cpp	4202	5ea382659487e8d5f477063455ff3b790050eff92d619676783603a43c9a6d9b
src/net/error.h	3013	5c03072aabf37eaf4ef9ec06ef8f25c12c7869eec7e28f00b9721c302add3eb0
src/net/fwd.h	2063	16fc122d1533629bd11ed91292e1089b5342cc5ab2d30e8a405d212de8a52ad4

src/net/host.h	421	14c6638f26638196a5c8cc4b3d1b7c247fcb38aad9b376c1ba9101cfe6d9db2c
src/net/http.cpp	2394	89dd0289cb99021303a8776f8428f827036120be567ec4bf4a2ac5f51b4eedb3
src/net/http.h	2005	f4a1d1e8fefad0ee1cc3b9b3d8bf9293f84e685c78d34fe893bae426e5c8f35c
src/net/i2p_address.cpp	7988	5cba903bc483d465a6d6a3ee28c22beac00a387cfb81be98cd24fbb23616c78b
src/net/i2p_address.h	5719	498c7c51fe36515749456fe78676a381962d868ba65de2f457bdca1b8be04a98
src/net/parse.cpp	11308	e16650484fcc7da2bc706172a3e5388ceaecc9e75b9adcdcd9dc4ce5f7e7bac8
src/net/parse.h	6115	3a7ec9c7c24d10428ebb769bc39c7d6c9e8f14c70bd2d7fabb9a60531c5b0805
src/net/resolve.cpp	2879	63b2b4bc6e36c132eee48a9696eddd1ff3ddbf81896826795f9ffa26e8a548e2
src/net/resolve.h	2089	9e3cc2dee49244ede22cf692b74aa38ef4ddb7ef6bf4b7387ded5758fa48ae27
src/net/socks.cpp	31196	dc433b90f1c17b5a8a8876d8506e13f8a5aa931cf7d5a1a6372bad8c9715c307
src/net/socks.h	9933	a341282e8e66cd78395090d42f828c42a3e4fd8fae65d5cce3b0ce18c65cdafc
src/net/socks_connect.cpp	4667	ceddfa10494c10a4f9f61f0a2c7429afa6962e7a821efb594265ec9e90167b60
src/net/socks_connect.h	2482	8b25ac4cfd50e6b8afa1706163db471e9715948fd8e16598f78fa00cbf4c6ddf
src/net/tor_address.cpp	10522	6492bc6fc1d706e971562d54bb300aec45ba8773907a8e1a675b8b2981df78a8
src/net/tor_address.h	6165	f7184774ef446ce1e5d8c96e93064d210099b8db7ac45b909df6dda55015c75c
src/net/zmq.cpp	7475	e69f6e7d9c4b61e1a4cc22d2a2ee2855a0301797fd3c70879dae9db913a99471
src/net/zmq.h	7329	11af387364c308f22df269bf963e944c2fffc051f370d78d8a536908b7d18a84
src/p2p/net_node.cpp	18599	8043503fe66baa6a8de6dcdab44cbb25fbf2a5e3e9e28b8847fea8c9b49f4f68
src/p2p/net_node.h	25038	6f193237b58e21129bb23b009acaf8b35be7e07deed6fe0e042098fde1470088
src/p2p/net_node_common.h	6168	fe637f24443629c0adb49c69df97b16349e063c28e8b131457aa83ea2f12a5fa
src/p2p/net_peerlist.cpp	9447	38ec2dd134027947eeb6260414d8bc16293a35719611261197cab76160eb0523
src/p2p/net_peerlist.h	19467	dd2d8fb66cd268cfea188f27e030dcf43529f3f3a1b0d3c48a711b014b6cd67c
src/p2p/net_peerlist_boost_serialization.h	8245	3660393ce76a6ac7f66c922f1665fa2562f9f49b6a940a87059e25095da05f3b
src/p2p/p2p_protocol_defs.h	9435	91a1374000110f9526c7812890a6902dbf990a187f07f9b47317ee8e545332b8
src/ringct/bulletproofs.cc	37126	fe61080cfbe7710847a97ea49e8463928cc4ae83eab439e623eda070b9dd17b0
src/ringct/bulletproofs.h	2240	e36c28a84778076d333fcf6011fb986058f75d8238855fa0d0aa796923c6e2bc
src/ringct/bulletproofs_plus.cc	44785	3b77634f01a1d5e7f007c5fcf8b6bad0eab0689ad277a18a825f17fee4a43d20
src/ringct/bulletproofs_plus.h	2266	64d3dc95fe1da6fd48c29ff14664a10f1148b4101e48efadda1922e14a92745c
src/ringct/multiexp.cc	19998	8d2499a1785fff85d4a870abedfbf1fa97bb9895276a57a4443a50483fd36f67
src/ringct/multiexp.h	3476	d6ad8b749e21e776d68e0f8d22d3b0f90d00222778cb381ef5ef0a046be36408
src/ringct/rctCryptoOps.c	6408	e89a3c4e7c1fced6d8472c5a74a6c2f419171ed73cfe7d928a0adddc740d41ce
src/ringct/rctCryptoOps.h	1813	6c66a5eed0a9181461f4561b3ea4dd1c067901403a8561c4d78cc4429ec72da8
src/ringct/rctOps.cpp	58439	0cd3cbb185c4053e8b17b3a6279d02bfe18b6f48a61e0e334f7baa3a2cd46d77

src/ringct/rctOps.h	8520	dc34e9a64653c2f16a479228e4c0e3df907ecfacade80fce17b4808458a1dc10
src/ringct/rctSigs.cpp	67411	2d45e11f8f8aecb5bcec1570b8fbbf26e6e4133b1652f02cec1826deb0b83436
src/ringct/rctSigs.h	8303	60dd8268f5c8c9c2ba00e59db1f2f819e37530ad00aedb09719728dd8c10a9f3
src/ringct/rctTypes.cpp	9912	5585d9e05295e7ec46c7b22e11b7a3f8d2c1980d954415956a3a441e7a322c40
src/ringct/rctTypes.h	42153	fbeb5fb765342f26b4a8e0c1aba8070d4fa6a171491b57c9dfa7eb7958e8cecb
src/rpc/core_rpc_server.cpp	130669	6104917c5d74e04be25cb72404cf7ed55fbdf8988fbfb51988be79f251b00aa9
src/rpc/core_rpc_server.h	26168	b69205bc80e986f8677bc1752545af2431673838480c0cc5e0c2f29b32a2066e
src/rpc/core_rpc_server_commands_defs.h	72176	cbaabb92c9d7800e3121e3223025bf2377a07fabca4122bc3e247089968371ca
src/rpc/core_rpc_server_error_codes.h	4553	835573f857415bb8826b85b0f904fafaeb82b6775b0d15168e8688c196752584
src/rpc/daemon_handler.cpp	36748	8134593b61b146499bfa1ddb9b422f16bc0c6146799bcdbc63a0e6d4d2b49084
src/rpc/daemon_handler.h	5877	4f2a096abeb9f5909a13789db801b2c6dcffa99304446313 08bd161b97aa8fd9
src/rpc/daemon_messages.cpp	21374	324a3fd990590449a395933be969cec02b6078daf36f33b97c58b03a52f941b8
src/rpc/daemon_messages.h	14433	68ed4f29b73532bba7c4fc81acbbb834a30019bbbc9c937ea88bda72a5fe9574
src/rpc/daemon_rpc_version.h	1945	365e180895864fda01f9eb1bfc7bc3b79a0790851304807586593f4dac21782f
src/rpc/fwd.h	1673	f48796f8a3dbd0bc2f9fed9b7a0787cc4a9b5d1027b9b2fbcc7232f3d551d170
src/rpc/instantiations.cpp	2056	403c4b15fe1329fb840d96ff0e2f4ede834f7377fcaa4e2611c857b04cd8deac
src/rpc/message.cpp	7564	82af36d64276c6ee3586b2e0591abff23d4e4617c98311ef21e241620d6ccb89
src/rpc/message.h	3720	9027947d8286545de72d581d27f4cc56bfa99ac5f76fd43b6ea2bb2c24b58657
src/rpc/message_data_structs.h	5495	59ef19412e9b1ecd65ccc31e2ab1c19096091d144e892e61ca8c008b2cd193ca
src/rpc/rpc_args.cpp	13133	47810f5b5f0b92df27e74efaa8c77d3b643b475771e6c3ecb495fe30b7af2796
src/rpc/rpc_args.h	4784	266f0893c0f0bc715173f4b7fde56d2db7d3e9f5fb46537fa0bc6bc3bc7c29c6
src/rpc/rpc_handler.cpp	4487	cb0a82c82cd700649e95ed34f1385804e4bf5e0f6bdd9db6ed35f5211984817c
src/rpc/rpc_handler.h	2464	733a9e379e388e189cb1416f1f631226f13c29260ab889c60d9b5259542ff38f
src/rpc/rpc_version_str.cpp	2218	f3b13f68444e3b73ca5a4b3060389aac7dfa50d247fc74a28a5404a5825960c2
src/rpc/rpc_version_str.h	1763	0224dcb09772c566dbbeac2e510384f0f1e2d8873e82d13c7ef63473aea1679f
src/rpc/zmq_pub.cpp	19989	4d040ea7ad84b4118624d046f1ba25d06ffaf4273a880a9c3bd604275382aed2
src/rpc/zmq_pub.h	5430	1a0e31639042737a13295f3983093390c6dda94e6396c2f034fc29e8435b9faa
src/rpc/zmq_restricted_methods.cpp	2676	0eedbcc6a248edd55f73d30f11994372043365c08fc5d8efc22e134d8b2c0374
src/rpc/zmq_restricted_methods.h	2036	f02234a6da5874b2c91a4328f1bf72269515f32d9cafc75f2d30425ab82ac0af
src/rpc/zmq_server.cpp	9208	5ad4d5414b6805b53efec1b5355c55e9e24b6f20df693d3f79d62571374517d4
src/rpc/zmq_server.h	2684	e84186df7a45fcc4cbbab3152d6ded743c8b326a66eb6eabe3e2239d7b8bcef7
src/serialization/binary_archive.h	7238	f5578514503217162d9549f62800577b18a6551069e0963924c7a870e23306d9
src/serialization/binary_utils.h	2418	d67f591fb9d6eec08880a00f2c75c2ca39ede484217c5a67074b83cbd151a927

src/serialization/container.h	6196	d9f43b3db3d753e201aef43658d2951e691d1d51980a1939139a309747fdeeee
src/serialization/containers.h	3231	24ccc6633b49998c48f4333d16ff24f56b0335d41897c88f94e3901039a0c0d8
src/serialization/crypto.h	3535	33693773359fc7a4e2dabab7adcbace55ea830cf15ce597182c79ea1d531f39c
src/serialization/debug_archive.h	2297	c5387d2d6df5fa388617ae1c5bf5576c022abe766fe44dad62704df32cb76203
src/serialization/difficulty_type.h	2425	6db74c550326d3b4afd35d2e9ebfa12946ee9ef6943b5f53febf415f0546da39
src/serialization/json_archive.h	5018	ef16b6f19ee88e77439fe7927acf8592c36bf48d7c586d9082c629f6807e8999
src/serialization/json_object.cpp	45554	c75a5f2fad1d8db94c3345b5637dd63761bf1e6e1330cbacea077b8f4173521
src/serialization/json_object.h	16656	782630f3c7d52c5b2a3e4863e692054efd404a537a0bc9f4c1afda847ddb0908
src/serialization/pair.h	3646	bdff05396b383bdc3b5e5c21455befccb91838d0cb307178b57af31ed19db65a
src/serialization/serialization.h	12136	ea7a0f0575c0407d05ac5df5474dee7ac4b16bd7d277182f17c0d857f09e27c6
src/serialization/string.h	2422	db41c1e3bd30f7c4c264ce48bbbb3cd68853e4894a94186f4a956cefd6a90e40
src/serialization/tuple.h	4044	cd05dc5475aaf4c1ea3ef00f6cdb7e0c8ef196f6640c5d280ee15ac53b77f658
src/serialization/variant.h	4854	c6d14557694e9a91948917d250f350e761a028cc23d3df422ec13ec96ba68ba4
src/simplewallet/simplewallet.cpp	439466	8408b5260efed6c903fac16f4ed653f39dc704be7bc08d9feba7f05596792b87
src/simplewallet/simplewallet.h	26770	b44752ac31624450fbb3693a1be39cb515193e6bc73f3f7506ecfc646519a1de
src/version.h	237	f2a50f491b82cd557c6ab2e52bb5292933746508f79ba9c97112ee33b01ce47b
src/wallet/api/address_book.cpp	5503	8f7816d631901826c40568b929c564cb1cd5e786bff5a972074ee7f568c187af
src/wallet/api/address_book.h	2752	a8fd7a7681cc75cecd9c252c39a4abae0df00c5840230fd364b2ce41042b2159
src/wallet/api/common_defines.h	104	bd3a70e86ead51a12a8a0646674c115eed928961ee78fbf4d492fcb53fa76f50
src/wallet/api/pending_transaction.cpp	8772	08386a626d0cf11f3acaa2381ef0b1d43f375f568029c7c15f0d9155e1ec5d43
src/wallet/api/pending_transaction.h	2963	b1f2f83b73beb550bf00c5fa45193c96ac1a9befec9247d4c72daf73a9f6a9df
src/wallet/api/subaddress.cpp	2995	648aa61c6319120b678b4d8ccb52868d682b6e03bde5a6ce55bd2249f91efa35
src/wallet/api/subaddress.h	2248	b5360cec6bc3f1e553407fa67a8c80f6cc5bbeec510cef84a23116b948b3d4f7
src/wallet/api/subaddress_account.cpp	3019	b5fc0a33c0b1b8c1aa011ee7cad8034095884043519c43e4157330f671add8fc
src/wallet/api/subaddress_account.h	2187	3bdc62f5b1db06ec19e73074cf1bcebf410eee0a6708f1557a2981a7fc827499
src/wallet/api/transaction_history.cpp	11485	979337f589537bb7f87208ce21cae70d6c05196d988986e5e0dc93cc274609b6
src/wallet/api/transaction_history.h	2468	d789f1599434b319122b851324d85dcecdce5cd1653ec3cbb99302a5a9e2fe54
src/wallet/api/transaction_info.cpp	3635	f27d2819ad6999a2f3187052df0b2e5465fdad904d7ba9ccf39cdc5368875e0c
src/wallet/api/transaction_info.h	3521	9aefb2062a19c7f041bf6e85987e1192421223e33f3a77fd725e66f19b0580d4
src/wallet/api/unsigned_transaction.cpp	12018	1f932509abb26e5c2da91ff45ca8de2f9d3365aaac42005ce64844b5a7702367
src/wallet/api/unsigned_transaction.h	3066	4b44e743463c6d17d677d035efe3f9c843710bf54475dfb3654c519b25594f80
src/wallet/api/utils.cpp	2171	139d92ecb5e71fc5dbc642221cf241af9ee61021b7fcb1115abba5ac19ff12e0
src/wallet/api/wallet.cpp	96145	0353531b4e43c35185a653377c97b07449ddabec1741f9b62f945d6c51a3b8ee

src/wallet/api/wallet.h	18377	73603b335637795155fc4f961b977adfe6f4b0430e2c511fbb8bc69dc838e310
src/wallet/api/wallet2_api.h	63491	de9d0144b609ca866c73b5d90a2c672d0eba827abfc5c17f13bfb4ef6cc0977a
src/wallet/api/wallet_manager.cpp	16075	88fe910cd2873128934d14456efeb618c57007fcbafeeac55dbb81f0e0cdfe89
src/wallet/api/wallet_manager.h	6823	c28aed7b9286c506774c8481b2dbe68e2eb0e5c0ff0f544729a507bc4eb7eab5
src/wallet/fee_algorithm.h	1967	ad9b73a35956c10a8ce15fc174915a432eb9cb66c990eacfaaa61fa79567d8c0
src/wallet/fee_priority.cpp	1787	fb8c0b71eff89d5a497f4521dede3e69c7cb0ef4024f8418e963d9ac94a6fcac
src/wallet/fee_priority.h	5320	b154a17e5ec795c5448f75620f6cc49d0dcf23f35f7336a92eec1250c9e0c08b
src/wallet/message_store.cpp	54341	949969fb6dfda898fe682a123e10c7726ebdb1bde8adb20f0b42551d97c6bb8c
src/wallet/message_store.h	16239	e1a370f5ce11d037e5b230bcf3cc34e2a23cc6984fdc8f4af5097adfd7664f1c
src/wallet/message_transporter.cpp	15090	91f40cac1a3baa2bd25703ebda083d0f5134d285b28417a96c393db153c1dfbf
src/wallet/message_transporter.h	4581	713cc11cc94acb41710b465bc7de93ec8ce07cfde3333f35803d525f9f42ff03
src/wallet/node_rpc_proxy.cpp	13146	4574a3ba7586086461d02b96accd462b32ebbc248f839e19ecff299a58f6cccc
src/wallet/node_rpc_proxy.h	4078	8b7d0d436bab9f44d0860359a5fc5cf9e4c3b9c5bafc847cbc3e14529c1a9f2c
src/wallet/pending_tx_validation.cpp	45079	e538b7002dde58ad082b194322967db74d947e2e248c7968f072735d6147117a
src/wallet/pending_tx_validation.h	5701	c8e6f75396e5406f8c60140ceed76e2f7a7f62c7940a47f64de1769d81199cbf
src/wallet/ringdb.cpp	16960	7881b0d0d1386e8a54025ec60c4683397ee4b662c6b57b9f8715e63101a7c02c
src/wallet/ringdb.h	2878	b0b1d61f1c4714e4eef9e7dd6f6bfb00d882bb887fe3d39a88e14267bcbbd4f1
src/wallet/wallet2.cpp	719577	d20f537fc704b3b817864a69091f88d3f022b86de92b0b97bf2a3f460274ce4f
src/wallet/wallet2.h	106674	1384e76292999719948e24bf9616a55a7f18ae553ec07f24c38d3fabc9ada810
src/wallet/wallet2_basic/wallet2_boost_serialization.h	11638	eef05b8051025b896a55e2f33ac8f101f8b38f2d040cd3c46a35dddfab89f256
src/wallet/wallet2_basic/wallet2_serialization.h	5052	c182e4c10aaec6d133562d18ef0fb6b0296c3b32c608639a5f7e31a01171c6c7
src/wallet/wallet2_basic/wallet2_types.h	10600	41705780b5375e30107056fb901f2585b1b190f99c73b4835e4faaf780babeeb
src/wallet/wallet_args.cpp	9005	df1c9f26258bb12a70256f5afa398b6bcca588f6b3df27cb6a24b36ec9d803b4
src/wallet/wallet_args.h	2998	a51e954c2a06819f07bb27c29e34c57e01083756ea01b61496fc39a974e94131
src/wallet/wallet_errors.h	41867	bcb75a8b3a8c0aba60eddbef9d3c25baa3e11659236924c83b6ec1004c014b17
src/wallet/wallet_rpc_server.cpp	216932	f7245a8568f45c8528feb1900c83bdc50dfaeddd8d3c665590e9171716ebab34
src/wallet/wallet_rpc_server.h	36202	639ba5dfd09c9147564cc653760eb7a5bfc7832973e1b115308cffc3825ba75a
src/wallet/wallet_rpc_server_commands_defs.h	71893	5994ba58923241d36314d624ace92f5c7f6f97d833806f5bcd11b28c3549a299
src/wallet/wallet_rpc_server_error_codes.h	4733	79ebbf54396c0792be4beaf969587677be77cb76a33d9033f3adc6cc08d87a91