QUANTUM SECURITY INTELLIGENCE

Security & Post-Quantum Readiness Audit Report

scroll @ 3046bbd18a6a · Scroll — public repository (passive review)

Organization	QSI
Report date	2026-10-29 06:18 UTC
Report version	1
Audit run	dc77e591-28df-4e0e-aec7-f047b3208f63 · Document audit · 2026-10-29 06:18 UTC
Analyzer engine	qsi-engine 1.2.0
Risk profile	Web3 project
Content SHA-256	`bfe57c31bc57c669da6e4a7cee997a8bd19fd26d0a62a5decfc2255b7452d9bb`
Signature key (Ed25519, SHA-256 fingerprint; the signature is the separate file report.sig.json)	`5b3cf9c9bd0fa54447e2b5dfa7a6bab569bd0c666fa46949599e5c348d17083e`

Contents

1. Executive summary
2. Scope and boundaries
3. Methodology
4. Assets examined and not examined
5. Architecture overview
6. Overall security posture
7. Findings by severity
8. Detailed findings
9. Evidence
10. Post-quantum assessment
11. Limitations and assumptions
12. Remediation plan
13. Priorities for 30, 60 and 90 days
14. Verification after remediation
15. Tools used
16. Sources and normative documents
17. Appendices

This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.

Executive summary

115	1	9	13	35
Findings in total	Critical	High	Medium	Low

Classification	Count
Confirmed technical vulnerability	0
Known vulnerable component	57
Confirmed configuration error	1
Potential cryptographic risk	6
Long-term post-quantum risk	4
Improvement recommendation	46
Insufficient data	1

Top 5

ID	Severity	Detailed findings	Priority score
QSI-2026-06635	Critical	github.com/gin-contrib/cors v1.5.0 is affected by GHSA-869c-j7wc-8jqv (CVE-2019-25211, GO-2024-2955)	54.0
QSI-2026-06538	High	TLS certificate verification disabled in bridge-history-api/cmd/api/app/app.go	68.3
QSI-2026-06636	High	github.com/btcsuite/btcd v0.20.1-beta is affected by GHSA-27vh-h6mc-q6g8 (CVE-2024-38365, GO-2024-3189)	49.2
QSI-2026-06547	High	Possible reentrancy (external call before state update) in scroll-contracts/src/L1/L1ScrollMessenger.sol preliminary	37.0
QSI-2026-06548	High	Possible reentrancy (external call before state update) in scroll-contracts/src/L1/L1ScrollMessenger.sol preliminary	37.0

Mosca's inequality (x + y > z): x = 5, y = 5, z = 12 → tight margin. z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Post-quantum maturity: Level 0 of 4 — no post-quantum cryptography. Next step: Inventory where classical public-key cryptography protects long-lived data and keys, and choose the first migration: usually a hybrid TLS key exchange and wrapped keys.

Scope and boundaries

Mode: Document audit

Repository: https://github.com/scroll-tech/scroll @ 3046bbd18a6a05bf29dd3ffef7b5676203201050 — evidence links open the lines at this commit.

Supplied inputs

387 files, 2800964 bytes in total, 0 redaction(s); the per-file SHA-256 list is in appendix C.

Methodology

The audit was performed by the QSI engine 1.2.0. Each analyzer emits facts (rule, parameters, evidence); finding texts are generated from the rule catalog. Methodology sources are listed under "Sources and normative documents".

Prioritization uses an explainable weighted model (severity, exploitability, exposure, confidentiality/integrity/availability impact weighted by the "Web3 project" profile, asset criticality, urgency, ease of remediation) with a confidence multiplier. CVSS v3.1 is applied only to technical vulnerabilities with a defined vector. Long-term quantum risks use Mosca's inequality; their severity is capped at Medium and they are never presented as exploitable vulnerabilities.

Finding classes: confirmed technical vulnerability; known vulnerable component (a dependency version named in an advisory; whether the affected code is reachable is assessed separately, and a component confirmed by review becomes a vulnerability); confirmed configuration error; potential cryptographic risk; long-term post-quantum risk; improvement recommendation; insufficient data. Heuristic findings are marked preliminary; analyst decisions are shown next to the findings.

Coverage of checks

Area	Status	Count	Examples
source_code	checked	218	.github/scripts/bump_version_dot_go.mjs: 37 lines scanned with 16 rule patterns and 123 registry patterns; bridge-history-api/abi/backend_abi.go: 344 lines scanned with 16 rule patterns and 123 registry patterns; bridge-history-api/cmd/api/app/app.go: 114 lines scanned with 16 rule patterns and 123 registry patterns
dependencies	checked	16	Cargo.lock: 938 dependencies parsed (938 pinned); Cargo.toml: 29 dependencies parsed (7 pinned); bridge-history-api/go.mod: 111 dependencies parsed (111 pinned)
tls_code	checked	1	bridge-history-api/cmd/api/app/app.go: TLS key-exchange settings read
tls_code	Insufficient data	5	bridge-history-api/go.mod: go 1.22 — before Go 1.24 crypto/tls offers no X25519MLKEM768 by default; relevant if the module uses TLS; common/go.mod: go 1.22 — before Go 1.24 crypto/tls offers no X25519MLKEM768 by default; relevant if the module uses TLS; coordinator/go.mod: go 1.22 — before Go 1.24 crypto/tls offers no X25519MLKEM768 by default; relevant if the module uses TLS
smart_contracts	checked	152	scroll-contracts/lib/solmate/src/auth/Auth.sol: built-in Solidity pattern checks; scroll-contracts/lib/solmate/src/auth/Owned.sol: built-in Solidity pattern checks; scroll-contracts/lib/solmate/src/auth/authorities/MultiRolesAuthority.sol: built-in Solidity pattern checks
slither	not checked	152	slither is not installed on the server (pip install slither-analyzer + solc)
osv_advisories	checked	1	1000 pinned packages queried at OSV.dev; 37 affected

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

Assets examined and not examined

Supplied inputs: 387 (input files: C)

Not checked

- tls_code: 5 (examples: bridge-history-api/go.mod: go 1.22 — before Go 1.24 crypto/tls offers no X25519MLKEM768 by default; relevant if the module uses TLS; common/go.mod: go 1.22 — before Go 1.24 crypto/tls offers no X25519MLKEM768 by default; relevant if the module uses TLS; coordinator/go.mod: go 1.22 — before Go 1.24 crypto/tls offers no X25519MLKEM768 by default; relevant if the module uses TLS)
- slither: 152 (examples: slither is not installed on the server (pip install slither-analyzer + solc))

Architecture overview

Static review of the source tree scroll at 3046bbd18a6a05bf29dd3ffef7b5676203201050. 387 files analysed; of 883 files, 311 are test, fuzzing, benchmark or example code and were left out, 185 are not read by any analyzer, 0 exceed the per-file limit and 0 did not fit the total limit. 33 files in build-output or dependency-cache directories (.git, .hg, .venv, __pycache__, build, dist, node_modules, target, vendor, venv) were not read. 163 files come from directories a .gitmodules pins and are read as shipped source rather than skipped as a dependency cache. No requests were sent to the owner's systems.

Overall security posture


0
Indicative posture index (0–100)

9.0%
Quantum-vulnerable share of inventory

78
Cryptographic inventory

Derived from findings in scope (confirmed and potential issues weighted by severity). Indicative only; not comparable across differently scoped audits.

Findings by severity



ID	Detailed findings	Classification	Severity	Confidence
QSI-2026-06635	github.com/gin-contrib/cors v1.5.0 is affected by GHSA-869c-j7wc-8jqv (CVE-2019-25211, GO-2024-2955)	Known vulnerable component	Critical	Medium
QSI-2026-06538	TLS certificate verification disabled in bridge-history-api/cmd/api/app/app.go	Confirmed configuration error	High	High
QSI-2026-06636	github.com/btcsuite/btcd v0.20.1-beta is affected by GHSA-27vh-h6mc-q6g8 (CVE-2024-38365, GO-2024-3189)	Known vulnerable component	High	Medium
QSI-2026-06547	Possible reentrancy (external call before state update) in scroll-contracts/src/L1/L1ScrollMessenger.sol	Potential cryptographic risk	High	Low, preliminary
QSI-2026-06548	Possible reentrancy (external call before state update) in scroll-contracts/src/L1/L1ScrollMessenger.sol	Potential cryptographic risk	High	Low, preliminary
QSI-2026-06562	Possible reentrancy (external call before state update) in scroll-contracts/src/L2/L2ScrollMessenger.sol	Potential cryptographic risk	High	Low, preliminary
QSI-2026-06568	initialize() without initializer modifier in scroll-contracts/src/L2/predeploys/L1BlockContainer.sol	Potential cryptographic risk	High	Low, preliminary
QSI-2026-06571	initialize() without initializer modifier in scroll-contracts/src/L2/predeploys/L2MessageQueue.sol	Potential cryptographic risk	High	Low, preliminary
QSI-2026-06609	quinn-proto 0.11.16 is affected by RUSTSEC-2026-0340	Known vulnerable component	High	Low
QSI-2026-06610	quinn-proto 0.11.16 is affected by RUSTSEC-2026-0341	Known vulnerable component	High	Low
QSI-2026-06544	Raw ecrecover usage in scroll-contracts/lib/solmate/src/tokens/ERC20.sol	Potential cryptographic risk	Medium	Medium, preliminary

QSI-2026-06638	github.com/btcsuite/btcd v0.20.1-beta is affected by GHSA-3jgf-r68h-xfqm (CVE-2024-34478, GO-2024-2818)	Known vulnerable component	Medium	Medium
QSI-2026-06642	github.com/docker/docker v26.1.0+incompatible is affected by GHSA-pxq6-2prw-chj9 (CVE-2026-33997, GO-2026-4883)	Known vulnerable component	Medium	Medium
QSI-2026-06648	github.com/gorilla/websocket v1.5.0 is affected by GHSA-w67g-5rqw-f597 (GO-2026-6278)	Known vulnerable component	Medium	Medium
QSI-2026-06580	Pairing-based cryptography on chain: BN254 (alt_bn128) (scroll-contracts/src/libraries/verifier/RollupVerifier.sol)	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-06541	Quantum-vulnerable ECDSA: transaction and message signing (2 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-06539	Quantum-vulnerable ECDSA: role not determined (2 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-06540	Quantum-vulnerable ECDSA: authentication and identity (certificates, tokens, device attestation) (1 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-06590	block-buffer 0.9.0 is affected by GHSA-qwgh-2vcv-g2f7	Known vulnerable component	Medium	Low
QSI-2026-06591	block-buffer 0.10.4 is affected by GHSA-qwgh-2vcv-g2f7	Known vulnerable component	Medium	Low
QSI-2026-06592	block-buffer 0.11.0 is affected by GHSA-qwgh-2vcv-g2f7	Known vulnerable component	Medium	Low
QSI-2026-06613	rustls 0.23.41 is affected by GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285)	Known vulnerable component	Medium	Low
QSI-2026-06614	rustls 0.23.41 is affected by GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346)	Known vulnerable component	Medium	Low
QSI-2026-06619	tracing-subscriber 0.2.25 is affected by GHSA-xwfj-jgwm-7wp5 (CVE-2025-58160, RUSTSEC-2025-0055)	Known vulnerable component	Low	Medium
QSI-2026-06641	github.com/docker/docker v26.1.0+incompatible is affected by GHSA-4vq8-7jfc-9cvp (CVE-2025-54410)	Known vulnerable component	Low	Medium
QSI-2026-06542	Floating pragma (>=0.8.0) in 20 file(s)	Improvement recommendation	Low	High
QSI-2026-06545	Floating pragma (^0.8.10) in 1 file(s)	Improvement recommendation	Low	High
QSI-2026-06546	Floating pragma (^0.8.24) in 58 file(s)	Improvement recommendation	Low	High
QSI-2026-06575	Floating pragma (^0.8.0) in 5 file(s)	Improvement recommendation	Low	High

QSI-2026-06600	lru 0.12.5 is affected by GHSA-rhfx-m35p-ff5j (RUSTSEC-2026-0002)	Known vulnerable component	Low	Low
QSI-2026-06602	lru 0.13.0 is affected by GHSA-rhfx-m35p-ff5j (RUSTSEC-2026-0002)	Known vulnerable component	Low	Low
QSI-2026-06604	p3-symmetric 0.4.3 is affected by GHSA-3g92-f9ch-qjcm	Known vulnerable component	Low	Low
QSI-2026-06616	rustls 0.23.41 is affected by GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349)	Known vulnerable component	Low	Low
QSI-2026-06615	rustls 0.23.41 is affected by GHSA-h2v8-394m-p7vv (RUSTSEC-2026-0348)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06593	crypto-bigint 0.5.5 is affected by RUSTSEC-2026-0387 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06597	h2 0.4.15 is affected by RUSTSEC-2026-0258 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06601	lru 0.12.5 is affected by RUSTSEC-2026-0253 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06603	lru 0.13.0 is affected by RUSTSEC-2026-0253 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06607	quinn-proto 0.11.16 is affected by RUSTSEC-2026-0338 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06608	quinn-proto 0.11.16 is affected by RUSTSEC-2026-0339 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06611	quinn-proto 0.11.16 is affected by RUSTSEC-2026-0342 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06612	ruint 1.19.0 is affected by RUSTSEC-2026-0220 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06617	rustls-webpki 0.103.13 is affected by RUSTSEC-2026-0382 (CVE-2026-111943) (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06620	webpki-roots 1.0.8 is affected by RUSTSEC-2026-0381 (CVE-2026-111943) (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06621	zstd 0.13.3 is affected by RUSTSEC-2026-0391 (no severity rating)	Known vulnerable component	Low	Low, preliminary

QSI-2026-06622	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0395 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06623	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0396 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06624	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0397 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06625	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0398 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06626	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0399 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06627	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0400 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06628	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0401 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06629	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0402 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06630	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0403 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06631	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0404 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06632	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0405 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06633	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0406 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06647	github.com/docker/docker v26.1.0+incompatible is affected by GO-2026-4887 (CVE-2026-34040) (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-06543	Privileged administrative functions in scroll-contracts/lib/solmate/src/auth/Owned.sol: transferOwnership	Improvement recommendation	Info	High
QSI-2026-06549	Privileged administrative functions in scroll-contracts/src/L1/L1ScrollMessenger.sol: updateMaxReplayTimes	Improvement recommendation	Info	High
QSI-2026-06550	Privileged administrative functions in scroll-contracts/src/L1/gateways/EnforcedTxGateway.sol: updateFeeVault, setPause	Improvement recommendation	Info	High

QSI-2026-06551	Privileged administrative functions in scroll-contracts/src/L1/gateways/L1CustomERC20Gateway.sol: updateTokenMapping	Improvement recommendation	Info	High
QSI-2026-06552	Privileged administrative functions in scroll-contracts/src/L1/gateways/L1ERC1155Gateway.sol: updateTokenMapping	Improvement recommendation	Info	High
QSI-2026-06553	Privileged administrative functions in scroll-contracts/src/L1/gateways/L1ERC721Gateway.sol: updateTokenMapping	Improvement recommendation	Info	High
QSI-2026-06554	Privileged administrative functions in scroll-contracts/src/L1/gateways/L1GatewayRouter.sol: setETHGateway, setDefaultERC20Gateway, setERC20Gateway	Improvement recommendation	Info	High
QSI-2026-06555	Privileged administrative functions in scroll-contracts/src/L1/gateways/usdc/L1USDCGateway.sol: updateCircleCaller, pauseDeposit, pauseWithdraw	Improvement recommendation	Info	High
QSI-2026-06556	Privileged administrative functions in scroll-contracts/src/L1/gateways/usdc/draft-L1USDCGatewayCCTP.sol: updateCCTPContracts	Improvement recommendation	Info	High
QSI-2026-06557	Privileged administrative functions in scroll-contracts/src/L1/rollup/L1MessageQueue.sol: updateGasOracle, updateMaxGasLimit	Improvement recommendation	Info	High
QSI-2026-06558	Privileged administrative functions in scroll-contracts/src/L1/rollup/L1MessageQueueWithGasPriceOracle.sol: updateWhitelistChecker	Improvement recommendation	Info	High
QSI-2026-06559	Privileged administrative functions in scroll-contracts/src/L1/rollup/L2GasPriceOracle.sol: updateWhitelist, setIntrinsicParams	Improvement recommendation	Info	High
QSI-2026-06560	Privileged administrative functions in scroll-contracts/src/L1/rollup/MultipleVersionRollupVerifier.sol: updateVerifier	Improvement recommendation	Info	High
QSI-2026-06561	Privileged administrative functions in scroll-contracts/src/L1/rollup/ScrollChain.sol: revertBatch, finalizeEuclidInitialBatch, addSequencer, removeSequencer, addProver, removeProver, updateMaxNumTxInChunk, setPause	Improvement recommendation	Info	High
QSI-2026-06563	Privileged administrative functions in scroll-contracts/src/L2/gateways/L2ERC1155Gateway.sol: updateTokenMapping	Improvement recommendation	Info	High
QSI-2026-06564	Privileged administrative functions in scroll-contracts/src/L2/gateways/L2ERC721Gateway.sol: updateTokenMapping	Improvement recommendation	Info	High
QSI-2026-06565	Privileged administrative functions in scroll-contracts/src/L2/gateways/L2GatewayRouter.sol: setETHGateway, setDefaultERC20Gateway, setERC20Gateway	Improvement recommendation	Info	High

QSI-2026-06566	Privileged administrative functions in scroll-contracts/src/L2/gateways/usdc/L2USDCGateway.sol: updateCircleCaller, pauseDeposit, pauseWithdraw	Improvement recommendation	Info	High
QSI-2026-06567	Privileged administrative functions in scroll-contracts/src/L2/gateways/usdc/draft-L2USDCGatewayCCTP.sol: updateCCTPContracts	Improvement recommendation	Info	High
QSI-2026-06569	Privileged administrative functions in scroll-contracts/src/L2/predeploys/L1BlockContainer.sol: initialize, updateWhitelist	Improvement recommendation	Info	High
QSI-2026-06570	Privileged administrative functions in scroll-contracts/src/L2/predeploys/L1GasPriceOracle.sol: setOverhead, setScalar, setCommitScalar, setBlobScalar, updateWhitelist, enableCurie	Improvement recommendation	Info	High
QSI-2026-06572	Privileged administrative functions in scroll-contracts/src/L2/predeploys/L2MessageQueue.sol: initialize	Improvement recommendation	Info	High
QSI-2026-06573	Privileged administrative functions in scroll-contracts/src/L2/predeploys/L2TxFeeVault.sol: updateMessenger, updateRecipient, updateMinWithdrawAmount	Improvement recommendation	Info	High
QSI-2026-06574	Privileged administrative functions in scroll-contracts/src/L2/predeploys/Whitelist.sol: updateWhitelistStatus	Improvement recommendation	Info	High
QSI-2026-06576	Privileged administrative functions in scroll-contracts/src/gas-swap/GasSwap.sol: withdraw, updateFeeRatio, updateApprovedTarget	Improvement recommendation	Info	High
QSI-2026-06577	Privileged administrative functions in scroll-contracts/src/libraries/ScrollMessengerBase.sol: updateFeeVault, setPause	Improvement recommendation	Info	High
QSI-2026-06578	Privileged administrative functions in scroll-contracts/src/libraries/common/OwnableBase.sol: renounceOwnership, transferOwnership	Improvement recommendation	Info	High
QSI-2026-06579	Privileged administrative functions in scroll-contracts/src/libraries/token/ScrollStandardERC20Factory.sol: deployL2Token	Improvement recommendation	Info	High
QSI-2026-06581	Privileged administrative functions in scroll-contracts/src/lido/LidoGatewayManager.sol: grantRole, revokeRole	Improvement recommendation	Info	High
QSI-2026-06582	Privileged administrative functions in scroll-contracts/src/misc/Fallback.sol: withdraw, execute	Improvement recommendation	Info	High
QSI-2026-06583	Privileged administrative functions in scroll-contracts/src/rate-limiter/ETHRateLimiter.sol: updateTotalLimit	Improvement recommendation	Info	High
QSI-2026-06637	github.com/btcsuite/btcd v0.20.1-beta is affected by GHSA-2chg-86hq-7w38 (CVE-2022-44797, GO-2022-1098)	Known vulnerable component	Info	Medium, preliminary
QSI-2026-06639	github.com/consensys/gnark-crypto v0.16.0 is affected by GHSA-fj2x-735w-74vq (GO-2025-4087)	Known vulnerable component	Info	Medium, preliminary

QSI-2026-06640	github.com/docker/cli v25.0.4-0.20240305161310-2bf4225ad269+incompatible is affected by GHSA-p436-gjf2-799p (CVE-2025-15558, GO-2026-4610)	Known vulnerable component	Info	Medium, preliminary
QSI-2026-06643	github.com/docker/docker v26.1.0+incompatible is affected by GHSA-rg2x-37c3-w2rh (CVE-2026-42306, GO-2026-5617)	Known vulnerable component	Info	Medium, preliminary
QSI-2026-06644	github.com/docker/docker v26.1.0+incompatible is affected by GHSA-v23v-6jw2-98fq (CVE-2024-41110, GO-2024-3005)	Known vulnerable component	Info	Medium, preliminary
QSI-2026-06645	github.com/docker/docker v26.1.0+incompatible is affected by GHSA-vp62-88p7-qqf5 (CVE-2026-41568, GO-2026-5668)	Known vulnerable component	Info	Medium, preliminary
QSI-2026-06646	github.com/docker/docker v26.1.0+incompatible is affected by GHSA-x86f-5xw2-fm2r (CVE-2026-41567, GO-2026-5746)	Known vulnerable component	Info	Medium, preliminary
QSI-2026-06649	github.com/jackc/pgx/v5 v5.5.4 is affected by GHSA-9jj7-4m8r-rfcm (CVE-2026-33816, GO-2026-4772)	Known vulnerable component	Info	Medium, preliminary
QSI-2026-06650	github.com/jackc/pgx/v5 v5.5.4 is affected by GHSA-j88v-2chj-qfwx (CVE-2026-41889, GO-2026-5004)	Known vulnerable component	Info	Medium, preliminary
QSI-2026-06651	github.com/jackc/pgx/v5 v5.5.4 is affected by GHSA-xgrm-4fwx-7qm8 (CVE-2026-33815, GO-2026-4771)	Known vulnerable component	Info	Medium, preliminary
QSI-2026-06652	github.com/klauspost/compress v1.17.9 is affected by GHSA-259r-337f-4rfw (CVE-2026-63209, GO-2026-5841)	Known vulnerable component	Info	Medium, preliminary
QSI-2026-06586	atty 0.2.14 is affected by GHSA-g98v-hv3f-hcfr (RUSTSEC-2021-0145)	Known vulnerable component	Info	Low, preliminary
QSI-2026-06588	bincode 1.3.3: informational advisory RUSTSEC-2025-0141 (unmaintained)	Improvement recommendation	Info	High
QSI-2026-06589	bincode 2.0.1: informational advisory RUSTSEC-2025-0141 (unmaintained)	Improvement recommendation	Info	High
QSI-2026-06618	tokio 1.52.3 is affected by RUSTSEC-2026-0386 (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-06634	zstd-sys 2.0.16+zstd.1.5.7 is affected by RUSTSEC-2026-0410 (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-06584	No post-quantum capable cryptographic library detected	Insufficient data	Info	Medium, preliminary
QSI-2026-06585	ansi_term 0.12.1: informational advisory RUSTSEC-2021-0139 (unmaintained)	Improvement recommendation	Info	Low

QSI-2026-06587	atty 0.2.14: informational advisory RUSTSEC-2024-0375 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-06594	derivative 2.2.0: informational advisory RUSTSEC-2024-0388 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-06595	fxhash 0.2.1: informational advisory RUSTSEC-2025-0057 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-06596	generational-arena 0.2.9: informational advisory RUSTSEC-2024-0014 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-06598	instant 0.1.13: informational advisory RUSTSEC-2024-0384 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-06599	libsecp256k1 0.7.2: informational advisory RUSTSEC-2025-0161 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-06605	paste 1.0.15: informational advisory RUSTSEC-2024-0436 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-06606	proc-macro-error2 2.0.1: informational advisory RUSTSEC-2026-0173 (unmaintained)	Improvement recommendation	Info	Low

Detailed findings

QSI-2026-06635 · DEP-KNOWN-ADVISORY

Critical

github.com/gin-contrib/cors v1.5.0 is affected by GHSA-869c-j7wc-8jqv (CVE-2019-25211, GO-2024-2955)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-869c-j7wc-8jqv (CVE-2019-25211, GO-2024-2955) for Go package github.com/gin-contrib/cors at version v1.5.0: Gin mishandles a wildcard at the end of an origin string. The audited code names github.com/gin-contrib/cors.New: the affected code may be reachable.

Affected asset	dependency:Go/github.com/gin-contrib/cors@v1.5.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	54.0 / 100 (Web3 project)
CVSS v3.1	9.1 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-869c-j7wc-8jqv
```

EVIDENCE

tool_output · OSV.dev GHSA-869c-j7wc-8jqv · line 8 · SHA-256 dc496aa23daf6224...


```
{"id": "GHSA-869c-j7wc-8jqv", "aliases": ["CVE-2019-25211", "GO-2024-2955"], "modified":
"2025-11-03T22:47:01Z", "summary": "Gin mishandles a wildcard at the end of an origin string",
"severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N"}, {"type":
"CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (1.6.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-869c-j7wc-8jqv

QSI-2026-06538 · CODE-TLS-VERIFY-DISABLED

High

TLS certificate verification disabled in bridge-history-api/cmd/api/app/app.go

Confirmed configuration error | Confidence: High

1 occurrence(s) of disabled verification (InsecureSkipVerify: true), first at line 69.

Affected asset	file:bridge-history-api/cmd/api/app/app.go
Data source	bridge-history-api/cmd/api/app/app.go
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.2.0 · 2026-10-29 06:18 UTC
Priority score	68.3 / 100 (Web3 project)
CVSS v3.1	6.8 — CVSS:3.1/AV:A/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:N

POTENTIAL IMPACT

Connections are open to man-in-the-middle interception.

REPRODUCTION STEPS

```
Open line 69 in the supplied file bridge-history-api/cmd/api/app/app.go and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · bridge-history-api/cmd/api/app/app.go · line 69 · SHA-256 edce4750653abe23… · File 3ba7c1d55a3a3f07…

```
67 |         opts.TLSConfig = &tls.Config{
68 |                 MinVersion:         tls.VersionTLS12,
69 |                 InsecureSkipVerify: true, //nolint:gosec
70 |         }
71 | }
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Remove the override; use a proper CA bundle or pinning.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

OWASP Application Security Verification Standard

QSI-2026-06636 · DEP-KNOWN-ADVISORY

High

github.com/btcsuite/btcd v0.20.1-beta is affected by GHSA-27vh-h6mc-q6g8 (CVE-2024-38365, GO-2024-3189)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-27vh-h6mc-q6g8 (CVE-2024-38365, GO-2024-3189) for Go package github.com/btcsuite/btcd at version v0.20.1-beta: btcd did not correctly re-implement Bitcoin

Core's "FindAndDelete()" functionality. The audited code names github.com/btcsuite/btcd/txscript.Engine.Step: the affected code may be reachable.

Affected asset	dependency:Go/github.com/btcsuite/btcd@v0.20.1-beta
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	49.2 / 100 (Web3 project)
CVSS v3.1	7.4 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-27vh-h6mc-q6g8
```

EVIDENCE

tool_output · OSV.dev GHSA-27vh-h6mc-q6g8 · line 26 · SHA-256 ff74528063f3adda...


```
{"id": "GHSA-27vh-h6mc-q6g8", "aliases": ["CVE-2024-38365", "GO-2024-3189"], "modified":
"2025-08-21T04:05:13Z", "summary": "btcd did not correctly re-implement Bitcoin Core's
\"FindAndDelete()\" functionality", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/
PR:N/UI:N/S:U/C:N/I:H/A:H"}, {"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:N/
VI:H/VA:H/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.24.2-beta.rc1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-27vh-h6mc-q6g8

QSI-2026-06547 · SOL-REENTRANCY

High

Possible reentrancy (external call before state update) in scroll-contracts/src/L1/L1ScrollMessenger.sol

Potential cryptographic risk | Confidence: Low | preliminary — requires further verification

In function relayMessageWithProof, an external call at line 192 is followed by a state write at line 194. (related: SWC-107)

Affected asset	contract:scroll-contracts/src/L1/L1ScrollMessenger.sol
Data source	scroll-contracts/src/L1/L1ScrollMessenger.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC

Priority score	37.0 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

An attacker contract may re-enter before state is updated and drain funds.

REPRODUCTION STEPS

```
Open line 192 in the supplied file scroll-contracts/src/L1/L1ScrollMessenger.sol and inspect the
quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L1/L1ScrollMessenger.sol · line 192 · SHA-256 f4f1b0112884e9b3... · File d5f24ac5e19fd3a7...

```
190 |
191 |         xDomainMessageSender = _from;
192 |         (bool success, ) = _to.call{value: _value}(_message);
193 |         // reset value to refund gas.
194 |         xDomainMessageSender = ScrollConstants.DEFAULT_XDOMAIN_MESSAGE_SENDER;
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Apply checks-effects-interactions and/or ReentrancyGuard.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06548 · SOL-REENTRANCY

High

Possible reentrancy (external call before state update) in scroll-contracts/src/L1/L1ScrollMessenger.sol

Potential cryptographic risk | Confidence: Low | preliminary — requires further verification

In function replayMessage, an external call at line 231 is followed by a state write at line 244. (related: SWC-107)

Affected asset	contract:scroll-contracts/src/L1/L1ScrollMessenger.sol
Data source	scroll-contracts/src/L1/L1ScrollMessenger.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	37.0 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

An attacker contract may re-enter before state is updated and drain funds.

REPRODUCTION STEPS

```
Open line 231 in the supplied file scroll-contracts/src/L1/L1ScrollMessenger.sol and inspect the
quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L1/L1ScrollMessenger.sol · line 231 · SHA-256 da026ca30bc15720… · File d5f24ac5e19fd3a7…

```
  229 |         require(msg.value >= _fee, "Insufficient msg.value for fee");
  230 |         if (_fee > 0) {
  231 |             (bool _success, ) = feeVault.call{value: _fee}("");
  232 |             require(_success, "Failed to deduct the fee");
  233 |         }
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Apply checks-effects-interactions and/or ReentrancyGuard.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06562 · SOL-REENTRANCY

High

Possible reentrancy (external call before state update) in scroll-contracts/src/L2/L2ScrollMessenger.sol

Potential cryptographic risk | Confidence: Low | preliminary — requires further verification

In function _executeMessage, an external call at line 159 is followed by a state write at line 161. (related: SWC-107)

Affected asset	contract:scroll-contracts/src/L2/L2ScrollMessenger.sol
Data source	scroll-contracts/src/L2/L2ScrollMessenger.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	37.0 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

An attacker contract may re-enter before state is updated and drain funds.

REPRODUCTION STEPS

```
Open line 159 in the supplied file scroll-contracts/src/L2/L2ScrollMessenger.sol and inspect the
quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L2/L2ScrollMessenger.sol · line 159 · SHA-256 2649304147ef4bd1… · File 4b07ab7176f12746…

```
157 |         xDomainMessageSender = _from;
158 |         // solhint-disable-next-line avoid-low-level-calls
159 |         (bool success, ) = _to.call{value: _value}(_message);
160 |         // reset value to refund gas.
161 |         xDomainMessageSender = ScrollConstants.DEFAULT_XDOMAIN_MESSAGE_SENDER;
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Apply checks-effects-interactions and/or ReentrancyGuard.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06568 · SOL-UNPROTECTED-INITIALIZER

High

initialize() without initializer modifier in scroll-contracts/src/L2/predeploys/L1BlockContainer.sol

Potential cryptographic risk | Confidence: Low | preliminary — requires further verification

function initialize at line 63 lacks an initializer/onlyInitializing guard. (related: SWC-118)

Affected asset	contract:scroll-contracts/src/L2/predeploys/L1BlockContainer.sol
Data source	scroll-contracts/src/L2/predeploys/L1BlockContainer.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	37.0 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

In upgradeable proxies anyone may (re)initialize and take ownership.

REPRODUCTION STEPS

```
Open line 63 in the supplied file scroll-contracts/src/L2/predeploys/L1BlockContainer.sol and
inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L2/predeploys/L1BlockContainer.sol · line 63 · SHA-256 4b809c2dc16a948a… · File e72617f1c9fa18ff…

```
61 |     }
62 |
63 |     function initialize(
64 |         bytes32 _startBlockHash,
65 |         uint64 _startBlockHeight,
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use OpenZeppelin Initializable (initializer modifier) and disable initializers in the implementation constructor.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06571 · SOL-UNPROTECTED-INITIALIZER

High

initialize() without initializer modifier in scroll-contracts/src/L2/predeploys/L2MessageQueue.sol

Potential cryptographic risk | Confidence: Low | preliminary — requires further verification

function initialize at line 42 lacks an initializer/onlyInitializing guard. (related: SWC-118)

Affected asset	contract:scroll-contracts/src/L2/predeploys/L2MessageQueue.sol
Data source	scroll-contracts/src/L2/predeploys/L2MessageQueue.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	37.0 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

In upgradeable proxies anyone may (re)initialize and take ownership.

REPRODUCTION STEPS

```
Open line 42 in the supplied file scroll-contracts/src/L2/predeploys/L2MessageQueue.sol and inspect
the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L2/predeploys/L2MessageQueue.sol · line 42 · SHA-256 815138f70b3bbcc5... · File 9427eee5a1f80eaf...

```
40 |     /// @dev You are not allowed to initialize when there are some messages appended.
41 |     /// @param _messenger The address of messenger to update.
42 |     function initialize(address _messenger) external onlyOwner {
43 |         require(nextMessageIndex == 0, "cannot initialize");
44 |
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use OpenZeppelin Initializable (initializer modifier) and disable initializers in the implementation constructor.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06609 · DEP-KNOWN-ADVISORY

High

quinn-proto 0.11.16 is affected by RUSTSEC-2026-0340

Known vulnerable component | Confidence: Low

OSV.dev reports RUSTSEC-2026-0340 for crates.io package quinn-proto at version 0.11.16: Peer minimum ACK delay can panic quinn-proto when ACK_FREQUENCY transmission is enabled. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quinn-proto@0.11.16
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	36.9 / 100 (Web3 project)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0340
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0340 · manifest · SHA-256 20321fd13a708b93…


```
{"id": "RUSTSEC-2026-0340", "aliases": ["GHSA-3g6h-r5qx-f6hq"], "modified":
"2026-10-12T18:15:01.975478256Z", "summary": "Peer minimum ACK delay can panic quinn-proto when
ACK_FREQUENCY transmission is enabled", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/
AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.11.18).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0340

QSI-2026-06610 · DEP-KNOWN-ADVISORY

High

quinn-proto 0.11.16 is affected by RUSTSEC-2026-0341

Known vulnerable component | Confidence: Low

OSV.dev reports RUSTSEC-2026-0341 for crates.io package quinn-proto at version 0.11.16: Stream reassembly memory-exhaustion guard in quinn-proto can be bypassed. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quinn-proto@0.11.16
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	36.9 / 100 (Web3 project)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0341
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0341 · manifest · SHA-256 843224ae2e1a0c89...


```
{"id": "RUSTSEC-2026-0341", "aliases": ["GHSA-qfwj-vfxf-92j2"], "modified":
"2026-10-12T18:15:01.969505433Z", "summary": "Stream reassembly memory-exhaustion guard in quinn-
proto can be bypassed", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/
C:N/I:N/A:H"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.11.17).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0341

QSI-2026-06544 · SOL-ECRECOVER

Medium

Raw ecrecover usage in scroll-contracts/lib/solmate/src/tokens/ERC20.sol

Potential cryptographic risk | Confidence: Medium | preliminary — requires further verification

ecrecover at line 130. (related: SWC-117/SWC-121)

Affected asset	contract:scroll-contracts/lib/solmate/src/tokens/ERC20.sol

Data source	scroll-contracts/lib/solmate/src/tokens/ERC20.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	43.2 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Without s-value/zero-address checks and nonces, signatures may be malleable or replayable. ecrecover relies on secp256k1 ECDSA (quantum-vulnerable long-term).

REPRODUCTION STEPS

```
Open line 130 in the supplied file scroll-contracts/lib/solmate/src/tokens/ERC20.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/lib/solmate/src/tokens/ERC20.sol · line 130 · SHA-256 d41f7bb35e5522e6... · File a3a7e839f42762ef...

```
128 |         // the owner's nonce which cannot realistically overflow.
129 |         unchecked {
130 |             address recoveredAddress = ecrecover(
131 |                 keccak256(
132 |                     abi.encodePacked(
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use OpenZeppelin ECDSA.recover with EIP-712 domain separation and nonces.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06638 · DEP-KNOWN-ADVISORY

Medium

github.com/btcsuite/btcd v0.20.1-beta is affected by GHSA-3jgf-r68h-xfqm (CVE-2024-34478, GO-2024-2818)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-3jgf-r68h-xfqm (CVE-2024-34478, GO-2024-2818) for Go package github.com/btcsuite/btcd at version v0.20.1-beta: btcd susceptible to consensus failures. The audited code names github.com/btcsuite/btcd/blockchain.txValidator.Validate, github.com/btcsuite/btcd/txscript.Engine.Step: the affected code may be reachable.

Affected asset	dependency:Go/github.com/btcsuite/btcd@v0.20.1-beta
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	42.0 / 100 (Web3 project)

CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-3jgf-r68h-xfqm
```

EVIDENCE

tool_output · OSV.dev GHSA-3jgf-r68h-xfqm · line 26 · SHA-256 c535e168fc079608...


```
{"id": "GHSA-3jgf-r68h-xfqm", "aliases": ["CVE-2024-34478", "GO-2024-2818"], "modified":
"2024-08-07T19:55:49Z", "summary": "btcd susceptible to consensus failures", "severity": null,
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.24.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-3jgf-r68h-xfqm

QSI-2026-06642 · DEP-KNOWN-ADVISORY

Medium

github.com/docker/docker v26.1.0+incompatible is affected by GHSA-pxq6-2prw-chj9 (CVE-2026-33997, GO-2026-4883)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-pxq6-2prw-chj9 (CVE-2026-33997, GO-2026-4883) for Go package github.com/docker/docker at version v26.1.0+incompatible: Moby has an Off-by-one error in its plugin privilege validation. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Go/github.com/docker/docker@v26.1.0+incompatible
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	42.0 / 100 (Web3 project)
CVSS v3.1	6.8 — CVSS:3.1/AV:N/AC:H/PR:N/UI:R/S:U/C:H/I:H/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-pxq6-2prw-chj9
```

EVIDENCE

tool_output · OSV.dev GHSA-pxq6-2prw-chj9 · line 39 · SHA-256 a1f97854af5b7595…


```
{"id": "GHSA-pxq6-2prw-chj9", "aliases": ["CVE-2026-33997", "GO-2026-4883"], "modified": "2026-09-10T03:50:40.571293679Z", "summary": "Moby has an Off-by-one error in its plugin privilege validation", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:N/UI:R/S:U/C:H/I:H/A:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-pxq6-2prw-chj9

QSI-2026-06648 · DEP-KNOWN-ADVISORY

Medium

github.com/gorilla/websocket v1.5.0 is affected by GHSA-w67g-5rqw-f597 (GO-2026-6278)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-w67g-5rqw-f597 (GO-2026-6278) for Go package github.com/gorilla/websocket at version v1.5.0: Gorilla WebSocket Uses Cryptographically Weak PRNG for WebSocket Mask Key. The audited code names github.com/gorilla/websocket.Conn.Close, github.com/gorilla/websocket.NewClient, github.com/gorilla/websocket.httpProxyDialer.Dial, github.com/gorilla/websocket.netDialerFunc.Dial …: the affected code may be reachable.

Affected asset	dependency:Go/github.com/gorilla/websocket@v1.5.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	42.0 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-w67g-5rqw-f597
```

EVIDENCE

tool_output · OSV.dev GHSA-w67g-5rqw-f597 · line 56 · SHA-256 3fee799e1426dfa6...


```
{"id": "GHSA-w67g-5rqw-f597", "aliases": ["GO-2026-6278"], "modified":
"2026-09-10T03:50:54.128553228Z", "summary": "Gorilla WebSocket Uses Cryptographically Weak PRNG for
WebSocket Mask Key", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/
VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (1.5.3).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-w67g-5rqw-f597

QSI-2026-06580 · SOL-PAIRING-QV

Medium

Pairing-based cryptography on chain: BN254 (alt_bn128) (scroll-contracts/src/libraries/verifier/RollupVerifier.sol)

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

scroll-contracts/src/libraries/verifier/RollupVerifier.sol uses BN254 (alt_bn128) (first at line 24): pairing-friendly elliptic curves (alt_bn128 precompiles 0x06–0x08 or BLS12-381 precompiles 0x0b–0x11) and/or a pairing-based proof verifier.

Affected asset	contract:scroll-contracts/src/libraries/verifier/RollupVerifier.sol
Data source	scroll-contracts/src/libraries/verifier/RollupVerifier.sol
Detection method	Comment-aware pattern matching with the registry's detection patterns.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.3 / 100 (Web3 project)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=12.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

These rely on elliptic-curve discrete logarithms, which Shor's algorithm solves on a CRQC; proofs or aggregate signatures accepted by the contract could then be forged. Not exploitable today.

REPRODUCTION STEPS

```
Open line 24 in the supplied file scroll-contracts/src/libraries/verifier/RollupVerifier.sol and
inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/libraries/verifier/RollupVerifier.sol · line 24 · SHA-256 1c7f6da98e4391b6... · File 69d78c950cc41490...

```
22 |
23 |         assembly {
24 |             ret := staticcall(gas(), 8, add(input, 0x20), mul(length, 0x20), result, 0x20)
25 |         }
26 |         require(ret);
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Pattern-based detection; the scheme in use should be confirmed from the verifier's source.

RECOMMENDATION

Record the contract in the PQC inventory and plan an upgrade path (upgradeable verifier, hash-based or lattice-based proof systems/signatures once mature).

RETEST PROCEDURE

Re-audit after a verifier upgrade.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); EIP-197 — Precompiled contract for optimal ate pairing check on alt_bn128 (0x08); EIP-2537 — Precompile for BLS12-381 curve operations (0x0b–0x11); J. Groth — On the Size of Pairing-based Non-interactive Arguments (EUROCRYPT 2016); M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-06541 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable ECDSA: transaction and message signing (2 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

5 reference(s) to ECDSA across 2 file(s), e.g. rollup/internal/controller/sender/kms_signer.go:5. Role, judged from paths, function names and nearby code: transaction and message signing. A CRQC derives the private key from a public key that is already known (on chain after the first spend, in reused addresses): funds and approvals controlled by these keys need a migration path.

Affected asset	source-code:ECDSA:transaction_signing
Data source	rollup/internal/controller/sender/kms_signer.go
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.0 / 100 (Web3 project)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=12.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open rollup/internal/controller/sender/kms_signer.go:5 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · rollup/internal/controller/sender/kms_signer.go · line 5 · SHA-256 a946707a5431416f... · File 5ea4720bbc6ef958...

```
  4 | "context"
  5 | "crypto/ecdsa"
  6 | "encoding/asn1"
```

file_excerpt · rollup/internal/controller/sender/kms_signer.go · line 64 · SHA-256 62bee3e9910de110... · File 5ea4720bbc6ef958...

```
 63 | oidPublicKeyECDSA = asn1.ObjectIdentifier{1, 2, 840, 10045, 2, 1} // id-ecPublicKey
 64 | oidNamedCurveS256 = asn1.ObjectIdentifier{1, 3, 132, 0, 10}       // secp256k1
 65 | )
```

file_excerpt · rollup/internal/controller/sender/kms_signer.go · line 140 · SHA-256 fc59e9f71af5ce30... · File 5ea4720bbc6ef958...

```
 139 | if !spki.Algorithm.Algorithm.Equal(oidPublicKeyECDSA) || !
spki.Algorithm.Parameters.Equal(oidNamedCurveS256) {
 140 |         return nil, fmt.Errorf("aws kms signer: unexpected public key algorithm/curve, want
id-ecPublicKey/secp256k1")
 141 | }
```

file_excerpt · scroll-contracts/lib/solmate/src/tokens/ERC20.sol · line 130 · SHA-256 d41f7bb35e5522e6... · File a3a7e839f42762ef...

```
 128 |         // the owner's nonce which cannot realistically overflow.
 129 |         unchecked {
 130 |             address recoveredAddress = ecrecover(
 131 |                 keccak256(
 132 |                     abi.encodePacked(
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-06539 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable ECDSA: role not determined (2 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

2 reference(s) to ECDSA across 2 file(s), e.g. common/utils/keystore.go:4. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:ECDSA:general

Data source	common/utils/keystore.go
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-29 06:18 UTC
Priority score	31.7 / 100 (Web3 project)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=12.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open common/utils/keystore.go:4 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · common/utils/keystore.go · line 4 · SHA-256 477db8762fa92569… · File 756dd85807bc5ec7…

```
3 | import (
4 | "crypto/ecdsa"
5 | "errors"
```

file_excerpt · coordinator/internal/controller/proxy/client_manager.go · line 5 · SHA-256 0a3914ad29653b36… · File 6c09723039bef433…

```
4 | "context"
5 | "crypto/ecdsa"
6 | "fmt"
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-06540 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable ECDSA: authentication and identity (certificates, tokens, device attestation) (1 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

1 reference(s) to ECDSA across 1 file(s), e.g. coordinator/internal/types/auth.go:4. Role, judged from paths, function names and nearby code: authentication and identity (certificates, tokens, device attestation). Short-lived authentication stays safe until a CRQC exists; long-lived identities (device attestation, CA and SSH keys) need a plan earlier.

Affected asset	source-code:ECDSA:authentication
Data source	coordinator/internal/types/auth.go
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.2.0 · 2026-10-29 06:18 UTC
Priority score	31.7 / 100 (Web3 project)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=12.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open coordinator/internal/types/auth.go:4 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · coordinator/internal/types/auth.go · line 4 · SHA-256 754608aa95082d2e… · File 45593a8284650616…

```
3 | import (
4 | "crypto/ecdsa"
5 | "encoding/hex"
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Keep credentials short-lived and plan ML-DSA certificates, tokens and keys as the ecosystem supports them.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-06590 · DEP-KNOWN-ADVISORY

Medium

block-buffer 0.9.0 is affected by GHSA-qwgh-2vcv-g2f7

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-qwgh-2vcv-g2f7 for crates.io package block-buffer at version 0.9.0: block_buffer: panic corrupts inline buffer position. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/block-buffer@0.9.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	31.5 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-qwgh-2vcv-g2f7
```

EVIDENCE

tool_output · OSV.dev GHSA-qwgh-2vcv-g2f7 · manifest · SHA-256 ac22c9ee6301d8c1...


```
{"id": "GHSA-qwgh-2vcv-g2f7", "aliases": [], "modified": "2026-08-19T19:30:06.686866977Z",
"summary": "block_buffer: panic corrupts inline buffer position", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-qwgh-2vcv-g2f7

QSI-2026-06591 · DEP-KNOWN-ADVISORY

Medium

block-buffer 0.10.4 is affected by GHSA-qwgh-2vcv-g2f7

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-qwgh-2vcv-g2f7 for crates.io package block-buffer at version 0.10.4: block_buffer: panic corrupts inline buffer position. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/block-buffer@0.10.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC

Priority score	31.5 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-qwgh-2vcv-g2f7
```

EVIDENCE

tool_output · OSV.dev GHSA-qwgh-2vcv-g2f7 · manifest · SHA-256 ac22c9ee6301d8c1...


```
{"id": "GHSA-qwgh-2vcv-g2f7", "aliases": [], "modified": "2026-08-19T19:30:06.686866977Z",
"summary": "block_buffer: panic corrupts inline buffer position", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-qwgh-2vcv-g2f7

QSI-2026-06592 · DEP-KNOWN-ADVISORY

Medium

block-buffer 0.11.0 is affected by GHSA-qwgh-2vcv-g2f7

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-qwgh-2vcv-g2f7 for crates.io package block-buffer at version 0.11.0: block_buffer: panic corrupts inline buffer position. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/block-buffer@0.11.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	31.5 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-qwgh-2vcv-g2f7
```

EVIDENCE

tool_output · OSV.dev GHSA-qwgh-2vcv-g2f7 · manifest · SHA-256 ac22c9ee6301d8c1...


```
{"id": "GHSA-qwgh-2vcv-g2f7", "aliases": [], "modified": "2026-08-19T19:30:06.686866977Z",
"summary": "block_buffer: panic corrupts inline buffer position", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-qwgh-2vcv-g2f7

QSI-2026-06613 · DEP-KNOWN-ADVISORY

Medium

rustls 0.23.41 is affected by GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285) for crates.io package rustls at version 0.23.41: Rustls: TLS 1.3 handshake messages incorrectly accepted across encryption level boundaries. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls@0.23.41
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	31.5 / 100 (Web3 project)
CVSS v3.1	5.3 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-2mjx-qc3c-rqvc
```

EVIDENCE

tool_output · OSV.dev GHSA-2mjx-qc3c-rqvc · manifest · SHA-256 f20e4b21c01d3d75...


```
{"id": "GHSA-2mjx-qc3c-rqvc", "aliases": ["RUSTSEC-2026-0285"], "modified":
"2026-10-27T15:30:05.509305490Z", "summary": "Rustls: TLS 1.3 handshake messages incorrectly
```

accepted across encryption level boundaries", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N"}], "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.45).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-2mjx-qc3c-rqvc

QSI-2026-06614 · DEP-KNOWN-ADVISORY

Medium

rustls 0.23.41 is affected by GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346) for crates.io package rustls at version 0.23.41: Rustls: Session Debug formatting exposes TLS master secrets and resumption PSKs. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls@0.23.41
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	31.5 / 100 (Web3 project)
CVSS v3.1	4.0 — CVSS:3.1/AV:L/AC:H/PR:H/UI:R/S:U/C:H/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-c8m5-c952-6cm4
```

EVIDENCE

tool_output · OSV.dev GHSA-c8m5-c952-6cm4 · manifest · SHA-256 87554a0cce34470a...

{"id": "GHSA-c8m5-c952-6cm4", "aliases": ["RUSTSEC-2026-0346"], "modified": "2026-10-27T16:15:05.354395696Z", "summary": "Rustls: Session Debug formatting exposes TLS master secrets and resumption PSKs", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:L/AC:H/PR:H/UI:R/S:U/C:H/I:N/A:N"}], "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.46, 0.24.0-dev.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-c8m5-c952-6cm4

QSI-2026-06619 · DEP-KNOWN-ADVISORY

Low

tracing-subscriber 0.2.25 is affected by GHSA-xwfj-jgwm-7wp5 (CVE-2025-58160, RUSTSEC-2025-0055)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-xwfj-jgwm-7wp5 (CVE-2025-58160, RUSTSEC-2025-0055) for crates.io package tracing-subscriber at version 0.2.25: Tracing logging user input may result in poisoning logs with ANSI escape sequences. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/tracing-subscriber@0.2.25
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	36.0 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-xwfj-jgwm-7wp5
```

EVIDENCE

tool_output · OSV.dev GHSA-xwfj-jgwm-7wp5 · manifest · SHA-256 a3249213cfcaf119...


```
{"id": "GHSA-xwfj-jgwm-7wp5", "aliases": ["CVE-2025-58160", "RUSTSEC-2025-0055"], "modified":
"2026-09-10T03:50:27.766863705Z", "summary": " Tracing logging user input may result in poisoning
logs with ANSI escape sequences", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/
AT:P/PR:N/UI:P/VC:N/VI:L/VA:N/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.3.20).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-xwfj-jgwm-7wp5

QSI-2026-06641 · DEP-KNOWN-ADVISORY

Low

github.com/docker/docker v26.1.0+incompatible is affected by GHSA-4vq8-7jfc-9cvp (CVE-2025-54410)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-4vq8-7jfc-9cvp (CVE-2025-54410) for Go package github.com/docker/docker at version v26.1.0+incompatible: Moby firewalld reload removes bridge network isolation. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Go/github.com/docker/docker@v26.1.0+incompatible
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	36.0 / 100 (Web3 project)
CVSS v3.1	3.3 — CVSS:3.1/AV:L/AC:H/PR:L/UI:R/S:U/C:L/I:L/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-4vq8-7jfc-9cvp
```

EVIDENCE

tool_output · OSV.dev GHSA-4vq8-7jfc-9cvp · line 39 · SHA-256 dee43ec41d2fe7fe...


```
{"id": "GHSA-4vq8-7jfc-9cvp", "aliases": ["CVE-2025-54410", "GO-2025-3829"], "modified":
"2026-09-10T03:50:25.738441655Z", "summary": "Moby firewalld reload removes bridge network
isolation", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:L/AC:H/PR:L/UI:R/S:U/C:L/I:L/
A:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (25.0.13, 28.0.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-4vq8-7jfc-9cvp

QSI-2026-06542 · SOL-FLOATING-PRAGMA

Low

Floating pragma (>=0.8.0) in 20 file(s)

Improvement recommendation | Confidence: High

pragma >=0.8.0 in 20 file(s), first at scroll-contracts/lib/solmate/src/auth/Auth.sol:2. (related: SWC-103)

Affected asset	solidity:pragma:>=0.8.0
Data source	scroll-contracts/lib/solmate/src/auth/Auth.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	31.6 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open scroll-contracts/lib/solmate/src/auth/Auth.sol:2 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · scroll-contracts/lib/solmate/src/auth/Auth.sol · line 2 · SHA-256 9498e7a7f87af2cd... · File 8689fc68a85e5942...

```
    1 | // SPDX-License-Identifier: AGPL-3.0-only
    2 | pragma solidity >=0.8.0;
    3 |
    4 | /// @notice Provides a flexible and updatable auth pattern which is completely separate from application logic.
```

file_excerpt · scroll-contracts/lib/solmate/src/auth/Owned.sol · line 2 · SHA-256 cec42a0375b3ee8d... · File 8ac2f2dc41ab8012...

```
    1 | // SPDX-License-Identifier: AGPL-3.0-only
    2 | pragma solidity >=0.8.0;
    3 |
    4 | /// @notice Simple single owner authorization mixin.
```

file_excerpt · scroll-contracts/lib/solmate/src/auth/authorities/MultiRolesAuthority.sol · line 2 · SHA-256 a8b2b4c6d913d3db... · File 5ab0b9540f4bafa5...

```
    1 | // SPDX-License-Identifier: AGPL-3.0-only
    2 | pragma solidity >=0.8.0;
    3 |
    4 | import {Auth, Authority} from "../Auth.sol";
```

file_excerpt · scroll-contracts/lib/solmate/src/auth/authorities/RolesAuthority.sol · line 2 · SHA-256 a8b2b4c6d913d3db... · File 51040c1f37851e8f...

```
    1 | // SPDX-License-Identifier: AGPL-3.0-only
    2 | pragma solidity >=0.8.0;
    3 |
    4 | import {Auth, Authority} from "../Auth.sol";
```

file_excerpt · scroll-contracts/lib/solmate/src/tokens/ERC1155.sol · line 2 · SHA-256 0a27d4e4c242ed31... · File 3dbbc6faef59c3ee...

```
1 | // SPDX-License-Identifier: AGPL-3.0-only
2 | pragma solidity >=0.8.0;
3 |
4 | /// @notice Minimalist and gas efficient standard ERC1155 implementation.
```

file_excerpt · scroll-contracts/lib/solmate/src/tokens/ERC20.sol · line 2 · SHA-256 b93695ee22c4af8b... · File a3a7e839f42762ef...

```
1 | // SPDX-License-Identifier: AGPL-3.0-only
2 | pragma solidity >=0.8.0;
3 |
4 | /// @notice Modern and gas efficient ERC20 + EIP-2612 implementation.
```

file_excerpt · scroll-contracts/lib/solmate/src/tokens/ERC4626.sol · line 2 · SHA-256 3e08f13cb30c2296... · File f7febaa5999e4b42...

```
1 | // SPDX-License-Identifier: AGPL-3.0-only
2 | pragma solidity >=0.8.0;
3 |
4 | import {ERC20} from "../tokens/ERC20.sol";
```

file_excerpt · scroll-contracts/lib/solmate/src/tokens/ERC6909.sol · line 2 · SHA-256 242d667b6e8c8111... · File efe0bdc5ef262bb1...

```
1 | // SPDX-License-Identifier: MIT
2 | pragma solidity >=0.8.0;
3 |
4 | /// @notice Minimalist and gas efficient standard ERC6909 implementation.
```

file_excerpt · scroll-contracts/lib/solmate/src/tokens/ERC721.sol · line 2 · SHA-256 f360056d129ce016... · File 2da0cca384448208...

```
1 | // SPDX-License-Identifier: AGPL-3.0-only
2 | pragma solidity >=0.8.0;
3 |
4 | /// @notice Modern, minimalist, and gas efficient ERC-721 implementation.
```

file_excerpt · scroll-contracts/lib/solmate/src/tokens/WETH.sol · line 2 · SHA-256 c898105d2f1519ed... · File 22277963408ee27d...

```
1 | // SPDX-License-Identifier: AGPL-3.0-only
2 | pragma solidity >=0.8.0;
3 |
4 | import {ERC20} from "./ERC20.sol";
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06545 · SOL-FLOATING-PRAGMA

Low

Floating pragma (^0.8.10) in 1 file(s)

Improvement recommendation | Confidence: High

pragma ^0.8.10 in 1 file(s), first at scroll-contracts/scripts/foundry/DeployLidoGateway.s.sol:2. (related: SWC-103)

Affected asset	solidity:pragma:^0.8.10
Data source	scroll-contracts/scripts/foundry/DeployLidoGateway.s.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	31.6 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open scroll-contracts/scripts/foundry/DeployLidoGateway.s.sol:2 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · scroll-contracts/scripts/foundry/DeployLidoGateway.s.sol · line 2 · SHA-256 9f5e4972786d8090… · File 4d060d089f1a7604…

```
1 | // SPDX-License-Identifier: UNLICENSED
2 | pragma solidity ^0.8.10;
3 |
4 | import {Script} from "forge-std/Script.sol";
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06546 · SOL-FLOATING-PRAGMA

Low

Floating pragma (^0.8.24) in 58 file(s)

Improvement recommendation | Confidence: High

pragma ^0.8.24 in 58 file(s), first at scroll-contracts/src/L1/IL1ScrollMessenger.sol:3. (related: SWC-103)

Affected asset	solidity:pragma:^0.8.24
Data source	scroll-contracts/src/L1/IL1ScrollMessenger.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	31.6 / 100 (Web3 project)

CVSS v3.1 not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open scroll-contracts/src/L1/IL1ScrollMessenger.sol:3 and inspect the quoted lines; the evidence
lists further files.
```

EVIDENCE

file_excerpt · scroll-contracts/src/L1/IL1ScrollMessenger.sol · line 3 · SHA-256 e237fc6f80bcc953… · File b53351a515ea15f5…

```
1 | // SPDX-License-Identifier: MIT
2 |
3 | pragma solidity ^0.8.24;
4 |
5 | import {IScrollMessenger} from "../libraries/IScrollMessenger.sol";
```

file_excerpt · scroll-contracts/src/L1/gateways/IL1ERC1155Gateway.sol · line 3 · SHA-256 ada29c078e375ee6… · File dc47b9986026a9f5…

```
1 | // SPDX-License-Identifier: MIT
2 |
3 | pragma solidity ^0.8.24;
4 |
5 | /// @title The interface for the ERC1155 cross chain gateway on layer 1.
```

file_excerpt · scroll-contracts/src/L1/gateways/IL1ERC20Gateway.sol · line 3 · SHA-256 6a361406dea27df7… · File 20a99fab221d229a…

```
1 | // SPDX-License-Identifier: MIT
2 |
3 | pragma solidity ^0.8.24;
4 |
5 | interface IL1ERC20Gateway {
```

file_excerpt · scroll-contracts/src/L1/gateways/IL1ERC721Gateway.sol · line 3 · SHA-256 e971500b65b8b24e… · File c96a0655ea4372ba…

```
1 | // SPDX-License-Identifier: MIT
2 |
3 | pragma solidity ^0.8.24;
4 |
5 | /// @title The interface for the ERC721 cross chain gateway on layer 1.
```

file_excerpt · scroll-contracts/src/L1/gateways/IL1ETHGateway.sol · line 3 · SHA-256 60d32afb10a932db… · File b12e4d951a528a5d…

```
1 | // SPDX-License-Identifier: MIT
2 |
3 | pragma solidity ^0.8.24;
4 |
5 | interface IL1ETHGateway {
```

file_excerpt · scroll-contracts/src/L1/gateways/IL1GatewayRouter.sol · line 3 · SHA-256 d6b8adb2dd6346cd… · File 77c8745268247358…

```
1 | // SPDX-License-Identifier: MIT
2 |
3 | pragma solidity ^0.8.24;
```

```
    4 |
    5 | import {IL1ETHGateway} from "./IL1ETHGateway.sol";
```

file_excerpt · scroll-contracts/src/L1/gateways/L1ERC20Gateway.sol · line 3 · SHA-256 281e6787d0cc90c0... · File 5f1a6cfd4d6e69ce...

```
    1 | // SPDX-License-Identifier: MIT
    2 |
    3 | pragma solidity ^0.8.24;
    4 |
    5 | import {IERC20Upgradeable} from "@openzeppelin/contracts-upgradeable/token/ERC20/
IERC20Upgradeable.sol";
```

file_excerpt · scroll-contracts/src/L1/rollup/IL1MessageQueue.sol · line 3 · SHA-256 fe63083e556e7d4a... · File bb0d956a465c90d9...

```
    1 | // SPDX-License-Identifier: MIT
    2 |
    3 | pragma solidity ^0.8.24;
    4 |
    5 | interface IL1MessageQueue {
```

file_excerpt · scroll-contracts/src/L1/rollup/IL1MessageQueueWithGasPriceOracle.sol · line 3 · SHA-256 9b4c3a93ad3bc5a3... · File 2f03488822031773...

```
    1 | // SPDX-License-Identifier: MIT
    2 |
    3 | pragma solidity ^0.8.24;
    4 |
    5 | import {IL1MessageQueue} from "./IL1MessageQueue.sol";
```

file_excerpt · scroll-contracts/src/L1/rollup/IL2GasPriceOracle.sol · line 3 · SHA-256 a98cb27929f6e50e... · File 5a5f0c3eaf6afc3b...

```
    1 | // SPDX-License-Identifier: MIT
    2 |
    3 | pragma solidity ^0.8.24;
    4 |
    5 | interface IL2GasPriceOracle {
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06575 · SOL-FLOATING-PRAGMA

Low

Floating pragma (^0.8.0) in 5 file(s)

Improvement recommendation | Confidence: High

pragma ^0.8.0 in 5 file(s), first at scroll-contracts/src/L2/predeploys/WrappedEther.sol:3. (related: SWC-103)

Affected asset	solidity:pragma:^0.8.0
Data source	scroll-contracts/src/L2/predeploys/WrappedEther.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	31.6 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open scroll-contracts/src/L2/predeploys/WrappedEther.sol:3 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · scroll-contracts/src/L2/predeploys/WrappedEther.sol · line 3 · SHA-256 b4d288526b881ed2… · File 60b7f0696cad7d9b…

```
1 | // SPDX-License-Identifier: MIT
2 |
3 | pragma solidity ^0.8.0;
4 |
5 | import {ERC20} from "@openzeppelin/contracts/token/ERC20/ERC20.sol";
```

file_excerpt · scroll-contracts/src/libraries/gateway/CCTPGatewayBase.sol · line 3 · SHA-256 1c44403c40a2b006… · File bf0f6f6b2b302bfa…

```
1 | // SPDX-License-Identifier: MIT
2 |
3 | pragma solidity ^0.8.0;
4 |
5 | import {IMessageTransmitter} from "../../interfaces/IMessageTransmitter.sol";
```

file_excerpt · scroll-contracts/src/libraries/token/IScrollERC1155Extension.sol · line 3 · SHA-256 3546282441b6170c… · File 2d471c9da443b3cc…

```
1 | // SPDX-License-Identifier: MIT
2 |
3 | pragma solidity ^0.8.0;
4 |
5 | // Functions needed on top of the ERC1155 standard to be compliant with the Scroll bridge
```

file_excerpt · scroll-contracts/src/libraries/token/IScrollERC20Extension.sol · line 3 · SHA-256 faeecba0e8512517… · File ba1beca4af7a80ff…

```
1 | // SPDX-License-Identifier: MIT
2 |
3 | pragma solidity ^0.8.0;
4 |
5 | // Functions needed on top of the ERC20 standard to be compliant with the Scroll bridge
```

file_excerpt · scroll-contracts/src/libraries/token/IScrollERC721Extension.sol · line 3 · SHA-256 68b1b7d7965bd46c… · File e129af1d73c0ba16…

```
1 | // SPDX-License-Identifier: MIT
2 |
3 | pragma solidity ^0.8.0;
```

```
    4 |
    5 | // Functions needed on top of the ERC721 standard to be compliant with the Scroll bridge
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06600 · DEP-KNOWN-ADVISORY

Low

lru 0.12.5 is affected by GHSA-rhfx-m35p-ff5j (RUSTSEC-2026-0002)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-rhfx-m35p-ff5j (RUSTSEC-2026-0002) for crates.io package lru at version 0.12.5: `IterMut` violates Stacked Borrows by invalidating internal pointer. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/lru@0.12.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	27.0 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-rhfx-m35p-ff5j
```

EVIDENCE

tool_output · OSV.dev GHSA-rhfx-m35p-ff5j · manifest · SHA-256 74c3e26941575e81…


```
{"id": "GHSA-rhfx-m35p-ff5j", "aliases": ["RUSTSEC-2026-0002"], "modified":
"2026-09-10T03:50:59.064354050Z", "summary": "`IterMut` violates Stacked Borrows by invalidating
internal pointer", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/
VC:N/VI:L/VA:N/SC:N/SI:N/SA:N/E:U"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.16.3).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-rhfx-m35p-ff5j

QSI-2026-06602 · DEP-KNOWN-ADVISORY

Low

lru 0.13.0 is affected by GHSA-rhfx-m35p-ff5j (RUSTSEC-2026-0002)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-rhfx-m35p-ff5j (RUSTSEC-2026-0002) for crates.io package lru at version 0.13.0: `IterMut` violates Stacked Borrows by invalidating internal pointer. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/lru@0.13.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	27.0 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-rhfx-m35p-ff5j
```

EVIDENCE

tool_output · OSV.dev GHSA-rhfx-m35p-ff5j · manifest · SHA-256 74c3e26941575e81…


```
{"id": "GHSA-rhfx-m35p-ff5j", "aliases": ["RUSTSEC-2026-0002"], "modified":
"2026-09-10T03:50:59.064354050Z", "summary": "`IterMut` violates Stacked Borrows by invalidating
internal pointer", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/
VC:N/VI:L/VA:N/SC:N/SI:N/SA:N/E:U"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.16.3).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-rhfx-m35p-ff5j

QSI-2026-06604 · DEP-KNOWN-ADVISORY

Low

p3-symmetric 0.4.3 is affected by GHSA-3g92-f9ch-qjcm

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-3g92-f9ch-qjcm for crates.io package p3-symmetric at version 0.4.3: Plonky3: The sponge construction used to get a hash function from a cryptographic permutation is not collision resistant for inputs of different lengths. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/p3-symmetric@0.4.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	27.0 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-3g92-f9ch-qjcm
```

EVIDENCE

tool_output · OSV.dev GHSA-3g92-f9ch-qjcm · manifest · SHA-256 a27fd662d8b302d2…


```
{"id": "GHSA-3g92-f9ch-qjcm", "aliases": [], "modified": "2026-04-16T23:04:45.978452Z", "summary":
"Plonky3: The sponge construction used to get a hash function from a cryptographic permutation is
not collision resistant for inputs of different lengths", "severity": [{"type": "CVSS_V4", "score":
"CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:N/VC:N/VI:L/VA:N/SC:N/SI:N/SA:N/E:P"}], "declared_in_manifest":
false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-3g92-f9ch-qjcm

QSI-2026-06616 · DEP-KNOWN-ADVISORY

Low

rustls 0.23.41 is affected by GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349) for crates.io package rustls at version 0.23.41: rustls: An unauthenticated ServerHello poisons the per-name key-exchange record, so later ClientHellos carry only a classical X25519 share. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls@0.23.41
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	27.0 / 100 (Web3 project)
CVSS v3.1	3.7 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-w44r-93j7-qv28
```

EVIDENCE

tool_output · OSV.dev GHSA-w44r-93j7-qv28 · manifest · SHA-256 f0fcaa2fa7a56e18...


```
{"id": "GHSA-w44r-93j7-qv28", "aliases": ["RUSTSEC-2026-0349"], "modified":
"2026-10-27T16:15:05.340347056Z", "summary": "rustls: An unauthenticated ServerHello poisons the
per-name key-exchange record, so later ClientHellos carry only a classical X25519 share",
"severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.46, 0.24.0-dev.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-w44r-93j7-qv28

QSI-2026-06615 · DEP-KNOWN-ADVISORY

Low

rustls 0.23.41 is affected by GHSA-h2v8-394m-p7vv (RUSTSEC-2026-0348)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GHSA-h2v8-394m-p7vv (RUSTSEC-2026-0348) for crates.io package rustls at version 0.23.41: Rustls: Brotli certificate decompression can allocate an attacker-controlled amount of memory up to 1 GiB before authentication. The affected code sits behind the `brotli` Cargo feature, off by default, which no audited manifest enables: the advisory does not apply unless another dependency enables it.

Affected asset	dependency:crates.io/rustls@0.23.41
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	22.9 / 100 (Web3 project)
CVSS v3.1	3.7 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:L

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-h2v8-394m-p7vv
```

EVIDENCE

tool_output · OSV.dev GHSA-h2v8-394m-p7vv · manifest · SHA-256 9118726d52fea7ce...


```
{"id": "GHSA-h2v8-394m-p7vv", "aliases": ["RUSTSEC-2026-0348"], "modified":
"2026-10-27T16:15:05.337819489Z", "summary": "Rustls: Brotli certificate decompression can allocate
an attacker-controlled amount of memory up to 1 GiB before authentication.", "severity": [{"type":
"CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:L"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.46, 0.24.0-dev.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-h2v8-394m-p7vv

QSI-2026-06593 · DEP-ADVISORY-UNRATED

Low

crypto-bigint 0.5.5 is affected by RUSTSEC-2026-0387 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0387 for crates.io package crypto-bigint at version 0.5.5: Multiple timing variability issues in operations intended to be constant-time. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/crypto-bigint@0.5.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0387
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0387 · manifest · SHA-256 eab63427da988e95...


```
{"id": "RUSTSEC-2026-0387", "aliases": [], "modified": "2026-10-24T03:45:02.365137418Z", "summary":
"Multiple timing variability issues in operations intended to be constant-time", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.7.6) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0387

QSI-2026-06597 · DEP-ADVISORY-UNRATED

Low

h2 0.4.15 is affected by RUSTSEC-2026-0258 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0258 for crates.io package h2 at version 0.4.15: h2 unbounded empty DATA frames. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/h2@0.4.15
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0258
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0258 · manifest · SHA-256 d8694780e4da4b8e...


```
{"id": "RUSTSEC-2026-0258", "aliases": ["GHSA-q83h-524g-xf6h"], "modified":
"2026-10-12T18:00:10.934581734Z", "summary": "h2 unbounded empty DATA frames", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.4.16) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0258

QSI-2026-06601 · DEP-ADVISORY-UNRATED

Low

lru 0.12.5 is affected by RUSTSEC-2026-0253 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0253 for crates.io package lru at version 0.12.5: Potential use-after-free due to lack of panic safety in `LruCache::pop()`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/lru@0.12.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0253
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0253 · manifest · SHA-256 06df98c535068998...

{"id": "RUSTSEC-2026-0253", "aliases": [], "modified": "2026-08-11T11:15:06.101553049Z", "summary": "Potential use-after-free due to lack of panic safety in `LruCache::pop()`", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.18.2) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0253

QSI-2026-06603 · DEP-ADVISORY-UNRATED

Low

lru 0.13.0 is affected by RUSTSEC-2026-0253 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0253 for crates.io package lru at version 0.13.0: Potential use-after-free due to lack of panic safety in `LruCache::pop()`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/lru@0.13.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0253
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0253 · manifest · SHA-256 06df98c535068998…

{"id": "RUSTSEC-2026-0253", "aliases": [], "modified": "2026-08-11T11:15:06.101553049Z", "summary": "Potential use-after-free due to lack of panic safety in `LruCache::pop()`", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo

feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.18.2) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0253

QSI-2026-06607 · DEP-ADVISORY-UNRATED

Low

quinn-proto 0.11.16 is affected by RUSTSEC-2026-0338 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0338 for crates.io package quinn-proto at version 0.11.16: Remote peer can panic quinn-proto with zero-length STREAM frames during unordered reads. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quinn-proto@0.11.16
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0338
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0338 · manifest · SHA-256 2d8a96c1ccb5782d...


```
{"id": "RUSTSEC-2026-0338", "aliases": ["GHSA-465w-v9q3-7j98"], "modified":
"2026-10-12T18:15:01.969514645Z", "summary": "Remote peer can panic quinn-proto with zero-length
STREAM frames during unordered reads", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.11.18) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0338

QSI-2026-06608 · DEP-ADVISORY-UNRATED

Low

quinn-proto 0.11.16 is affected by RUSTSEC-2026-0339 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0339 for crates.io package quinn-proto at version 0.11.16: Unbounded growth of pending connection ID retirements in quinn-proto. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quinn-proto@0.11.16
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0339
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0339 · manifest · SHA-256 b5c8da254e305100...


```
{"id": "RUSTSEC-2026-0339", "aliases": ["GHSA-hmxj-32vh-65vr"], "modified":
"2026-10-12T18:15:01.956822776Z", "summary": "Unbounded growth of pending connection ID retirements
in quinn-proto", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.11.17) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0339

QSI-2026-06611 · DEP-ADVISORY-UNRATED

Low

quinn-proto 0.11.16 is affected by RUSTSEC-2026-0342 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0342 for crates.io package quinn-proto at version 0.11.16: Zero-length DATAGRAM frames bypass the receive buffer limit in quinn-proto. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quinn-proto@0.11.16
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0342
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0342 · manifest · SHA-256 41dfd63166e25757…


```
{"id": "RUSTSEC-2026-0342", "aliases": ["GHSA-2hv7-gw8g-gpq5"], "modified":
"2026-10-12T18:15:01.956681478Z", "summary": "Zero-length DATAGRAM frames bypass the receive buffer
limit in quinn-proto", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.11.17) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0342

QSI-2026-06612 · DEP-ADVISORY-UNRATED

Low

ruint 1.19.0 is affected by RUSTSEC-2026-0220 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0220 for crates.io package ruint at version 1.19.0: Uint shift operations: incorrect overflow flags and truncated shift amounts. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (ruint::Uint::checked_shl, ruint::Uint::checked_shr, ruint::Uint::overflowing_shl, ruint::Uint::overflowing_shr, ruint::Uint::saturating_shl, ruint::Uint::saturating_shr ...); ruint comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/ruint@1.19.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0220
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0220 · manifest · SHA-256 f42394932e247da2...


```
{"id": "RUSTSEC-2026-0220", "aliases": [], "modified": "2026-07-30T19:15:04.025918010Z", "summary":
"Uint shift operations: incorrect overflow flags and truncated shift amounts", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (1.20.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0220

QSI-2026-06617 · DEP-ADVISORY-UNRATED

Low

rustls-webpki 0.103.13 is affected by RUSTSEC-2026-0382 (CVE-2026-111943) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0382 (CVE-2026-111943) for crates.io package rustls-webpki at version 0.103.13: Certificate verification may accept distrusted intermediates. The advisory carries

neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls-webpki@0.103.13
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0382
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0382 · manifest · SHA-256 9111e73d75239253…


```
{"id": "RUSTSEC-2026-0382", "aliases": ["CVE-2026-111943", "GO-2026-6809", "RUSTSEC-2026-0381",
"RUSTSEC-2026-0383"], "modified": "2026-10-21T00:55:56.763143468Z", "summary": "Certificate
verification may accept distrusted intermediates", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.103.16, 0.104.0-alpha.8) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0382

QSI-2026-06620 · DEP-ADVISORY-UNRATED

Low

webpki-roots 1.0.8 is affected by RUSTSEC-2026-0381 (CVE-2026-111943) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0381 (CVE-2026-111943) for crates.io package webpki-roots at version 1.0.8: Bundled root certificates allow trust in distrusted emSign intermediates. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/webpki-roots@1.0.8
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.

Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0381
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0381 · manifest · SHA-256 a97aff76592b6090...


```
{"id": "RUSTSEC-2026-0381", "aliases": ["CVE-2026-111943", "GO-2026-6809", "RUSTSEC-2026-0382",
"RUSTSEC-2026-0383"], "modified": "2026-10-21T06:30:02.818201920Z", "summary": "Bundled root
certificates allow trust in distrusted emSign intermediates", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.26.11, 1.0.10) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0381

QSI-2026-06621 · DEP-ADVISORY-UNRATED

Low

zstd 0.13.3 is affected by RUSTSEC-2026-0391 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0391 for crates.io package zstd at version 0.13.3: Data from an abandoned stream leaks into the next stream on a reused context. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd::stream::raw::Decoder::with_context, zstd::stream::raw::Encoder::with_context); zstd comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd@0.13.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0391
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0391 · manifest · SHA-256 c5a6274e5a4cfb87...


```
{"id": "RUSTSEC-2026-0391", "aliases": [], "modified": "2026-10-26T14:00:04.269245609Z", "summary":
"Data from an abandoned stream leaks into the next stream on a reused context", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.14.3) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0391

QSI-2026-06622 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0395 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0395 for crates.io package zstd-safe at version 7.2.4: Use-after-free with `CParameter::StableInBuffer`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::CCtx::set_parameter); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0395
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0395 · manifest · SHA-256 cf314e3df3f714ad...


```
{"id": "RUSTSEC-2026-0395", "aliases": [], "modified": "2026-10-26T14:00:06.388344282Z", "summary":
"Use-after-free with `CParameter::StableInBuffer`", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0395

QSI-2026-06623 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0396 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0396 for crates.io package zstd-safe at version 7.2.4: `Seekable` reads a NULL or out-of-bounds seek table. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::seekable::SeekTable::frame_decompressed_size, zstd_safe::seekable::Seekable::decompress, zstd_safe::seekable::Seekable::decompress_frame, zstd_safe::seekable::Seekable::frame_decompressed_size, zstd_safe::seekable::Seekable::offset_to_frame_index); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0396
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0396 · manifest · SHA-256 46019c3c1c8cc177…


```
{"id": "RUSTSEC-2026-0396", "aliases": [], "modified": "2026-10-26T14:00:05.789682118Z", "summary": "`Seekable` reads a NULL or out-of-bounds seek table", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0396

QSI-2026-06624 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0397 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0397 for crates.io package zstd-safe at version 7.2.4: `OutBuffer::around_pos` exposes uninitialized memory. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::OutBuffer::around_pos); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0397
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0397 · manifest · SHA-256 e1cc2d6a8e69a560…

{"id": "RUSTSEC-2026-0397", "aliases": [], "modified": "2026-10-26T14:00:05.089587004Z", "summary": "`OutBuffer::around_pos` exposes uninitialized memory", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0397

QSI-2026-06625 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0398 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0398 for crates.io package zstd-safe at version 7.2.4: `Seekable::decompress` sets a `Vec` length beyond its capacity for offsets past the end. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::seekable::AdvancedSeekable::decompress, zstd_safe::seekable::Seekable::decompress); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0398
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0398 · manifest · SHA-256 01887ac4409fe666…

{"id": "RUSTSEC-2026-0398", "aliases": [], "modified": "2026-10-26T14:00:05.092082939Z", "summary": "`Seekable::decompress` sets a `Vec` length beyond its capacity for offsets past the end", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0398

QSI-2026-06626 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0399 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0399 for crates.io package zstd-safe at version 7.2.4: Use-after-free through `init_using_cdict` and `init_using_ddict`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::CCtx::init_using_cdict, zstd_safe::DCtx::init_using_ddict); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0399
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0399 · manifest · SHA-256 dde7c9d1fcd35a89…

{"id": "RUSTSEC-2026-0399", "aliases": [], "modified": "2026-10-26T14:00:05.792431051Z", "summary": "Use-after-free through `init_using_cdict` and `init_using_ddict`", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0399

QSI-2026-06627 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0400 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0400 for crates.io package zstd-safe at version 7.2.4: Use-after-free of a dictionary after a one-shot call on a context with an open stream. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::DCtx::decompress, zstd_safe::DCtx::decompress_using_ddict, zstd_safe::DCtx::decompress_using_dict); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0400
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0400 · manifest · SHA-256 12a31cd97694259b...


```
{"id": "RUSTSEC-2026-0400", "aliases": [], "modified": "2026-10-26T14:00:05.692077560Z", "summary":
"Use-after-free of a dictionary after a one-shot call on a context with an open stream", "severity":
null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo

feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0400

QSI-2026-06628 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0401 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0401 for crates.io package zstd-safe at version 7.2.4: Out-of-bounds read in `train_from_buffer` when sample sizes overflow. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::train_from_buffer); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0401
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0401 · manifest · SHA-256 8f606743a027e187…


```
{"id": "RUSTSEC-2026-0401", "aliases": [], "modified": "2026-10-26T14:00:04.231502512Z", "summary":
"Out-of-bounds read in `train_from_buffer` when sample sizes overflow", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0401

QSI-2026-06629 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0402 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0402 for crates.io package zstd-safe at version 7.2.4: Heap buffer overflow in `CCtx::try_clone` on a multithreaded context. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::CCtx::try_clone); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0402
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0402 · manifest · SHA-256 1659ee65665b5ae7...


```
{"id": "RUSTSEC-2026-0402", "aliases": [], "modified": "2026-10-26T14:00:05.685817733Z", "summary":
"Heap buffer overflow in `CCtx::try_clone` on a multithreaded context", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0402

QSI-2026-06630 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0403 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0403 for crates.io package zstd-safe at version 7.2.4: Uninitialized memory exposed when streaming decompression of a legacy frame fails. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::DCtx::decompress_stream); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0403
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0403 · manifest · SHA-256 b1d1701270f636af...


```
{"id": "RUSTSEC-2026-0403", "aliases": [], "modified": "2026-10-26T14:00:05.787441176Z", "summary":
"Uninitialized memory exposed when streaming decompression of a legacy frame fails", "severity":
null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0403

QSI-2026-06631 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0404 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0404 for crates.io package zstd-safe at version 7.2.4: Double free in `DCtx::try_clone`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::DCtx::try_clone); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0404
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0404 · manifest · SHA-256 7c25f3932e55150f...


```
{"id": "RUSTSEC-2026-0404", "aliases": [], "modified": "2026-10-26T14:00:05.092817237Z", "summary": "Double free in `DCtx::try_clone`", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0404

QSI-2026-06632 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0405 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0405 for crates.io package zstd-safe at version 7.2.4: Out-of-bounds read with an out-of-range `InBuffer::pos`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::seekable::SeekableCStream::compress_stream); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0405
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0405 · manifest · SHA-256 aa7a0dd1f301f776…


```
{"id": "RUSTSEC-2026-0405", "aliases": [], "modified": "2026-10-26T14:00:05.680942523Z", "summary": "Out-of-bounds read with an out-of-range `InBuffer::pos`", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0405

QSI-2026-06633 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0406 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0406 for crates.io package zstd-safe at version 7.2.4: Use-after-free when changing a multithreaded context with an unfinished frame. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::CCtx::disable_dictionary, zstd_safe::CCtx::init, zstd_safe::CCtx::load_dictionary, zstd_safe::CCtx::ref_cdict,

zstd_safe::CCtx::ref_prefix, zstd_safe::CCtx::reset ...); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0406
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0406 · manifest · SHA-256 deca0b7103bdc0c3...


```
{"id": "RUSTSEC-2026-0406", "aliases": [], "modified": "2026-10-26T14:00:05.095427051Z", "summary":
"Use-after-free when changing a multithreaded context with an unfinished frame", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0406

QSI-2026-06647 · DEP-ADVISORY-UNRATED

Low

github.com/docker/docker v26.1.0+incompatible is affected by GO-2026-4887 (CVE-2026-34040) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-4887 (CVE-2026-34040) for Go package github.com/docker/docker at version v26.1.0+incompatible: Moby has AuthZ plugin bypass when provided oversized request bodies in github.com/docker/docker. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Go/github.com/docker/docker@v26.1.0+incompatible
Data source	OSV.dev

Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.4 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-4887
```

EVIDENCE

tool_output · OSV.dev GO-2026-4887 · line 39 · SHA-256 b0413de8db38a9ae...


```
{"id": "GO-2026-4887", "aliases": ["CVE-2026-34040", "GHSA-x744-4wpc-v9h2"], "modified":
"2026-04-03T20:59:19.226161232Z", "summary": "Moby has AuthZ plugin bypass when provided oversized
request bodies in github.com/docker/docker", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (none published yet; see the advisory for mitigations) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-4887

QSI-2026-06543 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/lib/solmate/src/auth/Owned.sol: transferOwnership

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: transferOwnership. (related: —)

Affected asset	contract:scroll-contracts/lib/solmate/src/auth/Owned.sol
Data source	scroll-contracts/lib/solmate/src/auth/Owned.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/lib/solmate/src/auth/Owned.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/lib/solmate/src/auth/Owned.sol · multiple · SHA-256 3ef6a6924988649e... · File 8ac2f2dc41ab8012...

```
Privileged functions: transferOwnership
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06549 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L1/L1ScrollMessenger.sol: updateMaxReplayTimes

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateMaxReplayTimes. (related: —)

Affected asset	contract:scroll-contracts/src/L1/L1ScrollMessenger.sol
Data source	scroll-contracts/src/L1/L1ScrollMessenger.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L1/L1ScrollMessenger.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L1/L1ScrollMessenger.sol · multiple · SHA-256 e0ee97f1849f91b3... · File d5f24ac5e19fd3a7...

```
Privileged functions: updateMaxReplayTimes
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06550 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L1/gateways/EnforcedTxGateway.sol: updateFeeVault, setPause

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateFeeVault, setPause. (related: —)

Affected asset	contract:scroll-contracts/src/L1/gateways/EnforcedTxGateway.sol
Data source	scroll-contracts/src/L1/gateways/EnforcedTxGateway.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L1/gateways/EnforcedTxGateway.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L1/gateways/EnforcedTxGateway.sol · multiple · SHA-256 0bc53cba0e646a90... · File c1acce6f43b20fe2...

```
Privileged functions: updateFeeVault, setPause
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06551 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L1/gateways/L1CustomERC20Gateway.sol: updateTokenMapping

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateTokenMapping. (related: —)

Affected asset	contract:scroll-contracts/src/L1/gateways/L1CustomERC20Gateway.sol
Data source	scroll-contracts/src/L1/gateways/L1CustomERC20Gateway.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L1/gateways/L1CustomERC20Gateway.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L1/gateways/L1CustomERC20Gateway.sol · multiple · SHA-256 567d5823d91cba01… · File 790ae9ca1880bd29…

```
Privileged functions: updateTokenMapping
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06552 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L1/gateways/L1ERC1155Gateway.sol: updateTokenMapping

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateTokenMapping. (related: —)

Affected asset	contract:scroll-contracts/src/L1/gateways/L1ERC1155Gateway.sol
Data source	scroll-contracts/src/L1/gateways/L1ERC1155Gateway.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC

Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L1/gateways/L1ERC1155Gateway.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L1/gateways/L1ERC1155Gateway.sol · multiple · SHA-256 567d5823d91cba01… · File 2f18be697f5f023f…

```
Privileged functions: updateTokenMapping
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06553 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L1/gateways/L1ERC721Gateway.sol: updateTokenMapping

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateTokenMapping. (related: —)

Affected asset	contract:scroll-contracts/src/L1/gateways/L1ERC721Gateway.sol
Data source	scroll-contracts/src/L1/gateways/L1ERC721Gateway.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L1/gateways/L1ERC721Gateway.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L1/gateways/L1ERC721Gateway.sol · multiple · SHA-256 567d5823d91cba01… · File ca7f93e9364dbe80…

```
Privileged functions: updateTokenMapping
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06554 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L1/gateways/L1GatewayRouter.sol: setETHGateway, setDefaultERC20Gateway, setERC20Gateway

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: setETHGateway, setDefaultERC20Gateway, setERC20Gateway. (related: —)

Affected asset	contract:scroll-contracts/src/L1/gateways/L1GatewayRouter.sol
Data source	scroll-contracts/src/L1/gateways/L1GatewayRouter.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L1/gateways/L1GatewayRouter.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L1/gateways/L1GatewayRouter.sol · multiple · SHA-256 0ba5b5898f9bf7cc… · File 49332de77c5b4ce2…

```
Privileged functions: setETHGateway, setDefaultERC20Gateway, setERC20Gateway
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06555 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L1/gateways/usdc/L1USDCGateway.sol: updateCircleCaller, pauseDeposit, pauseWithdraw

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateCircleCaller, pauseDeposit, pauseWithdraw. (related: —)

Affected asset	contract:scroll-contracts/src/L1/gateways/usdc/L1USDCGateway.sol
Data source	scroll-contracts/src/L1/gateways/usdc/L1USDCGateway.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L1/gateways/usdc/L1USDCGateway.sol and
inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L1/gateways/usdc/L1USDCGateway.sol · multiple · SHA-256 76008f6dc4b691df… · File ef0b48329c4f4a5e…

```
Privileged functions: updateCircleCaller, pauseDeposit, pauseWithdraw
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06556 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L1/gateways/usdc/draft-L1USDCGatewayCCTP.sol: updateCCTPContracts

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateCCTPContracts. (related: —)

Affected asset	contract:scroll-contracts/src/L1/gateways/usdc/draft-L1USDCGatewayCCTP.sol
Data source	scroll-contracts/src/L1/gateways/usdc/draft-L1USDCGatewayCCTP.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L1/gateways/usdc/draft-L1USDCGatewayCCTP.sol
and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L1/gateways/usdc/draft-L1USDCGatewayCCTP.sol · multiple · SHA-256 927a9a131474771e... · File a8133b9fb10040e1...

```
Privileged functions: updateCCTPContracts
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06557 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L1/rollup/L1MessageQueue.sol: updateGasOracle, updateMaxGasLimit

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateGasOracle, updateMaxGasLimit. (related: —)

Affected asset	contract:scroll-contracts/src/L1/rollup/L1MessageQueue.sol
Data source	scroll-contracts/src/L1/rollup/L1MessageQueue.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC

Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L1/rollup/L1MessageQueue.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L1/rollup/L1MessageQueue.sol · multiple · SHA-256 abc3ca57c063b06e… · File d5a27387feeacc67…

```
Privileged functions: updateGasOracle, updateMaxGasLimit
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06558 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L1/rollup/L1MessageQueueWithGasPriceOracle.sol: updateWhitelistChecker

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateWhitelistChecker. (related: —)

Affected asset	contract:scroll-contracts/src/L1/rollup/L1MessageQueueWithGasPriceOracle.sol
Data source	scroll-contracts/src/L1/rollup/L1MessageQueueWithGasPriceOracle.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L1/rollup/
L1MessageQueueWithGasPriceOracle.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L1/rollup/L1MessageQueueWithGasPriceOracle.sol · multiple · SHA-256 44324bf7f526384b… · File 0745ebc47c657d4a…

```
Privileged functions: updateWhitelistChecker
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06559 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L1/rollup/L2GasPriceOracle.sol: updateWhitelist, setIntrinsicParams

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateWhitelist, setIntrinsicParams. (related: —)

Affected asset	contract:scroll-contracts/src/L1/rollup/L2GasPriceOracle.sol
Data source	scroll-contracts/src/L1/rollup/L2GasPriceOracle.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L1/rollup/L2GasPriceOracle.sol and inspect
the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L1/rollup/L2GasPriceOracle.sol · multiple · SHA-256 6b172d915567b07a… · File 5c5cb9f805d43dbe…

```
Privileged functions: updateWhitelist, setIntrinsicParams
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06560 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L1/rollup/MultipleVersionRollupVerifier.sol: updateVerifier

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateVerifier. (related: —)

Affected asset	contract:scroll-contracts/src/L1/rollup/MultipleVersionRollupVerifier.sol
Data source	scroll-contracts/src/L1/rollup/MultipleVersionRollupVerifier.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L1/rollup/MultipleVersionRollupVerifier.sol
and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L1/rollup/MultipleVersionRollupVerifier.sol · multiple · SHA-256 309bc55aa192b32f… · File d8348e2de11c6c0c…

```
Privileged functions: updateVerifier
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06561 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L1/rollup/ScrollChain.sol: revertBatch, finalizeEuclidInitialBatch, addSequencer, removeSequencer, addProver, removeProver, updateMaxNumTxInChunk, setPause

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: revertBatch, finalizeEuclidInitialBatch, addSequencer, removeSequencer, addProver, removeProver, updateMaxNumTxInChunk, setPause. (related: —)

Affected asset	contract:scroll-contracts/src/L1/rollup/ScrollChain.sol
Data source	scroll-contracts/src/L1/rollup/ScrollChain.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L1/rollup/ScrollChain.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L1/rollup/ScrollChain.sol · multiple · SHA-256 a10806b8e8f277e5... · File 122e007a87f4e5de...

```
Privileged functions: revertBatch, finalizeEuclidInitialBatch, addSequencer, removeSequencer, addProver, removeProver, updateMaxNumTxInChunk, setPause
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06563 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L2/gateways/L2ERC1155Gateway.sol: updateTokenMapping

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateTokenMapping. (related: —)

Affected asset	contract:scroll-contracts/src/L2/gateways/L2ERC1155Gateway.sol
Data source	scroll-contracts/src/L2/gateways/L2ERC1155Gateway.sol

Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L2/gateways/L2ERC1155Gateway.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L2/gateways/L2ERC1155Gateway.sol · multiple · SHA-256 567d5823d91cba01… · File 304a7b51c3fadfc1…

```
Privileged functions: updateTokenMapping
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06564 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L2/gateways/L2ERC721Gateway.sol: updateTokenMapping

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateTokenMapping. (related: —)

Affected asset	contract:scroll-contracts/src/L2/gateways/L2ERC721Gateway.sol
Data source	scroll-contracts/src/L2/gateways/L2ERC721Gateway.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L2/gateways/L2ERC721Gateway.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L2/gateways/L2ERC721Gateway.sol · multiple · SHA-256 567d5823d91cba01… · File f884fa9218630b2c…

```
Privileged functions: updateTokenMapping
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06565 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L2/gateways/L2GatewayRouter.sol: setETHGateway, setDefaultERC20Gateway, setERC20Gateway

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: setETHGateway, setDefaultERC20Gateway, setERC20Gateway. (related: —)

Affected asset	contract:scroll-contracts/src/L2/gateways/L2GatewayRouter.sol
Data source	scroll-contracts/src/L2/gateways/L2GatewayRouter.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L2/gateways/L2GatewayRouter.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L2/gateways/L2GatewayRouter.sol · multiple · SHA-256 0ba5b5898f9bf7cc… · File ce19c2c3f403776f…

```
Privileged functions: setETHGateway, setDefaultERC20Gateway, setERC20Gateway
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06566 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L2/gateways/usdc/L2USDCGateway.sol: updateCircleCaller, pauseDeposit, pauseWithdraw

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateCircleCaller, pauseDeposit, pauseWithdraw. (related: —)

Affected asset	contract:scroll-contracts/src/L2/gateways/usdc/L2USDCGateway.sol
Data source	scroll-contracts/src/L2/gateways/usdc/L2USDCGateway.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L2/gateways/usdc/L2USDCGateway.sol and
inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L2/gateways/usdc/L2USDCGateway.sol · multiple · SHA-256 76008f6dc4b691df… · File 160bf80b861e8da3…

```
Privileged functions: updateCircleCaller, pauseDeposit, pauseWithdraw
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06567 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L2/gateways/usdc/draft-L2USDCGatewayCCTP.sol: updateCCTPContracts

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateCCTPContracts. (related: —)

Affected asset	contract:scroll-contracts/src/L2/gateways/usdc/draft-L2USDCGatewayCCTP.sol
Data source	scroll-contracts/src/L2/gateways/usdc/draft-L2USDCGatewayCCTP.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L2/gateways/usdc/draft-L2USDCGatewayCCTP.sol
and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L2/gateways/usdc/draft-L2USDCGatewayCCTP.sol · multiple · SHA-256 927a9a131474771e… · File cfcd5df2ba819608…

```
Privileged functions: updateCCTPContracts
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06569 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L2/predeploys/L1BlockContainer.sol: initialize, updateWhitelist

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: initialize, updateWhitelist. (related: —)

Affected asset	contract:scroll-contracts/src/L2/predeploys/L1BlockContainer.sol
Data source	scroll-contracts/src/L2/predeploys/L1BlockContainer.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L2/predeploys/L1BlockContainer.sol and
inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L2/predeploys/L1BlockContainer.sol · multiple · SHA-256 cff0c68f0fd06e1f... · File e72617f1c9fa18ff...

```
Privileged functions: initialize, updateWhitelist
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06570 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L2/predeploys/L1GasPriceOracle.sol: setOverhead, setScalar, setCommitScalar, setBlobScalar, updateWhitelist, enableCurie

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: setOverhead, setScalar, setCommitScalar, setBlobScalar, updateWhitelist, enableCurie. (related: —)

Affected asset	contract:scroll-contracts/src/L2/predeploys/L1GasPriceOracle.sol
Data source	scroll-contracts/src/L2/predeploys/L1GasPriceOracle.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L2/predeploys/L1GasPriceOracle.sol and
inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L2/predeploys/L1GasPriceOracle.sol · multiple · SHA-256 f51c35bb04fbd70c… · File a38d150cc80a57c9…

```
Privileged functions: setOverhead, setScalar, setCommitScalar, setBlobScalar, updateWhitelist,
enableCurie
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06572 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L2/predeploys/L2MessageQueue.sol: initialize

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: initialize. (related: —)

Affected asset	contract:scroll-contracts/src/L2/predeploys/L2MessageQueue.sol
Data source	scroll-contracts/src/L2/predeploys/L2MessageQueue.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L2/predeploys/L2MessageQueue.sol and inspect
the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L2/predeploys/L2MessageQueue.sol · multiple · SHA-256 e4ca59164f6e3ff1… · File 9427eee5a1f80eaf…

```
Privileged functions: initialize
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06573 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L2/predeploys/L2TxFeeVault.sol: updateMessenger, updateRecipient, updateMinWithdrawAmount

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateMessenger, updateRecipient, updateMinWithdrawAmount. (related: —)

Affected asset	contract:scroll-contracts/src/L2/predeploys/L2TxFeeVault.sol
Data source	scroll-contracts/src/L2/predeploys/L2TxFeeVault.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L2/predeploys/L2TxFeeVault.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L2/predeploys/L2TxFeeVault.sol · multiple · SHA-256 9b6a64a9f27391ea... · File 2dee511dc410374f...

```
Privileged functions: updateMessenger, updateRecipient, updateMinWithdrawAmount
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06574 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/L2/predeploys/Whitelist.sol: updateWhitelistStatus

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateWhitelistStatus. (related: —)

Affected asset	contract:scroll-contracts/src/L2/predeploys/Whitelist.sol
Data source	scroll-contracts/src/L2/predeploys/Whitelist.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/L2/predeploys/Whitelist.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/L2/predeploys/Whitelist.sol · multiple · SHA-256 b618c4ce5d2a585f… · File 63fb506aebf23398…

```
Privileged functions: updateWhitelistStatus
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06576 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/gas-swap/GasSwap.sol: withdraw, updateFeeRatio, updateApprovedTarget

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: withdraw, updateFeeRatio, updateApprovedTarget. (related: —)

Affected asset	contract:scroll-contracts/src/gas-swap/GasSwap.sol
Data source	scroll-contracts/src/gas-swap/GasSwap.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/gas-swap/GasSwap.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/gas-swap/GasSwap.sol · multiple · SHA-256 e2050d93291c41fb... · File 1ebac760c5525385...

```
Privileged functions: withdraw, updateFeeRatio, updateApprovedTarget
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06577 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/libraries/ScrollMessengerBase.sol: updateFeeVault, setPause

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateFeeVault, setPause. (related: —)

Affected asset	contract:scroll-contracts/src/libraries/ScrollMessengerBase.sol
Data source	scroll-contracts/src/libraries/ScrollMessengerBase.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/libraries/ScrollMessengerBase.sol and
inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/libraries/ScrollMessengerBase.sol · multiple · SHA-256 0bc53cba0e646a90… · File edefc59828cac717…

```
Privileged functions: updateFeeVault, setPause
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06578 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/libraries/common/OwnableBase.sol: renounceOwnership, transferOwnership

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: renounceOwnership, transferOwnership. (related: —)

Affected asset	contract:scroll-contracts/src/libraries/common/OwnableBase.sol
Data source	scroll-contracts/src/libraries/common/OwnableBase.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/libraries/common/OwnableBase.sol and inspect
the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/libraries/common/OwnableBase.sol · multiple · SHA-256 c9178db25d8ef1b1… · File c1ff538a054ce49c…

```
Privileged functions: renounceOwnership, transferOwnership
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06579 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/libraries/token/ScrollStandardERC20Factory.sol: deployL2Token

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: deployL2Token. (related: —)

Affected asset	contract:scroll-contracts/src/libraries/token/ScrollStandardERC20Factory.sol
Data source	scroll-contracts/src/libraries/token/ScrollStandardERC20Factory.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/libraries/token/
ScrollStandardERC20Factory.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/libraries/token/ScrollStandardERC20Factory.sol · multiple · SHA-256 fde0c93920eae0f6… · File 56ea99d71ab47b48…

```
Privileged functions: deployL2Token
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06581 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/lido/LidoGatewayManager.sol: grantRole, revokeRole

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: grantRole, revokeRole. (related: —)

Affected asset	contract:scroll-contracts/src/lido/LidoGatewayManager.sol
Data source	scroll-contracts/src/lido/LidoGatewayManager.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/lido/LidoGatewayManager.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/lido/LidoGatewayManager.sol · multiple · SHA-256 4a2ad8b435792e79... · File 1a718a7450f3193a...

```
Privileged functions: grantRole, revokeRole
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06582 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/misc/Fallback.sol: withdraw, execute

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: withdraw, execute. (related: —)

Affected asset	contract:scroll-contracts/src/misc/Fallback.sol
Data source	scroll-contracts/src/misc/Fallback.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)

CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/misc/Fallback.sol and inspect the quoted
lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/misc/Fallback.sol · multiple · SHA-256 ba80cb3fc345c9c2… · File a0fc79f1b508550e…

```
Privileged functions: withdraw, execute
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06583 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in scroll-contracts/src/rate-limiter/ETHRateLimiter.sol: updateTotalLimit

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateTotalLimit. (related: —)

Affected asset	contract:scroll-contracts/src/rate-limiter/ETHRateLimiter.sol
Data source	scroll-contracts/src/rate-limiter/ETHRateLimiter.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.2.0 · 2026-10-29 06:18 UTC
Priority score	33.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file scroll-contracts/src/rate-limiter/ETHRateLimiter.sol and inspect
the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scroll-contracts/src/rate-limiter/ETHRateLimiter.sol · multiple · SHA-256 e3534e87c12567c0… · File bc5996d07b317100…

```
Privileged functions: updateTotalLimit
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-06637 · DEP-KNOWN-ADVISORY

Info

github.com/btcsuite/btcd v0.20.1-beta is affected by GHSA-2chg-86hq-7w38 (CVE-2022-44797, GO-2022-1098)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-2chg-86hq-7w38 (CVE-2022-44797, GO-2022-1098) for Go package github.com/btcsuite/btcd at version v0.20.1-beta: btcd mishandles witness size checking. None of the affected functions (github.com/btcsuite/btcd/wire.MsgBlock.BtcDecode, github.com/btcsuite/btcd/wire.MsgBlock.Deserialize, github.com/btcsuite/btcd/wire.MsgBlock.DeserializeNoWitness, github.com/btcsuite/btcd/wire.MsgBlock.DeserializeTxLoc, github.com/btcsuite/btcd/wire.MsgTx.BtcDecode, github.com/btcsuite/btcd/wire.MsgTx.Deserialize ...) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/btcsuite/btcd@v0.20.1-beta
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	26.5 / 100 (Web3 project)
CVSS v3.1	9.8 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-2chg-86hq-7w38
```

EVIDENCE

tool_output · OSV.dev GHSA-2chg-86hq-7w38 · line 26 · SHA-256 28eb7bd6b28f9fe0...


```
{"id": "GHSA-2chg-86hq-7w38", "aliases": ["CVE-2022-44797", "GO-2022-1098"], "modified":
"2024-05-20T21:36:55Z", "summary": "btcd mishandles witness size checking", "severity": [{"type":
"CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H"}], "declared_in_manifest": true}
```

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-2chg-86hq-7w38

QSI-2026-06639 · DEP-KNOWN-ADVISORY

Info

github.com/consensys/gnark-crypto v0.16.0 is affected by GHSA-fj2x-735w-74vq (GO-2025-4087)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-fj2x-735w-74vq (GO-2025-4087) for Go package github.com/consensys/gnark-crypto at version v0.16.0: gnark-crypto allows unchecked memory allocation during vector deserialization. None of the affected functions (github.com/consensys/gnark-crypto/ecc/secp256k1/fr.Vector.AsyncReadFrom, github.com/consensys/gnark-crypto/ecc/secp256k1/fr.Vector.ReadFrom, github.com/consensys/gnark-crypto/ecc/secp256k1/fr.Vector.UnmarshalBinary, github.com/consensys/gnark-crypto/ecc/bw6-633/fp.Vector.AsyncReadFrom, github.com/consensys/gnark-crypto/ecc/bw6-633/fp.Vector.ReadFrom, github.com/consensys/gnark-crypto/ecc/bw6-633/fp.Vector.UnmarshalBinary ...) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/consensys/gnark-crypto@v0.16.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	26.5 / 100 (Web3 project)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-fj2x-735w-74vq
```

EVIDENCE

tool_output · OSV.dev GHSA-fj2x-735w-74vq · line 32 · SHA-256 7b4771c79cb8a0f0...

```
{"id": "GHSA-fj2x-735w-74vq", "aliases": ["GO-2025-4087"], "modified":
"2026-09-10T03:50:29.734008925Z", "summary": "gnark-crypto allows unchecked memory allocation during
```

vector deserialization", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.18.1, 0.19.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-fj2x-735w-74vq

QSI-2026-06640 · DEP-KNOWN-ADVISORY

Info

github.com/docker/cli v25.0.4-0.20240305161310-2bf4225ad269+incompatible is affected by GHSA-p436-gjf2-799p (CVE-2025-15558, GO-2026-4610)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-p436-gjf2-799p (CVE-2025-15558, GO-2026-4610) for Go package github.com/docker/cli at version v25.0.4-0.20240305161310-2bf4225ad269+incompatible: Docker CLI Plugins: Uncontrolled Search Path Element Leads to Local Privilege Escalation on Windows. None of the affected functions (github.com/docker/cli/cli-plugins/manager.defaultSystemPluginDirs) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/docker/cli@v25.0.4-0.20240305161310-2bf4225ad269+incompatible
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	26.5 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-p436-gjf2-799p
```

EVIDENCE

tool_output · OSV.dev GHSA-p436-gjf2-799p · line 38 · SHA-256 2f7237556abb2443…

{"id": "GHSA-p436-gjf2-799p", "aliases": ["BIT-docker-cli-2025-15558", "CVE-2025-15558", "GO-2026-4610"], "modified": "2026-09-10T03:50:39.956404854Z", "summary": "Docker CLI Plugins: Uncontrolled Search Path Element Leads to Local Privilege Escalation on Windows", "severity":

```
[{"type": "CVSS_V4", "score": "CVSS:4.0/AV:L/AC:L/AT:N/PR:L/UI:P/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (29.2.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-p436-gjf2-799p

QSI-2026-06643 · DEP-KNOWN-ADVISORY

Info

github.com/docker/docker v26.1.0+incompatible is affected by GHSA-rg2x-37c3-w2rh (CVE-2026-42306, GO-2026-5617)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-rg2x-37c3-w2rh (CVE-2026-42306, GO-2026-5617) for Go package github.com/docker/docker at version v26.1.0+incompatible: Docker: Race condition in docker cp allows bind mount redirection to host path. None of the affected functions (github.com/docker/docker/daemon.Daemon.openContainerFS) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/docker/docker@v26.1.0+incompatible
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	26.5 / 100 (Web3 project)
CVSS v3.1	7.2 — CVSS:3.1/AV:L/AC:H/PR:L/UI:R/S:C/C:N/I:H/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-rg2x-37c3-w2rh
```

EVIDENCE

tool_output · OSV.dev GHSA-rg2x-37c3-w2rh · line 39 · SHA-256 1e37c034d0c067cb...


```
{"id": "GHSA-rg2x-37c3-w2rh", "aliases": ["CVE-2026-42306", "GO-2026-5617"], "modified":
"2026-09-10T03:50:47.528575532Z", "summary": "Docker: Race condition in docker cp allows bind mount
redirection to host path", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:L/AC:H/PR:L/UI:R/
S:C/C:N/I:H/A:H"}], "declared_in_manifest": true}
```

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-rg2x-37c3-w2rh

QSI-2026-06644 · DEP-KNOWN-ADVISORY

Info

github.com/docker/docker v26.1.0+incompatible is affected by GHSA-v23v-6jw2-98fq (CVE-2024-41110, GO-2024-3005)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-v23v-6jw2-98fq (CVE-2024-41110, GO-2024-3005) for Go package github.com/docker/docker at version v26.1.0+incompatible: Authz zero length regression. None of the affected functions (github.com/docker/docker/pkg/authorization.Ctx.AuthZRequest, github.com/docker/docker/pkg/authorization.Ctx.AuthZResponse, github.com/docker/docker/pkg/authorization.sendBody) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/docker/docker@v26.1.0+incompatible
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	26.5 / 100 (Web3 project)
CVSS v3.1	9.9 — CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-v23v-6jw2-98fq
```

EVIDENCE

tool_output · OSV.dev GHSA-v23v-6jw2-98fq · line 39 · SHA-256 7390f2eb685de469...


```
{"id": "GHSA-v23v-6jw2-98fq", "aliases": ["CVE-2024-41110", "GO-2024-3005"], "modified":
"2026-09-10T03:50:16.900418046Z", "summary": "Authz zero length regression", "severity": [{"type":
"CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H"}, {"type": "CVSS_V4", "score":
"CVSS:4.0/AV:N/AC:L/AT:N/PR:L/UI:N/VC:H/VI:H/VA:H/SC:H/SI:H/SA:H"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default

against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (23.0.15, 25.0.6, 26.1.5, 27.1.1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-v23v-6jw2-98fq

QSI-2026-06645 · DEP-KNOWN-ADVISORY

Info

github.com/docker/docker v26.1.0+incompatible is affected by GHSA-vp62-88p7-qqf5 (CVE-2026-41568, GO-2026-5668)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-vp62-88p7-qqf5 (CVE-2026-41568, GO-2026-5668) for Go package github.com/docker/docker at version v26.1.0+incompatible: Docker: Race condition in docker cp allows creation of arbitrary empty files on the host via symlink swap. None of the affected functions (github.com/docker/docker/daemon.Daemon.createIfNotExists, github.com/docker/docker/daemon.Daemon.openContainerFS) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/docker/docker@v26.1.0+incompatible
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	26.5 / 100 (Web3 project)
CVSS v3.1	6.1 — CVSS:3.1/AV:L/AC:H/PR:L/UI:R/S:C/C:N/I:L/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-vp62-88p7-qqf5
```

EVIDENCE

tool_output · OSV.dev GHSA-vp62-88p7-qqf5 · line 39 · SHA-256 ebf7b606499a4435…


```
{"id": "GHSA-vp62-88p7-qqf5", "aliases": ["CVE-2026-41568", "GO-2026-5668"], "modified": "2026-09-10T03:51:07.017544565Z", "summary": "Docker: Race condition in docker cp allows creation of arbitrary empty files on the host via symlink swap", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:L/AC:H/PR:L/UI:R/S:C/C:N/I:L/A:H"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-vp62-88p7-qqf5

QSI-2026-06646 · DEP-KNOWN-ADVISORY

Info

github.com/docker/docker v26.1.0+incompatible is affected by GHSA-x86f-5xw2-fm2r (CVE-2026-41567, GO-2026-5746)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-x86f-5xw2-fm2r (CVE-2026-41567, GO-2026-5746) for Go package github.com/docker/docker at version v26.1.0+incompatible: Docker: `PUT /containers/{id}/archive` executes container binary on the host. None of the affected functions (github.com/docker/docker/daemon.Daemon.containerExtractToDir) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/docker/docker@v26.1.0+incompatible
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	26.5 / 100 (Web3 project)
CVSS v3.1	7.2 — CVSS:3.1/AV:L/AC:H/PR:L/UI:R/S:C/C:H/I:H/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-x86f-5xw2-fm2r
```

EVIDENCE

tool_output · OSV.dev GHSA-x86f-5xw2-fm2r · line 39 · SHA-256 5bc10da6eec232c1…


```
{"id": "GHSA-x86f-5xw2-fm2r", "aliases": ["CVE-2026-41567", "GO-2026-5746"], "modified":
"2026-09-10T03:50:47.998689316Z", "summary": "Docker: `PUT /containers/{id}/archive` executes
container binary on the host", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:L/AC:H/PR:L/
UI:R/S:C/C:H/I:H/A:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-x86f-5xw2-fm2r

QSI-2026-06649 · DEP-KNOWN-ADVISORY

Info

github.com/jackc/pgx/v5 v5.5.4 is affected by GHSA-9jj7-4m8r-rfcm (CVE-2026-33816, GO-2026-4772)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-9jj7-4m8r-rfcm (CVE-2026-33816, GO-2026-4772) for Go package github.com/jackc/pgx/v5 at version v5.5.4: Memory-safety vulnerability in github.com/jackc/pgx/v5. None of the affected functions (github.com/jackc/pgx/v5/pgproto3.Backend.Receive, github.com/jackc/pgx/v5/pgproto3.FunctionCall.Decode) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/jackc/pgx/v5@v5.5.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	26.5 / 100 (Web3 project)
CVSS v3.1	9.8 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-9jj7-4m8r-rfcm
```

EVIDENCE

tool_output · OSV.dev GHSA-9jj7-4m8r-rfcm · line 63 · SHA-256 7a0b31d7d1db8544...


```
{"id": "GHSA-9jj7-4m8r-rfcm", "aliases": ["CVE-2026-33816", "GO-2026-4772"], "modified":
"2026-09-10T03:50:43.842159740Z", "summary": "Memory-safety vulnerability in github.com/jackc/pgx/
v5.", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (5.9.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-9jj7-4m8r-rfcm

QSI-2026-06650 · DEP-KNOWN-ADVISORY

Info

github.com/jackc/pgx/v5 v5.5.4 is affected by GHSA-j88v-2chj-qfwx (CVE-2026-41889, GO-2026-5004)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-j88v-2chj-qfwx (CVE-2026-41889, GO-2026-5004) for Go package github.com/jackc/pgx/v5 at version v5.5.4: pgx: SQL Injection via placeholder confusion with dollar quoted string literals. None of the affected functions (github.com/jackc/pgx/v5/internal/sanitize.Query.Sanitize, github.com/jackc/pgx/v5/internal/sanitize.SanitizeSQL) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/jackc/pgx/v5@v5.5.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	26.5 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-j88v-2chj-qfwx
```

EVIDENCE

tool_output · OSV.dev GHSA-j88v-2chj-qfwx · line 63 · SHA-256 51d4ffce36c02ebf...


```
{"id": "GHSA-j88v-2chj-qfwx", "aliases": ["CVE-2026-41889", "GO-2026-5004"], "modified":
"2026-09-10T03:51:02.204456790Z", "summary": "pgx: SQL Injection via placeholder confusion with
dollar quoted string literals", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:H/AT:P/
PR:L/UI:N/VC:N/VI:L/VA:N/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (5.9.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-j88v-2chj-qfwx

QSI-2026-06651 · DEP-KNOWN-ADVISORY

Info

github.com/jackc/pgx/v5 v5.5.4 is affected by GHSA-xgrm-4fwx-7qm8 (CVE-2026-33815, GO-2026-4771)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-xgrm-4fwx-7qm8 (CVE-2026-33815, GO-2026-4771) for Go package github.com/jackc/pgx/v5 at version v5.5.4: pgx contains memory-safety vulnerability. None of the affected functions (github.com/jackc/pgx/v5/pgproto3.Backend.Receive, github.com/jackc/pgx/v5/pgproto3.Bind.Decode) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/jackc/pgx/v5@v5.5.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	26.5 / 100 (Web3 project)
CVSS v3.1	9.8 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-xgrm-4fwx-7qm8
```

EVIDENCE

tool_output · OSV.dev GHSA-xgrm-4fwx-7qm8 · line 63 · SHA-256 d767e8df58c71c89…


```
{"id": "GHSA-xgrm-4fwx-7qm8", "aliases": ["CVE-2026-33815", "GO-2026-4771"], "modified":
"2026-09-10T03:50:44.892822027Z", "summary": "pgx contains memory-safety vulnerability", "severity":
[{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (5.9.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-xgrm-4fwx-7qm8

QSI-2026-06652 · DEP-KNOWN-ADVISORY

Info

github.com/klauspost/compress v1.17.9 is affected by GHSA-259r-337f-4rfw (CVE-2026-63209, GO-2026-5841)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-259r-337f-4rfw (CVE-2026-63209, GO-2026-5841) for Go package github.com/klauspost/compress at version v1.17.9: Compress/s2: Integer Overflow or Wraparound and Out-of-bounds Write in compress. None of the affected functions (github.com/klauspost/compress/s2.NewDict) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/klauspost/compress@v1.17.9
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	26.5 / 100 (Web3 project)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-259r-337f-4rfw
```

EVIDENCE

tool_output · OSV.dev GHSA-259r-337f-4rfw · line 68 · SHA-256 b415f1a2f3e95468...


```
{"id": "GHSA-259r-337f-4rfw", "aliases": ["CVE-2026-63209", "GO-2026-5841"], "modified": "2026-10-20T14:45:03.782718646Z", "summary": "Compress/s2: Integer Overflow or Wraparound and Out-of-bounds Write in compress", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (1.18.7).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-259r-337f-4rfw

QSI-2026-06586 · DEP-KNOWN-ADVISORY

Info

atty 0.2.14 is affected by GHSA-g98v-hv3f-hcfr (RUSTSEC-2021-0145)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GHSA-g98v-hv3f-hcfr (RUSTSEC-2021-0145) for crates.io package atty at version 0.2.14: atty potential unaligned read. The advisory affects only windows targets; the repository declares the Rust targets riscv32im-unknown-none-elf, x86_64-unknown-linux-gnu.

Affected asset	dependency:crates.io/atty@0.2.14
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	19.9 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-g98v-hv3f-hcfr
```

EVIDENCE

tool_output · OSV.dev GHSA-g98v-hv3f-hcfr · manifest · SHA-256 9228a57a9a8b7f41...


```
{"id": "GHSA-g98v-hv3f-hcfr", "aliases": ["RUSTSEC-2021-0145"], "modified":
"2026-09-10T03:49:53.897184297Z", "summary": "atty potential unaligned read", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-g98v-hv3f-hcfr

QSI-2026-06588 · DEP-ADVISORY-INFORMATIONAL

Info

bincode 1.3.3: informational advisory RUSTSEC-2025-0141 (unmaintained)

Improvement recommendation | Confidence: High

OSV.dev lists RUSTSEC-2025-0141 for crates.io package bincode at version 1.3.3 as informational (unmaintained): Bincode is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/bincode@1.3.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.7 / 100 (Web3 project)

CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0141
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0141 · manifest · SHA-256 2d4ec91d374dc1d1...


```
{"id": "RUSTSEC-2025-0141", "aliases": [], "modified": "2026-01-16T11:07:28.867553Z", "summary":
"Bincode is unmaintained", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2025-0141

QSI-2026-06589 · DEP-ADVISORY-INFORMATIONAL

Info

bincode 2.0.1: informational advisory RUSTSEC-2025-0141 (unmaintained)

Improvement recommendation | Confidence: High

OSV.dev lists RUSTSEC-2025-0141 for crates.io package bincode at version 2.0.1 as informational (unmaintained): Bincode is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/bincode@2.0.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	18.7 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0141
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0141 · manifest · SHA-256 2d4ec91d374dc1d1...

{"id": "RUSTSEC-2025-0141", "aliases": [], "modified": "2026-01-16T11:07:28.867553Z", "summary": "Bincode is unmaintained", "severity": null, "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2025-0141

QSI-2026-06618 · DEP-ADVISORY-UNRATED

Info

tokio 1.52.3 is affected by RUSTSEC-2026-0386 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0386 for crates.io package tokio at version 1.52.3: `AsyncFd::new` and related constructors violate I/O safety. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (tokio::io::unix::AsyncFd::new, tokio::io::unix::AsyncFd::try_new, tokio::io::unix::AsyncFd::try_with_interest, tokio::io::unix::AsyncFd::with_interest) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:crates.io/tokio@1.52.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	15.3 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0386
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0386 · manifest · SHA-256 1ebb594fd9923dc0...

{"id": "RUSTSEC-2026-0386", "aliases": [], "modified": "2026-10-23T14:45:03.847864944Z", "summary": "`AsyncFd::new` and related constructors violate I/O safety", "severity": null, "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo

feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (1.51.6, 1.53.3) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0386

QSI-2026-06634 · DEP-ADVISORY-UNRATED

Info

zstd-sys 2.0.16+zstd.1.5.7 is affected by RUSTSEC-2026-0410 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0410 for crates.io package zstd-sys at version 2.0.16+zstd.1.5.7: WebAssembly allocator shim corrupts memory on allocation failure. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory affects only wasm32 targets; the repository declares the Rust targets riscv32im-unknown-none-elf, x86_64-unknown-linux-gnu.

Affected asset	dependency:crates.io/zstd-sys@2.0.16+zstd.1.5.7
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	15.3 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0410
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0410 · manifest · SHA-256 1e892df4ce7c9911…


```
{"id": "RUSTSEC-2026-0410", "aliases": [], "modified": "2026-10-26T14:00:05.788985783Z", "summary":
"WebAssembly allocator shim corrupts memory on allocation failure", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (2.1.2) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0410

QSI-2026-06584 · DEP-NO-PQC-LIBRARY

Info

No post-quantum capable cryptographic library detected

Insufficient data | Confidence: Medium | preliminary — requires further verification

Across 16 dependency manifests, QSI found crypto libraries (@noble/curves, @noble/hashes, @noble/secp256k1, ecdsa, elliptic, ethers, golang.org/x/crypto, k256, openssl, p256, ring, rustls, secp256k1, tweetnacl, web3) but none from its PQC-capable list.

Affected asset	dependencies
Data source	dependency manifests
Detection method	Dependency name matching.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	12.2 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Readiness indicator only: PQC support may come from the platform (OpenSSL, OS, cloud KMS) rather than application dependencies.

REPRODUCTION STEPS

```
Review the dependency manifests listed in the evidence.
```

EVIDENCE

dependency · Cargo.lock, Cargo.toml, bridge-history-api/go.mod, common/go.mod, coordinator/go.mod, crates/l2geth/Cargo.toml, crates/libzkp/Cargo.toml, crates/libzkp_c/Cargo.toml, crates/prover-bin/Cargo.toml, database/go.mod, rollup/go.mod, scroll-contracts/lib/solmate/package-lock.json, scroll-contracts/lib/solmate/package.json, scroll-contracts/package.json, scroll-contracts/src/package.json, scroll-contracts/yarn.lock · SHA-256 6dc4820b03b33ecd…

```
Crypto libraries: @noble/curves, @noble/hashes, @noble/secp256k1, ecdsa, elliptic, ethers,
golang.org/x/crypto, k256, openssl, p256, ring, rustls, secp256k1, tweetnacl, web3. PQC support
depends on the version for: openssl
```

LIMITATIONS OF THE CHECK

Absence of evidence is not evidence of absence: system libraries and transitive dependencies may not be listed.

RECOMMENDATION

Confirm where PQC support will come from (TLS terminator, KMS/HSM, library upgrade).

RETEST PROCEDURE

Re-scan after upgrades.

FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM); FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA)

QSI-2026-06585 · DEP-ADVISORY-INFORMATIONAL

Info

ansi_term 0.12.1: informational advisory RUSTSEC-2021-0139 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2021-0139 for crates.io package ansi_term at version 0.12.1 as informational (unmaintained): ansi_term is Unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/ansi_term@0.12.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	11.2 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2021-0139
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2021-0139 · manifest · SHA-256 de5d4542b27afa47…


```
{"id": "RUSTSEC-2021-0139", "aliases": [], "modified": "2023-09-06T22:52:31Z", "summary": "ansi_term is Unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2021-0139

QSI-2026-06587 · DEP-ADVISORY-INFORMATIONAL

Info

atty 0.2.14: informational advisory RUSTSEC-2024-0375 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2024-0375 for crates.io package atty at version 0.2.14 as informational (unmaintained): `atty` is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/atty@0.2.14
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.

Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	11.2 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0375
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0375 · manifest · SHA-256 39d224b85bb38fb8...


```
{"id": "RUSTSEC-2024-0375", "aliases": [], "modified": "2024-09-26T12:26:22Z", "summary": "`atty` is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0375

QSI-2026-06594 · DEP-ADVISORY-INFORMATIONAL

Info

derivative 2.2.0: informational advisory RUSTSEC-2024-0388 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2024-0388 for crates.io package derivative at version 2.2.0 as informational (unmaintained): `derivative` is unmaintained; consider using an alternative. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/derivative@2.2.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	11.2 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0388
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0388 · manifest · SHA-256 3438f6c3cab3309f...

{"id": "RUSTSEC-2024-0388", "aliases": [], "modified": "2024-11-10T13:34:40Z", "summary": "`derivative` is unmaintained; consider using an alternative", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0388

QSI-2026-06595 · DEP-ADVISORY-INFORMATIONAL

Info

fxhash 0.2.1: informational advisory RUSTSEC-2025-0057 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2025-0057 for crates.io package fxhash at version 0.2.1 as informational (unmaintained): fxhash - no longer maintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/fxhash@0.2.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	11.2 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0057
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0057 · manifest · SHA-256 c45d3d45f6cc6072...

{"id": "RUSTSEC-2025-0057", "aliases": [], "modified": "2025-09-05T19:09:01Z", "summary": "fxhash - no longer maintained", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2025-0057

QSI-2026-06596 · DEP-ADVISORY-INFORMATIONAL

Info

generational-arena 0.2.9: informational advisory RUSTSEC-2024-0014 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2024-0014 for crates.io package generational-arena at version 0.2.9 as informational (unmaintained): `generational-arena` is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/generational-arena@0.2.9
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	11.2 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0014
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0014 · manifest · SHA-256 6de48eaa3191b0b0...


```
{"id": "RUSTSEC-2024-0014", "aliases": [], "modified": "2024-02-18T04:06:15Z", "summary":
"`generational-arena` is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0014

QSI-2026-06598 · DEP-ADVISORY-INFORMATIONAL

Info

instant 0.1.13: informational advisory RUSTSEC-2024-0384 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2024-0384 for crates.io package instant at version 0.1.13 as informational (unmaintained): `instant` is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/instant@0.1.13
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	11.2 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0384
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0384 · manifest · SHA-256 7f4b719b4e4bb232...


```
{"id": "RUSTSEC-2024-0384", "aliases": [], "modified": "2024-11-10T13:10:28Z", "summary": "`instant` is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0384

QSI-2026-06599 · DEP-ADVISORY-INFORMATIONAL

Info

libsecp256k1 0.7.2: informational advisory RUSTSEC-2025-0161 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2025-0161 for crates.io package libsecp256k1 at version 0.7.2 as informational (unmaintained): libsecp256k1 is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/libsecp256k1@0.7.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	11.2 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0161
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0161 · manifest · SHA-256 5a68aff0a0c8df70...


```
{"id": "RUSTSEC-2025-0161", "aliases": [], "modified": "2026-04-14T11:30:08.962845Z", "summary":
"libsecp256k1 is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2025-0161

QSI-2026-06605 · DEP-ADVISORY-INFORMATIONAL

Info

paste 1.0.15: informational advisory RUSTSEC-2024-0436 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2024-0436 for crates.io package paste at version 1.0.15 as informational (unmaintained): paste - no longer maintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/paste@1.0.15
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	11.2 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0436
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0436 · manifest · SHA-256 ea867adb8ba26c96...


```
{"id": "RUSTSEC-2024-0436", "aliases": [], "modified": "2026-01-27T22:03:15.694766Z", "summary":
"paste - no longer maintained", "severity": null, "declared_in_manifest": false}
```

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0436

QSI-2026-06606 · DEP-ADVISORY-INFORMATIONAL

Info

proc-macro-error2 2.0.1: informational advisory RUSTSEC-2026-0173 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2026-0173 for crates.io package proc-macro-error2 at version 2.0.1 as informational (unmaintained): proc-macro-error2 is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/proc-macro-error2@2.0.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-29 06:18 UTC
Priority score	11.2 / 100 (Web3 project)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0173
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0173 · manifest · SHA-256 0ecc182141bd9eff...


```
{"id": "RUSTSEC-2026-0173", "aliases": [], "modified": "2026-06-07T21:00:04.318567692Z", "summary":
"proc-macro-error2 is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2026-0173

Evidence

ID	Type	Data source	SHA-256
QSI-2026-06635	tool_output	OSV.dev GHSA-869c-j7wc-8jqv (line 8)	dc496aa23daf62242a3c7d40b2e031e7ee93e0af363e
QSI-2026-06538	file_excerpt	bridge-history-api/cmd/api/app/app.go (line 69)	edce4750653abe234eb4418e449aa04c9c36023fa040
QSI-2026-06636	tool_output	OSV.dev GHSA-27vh-h6mc-q6g8 (line 26)	ff74528063f3adda5c06b22b192859164e12b45da07b
QSI-2026-06547	file_excerpt	scroll-contracts/src/L1/L1ScrollMessenger.sol (line 192)	f4f1b0112884e9b3d0e334f42c4814dc01366df46203
QSI-2026-06548	file_excerpt	scroll-contracts/src/L1/L1ScrollMessenger.sol (line 231)	da026ca30bc15720b495ea1fae4875e46ecf02996c36
QSI-2026-06562	file_excerpt	scroll-contracts/src/L2/L2ScrollMessenger.sol (line 159)	2649304147ef4bd103508a6b49910d52ccbcc418a861
QSI-2026-06568	file_excerpt	scroll-contracts/src/L2/predeploys/L1BlockContainer.sol (line 63)	4b809c2dc16a948ad7a1ea666c1f698b6114eaf7d2c6
QSI-2026-06571	file_excerpt	scroll-contracts/src/L2/predeploys/L2MessageQueue.sol (line 42)	815138f70b3bbcc59e47c256deb7ece3f85abf2abaa4
QSI-2026-06609	tool_output	OSV.dev RUSTSEC-2026-0340 (manifest)	20321fd13a708b936ab6ccc115a6ed97f9b78eb43a4e
QSI-2026-06610	tool_output	OSV.dev RUSTSEC-2026-0341 (manifest)	843224ae2e1a0c898b003d66aa1610a8f10928c662ad
QSI-2026-06544	file_excerpt	scroll-contracts/lib/solmate/src/tokens/ERC20.sol (line 130)	d41f7bb35e5522e67c7809f4b8f088dcccb35a08f1c2
QSI-2026-06638	tool_output	OSV.dev GHSA-3jgf-r68h-xfqm (line 26)	c535e168fc079608620751f63c2950e5391c783db799
QSI-2026-06642	tool_output	OSV.dev GHSA-pxq6-2prw-chj9 (line 39)	a1f97854af5b75958bb95b60d587d295c47edf095a72
QSI-2026-06648	tool_output	OSV.dev GHSA-w67g-5rqw-f597 (line 56)	3fee799e1426dfa658884e378d6f3bcd030db0c65d80
QSI-2026-06580	file_excerpt	scroll-contracts/src/libraries/verifier/RollupVerifier.sol (line 24)	1c7f6da98e4391b6498b701ef8d1a7980da16b77df27
QSI-2026-06541	file_excerpt	rollup/internal/controller/sender/kms_signer.go (line 5)	a946707a5431416fc04c9ea88c7fce501e1976d75626
QSI-2026-06541	file_excerpt	rollup/internal/controller/sender/kms_signer.go (line 64)	62bee3e9910de110b08646c5a408b8d8c61744405207
QSI-2026-06541	file_excerpt	rollup/internal/controller/sender/kms_signer.go (line 140)	fc59e9f71af5ce30f8cf09a34c05380e0c25f14694e6
QSI-2026-06541	file_excerpt	scroll-contracts/lib/solmate/src/tokens/ERC20.sol (line 130)	d41f7bb35e5522e67c7809f4b8f088dcccb35a08f1c2
QSI-2026-06539	file_excerpt	common/utils/keystore.go (line 4)	477db8762fa92569d31b62e6d7466b65eb650a0935e4
QSI-2026-06539	file_excerpt	coordinator/internal/controller/proxy/client_manager.go (line 5)	0a3914ad29653b3674c9c73c87cbf54cf4e9217d73cc

QSI-2026-06540	file_excerpt	coordinator/internal/types/auth.go (line 4)	754608aa95082d2e114584f2a6d68378067ee8d9ecbe
QSI-2026-06590	tool_output	OSV.dev GHSA-qwgh-2vcv-g2f7 (manifest)	ac22c9ee6301d8c1e4b09ca6951303d71527ccba2df3
QSI-2026-06591	tool_output	OSV.dev GHSA-qwgh-2vcv-g2f7 (manifest)	ac22c9ee6301d8c1e4b09ca6951303d71527ccba2df3
QSI-2026-06592	tool_output	OSV.dev GHSA-qwgh-2vcv-g2f7 (manifest)	ac22c9ee6301d8c1e4b09ca6951303d71527ccba2df3
QSI-2026-06613	tool_output	OSV.dev GHSA-2mjx-qc3c-rqvc (manifest)	f20e4b21c01d3d75460ac8d90a54d541a1a34187a4f0
QSI-2026-06614	tool_output	OSV.dev GHSA-c8m5-c952-6cm4 (manifest)	87554a0cce34470a221f04ad57566b2b512ff6299ad3
QSI-2026-06619	tool_output	OSV.dev GHSA-xwfj-jgwm-7wp5 (manifest)	a3249213cfcaf11938eca6db0ff56d5636ca4a09bf8e
QSI-2026-06641	tool_output	OSV.dev GHSA-4vq8-7jfc-9cvp (line 39)	dee43ec41d2fe7fef219613e010a0504110ce6e3a026
QSI-2026-06542	file_excerpt	scroll-contracts/lib/solmate/src/auth/Auth.sol (line 2)	9498e7a7f87af2cd59e0fa5f1e66710f854cb43557c8
QSI-2026-06542	file_excerpt	scroll-contracts/lib/solmate/src/auth/Owned.sol (line 2)	cec42a0375b3ee8d0381596e3ec1ac2031df2ca449c6
QSI-2026-06542	file_excerpt	scroll-contracts/lib/solmate/src/auth/authorities/MultiRolesAuthority.sol (line 2)	a8b2b4c6d913d3db2817cd4c431ac08c303a15d55dcc
QSI-2026-06542	file_excerpt	scroll-contracts/lib/solmate/src/auth/authorities/RolesAuthority.sol (line 2)	a8b2b4c6d913d3db2817cd4c431ac08c303a15d55dcc
QSI-2026-06542	file_excerpt	scroll-contracts/lib/solmate/src/tokens/ERC1155.sol (line 2)	0a27d4e4c242ed315ee139e504758c6745fcd0c2fe9a
QSI-2026-06542	file_excerpt	scroll-contracts/lib/solmate/src/tokens/ERC20.sol (line 2)	b93695ee22c4af8b671e5dff401933e8c220393b36dd
QSI-2026-06542	file_excerpt	scroll-contracts/lib/solmate/src/tokens/ERC4626.sol (line 2)	3e08f13cb30c22968448516a6a8bfb9e7d5c15d4a646
QSI-2026-06542	file_excerpt	scroll-contracts/lib/solmate/src/tokens/ERC6909.sol (line 2)	242d667b6e8c811192327f4d941bfbe53f68479b7f47
QSI-2026-06542	file_excerpt	scroll-contracts/lib/solmate/src/tokens/ERC721.sol (line 2)	f360056d129ce016eda8dabee5aecef50144ca53742b
QSI-2026-06542	file_excerpt	scroll-contracts/lib/solmate/src/tokens/WETH.sol (line 2)	c898105d2f1519ed2ffbd3c3fffd780775839973744c
QSI-2026-06545	file_excerpt	scroll-contracts/scripts/foundry/DeployLidoGateway.s.sol (line 2)	9f5e4972786d80906fd7ad2fb04b6aeda51d41ab5ff6
QSI-2026-06546	file_excerpt	scroll-contracts/src/L1/IL1ScrollMessenger.sol (line 3)	e237fc6f80bcc953a42e21073a458e9e61aa51047216

QSI-2026-06546	file_excerpt	scroll-contracts/src/L1/gateways/IL1ERC1155Gateway.sol (line 3)	ada29c078e375ee6b2cbd7b69e4eef45b058107cd209
QSI-2026-06546	file_excerpt	scroll-contracts/src/L1/gateways/IL1ERC20Gateway.sol (line 3)	6a361406dea27df7c5642c5db36f7196031c76ac3ed0
QSI-2026-06546	file_excerpt	scroll-contracts/src/L1/gateways/IL1ERC721Gateway.sol (line 3)	e971500b65b8b24e036b90917f8e4abfa6344b0fd8a9
QSI-2026-06546	file_excerpt	scroll-contracts/src/L1/gateways/IL1ETHGateway.sol (line 3)	60d32afb10a932db9df16552fdf386a18265b1e28640
QSI-2026-06546	file_excerpt	scroll-contracts/src/L1/gateways/IL1GatewayRouter.sol (line 3)	d6b8adb2dd6346cd4d876a7be40732d5bbe7e9afac19
QSI-2026-06546	file_excerpt	scroll-contracts/src/L1/gateways/L1ERC20Gateway.sol (line 3)	281e6787d0cc90c04f8952b8208f8077415f0b9ea9c9
QSI-2026-06546	file_excerpt	scroll-contracts/src/L1/rollup/IL1MessageQueue.sol (line 3)	fe63083e556e7d4a3c633ba1b3af47bc2f71b98ef20e
QSI-2026-06546	file_excerpt	scroll-contracts/src/L1/rollup/IL1MessageQueueWithGasPriceOracle.sol (line 3)	9b4c3a93ad3bc5a3b5af67d70bf4282725bf78a2bd29
QSI-2026-06546	file_excerpt	scroll-contracts/src/L1/rollup/IL2GasPriceOracle.sol (line 3)	a98cb27929f6e50e2487d34a84171807028b2ba415dd
QSI-2026-06575	file_excerpt	scroll-contracts/src/L2/predeploys/WrappedEther.sol (line 3)	b4d288526b881ed29c412a0ced5eb78877e763291491
QSI-2026-06575	file_excerpt	scroll-contracts/src/libraries/gateway/CCTPGatewayBase.sol (line 3)	1c44403c40a2b0061553bf83cca6abe8d6a594e5ed0b
QSI-2026-06575	file_excerpt	scroll-contracts/src/libraries/token/IScrollERC1155Extension.sol (line 3)	3546282441b6170c6d88edfdb2609e8fda3eb8315c25
QSI-2026-06575	file_excerpt	scroll-contracts/src/libraries/token/IScrollERC20Extension.sol (line 3)	faeecba0e85125176456cc117e5bf0333dda2afdc80f
QSI-2026-06575	file_excerpt	scroll-contracts/src/libraries/token/IScrollERC721Extension.sol (line 3)	68b1b7d7965bd46cbdb816d008e4664698c795528e9b
QSI-2026-06600	tool_output	OSV.dev GHSA-rhfx-m35p-ff5j (manifest)	74c3e26941575e818cf192f0511138a6719b2124292f
QSI-2026-06602	tool_output	OSV.dev GHSA-rhfx-m35p-ff5j (manifest)	74c3e26941575e818cf192f0511138a6719b2124292f
QSI-2026-06604	tool_output	OSV.dev GHSA-3g92-f9ch-qjcm (manifest)	a27fd662d8b302d27a961e04dc71b7a4ef49c239577a
QSI-2026-06616	tool_output	OSV.dev GHSA-w44r-93j7-qv28 (manifest)	f0fcaa2fa7a56e188458f39e55b23e999d0c7da6d3c1
QSI-2026-06615	tool_output	OSV.dev GHSA-h2v8-394m-p7vv (manifest)	9118726d52fea7cee09a6b4a21a10d2a7bab860f9762
QSI-2026-06593	tool_output	OSV.dev RUSTSEC-2026-0387 (manifest)	eab63427da988e95becf061fd8169abcb9634f743aee
QSI-2026-06597	tool_output	OSV.dev RUSTSEC-2026-0258 (manifest)	d8694780e4da4b8ee995c62dbd89ea4aef9579bf2c51

QSI-2026-06601	tool_output	OSV.dev RUSTSEC-2026-0253 (manifest)	06df98c5350689983b2fda96297e3527fd26f472c5d4
QSI-2026-06603	tool_output	OSV.dev RUSTSEC-2026-0253 (manifest)	06df98c5350689983b2fda96297e3527fd26f472c5d4
QSI-2026-06607	tool_output	OSV.dev RUSTSEC-2026-0338 (manifest)	2d8a96c1ccb5782dfd51ab6c6bfc548092df0a416eb5
QSI-2026-06608	tool_output	OSV.dev RUSTSEC-2026-0339 (manifest)	b5c8da254e3051004bc694e865ed6cf27e63c10cddc5
QSI-2026-06611	tool_output	OSV.dev RUSTSEC-2026-0342 (manifest)	41dfd63166e25757cdb189c219a98c5e4b8d6b2e389f
QSI-2026-06612	tool_output	OSV.dev RUSTSEC-2026-0220 (manifest)	f42394932e247da212898e7d0d34cec3f04961c85738
QSI-2026-06617	tool_output	OSV.dev RUSTSEC-2026-0382 (manifest)	9111e73d752392534752d5ea5c9da4ec9a422a29c088
QSI-2026-06620	tool_output	OSV.dev RUSTSEC-2026-0381 (manifest)	a97aff76592b60902cd4b16acc1ea2e7be27cd23fb1c
QSI-2026-06621	tool_output	OSV.dev RUSTSEC-2026-0391 (manifest)	c5a6274e5a4cfb8793fcf3f343ddadadd6d41a200d24
QSI-2026-06622	tool_output	OSV.dev RUSTSEC-2026-0395 (manifest)	cf314e3df3f714ad17083f648e4d6822839805759c13
QSI-2026-06623	tool_output	OSV.dev RUSTSEC-2026-0396 (manifest)	46019c3c1c8cc1772c03fcccbfa90a2b7502cdb74448
QSI-2026-06624	tool_output	OSV.dev RUSTSEC-2026-0397 (manifest)	e1cc2d6a8e69a560eb15d719dcb988b36e18b940b891
QSI-2026-06625	tool_output	OSV.dev RUSTSEC-2026-0398 (manifest)	01887ac4409fe66647c178d3ac91c674dafafb913496
QSI-2026-06626	tool_output	OSV.dev RUSTSEC-2026-0399 (manifest)	dde7c9d1fcd35a89a4e462b7b42373ae75187190ebff
QSI-2026-06627	tool_output	OSV.dev RUSTSEC-2026-0400 (manifest)	12a31cd97694259b60fd13de0204d4257a30facebdbf
QSI-2026-06628	tool_output	OSV.dev RUSTSEC-2026-0401 (manifest)	8f606743a027e187f8815975be52f1a4018a22a8d8ca
QSI-2026-06629	tool_output	OSV.dev RUSTSEC-2026-0402 (manifest)	1659ee65665b5ae755a87f2715370efa327fc3064514
QSI-2026-06630	tool_output	OSV.dev RUSTSEC-2026-0403 (manifest)	b1d1701270f636af5d21f2b55cbd122bcd0df90ce4dc
QSI-2026-06631	tool_output	OSV.dev RUSTSEC-2026-0404 (manifest)	7c25f3932e55150f3788cd8fcee7738d3c905758f825
QSI-2026-06632	tool_output	OSV.dev RUSTSEC-2026-0405 (manifest)	aa7a0dd1f301f7767bcd2d2a354fda77b1e2ed887669
QSI-2026-06633	tool_output	OSV.dev RUSTSEC-2026-0406 (manifest)	deca0b7103bdc0c3ed051bcdb0dbd3d63e215fecdbdb
QSI-2026-06647	tool_output	OSV.dev GO-2026-4887 (line 39)	b0413de8db38a9ae7e52f49ec09801d729ca5107accd

QSI-2026-06543	file_excerpt	scroll-contracts/lib/solmate/src/auth/Owned.sol (multiple)	3ef6a6924988649e26a7e42a450b6976f80844a318d3
QSI-2026-06549	file_excerpt	scroll-contracts/src/L1/L1ScrollMessenger.sol (multiple)	e0ee97f1849f91b3f6e72d51e254baa56f2b56e5cfb2
QSI-2026-06550	file_excerpt	scroll-contracts/src/L1/gateways/EnforcedTxGateway.sol (multiple)	0bc53cba0e646a9050b16b3b4b5df422672d2e8175f2
QSI-2026-06551	file_excerpt	scroll-contracts/src/L1/gateways/L1CustomERC20Gateway.sol (multiple)	567d5823d91cba01d4a889468f89c726bb465044004c
QSI-2026-06552	file_excerpt	scroll-contracts/src/L1/gateways/L1ERC1155Gateway.sol (multiple)	567d5823d91cba01d4a889468f89c726bb465044004c
QSI-2026-06553	file_excerpt	scroll-contracts/src/L1/gateways/L1ERC721Gateway.sol (multiple)	567d5823d91cba01d4a889468f89c726bb465044004c
QSI-2026-06554	file_excerpt	scroll-contracts/src/L1/gateways/L1GatewayRouter.sol (multiple)	0ba5b5898f9bf7cc74eff33ce5345afae100dbe0cb78
QSI-2026-06555	file_excerpt	scroll-contracts/src/L1/gateways/usdc/L1USDCGateway.sol (multiple)	76008f6dc4b691df13710a02121b96b76410e9863a09
QSI-2026-06556	file_excerpt	scroll-contracts/src/L1/gateways/usdc/draft-L1USDCGatewayCCTP.sol (multiple)	927a9a131474771e7a6025b058886c146d56b8594bfb
QSI-2026-06557	file_excerpt	scroll-contracts/src/L1/rollup/L1MessageQueue.sol (multiple)	abc3ca57c063b06e3357f32e9853f137df9b7d34269e
QSI-2026-06558	file_excerpt	scroll-contracts/src/L1/rollup/L1MessageQueueWithGasPriceOracle.sol (multiple)	44324bf7f526384bee7d9b7420069abf57e78176be87
QSI-2026-06559	file_excerpt	scroll-contracts/src/L1/rollup/L2GasPriceOracle.sol (multiple)	6b172d915567b07a4372e2adab3671bf1b00c11817c0
QSI-2026-06560	file_excerpt	scroll-contracts/src/L1/rollup/MultipleVersionRollupVerifier.sol (multiple)	309bc55aa192b32f088e252a0e07c64d7600dcb4636a
QSI-2026-06561	file_excerpt	scroll-contracts/src/L1/rollup/ScrollChain.sol (multiple)	a10806b8e8f277e558509fe1076d3280f0b4723e358b
QSI-2026-06563	file_excerpt	scroll-contracts/src/L2/gateways/L2ERC1155Gateway.sol (multiple)	567d5823d91cba01d4a889468f89c726bb465044004c
QSI-2026-06564	file_excerpt	scroll-contracts/src/L2/gateways/L2ERC721Gateway.sol (multiple)	567d5823d91cba01d4a889468f89c726bb465044004c
QSI-2026-06565	file_excerpt	scroll-contracts/src/L2/gateways/L2GatewayRouter.sol (multiple)	0ba5b5898f9bf7cc74eff33ce5345afae100dbe0cb78
QSI-2026-06566	file_excerpt	scroll-contracts/src/L2/gateways/usdc/L2USDCGateway.sol (multiple)	76008f6dc4b691df13710a02121b96b76410e9863a09
QSI-2026-06567	file_excerpt	scroll-contracts/src/L2/gateways/usdc/draft-L2USDCGatewayCCTP.sol (multiple)	927a9a131474771e7a6025b058886c146d56b8594bfb

QSI-2026-06569	file_excerpt	scroll-contracts/src/L2/predeploys/L1BlockContainer.sol (multiple)	cff0c68f0fd06e1f3a4ee54f3445c04164d2782e0ca8
QSI-2026-06570	file_excerpt	scroll-contracts/src/L2/predeploys/L1GasPriceOracle.sol (multiple)	f51c35bb04fbd70c342ae93dbf5d235ff8535e18e3eb
QSI-2026-06572	file_excerpt	scroll-contracts/src/L2/predeploys/L2MessageQueue.sol (multiple)	e4ca59164f6e3ff1d9e10ad8a622313b85edf2aadad2
QSI-2026-06573	file_excerpt	scroll-contracts/src/L2/predeploys/L2TxFeeVault.sol (multiple)	9b6a64a9f27391ea141163a1e7ced8c2fe432a22fa8f
QSI-2026-06574	file_excerpt	scroll-contracts/src/L2/predeploys/Whitelist.sol (multiple)	b618c4ce5d2a585fe810fba8f3f2d5cd292b3697b149
QSI-2026-06576	file_excerpt	scroll-contracts/src/gas-swap/GasSwap.sol (multiple)	e2050d93291c41fb274d2dc7c6e1f2ee3fecbd3d6e20
QSI-2026-06577	file_excerpt	scroll-contracts/src/libraries/ScrollMessengerBase.sol (multiple)	0bc53cba0e646a9050b16b3b4b5df422672d2e8175f2
QSI-2026-06578	file_excerpt	scroll-contracts/src/libraries/common/OwnableBase.sol (multiple)	c9178db25d8ef1b1a83ff9fe952090d86c1ef54a1f84
QSI-2026-06579	file_excerpt	scroll-contracts/src/libraries/token/ScrollStandardERC20Factory.sol (multiple)	fde0c93920eae0f64b7046c86bd2511daef797adfae7
QSI-2026-06581	file_excerpt	scroll-contracts/src/lido/LidoGatewayManager.sol (multiple)	4a2ad8b435792e795c4d4a91364ba673646d967d0f6d
QSI-2026-06582	file_excerpt	scroll-contracts/src/misc/Fallback.sol (multiple)	ba80cb3fc345c9c268fb142dc621dbde8a20e93b38d4
QSI-2026-06583	file_excerpt	scroll-contracts/src/rate-limiter/ETHRateLimiter.sol (multiple)	e3534e87c12567c01be52d05897cdb34730e50ce0f8b
QSI-2026-06637	tool_output	OSV.dev GHSA-2chg-86hq-7w38 (line 26)	28eb7bd6b28f9fe087095a5d3cdea6c2e8334b9e816c
QSI-2026-06639	tool_output	OSV.dev GHSA-fj2x-735w-74vq (line 32)	7b4771c79cb8a0f08814dbf3793abb7c4b41d6f7d595
QSI-2026-06640	tool_output	OSV.dev GHSA-p436-gjf2-799p (line 38)	2f7237556abb24430f3781ebb08f5844efe5c4d2fb42
QSI-2026-06643	tool_output	OSV.dev GHSA-rg2x-37c3-w2rh (line 39)	1e37c034d0c067cb8cd66e219cb54fb68eb260f0ad00
QSI-2026-06644	tool_output	OSV.dev GHSA-v23v-6jw2-98fq (line 39)	7390f2eb685de469a6fab83459f3e95e4bf8b0fa74de
QSI-2026-06645	tool_output	OSV.dev GHSA-vp62-88p7-qqf5 (line 39)	ebf7b606499a4435f059ad63b1893b11c29261567570
QSI-2026-06646	tool_output	OSV.dev GHSA-x86f-5xw2-fm2r (line 39)	5bc10da6eec232c1f263d2cf4ba5656f8695307a0c4a
QSI-2026-06649	tool_output	OSV.dev GHSA-9jj7-4m8r-rfcm (line 63)	7a0b31d7d1db8544206a5adb2d42c055d0bd19b4d22b
QSI-2026-06650	tool_output	OSV.dev GHSA-j88v-2chj-qfwx (line 63)	51d4ffce36c02ebf4fc4e684785597c5615f1b4a246b
QSI-2026-06651	tool_output	OSV.dev GHSA-xgrm-4fwx-7qm8 (line 63)	d767e8df58c71c89100e456cbaa841a2ce73eaefe627
QSI-2026-06652	tool_output	OSV.dev GHSA-259r-337f-4rfw (line 68)	b415f1a2f3e954680bf032db6b47454a035b6a2af6b7

QSI-2026-06586	tool_output	OSV.dev GHSA-g98v-hv3f-hcfr (manifest)	9228a57a9a8b7f41b438674902973bd538b3153409c5
QSI-2026-06588	tool_output	OSV.dev RUSTSEC-2025-0141 (manifest)	2d4ec91d374dc1d163952a86f9da46edd4e89ca1a0fd
QSI-2026-06589	tool_output	OSV.dev RUSTSEC-2025-0141 (manifest)	2d4ec91d374dc1d163952a86f9da46edd4e89ca1a0fd
QSI-2026-06618	tool_output	OSV.dev RUSTSEC-2026-0386 (manifest)	1ebb594fd9923dc03209b41738d3f9cf8f324941e884
QSI-2026-06634	tool_output	OSV.dev RUSTSEC-2026-0410 (manifest)	1e892df4ce7c9911f01547e4a80d1fb3ea5a27b8c1c8
QSI-2026-06584	dependency	Cargo.lock, Cargo.toml, bridge-history-api/go.mod, common/go.mod, coordinator/go.mod, crates/l2geth/Cargo.toml, crates/libzkp/Cargo.toml, crates/libzkp_c/Cargo.toml, crates/prover-bin/Cargo.toml, database/go.mod, rollup/go.mod, scroll-contracts/lib/solmate/package-lock.json, scroll-contracts/lib/solmate/package.json, scroll-contracts/package.json, scroll-contracts/src/package.json, scroll-contracts/yarn.lock	6dc4820b03b33ecd755a71f9fc07e04c0cfd322fb796
QSI-2026-06585	tool_output	OSV.dev RUSTSEC-2021-0139 (manifest)	de5d4542b27afa47634a32a636aaf6122580e13132fe
QSI-2026-06587	tool_output	OSV.dev RUSTSEC-2024-0375 (manifest)	39d224b85bb38fb881a0b8e5f3a7a1bf4bfbc155c7be
QSI-2026-06594	tool_output	OSV.dev RUSTSEC-2024-0388 (manifest)	3438f6c3cab3309fb6388762a19097619076b18baff0
QSI-2026-06595	tool_output	OSV.dev RUSTSEC-2025-0057 (manifest)	c45d3d45f6cc6072f9f3ea781a96fb14cfe9cb6b704b
QSI-2026-06596	tool_output	OSV.dev RUSTSEC-2024-0014 (manifest)	6de48eaa3191b0b0ab99e1d0875c9a8fc60eb7a93700
QSI-2026-06598	tool_output	OSV.dev RUSTSEC-2024-0384 (manifest)	7f4b719b4e4bb232235b9d7f05f5a0b3918208f11916
QSI-2026-06599	tool_output	OSV.dev RUSTSEC-2025-0161 (manifest)	5a68aff0a0c8df7049664eab824bf743ee2c13e46cc8
QSI-2026-06605	tool_output	OSV.dev RUSTSEC-2024-0436 (manifest)	ea867adb8ba26c96c3779becf55b3de25d46f37f23ab
QSI-2026-06606	tool_output	OSV.dev RUSTSEC-2026-0173 (manifest)	0ecc182141bd9effc6d35bc24dc20c57e6473fb3877a

Post-quantum assessment

	Key establishment (x = how long data must stay confidential; harvest now, decrypt later)	Signatures (x = how long signatures/ keys must stay trusted)
Data/key lifetime x	5	10
Migration time y	5	5
Assumed years to CRQC z	12 (central)	12
x + y − z	-2 → tight margin	3 → migration would finish too late under this scenario

Planning assumptions: x for key establishment, x for signatures, y are the defaults of the risk profile “Web3 project”, not the client's figures; with the client's actual lifetimes the verdict can change.

Post-quantum maturity: Level 0 of 4 — no post-quantum cryptography

Next step: Inventory where classical public-key cryptography protects long-lived data and keys, and choose the first migration: usually a hybrid TLS key exchange and wrapped keys.

Levels: 0 none; 1 present, not wired; 2 in use outside the critical paths; 3 hybrid in a critical path; 4 post-quantum by default in the critical paths (root of trust, key wrapping, channel key exchange). Judged from code and manifests.

What the quantum-vulnerable algorithms do

Role	Algorithms (files)	ID	First step
transaction and message signing	ECDSA (2)	QSI-2026-06541	Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them
authentication and identity (certificates, tokens, device attestation)	ECDSA (1)	QSI-2026-06540	Keep credentials short-lived and plan ML-DSA certificates, tokens and keys as the ecosystem supports them
role not determined	ECDSA (2)	QSI-2026-06539	Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility

Roles are judged from file paths, function names and the code around each match; review confirms them. Root-of-trust keys and wrapped keys come first: they are hard to replace or can be recorded today.

z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Quantum status	Count
Grover: acceptable to NIST, below ECCG/ANSSI guidance	44
n/a	27
vulnerable (Shor)	7

Detailed findings: QSI-2026-06580, QSI-2026-06541, QSI-2026-06539, QSI-2026-06540

PQC readiness questionnaire

No readiness questionnaire was completed for this project.

Quantum algorithms relevant to this inventory

Quantum algorithm	Effect	Inventoried algorithms (rows)	What it means for this audit
Shor's algorithm — discrete logarithms in finite fields Q1: quantum computation offline, classical access to the victim	breaks	BN254 (alt_bn128) (1)	Breaks finite-field Diffie–Hellman and DSA at every size. Move key establishment to ML-KEM (hybrid with X25519 or ECDH during the transition) and signatures to ML-DSA or SLH-DSA.
Shor's algorithm — elliptic-curve discrete logarithms Q1: quantum computation offline, classical access to the victim	breaks	BN254 (alt_bn128) (1), ECDSA (6)	Elliptic-curve keys are expected to fall before RSA keys of comparable classical strength. On blockchains, coins whose public key is already on chain (reused addresses, pay-to-public-key and Taproot outputs) are exposed first; plan the move to post-quantum signatures and avoid key reuse in the meantime.
Grover's algorithm — key search and preimages Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	Keccak-256 (36), SHA-2 (1), STARK (FRI) (7)	Not a break. 256-bit keys (AES-256, ChaCha20) keep a comfortable margin; AES-128 meets NIST category 1, while some authorities ask for 256-bit keys in quantum-resistant contexts (see the AES-128 entry). Prefer 256-bit keys for long-lived data; 256-bit hashes need no change for preimage resistance.
Brassard–Høyer–Tapp — collision search Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	Keccak-256 (36), SHA-2 (1), STARK (FRI) (7)	256-bit hashes (SHA-256, SHA3-256) remain adequate for collision resistance; 160-bit hashes are already weak classically (SHA-1 collisions are practical). Use 384/512-bit hashes where NIST categories 4–5 are required.

Effects: breaks — replace the algorithm; weakens — larger keys or outputs restore the margin; included in standard parameters — no action at standard parameter sets; only with superposition queries — not applicable to ordinary deployments.

Limitations and assumptions

- This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.
- z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.
- tls_code — Insufficient data: 5 (examples: bridge-history-api/go.mod: go 1.22 — before Go 1.24 crypto/tls offers no X25519MLKEM768 by default; relevant if the module uses TLS; common/go.mod: go 1.22 — before Go 1.24 crypto/tls offers no X25519MLKEM768 by default; relevant if the module uses TLS; coordinator/go.mod: go 1.22 — before Go 1.24 crypto/tls offers no X25519MLKEM768 by default; relevant if the module uses TLS)
- slither — not checked: 152 (examples: slither is not installed on the server (pip install slither-analyzer + solc))

Remediation plan

QSI-2026-06538 · P1 · 30 days root-cause fix

Remove certificate-verification overrides in bridge-history-api/cmd/api/app/app.go.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible compatibility impact on old clients.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	No verification overrides remain outside explicitly marked test code.

QSI-2026-06547 · P1 · 30 days root-cause fix

Apply checks-effects-interactions and/or ReentrancyGuard.

Rationale	An attacker contract may re-enter before state is updated and drain funds.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open line 192 in the supplied file scroll-contracts/src/L1/L1ScrollMessenger.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06548 · P1 · 30 days root-cause fix

Apply checks-effects-interactions and/or ReentrancyGuard.

Rationale	An attacker contract may re-enter before state is updated and drain funds.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open line 231 in the supplied file scroll-contracts/src/L1/L1ScrollMessenger.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06562 · P1 · 30 days root-cause fix

Apply checks-effects-interactions and/or ReentrancyGuard.

Rationale	An attacker contract may re-enter before state is updated and drain funds.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open line 159 in the supplied file scroll-contracts/src/L2/L2ScrollMessenger.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06568 · P1 · 30 days root-cause fix

Use OpenZeppelin Initializable (initializer modifier) and disable initializers in the implementation constructor.

Rationale	In upgradeable proxies anyone may (re)initialize and take ownership.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open line 63 in the supplied file scroll-contracts/src/L2/predeploys/L1BlockContainer.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06571 · P1 · 30 days root-cause fix

Use OpenZeppelin Initializable (initializer modifier) and disable initializers in the implementation constructor.

Rationale	In upgradeable proxies anyone may (re)initialize and take ownership.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open line 42 in the supplied file scroll-contracts/src/L2/predeploys/L2MessageQueue.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06635 · P2 · 30 days root-cause fix

Upgrade github.com/gin-contrib/cors to a fixed version (1.6.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-869c-j7wc-8jqv (CVE-2019-25211, GO-2024-2955).

QSI-2026-06636 · P2 · 30 days root-cause fix

Upgrade github.com/btcsuite/btcd to a fixed version (0.24.2-beta.rc1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low

Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-27vh-h6mc-q6g8 (CVE-2024-38365, GO-2024-3189).

QSI-2026-06609 · P2 · 30 days

root-cause fix

Upgrade quinn-proto to a fixed version (0.11.18).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0340.

QSI-2026-06610 · P2 · 30 days

root-cause fix

Upgrade quinn-proto to a fixed version (0.11.17).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0341.

QSI-2026-06638 · P2 · 30 days

root-cause fix

Upgrade github.com/btcsuite/btcd to a fixed version (0.24.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-3jgf-r68h-xfqm (CVE-2024-34478, GO-2024-2818).

QSI-2026-06642 · P2 · 30 days root-cause fix

Upgrade github.com/docker/docker to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-pxq6-2prw-chj9 (CVE-2026-33997, GO-2026-4883).

QSI-2026-06648 · P2 · 30 days root-cause fix

Upgrade github.com/gorilla/websocket to a fixed version (1.5.3).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-w67g-5rqw-f597 (GO-2026-6278).

QSI-2026-06590 · P2 · 30 days root-cause fix

Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-qwgh-2vcv-g2f7.

QSI-2026-06591 · P2 · 30 days root-cause fix

Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.

Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-qwgh-2vcv-g2f7.

QSI-2026-06592 · P2 · 30 days

root-cause fix

Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-qwgh-2vcv-g2f7.

QSI-2026-06613 · P2 · 30 days

root-cause fix

Upgrade rustls to a fixed version (0.23.45).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285).

QSI-2026-06614 · P2 · 30 days

root-cause fix

Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	

	Dependency scan no longer reports GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346).

QSI-2026-06619 · P2 · 30 days

root-cause fix

Upgrade tracing-subscriber to a fixed version (0.3.20).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-xwfj-jgwm-7wp5 (CVE-2025-58160, RUSTSEC-2025-0055).

QSI-2026-06641 · P2 · 30 days

root-cause fix

Upgrade github.com/docker/docker to a fixed version (25.0.13, 28.0.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-4vq8-7jfc-9cvp (CVE-2025-54410).

QSI-2026-06600 · P2 · 30 days

root-cause fix

Upgrade lru to a fixed version (0.16.3).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-rhfx-m35p-ff5j (RUSTSEC-2026-0002).

QSI-2026-06602 · P2 · 30 days

root-cause fix

Upgrade lru to a fixed version (0.16.3).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.

Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-rhfx-m35p-ff5j (RUSTSEC-2026-0002).

QSI-2026-06604 · P2 · 30 days

root-cause fix

Upgrade p3-symmetric to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-3g92-f9ch-qjcm.

QSI-2026-06616 · P2 · 30 days

root-cause fix

Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349).

QSI-2026-06615 · P2 · 30 days

root-cause fix

Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	

	Dependency scan no longer reports GHSA-h2v8-394m-p7vv (RUSTSEC-2026-0348).

QSI-2026-06637 · P2 · 30 days root-cause fix

Upgrade github.com/btcsuite/btcd to a fixed version (0.23.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-2chg-86hq-7w38 (CVE-2022-44797, GO-2022-1098).

QSI-2026-06639 · P2 · 30 days root-cause fix

Upgrade github.com/consensys/gnark-crypto to a fixed version (0.18.1, 0.19.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-fj2x-735w-74vq (GO-2025-4087).

QSI-2026-06640 · P2 · 30 days root-cause fix

Upgrade github.com/docker/cli to a fixed version (29.2.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-p436-gjf2-799p (CVE-2025-15558, GO-2026-4610).

QSI-2026-06643 · P2 · 30 days root-cause fix

Upgrade github.com/docker/docker to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.

Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-rg2x-37c3-w2rh (CVE-2026-42306, GO-2026-5617).

QSI-2026-06644 · P2 · 30 days root-cause fix

Upgrade github.com/docker/docker to a fixed version (23.0.15, 25.0.6, 26.1.5, 27.1.1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-v23v-6jw2-98fq (CVE-2024-41110, GO-2024-3005).

QSI-2026-06645 · P2 · 30 days root-cause fix

Upgrade github.com/docker/docker to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-vp62-88p7-qqf5 (CVE-2026-41568, GO-2026-5668).

QSI-2026-06646 · P2 · 30 days root-cause fix

Upgrade github.com/docker/docker to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.

Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-x86f-5xw2-fm2r (CVE-2026-41567, GO-2026-5746).

QSI-2026-06649 · P2 · 30 days

root-cause fix

Upgrade github.com/jackc/pgx/v5 to a fixed version (5.9.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-9jj7-4m8r-rfcm (CVE-2026-33816, GO-2026-4772).

QSI-2026-06650 · P2 · 30 days

root-cause fix

Upgrade github.com/jackc/pgx/v5 to a fixed version (5.9.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-j88v-2chj-qfwx (CVE-2026-41889, GO-2026-5004).

QSI-2026-06651 · P2 · 30 days

root-cause fix

Upgrade github.com/jackc/pgx/v5 to a fixed version (5.9.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-xgrm-4fwx-7qm8 (CVE-2026-33815, GO-2026-4771).

QSI-2026-06652 · P2 · 30 days root-cause fix

Upgrade github.com/klauspost/compress to a fixed version (1.18.7).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-259r-337f-4rfw (CVE-2026-63209, GO-2026-5841).

QSI-2026-06586 · P2 · 30 days root-cause fix

Upgrade atty to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-g98v-hv3f-hcfr (RUSTSEC-2021-0145).

QSI-2026-06544 · P2 · 60 days root-cause fix

Use OpenZeppelin ECDSA.recover with EIP-712 domain separation and nonces.

Rationale	Without s-value/zero-address checks and nonces, signatures may be malleable or replayable. ecrecover relies on secp256k1 ECDSA (quantum-vulnerable long-term).
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open line 130 in the supplied file scroll-contracts/lib/solmate/src/tokens/ERC20.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06593 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0387; upgrade crypto-bigint to a fixed version (0.7.6) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.

Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0387, or the triage is recorded.

QSI-2026-06597 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0258; upgrade h2 to a fixed version (0.4.16) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0258, or the triage is recorded.

QSI-2026-06601 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0253; upgrade lru to a fixed version (0.18.2) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0253, or the triage is recorded.

QSI-2026-06603 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0253; upgrade lru to a fixed version (0.18.2) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	

	Dependency scan no longer reports RUSTSEC-2026-0253, or the triage is recorded.

QSI-2026-06607 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0338; upgrade quinn-proto to a fixed version (0.11.18) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0338, or the triage is recorded.

QSI-2026-06608 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0339; upgrade quinn-proto to a fixed version (0.11.17) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0339, or the triage is recorded.

QSI-2026-06611 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0342; upgrade quinn-proto to a fixed version (0.11.17) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0342, or the triage is recorded.

QSI-2026-06612 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0220; upgrade ruint to a fixed version (1.20.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0220, or the triage is recorded.

QSI-2026-06617 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0382 (CVE-2026-111943); upgrade rustls-webpki to a fixed version (0.103.16, 0.104.0-alpha.8) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0382 (CVE-2026-111943), or the triage is recorded.

QSI-2026-06620 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0381 (CVE-2026-111943); upgrade webpki-roots to a fixed version (0.26.11, 1.0.10) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0381 (CVE-2026-111943), or the triage is recorded.

QSI-2026-06621 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0391; upgrade zstd to a fixed version (0.14.3) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.

Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0391, or the triage is recorded.

QSI-2026-06622 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0395; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0395, or the triage is recorded.

QSI-2026-06623 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0396; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0396, or the triage is recorded.

QSI-2026-06624 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0397; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.

Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0397, or the triage is recorded.

QSI-2026-06625 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0398; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0398, or the triage is recorded.

QSI-2026-06626 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0399; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0399, or the triage is recorded.

QSI-2026-06627 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0400; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	

	Dependency scan no longer reports RUSTSEC-2026-0400, or the triage is recorded.

QSI-2026-06628 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0401; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0401, or the triage is recorded.

QSI-2026-06629 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0402; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0402, or the triage is recorded.

QSI-2026-06630 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0403; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0403, or the triage is recorded.

QSI-2026-06631 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0404; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0404, or the triage is recorded.

QSI-2026-06632 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0405; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0405, or the triage is recorded.

QSI-2026-06633 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0406; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0406, or the triage is recorded.

QSI-2026-06647 · P3 · 60 days root-cause fix

Triage GO-2026-4887 (CVE-2026-34040); upgrade github.com/docker/docker to a fixed version (none published yet; see the advisory for mitigations) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-4887 (CVE-2026-34040), or the triage is recorded.

QSI-2026-06618 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0386; upgrade tokio to a fixed version (1.51.6, 1.53.3) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0386, or the triage is recorded.

QSI-2026-06634 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0410; upgrade zstd-sys to a fixed version (2.1.2) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0410, or the triage is recorded.

QSI-2026-06580 · P3 · 90 days short-term risk reduction

Add ? usages at contract:scroll-contracts/src/libraries/verifier/RollupVerifier.sol to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-06541 · P3 · 90 days short-term risk reduction

Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-06539 · P3 · 90 days short-term risk reduction

Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-06540 · P3 · 90 days short-term risk reduction

Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-06542 · P3 · 90 days root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open scroll-contracts/lib/solmate/src/auth/Auth.sol:2 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06545 · P3 · 90 days root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open scroll-contracts/scripts/foundry/DeployLidoGateway.s.sol:2 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06546 · P3 · 90 days root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium

Tests before change	Open scroll-contracts/src/L1/IL1ScrollMessenger.sol:3 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06575 · P3 · 90 days root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open scroll-contracts/src/L2/predeploys/WrappedEther.sol:3 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06580 · P4 · 90 days root-cause fix

Plan migration of ? to ? (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ? or a hybrid scheme in use.

QSI-2026-06541 · P4 · 90 days root-cause fix

Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	

	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-06539 · P4 · 90 days

root-cause fix

Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-06540 · P4 · 90 days

root-cause fix

Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-06543 · P4 · 90 days

root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/lib/solmate/src/auth/Owned.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06549 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L1/L1ScrollMessenger.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06550 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L1/gateways/EnforcedTxGateway.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06551 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L1/gateways/L1CustomERC20Gateway.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06552 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L1/gateways/L1ERC1155Gateway.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06553 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L1/gateways/L1ERC721Gateway.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06554 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L1/gateways/L1GatewayRouter.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06555 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L1/gateways/usdc/L1USDCGateway.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06556 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L1/gateways/usdc/draft-L1USDCGatewayCCTP.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06557 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L1/rollup/L1MessageQueue.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06558 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L1/rollup/L1MessageQueueWithGasPriceOracle.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06559 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L1/rollup/L2GasPriceOracle.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06560 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L1/rollup/MultipleVersionRollupVerifier.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06561 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L1/rollup/ScrollChain.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06563 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L2/gateways/L2ERC1155Gateway.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06564 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L2/gateways/L2ERC721Gateway.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06565 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L2/gateways/L2GatewayRouter.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06566 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L2/gateways/usdc/L2USDCGateway.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06567 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L2/gateways/usdc/draft-L2USDCGatewayCCTP.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06569 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L2/predeploys/L1BlockContainer.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06570 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L2/predeploys/L1GasPriceOracle.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06572 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L2/predeploys/L2MessageQueue.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06573 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L2/predeploys/L2TxFeeVault.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06574 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/L2/predeploys/Whitelist.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06576 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/gas-swap/GasSwap.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06577 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/libraries/ScrollMessengerBase.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06578 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/libraries/common/OwnableBase.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06579 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/libraries/token/ScrollStandardERC20Factory.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06581 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/lido/LidoGatewayManager.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06582 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/misc/Fallback.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06583 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file scroll-contracts/src/rate-limiter/ETHRateLimiter.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06588 · P4 · 90 days root-cause fix

Replace bincode with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	bincode replaced, or the decision recorded.

QSI-2026-06589 · P4 · 90 days root-cause fix

Replace bincode with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.

Closure criteria	bincode replaced, or the decision recorded.

QSI-2026-06585 · P4 · 90 days

root-cause fix

Replace ansi_term with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	ansi_term replaced, or the decision recorded.

QSI-2026-06587 · P4 · 90 days

root-cause fix

Replace atty with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	atty replaced, or the decision recorded.

QSI-2026-06594 · P4 · 90 days

root-cause fix

Replace derivative with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	derivative replaced, or the decision recorded.

QSI-2026-06595 · P4 · 90 days

root-cause fix

Replace fxhash with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium

Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	fxhash replaced, or the decision recorded.

QSI-2026-06596 · P4 · 90 days root-cause fix

Replace generational-arena with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	generational-arena replaced, or the decision recorded.

QSI-2026-06598 · P4 · 90 days root-cause fix

Replace instant with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	instant replaced, or the decision recorded.

QSI-2026-06599 · P4 · 90 days root-cause fix

Replace libsecp256k1 with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	libsecp256k1 replaced, or the decision recorded.

QSI-2026-06605 · P4 · 90 days

root-cause fix

Replace paste with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	paste replaced, or the decision recorded.

QSI-2026-06606 · P4 · 90 days

root-cause fix

Replace proc-macro-error2 with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	proc-macro-error2 replaced, or the decision recorded.

Priorities for 30, 60 and 90 days

30 days

Priority	ID	Action	Type
P1	QSI-2026-06538	Remove certificate-verification overrides in bridge-history-api/cmd/api/app/app.go.	root-cause fix
P1	QSI-2026-06547	Apply checks-effects-interactions and/or ReentrancyGuard.	root-cause fix
P1	QSI-2026-06548	Apply checks-effects-interactions and/or ReentrancyGuard.	root-cause fix
P1	QSI-2026-06562	Apply checks-effects-interactions and/or ReentrancyGuard.	root-cause fix
P1	QSI-2026-06568	Use OpenZeppelin Initializable (initializer modifier) and disable initializers in the implementation constructor.	root-cause fix
P1	QSI-2026-06571	Use OpenZeppelin Initializable (initializer modifier) and disable initializers in the implementation constructor.	root-cause fix
P2	QSI-2026-06635	Upgrade github.com/gin-contrib/cors to a fixed version (1.6.0).	root-cause fix
P2	QSI-2026-06636	Upgrade github.com/btcsuite/btcd to a fixed version (0.24.2-beta.rc1).	root-cause fix
P2	QSI-2026-06609	Upgrade quinn-proto to a fixed version (0.11.18).	root-cause fix
P2	QSI-2026-06610	Upgrade quinn-proto to a fixed version (0.11.17).	root-cause fix
P2	QSI-2026-06638	Upgrade github.com/btcsuite/btcd to a fixed version (0.24.0).	root-cause fix
P2	QSI-2026-06642	Upgrade github.com/docker/docker to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-06648	Upgrade github.com/gorilla/websocket to a fixed version (1.5.3).	root-cause fix
P2	QSI-2026-06590	Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-06591	Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-06592	Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-06613	Upgrade rustls to a fixed version (0.23.45).	root-cause fix
P2	QSI-2026-06614	Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).	root-cause fix
P2	QSI-2026-06619	Upgrade tracing-subscriber to a fixed version (0.3.20).	root-cause fix

P2	QSI-2026-06641	Upgrade github.com/docker/docker to a fixed version (25.0.13, 28.0.0).	root-cause fix
P2	QSI-2026-06600	Upgrade lru to a fixed version (0.16.3).	root-cause fix
P2	QSI-2026-06602	Upgrade lru to a fixed version (0.16.3).	root-cause fix
P2	QSI-2026-06604	Upgrade p3-symmetric to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-06616	Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).	root-cause fix
P2	QSI-2026-06615	Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).	root-cause fix
P2	QSI-2026-06637	Upgrade github.com/btcsuite/btcd to a fixed version (0.23.2).	root-cause fix
P2	QSI-2026-06639	Upgrade github.com/consensys/gnark-crypto to a fixed version (0.18.1, 0.19.2).	root-cause fix
P2	QSI-2026-06640	Upgrade github.com/docker/cli to a fixed version (29.2.0).	root-cause fix
P2	QSI-2026-06643	Upgrade github.com/docker/docker to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-06644	Upgrade github.com/docker/docker to a fixed version (23.0.15, 25.0.6, 26.1.5, 27.1.1).	root-cause fix
P2	QSI-2026-06645	Upgrade github.com/docker/docker to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-06646	Upgrade github.com/docker/docker to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-06649	Upgrade github.com/jackc/pgx/v5 to a fixed version (5.9.0).	root-cause fix
P2	QSI-2026-06650	Upgrade github.com/jackc/pgx/v5 to a fixed version (5.9.2).	root-cause fix
P2	QSI-2026-06651	Upgrade github.com/jackc/pgx/v5 to a fixed version (5.9.0).	root-cause fix
P2	QSI-2026-06652	Upgrade github.com/klauspost/compress to a fixed version (1.18.7).	root-cause fix
P2	QSI-2026-06586	Upgrade atty to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix

60 days

Priority	ID	Action	Type
P2	QSI-2026-06544	Use OpenZeppelin ECDSA.recover with EIP-712 domain separation and nonces.	root-cause fix

P3	QSI-2026-06593	Triage RUSTSEC-2026-0387; upgrade crypto-bigint to a fixed version (0.7.6) if it applies.	root-cause fix
P3	QSI-2026-06597	Triage RUSTSEC-2026-0258; upgrade h2 to a fixed version (0.4.16) if it applies.	root-cause fix
P3	QSI-2026-06601	Triage RUSTSEC-2026-0253; upgrade lru to a fixed version (0.18.2) if it applies.	root-cause fix
P3	QSI-2026-06603	Triage RUSTSEC-2026-0253; upgrade lru to a fixed version (0.18.2) if it applies.	root-cause fix
P3	QSI-2026-06607	Triage RUSTSEC-2026-0338; upgrade quinn-proto to a fixed version (0.11.18) if it applies.	root-cause fix
P3	QSI-2026-06608	Triage RUSTSEC-2026-0339; upgrade quinn-proto to a fixed version (0.11.17) if it applies.	root-cause fix
P3	QSI-2026-06611	Triage RUSTSEC-2026-0342; upgrade quinn-proto to a fixed version (0.11.17) if it applies.	root-cause fix
P3	QSI-2026-06612	Triage RUSTSEC-2026-0220; upgrade ruint to a fixed version (1.20.0) if it applies.	root-cause fix
P3	QSI-2026-06617	Triage RUSTSEC-2026-0382 (CVE-2026-111943); upgrade rustls-webpki to a fixed version (0.103.16, 0.104.0-alpha.8) if it applies.	root-cause fix
P3	QSI-2026-06620	Triage RUSTSEC-2026-0381 (CVE-2026-111943); upgrade webpki-roots to a fixed version (0.26.11, 1.0.10) if it applies.	root-cause fix
P3	QSI-2026-06621	Triage RUSTSEC-2026-0391; upgrade zstd to a fixed version (0.14.3) if it applies.	root-cause fix
P3	QSI-2026-06622	Triage RUSTSEC-2026-0395; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-06623	Triage RUSTSEC-2026-0396; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-06624	Triage RUSTSEC-2026-0397; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-06625	Triage RUSTSEC-2026-0398; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-06626	Triage RUSTSEC-2026-0399; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix

P3	QSI-2026-06627	Triage RUSTSEC-2026-0400; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-06628	Triage RUSTSEC-2026-0401; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-06629	Triage RUSTSEC-2026-0402; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-06630	Triage RUSTSEC-2026-0403; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-06631	Triage RUSTSEC-2026-0404; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-06632	Triage RUSTSEC-2026-0405; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-06633	Triage RUSTSEC-2026-0406; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-06647	Triage GO-2026-4887 (CVE-2026-34040); upgrade github.com/docker/docker to a fixed version (none published yet; see the advisory for mitigations) if it applies.	root-cause fix
P3	QSI-2026-06618	Triage RUSTSEC-2026-0386; upgrade tokio to a fixed version (1.51.6, 1.53.3) if it applies.	root-cause fix
P3	QSI-2026-06634	Triage RUSTSEC-2026-0410; upgrade zstd-sys to a fixed version (2.1.2) if it applies.	root-cause fix

90 days

Priority	ID	Action	Type
P3	QSI-2026-06580	Add ? usages at contract:scroll-contracts/src/libraries/verifier/RollupVerifier.sol to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-06541	Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-06539	Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-06540	Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction

P3	QSI-2026-06542	Pin the compiler version used in testing.	root-cause fix
P3	QSI-2026-06545	Pin the compiler version used in testing.	root-cause fix
P3	QSI-2026-06546	Pin the compiler version used in testing.	root-cause fix
P3	QSI-2026-06575	Pin the compiler version used in testing.	root-cause fix
P4	QSI-2026-06580	Plan migration of ? to ? (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-06541	Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-06539	Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-06540	Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-06543	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06549	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06550	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06551	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06552	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06553	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06554	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06555	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06556	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06557	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06558	Use a multisig/timelock for admin roles and document them.	root-cause fix

P4	QSI-2026-06559	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06560	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06561	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06563	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06564	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06565	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06566	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06567	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06569	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06570	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06572	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06573	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06574	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06576	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06577	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06578	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06579	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06581	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06582	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06583	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-06588	Replace bincode with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-06589	Replace bincode with a maintained alternative or record why it stays.	root-cause fix

P4	QSI-2026-06585	Replace ansi_term with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-06587	Replace atty with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-06594	Replace derivative with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-06595	Replace fxhash with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-06596	Replace generational-arena with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-06598	Replace instant with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-06599	Replace libsecp256k1 with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-06605	Replace paste with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-06606	Replace proc-macro-error2 with a maintained alternative or record why it stays.	root-cause fix

Verification after remediation

ID	Retest procedure
QSI-2026-06635	Re-run the dependency scan after upgrading.
QSI-2026-06538	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-06636	Re-run the dependency scan after upgrading.
QSI-2026-06547	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06548	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06562	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06568	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06571	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06609	Re-run the dependency scan after upgrading.
QSI-2026-06610	Re-run the dependency scan after upgrading.
QSI-2026-06544	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06638	Re-run the dependency scan after upgrading.
QSI-2026-06642	Re-run the dependency scan after upgrading.
QSI-2026-06648	Re-run the dependency scan after upgrading.
QSI-2026-06580	Re-audit after a verifier upgrade.
QSI-2026-06541	Re-run the inventory after refactoring.
QSI-2026-06539	Re-run the inventory after refactoring.
QSI-2026-06540	Re-run the inventory after refactoring.
QSI-2026-06590	Re-run the dependency scan after upgrading.
QSI-2026-06591	Re-run the dependency scan after upgrading.
QSI-2026-06592	Re-run the dependency scan after upgrading.
QSI-2026-06613	Re-run the dependency scan after upgrading.
QSI-2026-06614	Re-run the dependency scan after upgrading.
QSI-2026-06619	Re-run the dependency scan after upgrading.
QSI-2026-06641	Re-run the dependency scan after upgrading.
QSI-2026-06542	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06545	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06546	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06575	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06600	Re-run the dependency scan after upgrading.

QSI-2026-06602	Re-run the dependency scan after upgrading.
QSI-2026-06604	Re-run the dependency scan after upgrading.
QSI-2026-06616	Re-run the dependency scan after upgrading.
QSI-2026-06615	Re-run the dependency scan after upgrading.
QSI-2026-06593	Re-run the dependency scan after upgrading.
QSI-2026-06597	Re-run the dependency scan after upgrading.
QSI-2026-06601	Re-run the dependency scan after upgrading.
QSI-2026-06603	Re-run the dependency scan after upgrading.
QSI-2026-06607	Re-run the dependency scan after upgrading.
QSI-2026-06608	Re-run the dependency scan after upgrading.
QSI-2026-06611	Re-run the dependency scan after upgrading.
QSI-2026-06612	Re-run the dependency scan after upgrading.
QSI-2026-06617	Re-run the dependency scan after upgrading.
QSI-2026-06620	Re-run the dependency scan after upgrading.
QSI-2026-06621	Re-run the dependency scan after upgrading.
QSI-2026-06622	Re-run the dependency scan after upgrading.
QSI-2026-06623	Re-run the dependency scan after upgrading.
QSI-2026-06624	Re-run the dependency scan after upgrading.
QSI-2026-06625	Re-run the dependency scan after upgrading.
QSI-2026-06626	Re-run the dependency scan after upgrading.
QSI-2026-06627	Re-run the dependency scan after upgrading.
QSI-2026-06628	Re-run the dependency scan after upgrading.
QSI-2026-06629	Re-run the dependency scan after upgrading.
QSI-2026-06630	Re-run the dependency scan after upgrading.
QSI-2026-06631	Re-run the dependency scan after upgrading.
QSI-2026-06632	Re-run the dependency scan after upgrading.
QSI-2026-06633	Re-run the dependency scan after upgrading.
QSI-2026-06647	Re-run the dependency scan after upgrading.
QSI-2026-06543	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06549	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06550	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06551	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06552	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-06553	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06554	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06555	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06556	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06557	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06558	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06559	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06560	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06561	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06563	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06564	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06565	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06566	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06567	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06569	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06570	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06572	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06573	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06574	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06576	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06577	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06578	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06579	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06581	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06582	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06583	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-06637	Re-run the dependency scan after upgrading.
QSI-2026-06639	Re-run the dependency scan after upgrading.
QSI-2026-06640	Re-run the dependency scan after upgrading.
QSI-2026-06643	Re-run the dependency scan after upgrading.
QSI-2026-06644	Re-run the dependency scan after upgrading.
QSI-2026-06645	Re-run the dependency scan after upgrading.
QSI-2026-06646	Re-run the dependency scan after upgrading.

QSI-2026-06649	Re-run the dependency scan after upgrading.
QSI-2026-06650	Re-run the dependency scan after upgrading.
QSI-2026-06651	Re-run the dependency scan after upgrading.
QSI-2026-06652	Re-run the dependency scan after upgrading.
QSI-2026-06586	Re-run the dependency scan after upgrading.
QSI-2026-06588	Re-run the dependency scan after the change.
QSI-2026-06589	Re-run the dependency scan after the change.
QSI-2026-06618	Re-run the dependency scan after upgrading.
QSI-2026-06634	Re-run the dependency scan after upgrading.
QSI-2026-06584	Re-scan after upgrades.
QSI-2026-06585	Re-run the dependency scan after the change.
QSI-2026-06587	Re-run the dependency scan after the change.
QSI-2026-06594	Re-run the dependency scan after the change.
QSI-2026-06595	Re-run the dependency scan after the change.
QSI-2026-06596	Re-run the dependency scan after the change.
QSI-2026-06598	Re-run the dependency scan after the change.
QSI-2026-06599	Re-run the dependency scan after the change.
QSI-2026-06605	Re-run the dependency scan after the change.
QSI-2026-06606	Re-run the dependency scan after the change.

Tools used

Tool	Version
blockchain	1.0.0
certificates	1.1.0
chain_map	1.0.0
configs	1.1.0
dependencies	1.2.0
inventory_document	1.1.0
solidity	1.2.0
source_code	1.3.0
tls_code	1.1.0
tls_live	1.0.0
qsi-engine	1.2.0
OSV.dev API	v1

Sources and normative documents

Reviewed: 2026-10-13

1. A. Chailloux, M. Naya-Plasencia, A. Schrottenloher — An Efficient Quantum Collision Search Algorithm and Implications on Symmetric Cryptography (ASIACRYPT 2017; IACR ePrint 2017/847) — IACR ePrint. https://eprint.iacr.org/2017/847 (peer-reviewed article: Õ(2^{2n/5}) time, O(n) qubits, Õ(2^{n/5}) classical memory)
2. C. Chevignard, P.-A. Fouque, A. Schrottenloher — Reducing the Number of Qubits in Quantum Discrete Logarithms on Elliptic Curves (IACR ePrint 2026/280) — IACR ePrint. https://eprint.iacr.org/2026/280 (revision of a EUROCRYPT 2026 paper: 3.12n + o(n) qubits; for n = 256, 1193 qubits and 22 runs of 2^38.98 Toffoli gates)
3. C. Gidney, M. Ekerå — How to factor 2048 bit RSA integers in 8 hours using 20 million noisy qubits (Quantum 5, 433) — Quantum. https://doi.org/10.22331/q-2021-04-15-433 (peer-reviewed article (2021): 10^-3 gate error, 1 µs cycle, 10 µs reaction time)
4. C. Zalka — Grover's quantum searching algorithm is optimal (Phys. Rev. A 60, 2746, 1999; arXiv:quant-ph/9711070) — APS. https://doi.org/10.1103/PhysRevA.60.2746 (peer-reviewed article: optimal for any success probability; parallel search gains no more than splitting the space)
5. Common Vulnerability Scoring System v3.1: Specification Document — FIRST. https://www.first.org/cvss/v3.1/specification-document (final)
6. D. J. Bernstein — Cost analysis of hash collisions: Will quantum computers make SHARCS obsolete? (2009) — cr.yp.to. https://cr.yp.to/hash/collisioncost-20090823.pdf (paper dated 2009-08-23)
7. D. Litinski — How to compute a 256-bit elliptic curve private key with only 50 million Toffoli gates (arXiv:2306.08585) — arXiv. https://arxiv.org/abs/2306.08585 (preprint (2023-06-14): 6000 modules × 1152 physical qubits, one key per 10 minutes under its architecture assumptions)
8. EIP-197 — Precompiled contract for optimal ate pairing check on alt_bn128 (0x08) — Ethereum. https://eips.ethereum.org/EIPS/eip-197 (final)
9. EIP-2537 — Precompile for BLS12-381 curve operations (0x0b–0x11) — Ethereum. https://eips.ethereum.org/EIPS/eip-2537 (final)
10. FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM) — NIST. https://csrc.nist.gov/pubs/fips/203/final (final (August 2024))
11. FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA) — NIST. https://csrc.nist.gov/pubs/fips/204/final (final (August 2024))
12. FIPS 205 — Stateless Hash-Based Digital Signature Standard (SLH-DSA) — NIST. https://csrc.nist.gov/pubs/fips/205/final (final (August 2024))
13. G. Brassard, P. Høyer, A. Tapp — Quantum Algorithm for the Collision Problem (LATIN '98; arXiv:quant-ph/9705002) — Springer / arXiv. https://arxiv.org/abs/quant-ph/9705002 (peer-reviewed article: collisions of r-to-one functions in O((N/r)^{1/3}) expected evaluations)
14. J. Groth — On the Size of Pairing-based Non-interactive Arguments (EUROCRYPT 2016) — IACR. https://eprint.iacr.org/2016/260 (peer-reviewed article)
15. J. Proos, C. Zalka — Shor's discrete logarithm quantum algorithm for elliptic curves (Quantum Inf. Comput. 3(4), 2003; arXiv:quant-ph/0301141) — Quantum Information & Computation. https://doi.org/10.26421/QIC3.4-3 (peer-reviewed article)
16. L. K. Grover — A fast quantum mechanical algorithm for database search (STOC 1996) — ACM. https://doi.org/10.1145/237814.237866 (peer-reviewed article)
17. M. Amy et al. — Estimating the cost of generic quantum pre-image attacks on SHA-2 and SHA-3 (SAC 2016; arXiv:1603.09383) — Springer / arXiv. https://arxiv.org/abs/1603.09383 (peer-reviewed article: SHA-256 about 2^153.8 surface-code cycles on 2^12.6 logical qubits; SHA3-256 about 2^146.5 cycles on 2^20)
18. M. Cain et al. — Shor's algorithm is possible with as few as 10,000 reconfigurable atomic qubits (arXiv:2603.28627) — arXiv. https://arxiv.org/abs/2603.28627 (preprint (2026-03-30): P-256 in a few days with 26,000 physical neutral-atom qubits; RSA-2048 one to two orders of magnitude longer)
19. M. Ekerå, J. Gärtner — A high-level comparison of state-of-the-art quantum algorithms for breaking asymmetric cryptography (arXiv:2405.14381) — arXiv. https://arxiv.org/abs/2405.14381 (preprint (2024-05-23): Regev-style algorithms show no overall advantage yet for cryptographic RSA and finite-field sizes)
20. M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018) — IEEE. https://doi.org/10.1109/MSP.2018.3761723 (peer-reviewed article; source of the x + y > z migration inequality)
21. M. Roetteler, M. Naehrig, K. Svore, K. Lauter — Quantum resource estimates for computing elliptic curve discrete logarithms (ASIACRYPT 2017) — IACR / arXiv. https://arxiv.org/abs/1706.06752 (peer-reviewed article: at most 9n + 2⌈log2 n⌉ + 10 qubits and 448 n^3 log2 n + 4090 n^3 Toffoli gates)

22. NIST IR 8547 — Transition to Post-Quantum Cryptography Standards — NIST. https://csrc.nist.gov/pubs/ir/8547/ipd (initial public draft (November 2024); proposes deprecating quantum-vulnerable public-key algorithms after 2030 and disallowing them after 2035 — dates may change in the final version)
23. NIST — Post-Quantum Cryptography Standardization: Evaluation Criteria, Security (Call for Proposals, Section 4.A.5) — NIST. https://csrc.nist.gov/Projects/Post-Quantum-Cryptography/Post-Quantum-Cryptography-Standardization/Evaluation-Criteria/Security-(Evaluation-Criteria) (security categories: AES-128 key search 2^170/MAXDEPTH quantum gates, AES-192 2^233/MAXDEPTH, AES-256 2^298/MAXDEPTH; MAXDEPTH 2^40–2^96)
24. OSV advisory GHSA-259r-337f-4rfw — OSV.dev. https://osv.dev/vulnerability/GHSA-259r-337f-4rfw (modified 2026-10-20T14:45:03.782718646Z)
25. OSV advisory GHSA-27vh-h6mc-q6g8 — OSV.dev. https://osv.dev/vulnerability/GHSA-27vh-h6mc-q6g8 (modified 2025-08-21T04:05:13Z)
26. OSV advisory GHSA-2chg-86hq-7w38 — OSV.dev. https://osv.dev/vulnerability/GHSA-2chg-86hq-7w38 (modified 2024-05-20T21:36:55Z)
27. OSV advisory GHSA-2mjx-qc3c-rqvc — OSV.dev. https://osv.dev/vulnerability/GHSA-2mjx-qc3c-rqvc (modified 2026-10-27T15:30:05.509305490Z)
28. OSV advisory GHSA-3g92-f9ch-qjcm — OSV.dev. https://osv.dev/vulnerability/GHSA-3g92-f9ch-qjcm (modified 2026-04-16T23:04:45.978452Z)
29. OSV advisory GHSA-3jgf-r68h-xfqm — OSV.dev. https://osv.dev/vulnerability/GHSA-3jgf-r68h-xfqm (modified 2024-08-07T19:55:49Z)
30. OSV advisory GHSA-4vq8-7jfc-9cvp — OSV.dev. https://osv.dev/vulnerability/GHSA-4vq8-7jfc-9cvp (modified 2026-09-10T03:50:25.738441655Z)
31. OSV advisory GHSA-869c-j7wc-8jqv — OSV.dev. https://osv.dev/vulnerability/GHSA-869c-j7wc-8jqv (modified 2025-11-03T22:47:01Z)
32. OSV advisory GHSA-9jj7-4m8r-rfcm — OSV.dev. https://osv.dev/vulnerability/GHSA-9jj7-4m8r-rfcm (modified 2026-09-10T03:50:43.842159740Z)
33. OSV advisory GHSA-c8m5-c952-6cm4 — OSV.dev. https://osv.dev/vulnerability/GHSA-c8m5-c952-6cm4 (modified 2026-10-27T16:15:05.354395696Z)
34. OSV advisory GHSA-fj2x-735w-74vq — OSV.dev. https://osv.dev/vulnerability/GHSA-fj2x-735w-74vq (modified 2026-09-10T03:50:29.734008925Z)
35. OSV advisory GHSA-g98v-hv3f-hcfr — OSV.dev. https://osv.dev/vulnerability/GHSA-g98v-hv3f-hcfr (modified 2026-09-10T03:49:53.897184297Z)
36. OSV advisory GHSA-h2v8-394m-p7vv — OSV.dev. https://osv.dev/vulnerability/GHSA-h2v8-394m-p7vv (modified 2026-10-27T16:15:05.337819489Z)
37. OSV advisory GHSA-j88v-2chj-qfwx — OSV.dev. https://osv.dev/vulnerability/GHSA-j88v-2chj-qfwx (modified 2026-09-10T03:51:02.204456790Z)
38. OSV advisory GHSA-p436-gjf2-799p — OSV.dev. https://osv.dev/vulnerability/GHSA-p436-gjf2-799p (modified 2026-09-10T03:50:39.956404854Z)
39. OSV advisory GHSA-pxq6-2prw-chj9 — OSV.dev. https://osv.dev/vulnerability/GHSA-pxq6-2prw-chj9 (modified 2026-09-10T03:50:40.571293679Z)
40. OSV advisory GHSA-qwgh-2vcv-g2f7 — OSV.dev. https://osv.dev/vulnerability/GHSA-qwgh-2vcv-g2f7 (modified 2026-08-19T19:30:06.686866977Z)
41. OSV advisory GHSA-rg2x-37c3-w2rh — OSV.dev. https://osv.dev/vulnerability/GHSA-rg2x-37c3-w2rh (modified 2026-09-10T03:50:47.528575532Z)
42. OSV advisory GHSA-rhfx-m35p-ff5j — OSV.dev. https://osv.dev/vulnerability/GHSA-rhfx-m35p-ff5j (modified 2026-09-10T03:50:59.064354050Z)
43. OSV advisory GHSA-v23v-6jw2-98fq — OSV.dev. https://osv.dev/vulnerability/GHSA-v23v-6jw2-98fq (modified 2026-09-10T03:50:16.900418046Z)
44. OSV advisory GHSA-vp62-88p7-qqf5 — OSV.dev. https://osv.dev/vulnerability/GHSA-vp62-88p7-qqf5 (modified 2026-09-10T03:51:07.017544565Z)
45. OSV advisory GHSA-w44r-93j7-qv28 — OSV.dev. https://osv.dev/vulnerability/GHSA-w44r-93j7-qv28 (modified 2026-10-27T16:15:05.340347056Z)
46. OSV advisory GHSA-w67g-5rqw-f597 — OSV.dev. https://osv.dev/vulnerability/GHSA-w67g-5rqw-f597 (modified 2026-09-10T03:50:54.128553228Z)
47. OSV advisory GHSA-x86f-5xw2-fm2r — OSV.dev. https://osv.dev/vulnerability/GHSA-x86f-5xw2-fm2r (modified 2026-09-10T03:50:47.998689316Z)
48. OSV advisory GHSA-xgrm-4fwx-7qm8 — OSV.dev. https://osv.dev/vulnerability/GHSA-xgrm-4fwx-7qm8 (modified 2026-09-10T03:50:44.892822027Z)
49. OSV advisory GHSA-xwfj-jgwm-7wp5 — OSV.dev. https://osv.dev/vulnerability/GHSA-xwfj-jgwm-7wp5 (modified 2026-09-10T03:50:27.766863705Z)

50. OSV advisory GO-2026-4887 — OSV.dev. https://osv.dev/vulnerability/GO-2026-4887 (modified 2026-04-03T20:59:19.226161232Z)
51. OSV advisory RUSTSEC-2021-0139 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2021-0139 (modified 2023-09-06T22:52:31Z)
52. OSV advisory RUSTSEC-2024-0014 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0014 (modified 2024-02-18T04:06:15Z)
53. OSV advisory RUSTSEC-2024-0375 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0375 (modified 2024-09-26T12:26:22Z)
54. OSV advisory RUSTSEC-2024-0384 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0384 (modified 2024-11-10T13:10:28Z)
55. OSV advisory RUSTSEC-2024-0388 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0388 (modified 2024-11-10T13:34:40Z)
56. OSV advisory RUSTSEC-2024-0436 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0436 (modified 2026-01-27T22:03:15.694766Z)
57. OSV advisory RUSTSEC-2025-0057 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2025-0057 (modified 2025-09-05T19:09:01Z)
58. OSV advisory RUSTSEC-2025-0141 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2025-0141 (modified 2026-01-16T11:07:28.867553Z)
59. OSV advisory RUSTSEC-2025-0161 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2025-0161 (modified 2026-04-14T11:30:08.962845Z)
60. OSV advisory RUSTSEC-2026-0173 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0173 (modified 2026-06-07T21:00:04.318567692Z)
61. OSV advisory RUSTSEC-2026-0220 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0220 (modified 2026-07-30T19:15:04.025918010Z)
62. OSV advisory RUSTSEC-2026-0253 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0253 (modified 2026-08-11T11:15:06.101553049Z)
63. OSV advisory RUSTSEC-2026-0258 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0258 (modified 2026-10-12T18:00:10.934581734Z)
64. OSV advisory RUSTSEC-2026-0338 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0338 (modified 2026-10-12T18:15:01.969514645Z)
65. OSV advisory RUSTSEC-2026-0339 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0339 (modified 2026-10-12T18:15:01.956822776Z)
66. OSV advisory RUSTSEC-2026-0340 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0340 (modified 2026-10-12T18:15:01.975478256Z)
67. OSV advisory RUSTSEC-2026-0341 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0341 (modified 2026-10-12T18:15:01.969505433Z)
68. OSV advisory RUSTSEC-2026-0342 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0342 (modified 2026-10-12T18:15:01.956681478Z)
69. OSV advisory RUSTSEC-2026-0381 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0381 (modified 2026-10-21T06:30:02.818201920Z)
70. OSV advisory RUSTSEC-2026-0382 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0382 (modified 2026-10-21T00:55:56.763143468Z)
71. OSV advisory RUSTSEC-2026-0386 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0386 (modified 2026-10-23T14:45:03.847864944Z)
72. OSV advisory RUSTSEC-2026-0387 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0387 (modified 2026-10-24T03:45:02.365137418Z)
73. OSV advisory RUSTSEC-2026-0391 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0391 (modified 2026-10-26T14:00:04.269245609Z)
74. OSV advisory RUSTSEC-2026-0395 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0395 (modified 2026-10-26T14:00:06.388344282Z)
75. OSV advisory RUSTSEC-2026-0396 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0396 (modified 2026-10-26T14:00:05.789682118Z)
76. OSV advisory RUSTSEC-2026-0397 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0397 (modified 2026-10-26T14:00:05.089587004Z)
77. OSV advisory RUSTSEC-2026-0398 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0398 (modified 2026-10-26T14:00:05.092082939Z)
78. OSV advisory RUSTSEC-2026-0399 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0399 (modified 2026-10-26T14:00:05.792431051Z)
79. OSV advisory RUSTSEC-2026-0400 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0400 (modified 2026-10-26T14:00:05.692077560Z)

80. OSV advisory RUSTSEC-2026-0401 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0401 (modified 2026-10-26T14:00:04.231502512Z)
81. OSV advisory RUSTSEC-2026-0402 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0402 (modified 2026-10-26T14:00:05.685817733Z)
82. OSV advisory RUSTSEC-2026-0403 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0403 (modified 2026-10-26T14:00:05.787441176Z)
83. OSV advisory RUSTSEC-2026-0404 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0404 (modified 2026-10-26T14:00:05.092817237Z)
84. OSV advisory RUSTSEC-2026-0405 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0405 (modified 2026-10-26T14:00:05.680942523Z)
85. OSV advisory RUSTSEC-2026-0406 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0406 (modified 2026-10-26T14:00:05.095427051Z)
86. OSV advisory RUSTSEC-2026-0410 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0410 (modified 2026-10-26T14:00:05.788985783Z)
87. OWASP Application Security Verification Standard — OWASP. https://owasp.org/www-project-application-security-verification-standard/ (living standard — check the project page for the current version)
88. P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997) — SIAM. https://doi.org/10.1137/S0097539795293172 (peer-reviewed article)
89. R. Babbush et al. — Securing Elliptic Curve Cryptocurrencies against Quantum Vulnerabilities: Resource Estimates and Mitigations (arXiv:2603.28846) — arXiv. https://arxiv.org/abs/2603.28846 (preprint (2026-03-30, v2 2026-04-15): 256-bit ECDLP with < 1200 logical qubits and < 90 M Toffoli gates (or < 1450 and < 70 M); < 500,000 physical qubits at 10^-3 error, minutes)
90. S. Jaques, M. Naehrig, M. Roetteler, F. Virdia — Implementing Grover oracles for quantum key search on AES and LowMC (EUROCRYPT 2020; arXiv:1910.01700) — Springer / arXiv. https://arxiv.org/abs/1910.01700 (peer-reviewed article: lower cost estimates for the AES key searches that define the NIST categories)
91. Smart Contract Weakness Classification (SWC) Registry — SWC community (no longer actively maintained). https://swcregistry.io/ (historic reference; still widely cited)

Appendices

A. Cryptographic inventory

Algorithm	Parameter	Quantum status	Classical status	Count	Locations	Examples
Keccak-256	Keccak-256	Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	36	36	bridge-history-api/internal/logic/l1_event_parser.go:417; bridge-history-api/internal/logic/l2_fetcher.go:178; bridge-history-api/internal/utils/utils.go:27
SHA-2	SHA-256	Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	1	1	common/utils/blob.go:4
STARK (FRI)		Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	7	7	common/types/message/message.go:189; coordinator/internal/logic/submitproof/proof_receiver.go:234; coordinator/internal/logic/verifier/mock.go:24
Crypto library openssl (OpenSSL)	0.10.81	n/a	acceptable	1	1	Cargo.lock
Crypto library p256 (RustCrypto elliptic curves)	0.13.2	n/a	acceptable	1	1	Cargo.lock
Crypto library k256 (RustCrypto elliptic curves)	0.13.4	n/a	acceptable	1	1	Cargo.lock
Crypto library ecdsa (python-ecdsa)	0.16.9	n/a	acceptable	1	1	Cargo.lock
Crypto library ring (ring (Rust))	0.17.14	n/a	acceptable	1	1	Cargo.lock
Crypto library rustls (rustls)	0.23.41	n/a	acceptable	1	1	Cargo.lock
Crypto library secp256k1 (secp256k1 bindings)	0.30.0	n/a	acceptable	1	1	Cargo.lock

Crypto library secp256k1 (secp256k1 bindings)	0.31.1	n/a	acceptable	1	1	Cargo.lock
Crypto library golang.org/x/crypto (Go x/crypto)	v0.32.0	n/a	acceptable	4	4	bridge-history-api/go.mod:111; common/go.mod:239; coordinator/go.mod:104
Crypto library ethers (ethers.js)	^6.11.1	n/a	acceptable	1	1	scroll-contracts/package.json
Crypto library tweetnacl (TweetNaCl)	0.14.5	n/a	acceptable	1	1	scroll-contracts/yarn.lock:10334
Crypto library tweetnacl (TweetNaCl)	1.0.3	n/a	acceptable	1	1	scroll-contracts/yarn.lock:10339
Crypto library web3 (web3)	1.2.11	n/a	acceptable	1	1	scroll-contracts/yarn.lock:11003
Crypto library elliptic (elliptic (Node))	6.5.4	n/a	acceptable	1	1	scroll-contracts/yarn.lock:3853
Crypto library ethers (ethers.js)	4.0.49	n/a	acceptable	1	1	scroll-contracts/yarn.lock:4771
Crypto library ethers (ethers.js)	5.6.4	n/a	acceptable	1	1	scroll-contracts/yarn.lock:4786
Crypto library ethers (ethers.js)	6.11.1	n/a	acceptable	1	1	scroll-contracts/yarn.lock:4822
Crypto library @noble/curves (noble-curves)	1.2.0	n/a	acceptable	1	1	scroll-contracts/yarn.lock:736
Crypto library @noble/curves (noble-curves)	1.3.0	n/a	acceptable	1	1	scroll-contracts/yarn.lock:743
Crypto library @noble/hashes (noble-hashes)	1.0.0	n/a	acceptable	1	1	scroll-contracts/yarn.lock:750

Crypto library @noble/hashes (noble-hashes)	1.3.2	n/a	acceptable	1	1	scroll-contracts/yarn.lock:755
Crypto library @noble/hashes (noble-hashes)	1.3.3	n/a	acceptable	1	1	scroll-contracts/yarn.lock:760
Crypto library @noble/secp256k1 (noble-curves)	1.5.5	n/a	acceptable	1	1	scroll-contracts/yarn.lock:765
Crypto library secp256k1 (secp256k1 bindings)	4.0.3	n/a	acceptable	1	1	scroll-contracts/yarn.lock:9225
BN254 (alt_bn128)		vulnerable (Shor)	acceptable	1	1	scroll-contracts/src/libraries/verifier/RollupVerifier.sol:24
ECDSA		vulnerable (Shor)	acceptable	4	4	common/utils/keystore.go:4; coordinator/internal/controller/proxy/client_manager.go:5; coordinator/internal/types/auth.go:4
ECDSA	secp256k1	vulnerable (Shor)	acceptable	1	1	rollup/internal/controller/sender/kms_signer.go:64
ECDSA	secp256k1 (ecrecover)	vulnerable (Shor)	acceptable	1	1	scroll-contracts/lib/solmate/src/tokens/ERC20.sol:130

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

B. JSON

qsi.report/1 · SHA-256 bfe57c31bc57c669da6e4a7cee997a8bd19fd26d0a62a5decfc2255b7452d9bb

C. Input files

File	Size	SHA-256
.github/scripts/bump_version_dot_go.mjs	1016	f5d1c54556940092885bcc1c919b9983bcf7c52b6cbc0ee6031d2574908e732f
Cargo.lock	265985	e4d0bf99df000206317c1f2fd9085488f72d05272a8cedfab99fb63e1555b5e7
Cargo.toml	3307	aa9d9a041e4ccf003e3d0573eebf876e0e13f57301cf4a42edc0ad4477a93ccd
bridge-history-api/abi/backend_abi.go	87007	4fc00b704b7e1e8acacf44b62121636d9c4790e0ac4e610ae47b0722cf7518ec
bridge-history-api/cmd/api/app/app.go	3115	3ba7c1d55a3a3f07c4a3b080b9597a8031dfec8ad0204fb137f0728c9a7bf436

bridge-history-api/cmd/api/main.go	94	8574b0b31ace70793a4610a2adbba7f39e1143c9dc590a0c7796d8a7b33df32e
bridge-history-api/cmd/db_cli/app/app.go	1267	17b0cd7c91a050fe9aac072c8995e02cc7b64c0c0cf140b17a415686f092a017
bridge-history-api/cmd/db_cli/app/client.go	2212	ec64def7bd47c610ddb7a83abfff5f29ee4af5be5bb755c68ca75999c3303c62
bridge-history-api/cmd/db_cli/main.go	97	69a9b0b430620aee987e0457bc71c0e463e75d581b966d96a2fce82daa27002f
bridge-history-api/cmd/fetcher/app/app.go	2553	d61e6259360bd6e617dc18e31217b66a9a97786ac50870dc54f921fd606a91a5
bridge-history-api/cmd/fetcher/main.go	98	c67862deba164e934ad3d161786c236d380f8448784d074746c945d9056150e1
bridge-history-api/go.mod	5818	acce397760f3b45e7b218d7b0ac7c4c7dc4e81f9e77cf830001980aad9874afc
bridge-history-api/internal/config/config.go	2940	548f3a75786598d07a6f33baad82c43dbbbe99f3dd8a90dadf3d78501f429708
bridge-history-api/internal/controller/api/controller.go	1203	aae89898ed52d1986beabad1a628dab63e919d670d207a49766eb45d427f61ab
bridge-history-api/internal/controller/api/l2unclaimed_withdrawals_by_address.go	1419	af1192bfde21c6d9b1041a3aaa0a5b6fff37e8b66a830b4f9def491b5a964da0
bridge-history-api/internal/controller/api/l2withdrawals_by_address.go	1302	c5e1fba46143a33275206381377407f01ef25ba365718ae3a769269cd180caf6
bridge-history-api/internal/controller/api/txs_by_address.go	1172	313fc7ab155e3864b7c71051248e7746f97dd3ddbc9dfdb3b8ac3386905af757
bridge-history-api/internal/controller/api/txs_by_hashes.go	1820	795418f1bd8d773799e7743e71769c05067898b3bd2bc897ea42f1c6d9f4db65
bridge-history-api/internal/controller/fetcher/l1_fetcher.go	6184	2484aabfc60b0ed9ac6eddb07eb45428f6078baed9a9ead2fb29a6af08382eb1
bridge-history-api/internal/controller/fetcher/l2_fetcher.go	5702	bcb5dab53a1122e2c3f07ae8f789523bc787a34e2139ebae36a7e0da9e05c783
bridge-history-api/internal/logic/event_update.go	11574	3a706e2ef5cba90eaf0f49b0fb8322cc9182176bc32c20077aa5dadeecc0ab05
bridge-history-api/internal/logic/history_logic.go	17915	56bf0a8dff9349c2ff882f2e8fb9ccac50f5570f423b1f10e6d0c030525c2fea
bridge-history-api/internal/logic/history_logic_metrics.go	822	9fdaf85af6b3c47241a877aedcb37a59ead23c7070f101430208a00793cc3855
bridge-history-api/internal/logic/l1_event_parser.go	23685	3feb3a699c5871cd6050a4a32a855fe1b304affc76890ff38167d2029a0ecfb0
bridge-history-api/internal/logic/l1_fetcher.go	15233	0a46c45526925bae7670f86b592ab74c05b8bbb8fda8d673f770fa1e55fff675
bridge-history-api/internal/logic/l2_event_parser.go	10708	9ee57cd4b8f395c07c579761ef267063d93bac6806ba8ca83ee1e7cef96f23f5
bridge-history-api/internal/logic/l2_fetcher.go	12880	b163f81dbbf79503d9229905b5570732678041a2c02babd5b5761040028ddf66
bridge-history-api/internal/orm/batch_event.go	5842	fb29fb34daac99f07a67615caacfa58a8cb8306220c5f7e466e9152d604e1448

bridge-history-api/internal/orm/bridge_batch_deposit.go	6983	5a5370c51e66f809fe82199ede2d12380ee71c00a50606366a30f1c94f569bc4
bridge-history-api/internal/orm/cross_message.go	24696	ec2383f784d8cb3b657f9bc0b7c93be982d1c2df7dece8d0df48a724010fef30
bridge-history-api/internal/orm/migrate/migrate.go	1307	32bc13ad2069deefce198d9c2270120e5bd78f381b4bfbb2d552743645f0c2e3
bridge-history-api/internal/route/route.go	1049	4ce8d7f9c525fc2c0c685f93d595e1cd1c9855317524eb428a5f7ac3d71e5dbe
bridge-history-api/internal/types/events.go	3259	d7d1047e1c56b38cbc5e18e471b3bcbe3b3ed01310d826c230676ed0f6f1ca5b
bridge-history-api/internal/types/schema.go	4814	d43e72d4e4f4c0c3344d3c2ecf7b53725817a0da8adaa463256e5f6b454ba494
bridge-history-api/internal/utils/utils.go	10379	e9e0ccc0594d70c05abc92db49dc60b0d85dd480f083cf8d370f1cda34dc0a68
bridge-history-api/internal/utils/withdraw_trie.go	5599	492e13bc4e9980e7804d732c50255d1517b3b41e496823847fa5b68a7b9717b1
common/cmd/cmd.go	2065	3512404d34682c901dffc105158ceed4d53135604d4a3028eaaa5003662b394f
common/cmd/cmd_app.go	2979	1feec376079efb40dd65c0dd6b713f1f043c1ee8e9a826ec11b63fb72144fb9f
common/database/config.go	580	024730f3fc3cb0236dd1c475d8ba47c63ee2da86025d75e548b5fe9229fd3da8
common/database/db.go	3448	9ecc36c5e232572a2a69ad0870aa247a6c953962eacfddb4da6c08346be43482
common/database/iam.go	3889	8411038f8a8e27dcf91e6365f76df702cbbb0b04293c9170bd6f7699a1ff2b1f
common/database/iam_metrics.go	1273	be0086ba01c29d4ededd745a7a27bbd2c46ba490c9353b6dfd0a02092dd92462
common/go.mod	14361	c940f27f76b9d34b17764cfabe77ef9f12407457aee6c1a0716ae1eb478303d5
common/observability/ginmetrics/bloom.go	1091	832eda7ba3e339662347f91c6968c7deeff26697a7290d85fb0c2ce4e857e9a2
common/observability/ginmetrics/metric.go	2441	459882d00d74512e4604f47da697546ef748ae4f0c3213378be73b3bad1c1a54
common/observability/ginmetrics/middleware.go	4773	88e8b40e8b7dc3dc94d88d4afc720dd821844c05d9df37851b469515ae6bf345
common/observability/ginmetrics/types.go	4201	d39725499a35df533822e9d372d9ca16c858f5bf6282bc0d38604ef3cd522df0
common/observability/middleware.go	488	381696fe80b172662ec04ad5802286b0e0206e9cc34100ed28d4c7dd6dcb2562
common/observability/probes.go	744	dc7154711f4113a4a4c20356055c5c8fc2e792174b5cd11ce14159e2be9ed9f6
common/observability/server.go	1514	817db9d9427e9457e6bd096c02dd95431c9ac53532563dc5b4cb2f9bcbf81025
common/testcontainers/docker/interface.go	939	e116a892737084d01b6ef9c993e7fd925e192fa32a1291d7bab37eaac6c176ac
common/testcontainers/testcontainers.go	9366	31d9fe1b046048421cd442a58d3286e1a0ad57844d0e60817990c434684d2d3a
common/types/db.go	11976	203f0821e7f463824ce37e306f7a47f937162e3f203a60ade68ff7ebbeafde5a
common/types/errno.go	1024	b5812a5fd0b36351b14f42c9798e2819a17f84bc4065d2a4c2321c8fbbbb74ac
common/types/message/message.go	10985	6ac79cdb11cc00e6ee70a0d71df9ff4822347511ca23ec672849d8a09342e6cb
common/types/response.go	1605	b1293a1d1d133d847254a14b0e91f7cd0b4ae79e3994fbc6aa72ca7c02915f6f

common/utils/blob.go	604	02dda04a4cd79b6ce7b9755ae8e963bc12acb59c604999069497c9893d109a09
common/utils/flags.go	3019	fa64c1df8b2bcd3c8bdb55b4256d171e9d33edf82898fcedc0dcc16adfb968c0
common/utils/http.go	542	19eb7bf391fa3dd84784d008024e1d0e244d75d5e4f01a243d481f9f6f34cfe3
common/utils/keystore.go	1240	756dd85807bc5ec75fcd06e13e087de2ceb1a275b6cb8e532e1fcec52e7876b8
common/utils/logger.go	1252	e0821252ce808f35b500c5e170f662bcf055def6e199577938f64ecb4f421206
common/utils/rpc.go	1512	aebe6ddf83eaa044e1e91816b4bede1369e4cbd2ba58638aee47a929b11f5e70
common/utils/simulation.go	1038	0921a2600b7ab138240a1640b2b410b75442ccffc292598333558818e598cb56
common/utils/timezone.go	149	282b21036b74009e14c98ff1ebe83dff194663d9b9368cc824c0b71cda244efc
common/utils/trace_gas.go	251	2c5456438c2adae5f55f7755544683111d5ba40dac09320311d61fcffb18235f
common/utils/utils.go	3823	e0746c8371a7f7fff5253a56a9a9c9563d4d97c2f3a9dd1665ecbe3a471e2de0
common/utils/workerpool/workerpool.go	1057	6eafb76b8eb58f7423e219d6441b4233f4312c75f630bfe5803b98303d4e83fc
common/version/prover_version.go	1880	8c9311baf9c88d6d5f847f3ac56be1ddc5691999b08f64cdec092cb90c293d0a
common/version/version.go	855	152e8c94eed22b880bb0f8c7406c562bb3b3d9a017e433a73910325b1348402
coordinator/cmd/api/app/app.go	3313	2b8f8650d2478d2c89cc9894995d9b317544ce8a1ac1e073136774a51c49c154
coordinator/cmd/api/app/flags.go	628	cae8ba098d44748054599eca1191cb2930ae257f2fab983d03f2066295a30e37
coordinator/cmd/api/app/mock_app.go	3732	0ecc3a5d6b2ee8c042cc79b627c2aa5090a399a70485c9c059b2416976a4d110
coordinator/cmd/api/main.go	87	36aba0447c1767f702e18026b1871f73011b84d489c8f32896400413bae2d2f2
coordinator/cmd/cron/app/app.go	2084	826a2fe4921bd59e67c2d3c72569ca747bfabd1bf430adf0eff95b4b745b3485
coordinator/cmd/cron/main.go	88	261fe29e7d87c5b591e2272f02a44f07e70a0b9e7b8cf98665f948fea105aff9
coordinator/cmd/proxy/app/app.go	3206	caf53185d635c6ffbe881052462c8e929f8b5264fcd56da95a4a012ce6241543
coordinator/cmd/proxy/app/flags.go	628	2c9de6b550b6f35cdb78943b9ca5ca73aad1905c752226cd4321321cc9171b0c
coordinator/cmd/proxy/main.go	89	3b6dc794a6dc00e81fda765152be91271bcbbb010ecee88a19d74d396dcaaacc
coordinator/cmd/tool/tool.go	3011	1c237127153b3b92f2cd29ab034c7ce07033dbbc0a2f04b567e900645ddffc43
coordinator/cmd/tool/verify.go	2604	58ceb55092a191ca1f733e69fd4e78f202284ca530329bcbc7af5028347d142f
coordinator/go.mod	5242	89e0160326fece48df3a159e84942b8d57384590b92bd677dd1b16ad21665ebc
coordinator/internal/config/config.go	3176	9fd01359fb54dcdc5483dee97b1b22906b13316a6fbfc57c62fc6a0ccf8e3a8e
coordinator/internal/config/proxy_config.go	1903	6d0204cce099ec58cb9735563c6220e3b37abaab12807bb652c17692093ab045
coordinator/internal/controller/api/auth.go	3787	28505ef283955f12be72bca33dee6d40129863b3939c4176ac2a3b9ff48b71ba
coordinator/internal/controller/api/controller.go	1374	1dc276ad389549c7351d4eb2a0516ad3154ad9f147ea79acd55b39352f0159d9
coordinator/internal/controller/api/get_task.go	4884	c16ab50cc09cc8c9d0cb341ce3ff9c91d48dc18660b6bae82f008dd530cc911d
coordinator/internal/controller/api/l2_syncer.go	1847	a099a15a220cb582521c781d6ef285ad18f26a4ec65a2c9ecc994f9d691d3beb

coordinator/internal/controller/api/mock_syncer.go	432	fe060da5cc3a499306782e318a04bdcbf943c52031dd7c54f2d674b3b62ec505
coordinator/internal/controller/api/submit_proof.go	1567	45d6b0a3c7df429348b4d9947c8c5ceea1bf2d61e505290cfc89d98eb739fb86
coordinator/internal/controller/cron/cleanup_challenge.go	841	5ab6840d0dce46a2e5d36a14c3e5b009c5a138b9b08d532d2c6b530647ff7dbc
coordinator/internal/controller/cron/collect_proof.go	14351	05689ab44f94a63c1b7b1603e7c6d2181f4e8c5b49b35552add756f86b6b4d5b
coordinator/internal/controller/proxy/auth.go	4449	7172ce57828c4e3561a7e86526ce7b539fa39da06b475699ca22e82ea568dac7
coordinator/internal/controller/proxy/client.go	7424	2670baa96d768aa79949ad6a44d89dfd4c1472dcebf8e43ed531695f31a30153
coordinator/internal/controller/proxy/client_manager.go	6048	6c09723039bef43302847c21ae5063aa30b9864fd71f1612ca33fc201a18e9cb
coordinator/internal/controller/proxy/controller.go	1244	f70d422b693d73d1382e54d2a833f4f9889fe493dc56d6a8f75098db9476067
coordinator/internal/controller/proxy/get_task.go	7391	5ea0bfd8ea0922271e2a46c28c16e7ae257b93b7d88c94a046ee20e8a2995e3b
coordinator/internal/controller/proxy/persistent.go	3179	69fe68dc9d078cda46ab9bb5a1e8d9f788f42c87c08182125fc03c4c1b36a3c6
coordinator/internal/controller/proxy/prover_session.go	9511	6fbc4f7bbf0fc253847b3c6cd1c28fcbf934afb3545703cb21d58a5757495ee7
coordinator/internal/controller/proxy/submit_proof.go	3319	e77b01584eaf6e3767692c0adbf593033d499d65b6b9c0ef7161699883b21243
coordinator/internal/logic/auth/login.go	5038	7b41462196427c004c8fa813d52c032425f44174a0b421048724078ed86027d1
coordinator/internal/logic/libzkp/lib.go	2943	c4f99e7b46afbfe6cbc956ef7ae0fcfb67809d16385525eda13220c0e6a46e47
coordinator/internal/logic/libzkp/lib_mock.go	1312	f34deaf22a6d32703359ee1ccf0a8b2fb0341d979bc74bcae0f758793c87a39c
coordinator/internal/logic/libzkp/libzkp.h	1909	53840cee67b9b672d85d7a97bc63ac3102790f4e733c9b4dba27b0ef4cf8d40e
coordinator/internal/logic/libzkp/message_types.go	510	b13bbaa03b3f1d072eb640f7f4a00ae326ca5e759ccf6305d7361a8ff8608d85
coordinator/internal/logic/libzkp/mock_universal_task.go	1536	2090e869c7a71fb837fd3c6c141e41dc536c8da38c46a78d154b7d57aab5f559
coordinator/internal/logic/libzkp/universal_task.go	1749	a2cba0d8c0ae847010cf5e4ccba51bc8366d8bdffb4a2ef6b88c3b3b21c503a1
coordinator/internal/logic/provertask/batch_prover_task.go	14135	ec97a5a4e45a7199c0108de7e32f0b9d84af63dee7de0af337f69e29eca57a92
coordinator/internal/logic/provertask/bundle_prover_task.go	12688	a097e25e46a16ecdb8558a37652d4851c0d7eb10ab12d691c0b22f7e615b0519
coordinator/internal/logic/provertask/chunk_prover_task.go	11465	3b7ef6d2c232e0d56cfa9b0e6568625dce91f64358fec62ee633a55afabf49f0

coordinator/internal/logic/provertask/prover_task.go	8378	f8ad45e3bee5a926f64dbbe60e1eecbee42fab9a77f79fe7e4aafee93c8050ca
coordinator/internal/logic/submitproof/proof_receiver.go	23751	824f4a28eb56e7e9058189803984211c21a2fab480ddca52bdd50af1e7ee54ec
coordinator/internal/logic/verifier/mock.go	1319	7c85d28508754a560659ee12c81e53a4c49c8f59068f11587bbc3589a4cea058
coordinator/internal/logic/verifier/types.go	409	cd899dfc45d58b64658e06fff0eb750685f43ca6bb39ff09a27a4e00c56ab794
coordinator/internal/logic/verifier/verifier.go	5927	09dc1fa48a00ee7f1bfc935b26f5130d6cca4aaec5bbcc69031b1d948c74d7a1
coordinator/internal/middleware/challenge_jwt.go	1258	beed6de5d9f98d071f22b5794f676a275fe33fc1cc365eafa042abfbc345a6ea
coordinator/internal/middleware/jwt.go	706	21ce120d617606bb673f1b9dbcb095b79e0b63912953c8114ab52ff3aa41f1c1
coordinator/internal/middleware/login_jwt.go	2265	922f98e20a8f7f4d48c7ca5f41637c38595e54327e53e062a8e68678caad5f49
coordinator/internal/orm/batch.go	19177	154036f1914b14f1bc7c619d197c209b9af539218c1617fcd0034cda9fa40373
coordinator/internal/orm/bundle.go	10079	968f08b85f1276ff13e90f8e75ea5da3648816d7002ba4acb02fd2914a154aaf
coordinator/internal/orm/challenge.go	1887	c804cbfca7814a3db17fdf428b7099675dd7c85a0157ca9bf9f35e565907290e
coordinator/internal/orm/chunk.go	17181	92b9d15bb20baf35af6f56aea111daf65eb2edc77a7ec69fd538eba98d994bdb
coordinator/internal/orm/l2_block.go	7644	bf6d7d1c1bcd6c986e32b7cb6e5cbbf3e70a976ae6c70b032bb5897108bf2a57
coordinator/internal/orm/prover_block_list.go	2518	680b8fc33e354a0ec3d10a5265aac7d3eacbe12fd2c55032a3a56fd29096f7f3
coordinator/internal/orm/prover_task.go	10622	2c59f612ed36f812a53618dac0e8654ebb250b8502a69e70e848bf0e4eeb49dc
coordinator/internal/route/route.go	1991	e1eb9aaf5301f70d10d326f8240648fbb49095fba4c25f3034068f413a1ef054
coordinator/internal/types/auth.go	4279	45593a8284650616059875aa9b31ee543bf3e95d5cfbee1f76451c4f5e6e4e69
coordinator/internal/types/block.go	193	48c747890d4e9a6dcd9d472f93e873febab32ed1471861ef12a36419e5aa0d2c
coordinator/internal/types/get_task.go	725	bffcb1a9eb0e68bb8dd9ffbf4aefd4d55673ec33b19d69117fc66f7f7b26883e
coordinator/internal/types/metric.go	369	6c56be5635ab52b7f7fa8cede171ee7cae259526360bdc709e52ae479a55d42c
coordinator/internal/types/prover.go	2278	60239e676cf30ca2d56df218d9069afd630f1d73d3e15711771dede370ead009
coordinator/internal/types/submit_proof.go	602	26595fa556e22a79141a016bdb51328f7d56714ff4bd7a0e39d04c4b4797b46b
coordinator/internal/utils/codec_validium.go	2508	4e0a56d6af9e3fa6cd40a921e13f8da9a7445dd6ef4f13f527a85b6e70a24edb
coordinator/internal/utils/prover_name.go	575	c7003a96e30dc1f83c1051eb38c67f3ab8b82c64cd4c6df2af61d268a8d78a12
coordinator/internal/utils/version.go	992	ef9cf581d44fa013268f08817caa4faa6d84dc53aee9fc073218835f6fef32a4
crates/l2geth/Cargo.toml	1033	4e81176ccf708e5bf5de4e4ccb0c77fba4d47f782013f648371945455f3389f0
crates/l2geth/src/lib.rs	551	91b730cc521bf8293d7d7b642184f283dfe55d9b66eff31f2d300988cd7021cb
crates/l2geth/src/rpc_client.rs	8784	b1e72a1cfd71bfd8c491a488e02dfb958f2fd2791a0051e8052683f907389704
crates/libzkp/Cargo.toml	1024	f8ef67039067d615caec5bdbc9e288258185f71370848dc02bb3659522f0591a

crates/libzkp/src/lib.rs	8329	f001ec684cb816ffeb9270ebf058aa834598bd78d6e14f2dd78eaea90aa5c3fb
crates/libzkp/src/proofs.rs	11108	22cef48ed3e7b3dbf4e9e4002085a859c3e1814aca7f8d72cd61fd6941371bde
crates/libzkp/src/tasks/batch/utils.rs	2791	586e0f7ef7d919d9839bb4bf363a5d258d9160d4714484a256fde64d489eec28
crates/libzkp/src/tasks/batch.rs	14493	4ab53753c791a6a70d607ac86abb07b82d58996425d4fccda9cf0e69c1c0177c
crates/libzkp/src/tasks/bundle.rs	3225	b0d80c6862f6b8bec236afffe1cd11b2e2e192c642d65826aa565ead6be4a652
crates/libzkp/src/tasks/chunk.rs	8334	4e36824012d46d19fef2afddb024cd75d41892323f2cc1bf35bf04a2149888ef
crates/libzkp/src/tasks/chunk_interpreter.rs	1035	897a8681e18706869cb7db8b56ca7305996653873340625994865 7cd1fa0d4d2
crates/libzkp/src/tasks.rs	2737	ba4ac32fa9d4a011e1bc226bb8fcafdc8277a1cf84b10c1ed753c9bae218b8d6
crates/libzkp/src/utils.rs	1717	49175f6a0562d93fccd83436470a32d16cd4cdc15a9223537c7db0769430cdd0
crates/libzkp/src/verifier/universal.rs	3189	30f2f35e49fffe20d1e5eafc33fdbf4103a08664084cc4c0d135f5975f94ac55
crates/libzkp/src/verifier.rs	2656	b274fedd3ad57bf0f7c15700415a3166768c7ffe2ed6a200a53161724620574c
crates/libzkp_c/Cargo.toml	391	eeba46d38a48d9e75b9867de29a4a6d5fff751f7cc95482457c08570bb63802f
crates/libzkp_c/src/lib.rs	8056	db7f054b496c45cd459a23954c45343c07eadbcd823a041b51d310b535b8f371
crates/libzkp_c/src/utils.rs	314	99f7f4db572ff4e42fa21e5fac43919e9379d7273b41af842e41ce6c3c31d068
crates/prover-bin/Cargo.toml	1796	304147a38f56cf4c52e55b7964ed292b94e8861aa6f556507734639e43938c00
crates/prover-bin/src/deferral.rs	4274	f76c8aabc380d0912f2bbe14d6578154ebc9076e393f0384bbfd6bebe0ba15ff
crates/prover-bin/src/dumper.rs	2816	135b858ea6ca616458eecc03728b445b8c8d6631ae19e6e799956a95f1969709
crates/prover-bin/src/main.rs	4735	a48fd9df899d98c6f537f12deeb6d845c888098ca6481b142d10792a14ff7218
crates/prover-bin/src/prover.rs	19934	806101996a2b1c3b54d5af3af401861653eea686f21b40843a67758c1c044e01
crates/prover-bin/src/types.rs	2292	eb924bd75fe68dff788b598fda2e9c2682a465e0257e542c149d6fb8c684bdf1
crates/prover-bin/src/zk_circuits_handler/universal.rs	4774	d306308a66b19e1cb37700cdc01534b16ebeb6539c0a802d37931641f2a6539c
crates/prover-bin/src/zk_circuits_handler.rs	63	d8149a08fbf6293bf47e563930c310acf91517261aee1f5b7fb045d90380939 9
database/cmd/app/app.go	1691	87f8cb8c8357791c3397747fffac015092d81caedef57c0af41499be91a40cb1
database/cmd/app/client.go	2078	c81824348ccdd096303fc1aba678565152e569e24df1657e3c48a1797ebba192
database/cmd/main.go	85	5a9652c7be8f3127fc57941573577b919f40bf82bd852835e3b80c9867152e26
database/config.go	1111	ba319606f816bd5340d08d98df856c10664a4cc1d8f92d57892537145633656 3
database/go.mod	1758	1dc8194628b1ad67a51934da47f8ea6d9722963c8c1b4410655a99b430ff0777
database/migrate/migrate.go	2497	88ccf8c5d37aed04cab47579eaf69b4f66f268ca36f7bb06741c7149c78a814c
database/orm_factory.go	1466	acda5958214fd43fb5d1aa42668485e6dfdf3da51c0053341e419c86a91a9003
rollup/abi/bridge_abi.go	16668	55c5e2954f7896d040a5b5357320f060e6307ebb8a81fd2b16ee3214e5da0493
rollup/abi/validium_abi.go	9793	10ba7f1ca8e36b59b07b98027f676e65e99875384351a6c54dcf125a9648359 4

rollup/cmd/blob_uploader/app/app.go	2347	5a9793733184f8891c6b4747aa56e04c7722f2638ea23c959fbbcf6715bbd83c
rollup/cmd/blob_uploader/main.go	92	5fdc02b2b6dc5295c295dfb42131dbe000a8f70a64ddeebd7f6ff4425e72362b
rollup/cmd/gas_oracle/app/app.go	3947	2726845ae1315012855e709d89dd43edb83a64a7f5b8c7e8def3ed87254d990e
rollup/cmd/gas_oracle/main.go	89	e4067c59a4f2d554c277f53de08eef2e5689f9cdeb7fcf3ddcc032988d1ecac9
rollup/cmd/mock_app.go	2889	038088b966b5f53ee480a2cd68753b2abaafd38658b5f4a944b3949c45def39e
rollup/cmd/permissionless_batches/app/app.go	4738	9ce3bb394fd8e7131af38534dd9c1796731f7c95244a7f2f7cc1ca120f2fe46a
rollup/cmd/permissionless_batches/main.go	101	4c7ebea913962a406de09666cbb7d9e7835235a829d4c666cf6f2ce2ebe02c48
rollup/cmd/proposer_tool/app/app.go	2730	45e16e98396404779cccd5344dcefe24c768db42c752a53c3e29552d7131995
rollup/cmd/proposer_tool/main.go	92	ec4b48bd88e20649046a56204474dcbc1f68159a793a5d4fc19946a42cd94cd2
rollup/cmd/rollup_relayer/app/app.go	7071	ae26730abc7f34dbd99fdc3b40f9e7d74269a3af8376601139249bf53b10462b
rollup/cmd/rollup_relayer/main.go	93	5a38c69fd06dd348ec6527004e3bebfa86dfdf9171770c51d91d582ed635e228
rollup/go.mod	7282	c89c1cedbc2b4c0ed0c79ed551fefe446eddedb8431cecc25795bb815c68b433
rollup/internal/config/config.go	2585	183d3629830809f046a456ed1df6d660d22e217aa5b9524cf3130b4b299fb860
rollup/internal/config/l1.go	387	dab812d35e87322bc1d94cbb557e6441e4ef0082c4596577bce54958a3f1e479
rollup/internal/config/l2.go	2545	07ff3aef2ffc6c7937e6c728387819c7b68ac9cab45c969b2d8f4e313f0288da
rollup/internal/config/recovery.go	911	277657568839792bea3632585aa4978d2b5a1e5c5ab3e28a90ec0d81746e3b1a
rollup/internal/config/relayer.go	8152	9a139ea808a9cf83f6a5ac9088b63f8175868db8e92836497aba59054828f912
rollup/internal/controller/blob_uploader/arweave_sender.go	22	3ba036c5847f0a8a9d4cf83ac35a84f3becdc77ca3225566cc9ac564a754de62
rollup/internal/controller/blob_uploader/blob_uploader.go	9194	0e13962a2f5f0577a1c88f4447d8a87d6254f569396e0c602e1bdfaf4b29355c
rollup/internal/controller/blob_uploader/blob_uploader_metrics.go	1083	86aca4bc7a5cca20ca4b77b34f17ca78daf2216bf245ea74a122b0cbdf54b18e
rollup/internal/controller/blob_uploader/s3_sender.go	1682	e315c3cfb2bab966c92ea470f1a8e6e8fb3e6e389b95b71334b274913a0b9255
rollup/internal/controller/permissionless_batches/minimal_recovery.go	19710	e8fd1547d06d308592bccf84efa2b30b7c2889d91a95ad05a700224b15f002a1
rollup/internal/controller/permissionless_batches/submitter.go	10220	3dfc555fdddab287e52b80dc5aef77d8df9db135d0cac7aabb11e0a7a272ea31
rollup/internal/controller/relayer/common.go	646	61438d128d299b11eff636405ed344206b1a790622f0bbc14b76b2f77387672b
rollup/internal/controller/relayer/full_recovery.go	19220	b3ca5fa7925e6c52117c2ae128a7bd48300096cd91e17b155ed4aa68ff85488e
rollup/internal/controller/relayer/l1_relayer.go	11923	8af454ca71f7cc878ccc733f560ad30464c0c8f45a2baaa40680256d84453d29

rollup/internal/controller/relayer/l1_relayer_metrics.go	2230	6dc051a8eab490707267fc8adc93ac3b8f57062311556d6653cabb64610ac229
rollup/internal/controller/relayer/l2_relayer.go	52074	f1dba01e1e22c089b7a7c940555f209bcc58f9ff6900e55417a03ef43dcd43f0
rollup/internal/controller/relayer/l2_relayer_metrics.go	7381	8ff9142247cbc84def013352bf3c343034d979a0640d64e6fff2848904c81551
rollup/internal/controller/relayer/l2_relayer_sanity.go	19842	72e51f01dbf1c28ffe0f4172342efe2c850c4c33cfe9ff4f69ab0efbb6225972
rollup/internal/controller/sender/estimategas.go	7148	e48316016cc354544609a1f9b38679ea6fa04111ed805a56bad06bce7dd4e1af
rollup/internal/controller/sender/kms_signer.go	8580	5ea4720bbc6ef9586cae9c8b352bb1408685aea27b8909d3d085b21279c017e5
rollup/internal/controller/sender/sender.go	37135	bc4c800297129466f74eca5076da4e0e63db99f23c934d69ef8b5955413347a1
rollup/internal/controller/sender/sender_metrics.go	3601	0d3deef02f9c6dae077ff24d08f35b85e993e0feb024d0e906e5f51ef73d4a68
rollup/internal/controller/sender/transaction_signer.go	5605	9173fafba9fa9e1804004f47030047becd75e9f05d30103a88c2625f4acb1a5c
rollup/internal/controller/watcher/batch_proposer.go	16027	841ef16ea6879057dc01df7b5b6694618bd4645eeacfa707a6b4722b59c42822
rollup/internal/controller/watcher/bundle_proposer.go	9876	006b33aa94bbb6c68c19f158d66095db8bddc74fced53cc39e0404b242385e53
rollup/internal/controller/watcher/chunk_proposer.go	14956	148bb9c10787ca93b272d648be857e439216acd0558c79fda9def8612d4984a1
rollup/internal/controller/watcher/common.go	52	3931c5819a846d4bcd0a021d0eaf723ff7fda3c4189153fff29fe02297a73921
rollup/internal/controller/watcher/l1_watcher.go	4269	24032f11ae481d5a846a5ba7ce9ae0ceb26c39d3f57168a5e23f5ebe0d39c5e6
rollup/internal/controller/watcher/l1_watcher_metrics.go	1063	f80fa57dcadd65d34bcc52f6265fce63d4ac2dcfef6933dd19d017f5989375d1
rollup/internal/controller/watcher/l2_watcher.go	5743	f6b909e5e2f6513cddcb6f2a5db3c182ddd71f5d1b0496b079fd907831bda85c
rollup/internal/controller/watcher/l2_watcher_metrics.go	1508	3ddd3906a212158321662c42b8c2cd2c8d4c0b2eef7b61b397d95f5c432b45cc
rollup/internal/controller/watcher/proposer_tool.go	5275	2c5960337527c5cc111889fb2d37d8c19743dba9d48c33282986f4db0fe7cd3a
rollup/internal/orm/batch.go	23309	0b291b61be652b9f18f4997abd1879462ce9ffdb00363764c6839c94dfc3f91f
rollup/internal/orm/blob_upload.go	4084	eadef40d02c0eef6f5e97a216a3caac90377b53c9ad4f03a6e79e57ab4e0b9d3
rollup/internal/orm/bundle.go	9840	e1eb236d47d441eb1f881dc30fb9ea2eef1e6f84c3762d05e49b653039299ed1
rollup/internal/orm/chunk.go	17666	242185884ef602f3a864434f702aaf54e27e6ff9faf0aa23943893c16acf41e7
rollup/internal/orm/l1_block.go	4501	082b46289374aebb4c57346a238e0f4fa8389de2cfd8a456f566943510d11f49

rollup/internal/orm/l2_block.go	8718	d9c4a93be4bcacf5b82cfc2422b26f15181efb5a79df41627f31907579fcd13b
rollup/internal/orm/pending_transaction.go	10339	f19de05369e4d75fb509e978980dc94f2f3f8c1f0394c5b1614cb2c2810dc9dc
rollup/internal/utils/confirmation.go	1527	b1800d24c3c7e7e9af0d061e02518f06c52e06adec4a3933d89fdfd000670dfc
rollup/internal/utils/exchange_rate.go	1630	c36b1a84247b622e38a7ece3ff9607ba19ccf716742752c771783ae92baad2e2
rollup/internal/utils/utils.go	9536	dfdcb44572071a90676254f4f422a35837381f8fae3e2e3db2c8877244eb1ed6
rust-toolchain	151	bf2f28108d500ed456d904590f731a4efebabd426ddfaf6d6279d25b33f9a1d2
scroll-contracts/.eslintrc.js	444	3812d4e7393c65ce9e58f89764654da11767dafd3574aa18caf94625f13e0e5f
scroll-contracts/.solcover.js	247	d68a2be7dfa3f14685b3027f7e4e132b290f444f126e2db18b537d6ce98238f1
scroll-contracts/circomlib.d.ts	143	f23d42634ad05626bcce72cd3273b49e725d802055f47455eb403594d747d534
scroll-contracts/hardhat.config.ts	3139	064d4446632cb5db673bafda3f48b7bfac8bde60b9693a2675b615be61e6946c
scroll-contracts/lib/solmate/package-lock.json	5069	570062e883c42cb00737a891f7d60268e2afb0be05d63d26331c276b4fe99e9c
scroll-contracts/lib/solmate/package.json	486	6036c21e67a74502cbb47ec24d91141fa256caf2de46f67cf1d210dcc5165fdc
scroll-contracts/lib/solmate/src/auth/Auth.sol	2577	8689fc68a85e5942f8b814efc14cee691fff188594bd7dcefc969ccc65bd115a
scroll-contracts/lib/solmate/src/auth/Owned.sol	1476	8ac2f2dc41ab8012e93adb3791326ffa1e4059a20c306a777109dd81816b9125
scroll-contracts/lib/solmate/src/auth/authorities/MultiRolesAuthority.sol	4789	5ab0b9540f4bafa542ecf11251ba988e07896b4e572d2c82f5f56edd82e743ef
scroll-contracts/lib/solmate/src/auth/authorities/RolesAuthority.sol	3950	51040c1f37851e8fdf1bc900f50231783bd485b00a9658420c55e75b0f0cfd9b
scroll-contracts/lib/solmate/src/tokens/ERC1155.sol	8196	3dbbc6faef59c3ee32b1c202510fab2ac6084faf19c164e0d85a392be1fd52ae
scroll-contracts/lib/solmate/src/tokens/ERC20.sol	6812	a3a7e839f42762ef24623581542a916e838f3c7c0bef647963d1fdad0f9d208a
scroll-contracts/lib/solmate/src/tokens/ERC4626.sol	6519	f7febaa5999e4b4255e5c4fb3f898428fe74a7b153110064f44d973e8547927
scroll-contracts/lib/solmate/src/tokens/ERC6909.sol	3836	efe0bdc5ef262bb17ed8b72d455bd46449cb5bdeb05b1e681c4da93cf7f48d58
scroll-contracts/lib/solmate/src/tokens/ERC721.sol	7365	2da0cca384448208e25d43eeb5953a237de0e6712942a07d0f2674e895b0d3d3
scroll-contracts/lib/solmate/src/tokens/WETH.sol	1025	22277963408ee27ddbc769fa27b5a09031b0f699e6b24d36f55435c6a2039ac1
scroll-contracts/lib/solmate/src/utils/Bytes32AddressLib.sol	560	a98260423087aa794384b5afa952c0b4beed4be080e355ac8995224d852e2851
scroll-contracts/lib/solmate/src/utils/CREATE3.sol	4319	0eff8e4b9ef607a8d82422fe9796517782e2b1b98ff9ad4386e899e0af363685
scroll-contracts/lib/solmate/src/utils/FixedPointMathLib.sol	10054	edfd7fa8ec4087d252f637df16669599d5c0ac803ab465730f8cc3a5e8a8d55a

scroll-contracts/lib/solmate/src/utils/LibString.sol	3330	8fabed55720de277dfd74fd6f11a78cb97f59bf571d53b0ae987734a0e5e5209
scroll-contracts/lib/solmate/src/utils/MerkleProofLib.sol	2032	59581539c278fd2a3e8e69e9a3994bc5f487ee35d6ebf2f09b9a0040cdd103b5
scroll-contracts/lib/solmate/src/utils/ReentrancyGuard.sol	602	e69ce8729cd5ff2caac16efa4498e967fc6bf85bbad4003be87c8a0757fd8a0c
scroll-contracts/lib/solmate/src/utils/SSTORE2.sol	5457	2819718fe1f9557c54562f9012b958de6851c37d1f0f66a97888d851a4bef74f
scroll-contracts/lib/solmate/src/utils/SafeCastLib.sol	4605	818c6ab372ca3b5881054c8cc9a3aae3dbf6cabd8b565bdbea3ff0cc4c21eb98
scroll-contracts/lib/solmate/src/utils/SafeTransferLib.sol	6337	ed12cae0865a8a92adb9dadd125b2cf23920870845ef128431d811963b474103
scroll-contracts/lib/solmate/src/utils/SignedWadMath.sol	10426	f606afc7c279737a02ebbaaec3025f16b971db0afef6bef4e21bb1ae5dfc74f6
scroll-contracts/package.json	2384	3de14357bc669b259f086c0c704ef8aa5b532f3fa750534ca7b5e1a0e7a928ae
scroll-contracts/scripts/foundry/DeployFallbackContracts.s.sol	963	f7a3d34806bcf814180ee505b4a010d7693086a36d7af9917a07b03f4987be77
scroll-contracts/scripts/foundry/DeployL1BridgeContracts.s.sol	9409	69237afe09d8cd9e4ba039ac26fe69defb8e03057a6fcb9841d4600d8ff86d96
scroll-contracts/scripts/foundry/DeployL1BridgeProxyPlaceholder.s.sol	4453	73a1b849fcbdbdc06a3aca457d1edbd5ae1e979ad37b7d4ba1f7b5e166c3f575
scroll-contracts/scripts/foundry/DeployL1ScrollOwner.s.sol	2369	e28c38dc6bf7711127ee321c3e13b2546bbe3f67d6c6589bc2f5ac73d487ebdb
scroll-contracts/scripts/foundry/DeployL2BridgeContracts.s.sol	8892	90eb25b767744237eccc4405d6d8301b9da00b082260914929a2427b81c5aa94
scroll-contracts/scripts/foundry/DeployL2BridgeProxyPlaceholder.s.sol	3815	a971f7b1ea4bec0c7efb489a10fae69c7ff9113c32fba289e8baebd7bdd3c1c9
scroll-contracts/scripts/foundry/DeployL2ScrollOwner.s.sol	2369	0ff25c7be61a70f09066b0f90abfa83674ec3253eee73ccd1fe7a4e048475c3e
scroll-contracts/scripts/foundry/DeployLidoGateway.s.sol	2534	4d060d089f1a7604f3331484e9c05a886fe5718f72f872f76cacee5111418891
scroll-contracts/scripts/foundry/DeployScrollChainCommitmentVerifier.s.sol	1204	e0ec5350756a3dc7ff85f4ee7570fa1f4f2f26655b625b3dc1f63e3faee6e075
scroll-contracts/scripts/foundry/DeployWeth.s.sol	1085	dbb15e8a9605f7f09d082717dc2d0a9981bf96d278ebe80be434392f2457d8ce
scroll-contracts/scripts/foundry/InitializeL1BridgeContracts.s.sol	10930	5c64afa9bedb004840a61ad6fe6f86dec8bdcbe0dc1a765e1535a6537f259619
scroll-contracts/scripts/foundry/InitializeL1ScrollOwner.s.sol	13562	5c5c9d91c1252858a90866dada17083e15753e4d6a3d2bf1c1f6c6deb90774f7
scroll-contracts/scripts/foundry/InitializeL2BridgeContracts.s.sol	8620	ab9cb3598e9863cecc1831486c3ab3b90bb091b58b6f77d4be7fbd2721d031f3

scroll-contracts/scripts/foundry/InitializeL2ScrollOwner.s.sol	11132	6bbf11d1c727b199f8da83e83481101b7da9dfcbcef6dd081cd7ae987f87e9a6
scroll-contracts/scripts/hardhat/ScrollChainCommitmentVerifier.deploy.ts	1678	71b9b6514f6e5132024cc0d30aa01b105ce13a2359092ba171ca55d78ac4ec22
scroll-contracts/scripts/poseidon.ts	5135	7a12384d8c387d0c3fdfc61083e4830823c9a96681c5bb5c465fb726aaca4329
scroll-contracts/src/External.sol	443	7d713b80972b03f30a4e7e215c8c1173e78ee4c62cd5d1ab88d4192424d36696
scroll-contracts/src/L1/IL1ScrollMessenger.sol	2895	b53351a515ea15f5b9b5c7c7326447d67d764f066acbf17504d591bb1f8deb43
scroll-contracts/src/L1/L1ScrollMessenger.sol	15402	d5f24ac5e19fd3a7cf15f0de727025c7b949cdb796253a355e16bf9e4d57cea3
scroll-contracts/src/L1/gateways/EnforcedTxGateway.sol	7737	c1acce6f43b20fe2680bf2323cdcc6e8e5b3914fbf96902836b623697a008f26
scroll-contracts/src/L1/gateways/IL1ERC1155Gateway.sol	7950	dc47b9986026a9f5ce1aeeb1b0d23c9be1b4bf67e4b5014ff19eb2db410f24eb
scroll-contracts/src/L1/gateways/IL1ERC20Gateway.sol	4674	20a99fab221d229a722cfc482477f1bed85fc15a44018d20d8f83c696688dbeb
scroll-contracts/src/L1/gateways/IL1ERC721Gateway.sol	6828	c96a0655ea4372ba4f5904c5289580b0ec2aec122f698b985e5886d3dbde0a7c
scroll-contracts/src/L1/gateways/IL1ETHGateway.sol	3091	b12e4d951a528a5d4bb3e1d3b8e8dde1b48b6c58edaf0a8b0007db89832453c5
scroll-contracts/src/L1/gateways/IL1GatewayRouter.sol	3061	77c874526824735891f9bcfe73f89f0205bf972887416a22ba1833005849ed84
scroll-contracts/src/L1/gateways/L1CustomERC20Gateway.sol	5863	790ae9ca1880bd29a938cd998e47e75fab0ed76e307a2897b14ab647eac61d69
scroll-contracts/src/L1/gateways/L1ERC1155Gateway.sol	10577	2f18be697f5f023f79128c905140f65cedce690f9f7ba3122f18115beaeb655c
scroll-contracts/src/L1/gateways/L1ERC20Gateway.sol	6737	5f1a6cfd4d6e69ce5349515d90a1a692cbf9276b89bf7dc4e5d63a7ec9396a47
scroll-contracts/src/L1/gateways/L1ERC721Gateway.sol	9842	ca7f93e9364dbe8007387f505c085f79a0f3a2585bed22bce4292c8b6750babc
scroll-contracts/src/L1/gateways/L1ETHGateway.sol	5432	b57ceeba44905028ed7e1538984591049e7fd9183e814f68e86b65405a17010a
scroll-contracts/src/L1/gateways/L1GatewayRouter.sol	8523	49332de77c5b4ce2b6cd58c704aabc66d1d11fc07a06cfc4d1861e7f03c644c7
scroll-contracts/src/L1/gateways/L1ReverseCustomERC20Gateway.sol	2767	4206823f24deac26fc1efef11fc27dcecc57ab3946c2ddd98b30c9eccfaba5e9
scroll-contracts/src/L1/gateways/L1StandardERC20Gateway.sol	7414	8032acfe9c50e3c1ac12c012cac14854b45e938521345a24c299af89f1f4b35c
scroll-contracts/src/L1/gateways/L1WETHGateway.sol	5017	807fc830883b17bada1882d9849f93d53fec7801e169413fd53b1b17e4eddbb7

scroll-contracts/src/L1/gateways/usdc/L1USDCGateway.sol	6739	ef0b48329c4f4a5ea86a280c086c3ab4810d2f8eb30015720faffb9d3878f3ae
scroll-contracts/src/L1/gateways/usdc/draft-L1USDCGatewayCCTP.sol	7059	a8133b9fb10040e12c57b25bd87eef2ca670512ecbdbafec8eacbba9f0b07a77
scroll-contracts/src/L1/rollup/IL1MessageQueue.sol	7054	bb0d956a465c90d9ab2750dcb00c57d2b645da4a0761ddaee86b6cc15809bc87
scroll-contracts/src/L1/rollup/IL1MessageQueueWithGasPriceOracle.sol	1326	2f03488822031773e35c82575cf44fc371d4caf41823533af404ef82c7be811c
scroll-contracts/src/L1/rollup/IL2GasPriceOracle.sol	780	5a5f0c3eaf6afc3b1cb654cd932e2e9633072fa138d4d78cdf894d3d14267e4c
scroll-contracts/src/L1/rollup/IScrollChain.sol	5084	5eee413d6aa9636329d544c274e902cbd3406f4f7e2efc61fd3f317c5ec43329
scroll-contracts/src/L1/rollup/L1MessageQueue.sol	18449	d5a27387feeacc678ef0a00d47b556d7b287cfd9bcd475b4f92ecde85e353001
scroll-contracts/src/L1/rollup/L1MessageQueueWithGasPriceOracle.sol	3864	0745ebc47c657d4a45747aacc1cc052f74b4e48df23ce483e0c6962c8ef43638
scroll-contracts/src/L1/rollup/L2GasPriceOracle.sol	6389	5c5cb9f805d43dbe2df76ae8be39f3f35dbfb19cb0e88ea43a3d0b15b571293
scroll-contracts/src/L1/rollup/MultipleVersionRollupVerifier.sol	6479	d8348e2de11c6c0ce3023fec6e5f3abf003bff14018e7b9cd4684e603ac6a7b8
scroll-contracts/src/L1/rollup/ScrollChain.sol	42282	122e007a87f4e5dec3439eaf7a64248dda0be3b6da9628f349508bb7c78c8732
scroll-contracts/src/L1/rollup/ScrollChainCommitmentVerifier.sol	2372	0dead420b12b8169fc72e8f7e3f497f8d44e2cbc0beaa06252bf2a1ae42194e1
scroll-contracts/src/L2/IL2ScrollMessenger.sol	1334	cad97fa468f6c2007ccc40764faea49b794b7be4495f8af807df17d7f23c1cba
scroll-contracts/src/L2/L2ScrollMessenger.sol	6367	4b07ab7176f12746d99eb0ad109743becfcf60061db7820464b8e300e707c3c2
scroll-contracts/src/L2/gateways/IL2ERC1155Gateway.sol	7034	6f037fc307244c37278645d603f3c2b3f5b877a066b99d9d4db25a07886f7844
scroll-contracts/src/L2/gateways/IL2ERC20Gateway.sol	4606	fe21359fc7bace1a3ec226319acf61b293e586fc2bd00fe94f6f789fba08f133
scroll-contracts/src/L2/gateways/IL2ERC721Gateway.sol	6099	8ad1d37bbc93b7f37c4dcb77b18f910bd4c4406c9aeec4206421e8e3dd19686b
scroll-contracts/src/L2/gateways/IL2ETHGateway.sol	2847	fc24e528359db2b94680d204b00b84ca245800056905f8bf4fb8b89b7157747
scroll-contracts/src/L2/gateways/IL2GatewayRouter.sol	2287	2e1da5192950049a7e5c4230fc3320adaff34f6a4a3081489fd5def6a178949f
scroll-contracts/src/L2/gateways/L2CustomERC20Gateway.sol	5984	1dec163dd0294485b2d43653628bb79a3ca4fab74cb8698a76bd3258b0cca942

scroll-contracts/src/L2/gateways/L2ERC1155Gateway.sol	9192	304a7b51c3fadfc12cc271ab7b555bd7a87a7b3e6a3848ee3a6a372734b2fe39
scroll-contracts/src/L2/gateways/L2ERC20Gateway.sol	1596	8a9c2d799f3a940eaca539a382814ef62a9cf0edf9d119886b6422b3d4dcfc84
scroll-contracts/src/L2/gateways/L2ERC721Gateway.sol	8760	f884fa9218630b2c3f55955522ed96c4af64d8859fd6a7418f0a73e09ee0c9d5
scroll-contracts/src/L2/gateways/L2ETHGateway.sol	4489	6aa1094c5c3893b02aa0497bf5b320fd1b9eadfb5c70cea625c2a49f0a235b41
scroll-contracts/src/L2/gateways/L2GatewayRouter.sol	6768	ce19c2c3f403776f8b0003838c66696e4a8e59642619e04107d337627d845828
scroll-contracts/src/L2/gateways/L2ReverseCustomERC20Gateway.sol	4532	7584a453ca37a412920e7238da003c0130a18555df8cdb7c6069fab313468aa9
scroll-contracts/src/L2/gateways/L2StandardERC20Gateway.sol	7085	fdc37478828c83dcfcb9ffd1034beee9807a1871293328540b3d055a7d4be58e
scroll-contracts/src/L2/gateways/L2WETHGateway.sol	5645	ffd5335a96f6f47149885de6962a9478dea7e550701691a24de93ca502ea872d
scroll-contracts/src/L2/gateways/usdc/L2USDCGateway.sol	7192	160bf80b861e8da3d357126020bf64418c601737a400c59f9c55c3548289e9cc
scroll-contracts/src/L2/gateways/usdc/draft-L2USDCGatewayCCTP.sol	6021	cfcd5df2ba819608ef653da7a77f12731764331fc198ae2b90f3f64d5b422aa6
scroll-contracts/src/L2/predeploys/IL1BlockContainer.sol	2260	6b9df42101c8b0996d97a42c921a220f52df46223fedeb0227179882282616b6
scroll-contracts/src/L2/predeploys/IL1GasPriceOracle.sol	3440	d3babbc8fd86d580420c0054f0413eb7c25d67059db83b17e3256703f4b2d180
scroll-contracts/src/L2/predeploys/L1BlockContainer.sol	11157	e72617f1c9fa18ffec37af20e83cdc060b7d8e3bab4e4ac9595dfaf0cda2d6bf
scroll-contracts/src/L2/predeploys/L1GasPriceOracle.sol	9265	a38d150cc80a57c9ab1bebbfdb2268ee5de4702b44745a7ff2423a63c4874bdc
scroll-contracts/src/L2/predeploys/L2MessageQueue.sol	2464	9427eee5a1f80eafa3ea480ae338ec4dde19665f15959864005a9ee947beae5a
scroll-contracts/src/L2/predeploys/L2TxFeeVault.sol	6250	2dee511dc410374f9c4dbdbcfef806e724187e72efe8b0d927504888db015731
scroll-contracts/src/L2/predeploys/Whitelist.sol	1315	63fb506aebf233982bb56598ffdf9e4b451d2419924de0e7ba272684c40d0eca
scroll-contracts/src/L2/predeploys/WrappedEther.sol	1459	60b7f0696cad7d9b4ce8eead8542a14d5991420c8407b2258c74f9c73981b8a3
scroll-contracts/src/batch-bridge/BatchBridgeCodec.sol	1202	4f7cbec0c5bd17c5e9d00782e56efd687f217de22a155ba25497b21329d72a55
scroll-contracts/src/batch-bridge/L1BatchBridgeGateway.sol	16981	4d7897aa5b7c97bd449d57afb995c015f33dd4a4114d7b9c20d761504a357971

scroll-contracts/src/batch-bridge/L2BatchBridgeGateway.sol	9393	7b712d191d55b763ede8f90aab8bac7e8afd501885c4ab569a962ee22c3910d8
scroll-contracts/src/gas-swap/GasSwap.sol	6839	1ebac760c5525385e113691f6af72b2b90a8577fb92cac270da3752833fb718f
scroll-contracts/src/interfaces/IFiatToken.sol	808	dea1c0051899b8fd440b38e0bde704580a7a9f088f96e342af524861a38e2c01
scroll-contracts/src/interfaces/IMessageTransmitter.sol	816	108406edde027d6ae5f5d42ed4daabae08ae6a6c96e7a551af66abcd4c577722
scroll-contracts/src/interfaces/ITokenMessenger.sol	3368	eb6c0661eb93f92eba4ce3141e6f0ebbe7256fb67ae124fb93e620b1b617a360
scroll-contracts/src/interfaces/IUSDCBurnableSourceBridge.sol	372	8646fad70708e7745d550daf1e4836cee758dc1e8f16c883acd0e8933ebc46ec
scroll-contracts/src/interfaces/IUSDCDestinationBridge.sol	377	1b703d9f11d9636e6ac009ebf527f9382d6cd520aea94b4482df448e9f95fd05
scroll-contracts/src/interfaces/IWETH.sol	166	8fcbdd93099cd4dc3300e1b5692a8f74768612e4d22a33a5b503faa5c600de39
scroll-contracts/src/libraries/IScrollMessenger.sol	2788	796f0691d9c3d2ff2aed6757bc785abd449afd2b797ece3e4e5e863e3468d7a5
scroll-contracts/src/libraries/ScrollMessengerBase.sol	5140	edefc59828cac7175bce345900ce14c5dbf4af642e5636e9122f2b4daf34498b
scroll-contracts/src/libraries/callbacks/IERC677Receiver.sol	208	2f7b39100d5cf514350f8bc4744fd0762ba11834f017d7f4d0562fec38215f59
scroll-contracts/src/libraries/callbacks/IMessageDropCallback.sol	161	8cd2da92f636bac9af66946f66ab8cc62d0b830725cec26d4f65734269718d4c
scroll-contracts/src/libraries/callbacks/IScrollGatewayCallback.sol	162	f5e6f03134708452dda6e304e8eb0d1a4fec1974ac601a647789e163cc7857f4
scroll-contracts/src/libraries/codec/BatchHeaderV0Codec.sol	9734	bbe3954cf2eec2f6b09edc6d656acd1dd6a1337bc300e27b7b40cc8b875dcbcb
scroll-contracts/src/libraries/codec/BatchHeaderV1Codec.sol	6107	179566ff8e4a63956e08726bdd592fdac0d887d30a9aa60ce072cf4c7951de73
scroll-contracts/src/libraries/codec/BatchHeaderV3Codec.sol	3836	9f57bcc41292fd1d457a54b0f1d23fb00a1c84c71a80b943780f1a05ab94fce1
scroll-contracts/src/libraries/codec/ChunkCodecV0.sol	5689	c1aa9e4bce73efa4e18d745bc597b0752f4fffac1d64299af200e75fa6abfcf1
scroll-contracts/src/libraries/codec/ChunkCodecV1.sol	4835	cb3adb282aeb5722e4eff17b115c2d7b224782dbb0bc4c08d4548bc1b71a8414
scroll-contracts/src/libraries/common/AddressAliasHelper.sol	1179	b3a48807eb0ec4bc36e21eaca7c6b1d83c927524092444ebd30e64456f5faac9
scroll-contracts/src/libraries/common/AppendOnlyMerkleTree.sol	2607	87cd0165e5fd06b382c0ed6b2120346fbda99f2a0ac517841949ea204cd49524
scroll-contracts/src/libraries/common/IWhitelist.sol	275	de9f5cba8f683994dd7974e70f25329feeda3cc89349c35751654f0b5fde9b40

scroll-contracts/src/libraries/common/OwnableBase.sol	2047	c1ff538a054ce49c22b3a755ceed226eb06c5aed4138e9b5fa1b79cfa902448
scroll-contracts/src/libraries/constants/ScrollConstants.sol	434	2bb10023011def574565fe295cbd2fbd10ee07bd16aa4dfff132c6b36f9e6a2
scroll-contracts/src/libraries/constants/ScrollPredeploy.sol	373	66a6be0122108fea3c1de5442986741d58e50c820b68875011aec65a7189751
scroll-contracts/src/libraries/gateway/CCTPGatewayBase.sol	3137	bf0f6f6b2b302bfa38acbbb79215c1d2b7d56fb705f586a7a0e7d66575c212b
scroll-contracts/src/libraries/gateway/IScrollGateway.sol	1120	bcbaca0e9a80c386a3c326d1b8c9aa4fb1b5c00b123e715e0ab560a5a0d549f
scroll-contracts/src/libraries/gateway/ScrollGatewayBase.sol	3799	a6f02734f939a5976a26f0bf9f5725b6cdb204ec9b988e3e02d4b6263ad6beb
scroll-contracts/src/libraries/token/IScrollERC1155.sol	429	e6d18eed0c2654418678d9aa2f193706b93132e1812e44ce5233ef22a690571
scroll-contracts/src/libraries/token/IScrollERC1155Extension.sol	2201	2d471c9da443b3cc4ab297f36754a07e501001e7b81859c9b1e4495d59a1e91
scroll-contracts/src/libraries/token/IScrollERC20.sol	525	bd26aa6842d1cbb44f822ebae06e2bbaf5241af65e5dc7209aaee816a4dd252
scroll-contracts/src/libraries/token/IScrollERC20Extension.sol	1330	ba1beca4af7a80ffcd8841236f748298ca2e7de63ec7a88496637b247b989c38
scroll-contracts/src/libraries/token/IScrollERC20Upgradeable.sol	1683	877c660a086dc2c7f1437a500070b001650faa4eb10cf6fb018fc98017ab7b9e
scroll-contracts/src/libraries/token/IScrollERC721.sol	420	7c8d28b081d038ebb5c5e642981aae64608f113fa83a754624ad816ed2c23eaf
scroll-contracts/src/libraries/token/IScrollERC721Extension.sol	898	e129af1d73c0ba16644c958854755c4725a5b4b81356f77f1d510b88bb73808c
scroll-contracts/src/libraries/token/IScrollStandardERC20Factory.sol	909	0d1f239a646b5cbdc561692bc86bad2ff10d38c70124bc70fd1d772833db4bf9
scroll-contracts/src/libraries/token/ScrollStandardERC20.sol	3094	072e35266cf6643911e21a1826b5d8063e1dcced80f5d38a6c35c745b83acacc
scroll-contracts/src/libraries/token/ScrollStandardERC20Factory.sol	2063	56ea99d71ab47b482b4d7518b6e57cdd7de61fba03997e8a8b6f85e1a6b1feec
scroll-contracts/src/libraries/verifier/IRollupVerifier.sol	1372	cc41a4f7f1558fe9127a508301d02ee0877e9b1bfc40ac11b6b014f7e37f9445
scroll-contracts/src/libraries/verifier/IZkEvmVerifier.sol	583	3256c6cf80afd3e502948e6441bd30e65e71a618d1de0c4314cddab236eab519
scroll-contracts/src/libraries/verifier/PatriciaMerkleTrieVerifier.sol	21206	1015675bf201501d99514128a400099d09c54aa6d6b423740bd0ed990fd943b5
scroll-contracts/src/libraries/verifier/RollupVerifier.sol	40670	69d78c950cc41490bb239404f6be572786450b6038493e2b44d182b6b7b5a50f

scroll-contracts/src/libraries/verifier/WithdrawTrieVerifier.sol	2012	e27826f4a1f3ce9ba73cbde12a3d729b56d5c98c17bcfea7559d09f146bfce21
scroll-contracts/src/libraries/verifier/ZkEvmVerifierPostEuclid.sol	3875	2c07ffbfc801faa1a0474539fdad77dc5e7420ec734747e3c51e537a1996826
scroll-contracts/src/libraries/verifier/ZkEvmVerifierV1.sol	1991	46bf8a4f752f8a47a5ad9e1a3eec23d1f05c0537d635e1bb435eed995ce27d14
scroll-contracts/src/libraries/verifier/ZkEvmVerifierV2.sol	5204	a67bfc111fadfb53876c4f8ac04e52075e59de34a661c2333ab39d0b5c386115
scroll-contracts/src/libraries/verifier/ZkTrieVerifier.sol	12926	f6ed6a2157117f57ded4962f31c268d2454b7d44ca59b195bafa49fba8fb1735
scroll-contracts/src/lido/L1LidoGateway.sol	5592	cb1b87e72895b8533cbf9363ebc39e4aadfc88c7afdf465a7d66855e10e64a87
scroll-contracts/src/lido/L2LidoGateway.sol	6287	82f0a9e7851d6ba5dfa124f195f12a241f154059a175fe1673e08ce2c805a72a
scroll-contracts/src/lido/L2WstETHToken.sol	1841	151736579a11060d5b8b1f55b0e8c410e339a19a32b1e6aa92ea2d2b2cdaa15c
scroll-contracts/src/lido/LidoBridgeableTokens.sol	1930	22a74aaa2ab33352b2de053e5689bab30247c4d4063f9317d8eddb189c6c1184
scroll-contracts/src/lido/LidoGatewayManager.sol	10615	1a718a7450f3193a3d18f1c35efb17cad613f108dc8f4b12fd0b0e83138f8177
scroll-contracts/src/misc/ERC2771Forwarder.sol	17287	bbab6b1135ed8a1f07ae403a0f062a57c2e61286ec5ef720f04ec61a6b752148
scroll-contracts/src/misc/EmptyContract.sol	122	f29f74786c177430af5a2591f8f05806900bb90bd5a622d4c6ca8aef797f4563
scroll-contracts/src/misc/Fallback.sol	1352	a0fc79f1b508550e0e82269c406554b4a476d13b0f416ece53ececdf419a0a52
scroll-contracts/src/misc/Nonces.sol	1702	3820c588f490a94de60063f4d404604b63003aff5cd8d35563af83c9db76c709
scroll-contracts/src/misc/ScrollOwner.sol	5219	1b619fac0f10aeea239b20742ac5c98472500c17c1a8b347930285f8786baef5
scroll-contracts/src/package.json	1580	03e4c0c9721f0332a2b014ace38c6840bd187da754f367893b492758fa43cf30
scroll-contracts/src/rate-limiter/ETHRateLimiter.sol	3444	bc5996d07b3171005c7b84598f8bfe26640fde33839659ad8f82382951656a31
scroll-contracts/src/rate-limiter/IETHRateLimiter.sol	1124	18fbc2cc112f2c5980cb09f79974c41542cc2b31bd2639b4786c5e765c07c96d
scroll-contracts/src/rate-limiter/ITokenRateLimiter.sol	1252	d5cbbf76c1e37bbfaa4fdd0e56fb033215753eb37b192eebaec636a89230971d
scroll-contracts/src/rate-limiter/TokenRateLimiter.sol	3408	637e1e9864d2b3121d26259a43f5c0635839940ad0f96b5e9974c089e557b693
scroll-contracts/yarn.lock	487566	e4a9097a1bf5beebb1fdea1f089022009a37470d4e6411cbdec0bae6a877cf5b