QUANTUM SECURITY INTELLIGENCE

Security & Post-Quantum Readiness Audit Report

zcash-android-wallet-sdk @ a95780ac00e0 · Electric Coin Company (Zcash) — public repository (passive review)

Organization	QSI
Report date	2026-10-28 13:02 UTC
Report version	1
Audit run	3ef13c60-5290-4ae1-a145-078ea2850fe4 · Document audit · 2026-10-28 13:02 UTC
Analyzer engine	qsi-engine 1.2.0
Risk profile	Small technology company
Content SHA-256	`d2c9af625f49db5cb717298783cbe2869e143e524920ee5efa91cd94399bd0e6`
Signature key (Ed25519, SHA-256 fingerprint; the signature is the separate file report.sig.json)	`5b3cf9c9bd0fa54447e2b5dfa7a6bab569bd0c666fa46949599e5c348d17083e`

Contents

1. Executive summary
2. Scope and boundaries
3. Methodology
4. Assets examined and not examined
5. Architecture overview
6. Overall security posture
7. Findings by severity
8. Detailed findings
9. Evidence
10. Post-quantum assessment
11. Limitations and assumptions
12. Remediation plan
13. Priorities for 30, 60 and 90 days
14. Verification after remediation
15. Tools used
16. Sources and normative documents
17. Appendices

This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.

Executive summary

33	0	0	6	21
Findings in total	Critical	High	Medium	Low

Classification	Count
Confirmed technical vulnerability	0
Known vulnerable component	26
Confirmed configuration error	0
Potential cryptographic risk	1
Long-term post-quantum risk	1
Improvement recommendation	4
Insufficient data	1

Top 5

ID	Severity	Detailed findings	Priority score
QSI-2026-05179	Medium	SHA-1 used in backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/FileExt.kt confirmed by the analyst	38.2
QSI-2026-05184	Medium	block-buffer 0.10.4 is affected by GHSA-qwgh-2vcv-g2f7	33.1
QSI-2026-05185	Medium	block-buffer 0.11.0-rc.3 is affected by GHSA-qwgh-2vcv-g2f7	33.1
QSI-2026-05189	Medium	rsa 0.9.10 is affected by RUSTSEC-2023-0071 (CVE-2023-49092)	33.1
QSI-2026-05190	Medium	rustls 0.23.43 is affected by GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285)	33.1

Mosca's inequality (x + y > z): x = 5, y = 3, z = 12 → time available under this scenario. z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Analyst review: 1 confirmed, 0 not applicable, 0 dismissed as false positives.

Post-quantum maturity: Level 0 of 4 — no post-quantum cryptography. Next step: Inventory where classical public-key cryptography protects long-lived data and keys, and choose the first migration: usually a hybrid TLS key exchange and wrapped keys.

Scope and boundaries

Mode: Document audit

Repository: https://github.com/zcash/zcash-android-wallet-sdk @ a95780ac00e0198c111c6e701126e6688f64a12a — evidence links open the lines at this commit.

Supplied inputs

350 files, 2611173 bytes in total, 0 redaction(s); the per-file SHA-256 list is in appendix C.

Methodology

The audit was performed by the QSI engine 1.2.0. Each analyzer emits facts (rule, parameters, evidence); finding texts are generated from the rule catalog. Methodology sources are listed under "Sources and normative documents".

Prioritization uses an explainable weighted model (severity, exploitability, exposure, confidentiality/integrity/availability impact weighted by the "Small technology company" profile, asset criticality, urgency, ease of remediation) with a confidence multiplier. CVSS v3.1 is applied only to technical vulnerabilities with a defined vector. Long-term quantum risks use Mosca's inequality; their severity is capped at Medium and they are never presented as exploitable vulnerabilities.

Finding classes: confirmed technical vulnerability; known vulnerable component (a dependency version named in an advisory; whether the affected code is reachable is assessed separately, and a component confirmed by review becomes a vulnerability); confirmed configuration error; potential cryptographic risk; long-term post-quantum risk; improvement recommendation; insufficient data. Heuristic findings are marked preliminary; analyst decisions are shown next to the findings.

Coverage of checks

Area	Status	Count	Examples
dependencies	checked	4	backend-lib/Cargo.lock: 712 dependencies parsed (712 pinned); backend-lib/Cargo.toml: 51 dependencies parsed (1 pinned); build-conventions/buildscript-gradle.lockfile: 27 dependencies parsed (27 pinned)
source_code	checked	338	backend-lib/build.gradle.kts: 268 lines scanned with 16 rule patterns and 122 registry patterns; backend-lib/build.rs: 101 lines scanned with 16 rule patterns and 122 registry patterns; backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/Backend.kt: 409 lines scanned with 16 rule patterns and 122 registry patterns
certificates_and_keys	checked	1	responsible_disclosure.md: certificates/keys parsed
osv_advisories	checked	1	918 pinned packages queried at OSV.dev; 29 affected (14 of them only in development or build dependencies)

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

Assets examined and not examined

Supplied inputs: 344 (input files: C)

Architecture overview

Static review of the source tree zcash-android-wallet-sdk at a95780ac00e0198c111c6e701126e6688f64a12a. 350 files analysed; of 2062 files, 261 are test, fuzzing, benchmark or example code and were left out, 1451 are not read by any analyzer, 0 exceed the per-file limit and 0 did not fit the total limit. No requests were sent to the owner's systems.

Overall security posture


51
Indicative posture index (0–100)

14.3%
Quantum-vulnerable share of inventory

14
Cryptographic inventory

Derived from findings in scope (confirmed and potential issues weighted by severity). Indicative only; not comparable across differently scoped audits.

Findings by severity



ID	Detailed findings	Classification	Severity	Confidence
QSI-2026-05179	SHA-1 used in backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/FileExt.kt	Potential cryptographic risk	Medium	Medium
QSI-2026-05184	block-buffer 0.10.4 is affected by GHSA-qwgh-2vcv-g2f7	Known vulnerable component	Medium	Low
QSI-2026-05185	block-buffer 0.11.0-rc.3 is affected by GHSA-qwgh-2vcv-g2f7	Known vulnerable component	Medium	Low
QSI-2026-05189	rsa 0.9.10 is affected by RUSTSEC-2023-0071 (CVE-2023-49092)	Known vulnerable component	Medium	Low
QSI-2026-05190	rustls 0.23.43 is affected by GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285)	Known vulnerable component	Medium	Low
QSI-2026-05191	rustls 0.23.43 is affected by GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346)	Known vulnerable component	Medium	Low
QSI-2026-05180	Quantum-vulnerable RSA key (2048-bit) in responsible_disclosure.md	Long-term post-quantum risk	Low	High
QSI-2026-05193	rustls 0.23.43 is affected by GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349)	Known vulnerable component	Low	Low
QSI-2026-05192	rustls 0.23.43 is affected by GHSA-h2v8-394m-p7vv (RUSTSEC-2026-0348)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05186	crypto-bigint 0.5.5 is affected by RUSTSEC-2026-0387 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05187	h2 0.4.15 is affected by RUSTSEC-2026-0258 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05194	rustls-webpki 0.103.13 is affected by RUSTSEC-2026-0382 (CVE-2026-111943) (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05195	tokio 1.53.1 is affected by RUSTSEC-2026-0386 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05196	webpki-roots 1.0.9 is affected by RUSTSEC-2026-0381 (CVE-2026-111943) (no severity rating)	Known vulnerable component	Low	Low, preliminary

QSI-2026-05197	zstd 0.13.3 is affected by RUSTSEC-2026-0391 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05198	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0395 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05199	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0396 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05200	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0397 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05201	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0398 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05202	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0399 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05203	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0400 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05204	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0401 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05205	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0402 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05206	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0403 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05207	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0404 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05208	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0405 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05209	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0406 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05210	zstd-sys 2.0.16+zstd.1.5.7 is affected by RUSTSEC-2026-0410 (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-05211	50 advisories in 14 development or build-only Maven package(s)	Improvement recommendation	Info	Medium, preliminary
QSI-2026-05181	No post-quantum capable cryptographic library detected	Insufficient data	Info	Medium, preliminary
QSI-2026-05182	atomic-polyfill 1.0.3: informational advisory RUSTSEC-2023-0089 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-05183	bincode 2.0.1: informational advisory RUSTSEC-2025-0141 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-05188	paste 1.0.15: informational advisory RUSTSEC-2024-0436 (unmaintained)	Improvement recommendation	Info	Low

Detailed findings

QSI-2026-05179 · CODE-WEAK-HASH

Medium

SHA-1 used in backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/FileExt.kt

Potential cryptographic risk | Confidence: Medium

> **Analyst review (QSI review, 2026-10-23): confirmed by the analyst.** The finding anchors at the helper, File.getSha1Hash() in backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/FileExt.kt; the use that matters is SaplingParamTool, which downloads the Sapling spend and output parameters from download.z.cash and verifies them against two hard-coded SHA-1 digests (SPEND_PARAM_FILE_SHA1_HASH, OUTPUT_PARAM_FILE_SHA1_HASH). Stated precisely: the property relied on here is second-preimage resistance, which SHA-1 still has — only its collision resistance is broken, and that is not what this check uses. So this is not exploitable as it stands and must not be described as such. It is still the wrong primitive for an integrity check on security-critical cryptographic material, and it is directly relevant to post-quantum readiness: Grover halves preimage security, taking SHA-1 from 160 bits to about 80, below any acceptable margin for parameters with this lifetime. SHA-256 is the correct replacement.

1 call site(s) of SHA-1 (first at line 50).

Affected asset	file:backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/FileExt.kt
Data source	backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/FileExt.kt
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.2.0 · 2026-10-28 13:02 UTC
Priority score	38.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

If used for signatures, password storage, integrity against attackers or token generation, collisions/preimages may be exploitable. Non-security checksums are acceptable.

REPRODUCTION STEPS

```
Open line 50 in the supplied file backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/
FileExt.kt and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/FileExt.kt · line 50 · SHA-256 a736d03fcbd7dd71… · File f6d81a7cb9cd4f09…

```
48 | suspend fun File.getSha1Hash(): String {
49 |     return withContext(Dispatchers.IO) {
50 |         val messageDigest = MessageDigest.getInstance("SHA-1")
51 |         inputStreamSuspend().use { fis ->
52 |             DigestInputStream(fis, messageDigest).use { dis ->
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Replace with SHA-256/SHA-3 (or Argon2/bcrypt for passwords) where security-relevant.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

NIST SP 800-131A Rev. 2 — Transitioning the Use of Cryptographic Algorithms and Key Lengths

QSI-2026-05184 · DEP-KNOWN-ADVISORY

Medium

block-buffer 0.10.4 is affected by GHSA-qwgh-2vcv-g2f7

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-qwgh-2vcv-g2f7 for crates.io package block-buffer at version 0.10.4: block_buffer: panic corrupts inline buffer position. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/block-buffer@0.10.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-qwgh-2vcv-g2f7
```

EVIDENCE

tool_output · OSV.dev GHSA-qwgh-2vcv-g2f7 · manifest · SHA-256 ac22c9ee6301d8c1...


```
{"id": "GHSA-qwgh-2vcv-g2f7", "aliases": [], "modified": "2026-08-19T19:30:06.686866977Z",
"summary": "block_buffer: panic corrupts inline buffer position", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-qwgh-2vcv-g2f7

QSI-2026-05185 · DEP-KNOWN-ADVISORY

Medium

block-buffer 0.11.0-rc.3 is affected by GHSA-qwgh-2vcv-g2f7

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-qwgh-2vcv-g2f7 for crates.io package block-buffer at version 0.11.0-rc.3: block_buffer: panic corrupts inline buffer position. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/block-buffer@0.11.0-rc.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-qwgh-2vcv-g2f7
```

EVIDENCE

tool_output · OSV.dev GHSA-qwgh-2vcv-g2f7 · manifest · SHA-256 ac22c9ee6301d8c1...


```
{"id": "GHSA-qwgh-2vcv-g2f7", "aliases": [], "modified": "2026-08-19T19:30:06.686866977Z",
"summary": "block_buffer: panic corrupts inline buffer position", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-qwgh-2vcv-g2f7

QSI-2026-05189 · DEP-KNOWN-ADVISORY

Medium

rsa 0.9.10 is affected by RUSTSEC-2023-0071 (CVE-2023-49092)

Known vulnerable component | Confidence: Low

OSV.dev reports RUSTSEC-2023-0071 (CVE-2023-49092) for crates.io package rsa at version 0.9.10: Marvin Attack: potential key recovery through timing sidechannels. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rsa@0.9.10
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	5.9 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2023-0071
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2023-0071 · manifest · SHA-256 6fcc27a80e8a3034…


```
{"id": "RUSTSEC-2023-0071", "aliases": ["CVE-2023-49092", "GHSA-4grx-2x9w-596c", "GHSA-c38w-74pg-36hr"], "modified": "2026-09-14T09:45:02.996132556Z", "summary": "Marvin Attack: potential key recovery through timing sidechannels", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2023-0071

QSI-2026-05190 · DEP-KNOWN-ADVISORY

Medium

rustls 0.23.43 is affected by GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285) for crates.io package rustls at version 0.23.43: Rustls: TLS 1.3 handshake messages incorrectly accepted across encryption level boundaries. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls@0.23.43
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	5.3 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-2mjx-qc3c-rqvc
```

EVIDENCE

tool_output · OSV.dev GHSA-2mjx-qc3c-rqvc · manifest · SHA-256 f20e4b21c01d3d75...


```
{"id": "GHSA-2mjx-qc3c-rqvc", "aliases": ["RUSTSEC-2026-0285"], "modified":
"2026-10-27T15:30:05.509305490Z", "summary": "Rustls: TLS 1.3 handshake messages incorrectly
accepted across encryption level boundaries", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/
AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.45).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-2mjx-qc3c-rqvc

QSI-2026-05191 · DEP-KNOWN-ADVISORY

Medium

rustls 0.23.43 is affected by GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346) for crates.io package rustls at version 0.23.43: Rustls: Session Debug formatting exposes TLS master secrets and resumption PSKs. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls@0.23.43
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC

Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	4.0 — CVSS:3.1/AV:L/AC:H/PR:H/UI:R/S:U/C:H/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-c8m5-c952-6cm4
```

EVIDENCE

tool_output · OSV.dev GHSA-c8m5-c952-6cm4 · manifest · SHA-256 87554a0cce34470a...


```
{"id": "GHSA-c8m5-c952-6cm4", "aliases": ["RUSTSEC-2026-0346"], "modified":
"2026-10-27T16:15:05.354395696Z", "summary": "Rustls: Session Debug formatting exposes TLS master
secrets and resumption PSKs", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:L/AC:H/PR:H/
UI:R/S:U/C:H/I:N/A:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.46, 0.24.0-dev.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-c8m5-c952-6cm4

QSI-2026-05180 · KEY-QV-PUBLIC

Low

Quantum-vulnerable RSA key (2048-bit) in responsible_disclosure.md

Long-term post-quantum risk | Confidence: High

A RSA 2048-bit public key was found (line 11).

Affected asset	file:responsible_disclosure.md#line 11
Data source	responsible_disclosure.md
Detection method	Public key parsing.
Analyzer	certificates 1.2.0 · 2026-10-28 13:02 UTC
Priority score	36.2 / 100 (Small technology company)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=5.0, y=3.0, z=12.0 → time available under this scenario

POTENTIAL IMPACT

Long-term risk once a CRQC exists; for key exchange, recorded traffic could be decrypted retroactively.

REPRODUCTION STEPS

```
Open line 11 in the supplied file responsible_disclosure.md and inspect the quoted lines (see evidence).
```

EVIDENCE

key · responsible_disclosure.md · line 11 · SHA-256 99f8a76d7955bc1c… · File 90670bffbab9deec…

```
OpenPGP primary key: algorithm ID 1 (RSA) 2048-bit
```

key · responsible_disclosure.md · line 11 · SHA-256 a744425426415d58… · File 90670bffbab9deec…

```
OpenPGP subkey: algorithm ID 1 (RSA) 2048-bit
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability.

RECOMMENDATION

Inventory and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it..

RETEST PROCEDURE

Re-audit after migration.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards

QSI-2026-05193 · DEP-KNOWN-ADVISORY

Low

rustls 0.23.43 is affected by GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349) for crates.io package rustls at version 0.23.43: rustls: An unauthenticated ServerHello poisons the per-name key-exchange record, so later ClientHellos carry only a classical X25519 share. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls@0.23.43
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	28.6 / 100 (Small technology company)
CVSS v3.1	3.7 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-w44r-93j7-qv28
```

EVIDENCE

tool_output · OSV.dev GHSA-w44r-93j7-qv28 · manifest · SHA-256 f0fcaa2fa7a56e18...


```
{"id": "GHSA-w44r-93j7-qv28", "aliases": ["RUSTSEC-2026-0349"], "modified":
"2026-10-27T16:15:05.340347056Z", "summary": "rustls: An unauthenticated ServerHello poisons the
per-name key-exchange record, so later ClientHellos carry only a classical X25519 share",
"severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.46, 0.24.0-dev.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-w44r-93j7-qv28

QSI-2026-05192 · DEP-KNOWN-ADVISORY

Low

rustls 0.23.43 is affected by GHSA-h2v8-394m-p7vv (RUSTSEC-2026-0348)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GHSA-h2v8-394m-p7vv (RUSTSEC-2026-0348) for crates.io package rustls at version 0.23.43: Rustls: Brotli certificate decompression can allocate an attacker-controlled amount of memory up to 1 GiB before authentication. The affected code sits behind the `brotli` Cargo feature, off by default, which no audited manifest enables: the advisory does not apply unless another dependency enables it.

Affected asset	dependency:crates.io/rustls@0.23.43
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	24.3 / 100 (Small technology company)
CVSS v3.1	3.7 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:L

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-h2v8-394m-p7vv
```

EVIDENCE

tool_output · OSV.dev GHSA-h2v8-394m-p7vv · manifest · SHA-256 9118726d52fea7ce...


```
{"id": "GHSA-h2v8-394m-p7vv", "aliases": ["RUSTSEC-2026-0348"], "modified":
"2026-10-27T16:15:05.337819489Z", "summary": "Rustls: Brotli certificate decompression can allocate
```

```
an attacker-controlled amount of memory up to 1 GiB before authentication.", "severity": [{"type":
"CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:L"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.46, 0.24.0-dev.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-h2v8-394m-p7vv

QSI-2026-05186 · DEP-ADVISORY-UNRATED

Low

crypto-bigint 0.5.5 is affected by RUSTSEC-2026-0387 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0387 for crates.io package crypto-bigint at version 0.5.5: Multiple timing variability issues in operations intended to be constant-time. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/crypto-bigint@0.5.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0387
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0387 · manifest · SHA-256 eab63427da988e95…


```
{"id": "RUSTSEC-2026-0387", "aliases": [], "modified": "2026-10-24T03:45:02.365137418Z", "summary":
"Multiple timing variability issues in operations intended to be constant-time", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo

feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.7.6) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0387

QSI-2026-05187 · DEP-ADVISORY-UNRATED

Low

h2 0.4.15 is affected by RUSTSEC-2026-0258 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0258 for crates.io package h2 at version 0.4.15: h2 unbounded empty DATA frames. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/h2@0.4.15
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0258
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0258 · manifest · SHA-256 d8694780e4da4b8e...


```
{"id": "RUSTSEC-2026-0258", "aliases": ["GHSA-q83h-524g-xf6h"], "modified":
"2026-10-12T18:00:10.934581734Z", "summary": "h2 unbounded empty DATA frames", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.4.16) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0258

QSI-2026-05194 · DEP-ADVISORY-UNRATED

Low

rustls-webpki 0.103.13 is affected by RUSTSEC-2026-0382 (CVE-2026-111943) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0382 (CVE-2026-111943) for crates.io package rustls-webpki at version 0.103.13: Certificate verification may accept distrusted intermediates. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls-webpki@0.103.13
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0382
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0382 · manifest · SHA-256 9111e73d75239253…


```
{"id": "RUSTSEC-2026-0382", "aliases": ["CVE-2026-111943", "GO-2026-6809", "RUSTSEC-2026-0381",
"RUSTSEC-2026-0383"], "modified": "2026-10-21T00:55:56.763143468Z", "summary": "Certificate
verification may accept distrusted intermediates", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.103.16, 0.104.0-alpha.8) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0382

QSI-2026-05195 · DEP-ADVISORY-UNRATED

Low

tokio 1.53.1 is affected by RUSTSEC-2026-0386 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0386 for crates.io package tokio at version 1.53.1: `AsyncFd::new` and related constructors violate I/O safety. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (tokio::io::unix::AsyncFd::new, tokio::io::unix::AsyncFd::try_new, tokio::io::unix::AsyncFd::try_with_interest, tokio::io::unix::AsyncFd::with_interest); tokio comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/tokio@1.53.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0386
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0386 · manifest · SHA-256 f73073a3500a8c1b...


```
{"id": "RUSTSEC-2026-0386", "aliases": [], "modified": "2026-10-23T14:45:03.847864944Z", "summary":
"`AsyncFd::new` and related constructors violate I/O safety", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (1.51.6, 1.53.3) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0386

QSI-2026-05196 · DEP-ADVISORY-UNRATED

Low

webpki-roots 1.0.9 is affected by RUSTSEC-2026-0381 (CVE-2026-111943) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0381 (CVE-2026-111943) for crates.io package webpki-roots at version 1.0.9: Bundled root certificates allow trust in distrusted emSign intermediates. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/webpki-roots@1.0.9
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0381
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0381 · manifest · SHA-256 a97aff76592b6090…


```
{"id": "RUSTSEC-2026-0381", "aliases": ["CVE-2026-111943", "GO-2026-6809", "RUSTSEC-2026-0382",
"RUSTSEC-2026-0383"], "modified": "2026-10-21T06:30:02.818201920Z", "summary": "Bundled root
certificates allow trust in distrusted emSign intermediates", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.26.11, 1.0.10) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0381

QSI-2026-05197 · DEP-ADVISORY-UNRATED

Low

zstd 0.13.3 is affected by RUSTSEC-2026-0391 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0391 for crates.io package zstd at version 0.13.3: Data from an abandoned stream leaks into the next stream on a reused context. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd::stream::raw::Decoder::with_context, zstd::stream::raw::Encoder::with_context); zstd comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd@0.13.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0391
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0391 · manifest · SHA-256 c5a6274e5a4cfb87…


```
{"id": "RUSTSEC-2026-0391", "aliases": [], "modified": "2026-10-26T14:00:04.269245609Z", "summary":
"Data from an abandoned stream leaks into the next stream on a reused context", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.14.3) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0391

QSI-2026-05198 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0395 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0395 for crates.io package zstd-safe at version 7.2.4: Use-after-free with `CParameter::StableInBuffer`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the

affected functions (zstd_safe::CCtx::set_parameter); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0395
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0395 · manifest · SHA-256 cf314e3df3f714ad...


```
{"id": "RUSTSEC-2026-0395", "aliases": [], "modified": "2026-10-26T14:00:06.388344282Z", "summary":
"Use-after-free with `CParameter::StableInBuffer`", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0395

QSI-2026-05199 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0396 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0396 for crates.io package zstd-safe at version 7.2.4: `Seekable` reads a NULL or out-of-bounds seek table. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::seekable::SeekTable::frame_decompressed_size, zstd_safe::seekable::Seekable::decompress, zstd_safe::seekable::Seekable::decompress_frame, zstd_safe::seekable::Seekable::frame_decompressed_size, zstd_safe::seekable::Seekable::offset_to_frame_index); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0396
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0396 · manifest · SHA-256 46019c3c1c8cc177…


```
{"id": "RUSTSEC-2026-0396", "aliases": [], "modified": "2026-10-26T14:00:05.789682118Z", "summary": "`Seekable` reads a NULL or out-of-bounds seek table", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0396

QSI-2026-05200 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0397 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0397 for crates.io package zstd-safe at version 7.2.4: `OutBuffer::around_pos` exposes uninitialized memory. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::OutBuffer::around_pos); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)

CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0397
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0397 · manifest · SHA-256 e1cc2d6a8e69a560…


```
{"id": "RUSTSEC-2026-0397", "aliases": [], "modified": "2026-10-26T14:00:05.089587004Z", "summary": "`OutBuffer::around_pos` exposes uninitialized memory", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0397

QSI-2026-05201 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0398 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0398 for crates.io package zstd-safe at version 7.2.4: `Seekable::decompress` sets a `Vec` length beyond its capacity for offsets past the end. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::seekable::AdvancedSeekable::decompress, zstd_safe::seekable::Seekable::decompress); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0398
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0398 · manifest · SHA-256 01887ac4409fe666...


```
{"id": "RUSTSEC-2026-0398", "aliases": [], "modified": "2026-10-26T14:00:05.092082939Z", "summary":
"`Seekable::decompress` sets a `Vec` length beyond its capacity for offsets past the end",
"severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0398

QSI-2026-05202 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0399 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0399 for crates.io package zstd-safe at version 7.2.4: Use-after-free through `init_using_cdict` and `init_using_ddict`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::CCtx::init_using_cdict, zstd_safe::DCtx::init_using_ddict); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0399
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0399 · manifest · SHA-256 dde7c9d1fcd35a89…


```
{"id": "RUSTSEC-2026-0399", "aliases": [], "modified": "2026-10-26T14:00:05.792431051Z", "summary":
"Use-after-free through `init_using_cdict` and `init_using_ddict`", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0399

QSI-2026-05203 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0400 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0400 for crates.io package zstd-safe at version 7.2.4: Use-after-free of a dictionary after a one-shot call on a context with an open stream. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::DCtx::decompress, zstd_safe::DCtx::decompress_using_ddict, zstd_safe::DCtx::decompress_using_dict); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0400
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0400 · manifest · SHA-256 12a31cd97694259b...


```
{"id": "RUSTSEC-2026-0400", "aliases": [], "modified": "2026-10-26T14:00:05.692077560Z", "summary": "Use-after-free of a dictionary after a one-shot call on a context with an open stream", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0400

QSI-2026-05204 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0401 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0401 for crates.io package zstd-safe at version 7.2.4: Out-of-bounds read in `train_from_buffer` when sample sizes overflow. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::train_from_buffer); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0401
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0401 · manifest · SHA-256 8f606743a027e187...

{"id": "RUSTSEC-2026-0401", "aliases": [], "modified": "2026-10-26T14:00:04.231502512Z", "summary": "Out-of-bounds read in `train_from_buffer` when sample sizes overflow", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0401

QSI-2026-05205 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0402 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0402 for crates.io package zstd-safe at version 7.2.4: Heap buffer overflow in `CCtx::try_clone` on a multithreaded context. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::CCtx::try_clone); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0402
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0402 · manifest · SHA-256 1659ee65665b5ae7...

{"id": "RUSTSEC-2026-0402", "aliases": [], "modified": "2026-10-26T14:00:05.685817733Z", "summary": "Heap buffer overflow in `CCtx::try_clone` on a multithreaded context", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0402

QSI-2026-05206 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0403 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0403 for crates.io package zstd-safe at version 7.2.4: Uninitialized memory exposed when streaming decompression of a legacy frame fails. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::DCtx::decompress_stream); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0403
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0403 · manifest · SHA-256 b1d1701270f636af...


```
{"id": "RUSTSEC-2026-0403", "aliases": [], "modified": "2026-10-26T14:00:05.787441176Z", "summary":
"Uninitialized memory exposed when streaming decompression of a legacy frame fails", "severity":
null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo

feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0403

QSI-2026-05207 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0404 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0404 for crates.io package zstd-safe at version 7.2.4: Double free in `DCtx::try_clone`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::DCtx::try_clone); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0404
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0404 · manifest · SHA-256 7c25f3932e55150f...


```
{"id": "RUSTSEC-2026-0404", "aliases": [], "modified": "2026-10-26T14:00:05.092817237Z", "summary":
"Double free in `DCtx::try_clone`", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0404

QSI-2026-05208 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0405 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0405 for crates.io package zstd-safe at version 7.2.4: Out-of-bounds read with an out-of-range `InBuffer::pos`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::seekable::SeekableCStream::compress_stream); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0405
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0405 · manifest · SHA-256 aa7a0dd1f301f776…


```
{"id": "RUSTSEC-2026-0405", "aliases": [], "modified": "2026-10-26T14:00:05.680942523Z", "summary": "Out-of-bounds read with an out-of-range `InBuffer::pos`", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0405

QSI-2026-05209 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0406 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0406 for crates.io package zstd-safe at version 7.2.4: Use-after-free when changing a multithreaded context with an unfinished frame. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::CCtx::disable_dictionary, zstd_safe::CCtx::init, zstd_safe::CCtx::load_dictionary, zstd_safe::CCtx::ref_cdict, zstd_safe::CCtx::ref_prefix, zstd_safe::CCtx::reset …); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0406
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0406 · manifest · SHA-256 deca0b7103bdc0c3…


```
{"id": "RUSTSEC-2026-0406", "aliases": [], "modified": "2026-10-26T14:00:05.095427051Z", "summary":
"Use-after-free when changing a multithreaded context with an unfinished frame", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0406

QSI-2026-05210 · DEP-ADVISORY-UNRATED

Info

zstd-sys 2.0.16+zstd.1.5.7 is affected by RUSTSEC-2026-0410 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0410 for crates.io package zstd-sys at version 2.0.16+zstd.1.5.7: WebAssembly allocator shim corrupts memory on allocation failure. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory affects only wasm32 targets; the repository declares the Rust targets armv7-linux-androideabi, aarch64-linux-android, i686-linux-android, x86_64-linux-android.

Affected asset	dependency:crates.io/zstd-sys@2.0.16+zstd.1.5.7
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	17.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0410
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0410 · manifest · SHA-256 1e892df4ce7c9911…


```
{"id": "RUSTSEC-2026-0410", "aliases": [], "modified": "2026-10-26T14:00:05.788985783Z", "summary":
"WebAssembly allocator shim corrupts memory on allocation failure", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (2.1.2) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0410

QSI-2026-05211 · DEP-ADVISORY-DEV

Info

50 advisories in 14 development or build-only Maven package(s)

Improvement recommendation | Confidence: Medium | preliminary — requires further verification

OSV.dev lists 50 advisories (22 rated high or critical) for 14 Maven package(s) that only development or build tooling pulls in (build-conventions/buildscript-gradle.lockfile, build-conventions/gradle.lockfile): e.g. com.google.guava:guava@33.3.1-jre [build]: GHSA-xxph-c9ww-hj94; io.netty:netty-codec@4.1.110.Final [build]: GHSA-3p8m-j85q-pgmj, GHSA-558v-64gr-wgg4, GHSA-mj4r-2hfc-f8p6; io.netty:netty-codec-http@4.1.110.Final [build]: GHSA-38f8-5428-x5cv, GHSA-4mp9-239f-g9hg, GHSA-57rv-r2g8-2cj3, GHSA-6cqp-g7gg-8hr5, GHSA-6jqx-86gh-f27w, GHSA-84h7-rjj3-6jx4, GHSA-8c42-7qj2-3j46, GHSA-f6hv-jmp6-3vwv, GHSA-fghv-69vj-qj49, GHSA-gcjf-9mgh-3p7g, GHSA-hvcg-qmg6-jm4c, GHSA-jppx-w49h-x2qq, GHSA-m4cv-j2px-7723, GHSA-mvh2-crg5-v77c, GHSA-pwqr-wmgm-9rr8, GHSA-q4f6-jm68-57ww, GHSA-v8h7-rr48-vmmv, GHSA-xxqh-mfjm-7mv9; io.netty:netty-codec-http2@4.1.110.Final [build]: GHSA-563q-j3cm-6jxm, GHSA-5x3r-wrvg-rp6q, GHSA-93wv-jw9v-4972, GHSA-c2gf-v879-257j, GHSA-c69g-56f8-xwqj, GHSA-f6hv-jmp6-3vwv, GHSA-prj3-ccx8-p6x4, GHSA-w9fj-cfpg-grvv; io.netty:netty-common@4.1.110.Final [build]: GHSA-389x-839f-4rhx, GHSA-xq3w-v528-46rv. The manifests mark them as such (devDependencies, "dev": true in package-lock.json, pnpm importers sections, [dev-dependencies]/[build-dependencies] reached through Cargo.lock, or — for yarn.lock, which records no scope at all — package.json reached through the lock graph), so they are not part of what ships.

Affected asset	dependencies:Maven:non-runtime
Data source	OSV.dev
Detection method	OSV.dev querybatch lookup of exact versions; scope from devDependencies, package-lock.json dev flags, pnpm importers sections, the Cargo.lock graph rooted at the Cargo.toml tables, and — for yarn.lock, which records no scope — the lock graph walked from package.json. Where a runtime requirement cannot be resolved in a lock, that lock is left unclassified rather than risking a package being set aside wrongly.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	16.0 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

They do not reach users of the product. They can affect developer machines and CI (supply chain): a compromised or vulnerable tool can tamper with builds.

REPRODUCTION STEPS

```
Look the packages listed in the evidence up at https://osv.dev and check their scope in build-conventions/buildscript-gradle.lockfile, build-conventions/gradle.lockfile.
```

EVIDENCE

tool_output · OSV.dev (Maven) · build-conventions/buildscript-gradle.lockfile · SHA-256 dd2231187ca8623f…

```
com.google.guava:guava@33.3.1-jre [build]: GHSA-xxph-c9ww-hj94
io.netty:netty-codec@4.1.110.Final [build]: GHSA-3p8m-j85q-pgmj, GHSA-558v-64gr-wgg4, GHSA-mj4r-2hfc-f8p6
io.netty:netty-codec-http@4.1.110.Final [build]: GHSA-38f8-5428-x5cv, GHSA-4mp9-239f-g9hg, GHSA-57rv-r2g8-2cj3, GHSA-6cqp-g7gg-8hr5, GHSA-6jqx-86gh-f27w, GHSA-84h7-rjj3-6jx4, GHSA-8c42-7qj2-3j46, GHSA-f6hv-jmp6-3vwv, GHSA-fghv-69vj-qj49, GHSA-gcjf-9mgh-3p7g, GHSA-hvcg-qmg6-jm4c, GHSA-jppx-w49h-x2qq, GHSA-m4cv-j2px-7723, GHSA-mvh2-crg5-v77c, GHSA-pwqr-wmgm-9rr8, GHSA-q4f6-jm68-57ww, GHSA-v8h7-rr48-vmmv, GHSA-xxqh-mfjm-7mv9
io.netty:netty-codec-http2@4.1.110.Final [build]: GHSA-563q-j3cm-6jxm, GHSA-5x3r-wrvg-rp6q, GHSA-93wv-jw9v-4972, GHSA-c2gf-v879-257j, GHSA-c69g-56f8-xwqj, GHSA-f6hv-jmp6-3vwv, GHSA-prj3-ccx8-p6x4, GHSA-w9fj-cfpg-grvv
io.netty:netty-common@4.1.110.Final [build]: GHSA-389x-839f-4rhx, GHSA-xq3w-v528-46rv
```

```
io.netty:netty-handler@4.1.110.Final [build]: GHSA-3qp7-7mw8-wx86, GHSA-4g8c-wm8x-jfhw, GHSA-
c4c3-7fpv-j4q5, GHSA-c653-97m9-rcg9, GHSA-fccg-mwvh-qqg4, GHSA-x4gw-5cx5-pgmh
io.netty:netty-handler-proxy@4.1.110.Final [build]: GHSA-45q3-82m4-75jr
org.apache.commons:commons-compress@1.21 [build]: GHSA-4265-ccf5-phj5, GHSA-4g9r-vxhx-9pgx
org.bitbucket.b_c:jose4j@0.9.5 [build]: GHSA-3677-xxcr-wjqv
org.bouncycastle:bcpkix-jdk18on@1.79 [build]: GHSA-wg6q-6289-32hp
org.bouncycastle:bcprov-jdk18on@1.79 [build]: GHSA-574f-3g2m-x479, GHSA-9pwp-9qqc-pr26, GHSA-
c3fc-8qff-9hwx, GHSA-qp49-qgx5-5m26
org.jdom:jdom2@2.0.6 [build]: GHSA-2363-cqg2-863c
org.jetbrains.kotlin:kotlin-gradle-plugin@2.0.21 [build]: GHSA-r937-wjx7-w2jp
org.jetbrains.kotlin:kotlin-gradle-plugin@2.3.20 [build]: GHSA-r937-wjx7-w2jp
```

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Scopes come from the manifests; a registry crate's own build dependencies cannot be told apart in Cargo.lock, so the runtime set may be larger than reality, never smaller.

RECOMMENDATION

Update the tooling during routine maintenance; prioritise packages that run in CI with secrets or that produce release artefacts.

RETEST PROCEDURE

Re-run the dependency scan after updating.

OSV.dev — open-source vulnerability database and API

QSI-2026-05181 · DEP-NO-PQC-LIBRARY

Info

No post-quantum capable cryptographic library detected

Insufficient data | Confidence: Medium | preliminary — requires further verification

Across 4 dependency manifests, QSI found crypto libraries (curve25519-dalek, ecdsa, ed25519-dalek, org.bouncycastle:bcprov-jdk18on, p256, p384, ring, rsa, rustls, secp256k1, x25519-dalek) but none from its PQC-capable list.

Affected asset	dependencies
Data source	dependency manifests
Detection method	Dependency name matching.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	13.4 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Readiness indicator only: PQC support may come from the platform (OpenSSL, OS, cloud KMS) rather than application dependencies.

REPRODUCTION STEPS

```
Review the dependency manifests listed in the evidence.
```

EVIDENCE

dependency · backend-lib/Cargo.lock, backend-lib/Cargo.toml, build-conventions/buildscript-gradle.lockfile, build-conventions/gradle.lockfile · SHA-256 b16155e20a643398…

```
Crypto libraries: curve25519-dalek, ecdsa, ed25519-dalek, org.bouncycastle:bcprov-jdk18on, p256,
p384, ring, rsa, rustls, secp256k1, x25519-dalek. PQC support depends on the version for:
org.bouncycastle:bcprov-jdk18on
```

LIMITATIONS OF THE CHECK

Absence of evidence is not evidence of absence: system libraries and transitive dependencies may not be listed.

RECOMMENDATION

Confirm where PQC support will come from (TLS terminator, KMS/HSM, library upgrade).

RETEST PROCEDURE

Re-scan after upgrades.

FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM); FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA)

QSI-2026-05182 · DEP-ADVISORY-INFORMATIONAL

Info

atomic-polyfill 1.0.3: informational advisory RUSTSEC-2023-0089 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2023-0089 for crates.io package atomic-polyfill at version 1.0.3 as informational (unmaintained): atomic-polyfill is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/atomic-polyfill@1.0.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2023-0089
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2023-0089 · manifest · SHA-256 0fcfb6f26f61ecb9...

```
{"id": "RUSTSEC-2023-0089", "aliases": [], "modified": "2025-04-29T08:31:10Z", "summary": "atomic-
polyfill is unmaintained", "severity": null, "declared_in_manifest": false}
```

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2023-0089

QSI-2026-05183 · DEP-ADVISORY-INFORMATIONAL

Info

bincode 2.0.1: informational advisory RUSTSEC-2025-0141 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2025-0141 for crates.io package bincode at version 2.0.1 as informational (unmaintained): Bincode is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/bincode@2.0.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0141
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0141 · manifest · SHA-256 532525d6fd3f2cb4...


```
{"id": "RUSTSEC-2025-0141", "aliases": [], "modified": "2026-01-16T11:07:28.867553Z", "summary":
"Bincode is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2025-0141

QSI-2026-05188 · DEP-ADVISORY-INFORMATIONAL

Info

paste 1.0.15: informational advisory RUSTSEC-2024-0436 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2024-0436 for crates.io package paste at version 1.0.15 as informational (unmaintained): paste - no longer maintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/paste@1.0.15
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:02 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0436
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0436 · manifest · SHA-256 ea867adb8ba26c96...


```
{"id": "RUSTSEC-2024-0436", "aliases": [], "modified": "2026-01-27T22:03:15.694766Z", "summary":
"paste - no longer maintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0436

Evidence

ID	Type	Data source	SHA-256
QSI-2026-05179	file_excerpt	backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/FileExt.kt (line 50)	a736d03fcbd7dd715bdb2f63c218c283d7c40b13eb7322a475012f339
QSI-2026-05184	tool_output	OSV.dev GHSA-qwgh-2vcv-g2f7 (manifest)	ac22c9ee6301d8c1e4b09ca6951303d71527ccba2df30c96af92531d8
QSI-2026-05185	tool_output	OSV.dev GHSA-qwgh-2vcv-g2f7 (manifest)	ac22c9ee6301d8c1e4b09ca6951303d71527ccba2df30c96af92531d8
QSI-2026-05189	tool_output	OSV.dev RUSTSEC-2023-0071 (manifest)	6fcc27a80e8a30342b68a229087947db7a952d0facf3cc8d6edbd7abf
QSI-2026-05190	tool_output	OSV.dev GHSA-2mjx-qc3c-rqvc (manifest)	f20e4b21c01d3d75460ac8d90a54d541a1a34187a4f05b501e4f46c27
QSI-2026-05191	tool_output	OSV.dev GHSA-c8m5-c952-6cm4 (manifest)	87554a0cce34470a221f04ad57566b2b512ff6299ad3ee95b190df659
QSI-2026-05180	key	responsible_disclosure.md (line 11)	99f8a76d7955bc1cad612c6fe14ee442ba2c3ba5655096eda02d83c54
QSI-2026-05180	key	responsible_disclosure.md (line 11)	a744425426415d58dbeef862a6f1d8bcf6b00820639c8784270363d0b
QSI-2026-05193	tool_output	OSV.dev GHSA-w44r-93j7-qv28 (manifest)	f0fcaa2fa7a56e188458f39e55b23e999d0c7da6d3c1294c014c64ab3
QSI-2026-05192	tool_output	OSV.dev GHSA-h2v8-394m-p7vv (manifest)	9118726d52fea7cee09a6b4a21a10d2a7bab860f9762fff4658cb78db
QSI-2026-05186	tool_output	OSV.dev RUSTSEC-2026-0387 (manifest)	eab63427da988e95becf061fd8169abcb9634f743aeeb7567dfa2ba26
QSI-2026-05187	tool_output	OSV.dev RUSTSEC-2026-0258 (manifest)	d8694780e4da4b8ee995c62dbd89ea4aef9579bf2c51b2a4b677a2231
QSI-2026-05194	tool_output	OSV.dev RUSTSEC-2026-0382 (manifest)	9111e73d752392534752d5ea5c9da4ec9a422a29c088531d446d16b27
QSI-2026-05195	tool_output	OSV.dev RUSTSEC-2026-0386 (manifest)	f73073a3500a8c1b126e0070756badd87c6af0a88d357d6a1e083bf4f

QSI-2026-05196	tool_output	OSV.dev RUSTSEC-2026-0381 (manifest)	a97aff76592b60902cd4b16acc1ea2e7be27cd23fb1cd59575028f495
QSI-2026-05197	tool_output	OSV.dev RUSTSEC-2026-0391 (manifest)	c5a6274e5a4cfb8793fcf3f343ddadadd6d41a200d24a392d8f363faa
QSI-2026-05198	tool_output	OSV.dev RUSTSEC-2026-0395 (manifest)	cf314e3df3f714ad17083f648e4d6822839805759c13c152cf2b2edcf
QSI-2026-05199	tool_output	OSV.dev RUSTSEC-2026-0396 (manifest)	46019c3c1c8cc1772c03fcccbfa90a2b7502cdb744481795fef991bd8
QSI-2026-05200	tool_output	OSV.dev RUSTSEC-2026-0397 (manifest)	e1cc2d6a8e69a560eb15d719dcb988b36e18b940b8913145ec52a73ef
QSI-2026-05201	tool_output	OSV.dev RUSTSEC-2026-0398 (manifest)	01887ac4409fe66647c178d3ac91c674dafafb9134960f58c0f4ffcaa
QSI-2026-05202	tool_output	OSV.dev RUSTSEC-2026-0399 (manifest)	dde7c9d1fcd35a89a4e462b7b42373ae75187190ebfffa3876d9e2bba
QSI-2026-05203	tool_output	OSV.dev RUSTSEC-2026-0400 (manifest)	12a31cd97694259b60fd13de0204d4257a30facebdbf5eb19bc091d2b
QSI-2026-05204	tool_output	OSV.dev RUSTSEC-2026-0401 (manifest)	8f606743a027e187f8815975be52f1a4018a22a8d8cacc5d66407f974
QSI-2026-05205	tool_output	OSV.dev RUSTSEC-2026-0402 (manifest)	1659ee65665b5ae755a87f2715370efa327fc3064514c61888dd4fa3a
QSI-2026-05206	tool_output	OSV.dev RUSTSEC-2026-0403 (manifest)	b1d1701270f636af5d21f2b55cbd122bcd0df90ce4dce6793aa9263b3
QSI-2026-05207	tool_output	OSV.dev RUSTSEC-2026-0404 (manifest)	7c25f3932e55150f3788cd8fcee7738d3c905758f825a562b19f78d7e
QSI-2026-05208	tool_output	OSV.dev RUSTSEC-2026-0405 (manifest)	aa7a0dd1f301f7767bcd2d2a354fda77b1e2ed887669efac9bdd2bc66
QSI-2026-05209	tool_output	OSV.dev RUSTSEC-2026-0406 (manifest)	deca0b7103bdc0c3ed051bcdb0dbd3d63e215fecdbdba6a7f24f9fb8c
QSI-2026-05210	tool_output	OSV.dev RUSTSEC-2026-0410 (manifest)	1e892df4ce7c9911f01547e4a80d1fb3ea5a27b8c1c89c0514917e08b

QSI-2026-05211	tool_output	OSV.dev (Maven) (build-conventions/buildscript-gradle.lockfile)	dd2231187ca8623fbd0e45b8665e110ab75a9371136018756f17cfa21
QSI-2026-05181	dependency	backend-lib/Cargo.lock, backend-lib/Cargo.toml, build-conventions/buildscript-gradle.lockfile, build-conventions/gradle.lockfile	b16155e20a6433988988e592d8e856f3848ee7d0b22ea93a3da6a11e4
QSI-2026-05182	tool_output	OSV.dev RUSTSEC-2023-0089 (manifest)	0fcfb6f26f61ecb982bc38b6d6f12db7c77d0fc40bf9353a089129368
QSI-2026-05183	tool_output	OSV.dev RUSTSEC-2025-0141 (manifest)	532525d6fd3f2cb4701cae8133e80ff6557554f82b919c38fb8a089b0
QSI-2026-05188	tool_output	OSV.dev RUSTSEC-2024-0436 (manifest)	ea867adb8ba26c96c3779becf55b3de25d46f37f23ab55131e09c98a8

Post-quantum assessment

	Key establishment (x = how long data must stay confidential; harvest now, decrypt later)	Signatures (x = how long signatures/ keys must stay trusted)
Data/key lifetime x	5	5
Migration time y	3	3
Assumed years to CRQC z	12 (central)	12
x + y − z	-4 → time available under this scenario	-4 → time available under this scenario

No signature lifetime is set for the project; the data lifetime is used as an assumption.

Planning assumptions: x for key establishment, x for signatures, y are the defaults of the risk profile “Small technology company”, not the client's figures; with the client's actual lifetimes the verdict can change.

Post-quantum maturity: Level 0 of 4 — no post-quantum cryptography

Next step: Inventory where classical public-key cryptography protects long-lived data and keys, and choose the first migration: usually a hybrid TLS key exchange and wrapped keys.

Levels: 0 none; 1 present, not wired; 2 in use outside the critical paths; 3 hybrid in a critical path; 4 post-quantum by default in the critical paths (root of trust, key wrapping, channel key exchange). Judged from code and manifests.

z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Quantum status	Count
weak classically	1
n/a	11
vulnerable (Shor)	2

Detailed findings: QSI-2026-05180

PQC readiness questionnaire

No readiness questionnaire was completed for this project.

Quantum algorithms relevant to this inventory

Quantum algorithm	Effect	Inventoried algorithms (rows)	What it means for this audit

Shor's algorithm — factoring Q1: quantum computation offline, classical access to the victim	breaks	RSA (2)	Breaks RSA at every key length: a longer modulus only raises the cost polynomially. Plan migration to ML-KEM (or a hybrid) for key establishment and ML-DSA / SLH-DSA for signatures; start with keys protecting data that must stay confidential for years (harvest now, decrypt later) and with long-lived signatures.
Grover's algorithm — key search and preimages Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	SHA-1 (1)	Not a break. 256-bit keys (AES-256, ChaCha20) keep a comfortable margin; AES-128 meets NIST category 1, while some authorities ask for 256-bit keys in quantum-resistant contexts (see the AES-128 entry). Prefer 256-bit keys for long-lived data; 256-bit hashes need no change for preimage resistance.
Brassard–Høyer–Tapp — collision search Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	SHA-1 (1)	256-bit hashes (SHA-256, SHA3-256) remain adequate for collision resistance; 160-bit hashes are already weak classically (SHA-1 collisions are practical). Use 384/512-bit hashes where NIST categories 4–5 are required.

Effects: breaks — replace the algorithm; weakens — larger keys or outputs restore the margin; included in standard parameters — no action at standard parameter sets; only with superposition queries — not applicable to ordinary deployments.

Limitations and assumptions

- This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.
- z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Remediation plan

QSI-2026-05184 · P2 · 30 days root-cause fix

Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-qwgh-2vcv-g2f7.

QSI-2026-05185 · P2 · 30 days root-cause fix

Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-qwgh-2vcv-g2f7.

QSI-2026-05189 · P2 · 30 days root-cause fix

Upgrade rsa to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2023-0071 (CVE-2023-49092).

QSI-2026-05190 · P2 · 30 days root-cause fix

Upgrade rustls to a fixed version (0.23.45).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.

Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285).

QSI-2026-05191 · P2 · 30 days

root-cause fix

Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346).

QSI-2026-05193 · P2 · 30 days

root-cause fix

Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349).

QSI-2026-05192 · P2 · 30 days

root-cause fix

Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	

	Dependency scan no longer reports GHSA-h2v8-394m-p7vv (RUSTSEC-2026-0348).

QSI-2026-05179 · P3 · 60 days root-cause fix

Review each SHA-1 call site in backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/FileExt.kt; replace security-relevant ones with SHA-256 or a password hash.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Stored hashes may need migration.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	No security-relevant SHA-1 usage remains.

QSI-2026-05186 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0387; upgrade crypto-bigint to a fixed version (0.7.6) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0387, or the triage is recorded.

QSI-2026-05187 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0258; upgrade h2 to a fixed version (0.4.16) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0258, or the triage is recorded.

QSI-2026-05194 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0382 (CVE-2026-111943); upgrade rustls-webpki to a fixed version (0.103.16, 0.104.0-alpha.8) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0382 (CVE-2026-111943), or the triage is recorded.

QSI-2026-05195 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0386; upgrade tokio to a fixed version (1.51.6, 1.53.3) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0386, or the triage is recorded.

QSI-2026-05196 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0381 (CVE-2026-111943); upgrade webpki-roots to a fixed version (0.26.11, 1.0.10) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0381 (CVE-2026-111943), or the triage is recorded.

QSI-2026-05197 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0391; upgrade zstd to a fixed version (0.14.3) if it applies.

Rationale	Eliminates the root cause described in the finding.

Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0391, or the triage is recorded.

QSI-2026-05198 · P3 · 60 days

root-cause fix

Triage RUSTSEC-2026-0395; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0395, or the triage is recorded.

QSI-2026-05199 · P3 · 60 days

root-cause fix

Triage RUSTSEC-2026-0396; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0396, or the triage is recorded.

QSI-2026-05200 · P3 · 60 days

root-cause fix

Triage RUSTSEC-2026-0397; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.

Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0397, or the triage is recorded.

QSI-2026-05201 · P3 · 60 days

root-cause fix

Triage RUSTSEC-2026-0398; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0398, or the triage is recorded.

QSI-2026-05202 · P3 · 60 days

root-cause fix

Triage RUSTSEC-2026-0399; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0399, or the triage is recorded.

QSI-2026-05203 · P3 · 60 days

root-cause fix

Triage RUSTSEC-2026-0400; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	

	Dependency scan no longer reports RUSTSEC-2026-0400, or the triage is recorded.

QSI-2026-05204 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0401; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0401, or the triage is recorded.

QSI-2026-05205 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0402; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0402, or the triage is recorded.

QSI-2026-05206 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0403; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0403, or the triage is recorded.

QSI-2026-05207 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0404; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0404, or the triage is recorded.

QSI-2026-05208 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0405; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0405, or the triage is recorded.

QSI-2026-05209 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0406; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0406, or the triage is recorded.

QSI-2026-05210 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0410; upgrade zstd-sys to a fixed version (2.1.2) if it applies.

Rationale	Eliminates the root cause described in the finding.

Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0410, or the triage is recorded.

QSI-2026-05180 · P3 · 90 days

short-term risk reduction

Add RSA usages at file:responsible_disclosure.md to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-05180 · P4 · 90 days

root-cause fix

Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it. (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it. or a hybrid scheme in use.

QSI-2026-05211 · P4 · 90 days

root-cause fix

Update the development and build dependencies listed in the evidence.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low

Dependencies	Change window and owner approval.
Side effects	Tooling upgrades may change build output; compare release artefacts.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	The dependency scan reports no advisories for tooling packages, or the remaining ones are recorded.

QSI-2026-05182 · P4 · 90 days

root-cause fix

Replace atomic-polyfill with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	atomic-polyfill replaced, or the decision recorded.

QSI-2026-05183 · P4 · 90 days

root-cause fix

Replace bincode with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	bincode replaced, or the decision recorded.

QSI-2026-05188 · P4 · 90 days

root-cause fix

Replace paste with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	paste replaced, or the decision recorded.

Priorities for 30, 60 and 90 days

30 days

Priority	ID	Action	Type
P2	QSI-2026-05184	Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-05185	Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-05189	Upgrade rsa to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-05190	Upgrade rustls to a fixed version (0.23.45).	root-cause fix
P2	QSI-2026-05191	Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).	root-cause fix
P2	QSI-2026-05193	Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).	root-cause fix
P2	QSI-2026-05192	Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).	root-cause fix

60 days

Priority	ID	Action	Type
P3	QSI-2026-05179	Review each SHA-1 call site in backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/FileExt.kt; replace security-relevant ones with SHA-256 or a password hash.	root-cause fix
P3	QSI-2026-05186	Triage RUSTSEC-2026-0387; upgrade crypto-bigint to a fixed version (0.7.6) if it applies.	root-cause fix
P3	QSI-2026-05187	Triage RUSTSEC-2026-0258; upgrade h2 to a fixed version (0.4.16) if it applies.	root-cause fix
P3	QSI-2026-05194	Triage RUSTSEC-2026-0382 (CVE-2026-111943); upgrade rustls-webpki to a fixed version (0.103.16, 0.104.0-alpha.8) if it applies.	root-cause fix
P3	QSI-2026-05195	Triage RUSTSEC-2026-0386; upgrade tokio to a fixed version (1.51.6, 1.53.3) if it applies.	root-cause fix
P3	QSI-2026-05196	Triage RUSTSEC-2026-0381 (CVE-2026-111943); upgrade webpki-roots to a fixed version (0.26.11, 1.0.10) if it applies.	root-cause fix
P3	QSI-2026-05197	Triage RUSTSEC-2026-0391; upgrade zstd to a fixed version (0.14.3) if it applies.	root-cause fix

P3	QSI-2026-05198	Triage RUSTSEC-2026-0395; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05199	Triage RUSTSEC-2026-0396; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05200	Triage RUSTSEC-2026-0397; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05201	Triage RUSTSEC-2026-0398; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05202	Triage RUSTSEC-2026-0399; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05203	Triage RUSTSEC-2026-0400; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05204	Triage RUSTSEC-2026-0401; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05205	Triage RUSTSEC-2026-0402; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05206	Triage RUSTSEC-2026-0403; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05207	Triage RUSTSEC-2026-0404; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05208	Triage RUSTSEC-2026-0405; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05209	Triage RUSTSEC-2026-0406; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05210	Triage RUSTSEC-2026-0410; upgrade zstd-sys to a fixed version (2.1.2) if it applies.	root-cause fix

90 days

Priority	ID	Action	Type
P3	QSI-2026-05180	Add RSA usages at file:responsible_disclosure.md to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction

P4	QSI-2026-05180	Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it. (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-05211	Update the development and build dependencies listed in the evidence.	root-cause fix
P4	QSI-2026-05182	Replace atomic-polyfill with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-05183	Replace bincode with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-05188	Replace paste with a maintained alternative or record why it stays.	root-cause fix

Verification after remediation

ID	Retest procedure
QSI-2026-05179	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-05184	Re-run the dependency scan after upgrading.
QSI-2026-05185	Re-run the dependency scan after upgrading.
QSI-2026-05189	Re-run the dependency scan after upgrading.
QSI-2026-05190	Re-run the dependency scan after upgrading.
QSI-2026-05191	Re-run the dependency scan after upgrading.
QSI-2026-05180	Re-audit after migration.
QSI-2026-05193	Re-run the dependency scan after upgrading.
QSI-2026-05192	Re-run the dependency scan after upgrading.
QSI-2026-05186	Re-run the dependency scan after upgrading.
QSI-2026-05187	Re-run the dependency scan after upgrading.
QSI-2026-05194	Re-run the dependency scan after upgrading.
QSI-2026-05195	Re-run the dependency scan after upgrading.
QSI-2026-05196	Re-run the dependency scan after upgrading.
QSI-2026-05197	Re-run the dependency scan after upgrading.
QSI-2026-05198	Re-run the dependency scan after upgrading.
QSI-2026-05199	Re-run the dependency scan after upgrading.
QSI-2026-05200	Re-run the dependency scan after upgrading.
QSI-2026-05201	Re-run the dependency scan after upgrading.
QSI-2026-05202	Re-run the dependency scan after upgrading.
QSI-2026-05203	Re-run the dependency scan after upgrading.
QSI-2026-05204	Re-run the dependency scan after upgrading.
QSI-2026-05205	Re-run the dependency scan after upgrading.
QSI-2026-05206	Re-run the dependency scan after upgrading.
QSI-2026-05207	Re-run the dependency scan after upgrading.
QSI-2026-05208	Re-run the dependency scan after upgrading.
QSI-2026-05209	Re-run the dependency scan after upgrading.
QSI-2026-05210	Re-run the dependency scan after upgrading.
QSI-2026-05211	Re-run the dependency scan after updating.
QSI-2026-05181	Re-scan after upgrades.

QSI-2026-05182	Re-run the dependency scan after the change.
QSI-2026-05183	Re-run the dependency scan after the change.
QSI-2026-05188	Re-run the dependency scan after the change.

Tools used

Tool	Version
blockchain	1.0.0
certificates	1.1.0
chain_map	1.0.0
configs	1.1.0
dependencies	1.2.0
inventory_document	1.1.0
solidity	1.2.0
source_code	1.3.0
tls_code	1.1.0
tls_live	1.0.0
qsi-engine	1.2.0
OSV.dev API	v1

Sources and normative documents

Reviewed: 2026-10-13

1. A. Chailloux, M. Naya-Plasencia, A. Schrottenloher — An Efficient Quantum Collision Search Algorithm and Implications on Symmetric Cryptography (ASIACRYPT 2017; IACR ePrint 2017/847) — IACR ePrint. https://eprint.iacr.org/2017/847 (peer-reviewed article: Õ(2^{2n/5}) time, O(n) qubits, Õ(2^{n/5}) classical memory)
2. C. Gidney — How to factor 2048 bit RSA integers with less than a million noisy qubits (arXiv:2505.15917) — arXiv. https://arxiv.org/abs/2505.15917 (preprint (2025-05-21): < 1 million noisy qubits, < 1 week, 0.1% gate error, 1 µs surface-code cycle)
3. C. Gidney, M. Ekerå — How to factor 2048 bit RSA integers in 8 hours using 20 million noisy qubits (Quantum 5, 433) — Quantum. https://doi.org/10.22331/q-2021-04-15-433 (peer-reviewed article (2021): 10^-3 gate error, 1 µs cycle, 10 µs reaction time)
4. C. Zalka — Grover's quantum searching algorithm is optimal (Phys. Rev. A 60, 2746, 1999; arXiv:quant-ph/9711070) — APS. https://doi.org/10.1103/PhysRevA.60.2746 (peer-reviewed article: optimal for any success probability; parallel search gains no more than splitting the space)
5. Common Vulnerability Scoring System v3.1: Specification Document — FIRST. https://www.first.org/cvss/v3.1/specification-document (final)
6. D. J. Bernstein — Cost analysis of hash collisions: Will quantum computers make SHARCS obsolete? (2009) — cr.yp.to. https://cr.yp.to/hash/collisioncost-20090823.pdf (paper dated 2009-08-23)
7. FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM) — NIST. https://csrc.nist.gov/pubs/fips/203/final (final (August 2024))
8. FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA) — NIST. https://csrc.nist.gov/pubs/fips/204/final (final (August 2024))
9. FIPS 205 — Stateless Hash-Based Digital Signature Standard (SLH-DSA) — NIST. https://csrc.nist.gov/pubs/fips/205/final (final (August 2024))
10. G. Brassard, P. Høyer, A. Tapp — Quantum Algorithm for the Collision Problem (LATIN '98; arXiv:quant-ph/9705002) — Springer / arXiv. https://arxiv.org/abs/quant-ph/9705002 (peer-reviewed article: collisions of r-to-one functions in O((N/r)^{1/3}) expected evaluations)
11. L. K. Grover — A fast quantum mechanical algorithm for database search (STOC 1996) — ACM. https://doi.org/10.1145/237814.237866 (peer-reviewed article)
12. M. Amy et al. — Estimating the cost of generic quantum pre-image attacks on SHA-2 and SHA-3 (SAC 2016; arXiv:1603.09383) — Springer / arXiv. https://arxiv.org/abs/1603.09383 (peer-reviewed article: SHA-256 about 2^153.8 surface-code cycles on 2^12.6 logical qubits; SHA3-256 about 2^146.5 cycles on 2^20)
13. M. Cain et al. — Shor's algorithm is possible with as few as 10,000 reconfigurable atomic qubits (arXiv:2603.28627) — arXiv. https://arxiv.org/abs/2603.28627 (preprint (2026-03-30): P-256 in a few days with 26,000 physical neutral-atom qubits; RSA-2048 one to two orders of magnitude longer)
14. M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018) — IEEE. https://doi.org/10.1109/MSP.2018.3761723 (peer-reviewed article; source of the x + y > z migration inequality)
15. NIST IR 8547 — Transition to Post-Quantum Cryptography Standards — NIST. https://csrc.nist.gov/pubs/ir/8547/ipd (initial public draft (November 2024); proposes deprecating quantum-vulnerable public-key algorithms after 2030 and disallowing them after 2035 — dates may change in the final version)
16. NIST SP 800-131A Rev. 2 — Transitioning the Use of Cryptographic Algorithms and Key Lengths — NIST. https://csrc.nist.gov/pubs/sp/800/131/a/r2/final (final (2019))
17. NIST — Post-Quantum Cryptography Standardization: Evaluation Criteria, Security (Call for Proposals, Section 4.A.5) — NIST. https://csrc.nist.gov/Projects/Post-Quantum-Cryptography/Post-Quantum-Cryptography-Standardization/Evaluation-Criteria/Security-(Evaluation-Criteria) (security categories: AES-128 key search 2^170/MAXDEPTH quantum gates, AES-192 2^233/MAXDEPTH, AES-256 2^298/MAXDEPTH; MAXDEPTH 2^40–2^96)
18. OSV advisory GHSA-2mjx-qc3c-rqvc — OSV.dev. https://osv.dev/vulnerability/GHSA-2mjx-qc3c-rqvc (modified 2026-10-27T15:30:05.509305490Z)
19. OSV advisory GHSA-c8m5-c952-6cm4 — OSV.dev. https://osv.dev/vulnerability/GHSA-c8m5-c952-6cm4 (modified 2026-10-27T16:15:05.354395696Z)
20. OSV advisory GHSA-h2v8-394m-p7vv — OSV.dev. https://osv.dev/vulnerability/GHSA-h2v8-394m-p7vv (modified 2026-10-27T16:15:05.337819489Z)
21. OSV advisory GHSA-qwgh-2vcv-g2f7 — OSV.dev. https://osv.dev/vulnerability/GHSA-qwgh-2vcv-g2f7 (modified 2026-08-19T19:30:06.686866977Z)
22. OSV advisory GHSA-w44r-93j7-qv28 — OSV.dev. https://osv.dev/vulnerability/GHSA-w44r-93j7-qv28 (modified 2026-10-27T16:15:05.340347056Z)

23. OSV advisory RUSTSEC-2023-0071 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2023-0071 (modified 2026-09-14T09:45:02.996132556Z)
24. OSV advisory RUSTSEC-2023-0089 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2023-0089 (modified 2025-04-29T08:31:10Z)
25. OSV advisory RUSTSEC-2024-0436 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0436 (modified 2026-01-27T22:03:15.694766Z)
26. OSV advisory RUSTSEC-2025-0141 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2025-0141 (modified 2026-01-16T11:07:28.867553Z)
27. OSV advisory RUSTSEC-2026-0258 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0258 (modified 2026-10-12T18:00:10.934581734Z)
28. OSV advisory RUSTSEC-2026-0381 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0381 (modified 2026-10-21T06:30:02.818201920Z)
29. OSV advisory RUSTSEC-2026-0382 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0382 (modified 2026-10-21T00:55:56.763143468Z)
30. OSV advisory RUSTSEC-2026-0386 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0386 (modified 2026-10-23T14:45:03.847864944Z)
31. OSV advisory RUSTSEC-2026-0387 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0387 (modified 2026-10-24T03:45:02.365137418Z)
32. OSV advisory RUSTSEC-2026-0391 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0391 (modified 2026-10-26T14:00:04.269245609Z)
33. OSV advisory RUSTSEC-2026-0395 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0395 (modified 2026-10-26T14:00:06.388344282Z)
34. OSV advisory RUSTSEC-2026-0396 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0396 (modified 2026-10-26T14:00:05.789682118Z)
35. OSV advisory RUSTSEC-2026-0397 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0397 (modified 2026-10-26T14:00:05.089587004Z)
36. OSV advisory RUSTSEC-2026-0398 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0398 (modified 2026-10-26T14:00:05.092082939Z)
37. OSV advisory RUSTSEC-2026-0399 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0399 (modified 2026-10-26T14:00:05.792431051Z)
38. OSV advisory RUSTSEC-2026-0400 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0400 (modified 2026-10-26T14:00:05.692077560Z)
39. OSV advisory RUSTSEC-2026-0401 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0401 (modified 2026-10-26T14:00:04.231502512Z)
40. OSV advisory RUSTSEC-2026-0402 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0402 (modified 2026-10-26T14:00:05.685817733Z)
41. OSV advisory RUSTSEC-2026-0403 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0403 (modified 2026-10-26T14:00:05.787441176Z)
42. OSV advisory RUSTSEC-2026-0404 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0404 (modified 2026-10-26T14:00:05.092817237Z)
43. OSV advisory RUSTSEC-2026-0405 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0405 (modified 2026-10-26T14:00:05.680942523Z)
44. OSV advisory RUSTSEC-2026-0406 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0406 (modified 2026-10-26T14:00:05.095427051Z)
45. OSV advisory RUSTSEC-2026-0410 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0410 (modified 2026-10-26T14:00:05.788985783Z)
46. OSV.dev — open-source vulnerability database and API — Open Source Security Foundation. https://osv.dev/ (the database QSI queries for each exactly pinned version; every advisory id in a finding resolves at https://osv.dev/vulnerability/<id>)
47. P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997) — SIAM. https://doi.org/10.1137/S0097539795293172 (peer-reviewed article)
48. S. Jaques, M. Naehrig, M. Roetteler, F. Virdia — Implementing Grover oracles for quantum key search on AES and LowMC (EUROCRYPT 2020; arXiv:1910.01700) — Springer / arXiv. https://arxiv.org/abs/1910.01700 (peer-reviewed article: lower cost estimates for the AES key searches that define the NIST categories)

Appendices

A. Cryptographic inventory

Algorithm	Parameter	Location	Quantum status	Classical status
SHA-1	SHA-1	backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/FileExt.kt:50	weak classically	deprecated
Crypto library p384 (RustCrypto elliptic curves)	0.13.1	backend-lib/Cargo.lock	n/a	acceptable
Crypto library p256 (RustCrypto elliptic curves)	0.13.2	backend-lib/Cargo.lock	n/a	acceptable
Crypto library ecdsa (python-ecdsa)	0.16.9	backend-lib/Cargo.lock	n/a	acceptable
Crypto library ring (ring (Rust))	0.17.14	backend-lib/Cargo.lock	n/a	acceptable
Crypto library rustls (rustls)	0.23.43	backend-lib/Cargo.lock	n/a	acceptable
Crypto library secp256k1 (secp256k1 bindings)	0.29.1	backend-lib/Cargo.lock	n/a	acceptable
Crypto library rsa (RustCrypto rsa)	0.9.10	backend-lib/Cargo.lock	n/a	acceptable
Crypto library x25519-dalek (ed25519-dalek)	2.0.1	backend-lib/Cargo.lock	n/a	acceptable
Crypto library ed25519-dalek (ed25519-dalek)	2.2.0	backend-lib/Cargo.lock	n/a	acceptable
Crypto library curve25519-dalek (ed25519-dalek)	4.1.3	backend-lib/Cargo.lock	n/a	acceptable
Crypto library org.bouncycastle:bcprov-jdk18on (Bouncy Castle)	1.79	build-conventions/gradle.lockfile:122	n/a	acceptable
RSA	2048-bit	responsible_disclosure.md (line 11)	vulnerable (Shor)	acceptable
RSA	2048-bit	responsible_disclosure.md (line 11)	vulnerable (Shor)	acceptable

B. JSON

qsi.report/1 · SHA-256 d2c9af625f49db5cb717298783cbe2869e143e524920ee5efa91cd94399bd0e6

C. Input files

File	Size	SHA-256

backend-lib/Cargo.lock	191175	324795f089d68678845da85bb94f9ef2a1b25e15241514c945f7e75cdfee9211
backend-lib/Cargo.toml	10336	623c2c278bc8f09f654f6691ba4013f1b0bd744a1aca71b9c06f19f6031bda3a
backend-lib/build.gradle.kts	9491	d9bf273ace25507c9373292d63ead4e2a861f4606f32b0c1d71c32aaac16210d
backend-lib/build.rs	4343	698d6538c4b7c8007f028a7c214b31e17b01f7287075b594e64d8d7aa147c3be
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/Backend.kt	13853	f377eff292b0ada797b2f5f093ac712a006fb081e946d63952184ae2fdaba436
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/Derivation.kt	3932	544fbd8fb0d5979d067366c5dc3bfd193c809f647697aac8a955793847a11144
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/Eip681.kt	1091	d8952dada0779117452e04a04fc2bc875cc0dd3df12a6de6d98f7b4aeffadbe4
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/SdkDispatchers.kt	1852	9c9994e6ff6fe71fa8a90c46e9e99ecd8cb03b0f8873677072ac27551482f798
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/FileExt.kt	2420	f6d81a7cb9cd4f097025cb53b0dc3de8f21fefaedc82e0ec2f763998e3e9fee3
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/NumberExt.kt	171	52d76c25bcc5ba21fb3cb2c4ae7c44153584fc3c4101a61330950c5c8139110c
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/jni/FakeRustBackend.kt	8928	a2179352e6be5d1073fdcf9c1467b8abc585b4803ae62063510e639a07616a5f
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/jni/JniConstants.kt	2748	2809c14841ac3504cc39f336d77d8b4c2165cb9169261a74b3cd7cfcc54473ed
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/jni/MigrationRustBackend.kt	38522	fb4ceefc077a428d1994a06d3c18a47e61f30742563a70e7406c84d34607a483
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/jni/NativeLibraryLoader.kt	1782	858888f649b87520fc5b9ef3c1153a2bbf40d9b2399a003a45f9b4391265604f
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/jni/RustBackend.kt	30085	e29835f691c61f536c870cca39ff8136e80b861e0a30c1e7dda6fc5bddb98b5b
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/jni/RustDerivationTool.kt	4803	f10010c92548a4c539d3e24197f3e35e50a984fbad012d5871b2535cd9110d11
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/jni/RustEip681Tool.kt	981	b893b44e155ab97404bb8aaa35eb516d9b199a279b4cda12c036f884f5f1e4c1
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/jni/VotingRustBackend.kt	53538	8e39d67fd026e6adb52bd72a1c132c91686ccfda6fedad5f83c030a102bae9f4
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/CombinedWalletClientImpl.kt	8739	c1388b3ce88f40f710c283ebe829054d1915fb04f334bfe3d4d7e7ed78027bdd

backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/IsolatedTorWalletClient.kt	2286	6c867eca268644a6b3779a75c403659c15a64b7d4c37b3c0d077120bae345d68
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniAccount.kt	1449	3926e1be2c9d50c30cd071d48b8ffb9ca35c3a5f08ed6641f325abefa8746b6e
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniAccountBalance.kt	5384	2c837474065ffc275b191acb0ce5312406db3ab3b41163ca4d4582e50839ce14
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniAccountUsk.kt	1525	da76d5c1b7beaf19a89a307f888cb4c18ed569c42305ff81e2f37ff5f01a317f
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniAddressCheckResult.kt	343	d8cc5e241c1ef8b60b899ab911fcf5188202202ff8b548ac118378734b4328dc
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniBlockMeta.kt	1864	80327f75d6c1faa122ba59091872522afd2fb76324311f66cdddc7340df78415
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniEip681TransactionRequest.kt	2675	bf8fa27496e10af1bcb54c902acde43b846a0ecd9df00d71f11829aaca1aceea
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniHttpHeader.kt	183	9ee890d1ff68ac20f41021ab633bd8c029e4456a42e27755557f355b458288dd
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniHttpResponseBytes.kt	451	3a9fe347545f4938d962a7a2569eda248511df707d17259941fe7967d8e5ea8c
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniMetadataKey.kt	841	e83773adfe0f94df5464564f606b49d25f75b46dd07a5b4f3462163d54f143e7
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniRewindResult.kt	1338	2a162bb7fd7269840f5c480cc274feb8d155277e425fb836db5f81d30ae1cddd
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniScanRange.kt	1344	2d3918e3a16d3d49773a4439fd506f425ad926be0b93892dc1882a31dac241e2
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniScanSummary.kt	1531	7091d6f437258a207138059c85ba6001d69d40398921b5ca75110671a558457e
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniSingleUseTransparentAddress.kt	914	8bad606ba577fdfca88ea1289118f7cf4652bb1755bcbbf761cebacef14f8d0b
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniSubtreeRoot.kt	1088	a11404298b79bc691dc5f5a74c874b4a21b505031b94162e5764101204174d11

backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniTransaction.kt	349	f581c7b599fab7664a3902eca9e3458cea21b9af1e004cd7c704c0e834fd007e
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniTransactionDataRequest.kt	2292	9beb38a08eb2613ff2448c2d6e627b6f41e12e94c9fb6d37b06d5b551fc1915e
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniUnifiedSpendingKey.kt	1161	faf40d78d53dfb495a5a511a52ba7c5473f1edb363d3125ba877616304af1076
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/JniWalletSummary.kt	5027	36c646ef59390e9bbc23d60f3d9091a6c2f5548c8ae0c17b5a963643fe8a79ad
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/LazyTorClient.kt	2168	8a4e8efe4e94f05e55d5208bf00518939388dcfb430ad6b81bf38eba2bc16b1e
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/ProposalUnsafe.kt	2751	dad1059735d866c5e9b453ba5aa6841162af5b92c0a388864c3ccde3dce941f2
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/RustLogging.kt	1075	a103fa1cc51d753e0ff392dd0676d4eecca771b77dacc57d811bf84d491d5af8
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/TorClient.kt	8550	20cea253ac84b90d59d8d753af07d5ec184a3b2b27418123cba12bc79d8b48a6
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/TorHttp.kt	663	387678a8a09314ecfb750abfb385cda42c41f26e4d3b1b9a98fd6d70cfcc1283
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/TorHttpConfig.kt	471	9d1223c6d77a59dfb8cbba6dceed694126bbe5b18b8229a7393caf25c99075f8
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/TorHttpEngine.kt	3966	c635491810b3f0472be23f89bed0e2c143c7c77297b22ed6edee81badd4dd0b5
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/TorWalletClient.kt	7914	21db8f7a869a8d33505b1dcc6af6b2875313e188712a2d043309ec23dd91ad11
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/ZcashProtocol.kt	1410	40839e81077a4773f6c93c0603a5ba839609fc0cf05bc0f5a220b3f9e60e0470
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/migration/JniMigrationModels.kt	10525	08ffc3c5381ccd021395b779781cdbc2fab01468f939a9fb80f7202bc00412bd
backend-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/voting/JniVotingModels.kt	25751	c825df4bf9368354d04aed2876089c04205ac971025504345b23532787ac2913
backend-lib/src/main/proto/proposal.proto	7648	7bbc79e731eb5345124351794ca8ce7b01fdff570646af889076be1a46d46cf9

backend-lib/src/main/rust/eip681.rs	10750	cba69bba70c2f0cff4acd4a2019763a7dc86b7adfaa7a2b49d141190b962ae7d
backend-lib/src/main/rust/lib.rs	153798	ee51888c9bd93c8e645b608f4d4dbd109dba246d64fea1b1d5ad0d07204a6936
backend-lib/src/main/rust/migration.rs	369853	21c573ddfe9fd73af8350aabf5cf296746bdf82aa3f5e49d505e840bd84b3af3
backend-lib/src/main/rust/migration_engine.rs	19232	6653594423c7d3c424b0bda96d6bbdf31bc5389f42b7dd34647177605d7a78ae
backend-lib/src/main/rust/migration_keystone.rs	27694	689c3586f23e752474e9025bfb9e1eb199bcbe16ce985bb91d44034f12771575
backend-lib/src/main/rust/migration_plan_cache.rs	5152	a497abf84062def1a0955433450e963e52a1e349df2484403d13242258e3b676
backend-lib/src/main/rust/migration_send_max.rs	6898	47976e4ce8d4d17476d9bd8267cdac51939d4042b851b27223ca4fc4503e55d4
backend-lib/src/main/rust/tor.rs	9844	48b77fae67e39a0ca2f409da8bfffc148d8cae08075ba1a4682d7b64db28c9fd
backend-lib/src/main/rust/utils/exception.rs	4607	73307da924d7154f72fc2aec7138c53eee1041e315eb72e2cef4ae56e4b65fea
backend-lib/src/main/rust/utils/target_ndk.rs	1767	c0f9ace4fb5a2db9c56be76b1bfe78895dde27b87ca57bdb5cb26a18390e12fd
backend-lib/src/main/rust/utils/trace.rs	2460	6aea8946ba52f7cd8124ae37627a4cf2b52be4189870ba1cac660acf01000b55
backend-lib/src/main/rust/utils.rs	4501	69c5f7cc4466f392752950d1cd007988ee18eca6f25f176daa6aea6ae0f8fc80
backend-lib/src/main/rust/voting/db.rs	6276	ba134fa18dd4527bad29747d10cf8cf5477830279619cdb6a24fb2a838e83841
backend-lib/src/main/rust/voting/delegation.rs	44417	778c92134dafd2bec7f5ecdc9641eb235081e09f348885bbc4c03ae1f2027c88
backend-lib/src/main/rust/voting/helpers.rs	67845	74a03dff530384ac024266b31c66620115a2f0496e15a113e295c1a290150cef
backend-lib/src/main/rust/voting/notes.rs	13979	6f5c3470bb15b364f93080ca784ad68f650d024c769553b885f43ff8cafbe5d7
backend-lib/src/main/rust/voting/progress.rs	1618	cf170ec349ad1db650d512a879b306d3d1410fc5fd49dfccd28151d408146ee8
backend-lib/src/main/rust/voting/recovery.rs	23825	7b483f68c26e11e1373aaf4bdf893a6b870636fc53690661a39518515886ea2c
backend-lib/src/main/rust/voting/rounds.rs	8276	59744670390906f947b1a87172a3417c25ef89f084a8983596a54aa09e15b466
backend-lib/src/main/rust/voting/share_tracking.rs	2723	ff435e306a99bf83e65bfee977af3887ea25bd2b6e0aabce7aff2d5715cbba00
backend-lib/src/main/rust/voting/tree.rs	3161	ab53503ea351032f323eeeef37559c270c1508e7bf9d16fc85c8fbfac6bd16b7
backend-lib/src/main/rust/voting/util.rs	10422	6fae74dc805141f6649c3a97fc1b53dbd0ed2d9d3155d33588fd4d80b2f4453e
backend-lib/src/main/rust/voting/vote.rs	6007	a5655e6c343a8866d052f977d7fb07ba9282dff9bbaeab8ff11aa70b27ee85a4
backend-lib/src/main/rust/voting.rs	1300	9d65d28f1afcad5fdbc653ffbef511f71fa78e172f810c2b03507f0c2b2e1484
build-conventions/build.gradle.kts	2221	bfe40a64aa7ef58586d1bf142ea8165b1b7726858b0285082381dabc77621696

build-conventions/buildscript-gradle.lockfile	1818	5a50547c8e75c67c90d4661ddb6374d2e1b9c937c43107ac5fcfe392a85e653b
build-conventions/gradle.lockfile	20074	21af30ec686cf74ab65ffcc17b10f2b98c879c2aee72f99aa80451cae7ff25c4
build-conventions/settings.gradle.kts	648	3648741d5278b36ab973b9e739bf75ef5a21288d402d2bd2dfc980aeba27bcf6
build-conventions/src/main/kotlin/AgentDirectories.kt	1364	1d85d943c42ab6ad0844451f3809187832cd31b1481a37c16b1e1ab2ea6eee32
build-conventions/src/main/kotlin/zcash-sdk.android-conventions.gradle.kts	8195	705902814ddff1e11e396fe32bf0171fe569a0411a0823383edcc6de1670e7cd
build-conventions/src/main/kotlin/zcash-sdk.dependency-conventions.gradle.kts	882	897944473c2768c4e02ea259822001d32d361039fda528a1e7a55b8e01a5f2bd
build-conventions/src/main/kotlin/zcash-sdk.detekt-conventions.gradle.kts	1327	b7c10d8b318e918ac1f47dff50dc3dc56d5986efd71783d9cc2402bc0509d51f
build-conventions/src/main/kotlin/zcash-sdk.emulator-wtf-conventions.gradle.kts	1240	f08664e0efda03fd0b05c92bd1b95f49e324b09fd30d2b18564c215bf23e0c42
build-conventions/src/main/kotlin/zcash-sdk.ktlint-conventions.gradle.kts	1380	e9ca58586fd146ad7187ededff9e082b90c4163d27e25e06fa1f1e97d22da475
build-conventions/src/main/kotlin/zcash-sdk.publishing-conventions.gradle.kts	3506	aee17c375d894b2b3d00e64de6ca7a05a48c76fea3aa7bb46ef1199a7e23da74
build-conventions/src/main/kotlin/zcash-sdk.rosetta-conventions.gradle.kts	1463	57d28a87672a1c2abed373c9ff0992116d5e7ccf8f0b5d51fa26ebd5797d8088
build.gradle.kts	4567	600e91d311bd4dcd1f0e9d7e43f3caeaeea58bbe78270ae39b0091fc318052fd
darkside-test-lib/build.gradle.kts	1022	d227e2ca21d81e4ea33fe52cedcba24a01f2a8400919d16c0a169243a52dea96
darkside-test-lib/src/androidTest/java/cash/z/ecc/android/sdk/ext/LightWalletDarksideEndpointDefaultExt.kt	725	1889ee89686e15e9cccd2f80201f39eab8fff9e6fe45332dd25a49609d9cb6a3
lightwallet-client-lib/build.gradle.kts	4522	ebeaf8fa9c274e1dde5c07226c0e868cbfa831c713ad460cae1970817c74ce45
lightwallet-client-lib/lightwallet-protocol/walletrpc/compact_formats.proto	6490	d8d0c8aaa5ceec7d5dcc188ef25b04011df2ec0254901620fce982fc13aeb32d
lightwallet-client-lib/lightwallet-protocol/walletrpc/service.proto	15236	6fbfa974081fb02366a3118a25764af289bdbb86688978f5ff2bae661dfa346a
lightwallet-client-lib/src/androidTest/java/co/electriccoin/lightwallet/client/fixture/StatusExceptionFixture.kt	232	8d3a9d32c601be002349d41fa5a75387f7497d90c2ce0e553f7602c75951e2ad
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/CombinedWalletClient.kt	6009	a5f610dbb2ae803d010be25900717e72d68c89faafa5d048a32549dd06c08746
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/LightWalletClient.kt	988	e787c6184019eb322cf755fd716e0be0c7577583123c4ad2a804a60d5d6c9990

lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/PartialTorWalletClient.kt	428	dcc06dc9559bb98aabe43ff421678ac3513bd810c589e467b7a2f4d7d3157314
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/PartialWalletClient.kt	1236	e4cad47f9f821ba404bd6ff94d50baeddb921c3b3192399049a7b7625a59f343
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/WalletClient.kt	3371	75e3d0abd59bc65451132830a321a8ddc9a255321c3a772ad7f3494f42b28d53
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/ext/BenchmarkingExt.kt	276	5563b0cc6198055c8b87d888a61f7191adb05ad96c3004d8aab0e6844caf7a6a
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/fixture/BenchmarkingBlockRangeFixture.kt	923	7c2da8dbbc8fcad826ed88059a4840e9096da8bfba003c29085022694c9692bb
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/fixture/FileBlockRangeFixture.kt	673	89e1a977e91d43ca35c52d2a7f778b059ef701331707450fed92cdb0cfddae9d
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/fixture/ListOfCompactBlocksFixture.kt	1253	e3a994cd26f650b6dfbcec90d89a45096e48a95c73e8824d66ae5b6de35fb6c8
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/fixture/SingleCompactBlockFixture.kt	2114	87da4b33db7106f39419623b5f5cb68572a372062e08f0a471508fce2175c6c7
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/internal/ApiStatusResolver.kt	333	a34b7bbbc303e3ad558243ed53dc4a979bc28d2f0f98b524d48a493cf12d4713
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/internal/ChannelFactory.kt	957	25ec51abc167c623ff5e63399eb74aefc4b2b152daae092a685aa1b5db342380
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/internal/Constants.kt	390	0e1a34c68f449df83cd38bee1862e51f838f2afb4cba99741a4866788f22fe45
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/internal/DarksideApi.kt	6674	b2154b2a3708d58e54ced2278565700978d6b67c11a17aeebea538503c025ab1
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/internal/GrpcStatusResolver.kt	2923	59af08bab087839a577f8bb3139bcb944b03c9531128a7d5f38e5ddaedc37681
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/internal/LightWalletClientImpl.kt	15701	9e36aa7a66bac76cb2316f5632fcb3e55b4f0edf6a476c0b7e1b2a8e31f02e05
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/model/BlockHeightUnsafe.kt	591	46864afb8e1460815188db80a78ff17fdf012f4fe3b068be49d3c900ba0457f8

lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/model/BlockIDUnsafe.kt	1193	a2952c5a892072e941f8cce649f72d00ae34e3684a0cbe4d6e7d253d3001e344
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/model/CompactBlockUnsafe.kt	2476	92bd2df66b59e3cf70ee40be10dd9720aca0be81f4ca459b07deb523f34e4e02
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/model/GetAddressUtxosReplyUnsafe.kt	809	9e5d567531372670d61bd452a7cfb05b13a9ceae5ae7fb19fa0191465dbbb2d3
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/model/LightWalletEndpoint.kt	176	3056b3bbe27ac9b59d7c84f809e8bb5b8619096db7b0c9832da1a39875d9a3f9
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/model/LightWalletEndpointInfoUnsafe.kt	1278	c4a57e857f2540cad66e72f793996446ffa29ccd84f6335ba83d8feee34a47ff
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/model/RawTransactionUnsafe.kt	1855	c98515e41911449272ad21f515b0fc66bdf10694eb328f38fe1629892cc8414f
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/model/Response.kt	4990	ded6c58a3940334a8971c73818449afeeb668b98f0babd292ac0de2ca9f639a9
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/model/ResponseException.kt	281	6294b5f73ad2696397d80925cb114d456b61201b5ae39dc74a6130dc82a2faf0
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/model/SendResponseUnsafe.kt	742	e331fdc41fafd59329e55faf17d057a750d3b01f4bfa722d1a4af1ff4b52165d
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/model/ShieldedProtocolEnum.kt	392	78baf9340a3f070f7a878a8eadb70d44f1d30250cb0965a82527e56450dd2f67
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/model/SubtreeRootUnsafe.kt	1102	c59d7f77c76e730edb0457ac10ece7e314f91a5701369c86f91e71ed8c168ba0
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/model/TreeStateUnsafe.kt	998	688654d557d917c7cf0937149810ffe7d56038b77493b0bce422152bb856898d
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/model/UninitializedTorClientException.kt	138	904c6bd7a8a99b428eb1db09648dbdc9005d14d6acc6156acf8e261701179682
lightwallet-client-lib/src/main/java/co/electriccoin/lightwallet/client/util/Disposable.kt	1314	cf5a4f6aab7836c735a1f20a1ebfd5d3b2d8855302e7ddd0886e32a29c0abb41
lightwallet-client-lib/src/main/proto/compact_formats.proto	7148	37782e3d3451b9a78be7405e52fd0b99f05c50195990929388cba80bff3dfe2e

lightwallet-client-lib/src/main/proto/darkside.proto	6361	e25b7b16975e91a1ece189f6bb3361c5c204054e6f9a260d3e307607db1a475c
lightwallet-client-lib/src/main/proto/service.proto	15626	5a63333cb338e9f5c98479166f5876b18574ca7ed5d93b7ca50c62ac40c81370
responsible_disclosure.md	4651	90670bffbab9deec2a1a4bada177134e528d7e797718d0f1bd3dcf8821d1e191
rust-toolchain.toml	288	49028d2b650057f65c4482b5c1ff79e1e941825aaeb75da3b04a773686ea6d6e
sdk-incubator-lib/build.gradle.kts	2512	c7a1d0f5eeb7a88b90c4e0343ba485992401c952883d57cbbc9d5b7eef22a8fa
sdk-incubator-lib/src/androidTest/kotlin/cash/z/ecc/android/sdk/Global.kt	637	21167fc9f46488b13cd60c53fd374f832af00258d594bcdf61866d6df3018058
sdk-incubator-lib/src/androidTest/kotlin/cash/z/ecc/android/sdk/Iterator.kt	173	c05de87d66ca3dc0a581ff12f90737f6e530b9f33ec1066d7c7c5ec166b06a80
sdk-incubator-lib/src/androidTest/kotlin/cash/z/ecc/android/sdk/fixture/CurrencyConversionFixture.kt	407	ca9838c26b5a22cef84d77a6cbe6ab16f65ca409653e2a537125286a42897a63
sdk-incubator-lib/src/androidTest/kotlin/cash/z/ecc/android/sdk/fixture/FiatCurrencyFixture.kt	201	0548a11e3f69a00d79f96395d1de9fef5560e746e99d969c8646b27395198d93
sdk-incubator-lib/src/androidTest/kotlin/cash/z/ecc/android/sdk/fixture/LocaleFixture.kt	365	c5d3c1071079980b1251e5643f1c1b178aa4b37c6fa06d2e3aecdd34148ca2c8
sdk-incubator-lib/src/androidTest/kotlin/cash/z/ecc/android/sdk/fixture/MemoFixture.kt	218	1245d59c5222002d405338569ab2364f24b8f801bd0f72190286e5f000f68a1c
sdk-incubator-lib/src/androidTest/kotlin/cash/z/ecc/android/sdk/fixture/MonetarySeparatorsFixture.kt	369	bd29f611e6dc90625a2651d63935171cb38af8ecf5c4885e4fd2b818d8170327
sdk-incubator-lib/src/androidTest/kotlin/cash/z/ecc/android/sdk/fixture/PersistableWalletFixture.kt	1342	eb0053f6551937d2e4697077329d54261b93038fe9dfce50da940bb5bcf91f3f
sdk-incubator-lib/src/androidTest/kotlin/cash/z/ecc/android/sdk/fixture/SeedPhraseFixture.kt	411	56cf644437fc1d72361bb70abf1670d8b423ced0b759f599476bc5b51f8cacad
sdk-incubator-lib/src/androidTest/kotlin/cash/z/ecc/android/sdk/fixture/ZatoshiFixture.kt	238	0fa55d426432c2bca7def96ee6244cf161899ebc38ea4e659c0ca1493f45a148
sdk-incubator-lib/src/androidTest/kotlin/cash/z/ecc/android/sdk/fixture/ZecSendFixture.kt	780	9bf2f448dc2569c9c83bccc9667eca2d1fc58e77f41295edd3e861772befaa17
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/WalletCoordinator.kt	10258	68e106fee3e5d91f434d9cf15d341f753a3e364bd4d7af5d877b09846ff62e72
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/fixture/AccountBalanceFixture.kt	976	05e92ad8bb0e567d38d78b20170827157f888a1ae2812548a3dfcd37a76cb00f

sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/fixture/WalletAddressFixture.kt	914	aa28d836e1599e478da5530f4bf8120f970729eef549f1d8b19feff46c2d38dd
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/fixture/WalletAddressesFixture.kt	588	8336d1289e261c78cab02339d3877c7c24be5f7c88137d25c9fbcea7897f8e82
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/fixture/WalletFixture.kt	5261	530461089860a0db9972b942de1d7867b4ccbd28dfa3c5edf2d113c438504d97
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/internal/StringExt.kt	219	96ec01a54de6c193389b55bb14025adb388cd6269f6c784078491bad6da2df52
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/model/FiatCurrencyConversionExt.kt	461	68cb4ba6e357b7aebd7793f9ed158c02f460fd894ff52ad0c853cb8f654478f8
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/model/FiatCurrencyConversionRateState.kt	1435	f802f2e8501ab5233ba57f8ecf6504184a91ae37ad4f9063cdca26f1c3404afc
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/model/Locale.kt	983	50b5503ff2c0b607ebb7a22a0e683a5da5aa96eef3d8f1785007d9d5cbeb4456
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/model/Memo.kt	768	c2b226e48e7fc0734aa2d0e4ade0c8ca8f78fb029d178547d7b9d94d66459aa0
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/model/PersistableWallet.kt	9299	52120b7396ba66a10487a510603faf277df7432f7d9be8049fc767297a1f9be7
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/model/SeedPhrase.kt	979	52bfdfe001ea202202e5a8e7861d076b3709f6dba1c01b30091c72788f7f6a1c
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/model/WalletAddress.kt	2132	4c986602ae28be9c5d95325beea8da9006395be852302b3b948c0b68e7027c1b
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/model/WalletAddresses.kt	1151	8aea782603eefe5c7c88df0640f56327f730c25238813e56ea3b27205718e5d3
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/model/ZatoshiExt.kt	3021	b894c509562e466a6649503c2d370195141a654a190866be1ecc0ea492cb71e4
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/model/ZecSend.kt	872	9a8d47d42a35ba23bba98dc1236c402f9ca6f8f9dce89c9e5d221e8b9be7316b
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/model/ZecSendExt.kt	1644	4366884b3d8fb77f1618db850e6c922253e3e73600cfe95ab42473f41218e31f
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/model/ZecString.kt	5384	37f99fe5d1f030ea82e9cf663b6ce13fa83f6f69397e894ba63d2648f3d5e477
sdk-incubator-lib/src/main/java/cash/z/ecc/android/sdk/model/ZecStringExt.kt	2684	4d59403bc33e930367e60500b975fceeebf3f859fb562a490e01a87b56639bdd
sdk-lib/build.gradle.kts	5236	10e88243c22e3a11bb56b40e9fc620a2f3b7ee381b1111182afb1e6dcab32fe3
sdk-lib/src/androidTest/java/cash/z/ecc/android/sdk/ext/TestExtensions.kt	4430	e9594465622927d50d33632c8a136b674814ae3f91f18a6630f1bd9357fdfa7a

sdk-lib/src/androidTest/java/cash/z/ecc/android/sdk/fixture/LightWalletEndpointFixture.kt	1128	654d8bfbe6cf8f88862fba75d216c1573f9d41fc70a3d4f4ab4d42f0d84d50e7
sdk-lib/src/androidTest/java/cash/z/ecc/android/sdk/fixture/WalletFixture.kt	1255	3a20a91da9facd8040c4f87d2ab1851f43117afa43fb024aa6d4c53622b2c62c
sdk-lib/src/androidTest/java/cash/z/ecc/android/sdk/util/AddressGeneratorUtil.kt	1571	0ce2c4323fff93889d52c30a386bb39a18ac932ba99a378ab248f2ad6b3ee4f1
sdk-lib/src/androidTest/java/cash/z/ecc/android/sdk/util/BalancePrinterUtil.kt	6442	6eef910860daf705c815a1d495a0553fff7e9f7790efb368897bfba5d1568564
sdk-lib/src/androidTest/java/cash/z/ecc/android/sdk/util/DataDbScannerUtil.kt	5516	0be2ff3ade94dee8a5a9c68d2c02f21a894fb6d6278fc4aebc97c4bbbd83073e
sdk-lib/src/androidTest/java/cash/z/ecc/android/sdk/util/SimpleMnemonics.kt	1110	41dfb4995d9767038bbe572724173f6f0a84e450bdc444acff937f4655ab97ad
sdk-lib/src/androidTest/java/cash/z/ecc/android/sdk/util/TestWallet.kt	8178	7c48cfccc8bf26ee4150a1d00ee7d40bd3aea607f35f477abc55af4cdc56f022
sdk-lib/src/androidTest/java/cash/z/ecc/android/sdk/util/TransactionCounterUtil.kt	3313	0fe9deb916b32f684699585ae9c52d9b55e427a5ae2f60010d053ed96eabf82b
sdk-lib/src/androidTest/java/cash/z/ecc/fixture/CheckpointFixture.kt	3398	93e668639877448462d7798796338eadabc782ea1f74c1fb216686e188b21913
sdk-lib/src/androidTest/java/cash/z/ecc/fixture/DatabaseCacheFilesRootFixture.kt	688	dc2f4c8927620286ce19219173be5864dbd1a766f8d0f634e66a884018554762
sdk-lib/src/androidTest/java/cash/z/ecc/fixture/DatabaseNameFixture.kt	1212	f4f7095a70e615b2522c8fd665416a33b42600b5285c3ed535343657b5408eb1
sdk-lib/src/androidTest/java/cash/z/ecc/fixture/DatabasePathFixture.kt	1341	0a0b2381fc620873065046b36e45ea5c08b50b561dc6a1467633fc986d625aaa
sdk-lib/src/androidTest/java/cash/z/ecc/fixture/FakeRustBackendFixture.kt	506	1933a335c42bded361c4410e347f50807d5ce2d06ced9d2d16492101e1dc14d6
sdk-lib/src/androidTest/java/cash/z/ecc/fixture/FilePathFixture.kt	528	de2de09fc4c01bac1879dd31d47f8bf6047e1ca28a837d43b727c46fa1c085d4
sdk-lib/src/androidTest/java/cash/z/ecc/fixture/SaplingParamToolFixture.kt	1421	de623d79d5937c575aeb4ca01135fae52013737387a5ff23b58eb5eb41c779ea
sdk-lib/src/androidTest/java/cash/z/ecc/fixture/SaplingParamsFixture.kt	2217	c1bd509eb5f532aa911d12f77aed581ed2b4428033ebb5ffbd71fd50a21d4ff8
sdk-lib/src/androidTest/java/cash/z/ecc/preference/MockPreferenceProvider.kt	1098	f6ad193c1f8a472a349b2269064eaaf0aa1f3bfc2a1daad14cba6b742ec963a2
sdk-lib/src/androidTest/java/cash/z/ecc/preference/fixture/BooleanPreferenceDefaultFixture.kt	438	ac781af353613f3b6c53a225a49131e1126b56fa9e5f000aa4b7cc3b1b99b6ff
sdk-lib/src/androidTest/java/cash/z/ecc/preference/fixture/IntegerPreferenceDefaultFixture.kt	483	724a0d6c687d80693e91fb447cc6378fba39627d3b47804ee7a01fa6a9ff8a4d

sdk-lib/src/androidTest/java/cash/z/ecc/preference/fixture/StringDefaultPreferenceFixture.kt	512	f3ea58b0cc8e3f5a25ff5c5df769b6bba4037f3af436129cac2a4b00e6d09e43
sdk-lib/src/debug/java/cash/z/ecc/android/sdk/annotation/OpenForTesting.kt	588	c07c7a84990483414a5973cd00b877bb62d12f7e0f1348e3e73148c4a4441289
sdk-lib/src/main/java/cash/z/ecc/android/sdk/Broadcaster.kt	1721	c3f97a5fcaaaf17421d5339daa222a9df75950952acf8e58b21abb41bc3e8f8e
sdk-lib/src/main/java/cash/z/ecc/android/sdk/MigrationSdk.kt	58806	22aa7fe2a677005ba296f9d363a4f495c83e222bffbd4e186ccfb5810d138dc0
sdk-lib/src/main/java/cash/z/ecc/android/sdk/SdkSynchronizer.kt	59105	7c28ecbd3405b2dac884d8e0092ec07608bdfaedf96a6f3b8d7ec1d6ec94ae03
sdk-lib/src/main/java/cash/z/ecc/android/sdk/Synchronizer.kt	61009	32958fd3979af8f75e08bcdf3521c590d61c67f0c0f139698575ef42a82f1933
sdk-lib/src/main/java/cash/z/ecc/android/sdk/VotingSdk.kt	14094	7178feaa09781c21c6bbf11aa423873013f81ab666ea9f626a27586606015bbb
sdk-lib/src/main/java/cash/z/ecc/android/sdk/block/processor/CompactBlockProcessor.kt	138070	a40f7456677c4f4c5fd36ca539f88e31d6e21a166f79660ffcc78b0cb6d3dcde
sdk-lib/src/main/java/cash/z/ecc/android/sdk/block/processor/model/BatchSyncProgress.kt	503	813e2e02077de3d698b77b0507a3e726b829b96b8d8684e190458b95a8632302
sdk-lib/src/main/java/cash/z/ecc/android/sdk/block/processor/model/GetMaxScannedHeightResult.kt	469	bcb67d8bd1a2fe4e2b97bd0f597812b0979ea59fc2f926de1224b3a0ec4002a1
sdk-lib/src/main/java/cash/z/ecc/android/sdk/block/processor/model/GetSubtreeRootsResult.kt	770	cac5f3bf9bd9b267e8dd536d9fd7c9363973f1db766039399383e9c7e4e0fdc7
sdk-lib/src/main/java/cash/z/ecc/android/sdk/block/processor/model/GetWalletSummaryResult.kt	776	e984f53da67ba93dd7b772d36f976560c43cfe6f290358cd60ea7bb7aabd5c4a
sdk-lib/src/main/java/cash/z/ecc/android/sdk/block/processor/model/PutSaplingSubtreeRootsResult.kt	427	86b9c1bd7af4d0e284feee425dc25335ea5afbfa995e2643b4e91430436a0e1e
sdk-lib/src/main/java/cash/z/ecc/android/sdk/block/processor/model/SbSPreparationResult.kt	956	8884ab10f010e00d0439bdd99ad778b13b4b9e67ddfb0ff2669fe2fe5fb3bb4c
sdk-lib/src/main/java/cash/z/ecc/android/sdk/block/processor/model/SuggestScanRangesResult.kt	510	b852bb0eed50a19f30ff38379b2c8b1e4c3e736911226b7941fd7961670a6d21
sdk-lib/src/main/java/cash/z/ecc/android/sdk/block/processor/model/SyncStageResult.kt	340	6e12936a4d29d3f5e5cfd5e1c8b6f387ed64cbb3c2ee381f6152c7fe98d77799

sdk-lib/src/main/java/cash/z/ecc/android/sdk/block/processor/model/SyncingResult.kt	2746	6c0f6577a92549b3df465b23831593eac2cc9bc96f5845ac4113837001216d4f
sdk-lib/src/main/java/cash/z/ecc/android/sdk/block/processor/model/UpdateChainTipResult.kt	437	6c158ebe7a32d23630423dd6ef76559427bf10b07e1893210c4a8b7df4149492
sdk-lib/src/main/java/cash/z/ecc/android/sdk/block/processor/model/VerifySuggestedScanRange.kt	396	c7fe8e8a9b855fde88ead2914cdfce81afbd53d5c6900404842b1843ba30299c
sdk-lib/src/main/java/cash/z/ecc/android/sdk/exception/Exceptions.kt	22201	0a9c088049ae1277680f5c87d6489bfeac4f4988aa02ca107747839350e3cca2
sdk-lib/src/main/java/cash/z/ecc/android/sdk/exception/TorInitializationErrorException.kt	168	394d603ce4e119b810f859afef3f90a2ed4ae798d2d8d8a258b94d41192370f3
sdk-lib/src/main/java/cash/z/ecc/android/sdk/ext/BatchMetrics.kt	1575	1b2d458cec217f82c4cf350a35dae670cd3da480110fffd64ee381cc01aab72b
sdk-lib/src/main/java/cash/z/ecc/android/sdk/ext/BlockExt.kt	948	42cecab37632370cb082bef25c032de68e6b43641d21c83184f5d3214e02fe49
sdk-lib/src/main/java/cash/z/ecc/android/sdk/ext/ConsensusBranchId.kt	1557	2cb2c9bdb73ce6ec56b2a3e120825de53393eb762eb81475cb5b4448726bcb8a
sdk-lib/src/main/java/cash/z/ecc/android/sdk/ext/CurrencyFormatter.kt	15899	c9c3f58d26f34d46da8cca6104e5f332b1334dd5da7d0b223a9d744717f10c37
sdk-lib/src/main/java/cash/z/ecc/android/sdk/ext/Flow.kt	1983	6feaf3ebb5e94db71264b55d56955d4061675235644eb6655b6980436be2cebf
sdk-lib/src/main/java/cash/z/ecc/android/sdk/ext/ZcashSdk.kt	2592	a30062764147f9a29d49be7a036788f31293af4a4d289bfceb36a837aa1079a4
sdk-lib/src/main/java/cash/z/ecc/android/sdk/fixture/AccountCreateSetupFixture.kt	831	ab4d7363d4d62ec01dd7403f2e265a2d375e45b0b38427f6e404f881a6ad1a20
sdk-lib/src/main/java/cash/z/ecc/android/sdk/fixture/AccountFixture.kt	2458	f5e032a0a2a801044ed50d60ef18e227cea4e4758c4a268667e4ef8837ef1386
sdk-lib/src/main/java/cash/z/ecc/android/sdk/fixture/TransactionOverviewFixture.kt	3324	23642553eef31a7f8acbf8e37b68fe7333d975cd1a0e026b8d72c771a50fe56b
sdk-lib/src/main/java/cash/z/ecc/android/sdk/fixture/WalletBalanceFixture.kt	896	54a8b18cb3dd9cb5ace483d6503799f2a2af9282c9909b5d5de304b2bb151fee
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/AndroidApiVersion.kt	1586	b7c3d865c28a613b1474b57cda766f5101cf4238cce1ff050992bae3b7ac21e7
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/ChainTipEstimator.kt	6247	1156a4c4fce93f85bc4619044080d4838cf64d95d342d59773e5ad1f2adf3862

sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/DerivationToolExt.kt	2627	2e96a597a7abb721298cdd1d067f02f6e184356316a0b841d3917e10ce127fc0
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/FastestServerFetcher.kt	11091	b8ccd3e3853bb744db63741043d18ffc0d727e9ccfe362f893e15ad453d58174
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/Files.kt	1939	b676d313e21caed72b906707eafe55781751f7c10229ce05b5009437cd45ecd8
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/ImportAccountErrors.kt	1067	ed5349d0f554ef888eb068eb044ab9b9c301f7a722d6a071005e87664c1d91a3
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/LazyWithArgument.kt	1002	fedf00159aea09b8b1722b38ddf86d4a897096eba1d3025c817d30d1403db211
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/NoBackupContextWrapper.kt	1606	02de36958958ed26a525b7caeecac91a80748443483dd233cdef18dc411a55f8
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/OrchardMigrationSdkImpl.kt	94617	ba525aa40dc494721d6369adc270da6e3610b872c2e6a8c224626c1371520263
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/SaplingParamFetcher.kt	2416	8bf2693842a150bfec8cf76f856b29b145cd3d48d21d2b22e6e5bd327cb8caf0
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/SaplingParamTool.kt	16328	bd1e5e2072153e41bdc2dd68ec44fabbef5e1d066679dc5a0a5107c4d1083735
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/SuspendingLazy.kt	747	25cf4ca6d476b7cc01aac278dba436a468d9fb3fcb0f378e5637bc2fe4c6353e
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/Twig.kt	6122	06803b49e24f03ca81c04783803d9bc36f67f3fa7b6eeed9778eeb3acd97cdaa
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/TypesafeBackend.kt	11290	a56c54c20144c6b7eaa404147d05c5992a907b3de7c94c3394ccbaec6bae50b7
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/TypesafeBackendImpl.kt	14715	d4d3f915b3b938ff8927474ae0a28f3dd9c0df45a8464d1a16949ea34956ec59
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/TypesafeDerivationToolImpl.kt	2708	370b0f1e354bd203a793b5e20c245179b004401b68967e2769344944b54ff161
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/TypesafeMigrationBackend.kt	12380	4ff7b5f1b2c2c31071d3068d2860729f13110d6fdf63cbaaf38207a2dc1e7183
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/TypesafeMigrationBackendImpl.kt	12063	f9d6d7fb8c550bff90922e942373d8df6fcdf4e33404cf6297db14b1cad37395

sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/TypesafeVotingBackend.kt	22477	4f22dcb372b4cf45fd20ebcd376bee9c3cd8a4e1c92d070dc79cdbbf16975184
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/TypesafeVotingBackendImpl.kt	49983	3e60aaca6aaba9cadcf131c0b75312c44fa87cf60a234082b5c7ad3c95fcd9b9
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/VotingNoteInfoMapper.kt	840	b67ecc3750760a2cf912b0596cf2740fbb4b304319130215e7373a83ad2176a0
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/VotingSdkDelegationMappers.kt	3535	a1cfff3ccce87796b682422ff4e46bb175e4d1102a4860a67e3de86aa5fefb58
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/VotingSdkImpl.kt	16226	00e484870e1ceef4ce7800645b6dd3b02ee620bcdfbc0af2fcbbcf19930e58a1
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/VotingSdkNoteMappers.kt	3862	446a8e8caada197b4da93c470b25d994e6e6afa744e7ed1d7594a1fbe17a6579
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/VotingSdkRoundMappers.kt	3021	09493218690f27ae3fa15f2596dbd1ec95f4d93bc3c566ef99e1df46a0005413
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/VotingSdkVoteMappers.kt	3363	c7334ba9014e6ee44a9ae0c4a914fa0ab56c329cfed65c5ff928d29c85af7593
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/block/CompactBlockDownloader.kt	11972	3bdbebd4aa4e8ce04522d110bf55e4fa05b7f15fb7d630e68bfd68909be6178d
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/db/CursorParser.kt	634	7aa79d653e46f5aafb5c1bfaa04bb8263aa470e02cb449a7f8557fcd83c083f1
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/db/DatabaseCoordinator.kt	16623	8bf7ecb7f38a1d87723adef30a2ce7e2519a246cc29b0d0bf6dd0ee6de54a41d
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/db/ReadOnlySqliteOpenHelper.kt	1541	56993339efb8ecb3560ee5d53dfd3360967403b5de12f8b0c3c6f98fa3e60336
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/db/ReadOnlySupportSqliteOpenHelper.kt	2096	fc5065c278d2a6fcc26cee401f1b94478251d1531fdad2598ade963a7753847a
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/db/SQLiteDatabaseExt.kt	3787	941f990f944bb1f5769c6af89345c440629d836ef73af8e3d3740c4ef3378c18
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/db/derived/AllTransactionView.kt	13314	1047158e12454a429abbf92c6ab9892727063149ca7cbf6ce5b659e554a6ee7e

sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/db/derived/BlockTable.kt	4075	76244faafd65b81aa3244bd83c3dc5e06468b1e379da7efbb2ab81d42b0c96d8
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/db/derived/DbDerivedDataRepository.kt	4441	0d91651d665300a303ee8957dacff23a1704b648baf0036e5235ee65ccfbc867
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/db/derived/DerivedDataDb.kt	7025	e94b99fffe12526fbd23c30de0fdb8bfa87a813ac0a5552e48b05f77efb80eaf
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/db/derived/TransactionTable.kt	5209	83118710169ebb1bf5d15a013822d7fcbe24bfd73fac23b18a4bfb35778c4152
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/db/derived/TxOutputsView.kt	8307	a083fcfc478f890b4f7c6b17d28ef9a4bbac9b2d4a7d4e137279424b94f822cf
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/exchange/UsdExchangeRateFetcher.kt	2229	bf30d5b5ca87c086df9325a23d825fd80b9e3b3c673afb5bd8baf76b4ff12d6b
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/BlockExt.kt	460	476b87e99414743ca51cb87de2140d0dd7544e55301bf5e9b787325b73313504
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/ClosedRangeExt.kt	570	542fcaf7d08111686d07dd23c3e6a054283a873eaa31bda3d4cb5cbc31ea3542
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/ContextExt.kt	789	4b3aefe607b541e94ffb0f9f493b4c2b64626d387dd4ad2e27588acde7444c53
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/ExceptionExt.kt	2575	996fe9cc15c92016df407864738f3685dad247470599c91a56ac072279cf6cc9
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/Placeholders.kt	4539	5c2560b85c1fb1f79d9f38f5e9477cd0ad0478b8f743ec226cafb2ddebceebbf
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/ext/WalletService.kt	5046	746d500073709fd7a75334b63abdaa6b6397ec4ca2af155c73dd4c5590cd5ec9
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/metrics/TraceScope.kt	1274	969486dee0af293a0b1eb7af7f2a9c0b55e31c92e8cd67013569c2212bbc936a
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/BlockBatch.kt	430	d363cfede9c4fa040e0f63ef1cd97b4907caf26c638d3f1aa8d9f2912174785d
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/Checkpoint.kt	1567	400213030402749e2914e714d20eed613b5bfa8b3378a6dc11c0a000751bb963
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/DbBlock.kt	284	1600661f959c9e7cca795f9efb6e21afa87334a93046fef25f1fcc1e426b33a8
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/DbTransactionOverview.kt	1169	093119c3e9b7d77e7afc87c5df613a51b1e3f03c44691f4823939e08ab8d337c

sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/EncodedTransaction.kt	473	2ecddd155c753b2ebc67654ad5bbcddaebda3dca298b84ba9650f4f595cb3305
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/OutputProperties.kt	696	d4f563f890fddcf42a49d4a0c8aa10642d119398bd8ad2fa7788bbc3e254238b
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/Progress.kt	618	87220a4e155bda1454c97b9679c33d4bfacd77edb0575f5a1ccf78bff038b3cc
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/RecoveryProgress.kt	683	ca30b3b71a897b14acb7cb16c3c54840e035ef92af4ba86fd369ef9eb82412ac
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/RewindResult.kt	1036	8cdf149a3d69ced85a411f5a3fb52fa07db868de1f22614e8ffefc3f82b3d959
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/ScanProgress.kt	559	233315f5b556c404a88227c0058ae8603a4ce8439a7bac53a0e49342c23bec43
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/ScanRange.kt	1935	579d63a3f1ab29e4cbbb802ec47e5de61c1ef1830f6dd6bd961880f1d1201a5b
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/ScanSummary.kt	831	dea370ab7713e3bc65f428d499c81b96d99f77435ccdeddd58c4161406a65cc9
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/SubtreeRoot.kt	1421	60be555a85faef436a5e638a2f0af77ae8735a9a90c9e3f12bb44a372857db22
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/TransactionDataRequest.kt	8140	a3b21fd908d94fecb13a72eae97ba22819756084f8e37a24082424a811d1b583
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/TransactionStatus.kt	672	9dae56875f3c24508e8ceccb445628747a4deebe006606c5e02183782df34659
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/TreeState.kt	844	532ae7a2640eb72994b4245dbacd108e7992ec30b39e7d2cca691049f8201607
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/WalletSummary.kt	1416	c98a9dbc4714defc194a85266102ea935932dc9f8234b7cc2f90f1f68e23780d
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/ext/BlockHeightUnsafeExt.kt	350	787b22ef6757efd04ed4aa7c54dac80c08ee9f945a316e5771b452cbd6fa3fa9
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/ext/CheckpointExt.kt	3266	fb75c04af14c2c882cd250b899053d8a75ff51203bc352f03c8bbd6ab5fec74b

sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/model/ext/RawTransactionUnsafeExt.kt	712	371f96eeeb75fa1a0b370a59e759f80d547ff645d50a6544dea0d37e35e22ce4
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/repository/CompactBlockRepository.kt	2132	89d2f6a2f0ac253ad60391963c1f53f7e967edda971654d9ceaee5f0e94e9e03
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/repository/DerivedDataRepository.kt	5413	fad04b2375650e514f7977249197ff6be107414a8d199c791443ecd24d58b05e
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/storage/block/FileCompactBlockRepository.kt	7532	6cc46b8af6df2bbb7c7c5190f6bd48e278e8b32cbeb4172f33bf4ac48ec8b2ae
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/storage/preference/AndroidPreferenceProvider.kt	5066	5a8bbf0efe10365ee6935abf76f8d6c64ca1b62070973da065b2e088fc959f96
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/storage/preference/EncryptedPreferenceProvider.kt	489	f4d0fb48eb3a8557d2043906861a6b3aa761abbd924e2a57577c52890eb421f6
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/storage/preference/PreferenceHolder.kt	870	6fddc8e6863777ecbf27059fd63ea660fd5c79a10db46fff35154bacea3af9b5
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/storage/preference/StandardPreferenceProvider.kt	477	3a7014432ae7a8d37e22e2b3a81b29525cf6b220b1a511564d098b64d5cddd05
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/storage/preference/api/PreferenceProvider.kt	728	4d8654ade9e5a9a4dfee4fd30161f20f3d2b39c2b94e4f4c00c169f27c8ec56f
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/storage/preference/keys/EncryptedPreferenceKeys.kt	2814	d245ae0749a738fdeef28b26b0da4be59f1f1a8a0780676dfc9f8abea0771a57
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/storage/preference/keys/StandardPreferenceKeys.kt	484	cc5aa95d99846ed423019bd41c8981c0662acc1115de83df938346958d125776
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/storage/preference/model/entry/BooleanPreferenceDefault.kt	1011	25a36ea055fa204958b804f843ef8e49d6ea5a1187e638f37986e61e8c15f01b
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/storage/preference/model/entry/IntegerPreferenceDefault.kt	950	a0f26ad0903cae0e3408fc787d96e1af8d45e2519ed59f69cffcfd3c6f65f111
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/storage/preference/model/entry/PreferenceDefault.kt	2183	5d60a0b8e798cf1c6920764b26e733472e1f98eeeb6a71e83c69061e74e366b8
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/storage/preference/model/entry/PreferenceKey.kt	1133	6ff7c424c2bb6112b5a10590efee11582a02f784483cddb56b0a13dc6e3cd1b6

sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/storage/preference/model/entry/StringPreferenceDefault.kt	619	235f63ec897b50c479bee6a061ab925fe3ea88ab93e92190ab1c595edfc2f9fa
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/transaction/CreatedTransactionExt.kt	336	b1000a9a2c55e9f392202209182827ef236fa3407f5a88455bb72dd560fc97ae
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/transaction/OutboundTransactionManager.kt	5923	c7ced5f973cee37bdc755f5450387a4364597d724aac85eba2c5bd50194babf0
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/transaction/OutboundTransactionManagerImpl.kt	4107	dcfdac512e040f1b6628580f8277f1df1cd88bbafa7b37e20f6f6c2d1f3b27b0
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/transaction/PendingSubmitPlanCodec.kt	3667	7293cafede86aa6db9c4484c0bde7de70db32b7830b63caf3f5bcc3a53c33f41
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/transaction/PendingSubmitPlanStore.kt	6760	2bcef01aee55180b30a2837a68ee5d6e6e6e73512ef7c2a8825860343e10ce72
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/transaction/SdkBroadcaster.kt	5893	7a938e03748a03aac031fb50fd408c40b1ff84d094c058d3bcbfc563232b8aa2
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/transaction/SubmitPlanExecutor.kt	778	7c89f80d38627a6ccb701fee1f5e1040c1480cab75113ac16790e2e2c2cdc940
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/transaction/SubmitTransaction.kt	3740	71ac10bade79c775d054c3a1eb957b70511d4059b74634e61438936af7922610
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/transaction/TransactionEncoder.kt	6108	af7ca847a2dce14092047131b2be8c94e6dafea7b29675ec588bbbb0998eced0
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/transaction/TransactionEncoderImpl.kt	11825	bbb2803ef94d19b1478c927a2bfcf221c760ffa6cf2ab0202e3686af8cfbe60e
sdk-lib/src/main/java/cash/z/ecc/android/sdk/internal/transaction/TransactionSubmitPlan.kt	359	fae5415927cbf3075b4a523319a841aa9e2f97bedf53a50030791c5bf8389df3
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/Account.kt	4936	3aefcf680071e990fcb546cfd863274a6ae194ed3e4bc8f9a62a422e160eb2a7
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/AccountBalance.kt	1570	91b08f121849502cb494ab64f3d2c07ed6d1156f1320699fdac24a29557629c2
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/AccountCreateSetup.kt	808	0c7484d25cda6adf5dca945b39de87caef3060accb645bde1ad3e6da601dfbd0

sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/AccountImportSetup.kt	1129	6a22bd63b1747b2e5b54475302c0176e91352a2997cd6ef9d707a5ad3574d959
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/AccountMetadataKey.kt	2625	536aec740fd4b4de22a011e669a1f0338254d7eb0d67b12ca1b5f6b033827bba
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/AccountPurpose.kt	1001	39282822ebd448a8f9e7413163fdc9e20d12a74df81603504e7144a56e64ecb0
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/AccountUsk.kt	1126	6697b11f5035e2e2c1378de8222b1fa4943755c465bfd9386e079c23b06cf258
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/AccountUuid.kt	847	5ab0a58247960a5ae597158b6c59d182e87da32ea1ca936b82d6071d223c9716
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/BlockHeight.kt	2507	db7c2698edd55f3f6b38534a902605d19b7491c6c41c62985a1cc9b32cb0ba82
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/CreatedTransaction.kt	545	89f2a80b506dcf7e5b34bd336ef8a65020b7bb90caffde581db6382df936832e
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/FastestServersResult.kt	631	deb67f285bf0d740028ebabdb2244547e92b7d196a4f71c6d059e7db360ce1dd
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/FetchFiatCurrencyResult.kt	360	43680e376ed36061a26d63ef5cbdf7408cd1e9fb8f702c63f7d03e6595584580
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/FiatCurrency.kt	995	2f7871c1684ce09b6e969b02a5b81ea44688d3bc8b3200949b489f24b084fb38
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/FiatCurrencyConversion.kt	778	5b820d20c97aab01558f7b9ff9479539856f15d20fb6ccd3250c166550ac37a6
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/FirstClassByteArray.kt	528	56e8ab9e8a9b61e1c855472ccddf68536c9fa4916a3c3746e6b80a7230780833
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/MemoContent.kt	8663	9b306a57ce3cf940a1e7229137ae86c342cfc9cb81d19320ffce6e6a66338969
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/ObserveFiatCurrencyResult.kt	174	73051b717627cf0200159cac055b1b78266c7c9cf8966d95bad2fa96746e7ac3
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/Pczt.kt	446	4be9eec2c44831c5a932a81e59c23af64e07a98c5828a2378d7d782fa785620d
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/PendingTransaction.kt	5482	cd9208ef994f1124e99a90373d8ff3feed075d7a2431940518091b9af452a42d
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/PercentDecimal.kt	882	fcc6e0aa7dbfe2938990d1d89faf1e83843a6caa22f9cce2d050688f7eb288fb

sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/Proposal.kt	2292	4cf55b39f5b7468fec1cb896d92adf2952d92329aa6decf633491e874bae4a80
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/RawTransaction.kt	1661	272552de6720669df5b3a10c11d46ade7a2dd2a9f92ac4275f86cc5463faa0b2
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/SdkFlags.kt	464	7fbe1f2c16010788c0ae68e4114440255cfc4f19f887609ce83025c00be663ad
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/SingleUseTransparentAddress.kt	958	4c5e33a3b0831031fd3bd21faef3278cb72a980eb77f12c37d1c478c2e45a646
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/TransactionId.kt	2013	a680d2ddaa3f4bb8dfcb2f8e789cb3fe3be148133e27998c633d10be1a12b630
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/TransactionOutput.kt	189	cab97a36aeeaf2d2af727c14f5c895754a1dfec47e3230be8bd0ce5475d7e5e7
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/TransactionOverview.kt	6714	6a521c8ec82e2500f2f128f0e7c313d6f915d6ba3741650f3f5bfd201b196a4e
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/TransactionSubmitResult.kt	1992	01d6fb49fced00c39aeb5eac156dd9cda926c0900b6169ced1354b04859d9f91
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/UnifiedAddressRequest.kt	1069	095a7f2ce546f5c6f12a9b8b211f775719b7f0a5d18320afa22ebbb213242004
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/UnifiedFullViewingKey.kt	440	c8dc3d1238197a395e79f3d92ed5abd34fce4b6dfb5fb2682d5797e2a73da9ee
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/UnifiedSpendingKey.kt	2506	6d166e98ea45daec368fdc087e6c0ad2461e438fa57ff7f05e302398196d5677
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/WalletBalance.kt	2165	7adc1bbbd6923848cc954a23f07587fbbb2d2d63b03124895a3e9ac0ef525cb5
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/Zatoshi.kt	1163	946f9695a267d2e07e211199fe8df9709a1cc872cc532e1fa9251c89f8cd2991
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/ZcashNetwork.kt	1461	962a2f02a08b5aed201b3f5b2aed78f183d2f090b9c9b75dfe5a3d4fcd90bdbc
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/Zip318Kind.kt	2079	4ab35d5506d38cff129994b5e9f07bb194eb51a971b863adc1eac78d307a783c
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/Zip32AccountIndex.kt	558	00aea12278ca7a4ce4d72f069318bf82a70280668b6cc255460a60f14b2c2c8d
sdk-lib/src/main/java/cash/z/ecc/android/sdk/model/voting/VotingModels.kt	17280	8665a5117a282e9fe754516ec93b2dc143f2a52e3d12609908a74949e503aab6

sdk-lib/src/main/java/cash/z/ecc/android/sdk/tool/CheckpointTool.kt	12623	d3fc4ad8378f2065e3ad4e1fbc82c15779cc5ce09c5ac6bc08433ceb9a031ae1
sdk-lib/src/main/java/cash/z/ecc/android/sdk/tool/DerivationTool.kt	6701	328f4d6a59432fd7ab0742c33b63aca8627086b376b4784def114468090a53ac
sdk-lib/src/main/java/cash/z/ecc/android/sdk/type/AddressType.kt	1305	2fe46fdd9c496943c3ebb4cf2306fc39a19c4c1dc7a3990d970159fbdead7f41
sdk-lib/src/main/java/cash/z/ecc/android/sdk/type/ConsensusMatchType.kt	2272	8abfbe498b521c2b255ca4be7108cb150871be4b0fd723c7214177d8b695e93e
sdk-lib/src/main/java/cash/z/ecc/android/sdk/type/ServerValidation.kt	328	6f0bb359aa8c6b709423b48348b6a0b1f682cc0ac868b95b10d41b9a4172b86e
sdk-lib/src/main/java/cash/z/ecc/android/sdk/type/WalletTypes.kt	324	024b322b920107bdcde5e3b83f86fe6ebda28a7df73338789cb78991b996a87f
sdk-lib/src/main/java/cash/z/ecc/android/sdk/util/WalletClientFactory.kt	1604	d2ccdcd1f2bcd3047c374625474b3537bf854d3f48bc8f950e64089a80e00c97
sdk-lib/src/release/java/cash/z/ecc/android/sdk/annotation/OpenForTesting.kt	579	7411e0ad18d1946c30823762ba8891c0254f0e3a2fb1b0039ef94b88925f7496
settings.gradle.kts	16977	55e67069d951e3d1ddd39cf66c50363096f8f7b12a1a78c4bec8a6898917800b