QUANTUM SECURITY INTELLIGENCE

Security & Post-Quantum Readiness Audit Report

zcash-swift-wallet-sdk @ 4895ee058da9 · Electric Coin Company (Zcash) — public repository (passive review)

Organization	QSI
Report date	2026-10-28 13:03 UTC
Report version	1
Audit run	92a48a9c-2953-4dff-9139-91cd1aa708d4 · Document audit · 2026-10-28 13:03 UTC
Analyzer engine	qsi-engine 1.2.0
Risk profile	Small technology company
Content SHA-256	`3f9395ecdc760e1d1fbe874a5b0e9954a776e0a678451db32e9a30253ad81a7f`
Signature key (Ed25519, SHA-256 fingerprint; the signature is the separate file report.sig.json)	`5b3cf9c9bd0fa54447e2b5dfa7a6bab569bd0c666fa46949599e5c348d17083e`

Contents

1. Executive summary
2. Scope and boundaries
3. Methodology
4. Assets examined and not examined
5. Architecture overview
6. Overall security posture
7. Findings by severity
8. Detailed findings
9. Evidence
10. Post-quantum assessment
11. Limitations and assumptions
12. Remediation plan
13. Priorities for 30, 60 and 90 days
14. Verification after remediation
15. Tools used
16. Sources and normative documents
17. Appendices

This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.

Executive summary

32	0	0	7	21
Findings in total	Critical	High	Medium	Low

Classification	Count
Confirmed technical vulnerability	0
Known vulnerable component	27
Confirmed configuration error	0
Potential cryptographic risk	0
Long-term post-quantum risk	1
Improvement recommendation	3
Insufficient data	1

Top 5

ID	Severity	Detailed findings	Priority score
QSI-2026-05216	Medium	block-buffer 0.10.4 is affected by GHSA-qwgh-2vcv-g2f7	33.1
QSI-2026-05217	Medium	block-buffer 0.11.0-rc.3 is affected by GHSA-qwgh-2vcv-g2f7	33.1
QSI-2026-05222	Medium	rsa 0.9.10 is affected by RUSTSEC-2023-0071 (CVE-2023-49092)	33.1
QSI-2026-05223	Medium	rustls 0.23.42 is affected by GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285)	33.1
QSI-2026-05224	Medium	rustls 0.23.42 is affected by GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346)	33.1

Mosca's inequality (x + y > z): x = 5, y = 3, z = 12 → time available under this scenario. z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Post-quantum maturity: Level 0 of 4 — no post-quantum cryptography. Next step: Inventory where classical public-key cryptography protects long-lived data and keys, and choose the first migration: usually a hybrid TLS key exchange and wrapped keys.

Scope and boundaries

Mode: Document audit

Repository: https://github.com/zcash/zcash-swift-wallet-sdk @ 4895ee058da99971057cceb80f36b8909656a8a9 — evidence links open the lines at this commit.

Supplied inputs

205 files, 3130631 bytes in total, 0 redaction(s); the per-file SHA-256 list is in appendix C.

Methodology

The audit was performed by the QSI engine 1.2.0. Each analyzer emits facts (rule, parameters, evidence); finding texts are generated from the rule catalog. Methodology sources are listed under "Sources and normative documents".

Prioritization uses an explainable weighted model (severity, exploitability, exposure, confidentiality/integrity/availability impact weighted by the "Small technology company" profile, asset criticality, urgency, ease of remediation) with a confidence multiplier. CVSS v3.1 is applied only to technical vulnerabilities with a defined vector. Long-term quantum risks use Mosca's inequality; their severity is capped at Medium and they are never presented as exploitable vulnerabilities.

Finding classes: confirmed technical vulnerability; known vulnerable component (a dependency version named in an advisory; whether the affected code is reachable is assessed separately, and a component confirmed by review becomes a vulnerability); confirmed configuration error; potential cryptographic risk; long-term post-quantum risk; improvement recommendation; insufficient data. Heuristic findings are marked preliminary; analyst decisions are shown next to the findings.

Coverage of checks

Area	Status	Count	Examples
source_code	checked	198	.claude/skills/update-checkpoints/scripts/checkmate.py: 73 lines scanned with 16 rule patterns and 122 registry patterns; .claude/skills/update-checkpoints/scripts/fetch_checkpoints.py: 164 lines scanned with 16 rule patterns and 122 registry patterns; .claude/skills/update-checkpoints/scripts/verify_checkpoints.py: 199 lines scanned with 16 rule patterns and 122 registry patterns
dependencies	checked	3	Cargo.lock: 679 dependencies parsed (679 pinned); Cargo.toml: 57 dependencies parsed (1 pinned); Package.resolved: 21 dependencies parsed (21 pinned)
certificates_and_keys	checked	1	responsible_disclosure.md: certificates/keys parsed
osv_advisories	checked	1	679 pinned packages queried at OSV.dev; 16 affected

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

Assets examined and not examined

Supplied inputs: 203 (input files: C)

Architecture overview

Static review of the source tree zcash-swift-wallet-sdk at 4895ee058da99971057cceb80f36b8909656a8a9. 205 files analysed; of 1623 files, 178 are test, fuzzing, benchmark or example code and were left out, 1240 are not read by any analyzer, 0 exceed the per-file limit and 0 did not fit the total limit. No requests were sent to the owner's systems.

Overall security posture


48
Indicative posture index (0–100)

16.7%
Quantum-vulnerable share of inventory

12
Cryptographic inventory

Derived from findings in scope (confirmed and potential issues weighted by severity). Indicative only; not comparable across differently scoped audits.

Findings by severity



ID	Detailed findings	Classification	Severity	Confidence
QSI-2026-05216	block-buffer 0.10.4 is affected by GHSA-qwgh-2vcv-g2f7	Known vulnerable component	Medium	Low
QSI-2026-05217	block-buffer 0.11.0-rc.3 is affected by GHSA-qwgh-2vcv-g2f7	Known vulnerable component	Medium	Low
QSI-2026-05222	rsa 0.9.10 is affected by RUSTSEC-2023-0071 (CVE-2023-49092)	Known vulnerable component	Medium	Low
QSI-2026-05223	rustls 0.23.42 is affected by GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285)	Known vulnerable component	Medium	Low
QSI-2026-05224	rustls 0.23.42 is affected by GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346)	Known vulnerable component	Medium	Low
QSI-2026-05227	serde_with 3.17.0 is affected by GHSA-7gcf-g7xr-8hxj	Known vulnerable component	Medium	Low
QSI-2026-05228	time 0.3.37 is affected by GHSA-r6v5-fh4h-64xc (CVE-2026-25727, RUSTSEC-2026-0009)	Known vulnerable component	Medium	Low, preliminary
QSI-2026-05212	Quantum-vulnerable RSA key (2048-bit) in responsible_disclosure.md	Long-term post-quantum risk	Low	High
QSI-2026-05226	rustls 0.23.42 is affected by GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349)	Known vulnerable component	Low	Low
QSI-2026-05225	rustls 0.23.42 is affected by GHSA-h2v8-394m-p7vv (RUSTSEC-2026-0348)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05218	crypto-bigint 0.5.5 is affected by RUSTSEC-2026-0387 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05219	event-listener 5.4.1 is affected by RUSTSEC-2026-0221 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05220	h2 0.4.15 is affected by RUSTSEC-2026-0258 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05229	tokio 1.53.1 is affected by RUSTSEC-2026-0386 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05230	zstd 0.13.3 is affected by RUSTSEC-2026-0391 (no severity rating)	Known vulnerable component	Low	Low, preliminary

QSI-2026-05231	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0395 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05232	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0396 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05233	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0397 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05234	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0398 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05235	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0399 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05236	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0400 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05237	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0401 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05238	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0402 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05239	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0403 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05240	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0404 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05241	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0405 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05242	zstd-safe 7.2.4 is affected by RUSTSEC-2026-0406 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05243	zstd-sys 2.0.16+zstd.1.5.7 is affected by RUSTSEC-2026-0410 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-05213	No post-quantum capable cryptographic library detected	Insufficient data	Info	Medium, preliminary
QSI-2026-05214	atomic-polyfill 1.0.3: informational advisory RUSTSEC-2023-0089 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-05215	bincode 2.0.1: informational advisory RUSTSEC-2025-0141 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-05221	paste 1.0.15: informational advisory RUSTSEC-2024-0436 (unmaintained)	Improvement recommendation	Info	Low

Detailed findings

QSI-2026-05216 · DEP-KNOWN-ADVISORY

Medium

block-buffer 0.10.4 is affected by GHSA-qwgh-2vcv-g2f7

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-qwgh-2vcv-g2f7 for crates.io package block-buffer at version 0.10.4: block_buffer: panic corrupts inline buffer position. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/block-buffer@0.10.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-qwgh-2vcv-g2f7
```

EVIDENCE

tool_output · OSV.dev GHSA-qwgh-2vcv-g2f7 · manifest · SHA-256 ac22c9ee6301d8c1...


```
{"id": "GHSA-qwgh-2vcv-g2f7", "aliases": [], "modified": "2026-08-19T19:30:06.686866977Z",
"summary": "block_buffer: panic corrupts inline buffer position", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-qwgh-2vcv-g2f7

QSI-2026-05217 · DEP-KNOWN-ADVISORY

Medium

block-buffer 0.11.0-rc.3 is affected by GHSA-qwgh-2vcv-g2f7

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-qwgh-2vcv-g2f7 for crates.io package block-buffer at version 0.11.0-rc.3: block_buffer: panic corrupts inline buffer position. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/block-buffer@0.11.0-rc.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-qwgh-2vcv-g2f7
```

EVIDENCE

tool_output · OSV.dev GHSA-qwgh-2vcv-g2f7 · manifest · SHA-256 ac22c9ee6301d8c1...


```
{"id": "GHSA-qwgh-2vcv-g2f7", "aliases": [], "modified": "2026-08-19T19:30:06.686866977Z",
"summary": "block_buffer: panic corrupts inline buffer position", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-qwgh-2vcv-g2f7

QSI-2026-05222 · DEP-KNOWN-ADVISORY

Medium

rsa 0.9.10 is affected by RUSTSEC-2023-0071 (CVE-2023-49092)

Known vulnerable component | Confidence: Low

OSV.dev reports RUSTSEC-2023-0071 (CVE-2023-49092) for crates.io package rsa at version 0.9.10: Marvin Attack: potential key recovery through timing sidechannels. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rsa@0.9.10
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC

Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	5.9 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2023-0071
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2023-0071 · manifest · SHA-256 6fcc27a80e8a3034…


```
{"id": "RUSTSEC-2023-0071", "aliases": ["CVE-2023-49092", "GHSA-4grx-2x9w-596c", "GHSA-c38w-74pg-36hr"], "modified": "2026-09-14T09:45:02.996132556Z", "summary": "Marvin Attack: potential key recovery through timing sidechannels", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2023-0071

QSI-2026-05223 · DEP-KNOWN-ADVISORY

Medium

rustls 0.23.42 is affected by GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285) for crates.io package rustls at version 0.23.42: Rustls: TLS 1.3 handshake messages incorrectly accepted across encryption level boundaries. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls@0.23.42
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	5.3 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-2mjx-qc3c-rqvc
```

EVIDENCE

tool_output · OSV.dev GHSA-2mjx-qc3c-rqvc · manifest · SHA-256 f20e4b21c01d3d75...


```
{"id": "GHSA-2mjx-qc3c-rqvc", "aliases": ["RUSTSEC-2026-0285"], "modified":
"2026-10-27T15:30:05.509305490Z", "summary": "Rustls: TLS 1.3 handshake messages incorrectly
accepted across encryption level boundaries", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/
AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.45).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-2mjx-qc3c-rqvc

QSI-2026-05224 · DEP-KNOWN-ADVISORY

Medium

rustls 0.23.42 is affected by GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346) for crates.io package rustls at version 0.23.42: Rustls: Session Debug formatting exposes TLS master secrets and resumption PSKs. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls@0.23.42
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	4.0 — CVSS:3.1/AV:L/AC:H/PR:H/UI:R/S:U/C:H/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-c8m5-c952-6cm4
```

EVIDENCE

tool_output · OSV.dev GHSA-c8m5-c952-6cm4 · manifest · SHA-256 87554a0cce34470a...


```
{"id": "GHSA-c8m5-c952-6cm4", "aliases": ["RUSTSEC-2026-0346"], "modified":
"2026-10-27T16:15:05.354395696Z", "summary": "Rustls: Session Debug formatting exposes TLS master
```

secrets and resumption PSKs", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:L/AC:H/PR:H/UI:R/S:U/C:H/I:N/A:N"}], "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.46, 0.24.0-dev.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-c8m5-c952-6cm4

QSI-2026-05227 · DEP-KNOWN-ADVISORY

Medium

serde_with 3.17.0 is affected by GHSA-7gcf-g7xr-8hxj

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-7gcf-g7xr-8hxj for crates.io package serde_with at version 3.17.0: serde_with: KeyValueMap serialization panics on empty sequence or map entries. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/serde_with@3.17.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	33.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-7gcf-g7xr-8hxj
```

EVIDENCE

tool_output · OSV.dev GHSA-7gcf-g7xr-8hxj · manifest · SHA-256 9a6efbdf7670d9ea...

{"id": "GHSA-7gcf-g7xr-8hxj", "aliases": [], "modified": "2026-09-10T03:51:10.897685062Z", "summary": "serde_with: KeyValueMap serialization panics on empty sequence or map entries", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:L/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:L/SC:N/SI:N/SA:N"}], "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (3.21.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-7gcf-g7xr-8hxj

QSI-2026-05228 · DEP-KNOWN-ADVISORY

Medium

time 0.3.37 is affected by GHSA-r6v5-fh4h-64xc (CVE-2026-25727, RUSTSEC-2026-0009)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GHSA-r6v5-fh4h-64xc (CVE-2026-25727, RUSTSEC-2026-0009) for crates.io package time at version 0.3.37: time vulnerable to stack exhaustion Denial of Service attack. The audited code does not name the affected functions (time::Date::parse, time::OffsetDateTime::parse, time::PrimitiveDateTime::parse, time::Time::parse, time::UtcDateTime::parse, time::UtcOffset::parse …); time comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/time@0.3.37
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	28.1 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-r6v5-fh4h-64xc
```

EVIDENCE

tool_output · OSV.dev GHSA-r6v5-fh4h-64xc · manifest · SHA-256 47bed44226c6f8f5…


```
{"id": "GHSA-r6v5-fh4h-64xc", "aliases": ["CVE-2026-25727", "RUSTSEC-2026-0009"], "modified":
"2026-09-10T03:50:35.583241382Z", "summary": "time vulnerable to stack exhaustion Denial of Service
attack", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:H/AT:N/PR:L/UI:A/VC:N/VI:N/
VA:H/SC:N/SI:N/SA:H"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.3.47).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-r6v5-fh4h-64xc

QSI-2026-05212 · KEY-QV-PUBLIC

Low

Quantum-vulnerable RSA key (2048-bit) in responsible_disclosure.md

Long-term post-quantum risk | Confidence: High

A RSA 2048-bit public key was found (line 11).

Affected asset	file:responsible_disclosure.md#line 11
Data source	responsible_disclosure.md
Detection method	Public key parsing.
Analyzer	certificates 1.2.0 · 2026-10-28 13:03 UTC
Priority score	36.2 / 100 (Small technology company)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=5.0, y=3.0, z=12.0 → time available under this scenario

POTENTIAL IMPACT

Long-term risk once a CRQC exists; for key exchange, recorded traffic could be decrypted retroactively.

REPRODUCTION STEPS

```
Open line 11 in the supplied file responsible_disclosure.md and inspect the quoted lines (see evidence).
```

EVIDENCE

key · responsible_disclosure.md · line 11 · SHA-256 99f8a76d7955bc1c… · File b22c1c8a1dad5e09…

```
OpenPGP primary key: algorithm ID 1 (RSA) 2048-bit
```

key · responsible_disclosure.md · line 11 · SHA-256 a744425426415d58… · File b22c1c8a1dad5e09…

```
OpenPGP subkey: algorithm ID 1 (RSA) 2048-bit
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability.

RECOMMENDATION

Inventory and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it..

RETEST PROCEDURE

Re-audit after migration.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards

QSI-2026-05226 · DEP-KNOWN-ADVISORY

Low

rustls 0.23.42 is affected by GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349) for crates.io package rustls at version 0.23.42: rustls: An unauthenticated ServerHello poisons the per-name key-exchange record, so later ClientHellos carry only a classical X25519 share. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls@0.23.42
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	28.6 / 100 (Small technology company)
CVSS v3.1	3.7 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-w44r-93j7-qv28
```

EVIDENCE

tool_output · OSV.dev GHSA-w44r-93j7-qv28 · manifest · SHA-256 f0fcaa2fa7a56e18...


```
{"id": "GHSA-w44r-93j7-qv28", "aliases": ["RUSTSEC-2026-0349"], "modified":
"2026-10-27T16:15:05.340347056Z", "summary": "rustls: An unauthenticated ServerHello poisons the
per-name key-exchange record, so later ClientHellos carry only a classical X25519 share",
"severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.46, 0.24.0-dev.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-w44r-93j7-qv28

QSI-2026-05225 · DEP-KNOWN-ADVISORY

Low

rustls 0.23.42 is affected by GHSA-h2v8-394m-p7vv (RUSTSEC-2026-0348)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GHSA-h2v8-394m-p7vv (RUSTSEC-2026-0348) for crates.io package rustls at version 0.23.42: Rustls: Brotli certificate decompression can allocate an attacker-controlled amount of memory up to 1 GiB before authentication. The affected code sits behind the `brotli` Cargo feature, off by default, which no audited manifest enables: the advisory does not apply unless another dependency enables it.

Affected asset	dependency:crates.io/rustls@0.23.42
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	24.3 / 100 (Small technology company)
CVSS v3.1	3.7 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:L

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-h2v8-394m-p7vv
```

EVIDENCE

tool_output · OSV.dev GHSA-h2v8-394m-p7vv · manifest · SHA-256 9118726d52fea7ce...


```
{"id": "GHSA-h2v8-394m-p7vv", "aliases": ["RUSTSEC-2026-0348"], "modified":
"2026-10-27T16:15:05.337819489Z", "summary": "Rustls: Brotli certificate decompression can allocate
an attacker-controlled amount of memory up to 1 GiB before authentication.", "severity": [{"type":
"CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:L"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.46, 0.24.0-dev.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-h2v8-394m-p7vv

QSI-2026-05218 · DEP-ADVISORY-UNRATED

Low

crypto-bigint 0.5.5 is affected by RUSTSEC-2026-0387 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0387 for crates.io package crypto-bigint at version 0.5.5: Multiple timing variability issues in operations intended to be constant-time. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/crypto-bigint@0.5.5

Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0387
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0387 · manifest · SHA-256 eab63427da988e95...


```
{"id": "RUSTSEC-2026-0387", "aliases": [], "modified": "2026-10-24T03:45:02.365137418Z", "summary":
"Multiple timing variability issues in operations intended to be constant-time", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.7.6) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0387

QSI-2026-05219 · DEP-ADVISORY-UNRATED

Low

event-listener 5.4.1 is affected by RUSTSEC-2026-0221 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0221 for crates.io package event-listener at version 5.4.1: `event-listener` allows `!Send` tags to cross thread boundaries via `StackSlot`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/event-listener@5.4.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0221
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0221 · manifest · SHA-256 984b4e4e87b4e2cc...


```
{"id": "RUSTSEC-2026-0221", "aliases": [], "modified": "2026-07-31T12:15:04.629484145Z", "summary": "`event-listener` allows `!Send` tags to cross thread boundaries via `StackSlot`", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (5.4.2) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0221

QSI-2026-05220 · DEP-ADVISORY-UNRATED

Low

h2 0.4.15 is affected by RUSTSEC-2026-0258 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0258 for crates.io package h2 at version 0.4.15: h2 unbounded empty DATA frames. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/h2@0.4.15
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0258
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0258 · manifest · SHA-256 d8694780e4da4b8e...


```
{"id": "RUSTSEC-2026-0258", "aliases": ["GHSA-q83h-524g-xf6h"], "modified":
"2026-10-12T18:00:10.934581734Z", "summary": "h2 unbounded empty DATA frames", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.4.16) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0258

QSI-2026-05229 · DEP-ADVISORY-UNRATED

Low

tokio 1.53.1 is affected by RUSTSEC-2026-0386 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0386 for crates.io package tokio at version 1.53.1: `AsyncFd::new` and related constructors violate I/O safety. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (tokio::io::unix::AsyncFd::new, tokio::io::unix::AsyncFd::try_new, tokio::io::unix::AsyncFd::try_with_interest, tokio::io::unix::AsyncFd::with_interest); tokio comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/tokio@1.53.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0386
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0386 · manifest · SHA-256 f73073a3500a8c1b...


```
{"id": "RUSTSEC-2026-0386", "aliases": [], "modified": "2026-10-23T14:45:03.847864944Z", "summary":
"`AsyncFd::new` and related constructors violate I/O safety", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (1.51.6, 1.53.3) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0386

QSI-2026-05230 · DEP-ADVISORY-UNRATED

Low

zstd 0.13.3 is affected by RUSTSEC-2026-0391 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0391 for crates.io package zstd at version 0.13.3: Data from an abandoned stream leaks into the next stream on a reused context. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd::stream::raw::Decoder::with_context, zstd::stream::raw::Encoder::with_context); zstd comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd@0.13.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0391
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0391 · manifest · SHA-256 c5a6274e5a4cfb87…


```
{"id": "RUSTSEC-2026-0391", "aliases": [], "modified": "2026-10-26T14:00:04.269245609Z", "summary":
"Data from an abandoned stream leaks into the next stream on a reused context", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.14.3) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0391

QSI-2026-05231 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0395 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0395 for crates.io package zstd-safe at version 7.2.4: Use-after-free with `CParameter::StableInBuffer`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::CCtx::set_parameter); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0395
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0395 · manifest · SHA-256 cf314e3df3f714ad…


```
{"id": "RUSTSEC-2026-0395", "aliases": [], "modified": "2026-10-26T14:00:06.388344282Z", "summary":
"Use-after-free with `CParameter::StableInBuffer`", "severity": null, "declared_in_manifest": false}
```

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0395

QSI-2026-05232 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0396 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0396 for crates.io package zstd-safe at version 7.2.4: `Seekable` reads a NULL or out-of-bounds seek table. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::seekable::SeekTable::frame_decompressed_size, zstd_safe::seekable::Seekable::decompress, zstd_safe::seekable::Seekable::decompress_frame, zstd_safe::seekable::Seekable::frame_decompressed_size, zstd_safe::seekable::Seekable::offset_to_frame_index); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0396
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0396 · manifest · SHA-256 46019c3c1c8cc177…


```
{"id": "RUSTSEC-2026-0396", "aliases": [], "modified": "2026-10-26T14:00:05.789682118Z", "summary": "`Seekable` reads a NULL or out-of-bounds seek table", "severity": null, "declared_in_manifest": false}
```

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0396

QSI-2026-05233 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0397 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0397 for crates.io package zstd-safe at version 7.2.4: `OutBuffer::around_pos` exposes uninitialized memory. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::OutBuffer::around_pos); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0397
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0397 · manifest · SHA-256 e1cc2d6a8e69a560…


```
{"id": "RUSTSEC-2026-0397", "aliases": [], "modified": "2026-10-26T14:00:05.089587004Z", "summary": "`OutBuffer::around_pos` exposes uninitialized memory", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0397

QSI-2026-05234 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0398 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0398 for crates.io package zstd-safe at version 7.2.4: `Seekable::decompress` sets a `Vec` length beyond its capacity for offsets past the end. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::seekable::AdvancedSeekable::decompress, zstd_safe::seekable::Seekable::decompress); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0398
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0398 · manifest · SHA-256 01887ac4409fe666...


```
{"id": "RUSTSEC-2026-0398", "aliases": [], "modified": "2026-10-26T14:00:05.092082939Z", "summary":
"`Seekable::decompress` sets a `Vec` length beyond its capacity for offsets past the end",
"severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0398

QSI-2026-05235 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0399 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0399 for crates.io package zstd-safe at version 7.2.4: Use-after-free through `init_using_cdict` and `init_using_ddict`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::CCtx::init_using_cdict, zstd_safe::DCtx::init_using_ddict); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0399
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0399 · manifest · SHA-256 dde7c9d1fcd35a89…


```
{"id": "RUSTSEC-2026-0399", "aliases": [], "modified": "2026-10-26T14:00:05.792431051Z", "summary":
"Use-after-free through `init_using_cdict` and `init_using_ddict`", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0399

QSI-2026-05236 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0400 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0400 for crates.io package zstd-safe at version 7.2.4: Use-after-free of a dictionary after a one-shot call on a context with an open stream. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::DCtx::decompress, zstd_safe::DCtx::decompress_using_ddict, zstd_safe::DCtx::decompress_using_dict); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0400
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0400 · manifest · SHA-256 12a31cd97694259b...


```
{"id": "RUSTSEC-2026-0400", "aliases": [], "modified": "2026-10-26T14:00:05.692077560Z", "summary":
"Use-after-free of a dictionary after a one-shot call on a context with an open stream", "severity":
null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0400

QSI-2026-05237 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0401 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0401 for crates.io package zstd-safe at version 7.2.4: Out-of-bounds read in `train_from_buffer` when sample sizes overflow. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::train_from_buffer); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0401
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0401 · manifest · SHA-256 8f606743a027e187…


```
{"id": "RUSTSEC-2026-0401", "aliases": [], "modified": "2026-10-26T14:00:04.231502512Z", "summary":
"Out-of-bounds read in `train_from_buffer` when sample sizes overflow", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0401

QSI-2026-05238 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0402 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0402 for crates.io package zstd-safe at version 7.2.4: Heap buffer overflow in `CCtx::try_clone` on a multithreaded context. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::CCtx::try_clone); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0402
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0402 · manifest · SHA-256 1659ee65665b5ae7...


```
{"id": "RUSTSEC-2026-0402", "aliases": [], "modified": "2026-10-26T14:00:05.685817733Z", "summary":
"Heap buffer overflow in `CCtx::try_clone` on a multithreaded context", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0402

QSI-2026-05239 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0403 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0403 for crates.io package zstd-safe at version 7.2.4: Uninitialized memory exposed when streaming decompression of a legacy frame fails. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions

(zstd_safe::DCtx::decompress_stream); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0403
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0403 · manifest · SHA-256 b1d1701270f636af...


```
{"id": "RUSTSEC-2026-0403", "aliases": [], "modified": "2026-10-26T14:00:05.787441176Z", "summary":
"Uninitialized memory exposed when streaming decompression of a legacy frame fails", "severity":
null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0403

QSI-2026-05240 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0404 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0404 for crates.io package zstd-safe at version 7.2.4: Double free in `DCtx::try_clone`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::DCtx::try_clone); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.

Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0404
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0404 · manifest · SHA-256 7c25f3932e55150f...


```
{"id": "RUSTSEC-2026-0404", "aliases": [], "modified": "2026-10-26T14:00:05.092817237Z", "summary":
"Double free in `DCtx::try_clone`", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0404

QSI-2026-05241 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0405 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0405 for crates.io package zstd-safe at version 7.2.4: Out-of-bounds read with an out-of-range `InBuffer::pos`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::seekable::SeekableCStream::compress_stream); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0405
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0405 · manifest · SHA-256 aa7a0dd1f301f776...


```
{"id": "RUSTSEC-2026-0405", "aliases": [], "modified": "2026-10-26T14:00:05.680942523Z", "summary": "Out-of-bounds read with an out-of-range `InBuffer::pos`", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0405

QSI-2026-05242 · DEP-ADVISORY-UNRATED

Low

zstd-safe 7.2.4 is affected by RUSTSEC-2026-0406 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0406 for crates.io package zstd-safe at version 7.2.4: Use-after-free when changing a multithreaded context with an unfinished frame. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (zstd_safe::CCtx::disable_dictionary, zstd_safe::CCtx::init, zstd_safe::CCtx::load_dictionary, zstd_safe::CCtx::ref_cdict, zstd_safe::CCtx::ref_prefix, zstd_safe::CCtx::reset ...); zstd-safe comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/zstd-safe@7.2.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0406
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0406 · manifest · SHA-256 deca0b7103bdc0c3...


```
{"id": "RUSTSEC-2026-0406", "aliases": [], "modified": "2026-10-26T14:00:05.095427051Z", "summary":
"Use-after-free when changing a multithreaded context with an unfinished frame", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (8.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0406

QSI-2026-05243 · DEP-ADVISORY-UNRATED

Low

zstd-sys 2.0.16+zstd.1.5.7 is affected by RUSTSEC-2026-0410 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0410 for crates.io package zstd-sys at version 2.0.16+zstd.1.5.7: WebAssembly allocator shim corrupts memory on allocation failure. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined. It affects only wasm32 targets.

Affected asset	dependency:crates.io/zstd-sys@2.0.16+zstd.1.5.7
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	20.2 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0410
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0410 · manifest · SHA-256 1e892df4ce7c9911...

{"id": "RUSTSEC-2026-0410", "aliases": [], "modified": "2026-10-26T14:00:05.788985783Z", "summary": "WebAssembly allocator shim corrupts memory on allocation failure", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (2.1.2) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0410

QSI-2026-05213 · DEP-NO-PQC-LIBRARY

Info

No post-quantum capable cryptographic library detected

Insufficient data | Confidence: Medium | preliminary — requires further verification

Across 3 dependency manifests, QSI found crypto libraries (curve25519-dalek, ecdsa, ed25519-dalek, p256, p384, ring, rsa, rustls, secp256k1, x25519-dalek) but none from its PQC-capable list.

Affected asset	dependencies
Data source	dependency manifests
Detection method	Dependency name matching.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	13.4 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Readiness indicator only: PQC support may come from the platform (OpenSSL, OS, cloud KMS) rather than application dependencies.

REPRODUCTION STEPS

```
Review the dependency manifests listed in the evidence.
```

EVIDENCE

dependency · Cargo.lock, Cargo.toml, Package.resolved · SHA-256 afaf41cc18f45737…

```
Crypto libraries: curve25519-dalek, ecdsa, ed25519-dalek, p256, p384, ring, rsa, rustls, secp256k1, x25519-dalek
```

LIMITATIONS OF THE CHECK

Absence of evidence is not evidence of absence: system libraries and transitive dependencies may not be listed.

RECOMMENDATION

Confirm where PQC support will come from (TLS terminator, KMS/HSM, library upgrade).

RETEST PROCEDURE

Re-scan after upgrades.

FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM); FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA)

QSI-2026-05214 · DEP-ADVISORY-INFORMATIONAL

Info

atomic-polyfill 1.0.3: informational advisory RUSTSEC-2023-0089 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2023-0089 for crates.io package atomic-polyfill at version 1.0.3 as informational (unmaintained): atomic-polyfill is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/atomic-polyfill@1.0.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2023-0089
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2023-0089 · manifest · SHA-256 0fcfb6f26f61ecb9...


```
{"id": "RUSTSEC-2023-0089", "aliases": [], "modified": "2025-04-29T08:31:10Z", "summary": "atomic-polyfill is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2023-0089

QSI-2026-05215 · DEP-ADVISORY-INFORMATIONAL

Info

bincode 2.0.1: informational advisory RUSTSEC-2025-0141 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2025-0141 for crates.io package bincode at version 2.0.1 as informational (unmaintained): Bincode is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/bincode@2.0.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0141
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0141 · manifest · SHA-256 532525d6fd3f2cb4...


```
{"id": "RUSTSEC-2025-0141", "aliases": [], "modified": "2026-01-16T11:07:28.867553Z", "summary":
"Bincode is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2025-0141

QSI-2026-05221 · DEP-ADVISORY-INFORMATIONAL

Info

paste 1.0.15: informational advisory RUSTSEC-2024-0436 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2024-0436 for crates.io package paste at version 1.0.15 as informational (unmaintained): paste - no longer maintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/paste@1.0.15
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.2.0 · 2026-10-28 13:03 UTC
Priority score	12.3 / 100 (Small technology company)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0436
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0436 · manifest · SHA-256 ea867adb8ba26c96...


```
{"id": "RUSTSEC-2024-0436", "aliases": [], "modified": "2026-01-27T22:03:15.694766Z", "summary":
"paste - no longer maintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0436

Evidence

ID	Type	Data source	SHA-256
QSI-2026-05216	tool_output	OSV.dev GHSA-qwgh-2vcv-g2f7 (manifest)	ac22c9ee6301d8c1e4b09ca6951303d71527ccba2df30c96af92531d8
QSI-2026-05217	tool_output	OSV.dev GHSA-qwgh-2vcv-g2f7 (manifest)	ac22c9ee6301d8c1e4b09ca6951303d71527ccba2df30c96af92531d8
QSI-2026-05222	tool_output	OSV.dev RUSTSEC-2023-0071 (manifest)	6fcc27a80e8a30342b68a229087947db7a952d0facf3cc8d6edbd7abf
QSI-2026-05223	tool_output	OSV.dev GHSA-2mjx-qc3c-rqvc (manifest)	f20e4b21c01d3d75460ac8d90a54d541a1a34187a4f05b501e4f46c27
QSI-2026-05224	tool_output	OSV.dev GHSA-c8m5-c952-6cm4 (manifest)	87554a0cce34470a221f04ad57566b2b512ff6299ad3ee95b190df659
QSI-2026-05227	tool_output	OSV.dev GHSA-7gcf-g7xr-8hxj (manifest)	9a6efbdf7670d9ead9898fb39da9d141ceec2380712ba7d56de6b7ec0
QSI-2026-05228	tool_output	OSV.dev GHSA-r6v5-fh4h-64xc (manifest)	47bed44226c6f8f5c94bfd27c3dd67ade62aa708c5d61bcca37c2b8bb
QSI-2026-05212	key	responsible_disclosure.md (line 11)	99f8a76d7955bc1cad612c6fe14ee442ba2c3ba5655096eda02d83c54
QSI-2026-05212	key	responsible_disclosure.md (line 11)	a744425426415d58dbeef862a6f1d8bcf6b00820639c8784270363d0b
QSI-2026-05226	tool_output	OSV.dev GHSA-w44r-93j7-qv28 (manifest)	f0fcaa2fa7a56e188458f39e55b23e999d0c7da6d3c1294c014c64ab3
QSI-2026-05225	tool_output	OSV.dev GHSA-h2v8-394m-p7vv (manifest)	9118726d52fea7cee09a6b4a21a10d2a7bab860f9762fff4658cb78db
QSI-2026-05218	tool_output	OSV.dev RUSTSEC-2026-0387 (manifest)	eab63427da988e95becf061fd8169abcb9634f743aeeb7567dfa2ba26
QSI-2026-05219	tool_output	OSV.dev RUSTSEC-2026-0221 (manifest)	984b4e4e87b4e2cc5992a06daf6b6466ee08279d927a38dca105b75fa
QSI-2026-05220	tool_output	OSV.dev RUSTSEC-2026-0258 (manifest)	d8694780e4da4b8ee995c62dbd89ea4aef9579bf2c51b2a4b677a2231
QSI-2026-05229	tool_output	OSV.dev RUSTSEC-2026-0386 (manifest)	f73073a3500a8c1b126e0070756badd87c6af0a88d357d6a1e083bf4f

QSI-2026-05230	tool_output	OSV.dev RUSTSEC-2026-0391 (manifest)	c5a6274e5a4cfb8793fcf3f343ddadadd6d41a200d24a392d8f363faa
QSI-2026-05231	tool_output	OSV.dev RUSTSEC-2026-0395 (manifest)	cf314e3df3f714ad17083f648e4d6822839805759c13c152cf2b2edcf
QSI-2026-05232	tool_output	OSV.dev RUSTSEC-2026-0396 (manifest)	46019c3c1c8cc1772c03fcccbfa90a2b7502cdb744481795fef991bd8
QSI-2026-05233	tool_output	OSV.dev RUSTSEC-2026-0397 (manifest)	e1cc2d6a8e69a560eb15d719dcb988b36e18b940b8913145ec52a73ef
QSI-2026-05234	tool_output	OSV.dev RUSTSEC-2026-0398 (manifest)	01887ac4409fe66647c178d3ac91c674dafafb9134960f58c0f4ffcaa
QSI-2026-05235	tool_output	OSV.dev RUSTSEC-2026-0399 (manifest)	dde7c9d1fcd35a89a4e462b7b42373ae75187190ebfffa3876d9e2bba
QSI-2026-05236	tool_output	OSV.dev RUSTSEC-2026-0400 (manifest)	12a31cd97694259b60fd13de0204d4257a30facebdbf5eb19bc091d2b
QSI-2026-05237	tool_output	OSV.dev RUSTSEC-2026-0401 (manifest)	8f606743a027e187f8815975be52f1a4018a22a8d8cacc5d66407f974
QSI-2026-05238	tool_output	OSV.dev RUSTSEC-2026-0402 (manifest)	1659ee65665b5ae755a87f2715370efa327fc3064514c61888dd4fa3a
QSI-2026-05239	tool_output	OSV.dev RUSTSEC-2026-0403 (manifest)	b1d1701270f636af5d21f2b55cbd122bcd0df90ce4dce6793aa9263b3
QSI-2026-05240	tool_output	OSV.dev RUSTSEC-2026-0404 (manifest)	7c25f3932e55150f3788cd8fcee7738d3c905758f825a562b19f78d7e
QSI-2026-05241	tool_output	OSV.dev RUSTSEC-2026-0405 (manifest)	aa7a0dd1f301f7767bcd2d2a354fda77b1e2ed887669efac9bdd2bc66
QSI-2026-05242	tool_output	OSV.dev RUSTSEC-2026-0406 (manifest)	deca0b7103bdc0c3ed051bcdb0dbd3d63e215fecdbdba6a7f24f9fb8c
QSI-2026-05243	tool_output	OSV.dev RUSTSEC-2026-0410 (manifest)	1e892df4ce7c9911f01547e4a80d1fb3ea5a27b8c1c89c0514917e08b
QSI-2026-05213	dependency	Cargo.lock, Cargo.toml, Package.resolved	afaf41cc18f45737a6066d3670aa5870ee2ce9f1e082d771b281af998

QSI-2026-05214	tool_output	OSV.dev RUSTSEC-2023-0089 (manifest)	`0fcfb6f26f61ecb982bc38b6d6f12db7c77d0fc40bf9353a089129368`
QSI-2026-05215	tool_output	OSV.dev RUSTSEC-2025-0141 (manifest)	`532525d6fd3f2cb4701cae8133e80ff6557554f82b919c38fb8a089b0`
QSI-2026-05221	tool_output	OSV.dev RUSTSEC-2024-0436 (manifest)	`ea867adb8ba26c96c3779becf55b3de25d46f37f23ab55131e09c98a8`

Post-quantum assessment

	Key establishment (x = how long data must stay confidential; harvest now, decrypt later)	Signatures (x = how long signatures/ keys must stay trusted)
Data/key lifetime x	5	5
Migration time y	3	3
Assumed years to CRQC z	12 (central)	12
x + y − z	-4 → time available under this scenario	-4 → time available under this scenario

No signature lifetime is set for the project; the data lifetime is used as an assumption.

Planning assumptions: x for key establishment, x for signatures, y are the defaults of the risk profile “Small technology company”, not the client's figures; with the client's actual lifetimes the verdict can change.

Post-quantum maturity: Level 0 of 4 — no post-quantum cryptography

Next step: Inventory where classical public-key cryptography protects long-lived data and keys, and choose the first migration: usually a hybrid TLS key exchange and wrapped keys.

Levels: 0 none; 1 present, not wired; 2 in use outside the critical paths; 3 hybrid in a critical path; 4 post-quantum by default in the critical paths (root of trust, key wrapping, channel key exchange). Judged from code and manifests.

z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Quantum status	Count
n/a	10
vulnerable (Shor)	2

Detailed findings: QSI-2026-05212

PQC readiness questionnaire

No readiness questionnaire was completed for this project.

Quantum algorithms relevant to this inventory

Quantum algorithm	Effect	Inventoried algorithms (rows)	What it means for this audit

Shor's algorithm — factoring Q1: quantum computation offline, classical access to the victim	breaks	RSA (2)	Breaks RSA at every key length: a longer modulus only raises the cost polynomially. Plan migration to ML-KEM (or a hybrid) for key establishment and ML-DSA / SLH-DSA for signatures; start with keys protecting data that must stay confidential for years (harvest now, decrypt later) and with long-lived signatures.

Effects: breaks — replace the algorithm; weakens — larger keys or outputs restore the margin; included in standard parameters — no action at standard parameter sets; only with superposition queries — not applicable to ordinary deployments.

Limitations and assumptions

- This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.
- z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Remediation plan

QSI-2026-05216 · P2 · 30 days

root-cause fix

Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-qwgh-2vcv-g2f7.

QSI-2026-05217 · P2 · 30 days

root-cause fix

Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-qwgh-2vcv-g2f7.

QSI-2026-05222 · P2 · 30 days

root-cause fix

Upgrade rsa to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2023-0071 (CVE-2023-49092).

QSI-2026-05223 · P2 · 30 days

root-cause fix

Upgrade rustls to a fixed version (0.23.45).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.

Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285).

QSI-2026-05224 · P2 · 30 days

root-cause fix

Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346).

QSI-2026-05227 · P2 · 30 days

root-cause fix

Upgrade serde_with to a fixed version (3.21.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-7gcf-g7xr-8hxj.

QSI-2026-05228 · P2 · 30 days

root-cause fix

Upgrade time to a fixed version (0.3.47).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	

	Dependency scan no longer reports GHSA-r6v5-fh4h-64xc (CVE-2026-25727, RUSTSEC-2026-0009).

QSI-2026-05226 · P2 · 30 days

root-cause fix

Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349).

QSI-2026-05225 · P2 · 30 days

root-cause fix

Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-h2v8-394m-p7vv (RUSTSEC-2026-0348).

QSI-2026-05218 · P3 · 60 days

root-cause fix

Triage RUSTSEC-2026-0387; upgrade crypto-bigint to a fixed version (0.7.6) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0387, or the triage is recorded.

QSI-2026-05219 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0221; upgrade event-listener to a fixed version (5.4.2) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0221, or the triage is recorded.

QSI-2026-05220 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0258; upgrade h2 to a fixed version (0.4.16) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0258, or the triage is recorded.

QSI-2026-05229 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0386; upgrade tokio to a fixed version (1.51.6, 1.53.3) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0386, or the triage is recorded.

QSI-2026-05230 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0391; upgrade zstd to a fixed version (0.14.3) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.

Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0391, or the triage is recorded.

QSI-2026-05231 · P3 · 60 days

root-cause fix

Triage RUSTSEC-2026-0395; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0395, or the triage is recorded.

QSI-2026-05232 · P3 · 60 days

root-cause fix

Triage RUSTSEC-2026-0396; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0396, or the triage is recorded.

QSI-2026-05233 · P3 · 60 days

root-cause fix

Triage RUSTSEC-2026-0397; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.

Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0397, or the triage is recorded.

QSI-2026-05234 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0398; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0398, or the triage is recorded.

QSI-2026-05235 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0399; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0399, or the triage is recorded.

QSI-2026-05236 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0400; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	

	Dependency scan no longer reports RUSTSEC-2026-0400, or the triage is recorded.

QSI-2026-05237 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0401; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0401, or the triage is recorded.

QSI-2026-05238 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0402; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0402, or the triage is recorded.

QSI-2026-05239 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0403; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0403, or the triage is recorded.

QSI-2026-05240 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0404; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0404, or the triage is recorded.

QSI-2026-05241 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0405; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0405, or the triage is recorded.

QSI-2026-05242 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0406; upgrade zstd-safe to a fixed version (8.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0406, or the triage is recorded.

QSI-2026-05243 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0410; upgrade zstd-sys to a fixed version (2.1.2) if it applies.

Rationale	Eliminates the root cause described in the finding.

Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0410, or the triage is recorded.

QSI-2026-05212 · P3 · 90 days

short-term risk reduction

Add RSA usages at file:responsible_disclosure.md to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-05212 · P4 · 90 days

root-cause fix

Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it. (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it. or a hybrid scheme in use.

QSI-2026-05214 · P4 · 90 days

root-cause fix

Replace atomic-polyfill with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium

Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	atomic-polyfill replaced, or the decision recorded.

QSI-2026-05215 · P4 · 90 days

root-cause fix

Replace bincode with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	bincode replaced, or the decision recorded.

QSI-2026-05221 · P4 · 90 days

root-cause fix

Replace paste with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	paste replaced, or the decision recorded.

Priorities for 30, 60 and 90 days

30 days

Priority	ID	Action	Type
P2	QSI-2026-05216	Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-05217	Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-05222	Upgrade rsa to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-05223	Upgrade rustls to a fixed version (0.23.45).	root-cause fix
P2	QSI-2026-05224	Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).	root-cause fix
P2	QSI-2026-05227	Upgrade serde_with to a fixed version (3.21.0).	root-cause fix
P2	QSI-2026-05228	Upgrade time to a fixed version (0.3.47).	root-cause fix
P2	QSI-2026-05226	Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).	root-cause fix
P2	QSI-2026-05225	Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).	root-cause fix

60 days

Priority	ID	Action	Type
P3	QSI-2026-05218	Triage RUSTSEC-2026-0387; upgrade crypto-bigint to a fixed version (0.7.6) if it applies.	root-cause fix
P3	QSI-2026-05219	Triage RUSTSEC-2026-0221; upgrade event-listener to a fixed version (5.4.2) if it applies.	root-cause fix
P3	QSI-2026-05220	Triage RUSTSEC-2026-0258; upgrade h2 to a fixed version (0.4.16) if it applies.	root-cause fix
P3	QSI-2026-05229	Triage RUSTSEC-2026-0386; upgrade tokio to a fixed version (1.51.6, 1.53.3) if it applies.	root-cause fix
P3	QSI-2026-05230	Triage RUSTSEC-2026-0391; upgrade zstd to a fixed version (0.14.3) if it applies.	root-cause fix
P3	QSI-2026-05231	Triage RUSTSEC-2026-0395; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05232	Triage RUSTSEC-2026-0396; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05233	Triage RUSTSEC-2026-0397; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix

P3	QSI-2026-05234	Triage RUSTSEC-2026-0398; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05235	Triage RUSTSEC-2026-0399; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05236	Triage RUSTSEC-2026-0400; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05237	Triage RUSTSEC-2026-0401; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05238	Triage RUSTSEC-2026-0402; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05239	Triage RUSTSEC-2026-0403; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05240	Triage RUSTSEC-2026-0404; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05241	Triage RUSTSEC-2026-0405; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05242	Triage RUSTSEC-2026-0406; upgrade zstd-safe to a fixed version (8.2.0) if it applies.	root-cause fix
P3	QSI-2026-05243	Triage RUSTSEC-2026-0410; upgrade zstd-sys to a fixed version (2.1.2) if it applies.	root-cause fix

90 days

Priority	ID	Action	Type
P3	QSI-2026-05212	Add RSA usages at file:responsible_disclosure.md to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P4	QSI-2026-05212	Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it. (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-05214	Replace atomic-polyfill with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-05215	Replace bincode with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-05221	Replace paste with a maintained alternative or record why it stays.	root-cause fix

Verification after remediation

ID	Retest procedure
QSI-2026-05216	Re-run the dependency scan after upgrading.
QSI-2026-05217	Re-run the dependency scan after upgrading.
QSI-2026-05222	Re-run the dependency scan after upgrading.
QSI-2026-05223	Re-run the dependency scan after upgrading.
QSI-2026-05224	Re-run the dependency scan after upgrading.
QSI-2026-05227	Re-run the dependency scan after upgrading.
QSI-2026-05228	Re-run the dependency scan after upgrading.
QSI-2026-05212	Re-audit after migration.
QSI-2026-05226	Re-run the dependency scan after upgrading.
QSI-2026-05225	Re-run the dependency scan after upgrading.
QSI-2026-05218	Re-run the dependency scan after upgrading.
QSI-2026-05219	Re-run the dependency scan after upgrading.
QSI-2026-05220	Re-run the dependency scan after upgrading.
QSI-2026-05229	Re-run the dependency scan after upgrading.
QSI-2026-05230	Re-run the dependency scan after upgrading.
QSI-2026-05231	Re-run the dependency scan after upgrading.
QSI-2026-05232	Re-run the dependency scan after upgrading.
QSI-2026-05233	Re-run the dependency scan after upgrading.
QSI-2026-05234	Re-run the dependency scan after upgrading.
QSI-2026-05235	Re-run the dependency scan after upgrading.
QSI-2026-05236	Re-run the dependency scan after upgrading.
QSI-2026-05237	Re-run the dependency scan after upgrading.
QSI-2026-05238	Re-run the dependency scan after upgrading.
QSI-2026-05239	Re-run the dependency scan after upgrading.
QSI-2026-05240	Re-run the dependency scan after upgrading.
QSI-2026-05241	Re-run the dependency scan after upgrading.
QSI-2026-05242	Re-run the dependency scan after upgrading.
QSI-2026-05243	Re-run the dependency scan after upgrading.
QSI-2026-05213	Re-scan after upgrades.
QSI-2026-05214	Re-run the dependency scan after the change.

QSI-2026-05215	Re-run the dependency scan after the change.
QSI-2026-05221	Re-run the dependency scan after the change.

Tools used

Tool	Version
blockchain	1.0.0
certificates	1.1.0
chain_map	1.0.0
configs	1.1.0
dependencies	1.2.0
inventory_document	1.1.0
solidity	1.2.0
source_code	1.3.0
tls_code	1.1.0
tls_live	1.0.0
qsi-engine	1.2.0
OSV.dev API	v1

Sources and normative documents

Reviewed: 2026-10-13

1. C. Gidney — How to factor 2048 bit RSA integers with less than a million noisy qubits (arXiv:2505.15917) — arXiv. https://arxiv.org/abs/2505.15917 (preprint (2025-05-21): < 1 million noisy qubits, < 1 week, 0.1% gate error, 1 µs surface-code cycle)
2. C. Gidney, M. Ekerå — How to factor 2048 bit RSA integers in 8 hours using 20 million noisy qubits (Quantum 5, 433) — Quantum. https://doi.org/10.22331/q-2021-04-15-433 (peer-reviewed article (2021): 10^-3 gate error, 1 µs cycle, 10 µs reaction time)
3. Common Vulnerability Scoring System v3.1: Specification Document — FIRST. https://www.first.org/cvss/v3.1/specification-document (final)
4. FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM) — NIST. https://csrc.nist.gov/pubs/fips/203/final (final (August 2024))
5. FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA) — NIST. https://csrc.nist.gov/pubs/fips/204/final (final (August 2024))
6. FIPS 205 — Stateless Hash-Based Digital Signature Standard (SLH-DSA) — NIST. https://csrc.nist.gov/pubs/fips/205/final (final (August 2024))
7. M. Cain et al. — Shor's algorithm is possible with as few as 10,000 reconfigurable atomic qubits (arXiv:2603.28627) — arXiv. https://arxiv.org/abs/2603.28627 (preprint (2026-03-30): P-256 in a few days with 26,000 physical neutral-atom qubits; RSA-2048 one to two orders of magnitude longer)
8. M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018) — IEEE. https://doi.org/10.1109/MSP.2018.3761723 (peer-reviewed article; source of the x + y > z migration inequality)
9. NIST IR 8547 — Transition to Post-Quantum Cryptography Standards — NIST. https://csrc.nist.gov/pubs/ir/8547/ipd (initial public draft (November 2024); proposes deprecating quantum-vulnerable public-key algorithms after 2030 and disallowing them after 2035 — dates may change in the final version)
10. OSV advisory GHSA-2mjx-qc3c-rqvc — OSV.dev. https://osv.dev/vulnerability/GHSA-2mjx-qc3c-rqvc (modified 2026-10-27T15:30:05.509305490Z)
11. OSV advisory GHSA-7gcf-g7xr-8hxj — OSV.dev. https://osv.dev/vulnerability/GHSA-7gcf-g7xr-8hxj (modified 2026-09-10T03:51:10.897685062Z)
12. OSV advisory GHSA-c8m5-c952-6cm4 — OSV.dev. https://osv.dev/vulnerability/GHSA-c8m5-c952-6cm4 (modified 2026-10-27T16:15:05.354395696Z)
13. OSV advisory GHSA-h2v8-394m-p7vv — OSV.dev. https://osv.dev/vulnerability/GHSA-h2v8-394m-p7vv (modified 2026-10-27T16:15:05.337819489Z)
14. OSV advisory GHSA-qwgh-2vcv-g2f7 — OSV.dev. https://osv.dev/vulnerability/GHSA-qwgh-2vcv-g2f7 (modified 2026-08-19T19:30:06.686866977Z)
15. OSV advisory GHSA-r6v5-fh4h-64xc — OSV.dev. https://osv.dev/vulnerability/GHSA-r6v5-fh4h-64xc (modified 2026-09-10T03:50:35.583241382Z)
16. OSV advisory GHSA-w44r-93j7-qv28 — OSV.dev. https://osv.dev/vulnerability/GHSA-w44r-93j7-qv28 (modified 2026-10-27T16:15:05.340347056Z)
17. OSV advisory RUSTSEC-2023-0071 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2023-0071 (modified 2026-09-14T09:45:02.996132556Z)
18. OSV advisory RUSTSEC-2023-0089 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2023-0089 (modified 2025-04-29T08:31:10Z)
19. OSV advisory RUSTSEC-2024-0436 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0436 (modified 2026-01-27T22:03:15.694766Z)
20. OSV advisory RUSTSEC-2025-0141 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2025-0141 (modified 2026-01-16T11:07:28.867553Z)
21. OSV advisory RUSTSEC-2026-0221 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0221 (modified 2026-07-31T12:15:04.629484145Z)
22. OSV advisory RUSTSEC-2026-0258 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0258 (modified 2026-10-12T18:00:10.934581734Z)
23. OSV advisory RUSTSEC-2026-0386 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0386 (modified 2026-10-23T14:45:03.847864944Z)
24. OSV advisory RUSTSEC-2026-0387 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0387 (modified 2026-10-24T03:45:02.365137418Z)
25. OSV advisory RUSTSEC-2026-0391 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0391 (modified 2026-10-26T14:00:04.269245609Z)

26. OSV advisory RUSTSEC-2026-0395 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0395 (modified 2026-10-26T14:00:06.388344282Z)
27. OSV advisory RUSTSEC-2026-0396 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0396 (modified 2026-10-26T14:00:05.789682118Z)
28. OSV advisory RUSTSEC-2026-0397 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0397 (modified 2026-10-26T14:00:05.089587004Z)
29. OSV advisory RUSTSEC-2026-0398 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0398 (modified 2026-10-26T14:00:05.092082939Z)
30. OSV advisory RUSTSEC-2026-0399 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0399 (modified 2026-10-26T14:00:05.792431051Z)
31. OSV advisory RUSTSEC-2026-0400 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0400 (modified 2026-10-26T14:00:05.692077560Z)
32. OSV advisory RUSTSEC-2026-0401 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0401 (modified 2026-10-26T14:00:04.231502512Z)
33. OSV advisory RUSTSEC-2026-0402 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0402 (modified 2026-10-26T14:00:05.685817733Z)
34. OSV advisory RUSTSEC-2026-0403 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0403 (modified 2026-10-26T14:00:05.787441176Z)
35. OSV advisory RUSTSEC-2026-0404 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0404 (modified 2026-10-26T14:00:05.092817237Z)
36. OSV advisory RUSTSEC-2026-0405 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0405 (modified 2026-10-26T14:00:05.680942523Z)
37. OSV advisory RUSTSEC-2026-0406 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0406 (modified 2026-10-26T14:00:05.095427051Z)
38. OSV advisory RUSTSEC-2026-0410 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0410 (modified 2026-10-26T14:00:05.788985783Z)
39. P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997) — SIAM. https://doi.org/10.1137/S0097539795293172 (peer-reviewed article)

Appendices

A. Cryptographic inventory

Algorithm	Parameter	Location	Quantum status	Classical status
Crypto library p384 (RustCrypto elliptic curves)	0.13.1	Cargo.lock	n/a	acceptable
Crypto library p256 (RustCrypto elliptic curves)	0.13.2	Cargo.lock	n/a	acceptable
Crypto library ecdsa (python-ecdsa)	0.16.9	Cargo.lock	n/a	acceptable
Crypto library ring (ring (Rust))	0.17.14	Cargo.lock	n/a	acceptable
Crypto library rustls (rustls)	0.23.42	Cargo.lock	n/a	acceptable
Crypto library secp256k1 (secp256k1 bindings)	0.29.1	Cargo.lock	n/a	acceptable
Crypto library rsa (RustCrypto rsa)	0.9.10	Cargo.lock	n/a	acceptable
Crypto library x25519-dalek (ed25519-dalek)	2.0.1	Cargo.lock	n/a	acceptable
Crypto library ed25519-dalek (ed25519-dalek)	2.2.0	Cargo.lock	n/a	acceptable
Crypto library curve25519-dalek (ed25519-dalek)	4.1.3	Cargo.lock	n/a	acceptable
RSA	2048-bit	responsible_disclosure.md (line 11)	vulnerable (Shor)	acceptable
RSA	2048-bit	responsible_disclosure.md (line 11)	vulnerable (Shor)	acceptable

B. JSON

qsi.report/1 · SHA-256 3f9395ecdc760e1d1fbe874a5b0e9954a776e0a678451db32e9a30253ad81a7f

C. Input files

File	Size	SHA-256
.claude/skills/update-checkpoints/scripts/checkmate.py	2829	`9064ba49433d036798a3ff0601c4a0a8ee6528abcd30de90412d76e818a33c94`
.claude/skills/update-checkpoints/scripts/fetch_checkpoints.py	6046	`b792994b0a8546d09b69d45b82512a8b8864b228e6a04fb7c420b0d3e694cd0c`

.claude/skills/update-checkpoints/scripts/verify_checkpoints.py	7311	e01fa8090e45e71807fa82a4dd75939ed8d431749f0d57401cfa0f5880be1968
BuildSupport/LocalPackages-Package.swift	317	0e49f104f66bc8be8e6dabf0541c40b01eff03eaccc6644f5f7faac82b513198
Cargo.lock	182765	e887fa176f4fb05d93832601600c95f2734a5d33fd333e8f502953dc6652dbfb
Cargo.toml	5314	8c6d2e956f0fb11c0cadeb45a7260d1c9b126badea7765debabff425c7dbb746
Package.resolved	5862	af670ce8cfa12d4edce82ed22f18c4f427c1e8e6f1f8332d7bc711c2ac93ecbb
Package.swift	3662	207fe4fdcc59b524ee286eed72082220db145331446380eecfe8a1b0b0f5615f
Sources/ZcashLightClientKit/Account/Account.swift	1291	dd238a58214cbb697b9bb7cea1c28c239b216819fe5e0bf0b17e7da09ab031ff
Sources/ZcashLightClientKit/Account/AccountMetadataKey.swift	3632	30236e32cdd7b763ec3246801becd59cfb3602de4cf47e7c86570dc58cd5c61f
Sources/ZcashLightClientKit/Block/Actions/Action.swift	4128	aca74001ab99eb9f29aeec4ace6a4061f5480d2d8085846d8e163fc2efc89375
Sources/ZcashLightClientKit/Block/Actions/ClearAlreadyScannedBlocksAction.swift	1006	9c00b4075c953564abd514ed7da81c29518794c04eabfe0d76b16b7073a6467d
Sources/ZcashLightClientKit/Block/Actions/ClearCacheAction.swift	673	e282b20cda6c60da38ede4b3dd25fa18359cc324fcdf5fb12eb9c7a1e0f2e0f1
Sources/ZcashLightClientKit/Block/Actions/DownloadAction.swift	2670	35d8bb856313f2996e2cc012f3b6bdac87c7582ad575368d6f418c1d0dba8d54
Sources/ZcashLightClientKit/Block/Actions/EnhanceAction.swift	4219	ce8049f08dab0a7ae44d1980f435e3cef3aef33bcb55cc0e83a3f158d636fcbc
Sources/ZcashLightClientKit/Block/Actions/FetchUTXOsAction.swift	833	3ec4d2e5c866a705b8f8997e07e01a25049ac6788c2b35767b8f31cc671eb958
Sources/ZcashLightClientKit/Block/Actions/MigrateLegacyCacheDBAction.swift	2726	7884a9b9a68b8d2ea8cb1ecf706ee3e7dab14de0d242452e5592047b24643919
Sources/ZcashLightClientKit/Block/Actions/ProcessSuggestedScanRangesAction.swift	2479	326268a1e39a5cb9287f5b59d109b46b3da6309c2b2ab78c0d9ad3618a9dd615
Sources/ZcashLightClientKit/Block/Actions/RewindAction.swift	2082	3e61c61311854f75c0e44127fc9bcd89f112e1e9d98b79cc43eb747105249553
Sources/ZcashLightClientKit/Block/Actions/SaplingParamsAction.swift	861	767c1e82f7cd94f76d67d6e885f7ef6ec42fbde847a76de1fe2f37d4a2caacae
Sources/ZcashLightClientKit/Block/Actions/ScanAction.swift	5672	d19bb0070a28b9951e186f918d10fef4fb2084acb0b582d8be323bb00fc2a6c3
Sources/ZcashLightClientKit/Block/Actions/TxResubmissionAction.swift	1466	25af971034cd9b9180baab2b58ffffc7825d00c5e274280844b376de8180af95
Sources/ZcashLightClientKit/Block/Actions/UpdateChainTipAction.swift	2243	8ce2a04f7bc9209337cc5e90b4851bbed90f265005e34ad5c9726802657c4295

Sources/ZcashLightClientKit/Block/Actions/UpdateSubtreeRootsAction.swift	5904	b00e0a7f7f83e46fccdccf1facc0c4cff23f3046450eb5ef31ebf42aee3d9c23
Sources/ZcashLightClientKit/Block/Actions/ValidateServerAction.swift	4671	0d967779a6db14a40d3452fa43402108c5a375a90ee856d8e5619ea8b6466b05
Sources/ZcashLightClientKit/Block/CompactBlockProcessor.swift	39273	bec5308a69c1c8a66995f9355608dcf0622ffc8f95dc91c0da854245041533f1
Sources/ZcashLightClientKit/Block/DatabaseStorage/ConnectorProvider.swift	722	9eebb126d3d60afc091651d29b0152ab85a03e69bd37fffa3d8396607bef1532
Sources/ZcashLightClientKit/Block/DatabaseStorage/DatabaseStorageError.swift	455	20a3c91b11822600aeaab38a2bdccb1f69963b9cf5366ba8a1cd128cfe7460d2
Sources/ZcashLightClientKit/Block/DatabaseStorage/SimpleConnectionProvider.swift	3406	f44730872ecddecfa37ed153692ff87b0f3d873ee173abbca7f304bf3a7b556f
Sources/ZcashLightClientKit/Block/Download/BlockDownloader.swift	11889	37bc2503c65ca380198c0df1a73f44d759acacf99813277eb016f4a309db0b93
Sources/ZcashLightClientKit/Block/Download/BlockDownloaderService.swift	4482	c3eca659f8fd2881f4ae8e1dace0308491d23e03df8662a6b13b960877d7cb45
Sources/ZcashLightClientKit/Block/Enhance/BlockEnhancer.swift	13436	1a57e784a044c8653432ff9aacb4b1c0ea63c3a41c8f6f7fd630d431ea553182
Sources/ZcashLightClientKit/Block/FetchUnspentTxOutputs/UTXOFetcher.swift	2834	b3ce6a778fca90b6cc94812e7f98f9d4575dfb99b434e1e4301d35656402fcc7
Sources/ZcashLightClientKit/Block/FilesystemStorage/FSCompactBlockRepository.swift	15448	aa13e8916038b152884a54ff33432c1658e9abf1d11d3eadddaa8b8e1dc8fd34
Sources/ZcashLightClientKit/Block/SaplingParameters/SaplingParametersHandler.swift	2444	52a6c08e9e3499f32dd9b47a693d8a08f959a1fb19513b14e3650557651246c7
Sources/ZcashLightClientKit/Block/Scan/BlockScanner.swift	3062	5a576ac007cc4c2078108c656ad9cc5f12311028bbc2035a931d9981569d373b
Sources/ZcashLightClientKit/Block/Utils/AfterSyncHooksManager.swift	2160	fd2c477acb8ec000c6a8155ccc7bd297016b42f8c13636cd08a12e2b045b7fb8
Sources/ZcashLightClientKit/Block/Utils/CompactBlockProgress.swift	559	42cd85a623286ec50fde3f3b336ad8cda68bd568196f80df46283417e9e909c7
Sources/ZcashLightClientKit/Block/Utils/SyncControlData.swift	589	97dc49f6395bd7e45fb1dac95523e4ce00f27434ff45505d073d3c329294d54a
Sources/ZcashLightClientKit/Broadcaster.swift	8934	a9c90d36349069aedc6c09bb25ccdf316493722af5733c9bd9326bd6eadfd628
Sources/ZcashLightClientKit/Checkpoint/BundleCheckpointSource.swift	6147	27a20b0f64d8593bdec27b9dc950719398d96c3a8cc66d35fa6d38601d7cb883
Sources/ZcashLightClientKit/Checkpoint/BundleCheckpointURLProvider.swift	2238	05b5054d777b197ceb3b49e0a216e9e1e10b793aebdf8345a5ecbb64e4f9e298

Sources/ZcashLightClientKit/Checkpoint/Checkpoint+helpers.swift	2464	0e1ae9a2bb15dc21b09f7611b81d7b2b174634c8a8a1245f2b53c94e1ca7a620
Sources/ZcashLightClientKit/Checkpoint/Checkpoint.swift	4876	60be32515d02262ca1b665ad0b57bede6baaef4a1e07971aaa1ce7107cafc8b1
Sources/ZcashLightClientKit/Checkpoint/CheckpointSource.swift	1828	e8c7c6798447da3f494a1aa80a87e042ae7e79ea2ad4b29f64b449f054132919
Sources/ZcashLightClientKit/Checkpoint/CheckpointSourceFactory.swift	818	84ca45d590c041ab71e38eba66e9d01c9db90aebf4837838cae9a414d5949543
Sources/ZcashLightClientKit/Checkpoint/RegtestCheckpointSource.swift	1099	850f94df1c76dee9c445e9feedb5b8327cb7ffd44a8cce5aaa095bf4081cdd28
Sources/ZcashLightClientKit/ClosureSynchronizer.swift	8156	050fd7734e41c17ce48ff3f3419f53592bbd46be441c76a8459690e282bd0cc6
Sources/ZcashLightClientKit/CombineSynchronizer.swift	7281	65bca8ccb2f7393ceac92fc6dc6d2ade8220c3491a3a1b4bb90717eb7e209a02
Sources/ZcashLightClientKit/Constants/Checkpoint+mainnet.swift	532	d27f749b7f67a77258be9f26ddddbb1802b4666d297a76e3ada46aa17cc4dc7c
Sources/ZcashLightClientKit/Constants/Checkpoint+regtest.swift	1257	ad340ab28960be4ac703dc47fbf208381d16f9f205d9995a9ebc6a8c1918f83c
Sources/ZcashLightClientKit/Constants/Checkpoint+testnet.swift	532	601a64089864c342856d316a6053391bdd52ecc4a7ea763cfa03ad0482958722
Sources/ZcashLightClientKit/Constants/NetworkActivationHeights.swift	2487	83e0ee9f355aa052d3bbc5f5c510789b55b1d0fdbad31c0c0dc4d2b4d0e4fd96
Sources/ZcashLightClientKit/Constants/ZcashSDK.swift	13626	b1d35ac25870e8bbdd60b06303acbf3bd96ffc2475c6f480545e63105f90ddce
Sources/ZcashLightClientKit/DAO/BlockDao.swift	1748	fbee478f7449cec48559f950717b545e0b5cc76d8a8bb212c2cea05c2a524dd0
Sources/ZcashLightClientKit/DAO/PagedTransactionDao.swift	1492	0542b318832e05a348deca61a0f146beea9c7544261ae46e268ae711a4bf14b2
Sources/ZcashLightClientKit/DAO/TransactionDao.swift	12008	18e4a09bfeaf6033a1a3d6b3518645a4981c249ee50c09dfff502197cc31d816
Sources/ZcashLightClientKit/DAO/UnspentTransactionOutputDao.swift	635	b7e3f335be438aac77db47f51c296becf6d9afd34287edb5c00a29494c646d02
Sources/ZcashLightClientKit/Entity/AccountEntity.swift	723	8ee353170e9233875bca24f925b31a5d70ac5c2996f51c59eb308a7fce2783e6
Sources/ZcashLightClientKit/Entity/EncodedTransactionEntity.swift	791	0ec9e9549aafb9f42544bf19547f351c96742c9d20c46807a287e7d1415f957f
Sources/ZcashLightClientKit/Entity/Pczt.swift	141	877dd4b79ba5f9724e68c305bcd0138dcd3078474861e10a44394fb773301c37
Sources/ZcashLightClientKit/Entity/SentNoteEntity.swift	1269	6134527e624041a5f2287c1f01e6bd99bd8ac322c03e2e7404be5d92f567ad58

Sources/ZcashLightClientKit/Entity/TransactionEntity.swift	14779	8e30d9a85b1c80dff22f818865d44ceb517750f73de3da55a81208f7a995aa64
Sources/ZcashLightClientKit/Entity/UnspentTransactionOutputEntity.swift	461	814534999f4e781f85b89f747de7b7841657cd4320ad646ac656eee53ff11175
Sources/ZcashLightClientKit/Entity/ZcashCompactBlock.swift	2499	d4e8a979294bde4f58fac37427635c9010036f2fe3f478fe569347a34d50dcfa
Sources/ZcashLightClientKit/Error/RedactedRustError.swift	2841	44c31a888d8d45394c02bc652f0aa178deddd7768106de281c5d62ed2aafe348
Sources/ZcashLightClientKit/Error/ZcashError+LocalizedError.swift	868	2de2073c1c2b2c06457b73e9f2759218bd20df428e60d18e8058c084d7eae674
Sources/ZcashLightClientKit/Error/ZcashError.swift	113143	4d26aa96365a0e1afbfc5d88d8cfc83622f178377681fc8fae1891ba5c7b596b
Sources/ZcashLightClientKit/Error/ZcashErrorCode.swift	36713	58e5c17e5f78f1d8c5dad03fe6081accf9d4feaa243c4babb20ad71d6f37033a
Sources/ZcashLightClientKit/Error/ZcashErrorCodeDefinition.swift	62228	673843ad6989c419a2a3392da2f42df97512d367d8510bae0bace6d91794c344
Sources/ZcashLightClientKit/Extensions/Bool+ToData.swift	232	7477a8c9c1a0fd07afa761900d99a070db2d049903c462741034aba44e09cdf3
Sources/ZcashLightClientKit/Extensions/Data+ToOtherTypes.swift	315	2245c26abfd213913cdaca6f9e0f15b0cc20b5c77d2b7cd68f52486896d30310
Sources/ZcashLightClientKit/Extensions/Data+Zcash.swift	318	c73be1f32d422578cf0ab4268b4b7c0536fe9172ba49c276159aa887453d9063
Sources/ZcashLightClientKit/Extensions/Data+internal.swift	829	42e49dd728f25168916eb2dc8c799ccfaa3f6c0227831ebcaeabc0f8b296b825
Sources/ZcashLightClientKit/Extensions/Error+ZcashError.swift	327	07cd99a9d4b0c343e6b7093c44de9fb31547c797d84630bbbcbb49483324546a
Sources/ZcashLightClientKit/Extensions/HexEncode.swift	1089	f6f0577b66c57157328d274b31e071cff9b1aa99331f4f1d32f30ebe373241e7
Sources/ZcashLightClientKit/Extensions/Int+ToData.swift	230	49e0803165c672f5863c80361fa7b9bea7b2d2b560b83306f4fe9d642a49a3b3
Sources/ZcashLightClientKit/Extensions/NumberFormatter+Zcash.swift	494	b734a64597772eb746f2198699bf182e431a7217a660bf550d0cbd1b520ae765
Sources/ZcashLightClientKit/Extensions/URL+UpdateWithAlias.swift	1205	8b0f707b7eaf3d6cbaab842a53d5fba098e45c59522b66d187e8e3c4390e8041
Sources/ZcashLightClientKit/Extensions/Undescribable.swift	468	45d87808ec737d87efbb6d75ff43ad58caa8cf21f27178da6621262a017b7d8a
Sources/ZcashLightClientKit/Extensions/Zatoshi+SQLite.swift	371	ef166b3e558b92e3295d85ae226c6b63ef15fca1d245fb558fed2bde809dee01
Sources/ZcashLightClientKit/Extensions/ZcashRust+Utils.swift	572	c0e3df592399b991bba7ac6004395ee0f349752b778b6dbf3e37210e590c6d56

Sources/ZcashLightClientKit/Extensions/ZcashSDK+extensions.swift	712	06024bc269dab0d136d5e810aef7a8037aa2752384506b1797e925bbcca3bd92
Sources/ZcashLightClientKit/Initializer.swift	30378	d75d5a550d2ab35aa89e4cf176eaf41d79756dbf33678083946e4dff81b847e7
Sources/ZcashLightClientKit/Metrics/SDKMetrics.swift	4025	57f9aca61e2ed784d046ebf9be2f890a4c31ece66e862f3a70784309f6b21a91
Sources/ZcashLightClientKit/Migration/ChainTipEstimator.swift	8153	776c8a8a1cd65e41ace07c3e3a7da2dc84077beb59ed20b4fa7fe44548a959fe
Sources/ZcashLightClientKit/Migration/MigrationBroadcaster.swift	16552	6cf565c17fb698a5f3064e852a5ce7f9bb4797be6df2364289b3799514b99eb9
Sources/ZcashLightClientKit/Migration/MigrationSyncGate.swift	31420	57d9dd39e1fa300c3872876cb1117aaf35d465b8e5b64734011fa914ddef823b
Sources/ZcashLightClientKit/Migration/OrchardMigration.swift	60958	e68ac1df68baf5edb6d12b954ca568c4f25e1ea502eb9d37718a08d6f3825efd
Sources/ZcashLightClientKit/Migration/OrchardMigrationHost.swift	23083	d23badd6f0c51ac17591803cc1db794ed005d02e128fff6277d52280e8ecc1f1
Sources/ZcashLightClientKit/Model/Eip681TransactionRequest.swift	3303	637f8c908cd53e6255bc6ad164008c8e31ccc7899b47aa1572d1ae313c105b95
Sources/ZcashLightClientKit/Model/FiatCurrencyResult.swift	855	0c1f06732b991506ec4f3348325f9bcae4cd931d5e431141ccc6b5d798dd10ac
Sources/ZcashLightClientKit/Model/Memo.swift	7451	02f957adb460e31aeda9ad3342c3c495db4b93b6d63fe7da507dca961aabec4d
Sources/ZcashLightClientKit/Model/MigrationModels.swift	55867	8e3276e5332626f092963cb5a11aa1ea2d223e9d740769c66949a13acf2439e4
Sources/ZcashLightClientKit/Model/Proposal.swift	3197	c3fe134d36260332b53ff091b8c38739a58548d1446aaa7ca5aba0537e4323ff
Sources/ZcashLightClientKit/Model/ScanRange.swift	649	3e4c12357a315466f8102ab2ed6456cb574a24a4f4d674f693280c31fd696d4e
Sources/ZcashLightClientKit/Model/ScanSummary.swift	249	1ace1980a3ade8ba4453112b0aa08b64bf3f5384fd0e37693b6fa76b43745bd7
Sources/ZcashLightClientKit/Model/SingleUseTransparentAddress.swift	753	74b64c9d727ac3c44573ff711e5ecf57f56fe88a050e05acbd0cea4e15924e0a
Sources/ZcashLightClientKit/Model/TransactionDataRequest.swift	5860	0145e5057ccccba6b3399c2b9bfb4f4c77d99007486abfe9b40ba8702590cd6b
Sources/ZcashLightClientKit/Model/TxId.swift	1109	8eace1b6514da999e863880b33354c6c8ea613129409c17c231fed8cf61f653f
Sources/ZcashLightClientKit/Model/WalletSummary.swift	5105	0cf316c85a8a5874b205e6d2e9585c3fc9092692f32d578fe18cb4ba2345d8e8
Sources/ZcashLightClientKit/Model/WalletTypes.swift	13313	a17a16bfc6aaba6ff82614e6822b0f330f005f2e6d6d9c79d8822fdf9123e789

Sources/ZcashLightClientKit/Model/Zatoshi.swift	3612	e33fcb56c1eef083e4630a5862ce2141036f7c31d317261cce08cdd58fbfeee3
Sources/ZcashLightClientKit/Model/ZcashNetwork+IronwoodActivation.swift	948	6cae091ccb36991feb925d4cb98cc92ee73e4b0b47eb42f7a64cbeff0a431ed4
Sources/ZcashLightClientKit/Modules/Service/GRPC/LightWalletGRPCService.swift	19524	05d82c9f367124a1e016422a33e1ecd52e480501591f26b79c71c2744b4a1d9f
Sources/ZcashLightClientKit/Modules/Service/GRPC/ProtoBuf/Extensions/Protocolbuffer+Extensions.swift	1186	3660372f3445c8e4e8d6c111f167f86f7ac28d78d2c46fdf58a01f3cd6095bec
Sources/ZcashLightClientKit/Modules/Service/GRPC/ProtoBuf/compact_formats.pb.swift	26494	eb9dde3d35346413ccc4fc42c2b2f2b0671e3887ca4b3ec5dae1d380fca68c5a
Sources/ZcashLightClientKit/Modules/Service/GRPC/ProtoBuf/proposal.pb.swift	42510	c0c382edc742c6ea6ad6f51dfce6fc4a7ae01fce7bc09c8f210217ad24fe297b
Sources/ZcashLightClientKit/Modules/Service/GRPC/ProtoBuf/proto/proposal.proto	7647	cda75853804c312b481762111b3ffda0ff4442c7b5b03ecfc47a55e4f660c139
Sources/ZcashLightClientKit/Modules/Service/GRPC/ProtoBuf/service.grpc.swift	98144	10bdbec52293277f5266890813d23e26fadabd40c1f48d95bbad7c91b1cc238a
Sources/ZcashLightClientKit/Modules/Service/GRPC/ProtoBuf/service.pb.swift	62950	b70e743d5476ec9bea9e023763242d99fb693f5c58d193b391bb3f12d90b74e7
Sources/ZcashLightClientKit/Modules/Service/LightWalletService.swift	8594	7769934f501a7b0353628e1264362f17bca500dcea07f7635d7d906619957358
Sources/ZcashLightClientKit/Modules/Service/Tor/LightWalletGRPCServiceOverTor.swift	8850	c55b2ebe17a7dc3028b16cbfc8d52930cad4499c866d438d49c4858c18239ae5
Sources/ZcashLightClientKit/Providers/LatestBlocksDataProvider.swift	2474	ee355c7e4cae9fdfe460345c346768651b999e8e87b2e4ba17003c5d1f07f7f5
Sources/ZcashLightClientKit/Providers/ResourceProvider.swift	2590	b5ad7c7f2d7b86cb7629b547fcecd140623f38ab56062ca2bed60e5e5cef58f4
Sources/ZcashLightClientKit/Repository/BlockRepository.swift	268	b26f26c679fc1b19807d40c41286f895d684e78a263e5ba82c4664c34e3570b3
Sources/ZcashLightClientKit/Repository/CompactBlockRepository.swift	1359	7e307357687ec777cae926f008e6eef47296a859f40eb58ad9c9dcd4e278994e
Sources/ZcashLightClientKit/Repository/NotesRepository.swift	318	149ccef7d0ccd94c91e712003ac03c547ee6e7d530d83744c88e8763c3b21965
Sources/ZcashLightClientKit/Repository/PaginatedTransactionRepository.swift	739	009198d5cf21edd9c424aabd46c529aeef1ce2ab8f40a1aabcfc70d7a1f99025
Sources/ZcashLightClientKit/Repository/TransactionRepository.swift	1694	f869e5163567db178bd56cb8dfb167008690c3cc2cd750b9c8316306ec5ac313
Sources/ZcashLightClientKit/Repository/TransactionRepositoryBuilder.swift	801	3821bbc61dc4c199f78dacb55f887e477e76a2993dcb6eea8628f3540ca44621

Sources/ZcashLightClientKit/Rust/Voting/PirSnapshotResolver.swift	11053	770885b159979c08633e299de9b06072c19a5e8fb662351e8744b4a8e03c2ea2
Sources/ZcashLightClientKit/Rust/Voting/VotingConstants.swift	765	d908bc9b4fc904fe3dc730b73a2ac360c87f9a5ed5f0a1d1eb0a8fe7b0471439
Sources/ZcashLightClientKit/Rust/Voting/VotingKeyTypes.swift	5423	cd18af1a0a8617ff28680f3f36f50b1b311fdd775c4888d4e3d746487f41adf7
Sources/ZcashLightClientKit/Rust/Voting/VotingRustBackend.swift	86726	6f96ef9d20b4a99b6eec105c7a00ccab7ac16e7d3ca82abf2312e377469be846
Sources/ZcashLightClientKit/Rust/Voting/VotingTypes.swift	23705	2e6e66edc27fcf79e6e48ed2bfaf5b0d0d905d0d6a1da7c2924db359f17e53fc
Sources/ZcashLightClientKit/Rust/WalletSummary+FFI.swift	4739	a24dde9852350ad21ac491012674367eb957b7b6eba7473f97c5590bfa0a56a0
Sources/ZcashLightClientKit/Rust/ZcashEip681Backend.swift	10121	78c66400d88cefc9bee774aca23d1a2b300f6352161fdcf69b18c3dbb810d5d2
Sources/ZcashLightClientKit/Rust/ZcashKeyDerivationBackend.swift	9483	1519ec9c5c228dd35112837a5381355c837891b933d2ccaaa6dc1060f459d761
Sources/ZcashLightClientKit/Rust/ZcashKeyDerivationBackendWelding.swift	6186	f8093a864248e30e6baa2a8243a56c6b20ad972ff47d363b59a67cb25de3002a
Sources/ZcashLightClientKit/Rust/ZcashRustBackend.swift	132298	38a33feabbdb9e8582d5a5e534e8cb4136198c08eff9ace8aaec7bef3a086c1e
Sources/ZcashLightClientKit/Rust/ZcashRustBackendWelding.swift	54802	28b7a1c0a670fe465be318f953ebe042493e468f62f636842ff30d3379287cde
Sources/ZcashLightClientKit/Synchronizer/ClosureSDKSynchronizer.swift	11863	9f7ec07ee3b7d5d1332e1807969bd6d70dd1548c8ac7ee5e31d59760a06d1313
Sources/ZcashLightClientKit/Synchronizer/CombineSDKSynchronizer.swift	11147	37d73afbe787719085f8ce32ba33fae21cd8f19cec331ff56bed6d12f6cbd119
Sources/ZcashLightClientKit/Synchronizer/Dependencies.swift	10448	de55bf712b05843abfa762de4151f23d60a40140a0dbb57446444f7c8b59fb6c
Sources/ZcashLightClientKit/Synchronizer/SDKBroadcaster.swift	7785	09e6eee11a4568367ba62a90b188354ed1b42324b4f273f528466f300b82f1af
Sources/ZcashLightClientKit/Synchronizer/SDKSynchronizer.swift	66783	f69a0d0de236f53869c831111a71281bff3f8ddf8c1bc3261162c51619412e2a
Sources/ZcashLightClientKit/Synchronizer.swift	104332	007180ca59b48c4faaa3ce9d70901fb9645c302573e6370d84cb7de53bedfaac
Sources/ZcashLightClientKit/Tool/DerivationTool.swift	13683	95034aa99c12335a9270b713b2e6fd62639389995bdc40170501b1c0c3eb2104
Sources/ZcashLightClientKit/Tor/TorClient.swift	18296	1004871c74d77bb58fd18878cce2710aff6989dbf1b23e155d4512a1490d527a
Sources/ZcashLightClientKit/Transaction/EndpointSubmitter.swift	2521	399533ac3047859c8ea1be5a3ad1a110a358f75de7f2620e8ef29e71e0466632

Sources/ZcashLightClientKit/Transaction/MultiEndpointSubmitter.swift	10497	1bf2cecd3556dc3c2626fe853348ac863d0a6bf717cb1f293f8d9ed25dc2f952
Sources/ZcashLightClientKit/Transaction/SubmitPlanExecutor.swift	1562	d873f4e0d6119570bed282774fe51d5747701093aeeb7fd1809f31e5edde8e99
Sources/ZcashLightClientKit/Transaction/SubmitPlanStore.swift	9508	b047f7a733c38e607edef2634b07f30fecf72cf9b271d280ad7e1bbb1876d318
Sources/ZcashLightClientKit/Transaction/TransactionEncoder.swift	5775	1bf2c67169c73c0a044d52489827d977cc8cfb8ad01b4d18cb3322397ccffa75
Sources/ZcashLightClientKit/Transaction/TxResubmitter.swift	7646	11275db58936a43b265d4a06fa57d0676923a88d6d8fa22598409d34d983c48f
Sources/ZcashLightClientKit/Transaction/WalletTransactionEncoder.swift	6871	196c0dddef314b75fd85074ab510961814032a12ec757aff2a94bd6eb3d5de9f
Sources/ZcashLightClientKit/Utils/AsyncToClosureGateway.swift	1202	f55b5a89f87592c52a7f2c5bd2a8f2742c94f46a26a95be43f1bea6a6e5da958
Sources/ZcashLightClientKit/Utils/AsyncToCombineGateway.swift	1745	e52fb4a5a2f9824802271c760e263ae98279de3cffd9f313112281103315576e
Sources/ZcashLightClientKit/Utils/BackupExcludedStorage.swift	2096	6db3a8e743b6eee80e30d8ac58f150f4a2179695dc99627fbc7b96869db72d9a
Sources/ZcashLightClientKit/Utils/Clamped.swift	830	dc6a809c931a610571c437fa7c7a8e5bee788201ce4bdb5b196be5b7d8919729
Sources/ZcashLightClientKit/Utils/DBActor.swift	1954	ef887ae70511e578c31db5be07203fbaab8c378188d3c819b9d18d23d96ecd75
Sources/ZcashLightClientKit/Utils/DIContainer.swift	3597	c84be42acee48cab2b6f019ee6d20e00bb0661b095903226a67d6acf5141cf72
Sources/ZcashLightClientKit/Utils/GenericActor.swift	314	bbef7ff013f54f44e7fe154ab6ae3c54810653a830cad13032d2b984de769f97
Sources/ZcashLightClientKit/Utils/LoggingProxy.swift	2657	80c7dd801ce029ed0c45c6bc68a325cbfbf9588ed99094cbd81a75433cfd2b78
Sources/ZcashLightClientKit/Utils/OSLogger.swift	4116	869f8adcf08e0c50ee1d0bc8a0542fb865039f4463a88fa63b87eb8c8f3eaec5
Sources/ZcashLightClientKit/Utils/SDKFlags.swift	3277	01677794ab1124d031580d649df173db77b7f4c025070f943e13787179061171
Sources/ZcashLightClientKit/Utils/SaplingParameterDownloader.swift	7297	366ee712d90ee3f619b4ddb5f08b038e97b4085a2bcc013f985f3c7bc8ea0e40
Sources/ZcashLightClientKit/Utils/SpecificCombineTypes.swift	454	11c5643fa1ad93bd6ce285294d5150a8c7a3fbd105f72ee8a0081854f8f15ba1
Sources/ZcashLightClientKit/Utils/SyncSessionIDGenerator.swift	755	98c8dec0a158cc87f40fa2128a6f5a205603d4c8abaf258ae27d29430e56cbac
Sources/ZcashLightClientKit/Utils/Task+sleep.swift	294	b4eae0f182fd4857cdef2c030c81139a8e5a5fb8a4b2a2e867c8b2717f3e7b66

Sources/ZcashLightClientKit/Utils/UsedAliasesChecker.swift	1512	b72f3fd2231a8c59ea97e2e469f8eabc23ae2911beda691752bac3f4da0a9590
Sources/ZcashLightClientKit/Utils/WitnessesFixGate.swift	6465	4d89bcef152ce849dbced991bda192e00c162caf628d56b086949173894f6a48
Sources/ZcashLightClientKit/Utils/ZcashFileManager.swift	325	c309049dd20537366c31e46a0831503c8d093f337c53e7d48e09f29d4efc2a5f
lightwallet-protocol/walletrpc/compact_formats.proto	6490	d8d0c8aaa5ceec7d5dcc188ef25b04011df2ec0254901620fce982fc13aeb32d
lightwallet-protocol/walletrpc/service.proto	15236	6fbfa974081fb02366a3118a25764af289bdbb86688978f5ff2bae661dfa346a
responsible_disclosure.md	4648	b22c1c8a1dad5e09a915455a9111014624ba559bbea9c7b08f2dd4e1df0782f2
rust/build.rs	3528	b6ceacf11198555804bd255be6ce8b0e507b9b35e4532da1056cb8026f6eecf9
rust/src/derivation.rs	31382	37ae450b8c1a65ed189d48ae04adb2baee7c494c3f55346ee68616f9ba5467c6
rust/src/eip681.rs	17307	1ffdce28a5180709863f6055cfa9b1da2e2d5a8541440bb1845c035b4079f3f6
rust/src/error_report.rs	22607	3300906616d2bd81f3e098d1564c7c3976a0add7d2b1332b52b8130bbf82034f
rust/src/ext_schema.rs	2703	78c735696386d4f577fdea09b3c28686c8ad40f8472f1ccf37c9667ae9925af9
rust/src/ffi/sys.rs	119	16c6b95133b0dd82837ec3d098e637bcae957aab180bebe37c697ad42a88c66f
rust/src/ffi.rs	49683	3cfcb04dfabb39544f28faba641523b7028e521da82ec11dfa3b8184df26c8eb
rust/src/lib.rs	208268	afc4b32a0843665f4022b976de0b9664f0e020c159692503976fc2b5e0088bfd
rust/src/migration.rs	532046	e614bf9f2de830fe338a26ae55c9be82ead182ff0dfd7d35be8da41af9ac7663
rust/src/migration_engine.rs	7679	6f486536fcb33419ed2c2a1692ad4042f54e76d24c7ae1fb7f4e9ac68b5c05f1
rust/src/migration_finalize.rs	12826	f12370cdd2d684918463c5a6b2f4aa3e906bb12bb00d22e69daab2c60b33ef22
rust/src/migration_keystone.rs	27554	3745f20c7ad10878b32a7bf8285b9a562a0b5c02605f9e62418c862fd7fb1ec8
rust/src/migration_plan_cache.rs	6391	dab3c8fe290705fc52b8be473a1f4d774e3d53734eb2194b30ebb94b7b49789b
rust/src/migration_turnstile.rs	4462	cc33f903018993bfd8618ba94f7cceabadd3f0045d5c82f56626fedf15ef63d2
rust/src/os_log/layer.rs	871	bdb7e530c379bf4f3c0b134fe20c34c29553467a10c0d211c34fa1d441c06acf
rust/src/os_log/signpost.rs	2643	d2c814fafdea8dba57fde91b32b4728ca404db9bd1a792234728ac8a1431b087
rust/src/os_log/writer.rs	2215	f7f85b1e75b6f34bb9653a71f75ed79a21d773a7fa8eaa97f8a115bfd134f6ef
rust/src/os_log.rs	2216	e1f1be0bf4d4b1cbfa6c5c4ab3a1da082a7f27e6d41251882213648ddcddedbd
rust/src/tor.rs	9927	b4fb708571b1779bc2b9bdaddc640204f26e50de99e6bf7aba4db02b1d335bd4
rust/src/voting/confirmation.rs	2756	663e7c0a08585a1f755ed4f60a2f085a07a6587266186b15172cb6e5b2a005d4
rust/src/voting/constants.rs	2100	9577388b6831849edae435d202303b7140873d05be3d5122467dcccb09cdda18
rust/src/voting/db.rs	7533	0b8d71ed8e6802d2add5a166890f9ae81033d707daf7ae7a709a581d18f1c80e
rust/src/voting/delegation.rs	70957	e87f24b8c0a799f6577b20c04a8fd8934a574358c3cdda49ae5dd76f53b8f2e6
rust/src/voting/ffi_types.rs	6328	184ea90611e9f9e690bb8f6b6618219b45b7ba700f526d388bb197c64546b024

rust/src/voting/helpers.rs	8945	f7ceda1fd8a2a2c04b75a026904213bee0426d69fc7e87af69f8d4153d8ed103
rust/src/voting/json.rs	6696	85078385184c23a71456e2929878204274f7addef125dc283f2354cc308225cd
rust/src/voting/notes.rs	9619	7b2561686ba60d26bbfb8629aa5ceba086c94c31b42ae2b356bd30c3703a8341
rust/src/voting/progress.rs	1516	732e388c0c58cd6eb68493094388a97beb33371e3a644c73b141f4829eec1a80
rust/src/voting/recovery.rs	25607	a972e84fb3cf28e348b780df4587ddb33df391bd6e6c5ffaa3961b821952b14a
rust/src/voting/rounds.rs	17983	6c9ae05545c889923962d8ba1f6162cd4159cbea12437157dc3fc38b94fc76e8
rust/src/voting/share_tracking.rs	19735	74942bcf7842203b28da6e69c097286f11a188c0174e6d5a9c788565e230dccf
rust/src/voting/signing.rs	18168	b6a69b6fcf2df3ba81dcff8f5601373ce0646d0393cb5b9b427b809d941527fe
rust/src/voting/tree.rs	3800	d4409c4a543592d6c1fd2ae4bff8ecd9b0407639038bd021fc2f015b6728a666
rust/src/voting/util.rs	24536	905651b85dc1fa229641b84226bf1a388aea577723ea1763e6a881c181e7110c
rust/src/voting/vote.rs	12732	745787066754dc8eed0680b92d1c1e03acd2d01f81c69f6b095c4b5ba2936570
rust/src/voting.rs	784	fda5fcd11bfa1c705e1151f4fce52474bd35ddfee4e08025aa11df1b28e43c5b
rust/wrapper.c	573	36ae07d00d702e2db37417af79637dc86964657d730a9b200040e91d4ac61768
rust/wrapper.h	375	449d05440894d5e11a82bc7c010a6021146edc440a981fb90522b8e9f5dd2791