QUANTUM SECURITY INTELLIGENCE

Security & Post-Quantum Readiness Audit Report

hyperledger-fabric @ 13ef9e5ee594 · Hyperledger Fabric (LF Decentralized Trust) — public repository (passive review)

Organization	QSI
Report date	2026-11-06 10:32 UTC
Report version	1
Audit run	4d4b80d2-b345-4016-a57a-14639a8ee008 · Document audit · 2026-11-06 10:32 UTC
Analyzer engine	qsi-engine 1.3.0
Risk profile	Crypto exchange, custodian or wallet
Content SHA-256	`c6d8ad0dc0ae1f4057b7a287b056a05648ac2555beac30700886e6ad50e9e186`
Signature key (Ed25519, SHA-256 fingerprint; the signature is the separate file report.sig.json)	`5b3cf9c9bd0fa54447e2b5dfa7a6bab569bd0c666fa46949599e5c348d17083e`

Contents

1. Executive summary
2. Scope and boundaries
3. Methodology
4. Assets examined and not examined
5. Architecture overview
6. Overall security posture
7. Findings by severity
8. Detailed findings
9. Evidence
10. Post-quantum assessment
11. Limitations and assumptions
12. Remediation plan
13. Priorities for 30, 60 and 90 days
14. Verification after remediation
15. Tools used
16. Sources and normative documents
17. Appendices

This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.

Executive summary

29	0	1	7	3
Findings in total	Critical	High	Medium	Low

Classification	Count
Confirmed technical vulnerability	0
Known vulnerable component	20
Confirmed configuration error	0
Potential cryptographic risk	1
Long-term post-quantum risk	8
Improvement recommendation	0
Insufficient data	0

Top 5

ID	Severity	Detailed findings	Priority score
QSI-2026-17550	High	google.golang.org/grpc v1.83.1 is affected by GHSA-2v4p-qf9q-27wj (CVE-2026-84445, GO-2026-6443)	50.2
QSI-2026-17522	Medium	Quantum-vulnerable ECDSA: transaction and message signing (1 file(s)) preliminary	35.6
QSI-2026-17523	Medium	Quantum-vulnerable Ed25519: transaction and message signing (1 file(s)) preliminary	35.6
QSI-2026-17524	Medium	Quantum-vulnerable ECDSA: role not determined (8 file(s)) preliminary	34.2
QSI-2026-17525	Medium	Quantum-vulnerable ECDH: role not determined (2 file(s)) preliminary	34.2

Mosca's inequality (x + y > z): x = 10, y = 5, z = 8 → migration would finish too late under this scenario. z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Post-quantum maturity: Level 4 of 4 — post-quantum by default in the critical paths. Next step: Keep the inventory current and review new code paths before release.

Scope and boundaries

Mode: Document audit

Repository: https://github.com/hyperledger/fabric @ 13ef9e5ee59466b152c8fe65b3a095234de671f7 — evidence links open the lines at this commit.

Supplied inputs

814 files, 5287906 bytes in total, 0 redaction(s); the per-file SHA-256 list is in appendix C.

Methodology

The audit was performed by the QSI engine 1.3.0. Each analyzer emits facts (rule, parameters, evidence); finding texts are generated from the rule catalog. Methodology sources are listed under "Sources and normative documents".

Prioritization uses an explainable weighted model (severity, exploitability, exposure, confidentiality/integrity/availability impact weighted by the "Crypto exchange, custodian or wallet" profile, asset criticality, urgency, ease of remediation) with a confidence multiplier. CVSS v3.1 is applied only to technical vulnerabilities with a defined vector. Long-term quantum risks use Mosca's inequality; their severity is capped at Medium and they are never presented as exploitable vulnerabilities.

Finding classes: confirmed technical vulnerability; known vulnerable component (a dependency version named in an advisory; whether the affected code is reachable is assessed separately, and a component confirmed by review becomes a vulnerability); confirmed configuration error; potential cryptographic risk; long-term post-quantum risk; improvement recommendation; insufficient data. Heuristic findings are marked preliminary; analyst decisions are shown next to the findings.

Coverage of checks

Area	Status	Count	Examples
source_code	checked	789	ccaas_builder/cmd/detect/main.go: 68 lines scanned with 16 rule patterns and 266 registry patterns; ccaas_builder/cmd/release/main.go: 106 lines scanned with 16 rule patterns and 266 registry patterns; cmd/common/cli.go: 157 lines scanned with 16 rule patterns and 266 registry patterns
dependencies	checked	6	ccaas_builder/go.mod: 10 dependencies parsed (10 pinned); docs/requirements.txt: 39 dependencies parsed (39 pinned); docs/source/requirements.txt: 1 dependencies parsed (1 pinned)
tls_code	checked	32	cmd/common/comm/client.go: TLS key-exchange settings read; cmd/common/comm/config.go: TLS key-exchange settings read; cmd/common/signer/signer.go: TLS key-exchange settings read
certificates	error (not checked)	14	docs/source/cc_service.md line 164: certificate could not be parsed (ValueError); docs/source/commands/peerchaincode.md line 161: certificate could not be parsed (ValueError); docs/source/discovery-cli.md line 137: certificate could not be parsed (ValueError)
certificates_and_keys	checked	6	docs/source/cc_service.md: certificates/keys parsed; docs/source/commands/peerchaincode.md: certificates/keys parsed; docs/source/discovery-cli.md: certificates/keys parsed
tls_key_exchange_groups	Insufficient data	1	internal/pkg/gateway/endorse.go line 102: not in the algorithm registry, not assessed: append(groups
tls_configuration	checked	1	internal/pkg/gateway/endorse.go: openssl TLS directives parsed
entropy	checked	1	random-number generation: 789 code files read with 0 macro definitions from the tree; 0 ineffective guard(s), 0 weak random-bytes provider(s), 0 weak key-generation site(s)
osv_advisories	checked	1	385 pinned packages queried at OSV.dev; 6 affected

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

Assets examined and not examined

Supplied inputs: 803 (input files: C)

Not checked

- certificates: docs/source/cc_service.md line 164: certificate could not be parsed (ValueError)
- certificates: docs/source/commands/peerchaincode.md line 161: certificate could not be parsed (ValueError)
- certificates: docs/source/discovery-cli.md line 137: certificate could not be parsed (ValueError)
- certificates: docs/source/discovery-cli.md line 146: certificate could not be parsed (ValueError)
- certificates: docs/source/discovery-cli.md line 155: certificate could not be parsed (ValueError)
- certificates: docs/source/discovery-cli.md line 164: certificate could not be parsed (ValueError)
- certificates: docs/source/discovery-cli.md line 403: certificate could not be parsed (ValueError)
- certificates: docs/source/discovery-cli.md line 411: certificate could not be parsed (ValueError)
- certificates: docs/source/discovery-cli.md line 417: certificate could not be parsed (ValueError)
- certificates: docs/source/discovery-cli.md line 447: certificate could not be parsed (ValueError)
- certificates: docs/source/discovery-cli.md line 452: certificate could not be parsed (ValueError)
- certificates: docs/source/discovery-cli.md line 457: certificate could not be parsed (ValueError)
- certificates: docs/source/discovery-cli.md line 462: certificate could not be parsed (ValueError)
- certificates: docs/wrappers/peer_chaincode_postscript.md line 20: certificate could not be parsed (ValueError)
- tls_key_exchange_groups: internal/pkg/gateway/endorse.go line 102: not in the algorithm registry, not assessed: append(groups

Architecture overview

Static review of the source tree hyperledger-fabric at 13ef9e5ee59466b152c8fe65b3a095234de671f7. 814 files analysed; of 2874 files, 1650 are test, fuzzing, benchmark or example code and were left out, 410 are not read by any analyzer, 0 exceed the per-file limit and 0 did not fit the total limit. Files no analyzer reads include: .dockerignore, .gitattributes, .github/ISSUE_TEMPLATE/bug.yaml, .github/ISSUE_TEMPLATE/feature.yaml, .github/ISSUE_TEMPLATE/workitem.yaml. 3582 files in build-output or dependency-cache directories (.git, .hg, .venv, __pycache__, build, dist, node_modules, target, vendor, venv) were not read. No requests were sent to the owner's systems.

Overall security posture


84
Indicative posture index (0–100)

37.8%
Quantum-vulnerable share of inventory

45
Cryptographic inventory

Derived from findings in scope (confirmed and potential issues weighted by severity). Indicative only; not comparable across differently scoped audits.

Findings by severity



ID	Detailed findings	Classification	Severity	Confidence
QSI-2026-17550	google.golang.org/grpc v1.83.1 is affected by GHSA-2v4p-qf9q-27wj (CVE-2026-84445, GO-2026-6443)	Known vulnerable component	High	Medium
QSI-2026-17522	Quantum-vulnerable ECDSA: transaction and message signing (1 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-17523	Quantum-vulnerable Ed25519: transaction and message signing (1 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-17524	Quantum-vulnerable ECDSA: role not determined (8 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-17525	Quantum-vulnerable ECDH: role not determined (2 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-17527	Quantum-vulnerable Ed25519: role not determined (2 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-17528	Quantum-vulnerable ECDSA: authentication and identity (certificates, tokens, device attestation) (1 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-17526	MD5 used in common/deliverclient/orderers/connection.go	Potential cryptographic risk	Medium	Medium, preliminary
QSI-2026-17529	Quantum-vulnerable ECDSA key in certificate (ca.org1.example.com)	Long-term post-quantum risk	Low	High
QSI-2026-17530	Quantum-vulnerable ECDSA key in certificate (Org2-child1)	Long-term post-quantum risk	Low	High
QSI-2026-17539	golang.org/x/crypto v0.58.0 is affected by GO-2026-5932 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-17531	golang.org/x/net v0.57.0 is affected by GO-2026-6603 (CVE-2026-78659) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-17532	golang.org/x/net v0.57.0 is affected by GO-2026-6610 (CVE-2026-78660) (no severity rating)	Known vulnerable component	Info	Low, preliminary

QSI-2026-17533	golang.org/x/net v0.57.0 is affected by GO-2026-6611 (CVE-2026-78669) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-17534	golang.org/x/net v0.57.0 is affected by GO-2026-6612 (CVE-2026-78663) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-17535	golang.org/x/net v0.57.0 is affected by GO-2026-6617 (CVE-2026-97032) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-17536	golang.org/x/net v0.57.0 is affected by GO-2026-6860 (CVE-2026-78661) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-17537	golang.org/x/net v0.57.0 is affected by GO-2026-6866 (CVE-2026-97045) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-17538	golang.org/x/text v0.40.0 is affected by GO-2026-6629 (CVE-2026-56851) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-17540	golang.org/x/net v0.55.0 is affected by GO-2026-5942 (CVE-2026-46600) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-17541	golang.org/x/net v0.55.0 is affected by GO-2026-6603 (CVE-2026-78659) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-17542	golang.org/x/net v0.55.0 is affected by GO-2026-6610 (CVE-2026-78660) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-17543	golang.org/x/net v0.55.0 is affected by GO-2026-6611 (CVE-2026-78669) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-17544	golang.org/x/net v0.55.0 is affected by GO-2026-6612 (CVE-2026-78663) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-17545	golang.org/x/net v0.55.0 is affected by GO-2026-6617 (CVE-2026-97032) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-17546	golang.org/x/net v0.55.0 is affected by GO-2026-6860 (CVE-2026-78661) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-17547	golang.org/x/net v0.55.0 is affected by GO-2026-6866 (CVE-2026-97045) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-17548	golang.org/x/text v0.37.0 is affected by GO-2026-5970 (CVE-2026-56852) (no severity rating)	Known vulnerable component	Info	Low, preliminary

QSI-2026-17549	golang.org/x/text v0.37.0 is affected by GO-2026-6629 (CVE-2026-56851) (no severity rating)	Known vulnerable component	Info	Low, preliminary

Detailed findings

QSI-2026-17550 · DEP-KNOWN-ADVISORY

High

google.golang.org/grpc v1.83.1 is affected by GHSA-2v4p-qf9q-27wj (CVE-2026-84445, GO-2026-6443)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-2v4p-qf9q-27wj (CVE-2026-84445, GO-2026-6443) for Go package google.golang.org/grpc at version v1.83.1: gRPC-Go xDS servers: Denial of Service (DoS) via crash due to missing `:authority` and `Host` headers. The advisory lists only unexported functions (google.golang.org/grpc/internal/transport.http2Server.HandleStreams, google.golang.org/grpc/internal/transport.http2Server.operateHeaders, google.golang.org/grpc/internal/xds/server.RouteAndProcess), which code outside the package cannot call by name, so reachability was not determined.

Affected asset	dependency:Go/google.golang.org/grpc@v1.83.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	50.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-2v4p-qf9q-27wj
```

EVIDENCE

tool_output · OSV.dev GHSA-2v4p-qf9q-27wj · line 15 · SHA-256 3566bf539cd1bed7...


```
{"id": "GHSA-2v4p-qf9q-27wj", "aliases": ["CVE-2026-84445", "GO-2026-6443"], "modified":
"2026-09-25T18:00:05.270054427Z", "summary": "gRPC-Go xDS servers: Denial of Service (DoS) via crash
due to missing `:authority` and `Host` headers", "severity": [{"type": "CVSS_V4", "score":
"CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/
MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSC:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Upgrade to a fixed version (1.82.2, 1.83.2, 1.84.0-dev.0.20260825144003-d5a41119e0e3, 1.85.0-dev.0.20260825072537-93e31b48545e).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-2v4p-qf9q-27wj

QSI-2026-17522 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable ECDSA: transaction and message signing (1 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

2 reference(s) to ECDSA across 1 file(s), e.g. cmd/common/signer/signer.go:11. Role, judged from paths, function names and nearby code: transaction and message signing. A CRQC derives the private key from a public key that is already known (on chain after the first spend, in reused addresses): funds and approvals controlled by these keys need a migration path.

Affected asset	source-code:ECDSA:transaction_signing
Data source	cmd/common/signer/signer.go
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 10:32 UTC
Priority score	35.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open cmd/common/signer/signer.go:11 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · cmd/common/signer/signer.go · line 11 · SHA-256 8ca7cf4a477c1e85… · File 17c163a929b559ef…

```
 10 | "crypto"
 11 | "crypto/ecdsa"
 12 | "crypto/ed25519"
```

file_excerpt · cmd/common/signer/signer.go · line 150 · SHA-256 f011e69596df627e… · File 17c163a929b559ef…

```
149 | func signECDSA(k *ecdsa.PrivateKey, digest []byte) (signature []byte, err error) {
150 | r, s, err := ecdsa.Sign(rand.Reader, k, digest)
151 | if err != nil {
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-17523 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable Ed25519: transaction and message signing (1 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

1 reference(s) to Ed25519 across 1 file(s), e.g. cmd/common/signer/signer.go:103. Role, judged from paths, function names and nearby code: transaction and message signing. A CRQC derives the private key from a public key that is already known (on chain after the first spend, in reused addresses): funds and approvals controlled by these keys need a migration path.

Affected asset	source-code:Ed25519:transaction_signing
Data source	cmd/common/signer/signer.go
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 10:32 UTC
Priority score	35.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open cmd/common/signer/signer.go:103 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · cmd/common/signer/signer.go · line 103 · SHA-256 1fadca5c51485178… · File 17c163a929b559ef…

```
102 | case ed25519.PrivateKey:
103 |         return ed25519.Sign(si.key.(ed25519.PrivateKey), msg), nil
104 | default:
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-17524 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable ECDSA: role not determined (8 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

13 reference(s) to ECDSA across 8 file(s), e.g. common/crypto/sanitize.go:10. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:ECDSA:general
Data source	common/crypto/sanitize.go
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 10:32 UTC
Priority score	34.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open common/crypto/sanitize.go:10 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · common/crypto/sanitize.go · line 10 · SHA-256 7084b7c99f554eec... · File 07ebd62082c189a8...

```
 9 | import (
10 | "crypto/ecdsa"
11 | "crypto/x509"
```

file_excerpt · common/crypto/tlsgen/key.go · line 11 · SHA-256 9dcdbc8c39c2a748... · File 5087586f9dbed00e...

```
10 | "crypto"
11 | "crypto/ecdsa"
12 | "crypto/elliptic"
```

file_excerpt · common/crypto/tlsgen/key.go · line 27 · SHA-256 36cd8f56fd06275a... · File 5087586f9dbed00e...

```
26 | func newPrivKey() (*ecdsa.PrivateKey, []byte, error) {
27 | privateKey, err := ecdsa.GenerateKey(elliptic.P256(), rand.Reader)
28 | if err != nil {
```

file_excerpt · integration/nwo/signingid.go · line 10 · SHA-256 7983932d009be78f... · File 5fc4f91644273dee...

```
 9 | import (
10 | "crypto/ecdsa"
11 | "crypto/ed25519"
```

file_excerpt · integration/nwo/signingid.go · line 62 · SHA-256 1fa03b22a497e32b… · File 5fc4f91644273dee…

```
61 | case *ecdsa.PrivateKey:
62 |         r, _s, err := ecdsa.Sign(rand.Reader, k, digest[:])
63 |         if err != nil {
```

file_excerpt · integration/pkcs11/p11key.go · line 11 · SHA-256 7c3c9ad2241d4535… · File 239a42d597cab9a1…

```
10 | "crypto"
11 | "crypto/ecdsa"
12 | "encoding/asn1"
```

file_excerpt · internal/cryptogen/ca/ca.go · line 10 · SHA-256 28e1ebfdc5314af7… · File 9c4a52420badd786…

```
 9 | "crypto"
10 | "crypto/ecdsa"
11 | "crypto/ed25519"
```

file_excerpt · internal/cryptogen/csp/csp.go · line 10 · SHA-256 28e1ebfdc5314af7… · File 5c9ce9a5c042bf0b…

```
 9 | "crypto"
10 | "crypto/ecdsa"
11 | "crypto/ed25519"
```

file_excerpt · internal/cryptogen/csp/csp.go · line 85 · SHA-256 145d377cd11be499… · File 5c9ce9a5c042bf0b…

```
84 | case "ecdsa":
85 |         priv, err = ecdsa.GenerateKey(elliptic.P256(), rand.Reader)
86 | case "ed25519":
```

file_excerpt · internal/cryptogen/csp/csp.go · line 130 · SHA-256 c418dec4450d2837… · File 5c9ce9a5c042bf0b…

```
129 | func (e *ECDSASigner) Sign(rand io.Reader, digest []byte, opts crypto.SignerOpts) ([]byte,
error) {
130 | r, s, err := ecdsa.Sign(rand, e.PrivateKey, digest)
131 | if err != nil {
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-17525 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable ECDH: role not determined (2 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

2 reference(s) to ECDH across 2 file(s), e.g. common/crypto/tlsgen/key.go:125. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:ECDH:general
Data source	common/crypto/tlsgen/key.go
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 10:32 UTC
Priority score	34.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open common/crypto/tlsgen/key.go:125 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · common/crypto/tlsgen/key.go · line 125 · SHA-256 6c9e8147d92efa06... · File 5087586f9dbed00e...

```
124 | func computeSKI(key *ecdsa.PublicKey) ([]byte, error) {
125 | ecdhPk, err := key.ECDH()
126 | if err != nil {
```

file_excerpt · internal/cryptogen/ca/ca.go · line 176 · SHA-256 d5a2c3f468ada1cc... · File 9c4a52420badd786...

```
175 | case *ecdsa.PrivateKey:
176 |         ecdhKey, err := kk.ECDH()
177 |         if err != nil {
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-17527 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable Ed25519: role not determined (2 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

3 reference(s) to Ed25519 across 2 file(s), e.g. integration/nwo/signingid.go:72. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:Ed25519:general
Data source	integration/nwo/signingid.go
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 10:32 UTC
Priority score	34.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open integration/nwo/signingid.go:72 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · integration/nwo/signingid.go · line 72 · SHA-256 1cd06a572b80e812… · File 5fc4f91644273dee…

```
  71 | case ed25519.PrivateKey:
  72 |         return ed25519.Sign(k, msg), nil
  73 | default:
```

file_excerpt · internal/cryptogen/csp/csp.go · line 87 · SHA-256 a62ce5e5d32b9cf9… · File 5c9ce9a5c042bf0b…

```
  86 | case "ed25519":
  87 |         _, priv, err = ed25519.GenerateKey(rand.Reader)
  88 | default:
```

file_excerpt · internal/cryptogen/csp/csp.go · line 182 · SHA-256 3009ad2f91fe009f… · File 5c9ce9a5c042bf0b…

```
  181 | func (e *ED25519Signer) Sign(rand io.Reader, msg []byte, opts crypto.SignerOpts) ([]byte,
error) {
  182 | sig := ed25519.Sign(e.PrivateKey, msg)
  183 |
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability.

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-17528 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable ECDSA: authentication and identity (certificates, tokens, device attestation) (1 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

1 reference(s) to ECDSA across 1 file(s), e.g. msp/cert.go:21. Role, judged from paths, function names and nearby code: authentication and identity (certificates, tokens, device attestation). Short-lived authentication stays safe until a CRQC exists; long-lived identities (device attestation, CA and SSH keys) need a plan earlier.

Affected asset	source-code:ECDSA:authentication
Data source	msp/cert.go
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 10:32 UTC
Priority score	34.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open msp/cert.go:21 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · msp/cert.go · line 21 · SHA-256 e90e392283b6e304… · File 109d3fecdcba4e48…

```
20 | "bytes"
21 | "crypto/ecdsa"
22 | "crypto/x509"
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability.

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Keep credentials short-lived and plan ML-DSA certificates, tokens and keys as the ecosystem supports them.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-17526 · CODE-WEAK-HASH

Medium

MD5 used in common/deliverclient/orderers/connection.go

Potential cryptographic risk | Confidence: Medium | preliminary — requires further verification

2 call site(s) of MD5 (first at line 11).

Affected asset	file:common/deliverclient/orderers/connection.go
Data source	common/deliverclient/orderers/connection.go
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 10:32 UTC
Priority score	33.7 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

If used for signatures, password storage, integrity against attackers or token generation, collisions/ preimages may be exploitable. Non-security checksums are acceptable.

REPRODUCTION STEPS

```
Open line 11 in the supplied file common/deliverclient/orderers/connection.go and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · common/deliverclient/orderers/connection.go · line 11 · SHA-256 5f725154eb3b4e46… · File fa072f2d16bdf050…

```
 9 | import (
10 | "bytes"
11 | "crypto/md5"
12 | "crypto/sha256"
13 | "fmt"
```

file_excerpt · common/deliverclient/orderers/connection.go · line 44 · SHA-256 2d175c78e52285fd… · File fa072f2d16bdf050…

```
42 |
43 | if e.RootCerts != nil {
44 |         hasher := md5.New()
45 |         for _, cert := range e.RootCerts {
46 |                 hasher.Write(cert)
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Replace with SHA-256/SHA-3 (or Argon2/bcrypt for passwords) where security-relevant.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

NIST SP 800-131A Rev. 2 — Transitioning the Use of Cryptographic Algorithms and Key Lengths

QSI-2026-17529 · CERT-QV-KEY

Low

Quantum-vulnerable ECDSA key in certificate (ca.org1.example.com)

Long-term post-quantum risk | Confidence: High

The certificate ca.org1.example.com uses a ECDSA secp256r1 public key, valid until 2027-11-10. ECDSA is broken by Shor's algorithm on a CRQC.

Affected asset	certificate:ca.org1.example.com
Data source	sampleconfig/msp/cacerts/cacert.pem
Detection method	X.509 public key algorithm identification.
Analyzer	certificates 1.3.0 · 2026-11-06 10:32 UTC
Priority score	40.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=1.01, y=5.0, z=8.0 → tight margin

POTENTIAL IMPACT

For authentication, risk materializes only once a CRQC exists while the key/certificate is still trusted. Certificates are short-lived, so the main concern is the PKI and long-lived roots/ intermediates.

REPRODUCTION STEPS

```
openssl x509 -in sampleconfig/msp/cacerts/cacert.pem -noout -text | grep -A2 'Public Key Algorithm'
```

EVIDENCE

certificate · sampleconfig/msp/cacerts/cacert.pem · line 1 · SHA-256 7d234b9db694a128... · File 6d24d0804ade3d38...

```
Subject: CN=ca.org1.example.com,OU=COP,O=org1.example.com,L=San Francisco,ST=California,C=US
Issuer: CN=ca.org1.example.com,OU=COP,O=org1.example.com,L=San Francisco,ST=California,C=US
Serial: bd5f1009f3e73a789a827c31d49bfe56
Not before: 2017-11-12T13:41:11+00:00
Not after: 2027-11-10T13:41:11+00:00
Public key: ECDSA secp256r1
Signature algorithm: 1.2.840.10045.4.3.2 (ECDSA)
Signature hash: sha256
CA: True
SAN: -
SHA-256 fingerprint: dfbbd654ce60aaac86dc995580aad33347a4a5baaf484ca64892cebd8ed014f2
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability.

RECOMMENDATION

Track in the PQC inventory; prefer short certificate lifetimes; follow CA/Browser Forum and NIST PQC transition guidance for ML-DSA certificates.

RETEST PROCEDURE

Re-audit once PQC or hybrid certificates are deployed.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-17530 · CERT-QV-KEY

Low

Quantum-vulnerable ECDSA key in certificate (Org2-child1)

Long-term post-quantum risk | Confidence: High

The certificate Org2-child1 uses a ECDSA secp256r1 public key, valid until 2027-05-06. ECDSA is broken by Shor's algorithm on a CRQC.

Affected asset	certificate:Org2-child1
Data source	sampleconfig/msp/tlsintermediatecerts/tlsintermediate.pem
Detection method	X.509 public key algorithm identification.
Analyzer	certificates 1.3.0 · 2026-11-06 10:32 UTC
Priority score	40.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=0.49, y=5.0, z=8.0 → tight margin

POTENTIAL IMPACT

For authentication, risk materializes only once a CRQC exists while the key/certificate is still trusted. Certificates are short-lived, so the main concern is the PKI and long-lived roots/ intermediates.

REPRODUCTION STEPS

```
openssl x509 -in sampleconfig/msp/tlsintermediatecerts/tlsintermediate.pem -noout -text | grep -A2
'Public Key Algorithm'
```

EVIDENCE

certificate · sampleconfig/msp/tlsintermediatecerts/tlsintermediate.pem · line 1 · SHA-256 d5fc619450742a08… · File e9f18cc371b6c3b7…

```
Subject: CN=Org2-child1,O=Org2-child1,L=San Francisco,ST=California,C=US
Issuer: CN=Org2,O=Org2,L=San Francisco,ST=California,C=US
Serial: 36982801213d7e2d28a1954a727c2767
Not before: 2017-05-08T09:30:34+00:00
Not after: 2027-05-06T09:30:34+00:00
Public key: ECDSA secp256r1
Signature algorithm: 1.2.840.10045.4.3.2 (ECDSA)
Signature hash: sha256
CA: True
```

```
SAN: -
SHA-256 fingerprint: 9b616809f5500b33c2b0e19be94a8bd1122b049dd8b19b957487ad4ed0d24ed5
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability.

RECOMMENDATION

Track in the PQC inventory; prefer short certificate lifetimes; follow CA/Browser Forum and NIST PQC transition guidance for ML-DSA certificates.

RETEST PROCEDURE

Re-audit once PQC or hybrid certificates are deployed.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-17539 · DEP-ADVISORY-UNRATED

Low

golang.org/x/crypto v0.58.0 is affected by GO-2026-5932 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-5932 for Go package golang.org/x/crypto at version v0.58.0: The golang.org/x/crypto/openpgp package is unmaintained, unsafe by design, and has known security issues. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Go/golang.org/x/crypto@v0.58.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-5932
```

EVIDENCE

tool_output · OSV.dev GO-2026-5932 · line 108 · SHA-256 79b7a13fb7767fba...

```
{"id": "GO-2026-5932", "aliases": [], "modified": "2026-11-02T22:15:06.677088389Z", "summary": "The golang.org/x/crypto/openpgp package is unmaintained, unsafe by design, and has known security issues", "severity": null, "declared_in_manifest": true}
```

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.58.1-0.20261009181718-2f1f834330b2) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-5932

QSI-2026-17531 · DEP-ADVISORY-UNRATED

Info

golang.org/x/net v0.57.0 is affected by GO-2026-6603 (CVE-2026-78659) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6603 (CVE-2026-78659) for Go package golang.org/x/net at version v0.57.0: HTTP/2 server memory exhaustion due to Trailer headers in net/http. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/net/http2.ClientConn.Close, golang.org/x/net/http2.ClientConn.Ping, golang.org/x/net/http2.ClientConn.RoundTrip, golang.org/x/net/http2.ClientConn.Shutdown, golang.org/x/net/http2.ConfigureServer, golang.org/x/net/http2.ConfigureTransport …) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/net@v0.57.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6603
```

EVIDENCE

tool_output · OSV.dev GO-2026-6603 · line 15 · SHA-256 9e43850e0da48e9d…

{"id": "GO-2026-6603", "aliases": ["BIT-golang-2026-78659", "CVE-2026-78659"], "modified": "2026-10-16T09:55:47.068117441Z", "summary": "HTTP/2 server memory exhaustion due to Trailer headers in net/http", "severity": null, "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.60.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6603

QSI-2026-17532 · DEP-ADVISORY-UNRATED

Info

golang.org/x/net v0.57.0 is affected by GO-2026-6610 (CVE-2026-78660) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6610 (CVE-2026-78660) for Go package golang.org/x/net at version v0.57.0: HTTP/2 transport accepts malformed framing-related headers in net/http. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/net/http2.Transport.NewClientConn, golang.org/x/net/http2.Transport.RoundTrip, golang.org/x/net/http2.Transport.RoundTripOpt, golang.org/x/net/http2.clientConnPool.GetClientConn, golang.org/x/net/http2.clientConnReadLoop.handleResponse, golang.org/x/net/http2.noDialClientConnPool.GetClientConn …) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/net@v0.57.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6610
```

EVIDENCE

tool_output · OSV.dev GO-2026-6610 · line 15 · SHA-256 1b823e53f2709379…

{"id": "GO-2026-6610", "aliases": ["BIT-golang-2026-78660", "CVE-2026-78660"], "modified": "2026-10-16T09:56:04.364467528Z", "summary": "HTTP/2 transport accepts malformed framing-related headers in net/http", "severity": null, "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.60.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6610

QSI-2026-17533 · DEP-ADVISORY-UNRATED

Info

golang.org/x/net v0.57.0 is affected by GO-2026-6611 (CVE-2026-78669) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6611 (CVE-2026-78669) for Go package golang.org/x/net at version v0.57.0: Excessive CPU consumption from repeated initial window changes in net/http. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/net/http2.ClientConn.Close, golang.org/x/net/http2.ClientConn.Ping, golang.org/x/net/http2.ClientConn.RoundTrip, golang.org/x/net/http2.ClientConn.Shutdown, golang.org/x/net/http2.ClientConn.addStreamLocked, golang.org/x/net/http2.ConfigureServer …) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/net@v0.57.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6611
```

EVIDENCE

tool_output · OSV.dev GO-2026-6611 · line 15 · SHA-256 c9b9f78637131224…

{"id": "GO-2026-6611", "aliases": ["BIT-golang-2026-78669", "CVE-2026-78669"], "modified": "2026-10-16T09:55:38.952277866Z", "summary": "Excessive CPU consumption from repeated initial window changes in net/http", "severity": null, "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.60.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6611

QSI-2026-17534 · DEP-ADVISORY-UNRATED

Info

golang.org/x/net v0.57.0 is affected by GO-2026-6612 (CVE-2026-78663) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6612 (CVE-2026-78663) for Go package golang.org/x/net at version v0.57.0: Double flow control refund on HTTP/2 server streams in net/http. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/net/http2.ClientConn.Close, golang.org/x/net/http2.ClientConn.Ping, golang.org/x/net/http2.ClientConn.RoundTrip, golang.org/x/net/http2.ClientConn.Shutdown, golang.org/x/net/http2.ConfigureServer, golang.org/x/net/http2.ConfigureTransport ...) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/net@v0.57.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6612
```

EVIDENCE

tool_output · OSV.dev GO-2026-6612 · line 15 · SHA-256 1471910f88c9bbf8...

{"id": "GO-2026-6612", "aliases": ["BIT-golang-2026-78663", "CVE-2026-78663"], "modified": "2026-10-16T09:55:54.129082194Z", "summary": "Double flow control refund on HTTP/2 server streams in net/http", "severity": null, "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.60.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6612

QSI-2026-17535 · DEP-ADVISORY-UNRATED

Info

golang.org/x/net v0.57.0 is affected by GO-2026-6617 (CVE-2026-97032) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6617 (CVE-2026-97032) for Go package golang.org/x/net at version v0.57.0: HTTP/2 server crash due to HPACK encoder race in net/http. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/net/http2.ClientConn.Close, golang.org/x/net/http2.ClientConn.Ping, golang.org/x/net/http2.ClientConn.RoundTrip, golang.org/x/net/http2.ClientConn.Shutdown, golang.org/x/net/http2.ConfigureServer, golang.org/x/net/http2.ConfigureTransport ...) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/net@v0.57.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6617
```

EVIDENCE

tool_output · OSV.dev GO-2026-6617 · line 15 · SHA-256 b948c88d959bc789...

```
{"id": "GO-2026-6617", "aliases": ["BIT-golang-2026-97032", "CVE-2026-97032"], "modified": "2026-10-16T09:55:57.350751224Z", "summary": "HTTP/2 server crash due to HPACK encoder race in net/http", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.60.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6617

QSI-2026-17536 · DEP-ADVISORY-UNRATED

Info

golang.org/x/net v0.57.0 is affected by GO-2026-6860 (CVE-2026-78661) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6860 (CVE-2026-78661) for Go package golang.org/x/net at version v0.57.0: Avoid quadratic complexity when coalescing text nodes in html in golang.org/x/net. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/net/html.Parse, golang.org/x/net/html.ParseFragment, golang.org/x/net/html.ParseFragmentWithOptions, golang.org/x/net/html.ParseWithOptions, golang.org/x/net/html.parser.addText, golang.org/x/net/html.parser.fosterParent ...) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/net@v0.57.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6860
```

EVIDENCE

tool_output · OSV.dev GO-2026-6860 · line 15 · SHA-256 1f106c45371219ba...

```
{"id": "GO-2026-6860", "aliases": ["CVE-2026-78661"], "modified": "2026-10-27T21:30:04.890809062Z",
"summary": "Avoid quadratic complexity when coalescing text nodes in html in golang.org/x/net",
"severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.62.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6860

QSI-2026-17537 · DEP-ADVISORY-UNRATED

Info

golang.org/x/net v0.57.0 is affected by GO-2026-6866 (CVE-2026-97045) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6866 (CVE-2026-97045) for Go package golang.org/x/net at version v0.57.0: Check all ancestor namespace transitions when rendering raw text in html in golang.org/x/net. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/net/html.Render, golang.org/x/net/html.childTextNodesAreLiteral) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/net@v0.57.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6866
```

EVIDENCE

tool_output · OSV.dev GO-2026-6866 · line 15 · SHA-256 102267a016bc5eef...

```
{"id": "GO-2026-6866", "aliases": ["CVE-2026-97045"], "modified": "2026-10-27T21:45:08.978077289Z",
"summary": "Check all ancestor namespace transitions when rendering raw text in html in golang.org/
x/net", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.62.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6866

QSI-2026-17538 · DEP-ADVISORY-UNRATED

Info

golang.org/x/text v0.40.0 is affected by GO-2026-6629 (CVE-2026-56851) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6629 (CVE-2026-56851) for Go package golang.org/x/text at version v0.40.0: Panic parsing crafted input in x/text/secure/precis in golang.org/x/text. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/text/secure/precis.Profile.Append, golang.org/x/text/secure/precis.Profile.AppendCompareKey, golang.org/x/text/secure/precis.Profile.Bytes, golang.org/x/text/secure/precis.Profile.Compare, golang.org/x/text/secure/precis.Profile.CompareKey, golang.org/x/text/secure/precis.Profile.NewTransformer ...) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/text@v0.40.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6629
```

EVIDENCE

tool_output · OSV.dev GO-2026-6629 · line 18 · SHA-256 657419214ae5882e...

{"id": "GO-2026-6629", "aliases": ["CVE-2026-56851"], "modified": "2026-10-20T10:42:24.5145931112", "summary": "Panic parsing crafted input in x/text/secure/precis in golang.org/x/text", "severity": null, "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.41.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6629

QSI-2026-17540 · DEP-ADVISORY-UNRATED

Info

golang.org/x/net v0.55.0 is affected by GO-2026-5942 (CVE-2026-46600) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-5942 (CVE-2026-46600) for Go package golang.org/x/net at version v0.55.0: Parsing an invalid SVCB or HTTPS RR can panic in golang.org/x/net/dns/dnsmessage. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/net/dns/dnsmessage.Message.Unpack, golang.org/x/net/dns/dnsmessage.Parser.Additional, golang.org/x/net/dns/dnsmessage.Parser.AllAdditionals, golang.org/x/net/dns/dnsmessage.Parser.AllAnswers, golang.org/x/net/dns/dnsmessage.Parser.AllAuthorities, golang.org/x/net/dns/dnsmessage.Parser.Answer ...) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/net@v0.55.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-5942
```

EVIDENCE

tool_output · OSV.dev GO-2026-5942 · line 11 · SHA-256 269e9768d90ae705...

{"id": "GO-2026-5942", "aliases": ["BIT-golang-2026-46600", "CVE-2026-46600"], "modified": "2026-08-17T12:25:32.471119200Z", "summary": "Parsing an invalid SVCB or HTTPS RR can panic in golang.org/x/net/dns/dnsmessage", "severity": null, "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.56.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-5942

QSI-2026-17541 · DEP-ADVISORY-UNRATED

Info

golang.org/x/net v0.55.0 is affected by GO-2026-6603 (CVE-2026-78659) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6603 (CVE-2026-78659) for Go package golang.org/x/net at version v0.55.0: HTTP/2 server memory exhaustion due to Trailer headers in net/http. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/net/http2.ClientConn.Close, golang.org/x/net/http2.ClientConn.Ping, golang.org/x/net/http2.ClientConn.RoundTrip, golang.org/x/net/http2.ClientConn.Shutdown, golang.org/x/net/http2.ConfigureServer, golang.org/x/net/http2.ConfigureTransport ...) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/net@v0.55.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6603
```

EVIDENCE

tool_output · OSV.dev GO-2026-6603 · line 11 · SHA-256 9e43850e0da48e9d...

{"id": "GO-2026-6603", "aliases": ["BIT-golang-2026-78659", "CVE-2026-78659"], "modified": "2026-10-16T09:55:47.068117441Z", "summary": "HTTP/2 server memory exhaustion due to Trailer headers in net/http", "severity": null, "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.60.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6603

QSI-2026-17542 · DEP-ADVISORY-UNRATED

Info

golang.org/x/net v0.55.0 is affected by GO-2026-6610 (CVE-2026-78660) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6610 (CVE-2026-78660) for Go package golang.org/x/net at version v0.55.0: HTTP/2 transport accepts malformed framing-related headers in net/http. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/net/http2.Transport.NewClientConn, golang.org/x/net/http2.Transport.RoundTrip, golang.org/x/net/http2.Transport.RoundTripOpt, golang.org/x/net/http2.clientConnPool.GetClientConn, golang.org/x/net/http2.clientConnReadLoop.handleResponse, golang.org/x/net/http2.noDialClientConnPool.GetClientConn …) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/net@v0.55.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6610
```

EVIDENCE

tool_output · OSV.dev GO-2026-6610 · line 11 · SHA-256 1b823e53f2709379…

{"id": "GO-2026-6610", "aliases": ["BIT-golang-2026-78660", "CVE-2026-78660"], "modified": "2026-10-16T09:56:04.364467528Z", "summary": "HTTP/2 transport accepts malformed framing-related headers in net/http", "severity": null, "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.60.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6610

QSI-2026-17543 · DEP-ADVISORY-UNRATED

Info

golang.org/x/net v0.55.0 is affected by GO-2026-6611 (CVE-2026-78669) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6611 (CVE-2026-78669) for Go package golang.org/x/net at version v0.55.0: Excessive CPU consumption from repeated initial window changes in net/http. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/net/http2.ClientConn.Close, golang.org/x/net/http2.ClientConn.Ping, golang.org/x/net/http2.ClientConn.RoundTrip, golang.org/x/net/http2.ClientConn.Shutdown, golang.org/x/net/http2.ClientConn.addStreamLocked, golang.org/x/net/http2.ConfigureServer …) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/net@v0.55.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6611
```

EVIDENCE

tool_output · OSV.dev GO-2026-6611 · line 11 · SHA-256 c9b9f78637131224…

```
{"id": "GO-2026-6611", "aliases": ["BIT-golang-2026-78669", "CVE-2026-78669"], "modified": "2026-10-16T09:55:38.952277866Z", "summary": "Excessive CPU consumption from repeated initial window changes in net/http", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.60.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6611

QSI-2026-17544 · DEP-ADVISORY-UNRATED

Info

golang.org/x/net v0.55.0 is affected by GO-2026-6612 (CVE-2026-78663) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6612 (CVE-2026-78663) for Go package golang.org/x/net at version v0.55.0: Double flow control refund on HTTP/2 server streams in net/http. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/net/http2.ClientConn.Close, golang.org/x/net/http2.ClientConn.Ping, golang.org/x/net/http2.ClientConn.RoundTrip, golang.org/x/net/http2.ClientConn.Shutdown, golang.org/x/net/http2.ConfigureServer, golang.org/x/net/http2.ConfigureTransport ...) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/net@v0.55.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6612
```

EVIDENCE

tool_output · OSV.dev GO-2026-6612 · line 11 · SHA-256 1471910f88c9bbf8...

{"id": "GO-2026-6612", "aliases": ["BIT-golang-2026-78663", "CVE-2026-78663"], "modified": "2026-10-16T09:55:54.129082194Z", "summary": "Double flow control refund on HTTP/2 server streams in net/http", "severity": null, "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.60.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6612

QSI-2026-17545 · DEP-ADVISORY-UNRATED

Info

golang.org/x/net v0.55.0 is affected by GO-2026-6617 (CVE-2026-97032) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6617 (CVE-2026-97032) for Go package golang.org/x/net at version v0.55.0: HTTP/2 server crash due to HPACK encoder race in net/http. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/net/http2.ClientConn.Close, golang.org/x/net/http2.ClientConn.Ping, golang.org/x/net/http2.ClientConn.RoundTrip, golang.org/x/net/http2.ClientConn.Shutdown, golang.org/x/net/http2.ConfigureServer, golang.org/x/net/http2.ConfigureTransport ...) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/net@v0.55.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6617
```

EVIDENCE

tool_output · OSV.dev GO-2026-6617 · line 11 · SHA-256 b948c88d959bc789...

```
{"id": "GO-2026-6617", "aliases": ["BIT-golang-2026-97032", "CVE-2026-97032"], "modified": "2026-10-16T09:55:57.350751224Z", "summary": "HTTP/2 server crash due to HPACK encoder race in net/http", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.60.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6617

QSI-2026-17546 · DEP-ADVISORY-UNRATED

Info

golang.org/x/net v0.55.0 is affected by GO-2026-6860 (CVE-2026-78661) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6860 (CVE-2026-78661) for Go package golang.org/x/net at version v0.55.0: Avoid quadratic complexity when coalescing text nodes in html in golang.org/x/net. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/net/html.Parse, golang.org/x/net/html.ParseFragment, golang.org/x/net/html.ParseFragmentWithOptions, golang.org/x/net/html.ParseWithOptions, golang.org/x/net/html.parser.addText, golang.org/x/net/html.parser.fosterParent ...) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/net@v0.55.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6860
```

EVIDENCE

tool_output · OSV.dev GO-2026-6860 · line 11 · SHA-256 1f106c45371219ba...

```
{"id": "GO-2026-6860", "aliases": ["CVE-2026-78661"], "modified": "2026-10-27T21:30:04.890809062Z",
"summary": "Avoid quadratic complexity when coalescing text nodes in html in golang.org/x/net",
"severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.62.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6860

QSI-2026-17547 · DEP-ADVISORY-UNRATED

Info

golang.org/x/net v0.55.0 is affected by GO-2026-6866 (CVE-2026-97045) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6866 (CVE-2026-97045) for Go package golang.org/x/net at version v0.55.0: Check all ancestor namespace transitions when rendering raw text in html in golang.org/x/net. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/net/html.Render, golang.org/x/net/html.childTextNodesAreLiteral) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/net@v0.55.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6866
```

EVIDENCE

tool_output · OSV.dev GO-2026-6866 · line 11 · SHA-256 102267a016bc5eef…

{"id": "GO-2026-6866", "aliases": ["CVE-2026-97045"], "modified": "2026-10-27T21:45:08.978077289Z", "summary": "Check all ancestor namespace transitions when rendering raw text in html in golang.org/x/net", "severity": null, "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.62.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6866

QSI-2026-17548 · DEP-ADVISORY-UNRATED

Info

golang.org/x/text v0.37.0 is affected by GO-2026-5970 (CVE-2026-56852) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-5970 (CVE-2026-56852) for Go package golang.org/x/text at version v0.37.0: Infinite loop on invalid input in golang.org/x/text. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/text/unicode/norm.Form.Append, golang.org/x/text/unicode/norm.Form.AppendString, golang.org/x/text/unicode/norm.Form.Bytes, golang.org/x/text/unicode/norm.Form.FirstBoundary, golang.org/x/text/unicode/norm.Form.FirstBoundaryInString, golang.org/x/text/unicode/norm.Form.IsNormal ...) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/text@v0.37.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-5970
```

EVIDENCE

tool_output · OSV.dev GO-2026-5970 · line 13 · SHA-256 bfbbe7709d943622...

{"id": "GO-2026-5970", "aliases": ["CVE-2026-56852"], "modified": "2026-09-23T10:41:39.386264978Z", "summary": "Infinite loop on invalid input in golang.org/x/text", "severity": null, "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.39.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-5970

QSI-2026-17549 · DEP-ADVISORY-UNRATED

Info

golang.org/x/text v0.37.0 is affected by GO-2026-6629 (CVE-2026-56851) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6629 (CVE-2026-56851) for Go package golang.org/x/text at version v0.37.0: Panic parsing crafted input in x/text/secure/precis in golang.org/x/text. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/text/secure/precis.Profile.Append, golang.org/x/text/secure/precis.Profile.AppendCompareKey, golang.org/x/text/secure/precis.Profile.Bytes, golang.org/x/text/secure/precis.Profile.Compare, golang.org/x/text/secure/precis.Profile.CompareKey, golang.org/x/text/secure/precis.Profile.NewTransformer ...) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/text@v0.37.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:32 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6629
```

EVIDENCE

tool_output · OSV.dev GO-2026-6629 · line 13 · SHA-256 657419214ae5882e...

{"id": "GO-2026-6629", "aliases": ["CVE-2026-56851"], "modified": "2026-10-20T10:42:24.5145931112", "summary": "Panic parsing crafted input in x/text/secure/precis in golang.org/x/text", "severity": null, "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.41.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6629

Evidence

ID	Type	Data source	SHA-256
QSI-2026-17550	tool_output	OSV.dev GHSA-2v4p-qf9q-27wj (line 15)	3566bf539cd1bed726145fc02332a18308f9a065bb8b992c0e44deb9ec44221
QSI-2026-17522	file_excerpt	cmd/common/signer/signer.go (line 11)	8ca7cf4a477c1e85b6a04804930e34f52fce6fc67c009fa9a7197362c13fc24
QSI-2026-17522	file_excerpt	cmd/common/signer/signer.go (line 150)	f011e69596df627e3b3b07a4a83601487a855461b916d998f1b2d2d6c355769
QSI-2026-17523	file_excerpt	cmd/common/signer/signer.go (line 103)	1fadca5c51485178e981fb470c56ccaa27c5299f4e25a910b8840674df90356
QSI-2026-17524	file_excerpt	common/crypto/sanitize.go (line 10)	7084b7c99f554eecd0fd9091a867a2f25ebd736f4f12161ea4ea116842e5748
QSI-2026-17524	file_excerpt	common/crypto/tlsgen/key.go (line 11)	9dcdbc8c39c2a748e23237a075a1ee592602e309634b495ca8ee95d667e3de2
QSI-2026-17524	file_excerpt	common/crypto/tlsgen/key.go (line 27)	36cd8f56fd06275a66a36a49980ed0bc027499c6a15d1086ccc80ea2b105b5b
QSI-2026-17524	file_excerpt	integration/nwo/signingid.go (line 10)	7983932d009be78f478f371ae58c3f86b9f6b72f687b9ed011a4aee4ad95d71
QSI-2026-17524	file_excerpt	integration/nwo/signingid.go (line 62)	1fa03b22a497e32b00bc23cf5b6dd3ef33e3a433f7dcdec570513ad35a1e9e8
QSI-2026-17524	file_excerpt	integration/pkcs11/p11key.go (line 11)	7c3c9ad2241d45350461ababc968c86b8e98df8d015e0369a24a0fe7b5d20d7
QSI-2026-17524	file_excerpt	internal/cryptogen/ca/ca.go (line 10)	28e1ebfdc5314af7f1518d8c3b1f1fe1dedb76343c9bd9f0c3d65a20ece8c7c
QSI-2026-17524	file_excerpt	internal/cryptogen/csp/csp.go (line 10)	28e1ebfdc5314af7f1518d8c3b1f1fe1dedb76343c9bd9f0c3d65a20ece8c7c
QSI-2026-17524	file_excerpt	internal/cryptogen/csp/csp.go (line 85)	145d377cd11be49991dd933abde274f50113c7f05784293ca783b26d0d4be8f
QSI-2026-17524	file_excerpt	internal/cryptogen/csp/csp.go (line 130)	c418dec4450d28371606fd0d96d57a9f6595572b84a49e8a17bab4e8045d13d
QSI-2026-17525	file_excerpt	common/crypto/tlsgen/key.go (line 125)	6c9e8147d92efa0629fa152aaeed0ae0b611281b61afef381df8b726d2b460c

QSI-2026-17525	file_excerpt	internal/cryptogen/ca/ca.go (line 176)	d5a2c3f468ada1cca9f2bac4b3877e1ad37dd14c9c244c67525edf6d6079d80
QSI-2026-17527	file_excerpt	integration/nwo/signingid.go (line 72)	1cd06a572b80e81212b611338acaada11769b9a861aad4a3dbef55253e270ee
QSI-2026-17527	file_excerpt	internal/cryptogen/csp/csp.go (line 87)	a62ce5e5d32b9cf92b326954f35a68c01f52ece0f651146afe1d287e0e0816c
QSI-2026-17527	file_excerpt	internal/cryptogen/csp/csp.go (line 182)	3009ad2f91fe009ff14480bb74fee558cbbb53477de28a15f1f99cabcf2eefa
QSI-2026-17528	file_excerpt	msp/cert.go (line 21)	e90e392283b6e3044a88683aa385394d372eda877012ec6cd9f21b1bb1e1c94
QSI-2026-17526	file_excerpt	common/deliverclient/orderers/connection.go (line 11)	5f725154eb3b4e46d92f2507aa51c107f83335a8f91b6bb0f8e819e776baa85
QSI-2026-17526	file_excerpt	common/deliverclient/orderers/connection.go (line 44)	2d175c78e52285fd59899e3efc4903f3fde7328df11f4f8fb9711d5b36d7836
QSI-2026-17529	certificate	sampleconfig/msp/cacerts/cacert.pem (line 1)	7d234b9db694a12867c13b15237565e0ed9ef98c6d0b3ce9ac79f192e1930cc
QSI-2026-17530	certificate	sampleconfig/msp/tlsintermediatecerts/tlsintermediate.pem (line 1)	d5fc619450742a088d4757537f3f7311c9445391166ce0c5da0d55aa1c6047a
QSI-2026-17539	tool_output	OSV.dev GO-2026-5932 (line 108)	79b7a13fb7767fbace049b5199d913b96ffabce881fc497fd2222d40644da15
QSI-2026-17531	tool_output	OSV.dev GO-2026-6603 (line 15)	9e43850e0da48e9d00589cc2bffb372f39ec5e5a280f2f4b04520a91328fd70
QSI-2026-17532	tool_output	OSV.dev GO-2026-6610 (line 15)	1b823e53f27093797b8a7909032006e1f0f818f04118ad593a4641236392faa
QSI-2026-17533	tool_output	OSV.dev GO-2026-6611 (line 15)	c9b9f78637131224c5d4073e44c47b7cce490fc5526e3d6b0697b43bc85cab2
QSI-2026-17534	tool_output	OSV.dev GO-2026-6612 (line 15)	1471910f88c9bbf8395a304fd82510f61567373756002de8bcdc3fbe305890c

QSI-2026-17535	tool_output	OSV.dev GO-2026-6617 (line 15)	b948c88d959bc78948c7e3b7a746ac4da179933798e9735d02870080906cfc9
QSI-2026-17536	tool_output	OSV.dev GO-2026-6860 (line 15)	1f106c45371219bac0158f7ce44e57c439f50f0c32898616d1563f14cadb1b2
QSI-2026-17537	tool_output	OSV.dev GO-2026-6866 (line 15)	102267a016bc5eef7979a90b1ddd2288ff36b09ab6fa040c808e62f3b55c1f4
QSI-2026-17538	tool_output	OSV.dev GO-2026-6629 (line 18)	657419214ae5882e9b4ead4f61526561fcf5d98c9624b1701de82958bdc592d
QSI-2026-17540	tool_output	OSV.dev GO-2026-5942 (line 11)	269e9768d90ae705c6a1a4bc91c14ed7037c3197d295e15bd8bdc0e4fd623f2
QSI-2026-17541	tool_output	OSV.dev GO-2026-6603 (line 11)	9e43850e0da48e9d00589cc2bffb372f39ec5e5a280f2f4b04520a91328fd70
QSI-2026-17542	tool_output	OSV.dev GO-2026-6610 (line 11)	1b823e53f27093797b8a7909032006e1f0f818f04118ad593a4641236392faa
QSI-2026-17543	tool_output	OSV.dev GO-2026-6611 (line 11)	c9b9f78637131224c5d4073e44c47b7cce490fc5526e3d6b0697b43bc85cab2
QSI-2026-17544	tool_output	OSV.dev GO-2026-6612 (line 11)	1471910f88c9bbf8395a304fd82510f61567373756002de8bcdc3fbe305890c
QSI-2026-17545	tool_output	OSV.dev GO-2026-6617 (line 11)	b948c88d959bc78948c7e3b7a746ac4da179933798e9735d02870080906cfc9
QSI-2026-17546	tool_output	OSV.dev GO-2026-6860 (line 11)	1f106c45371219bac0158f7ce44e57c439f50f0c32898616d1563f14cadb1b2
QSI-2026-17547	tool_output	OSV.dev GO-2026-6866 (line 11)	102267a016bc5eef7979a90b1ddd2288ff36b09ab6fa040c808e62f3b55c1f4
QSI-2026-17548	tool_output	OSV.dev GO-2026-5970 (line 13)	bfbbe7709d9436223cf9210fce06d97700712894b3820800a0147dd4a0db8c5
QSI-2026-17549	tool_output	OSV.dev GO-2026-6629 (line 13)	657419214ae5882e9b4ead4f61526561fcf5d98c9624b1701de82958bdc592d

Post-quantum assessment

	Key establishment (x = how long data must stay confidential; harvest now, decrypt later)	Signatures (x = how long signatures/ keys must stay trusted)
Data/key lifetime x	10	10
Migration time y	5	5
Assumed years to CRQC z	8 (early)	8
x + y − z	7 → migration would finish too late under this scenario	7 → migration would finish too late under this scenario

Planning assumptions: x for key establishment, x for signatures, y are the defaults of the risk profile “Crypto exchange, custodian or wallet”, not the client's figures; with the client's actual lifetimes the verdict can change.

Post-quantum maturity: Level 4 of 4 — post-quantum by default in the critical paths

- Hybrid — channel key exchange (TLS, Noise, handshakes): common/fabhttp/tls.go (classical group + X25519MLKEM768)
- Hybrid — channel key exchange (TLS, Noise, handshakes): gossip/util/grpc.go (classical group + X25519MLKEM768)
- Hybrid — channel key exchange (TLS, Noise, handshakes): integration/nwo/network.go (classical group + X25519MLKEM768)
- Hybrid — channel key exchange (TLS, Noise, handshakes): integration/nwo/operational_client.go (classical group + X25519MLKEM768)
- Hybrid — channel key exchange (TLS, Noise, handshakes): internal/osnadmin/httpclient.go (classical group + X25519MLKEM768)
- In use: X25519MLKEM768 — common/fabhttp/tls.go
- In use: X25519MLKEM768 — gossip/util/grpc.go
- In use: X25519MLKEM768 — integration/nwo/network.go
- In use: X25519MLKEM768 — integration/nwo/operational_client.go
- In use: X25519MLKEM768 — internal/osnadmin/httpclient.go

Next step: Keep the inventory current and review new code paths before release.

Levels: 0 none; 1 present, not wired; 2 in use outside the critical paths; 3 hybrid in a critical path; 4 post-quantum by default in the critical paths (root of trust, key wrapping, channel key exchange). Judged from code and manifests.

What the quantum-vulnerable algorithms do

Role	Algorithms (files)	ID	First step

transaction and message signing	ECDSA (1), Ed25519 (1)	QSI-2026-17522, QSI-2026-17523	Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them
authentication and identity (certificates, tokens, device attestation)	ECDSA (1)	QSI-2026-17528	Keep credentials short-lived and plan ML-DSA certificates, tokens and keys as the ecosystem supports them
role not determined	ECDSA (8), ECDH (2), Ed25519 (2)	QSI-2026-17524, QSI-2026-17525, QSI-2026-17527	Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility

Roles are judged from file paths, function names and the code around each match; review confirms them. Root-of-trust keys and wrapped keys come first: they are hard to replace or can be recorded today.

z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Quantum status	Count
weak classically	1
Grover: acceptable to NIST, below ECCG/ANSSI guidance	16
hybrid	9
n/a	2
vulnerable (Shor)	17

Detailed findings: QSI-2026-17522, QSI-2026-17523, QSI-2026-17524, QSI-2026-17525, QSI-2026-17527, QSI-2026-17528, QSI-2026-17529, QSI-2026-17530

PQC readiness questionnaire

No readiness questionnaire was completed for this project.

Quantum algorithms relevant to this inventory

Quantum algorithm	Effect	Inventoried algorithms (rows)	What it means for this audit
Shor's algorithm — elliptic-curve discrete logarithms Q1: quantum computation offline, classical access to the victim	breaks	ECDH (2), ECDSA (12), Ed25519 (3), X25519MLKEM768 (9)	Elliptic-curve keys are expected to fall before RSA keys of comparable classical strength. On blockchains, coins whose public key is already on chain (reused addresses, pay-to-public-key and Taproot outputs) are exposed first; plan the move to post-quantum signatures and avoid key reuse in the meantime.

Grover's algorithm — key search and preimages Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	AES-128 (1), MD5 (1), SHA-2 (15)	Not a break. 256-bit keys (AES-256, ChaCha20) keep a comfortable margin; AES-128 meets NIST category 1, while some authorities ask for 256-bit keys in quantum-resistant contexts (see the AES-128 entry). Prefer 256-bit keys for long-lived data; 256-bit hashes need no change for preimage resistance.
Brassard–Høyer–Tapp — collision search Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	MD5 (1), SHA-2 (15)	256-bit hashes (SHA-256, SHA3-256) remain adequate for collision resistance; 160-bit hashes are already weak classically (SHA-1 collisions are practical). Use 384/512-bit hashes where NIST categories 4–5 are required.
Quantum lattice sieving Q1: quantum computation offline, classical access to the victim	included in standard parameters	X25519MLKEM768 (9)	No change for ML-KEM or ML-DSA at the standard parameter sets. A 2024 claim of a polynomial-time quantum LWE algorithm was withdrawn after a bug was found (see claims).

Effects: breaks — replace the algorithm; weakens — larger keys or outputs restore the margin; included in standard parameters — no action at standard parameter sets; only with superposition queries — not applicable to ordinary deployments.

Limitations and assumptions

- This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.
- z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.
- certificates — error (not checked): docs/source/cc_service.md line 164: certificate could not be parsed (ValueError)
- certificates — error (not checked): docs/source/commands/peerchaincode.md line 161: certificate could not be parsed (ValueError)
- certificates — error (not checked): docs/source/discovery-cli.md line 137: certificate could not be parsed (ValueError)
- certificates — error (not checked): docs/source/discovery-cli.md line 146: certificate could not be parsed (ValueError)
- certificates — error (not checked): docs/source/discovery-cli.md line 155: certificate could not be parsed (ValueError)
- certificates — error (not checked): docs/source/discovery-cli.md line 164: certificate could not be parsed (ValueError)
- certificates — error (not checked): docs/source/discovery-cli.md line 403: certificate could not be parsed (ValueError)
- certificates — error (not checked): docs/source/discovery-cli.md line 411: certificate could not be parsed (ValueError)
- certificates — error (not checked): docs/source/discovery-cli.md line 417: certificate could not be parsed (ValueError)
- certificates — error (not checked): docs/source/discovery-cli.md line 447: certificate could not be parsed (ValueError)
- certificates — error (not checked): docs/source/discovery-cli.md line 452: certificate could not be parsed (ValueError)
- certificates — error (not checked): docs/source/discovery-cli.md line 457: certificate could not be parsed (ValueError)
- certificates — error (not checked): docs/source/discovery-cli.md line 462: certificate could not be parsed (ValueError)
- certificates — error (not checked): docs/wrappers/peer_chaincode_postscript.md line 20: certificate could not be parsed (ValueError)
- tls_key_exchange_groups — Insufficient data: internal/pkg/gateway/endorse.go line 102: not in the algorithm registry, not assessed: append(groups

Remediation plan

QSI-2026-17550 · P2 · 30 days

root-cause fix

Upgrade google.golang.org/grpc to a fixed version (1.82.2, 1.83.2, 1.84.0-dev.0.20260825144003-d5a41119e0e3, 1.85.0-dev.0.20260825072537-93e31b48545e).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-2v4p-qf9q-27wj (CVE-2026-84445, GO-2026-6443).

QSI-2026-17526 · P3 · 60 days

root-cause fix

Review each MD5 call site in common/deliverclient/orderers/connection.go; replace security-relevant ones with SHA-256 or a password hash.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Stored hashes may need migration.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	No security-relevant MD5 usage remains.

QSI-2026-17539 · P3 · 60 days

root-cause fix

Triage GO-2026-5932; upgrade golang.org/x/crypto to a fixed version (0.58.1-0.20261009181718-2f1f834330b2) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-5932, or the triage is recorded.

QSI-2026-17531 · P3 · 60 days root-cause fix

Triage GO-2026-6603 (CVE-2026-78659); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6603 (CVE-2026-78659), or the triage is recorded.

QSI-2026-17532 · P3 · 60 days root-cause fix

Triage GO-2026-6610 (CVE-2026-78660); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6610 (CVE-2026-78660), or the triage is recorded.

QSI-2026-17533 · P3 · 60 days root-cause fix

Triage GO-2026-6611 (CVE-2026-78669); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6611 (CVE-2026-78669), or the triage is recorded.

QSI-2026-17534 · P3 · 60 days root-cause fix

Triage GO-2026-6612 (CVE-2026-78663); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6612 (CVE-2026-78663), or the triage is recorded.

QSI-2026-17535 · P3 · 60 days root-cause fix

Triage GO-2026-6617 (CVE-2026-97032); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6617 (CVE-2026-97032), or the triage is recorded.

QSI-2026-17536 · P3 · 60 days root-cause fix

Triage GO-2026-6860 (CVE-2026-78661); upgrade golang.org/x/net to a fixed version (0.62.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6860 (CVE-2026-78661), or the triage is recorded.

QSI-2026-17537 · P3 · 60 days root-cause fix

Triage GO-2026-6866 (CVE-2026-97045); upgrade golang.org/x/net to a fixed version (0.62.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6866 (CVE-2026-97045), or the triage is recorded.

QSI-2026-17538 · P3 · 60 days root-cause fix

Triage GO-2026-6629 (CVE-2026-56851); upgrade golang.org/x/text to a fixed version (0.41.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6629 (CVE-2026-56851), or the triage is recorded.

QSI-2026-17540 · P3 · 60 days root-cause fix

Triage GO-2026-5942 (CVE-2026-46600); upgrade golang.org/x/net to a fixed version (0.56.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-5942 (CVE-2026-46600), or the triage is recorded.

QSI-2026-17541 · P3 · 60 days root-cause fix

Triage GO-2026-6603 (CVE-2026-78659); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6603 (CVE-2026-78659), or the triage is recorded.

QSI-2026-17542 · P3 · 60 days root-cause fix

Triage GO-2026-6610 (CVE-2026-78660); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6610 (CVE-2026-78660), or the triage is recorded.

QSI-2026-17543 · P3 · 60 days root-cause fix

Triage GO-2026-6611 (CVE-2026-78669); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6611 (CVE-2026-78669), or the triage is recorded.

QSI-2026-17544 · P3 · 60 days root-cause fix

Triage GO-2026-6612 (CVE-2026-78663); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6612 (CVE-2026-78663), or the triage is recorded.

QSI-2026-17545 · P3 · 60 days root-cause fix

Triage GO-2026-6617 (CVE-2026-97032); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6617 (CVE-2026-97032), or the triage is recorded.

QSI-2026-17546 · P3 · 60 days root-cause fix

Triage GO-2026-6860 (CVE-2026-78661); upgrade golang.org/x/net to a fixed version (0.62.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6860 (CVE-2026-78661), or the triage is recorded.

QSI-2026-17547 · P3 · 60 days root-cause fix

Triage GO-2026-6866 (CVE-2026-97045); upgrade golang.org/x/net to a fixed version (0.62.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6866 (CVE-2026-97045), or the triage is recorded.

QSI-2026-17548 · P3 · 60 days root-cause fix

Triage GO-2026-5970 (CVE-2026-56852); upgrade golang.org/x/text to a fixed version (0.39.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-5970 (CVE-2026-56852), or the triage is recorded.

QSI-2026-17549 · P3 · 60 days root-cause fix

Triage GO-2026-6629 (CVE-2026-56851); upgrade golang.org/x/text to a fixed version (0.41.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6629 (CVE-2026-56851), or the triage is recorded.

QSI-2026-17522 · P3 · 90 days

short-term risk reduction

Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-17523 · P3 · 90 days

short-term risk reduction

Add Ed25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-17524 · P3 · 90 days

short-term risk reduction

Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-17525 · P3 · 90 days short-term risk reduction

Add ECDH usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-17527 · P3 · 90 days short-term risk reduction

Add Ed25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-17528 · P3 · 90 days short-term risk reduction

Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-17529 · P3 · 90 days

short-term risk reduction

Add ECDSA usages at certificate:ca.org1.example.com to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-17530 · P3 · 90 days

short-term risk reduction

Add ECDSA usages at certificate:Org2-child1 to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-17522 · P4 · 90 days

root-cause fix

Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-17523 · P4 · 90 days root-cause fix

Plan migration of Ed25519 to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-17524 · P4 · 90 days root-cause fix

Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-17525 · P4 · 90 days root-cause fix

Plan migration of ECDH to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	

	Re-audit shows Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH or a hybrid scheme in use.

QSI-2026-17527 · P4 · 90 days

root-cause fix

Plan migration of Ed25519 to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-17528 · P4 · 90 days

root-cause fix

Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-17529 · P4 · 90 days

root-cause fix

Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it. (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.

Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it. or a hybrid scheme in use.

QSI-2026-17530 · P4 · 90 days

root-cause fix

Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it. (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it. or a hybrid scheme in use.

Priorities for 30, 60 and 90 days

30 days

Priority	ID	Action	Type
P2	QSI-2026-17550	Upgrade google.golang.org/grpc to a fixed version (1.82.2, 1.83.2, 1.84.0-dev.0.20260825144003-d5a41119e0e3, 1.85.0-dev.0.20260825072537-93e31b48545e).	root-cause fix

60 days

Priority	ID	Action	Type
P3	QSI-2026-17526	Review each MD5 call site in common/deliverclient/orderers/connection.go; replace security-relevant ones with SHA-256 or a password hash.	root-cause fix
P3	QSI-2026-17539	Triage GO-2026-5932; upgrade golang.org/x/crypto to a fixed version (0.58.1-0.20261009181718-2f1f834330b2) if it applies.	root-cause fix
P3	QSI-2026-17531	Triage GO-2026-6603 (CVE-2026-78659); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.	root-cause fix
P3	QSI-2026-17532	Triage GO-2026-6610 (CVE-2026-78660); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.	root-cause fix
P3	QSI-2026-17533	Triage GO-2026-6611 (CVE-2026-78669); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.	root-cause fix
P3	QSI-2026-17534	Triage GO-2026-6612 (CVE-2026-78663); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.	root-cause fix
P3	QSI-2026-17535	Triage GO-2026-6617 (CVE-2026-97032); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.	root-cause fix
P3	QSI-2026-17536	Triage GO-2026-6860 (CVE-2026-78661); upgrade golang.org/x/net to a fixed version (0.62.0) if it applies.	root-cause fix
P3	QSI-2026-17537	Triage GO-2026-6866 (CVE-2026-97045); upgrade golang.org/x/net to a fixed version (0.62.0) if it applies.	root-cause fix
P3	QSI-2026-17538	Triage GO-2026-6629 (CVE-2026-56851); upgrade golang.org/x/text to a fixed version (0.41.0) if it applies.	root-cause fix
P3	QSI-2026-17540	Triage GO-2026-5942 (CVE-2026-46600); upgrade golang.org/x/net to a fixed version (0.56.0) if it applies.	root-cause fix

P3	QSI-2026-17541	Triage GO-2026-6603 (CVE-2026-78659); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.	root-cause fix
P3	QSI-2026-17542	Triage GO-2026-6610 (CVE-2026-78660); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.	root-cause fix
P3	QSI-2026-17543	Triage GO-2026-6611 (CVE-2026-78669); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.	root-cause fix
P3	QSI-2026-17544	Triage GO-2026-6612 (CVE-2026-78663); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.	root-cause fix
P3	QSI-2026-17545	Triage GO-2026-6617 (CVE-2026-97032); upgrade golang.org/x/net to a fixed version (0.60.0) if it applies.	root-cause fix
P3	QSI-2026-17546	Triage GO-2026-6860 (CVE-2026-78661); upgrade golang.org/x/net to a fixed version (0.62.0) if it applies.	root-cause fix
P3	QSI-2026-17547	Triage GO-2026-6866 (CVE-2026-97045); upgrade golang.org/x/net to a fixed version (0.62.0) if it applies.	root-cause fix
P3	QSI-2026-17548	Triage GO-2026-5970 (CVE-2026-56852); upgrade golang.org/x/text to a fixed version (0.39.0) if it applies.	root-cause fix
P3	QSI-2026-17549	Triage GO-2026-6629 (CVE-2026-56851); upgrade golang.org/x/text to a fixed version (0.41.0) if it applies.	root-cause fix

90 days

Priority	ID	Action	Type
P3	QSI-2026-17522	Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-17523	Add Ed25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-17524	Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-17525	Add ECDH usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-17527	Add Ed25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction

P3	QSI-2026-17528	Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-17529	Add ECDSA usages at certificate:ca.org1.example.com to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-17530	Add ECDSA usages at certificate:Org2-child1 to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P4	QSI-2026-17522	Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-17523	Plan migration of Ed25519 to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-17524	Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-17525	Plan migration of ECDH to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-17527	Plan migration of Ed25519 to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-17528	Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-17529	Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it. (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-17530	Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it. (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix

Verification after remediation

ID	Retest procedure
QSI-2026-17550	Re-run the dependency scan after upgrading.
QSI-2026-17522	Re-run the inventory after refactoring.
QSI-2026-17523	Re-run the inventory after refactoring.
QSI-2026-17524	Re-run the inventory after refactoring.
QSI-2026-17525	Re-run the inventory after refactoring.
QSI-2026-17527	Re-run the inventory after refactoring.
QSI-2026-17528	Re-run the inventory after refactoring.
QSI-2026-17526	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-17529	Re-audit once PQC or hybrid certificates are deployed.
QSI-2026-17530	Re-audit once PQC or hybrid certificates are deployed.
QSI-2026-17539	Re-run the dependency scan after upgrading.
QSI-2026-17531	Re-run the dependency scan after upgrading.
QSI-2026-17532	Re-run the dependency scan after upgrading.
QSI-2026-17533	Re-run the dependency scan after upgrading.
QSI-2026-17534	Re-run the dependency scan after upgrading.
QSI-2026-17535	Re-run the dependency scan after upgrading.
QSI-2026-17536	Re-run the dependency scan after upgrading.
QSI-2026-17537	Re-run the dependency scan after upgrading.
QSI-2026-17538	Re-run the dependency scan after upgrading.
QSI-2026-17540	Re-run the dependency scan after upgrading.
QSI-2026-17541	Re-run the dependency scan after upgrading.
QSI-2026-17542	Re-run the dependency scan after upgrading.
QSI-2026-17543	Re-run the dependency scan after upgrading.
QSI-2026-17544	Re-run the dependency scan after upgrading.
QSI-2026-17545	Re-run the dependency scan after upgrading.
QSI-2026-17546	Re-run the dependency scan after upgrading.
QSI-2026-17547	Re-run the dependency scan after upgrading.
QSI-2026-17548	Re-run the dependency scan after upgrading.
QSI-2026-17549	Re-run the dependency scan after upgrading.

Tools used

Tool	Version
blockchain	1.0.0
certificates	1.2.0
chain_map	1.0.0
configs	1.1.0
dependencies	1.3.0
inventory_document	1.1.0
solidity	1.3.0
source_code	1.4.0
tls_code	1.1.0
tls_live	1.0.0
qsi-engine	1.3.0
OSV.dev API	v1

Sources and normative documents

Reviewed: 2026-10-13

1. A. Becker, L. Ducas, N. Gama, T. Laarhoven — New directions in nearest neighbor searching with applications to lattice sieving (SODA 2016; IACR ePrint 2015/1128) — IACR ePrint. https://eprint.iacr.org/2015/1128 (peer-reviewed article: classical sieving in 2^{0.292n + o(n)})
2. A. Chailloux, J. Loyer — Lattice sieving via quantum random walks (ASIACRYPT 2021; IACR ePrint 2021/570) — IACR ePrint. https://eprint.iacr.org/2021/570 (peer-reviewed article: 2^{0.2570d + o(d)}, previously 2^{0.2653d + o(d)} (Laarhoven))
3. A. Chailloux, M. Naya-Plasencia, A. Schrottenloher — An Efficient Quantum Collision Search Algorithm and Implications on Symmetric Cryptography (ASIACRYPT 2017; IACR ePrint 2017/847) — IACR ePrint. https://eprint.iacr.org/2017/847 (peer-reviewed article: Õ(2^{2n/5}) time, O(n) qubits, Õ(2^{n/5}) classical memory)
4. C. Chevignard, P.-A. Fouque, A. Schrottenloher — Reducing the Number of Qubits in Quantum Discrete Logarithms on Elliptic Curves (IACR ePrint 2026/280) — IACR ePrint. https://eprint.iacr.org/2026/280 (revision of a EUROCRYPT 2026 paper: 3.12n + o(n) qubits; for n = 256, 1193 qubits and 22 runs of 2^38.98 Toffoli gates)
5. C. Zalka — Grover's quantum searching algorithm is optimal (Phys. Rev. A 60, 2746, 1999; arXiv:quant-ph/9711070) — APS. https://doi.org/10.1103/PhysRevA.60.2746 (peer-reviewed article: optimal for any success probability; parallel search gains no more than splitting the space)
6. CRYSTALS-Kyber — Algorithm Specifications and Supporting Documentation (round 3, 2021-08-04) — CRYSTALS team. https://pq-crystals.org/kyber/data/kyber-specification-round3-20210804.pdf (NIST round-3 submission: core-SVP cost 2^{0.292β} classical, 2^{0.265β} quantum; Kyber768 166 quantum bits)
7. Common Vulnerability Scoring System v3.1: Specification Document — FIRST. https://www.first.org/cvss/v3.1/specification-document (final)
8. D. J. Bernstein — Cost analysis of hash collisions: Will quantum computers make SHARCS obsolete? (2009) — cr.yp.to. https://cr.yp.to/hash/collisioncost-20090823.pdf (paper dated 2009-08-23)
9. D. Litinski — How to compute a 256-bit elliptic curve private key with only 50 million Toffoli gates (arXiv:2306.08585) — arXiv. https://arxiv.org/abs/2306.08585 (preprint (2023-06-14): 6000 modules × 1152 physical qubits, one key per 10 minutes under its architecture assumptions)
10. FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM) — NIST. https://csrc.nist.gov/pubs/fips/203/final (final (August 2024))
11. FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA) — NIST. https://csrc.nist.gov/pubs/fips/204/final (final (August 2024))
12. FIPS 205 — Stateless Hash-Based Digital Signature Standard (SLH-DSA) — NIST. https://csrc.nist.gov/pubs/fips/205/final (final (August 2024))
13. G. Brassard, P. Høyer, A. Tapp — Quantum Algorithm for the Collision Problem (LATIN '98; arXiv:quant-ph/9705002) — Springer / arXiv. https://arxiv.org/abs/quant-ph/9705002 (peer-reviewed article: collisions of r-to-one functions in O((N/r)^{1/3}) expected evaluations)
14. J. Proos, C. Zalka — Shor's discrete logarithm quantum algorithm for elliptic curves (Quantum Inf. Comput. 3(4), 2003; arXiv:quant-ph/0301141) — Quantum Information & Computation. https://doi.org/10.26421/QIC3.4-3 (peer-reviewed article)
15. L. K. Grover — A fast quantum mechanical algorithm for database search (STOC 1996) — ACM. https://doi.org/10.1145/237814.237866 (peer-reviewed article)
16. M. Amy et al. — Estimating the cost of generic quantum pre-image attacks on SHA-2 and SHA-3 (SAC 2016; arXiv:1603.09383) — Springer / arXiv. https://arxiv.org/abs/1603.09383 (peer-reviewed article: SHA-256 about 2^153.8 surface-code cycles on 2^12.6 logical qubits; SHA3-256 about 2^146.5 cycles on 2^20)
17. M. Cain et al. — Shor's algorithm is possible with as few as 10,000 reconfigurable atomic qubits (arXiv:2603.28627) — arXiv. https://arxiv.org/abs/2603.28627 (preprint (2026-03-30): P-256 in a few days with 26,000 physical neutral-atom qubits; RSA-2048 one to two orders of magnitude longer)
18. M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018) — IEEE. https://doi.org/10.1109/MSP.2018.3761723 (peer-reviewed article; source of the x + y > z migration inequality)
19. M. Roetteler, M. Naehrig, K. Svore, K. Lauter — Quantum resource estimates for computing elliptic curve discrete logarithms (ASIACRYPT 2017) — IACR / arXiv. https://arxiv.org/abs/1706.06752 (peer-reviewed article: at most 9n + 2⌈log2 n⌉ + 10 qubits and 448 n^3 log2 n + 4090 n^3 Toffoli gates)
20. NIST IR 8547 — Transition to Post-Quantum Cryptography Standards — NIST. https://csrc.nist.gov/pubs/ir/8547/final (final (2026-10-27; the initial public draft of November 2024 is obsoleted). Tables 2 and 4: ECDSA, EdDSA and RSA signatures, finite-field and elliptic-curve DH and MQV, and RSA key establishment are deprecated after 2030 and disallowed after 2035 at every key size — the draft deprecated only the 112-bit level. A composite (hybrid) key establishment stays FIPS

140-validatable while one input comes from an approved scheme. Repeats the federal deadlines of OMB M-26-15: post-quantum key establishment by 2030-12-31 and signatures by 2031-12-31 for high value assets and high impact systems)
21. NIST SP 800-131A Rev. 2 — Transitioning the Use of Cryptographic Algorithms and Key Lengths — NIST. https://csrc.nist.gov/pubs/sp/800/131/a/r2/final (final (2019))
22. NIST — Post-Quantum Cryptography Standardization: Evaluation Criteria, Security (Call for Proposals, Section 4.A.5) — NIST. https://csrc.nist.gov/Projects/Post-Quantum-Cryptography/Post-Quantum-Cryptography-Standardization/Evaluation-Criteria/Security-(Evaluation-Criteria) (security categories: AES-128 key search 2^170/MAXDEPTH quantum gates, AES-192 2^233/MAXDEPTH, AES-256 2^298/MAXDEPTH; MAXDEPTH 2^40–2^96)
23. OSV advisory GHSA-2v4p-qf9q-27wj — OSV.dev. https://osv.dev/vulnerability/GHSA-2v4p-qf9q-27wj (modified 2026-09-25T18:00:05.270054427Z)
24. OSV advisory GO-2026-5932 — OSV.dev. https://osv.dev/vulnerability/GO-2026-5932 (modified 2026-11-02T22:15:06.677088389Z)
25. OSV advisory GO-2026-5942 — OSV.dev. https://osv.dev/vulnerability/GO-2026-5942 (modified 2026-08-17T12:25:32.471119200Z)
26. OSV advisory GO-2026-5970 — OSV.dev. https://osv.dev/vulnerability/GO-2026-5970 (modified 2026-09-23T10:41:39.386264978Z)
27. OSV advisory GO-2026-6603 — OSV.dev. https://osv.dev/vulnerability/GO-2026-6603 (modified 2026-10-16T09:55:47.068117441Z)
28. OSV advisory GO-2026-6610 — OSV.dev. https://osv.dev/vulnerability/GO-2026-6610 (modified 2026-10-16T09:56:04.364467528Z)
29. OSV advisory GO-2026-6611 — OSV.dev. https://osv.dev/vulnerability/GO-2026-6611 (modified 2026-10-16T09:55:38.952277866Z)
30. OSV advisory GO-2026-6612 — OSV.dev. https://osv.dev/vulnerability/GO-2026-6612 (modified 2026-10-16T09:55:54.129082194Z)
31. OSV advisory GO-2026-6617 — OSV.dev. https://osv.dev/vulnerability/GO-2026-6617 (modified 2026-10-16T09:55:57.350751224Z)
32. OSV advisory GO-2026-6629 — OSV.dev. https://osv.dev/vulnerability/GO-2026-6629 (modified 2026-10-20T10:42:24.514593111Z)
33. OSV advisory GO-2026-6860 — OSV.dev. https://osv.dev/vulnerability/GO-2026-6860 (modified 2026-10-27T21:30:04.890809062Z)
34. OSV advisory GO-2026-6866 — OSV.dev. https://osv.dev/vulnerability/GO-2026-6866 (modified 2026-10-27T21:45:08.978077289Z)
35. P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997) — SIAM. https://doi.org/10.1137/S0097539795293172 (peer-reviewed article)
36. R. Babbush et al. — Securing Elliptic Curve Cryptocurrencies against Quantum Vulnerabilities: Resource Estimates and Mitigations (arXiv:2603.28846) — arXiv. https://arxiv.org/abs/2603.28846 (preprint (2026-03-30, v2 2026-04-15): 256-bit ECDLP with < 1200 logical qubits and < 90 M Toffoli gates (or < 1450 and < 70 M); < 500,000 physical qubits at 10^-3 error, minutes)
37. S. Jaques, M. Naehrig, M. Roetteler, F. Virdia — Implementing Grover oracles for quantum key search on AES and LowMC (EUROCRYPT 2020; arXiv:1910.01700) — Springer / arXiv. https://arxiv.org/abs/1910.01700 (peer-reviewed article: lower cost estimates for the AES key searches that define the NIST categories)

Appendices

A. Cryptographic inventory

Algorithm	Parameter	Quantum status	Classical status	Count	Locations	Examples
MD5		weak classically	broken	1	1	common/deliverclient/orderers/connection.go:11
AES-128	AES-128	Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	1	1	internal/pkg/comm/config.go:48
SHA-2	SHA-256	Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	15	15	common/crypto/tlsgen/key.go:14; common/deliverclient/orderers/connection.go:12; common/ledger/blkstorage/blkstoragetest/blkstoragetest.go:10
X25519MLKEM768	X25519MLKEM768	hybrid	acceptable	9	9	common/fabhttp/tls.go:43; gossip/util/grpc.go:58; integration/nwo/network.go:1448
Crypto library golang.org/x/crypto (Go x/crypto)	v0.58.0	n/a	acceptable	2	2	go.mod:108; tools/go.mod:265
ECDH		vulnerable (Shor)	acceptable	2	2	common/crypto/tlsgen/key.go:125; internal/cryptogen/ca/ca.go:176
ECDSA		vulnerable (Shor)	acceptable	10	10	cmd/common/signer/signer.go:11; common/crypto/sanitize.go:10; common/crypto/tlsgen/key.go:11
ECDSA	secp256r1	vulnerable (Shor)	acceptable	2	2	sampleconfig/msp/cacerts/cacert.pem (line 1) — ca.org1.example.com; sampleconfig/msp/tlsintermediatecerts/tlsintermediate.pem (line 1) — Org2-child1

Ed25519	Ed25519	vulnerable (Shor)	acceptable	3	3	cmd/common/signer/signer.go:103; integration/nwo/signingid.go:72; internal/cryptogen/csp/csp.go:87

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

B. JSON

qsi.report/1 · SHA-256 c6d8ad0dc0ae1f4057b7a287b056a05648ac2555beac30700886e6ad50e9e186

C. Input files

File	Size	SHA-256	Re
ccaas_builder/cmd/detect/main.go	1353	1de145460a329829fb9f33e478316c932e1eb525d009a98db022df609f3b9260	0
ccaas_builder/cmd/release/main.go	2425	fd425bcc404d2cc8b8ad6441770fe066b2b59801afc7113fc85cbddff689362d	0
ccaas_builder/go.mod	465	310154c5e1171385c3a55b5b5d7902bfd1d7b7e3d42535c66b7ae0a8d8dc4390	0
cmd/common/cli.go	4278	b5b2f9fa09ae26277dfbb031b589e6dec9a6e9c03782b18e9d18fa7bd5d2cbe4	0
cmd/common/comm/client.go	1430	711cea577e723ee2b882aad08994f8e7d2597ff8151b5ca2b5f957a5dd79471a	0
cmd/common/comm/config.go	1899	a6fc53149a0d561e18f3a44472d7a27a330cb25fb3ac36d2b70ba2366bff8862	0
cmd/common/config.go	1631	f41930763208789dfce98e3f76cf9a35c0947e40f7d09cf29fdae23aad3768d5	0
cmd/common/signer/signer.go	4153	17c163a929b559ef19ed6777353cde8185eeb4bbf57e2878243cf70797a3b0c7	0
cmd/configtxgen/main.go	10341	81c85827fa80d23ab24dff97e171d10d3ed9ef2ba76ab545209645ada95ae666	0
cmd/configtxlator/main.go	8054	93dc99f261d899e7235eef7caf03f33d5f02bcc99a24d0a8f9ee618664ea12b7	0
cmd/cryptogen/main.go	23821	495c97532e1d28ea952ceaeb28e6885f44ec18829650b03aec28d56a095ec1db	0
cmd/discover/main.go	453	954de3e6d727534a30551a162dda5c1bb70ab1caf3c1cb74aa88c83483fa4483	0
cmd/ledgerutil/main.go	5261	37df5700c28b544fb4c59cd22c1bcef6a7a71910b8106cc9e8edfa6faf12b68a	0
cmd/orderer/main.go	362	89a420adb5d8c92208b5a049a91ca81b6810b1471a3a9da1e94fcd51afcb5463	0
cmd/osnadmin/main.go	8601	d0b74588d211ea374ed5756b213a465d071788f43d2fa9c6f32c4a142d35a72b	0
cmd/peer/main.go	1776	bcda24441b76551a5e39f926cc9e2c759f70c2a7554dfcda35d495254fc63864	0
common/capabilities/application.go	6587	779e2d2934daaa6e7bbc5352820c4de13876b61307323c14aa19cb70d888248d	0
common/capabilities/capabilities.go	1437	182b55ca728e0f7ee25adac741040b4f3b11daa94ef34ae3063d99f4693d18a1	0
common/capabilities/channel.go	3286	9c4c99bfc86203a43179f8298754b32e732e4159ba5ec723b8151442c39fd709	0
common/capabilities/orderer.go	3076	702a713ae85c4ef8520f280367d675591aaf1254c99a6e799caf136b08fb8935	0
common/cauthdsl/cauthdsl.go	3158	8f19ca23e091850f81bc9e29c6bb975dd234292b40318b9809d678a689a7b56f	0
common/cauthdsl/policy.go	3320	0d029f0b1cb946dc3b3224c4acf82363ea244a69fe405e5765d71de25dccc8f3	0

common/chaincode/metadata.go	2783	ac817be5d283bb0e456a27658e896d2fb41cd43f3d334f591972f19173cc9a61	0
common/channelconfig/acls.go	1214	63821109ef0603038b037b24c9e606e894299d8ba18c8cd5321265e65557e859	0
common/channelconfig/api.go	9911	4ee6e2c374d1e463fb3da62dcbd9727df09a890de3454f56a7af6891ffa0ae3b	0
common/channelconfig/application.go	2264	0a4fee52144fe3054252f1e54d799019d674fbc3b2107031160fc272a59d4e62	0
common/channelconfig/applicationorg.go	1863	4e129a9cfbd1110230e33bf14fb50e492179f1ad3997201b936b78c4e9134746	0
common/channelconfig/bundle.go	8380	788fb8f48f767d6706323835e236907c73c485fd757caf29bf7b0b1ee3579cad	0
common/channelconfig/bundlesource.go	3626	93aaa7c9502c6c272ccbd1b6c8fb4442f9666599484893958a4e63de677bce02	0
common/channelconfig/channel.go	7439	4fa96d1e902129003f08c6a81cd5fdd4e7642c349d08615cdcf45172bd56c87b	0
common/channelconfig/consortium.go	1729	83f52aa89326c56cbfee7064ce29640137b73b399a542eb1f27c7db8971fa159	0
common/channelconfig/consortiums.go	1093	7577248c3ff63d112ac900b3d42d2c7b9ce80e8220f389c5418e39d64ff727b2	0
common/channelconfig/logsanitychecks.go	1734	be6ce565d48ce9d40e7598aef8267e7e65050d488a81605f91acd191ab14c494	0
common/channelconfig/msp.go	2625	bdc69830b988ec6daffe6db7c888a7bffb1c81eb4b007fe5fd24fb17ce8e1869	0
common/channelconfig/orderer.go	8762	75c2dff486ce9b74133c1d9800dfe97d1faa6ec04acf47625da16281df1c11d2	0
common/channelconfig/organization.go	2306	c0bec01c4eeef51ea619925683d1d0f0cab953467eda1ce579c84ff9d4049b77	0
common/channelconfig/standardvalues.go	3365	f3f15b5cae014c2a97a0c82dc12b16d0a391279cabae870f7324d24017cf11f9	0
common/channelconfig/util.go	10822	0d74545c0393213bc7cbf22c3cb056184206608c381f99bc7339a27b628b6b89	0
common/configtx/compare.go	4035	5e8d0aa8b4075de7c165cf5afe812f2e3b3b5b65539d566d540cac3e66a54a26	0
common/configtx/configmap.go	6109	dfc57b9d0f9ae3ab80d4f29e5af21efa0043389bd5b4f4dff399a932361c0004	0
common/configtx/configtx.go	863	f58e267e9a1b07207bd7277b20ba40f0f8a754466dc5abb9ec0b147a655ab595	0
common/configtx/update.go	6408	b449f354a4ed0f92295631507baeb2b761346625ff2643727d523f783be40156	0
common/configtx/util.go	2955	0c8ffa2fa8d04c4e8257a2b9931cdbf8be11b19438c7e268a43ebe31d80fb604	0
common/configtx/validator.go	6426	79bb1530e608aa255cd6b68c2fb1a59c160519733cf72f864ca10f704099734d	0
common/crypto/expiration.go	4351	ff6300e21adcbc0002f22da5e01220d787c07f2a027282cc4b011bcd03cd3a5d	0
common/crypto/random.go	1107	9ff34ec4f14642fb3a76054012ea75ba5173b5768db1fe6a030f0e78c1ec43d2	0
common/crypto/sanitize.go	3407	07ebd62082c189a82e33775b5fbcaf46685a1a12d4677a5d8c92d246ee065fd1	0
common/crypto/tlsgen/ca.go	2673	1c8bf78ef0aa2bbfda5519dd00b65699f91814a07342406cc955a7035e514c77	0
common/crypto/tlsgen/key.go	3384	5087586f9dbed00e39741671106e43a9c7a86dfae42c33c1c0c3dbddf9c23715	0
common/deliver/acl.go	2345	73371523335cffa6c51a59ddc02605defa5f38be9c3959b2bf5bef7ec41ddb1a	0

common/deliver/binding.go	2262	eda98f4c8a4b87c69943ced61e4e0566f06326d04be50e0e30fba9d7ac0a86dc	0
common/deliver/deliver.go	14311	1f54e29f9fbe342fa0a970625979fa016cab31cc3925f9a2a56041209556a180	0
common/deliver/metrics.go	2016	091c1a5592bf7b72904cc57d65e2b653974a5c4e84295f15b530c98527c67a74	0
common/deliverclient/block_verification.go	13444	fef41fb18e7b5595f5960b79046e4e4542278932dd6a230f245a63cb69e4dbb3	0
common/deliverclient/blocksprovider/adapters.go	739	b095756ab89ba438f2670f03afeedb3a58c0b4392b6d4653e9ba99073b96fd4e	0
common/deliverclient/blocksprovider/bft_censorship_monitor.go	15574	4c62f49ff883f939c4006778d53eee4a5eccb302e91c31f1687255eae3d4c633	0
common/deliverclient/blocksprovider/bft_censorship_monitor_factory.go	844	9945702e1b34915f6a3bbf76791dfcd96e047f8949b7b7e0d5d371752305d0ef	0
common/deliverclient/blocksprovider/bft_deliverer.go	16398	86dadca0503eef2149add5a9aa6ea96a6aadb08ea236228b004c9752e9d88fb8	0
common/deliverclient/blocksprovider/bft_header_receiver.go	6489	9c03c1bc55b770f4fa84ba19a89039fd3addba62720a7007cd185bf59c7d2b41	0
common/deliverclient/blocksprovider/block_receiver.go	5577	3d851ba0ec903304915e38a132ef0a443f676522b0050f4fb0a596dcd619df7a	0
common/deliverclient/blocksprovider/deliverer.go	9312	6a32e662ea353f1f8473a1172e81dbf0ed9dc1238deae473bf52050956360efa	0
common/deliverclient/blocksprovider/delivery_requester.go	3957	ab08a80df91e444562803c22d9f7dcc82e7e8aad316e54cf3d481e2002218044	0
common/deliverclient/blocksprovider/fake/ab_deliver_client.go	15258	e01f8da2efb90fc774a08fda9977b01ac37dafc6682a4d61fb413b02bbd1c079	0
common/deliverclient/blocksprovider/fake/block_handler.go	3201	766bb03798c2eeef2ac994f2ddbeef9ac4e11d62cc916652512f4fa1277ebb0f	0
common/deliverclient/blocksprovider/fake/block_progress_reporter.go	3137	f18b3c6ffd67b52af469b9d4d664389733b541d9c4c00b48a0b698b25d1ad5b9	0
common/deliverclient/blocksprovider/fake/censorship_detector.go	4380	5e69124305751338a8c1afa6d73450a17f26837dece9c858612dd3811ed37228	0
common/deliverclient/blocksprovider/fake/censorship_detector_factory.go	4775	23e85738fda1103ede9472e2b1e03d0e6114a9c108d232e578645269b7638dc2	0
common/deliverclient/blocksprovider/fake/deliver_client_requester.go	6759	83021594654c74af9556ca64e0b6846ba12f540883afb1ad32c1c51a702abca2	0
common/deliverclient/blocksprovider/fake/deliver_streamer.go	3688	f2fc2eae9be0f5d7f5a6e04c85515124ee2ac51926248992877aae3f5069e56f	0
common/deliverclient/blocksprovider/fake/dialer.go	3200	0b049ccb1439bdeb67e2a0cedc191e95f2cd29dba4af52768026fdfa4beae1e3	0
common/deliverclient/blocksprovider/fake/duration_exceeded_handler.go	3269	e6f1a7ebf4b96200068af74e45ea854391584ac91d73750f57a12d73f31ecf8c	0
common/deliverclient/blocksprovider/fake/gossip_service_adapter.go	4351	d35c181cc8f0b9628a33df50cc16c4a3d6edab1b07db82f1096d250de714058f	0

common/deliverclient/blocksprovider/fake/ledger_info.go	5167	a1d4536cb47c4d43899bb8c074645eb192b1a6b8b165c5d0931693e386f5ef01	0
common/deliverclient/blocksprovider/fake/orderer_connection_source.go	6883	5235163f46eee06c441428bf74a2dcef24922d5049694c135f493004e451365d	0
common/deliverclient/blocksprovider/fake/orderer_connection_source_factory.go	4175	a77e2363789c5c17e18ec67f90e5fd0f509d25ff9f392aa55bd66318d86dc4e5	0
common/deliverclient/blocksprovider/fake/signer.go	4672	85eb9d339e32242cbc5db732c0bce5641d41918d8170785a62b940b114bfaebc	0
common/deliverclient/blocksprovider/fake/sleeper.go	1822	d382462c20e263f0c12cc4f406ea4142eef4be2a5d34a42f4e332f98a04dccab	0
common/deliverclient/blocksprovider/fake/updatable_block_verifier.go	11275	d6f6428cda0349110f9c594a7823a38c726101cc79a37359a5b6f8f0a69b28dc	0
common/deliverclient/blocksprovider/stoppable_sleeper.go	516	4874013f083053fe35fbc5acff8c0b3c62668dcdd07ed98b5d1cdc9fc3f0fc1e	0
common/deliverclient/blocksprovider/timeout_config.go	940	72156e712c3d818e47d4eab2904266eb8c74120328846abcae96a9e91b94da7e	0
common/deliverclient/blocksprovider/util.go	2568	a69bf7102a2b75448c688a27847e88cdebccbe69a7709d598f8301d2de425525	0
common/deliverclient/orderers/connection.go	7803	fa072f2d16bdf050f1439eb6d0ab5d3d1c1f7fa612506de267aa96071e165d27	0
common/deliverclient/orderers/connection_factory.go	935	790cdeedb6add540271f52c7c712530e83c60a068f5c27cd76692c799150f959	0
common/deliverclient/util.go	1698	b093d97e1c0c70933f30094a53df3327b2735c4d512ac4d90d9fcdf8e28b3380	0
common/deliverclient/verifier_assembler.go	1794	ae6313d393e0bec3192f834d1800695b883939c246e110014706436a7e713bec	0
common/diag/goroutine.go	631	2c2ff6908c8adcb45f621a8110a2741771ad7dab82cfac13e99c1848286e020a	0
common/errors/errors.go	1260	b803c02fc3250145290bcfa9aa74bda65b85e2b4f4067fe64fea0121d1d49407	0
common/fabhttp/fakes/logger.go	2919	9d15ac89fc5714e3368b7789ac8ce0a235b6852bf9811eed1e5c18467d7eadfa	0
common/fabhttp/server.go	2937	95a3569f8d0a046eca54ada2991f95fd85d13652bb7c6909eb5e3e527cdfc4e7	0
common/fabhttp/tls.go	1275	c5730d31da82f5a35d1364ab0de96f0c6d1fafe193bb79095ed6323baf9cb91e	0
common/genesis/genesis.go	1998	e3b530d2133a7355062464b98506ba72eba04cf24fb78507171e3bcc3e5ea51c	0
common/graph/choose.go	1743	51ed524478bfd6927b70545187b7d87df753c5814990f45924406b8d5d153e05	0
common/graph/graph.go	959	69dfe3a2a12faf080e5a4b659db4e8746ac55b689daede2c06c6446709719ff5	0
common/graph/perm.go	4178	874ea4293a59bcb42d38fd9c52db38ad2e43ddb55fbc95478a0a7564034ee0c1	0
common/graph/tree.go	4365	5de18bf5fea925b5032b45d35ae1a64751ef89d270799d131d7d2880d250302f	0
common/grpclogging/context.go	744	e0bdef8cf3fe63dcfedbfc54a8a894b974f0264763d54fd7ab7cc3e4331c0560	0
common/grpclogging/fakes/echo_service.go	5375	74b5aeac226186601eaff5a48ef574460577add517fc216468be468dc3c46771	0

common/grpclogging/fakes/leveler.go	2713	a3d4f6b97ed89d0c08b117b2daf5f15d685dd8c36794e238eda84dc76fa4e6f3	0
common/grpclogging/fields.go	1022	3075bc2d0124455976de2a97d6f6353f2592495a7cc1d0c9b5f4caad48e917f2	0
common/grpclogging/server.go	5304	f04ab5d688b79fc292e97e8cbd1db0021a74e3a101171286cf04af1848cdff17	0
common/grpclogging/testpb/echo.pb.go	5540	2b2085195c8580d62f4c1a35ba1925f2e9f12598aaf067ec3db2fc0da75618cd	0
common/grpclogging/testpb/echo.proto	393	9d4a54a8c1c5a2b41f72bdf14cfb59aefa9ed61e333eaa0b648cf72ac4a84482	0
common/grpclogging/testpb/echo_grpc.pb.go	5872	39d75304e585f5793d21dadcb0694a807306d0d1be1c765a63a637e756ba8e93	0
common/grpcmetrics/fakes/echo_service.go	5375	6c83ce077f558f954676a52607fcb10a89043dbd407b8059f8f31487eae53599	0
common/grpcmetrics/interceptor.go	2888	fced7ed428a571cc3991a761f4a375aef389464cba8d49afdc6b102badf133e6	0
common/grpcmetrics/metrics.go	3276	62859550cb48ebbb1bcc49d6d68a605b7964c17d13cfc147a9ca33b23d01dd7d	0
common/grpcmetrics/testpb/echo.pb.go	5540	6e32ccf5de5d9c55e35e2e1fe72f7f258edf880c7bdbc325cc1e9c830b7ac673	0
common/grpcmetrics/testpb/echo.proto	393	3f5e8f582ae32d9b25edebd855655c0cfde3c1df3da8f9d1c437a748946b6b40	0
common/grpcmetrics/testpb/echo_grpc.pb.go	5872	39d75304e585f5793d21dadcb0694a807306d0d1be1c765a63a637e756ba8e93	0
common/ledger/blkstorage/blkstoragetest/blkstoragetest.go	2414	827c474a2ddb3878ed92a97e0d936ee8b5b277737ef7992479fbd9f762753f60	0
common/ledger/blkstorage/block_serialization.go	5423	ba815b5113867e846c3807bef5c235c167dbad03a34d733173d67e9c96e2381e	0
common/ledger/blkstorage/block_stream.go	7344	92281a41f5ed76ba10e5c869f109b6601c66731a547a304b2aa2c0a457e8ed37	0
common/ledger/blkstorage/blockfile_helper.go	6740	9d6ebf86eb580515990be3dfd3c0190c600dcfb506132442b5e1b8679c2f077e	0
common/ledger/blkstorage/blockfile_mgr.go	28602	90537890eafb446e5648221282ad74f88547f575ebe8cc7833aa4e98d838cf14	0
common/ledger/blkstorage/blockfile_rw.go	2069	8c47b1ad5b77da6506f3f33b4043d3ad20f7310755ab41d8ef827194b08d6815	0
common/ledger/blkstorage/blockindex.go	16569	f880b20926d1e59a16c9ac73c7270beb45690fc98fcd643528d62fcc950bc5d7	0
common/ledger/blkstorage/blocks_itr.go	3453	4ba7f5ebba93fe98a60e83bca897d6c9945622d9a337bbc5980efdfd768cef42	0
common/ledger/blkstorage/blockstore.go	4278	599c95933d63d5acf063671945e752db33e5d2bb4f157896332f9b13766c24b3	0
common/ledger/blkstorage/blockstore_provider.go	5156	bddade8cd1e3b5c4a30f6c174b5cc34264a6e94c99c135f13aa4c8dd79271a8a	0
common/ledger/blkstorage/cache.go	2358	07a936c4ec4dad97de7daf48b58a97889f6f0443fa9aa3d76c859846873feed8	0

common/ledger/blkstorage/config.go	1171	c53bef6ca0e996ba35a97c47577644b3d75b2b0076c93d33f2d3e44f8b971630	0
common/ledger/blkstorage/metrics.go	1936	fe5d38200f957ac4631346ff592d6835d55f40af53a01978d6bdc0dfeb9ae7b6	0
common/ledger/blkstorage/protobuf_util.go	1328	27d6b58d6f48bd40d75f65b9ba33558a4660425594244812e14a367eb5ff68be	0
common/ledger/blkstorage/reset.go	7579	15ece243bab5dc2538928b9175a173831850caa7c897df6434f73f6408c790e0	0
common/ledger/blkstorage/rollback.go	8559	d6d420c857872c0b43ce40e42bfa4d5d345f255e76d529b0227c9dbb720fc082	0
common/ledger/blkstorage/storage.pb.go	8556	46c90bbf0b0ac382026755e28815743fee41582579434bcd00c0d8111928e514	0
common/ledger/blkstorage/storage.proto	444	fb6e0e161935c17578fd3ee7e51a7d79a4553d6659ac02c738cf0a1d73c14578	0
common/ledger/blockledger/fileledger/factory.go	3547	c9d99edc139f3df01517df4670f2d57765686fbb92f8671f9376020c66571dd4	0
common/ledger/blockledger/fileledger/impl.go	3960	2150f13759418b11799ccdb2ab37da02a8b9b9f66a30267b1176ee71c704a268	0
common/ledger/blockledger/ledger.go	1666	ceaf986a4e6ba82631943069f0e90917f6d1f36c6b90b1dfe39f1b5f33e741ee	0
common/ledger/blockledger/util.go	2783	51adef670cdc55250487a524da98a4c31b059618591b7eeef71addb79d0f202a	0
common/ledger/dataformat/dataformats.go	1490	0855f191d2dc141801fc98b00000694dd1115704fe198f414092bd10a7fdb43d	0
common/ledger/db_interface.go	1568	1352e7d4b9d352f8a40c5c1627742e953b5cc3258b467683039eec788cfc20ed	0
common/ledger/ledger_interface.go	2135	079fcdc40f021820a2f67bbcb1c3951b3710268c82362369a49ef8f7b1c9378c	0
common/ledger/snapshot/file.go	8033	2ebd37af0553e2cb6614a272ee1715d2808f739d82db39c6e9fe8cdaecc262a9	0
common/ledger/util/dbfactory/factory.go	2372	f5395a37cc893afb87d3aa44f08109e043ddd3a7148e6f20a6d8c89e4ba138d8	0
common/ledger/util/leveldbhelper/leveldb_helper.go	7723	35e2fcfd8abd64d767f04cfad61fc2c0f1e6007738e2243899af88cd4e2b066c	0
common/ledger/util/leveldbhelper/leveldb_provider.go	11096	a7ae55ca2f93e999a8a57042ae02a26cdd575505bdb3a2e92e07d7251f208732	0
common/ledger/util/util.go	2819	4dde8ecfac64c50f5f1fc2d12d95b02f156853418ceb7a5da00c16e923151981	0
common/metadata/metadata.go	336	5e480b5a2c6a5a23caaf1d5b08370cbd222a9e233607624dc4806f118138489e	0
common/policies/bft.go	1892	af74616343a18a7173453a7d462a04b574a4382464a1ce431f57cb8324fe5960	0
common/policies/convert.go	3888	78e77230776cfae9bf111da44ac481088a20d4761fbb82f70eaea153a6a36930	0
common/policies/implicitmeta.go	4212	b4010eea1b18b78749300d1cc18dd1285f03aa7176a06055422fb54541eca8ba	0
common/policies/implicitmeta_util.go	2430	755c15b514e7ba6859a2a37b5478d6fd06f9ccb1977aea429e9bcf9e88389f8f	0
common/policies/implicitmetaparser.go	894	17b74f4145da00cbdc7f7b6474f6cb624c518f7f334fdc7f03e9891577a3979c	0

common/policies/inquire/compare.go	7476	c0350428370d33406d557496a711c5def7e91e5eda93ba823b1b0ff6fba6478c	0
common/policies/inquire/inquire.go	2634	0e5092c7cd002ee971fcad3648b41ad4977f24effb000e9a0fd7eda1ba941b1d	0
common/policies/inquire/merge.go	10060	159b101fbcc3f28bf12e0626acd82df83cda7924c84c258c7e5e23098b95ae1f	0
common/policies/policy.go	13500	e70230e48ca0634e5398bb5994b9c128c5cc9a14c0ee68c72f8160a6e00bf1f2	0
common/policies/util.go	2547	f57783404698b8289239f0fb8579c73c84353a7bf26f6bcb31060bdc68a13a53	0
common/policydsl/ policydsl_builder.go	7049	51023b84328eb4db246ef1e61f46d36add44019fe81e4eec2fbf70adbebb788a	0
common/policydsl/policyparser.go	9552	6ad016992600beca9fc436694071bd52a35f46b9710a767cda600c56e032a842	0
common/semaphore/semaphore.go	1294	dda4a6c1888911efca898e66a839b4805ab6e011d3e60aea1bbbbdb043cc82ec	0
common/util/net.go	1601	4fee8cf4a12d12aeacf0d2d0dd8c48fbd2cf74f99e3c59523411294ea25a8b78	0
common/util/utils.go	1871	68333d82b0a3b34f8ec6188bc7fa585309cb9086edc9d4491a9e08352676db3c	0
common/viperutil/config_util.go	10578	b430ed2480ec66c538edb5162852fd0ab77e160df390883ba0835fd1de44a1b3	0
core/aclmgmt/aclmgmt.go	766	ecb2f46f0c86c58590a9d02165e469aa28063631199c6c4ef21dd2c7c2055fbc	0
core/aclmgmt/aclmgmtimpl.go	1865	7b761b6dd6f056b80ba13e687c6ee3abd68519a7ae720f589c80be50f3d16810	0
core/aclmgmt/defaultaclprovider.go	7245	9f011dc439d15f984b02c4562880c5cd437683777a4e03f4ccf57d8e57394c37	0
core/aclmgmt/resourceprovider.go	6039	fbb59880ce8133a515f511b4da17bb3d46fbb88221ee5329b3fb8cf0bd261d84	0
core/aclmgmt/resources/ resources.go	3029	dde36c6f7afad1708c70a3eac9e6b258a269aa0dfa36f6acdddc2fc526930736	0
core/cclifecycle/lifecycle.go	6795	2d9d075727f403e682ab301e87b727d2846a3fe9a04b8a6c4756b951bc75700a	0
core/cclifecycle/subscription.go	3780	e688a381e4fd1a3caced78964b394b58596e98eb9105ec86e92708a871a77102	0
core/cclifecycle/util.go	3163	93976af9c3cdc1bb653ade595616b890c2aa41d5050f3d3b1ea28509bcf89537	0
core/chaincode/accesscontrol/ access.go	2798	765e46d821700c56f8a83ca58e4825be57a00c378c2c41d8540a896bbc7e64dd	0
core/chaincode/accesscontrol/ interceptor.go	1832	60fc283d534c62cfb54bd3f99bfb60d73c6d4d70d81626cd84e4e26780d7ca28	0
core/chaincode/accesscontrol/ mapper.go	1787	a6c370bf9df3384f64d1c4096e8146bfc371211520e43150724de49a19e9d6bf	0
core/chaincode/ active_transactions.go	770	83050fe3e84947b4522e1cf39c17d86da821809eb5652bb9aa427ef911ea7ede	0
core/chaincode/ chaincode_support.go	12853	f361b67f4e9c14d00bb99591783bd68509be3552f9ffc20ca5bab1e3abe1d777	0
core/chaincode/config.go	3848	56cfbdae6af9379b75abbeb9725525502c07459ba2581f16fde8f81622e8b4ce	0
core/chaincode/container_runtime.go	2405	215e3622c2711545daf5799c5975f90d770f59d650816cb30bc1fe371a6dca50	0
core/chaincode/extcc/ extcc_handler.go	2041	ef163b3ac4b055627072d2bca229dcb2d6e7d5f2bf374ad832ba7bddf4a1e80f	0
core/chaincode/fake/ application_config_retriever.go	3814	cda3a80d588885ce30303d0a8af5a98f61ed2c5587db3a0e4c867012ab6f11d7	0

core/chaincode/fake/context_registry.go	7168	20704c8648eb3a5bab3117e5e90b5668466463738d8b64c432c74577311f3b64	0
core/chaincode/fake/launch_registry.go	5192	c0d9f372a45e53dfdca9ff8167ed3518c58410c13527a2fe78c497b5eb53db35	0
core/chaincode/fake/message_handler.go	3483	e4a9c1b6120720a43fab30d5804d9a2fd2b82721c050d4e2fd0075f32cdf55c3	0
core/chaincode/fake/query_response_builder.go	4343	1aec928ca6398d160615e20f45793750a11951397361777271b9f6ea4bb1f2c1	0
core/chaincode/fake/registry.go	6736	72f296a3dff81e2ff88250b1138647362c41f597470816df14b4f1e5f67bd855	0
core/chaincode/handler.go	53422	1200d9f4ebf70de2e5a71b86eddbed0935b863399a46ecb88f34d5d25f483184	0
core/chaincode/handler_registry.go	5077	91f99068af52ac5135c3d0755ea9f3f1e4a44c6fa38c56ba7386a64641bc0356	0
core/chaincode/implicitcollection/name.go	785	26b473a3af6546334945f08e25187fd137cda600b58ca2604d6f7e477d2205b2	0
core/chaincode/lifecycle/cache.go	24471	96c93d0fbeb998940c4e3d3a756245797612178a0538374f51512b058e66d62a	0
core/chaincode/lifecycle/custodian.go	3427	5504b505ffc647b00f6bb7e224644eac6e41a1dd4bef93ed74dafbbd8fb722e4	0
core/chaincode/lifecycle/deployedcc_infoprovider.go	14879	ad8f5618a77a760733a6aaa6b962e791cc43c4f04a317c3a41c764faf1a49936	0
core/chaincode/lifecycle/endorsement_info.go	5951	3074a12ee102108a21a7cbe5383c523c8cf0d301322fe6fad9c67e204a02a8d3	0
core/chaincode/lifecycle/event_broker.go	8917	f09c4e47f5b5098fba707016b32875e5afabf828c8150a3575384dad99f031ad	0
core/chaincode/lifecycle/ledger_shim.go	6289	6a7a2405bbd77ebbaaabbc5ea18a162c0bb9cd1770cd9e39f6da06bd20c5cee1	0
core/chaincode/lifecycle/lifecycle.go	37113	735a727355c7f33a167b21ca96c0077b92e9569c11547b58786e6193b205281a	0
core/chaincode/lifecycle/metadata_manager.go	4154	bedb7024a09de971336202cbac0373d83cbbc4dd80770e35752b9df94d557953	0
core/chaincode/lifecycle/metadata_provider.go	7101	99f34d4dda923ae480141ca39a72056991d13a34abd5b077815a272ec53b0588	0
core/chaincode/lifecycle/scc.go	37243	2dded53ffd684fdd22db9a2d3e0d3dbd36b4fd854531c8ab5ee1f9415b1a0c7f	0
core/chaincode/lifecycle/serializer.go	16418	9192193409dfd126b34a283fe48fa4fb77974e0560acbabdaf82898c9a15691d	0
core/chaincode/metrics.go	3089	4ca0a1a8dd551e808911f5cd1fc805ac401d21b878c43a69550dad50a0845299	0
core/chaincode/pending_query_result.go	1040	f7956d5d4a3e8415f905243e1905730dea1dcc80bc0afb52df3ba02dccff72ee	0
core/chaincode/persistence/chaincode_package.go	9824	48439d6f30aedda3d2b0bd2c2679aa3e7ac85bb34a88e035c285ca1d55ccce33	0
core/chaincode/persistence/persistence.go	8564	c2f8a2b698e70ac36ad23d0f09c167164d4d09bc188b74eaf0e5d26e0484c224	0
core/chaincode/platforms/builder.go	410	d4cdb6a93a49b0ce109e4cadbdef1a6747751c819efe8617a2b43feeca1bb60f	0

core/chaincode/platforms/golang/list.go	3457	a6dea36b391e273e03bb8269c14bbc68c639766383b7998b2668a482f7616abc	0
core/chaincode/platforms/golang/platform.go	14272	b5738555199d713703d95bcffba502922dc67e064343092cade5d4aa0ada6296	0
core/chaincode/platforms/java/platform.go	3976	6e74e94bf34552e561463bce39a1afcabe66928dab65b445a6cc6711ec0d28d2	0
core/chaincode/platforms/node/platform.go	5510	ae4a38746df2c6eb1dfd38cb087ff94701ed24ddcd365d25b8c2195acd6e7970	0
core/chaincode/platforms/platforms.go	6954	e8150f9c21f95900f053a0ad4cc1c5976e0ef82cfaf769a506f87caba2b0ec7a	0
core/chaincode/platforms/util/utils.go	11718	b74ba8e0ef544b881f3ff26083b81025c27a362b59dbdfbdd1c2720b35c37be3	0
core/chaincode/platforms/util/writer.go	4038	1b3411a9d742d361d790a6fe64588f0a774fda2a96dd5dcee4d33b9a5b552d02	0
core/chaincode/query_response_generator.go	3225	796e0059288970ee7b32877eaf35333cc19ac3fe06e0f808254e407ffad4f462	0
core/chaincode/runtime_launcher.go	4611	209b1bdc2fa54d8821e30e968764b97bee77cf1d658d372d45d6b6d7b53cc643	0
core/chaincode/transaction_context.go	3899	6ce02837530f522de38545a3921a5215e3dbf375e8426a47c43f5e0dcd1853d6	0
core/chaincode/transaction_contexts.go	2854	07e780535716203bca4aaa56e41d11947ecb31e052efe1f808f4225e2cc4a4ea	0
core/committer/committer.go	2984	8b2b89ee7d7d62b06fbfc4011df78bb9f3aac2306c57318b1ced3de9cd733741	0
core/committer/committer_impl.go	3856	cf17456ee66abe9b15401d98f78a52ebbc27f712541b571758dde31465ed091c	0
core/committer/txvalidator/plugin/plugin.go	981	8f67ffbf453b02f16d62e0d12623bd51ab2b8a8198c2cbfa16ce6c4c01cc8d7b	0
core/committer/txvalidator/router.go	1640	efc700535a02d7819f97280d7c0e7ee36e2ec3bfe70abbb4dfb6f79774f20907	0
core/committer/txvalidator/v14/plugin_validator.go	8089	5b0940947a11cb5ae078055f6ea68c5591f60d22ac8879a3262fee8443d1f164	0
core/committer/txvalidator/v14/validator.go	22667	b6c608cf57544d5fe868ae3c493152ed111b763a8109d1653c8f784ac1f6a2a0	0
core/committer/txvalidator/v14/vscc_validator.go	15347	855c4283ee36d3226007dd85ef419f081a2b4ae61d408ab392dc986225ceb25a	0
core/committer/txvalidator/v20/plugindispatcher/dispatcher.go	11400	769b47cda2f8275492755e42c552a4b0a12c4a5c1ec8b322c47b0b85c97c1b02	0
core/committer/txvalidator/v20/plugindispatcher/plugin_validator.go	8789	bec781eef9b3cd2136aeb9a37aad475c4fc00aa69d80787e533bde4d709d3fb5	0
core/committer/txvalidator/v20/validator.go	18210	81316d4309df52e09a01b95e9b43c8183a3c6093e0e7d863e61fdd60fa9acd05	0
core/committer/txvalidator/v20/valinforetriever/shim.go	3157	437e538f78d1e7592c791b87184bb276c5c989b31d560f8eb834018e7c3e91ee	0

core/common/ccpackage/ccpackage.go	8477	56b7ec9c99409bba5d0e1a161514175654d00c94491cbd9aef656a3672f75a00	0
core/common/ccprovider/cc_statedb_artifacts_provider.go	3650	748982d03f2f2aa1c8d624c0fe924ebcdd2320859f5e06c2337e3ade66ca99de	0
core/common/ccprovider/ccinfocache.go	1865	1a005ce9ef5bd13f0859a99575b0e7bac11ca89787d83119eeb4383d348d12d4	0
core/common/ccprovider/ccprovider.go	12292	07baba41c8e6bfead02b66cbc3ca66894e3b72809b3701ebfef3cb9896ccb74d	0
core/common/ccprovider/ccprovider.pb.go	12951	0535b28adff59ff12d1703dce16ec01ec0b5b072275ea837962e46eadda6960c	0
core/common/ccprovider/ccprovider.proto	1798	088cd457fe6268fddece7e83178f2ad1f9e802ccf0a996893c262f7bb603e1ef	0
core/common/ccprovider/cdspackage.go	7809	ccbf78e49668a997fb522e0361f821c0ee1448390e6c12f7d4fd713661a45ba4	0
core/common/ccprovider/common.go	351	5e4509efcf0fdb02eed4cb0ca3e18d9d6a469d0e3c29bda5f023c62ff5deac78	0
core/common/ccprovider/sigcdspackage.go	9965	c065831355ef480617c95002a53155a103414d8500fd5f6619aed29fc37f9d21	0
core/common/ccprovider/targzmetadataprovider.go	1965	8ed00af5f8bd407759db8f43fd10deadf359d1952d504afbcca51ba094e39327	0
core/common/privdata/collection.go	6465	e0dce89c15745fe1db58ec824e6478a983012250f61821830b0125f8dbc15f72	0
core/common/privdata/membershipinfo.go	2112	2f8c1b58ba772b0a696b412cf2402491ab7786f4c7a7199793987691738f5694	0
core/common/privdata/simplecollection.go	4147	112e3740f88ca2e885048b2bf7c9873d298d2ea505677804c0c05a8b135983a2	0
core/common/privdata/store.go	9158	8b28ec9a92e6ec165a0e8f9aba392e5387ff90386b74f18212a088a4697cd549	0
core/common/privdata/util.go	2589	5e15b28dcb7276205b92ac83c91a61de76c50fe25c1cbac3ecfe3bfda2a6bcfd	0
core/common/sysccprovider/sysccprovider.go	1950	8df6f45dd9fe57c275301086184b0f92f8fad937e312a6a5b83d6feb3a986ab4	0
core/common/validation/msgvalidation.go	9675	363f5f553107e812fc03bd9b0c43f9b033c34c4b4289ca817f7b561809fc13cb	0
core/common/validation/statebased/v13.go	2467	06f855188f27ba3033e62d1e2864bd1cf9af797173829db858c84f28dd59382f	0
core/common/validation/statebased/v20.go	5334	9b02e65855fb46fb209e3c9ec966074ecb520777d3ce10a332e933b18b11a0a8	0
core/common/validation/statebased/validator_keylevel.go	12381	4e2ffd11924d24b63fce692215b6913efa4bd16b7295fb4bf3536f9a4f1b3c65	0
core/common/validation/statebased/vpmanager.go	3663	6efbba79f4e2906aa60c26d29a4f488c829becd58cb795370b11500ecfa76eeb	0
core/common/validation/statebased/vpmanagerimpl.go	12422	2a61247cba147fc233344590543d2d0c75bbd489deff8e5fca5c643a931ccf75	0

core/config/config.go	3665	f24a372cdc3a0bea8f8c665f4c4b7e63933098dd9a2461411b37ebb42dc33175	0
core/config/configtest/config.go	2258	9ac8b84e1e081d4dbb996c4503e9964d24d5448497f4718ea5907b4cc389ee91	0
core/container/build_registry.go	1686	bb52bf5c598ce00a16b12fee4d84ae0226fb148374b5a3a429d9235cb2eaea7d	0
core/container/ccintf/ccintf.go	924	7ac849e156ee7b4fb90e8615469b6905731110fd20ccc1bc172af26a6629ef96	0
core/container/container.go	5212	f420fdee36c268d6a418d3162d3a6e929e9678a7d8239d9f59d985243377be4e	0
core/container/dockercontroller/dockercontroller.go	15205	4598e49ca0b79de71114bf8b365d676270f2f14537ced0ecec25cd0811debfb9	0
core/container/dockercontroller/metrics.go	727	2e51e7d96431aede99cc3aacf1bdd566528bb03ce20c8b5078c0cd3fc4c26887	0
core/container/externalbuilder/copy.go	3117	a1949b51a01598e582decb92eaef48daa39d93a842feadc9680f260d7a3b6057	0
core/container/externalbuilder/externalbuilder.go	13169	a44608a579eaa22737a2b4b50cd127353abf8e0b11c5b73d01606950db828362	0
core/container/externalbuilder/instance.go	5302	19e0b89d2891d85ea66793e6d486d69b217a29e57eb63981be1c45d8029777f3	0
core/container/externalbuilder/metadataprovider.go	2174	3d30e54d9a8fe832d98d4a3afc45501b80cd1b8ae58c1f84ad7d59d37d9a098f	0
core/container/externalbuilder/session.go	2107	e8993e6f0d06c04f7a0b08dacd32007df87b89ecdb6234fbe1766ccbc2ab8068	0
core/container/externalbuilder/tar.go	2463	748ae7cadf374d03b067e57ab955101becca5646c7464425ba61a8713ce76897	0
core/deliverservice/config.go	8834	7fa35ff5f3a224d001482006f559fb25f3411ea17fc975833d05264b8b3cda9f	0
core/deliverservice/deliveryclient.go	13148	b3221d1d8c58d8d1e1ff38d97c4bf57f7f63b75a6ab1a66448ac8d0cb37ba27e	0
core/deliverservice/fake/ledger_info.go	5046	4277f770dac6c6417ac6bd45381ed32fded109a22d233208f3e3eb8bad541326	0
core/deliverservice/gossip_block_handler.go	2318	ed86d1ec3c10e7057235f21f1fdc9756ff042bfdec290582c7d1b115434bb52d	0
core/dispatcher/dispatcher.go	3061	94633561b732d0fb7573310de67828bfb3460bcd01bd6552efac710eb85c9e3a	0
core/dispatcher/protobuf.go	992	8394f803c4778ab5f29c618eb03b4c88c2c928ec5d878453af5baa8706bde3f0	0
core/endorser/endorser.go	24894	c2c2e576dc229e5ec54dc99cee2982a6b33079097228cb9d33f56182917b2272	0
core/endorser/fake/channel_fetcher.go	2946	958a2a4ce6349f165d3d35dc3c0706a662b005874883c3a3b4953f55762be6b5	0
core/endorser/fake/history_query_executor.go	3668	3e8df09fbf84be8931db187c2e0a177660faa6eb27fa09d8091aa37cc3fd58c0	0
core/endorser/fake/id_deserializer.go	5961	b5107cb5c9a558d2ad7598a132c12ca12e2c90dfd979e7c8233bcb62eacce3b7	0
core/endorser/fake/identity.go	18361	0474e86f6842a6ac3d81148e3f7f302ce142447432c64ab11801715da54c5d19	0
core/endorser/fake/prvt_data_distributor.go	4117	badd509b6c24607bd28c4e09a2c323dac82d2dbb778a40af927dbfbd26d486d8	0
core/endorser/fake/query_executor.go	43817	8cbfb6b20b894a7f66b1d28347e90337a37fbc99f10ef30fd6557d4d6905edad	0

core/endorser/fake/support.go	34653	0866de883f0746ae5eb42ae3ad2d288ee02d418e4292c417f06c45e30bd2e180	0
core/endorser/fake/tx_simulator.go	76084	e110150ce740730e40e714f7918a9f88dd35b1c6511466c4981e2aa1513e9ce6	0
core/endorser/metrics.go	3733	eb81602d19e31961ae80b049b013e1548bdd51390dbf0e49c385c1f84d4c1139	0
core/endorser/msgvalidation.go	6360	fc31b470af10d22f41561983834d646f1e69dfc9037e8dce5bb75b3043c632db	0
core/endorser/plugin_endorser.go	6249	540f087bf1aa97009a3ed649b56cbd1bb8527f37445b75a2fea64cd141d8e599	0
core/endorser/pvtrwset_assembler.go	3645	094bd45f6f3abadd3723ff18ad1d7d561003fa223418757914ad928f0dfb420d	0
core/endorser/state.go	1733	64b0dc3ba8515bd174c7c4b691c36ffd9ea413863b83308221949dcba2f49c98	0
core/endorser/support.go	5756	f73548ff27e34d9721fd30262a2efb6dde60897f31800781431120ccecc9f6a8	0
core/handlers/auth/auth.go	886	d5e139007ddee16056a4db16e880a05ab55c6a2b6227e35cbcf7b1c51c1c7564	0
core/handlers/auth/filter/expiration.go	1720	f6d676bf7e098f36ed32dca5de9a687cf21450ad99309b6b852c0d9e4ec5b3f4	0
core/handlers/auth/filter/filter.go	713	1f7a9436a32223dfd05b099027a348c99e8458973497084aade8cac557634bad	0
core/handlers/auth/filter/timewindow.go	2049	baf9b14daeae7c6e9ee46db8e1fbdd51b49b034d43f2c1f1eab33fe0af419e23	0
core/handlers/auth/plugin/filter.go	756	6b018c2be6302819e32033eaeaf394e7c21634c55e93e1e503c8236236ee1f93	0
core/handlers/decoration/decoration.go	673	b8ce9e9a5fd4076a0f1e2f278844602884cbff0686e3effad0849c64ee978d7b	0
core/handlers/decoration/decorator/decorator.go	536	0a40f29579a2607b634e1c26ad961afbf4c2191b6e34f49816b964c19ad361ae	0
core/handlers/decoration/plugin/decorator.go	576	400d25f74f0a42c61c453f1ae5c65959d1a3a9026559fdda72f4570f5fafff07	0
core/handlers/endorsement/api/endorsement.go	1070	3f1aa2bcb35131b027cc1f066d64b5c6ca926b54903a12a7b08dbcfd22799c39	0
core/handlers/endorsement/api/identities/identities.go	902	699a88f5fe87116881880b9876294c66606b63befa2144b29b4f2d20a647ae46	0
core/handlers/endorsement/api/state/state.go	1048	f9208fa706475cfb8f1cbc476a9ff0035394141ddb671054c16b99c4b272de5e	0
core/handlers/endorsement/builtin/default_endorsement.go	2501	ded0ab3acab9bbc54e5a338bce434acb4bee30722342a4876851e47cc9b686a4	0
core/handlers/endorsement/plugin/plugin.go	2787	5aae725a1ac4e2daf07cbd1a8a32c1ccd43784fb082f99629172f13792ef2185	0
core/handlers/library/config.go	2405	7f66ce37fe60d20da77cd8555090b1e29dcc0bf616a33afecfe2665a47ede53d	0
core/handlers/library/library.go	2036	2d735e0fc030af300811f935a55c3df1c11620efc516a6051f807471d6a3368a	0
core/handlers/library/plugin.go	3568	4adf2e5a43c3627b88ec8f91abd70a7fc9a501dcc73d0ab9aa1b363f721d9c0a	0
core/handlers/library/plugin_stub.go	332	c830bd55713503405676031cb1374f76e081b8bcb8e6603252e81c1c04ee9845	0
core/handlers/library/registry.go	4026	4b3e7c96dffdd459d71ea85b880785a34d78c8d0ab0eb71370b41f48f323b3f6	0
core/handlers/validation/api/capabilities/capabilities.go	2414	69e58398a7848ed7b35ac021fee3dea7b2e94eb0ca138381482f4f9f7d5c4607	0

core/handlers/validation/api/identities/identities.go	2060	ed6ca6ca0d8c215bfd539c0c9558680ce64de6a62fc0e42a40add6c58b2fe753	0
core/handlers/validation/api/policies/policies.go	713	1da192639ee3556d20c7ce5d75f1ed293087089f5aff88e51a95818066963bef	0
core/handlers/validation/api/state/state.go	2141	51b37c32c84cb132a7ed3b0c00925cfcb5aab0ca6bda644a5c6eb8fd119524ca	0
core/handlers/validation/api/validation.go	1437	2accdb46e239e8647421025fca1a1ada1c752d008e6d11fce4c7b79bb7033dc8	0
core/handlers/validation/builtin/default_validation.go	5222	32a2cc52d09082526c46e83d18e116a34596519c124d1f7267e28916c5ec007d	0
core/handlers/validation/builtin/v12/validation_logic.go	31780	97fc8933e7e0fdab0aa59f56fe3a3f41e0fa9dd9953be2aa142b32e3226e4738	0
core/handlers/validation/builtin/v13/lscc_validation_logic.go	24987	10c04d59828671eb8c407cd24c5654c1069ee47a9a8df283e7ed494ca11f041c	0
core/handlers/validation/builtin/v13/validation_logic.go	8041	1a157fdbbdf5b8d2137a07e3db48341f70d8381ddcef80c1f2e58a11b464760c	0
core/handlers/validation/builtin/v13/validator.go	1789	6f79bc85432b8c33fe147b8cb35848cf931c222ce449424a64269c8f360a6bd1	0
core/handlers/validation/builtin/v20/validation_logic.go	7416	b298559a7d1c889345ea43a9c83641e89650344b6ae4ef68310651bb40c9575b	0
core/handlers/validation/builtin/v20/validator.go	1789	2dbc9794f3deeaa26e2c7a6926b62668f551a313f86ce973df9dc34e6b02afa2	0
core/ledger/cceventmgmt/defs.go	2422	726c6410bf5b5e9b4e471af0f51b59f21804297012008bfa2f806434751d7895	0
core/ledger/cceventmgmt/lsccstate_listener.go	3181	da54a98e3e44c4fff3a27eacca2e86eaec7f9ebc65d5818da73a92695a8f9e60	0
core/ledger/cceventmgmt/mgr.go	8888	7a95971701d8550eddb53ef06b5f4fcadd7fe374b768da91bebeb827aaba1c0c	0
core/ledger/confighistory/confighistorytest/confighistory.go	2029	dc5cbe6e97e582df41418f741e76a2287792c7c0a9cae43adf24daf01fb1eed8	0
core/ledger/confighistory/db_helper.go	3512	fda1fa7ea6199f6f933c271183c3bad8ea9040fc40c5a66fac57e1eeb0004a20	0
core/ledger/confighistory/mgr.go	10613	3ea0537470e8440ffdbc7214bd7bc19e08f51a83db53f85e79d2fdf28fde154f	0
core/ledger/internal/version/version.go	2342	db0d31ca03684f1b01876e952a7ea3b7e8e225e257f7bdae2e811abef91d6612	0
core/ledger/kvledger/bookkeeping/provider.go	1793	fd4613db3dfe8972ff6e2f62d9fc6e27bd53b6c5cbba5cfd57962e81da3a0af2	0
core/ledger/kvledger/channelinfo_provider.go	5445	c7708d5d81a6c6491f74b4f00d4cc139742e3d555709f6d551b600861a9630ae	0
core/ledger/kvledger/coll_elg_notifier.go	6246	3dca732fa2cc00a02910f953a6818a7b3d070259de2f4af086ad1ef510ea1aad	0
core/ledger/kvledger/drop_dbs.go	2209	475aae186271b4a8bf5d3841f8041c74781f2583917a40afa871cdb093d94e8c	0

core/ledger/kvledger/hashcheck_pvtdata.go	9195	c58f991eaf6f947a99947a63e859e4b598ac11c5880a2eda417fa041bb807ace	0
core/ledger/kvledger/history/db.go	6431	8fde9a93641969759ed77f68804836d99fbfc7f554593606c3784dc5d56d727c	0
core/ledger/kvledger/history/kv_encoding.go	2670	029cc86d111a614233a29a3846b592761ad4bfb38665776274f859623b78a774	0
core/ledger/kvledger/history/query_executer.go	5377	75cfe3ff686f18eb07e2c899dfda6a95f1b099d9971c263b342f2c70e0ba1e49	0
core/ledger/kvledger/kv_ledger.go	42788	b7cd48e6cec6a1a812ca46ad213b5d5d28c8c2033a6e2386fc6b35ccf2458668	0
core/ledger/kvledger/kv_ledger_provider.go	23793	d7a97225dbae48393191c0c9888df11a1cacb64588754ca0c57afb66278c8fb5	0
core/ledger/kvledger/ledger_data_remover.go	2434	ae0fe52045ef1507688da51a7ae059cbb0a54d20a43d60dfac64b938a6fe8075	0
core/ledger/kvledger/ledger_filepath.go	2395	110be2b94b179ac59d8369cc32f7f9e3da4790086a85b5485ba154be83a1d471	0
core/ledger/kvledger/metrics.go	3683	035022be85f57a9bc653e58102ea55ad04463945bab67c4d551301bf6125e76e	0
core/ledger/kvledger/missing_pvtdata_tracker.go	1783	0ba9fd1c847e4edbe2397ad5f783fae7c5b84272a1cf8f6bbf14d54b4b6ef85f	0
core/ledger/kvledger/msgs/ledger_metadata.pb.go	10540	ed31c4976f888474b71e106d309c73c2ab1197bca038ddbc2c6b830f5f5e77b6	0
core/ledger/kvledger/msgs/ledger_metadata.proto	829	fef12c81ef15e864b7ca0c18238529c818a07435f7f647af30fbc23cef4a0044	0
core/ledger/kvledger/pause_resume.go	1546	ff170f4243c8263b7270772ee64498efb685327509abf4cd683de1b7f484c6a9	0
core/ledger/kvledger/rebuild_dbs.go	1622	fcbe42348384b66698906da8085605a31a90af0cc3f3bb32949a985f71e2162d	0
core/ledger/kvledger/recovery.go	1242	4ce95c02d63a0fffc6acb8f4ab797f16f9df7276361a62bb6d6429e08c1f1290	0
core/ledger/kvledger/reset.go	2428	9c941c65b9f866b10861494de9947352e0137a5cd9058886c99098c8a55fcc74	0
core/ledger/kvledger/rollback.go	1735	56218c40b8ac76efac0aa025eacc590b3d550428e4fadd71192c227b4bcf7e09	0
core/ledger/kvledger/snapshot.go	15192	ec2ced1276efff76a07c5bb2fc9ff3f579ab1486f13f9ab99009903c3f13405a	0
core/ledger/kvledger/snapshot_mgmt.go	14018	4c171b342f6443adf8411579cd47ba3035b2420a31e45272406e061db65c3ebb	0
core/ledger/kvledger/txmgmt/privacyenabledstate/db.go	19175	aed72c28bed3034ac0783a7cacbbcf1702f7d105dd23b844b0f10462af1e6975	0
core/ledger/kvledger/txmgmt/privacyenabledstate/optimization.go	1932	b640cfc021514946d86eb643f5953790b3b2a676e3ef472cccda54abb966ac29	0
core/ledger/kvledger/txmgmt/privacyenabledstate/snapshot.go	15089	b4e468a15204f92f009a21c88798a8ed848cebe3cb4daf69f4865d5e72e08d0a	0
core/ledger/kvledger/txmgmt/privacyenabledstate/snapshot_record.pb.go	6012	ad76d77d611dcb5e3c7c2fe45d506f8dda3630acdd565b6cf3693a9870d4fbe4	0

core/ledger/kvledger/txmgmt/privacyenabledstate/snapshot_record.proto	363	c37283ab281d4ff489590b95c5d2859d895825a0b96c93ed345405a55d1e04cf	0
core/ledger/kvledger/txmgmt/privacyenabledstate/types.go	6684	64e9981aef75e440ff5b62b4df49dc682ef11b7410c265bb59a7905fc996636a	0
core/ledger/kvledger/txmgmt/pvtstatepurgemgmt/expiry_keeper.go	5167	b84ee3f06fd96d829774cde4918dc989c7b5352f269ecd3e9f4c4024b7a53811	0
core/ledger/kvledger/txmgmt/pvtstatepurgemgmt/expiry_schedule_builder.go	3783	6bfb253738adf106791af136e00dcbb902a40ee86d46c0f37d1fd57a5cdb3d81	0
core/ledger/kvledger/txmgmt/pvtstatepurgemgmt/purge_mgr.go	12369	1bd915da28cd951d680539e5b799b352577b8914b77e2bfa19fdd17b4b713c38	0
core/ledger/kvledger/txmgmt/pvtstatepurgemgmt/pvtdata_key.pb.go	12602	09a38648d79d739ab624d599697ff3ec6ca859c9a0b489b7c3bebd4f9d468948	0
core/ledger/kvledger/txmgmt/pvtstatepurgemgmt/pvtdata_key.proto	486	cb8a0dd89260ba2c465e76d5d4d93fac5acf618fe004b48868ab96b17f9d34ec	0
core/ledger/kvledger/txmgmt/pvtstatepurgemgmt/pvtdata_key_helper.go	1300	49bd007853dc3b778a52b516dd96b6803456fb198de3543211d849fc69f05b1a	0
core/ledger/kvledger/txmgmt/pvtstatepurgemgmt/snapshot_purge_mgr_builder.go	1941	0831b555d5e4428b5947410edc6550d10e356b45724b5827a94c33a5b9f6d7b5	0
core/ledger/kvledger/txmgmt/queryutil/iterator_combiner.go	4449	f8cfb0143cf946d2ed0260199709831f21fa2425e4de0b2bf519137875f1f042	0
core/ledger/kvledger/txmgmt/queryutil/query_executer_combiner.go	4475	38d1adb9e03c779e0e6db7471ca3080f0ddef75e5c933ed7432f86147e0a1339	0
core/ledger/kvledger/txmgmt/rwsetutil/kvrwset_proto_util.go	749	b9d278d6ffb4ea18edc8df3809a49456f27e55c1469158df6c25835ae4c02c9d	0
core/ledger/kvledger/txmgmt/rwsetutil/query_results_helper.go	9224	e29152168bc52441d78a14f3d7ba6f3c9afca8e10a5a5be31800ba9c90312c61	0
core/ledger/kvledger/txmgmt/rwsetutil/rwset_builder.go	13238	fdf5aa5b958e8d0e17a03dabdc8716340d72bf73c5188a42a308ada99879f628	0
core/ledger/kvledger/txmgmt/rwsetutil/rwset_proto_util.go	13065	5e8d373b4f0ac133e247902212e07b56e2f59c156fe632ddc1db2edfaa31a0a8	0
core/ledger/kvledger/txmgmt/statedb/statecouchdb/batch_util.go	974	ebb02507e7cad863c117992a52dc01d79f30ce88427d2e600c5721325b3b2ca4	0
core/ledger/kvledger/txmgmt/statedb/statecouchdb/cache.go	4389	c93b30697e58798c42041a7f333826e81a3172a4610aa9403dab82602de3e26c	0
core/ledger/kvledger/txmgmt/statedb/statecouchdb/cache_value.pb.go	5924	273ee9e237ea9872c2d15973a99f29a8c8398d7c6d2dee1c89b4d1f97bd2b175	0
core/ledger/kvledger/txmgmt/statedb/statecouchdb/cache_value.proto	353	6571be8ec857248586d37f2a634bad78068246253525cad61ef15def85d5db75	0

core/ledger/kvledger/txmgmt/statedb/statecouchdb/commit_handling.go	8663	da9da38ac67f1f9d3760bcb91c07e2f7e060b80826206e868dfc0c08cb13e768	0
core/ledger/kvledger/txmgmt/statedb/statecouchdb/couchdb.go	60227	c66b04097312a51f68bc5dc8ecd72f7b35cc58ad59f9f96daafaf551494d332c	0
core/ledger/kvledger/txmgmt/statedb/statecouchdb/couchdb_test_export.go	1302	b0d62cbaa6902c3586d65e8076bfd7fa10535607c0277b1bd3958087c97055e2	0
core/ledger/kvledger/txmgmt/statedb/statecouchdb/couchdbutil.go	12997	6198df1e629aece47308419376b526caa45a29d8055b5108b77aa278ceb81f77	0
core/ledger/kvledger/txmgmt/statedb/statecouchdb/couchdoc_conv.go	8804	d08c997408803788036190d2d5e69dad4dc47c6265120aea1828f854d6b02983	0
core/ledger/kvledger/txmgmt/statedb/statecouchdb/dbvalue.pb.go	5119	f9d75e2646d0c18a934cd2b37fb3595032fd5c3a09a99280a5927723fb00df33	0
core/ledger/kvledger/txmgmt/statedb/statecouchdb/dbvalue.proto	309	282dd12ff467313be7af0b1f02427d1cb46ec2f7fa38968a97f20e051db26e4b	0
core/ledger/kvledger/txmgmt/statedb/statecouchdb/dbvalue_encoding.go	1188	59d3fcefa6490969cc58525524b42fe2dd7038212b53e502419b6818bc2ff829	0
core/ledger/kvledger/txmgmt/statedb/statecouchdb/metadata_retrieval.go	3202	4a2698498b55cb941229eb4bf784037641dfca03c3f10be48cc8ad3587239081	0
core/ledger/kvledger/txmgmt/statedb/statecouchdb/metrics.go	995	deae914591e5a5cfddc6ffe7efceb01632e7233e598c81bf2c25586126f52866	0
core/ledger/kvledger/txmgmt/statedb/statecouchdb/redolog.go	1815	4733a447d4f1f416b0297dac1e7b2f7317b5a14bd6cc84c45cbc18c539f45317	0
core/ledger/kvledger/txmgmt/statedb/statecouchdb/statecouchdb.go	41582	d35ad1a73bfb4ad47ee3647313c90457c154f58fa95ef7c22588f478d10fe29a	0
core/ledger/kvledger/txmgmt/statedb/statecouchdb/version_cache.go	1843	5e449eb7141a4ca1a06cb3adf2b687ec253d9d993260121bbf9b8418c0953ccc	0
core/ledger/kvledger/txmgmt/statedb/statedb.go	12522	477e5c96d23b602b89a17f9dca4fa722f896147c661ba34fb7c80d17c7a94447	0
core/ledger/kvledger/txmgmt/statedb/statekvdb/db_value.pb.go	4125	3f130ffe39b8393f6308221c22448529211700013e6f8e897d39fc8f02004475	0
core/ledger/kvledger/txmgmt/statedb/statekvdb/db_value.proto	313	fa7bee11ea6fe058ea2e06bc499577b92a18b5509d214b44d8dad440b896901d	0
core/ledger/kvledger/txmgmt/statedb/statekvdb/statekvdb.go	12090	bbf789241641c82d06ddc2e626a98545a28b33e0a013d464e8c21fb4dbb516e2	0
core/ledger/kvledger/txmgmt/statedb/statekvdb/statekvdb_test_export.go	797	772ccb0d05599c7f7c1772e554a2d446e4bde77f869bc4019c8fbdb402413f05	0
core/ledger/kvledger/txmgmt/statedb/statekvdb/value_encoding.go	1096	dbdfbbbbe841f4718add0c56f9b5d68330d4bda7ba2ccf56667f99122ef2d5e0	0
core/ledger/kvledger/txmgmt/statemetadata/metadata.go	954	c0862d64d28bd84d3a0132f0d3b23a00f5b82fa421f2f527dbbd2ab599c57e65	0

core/ledger/kvledger/txmgmt/txmgr/collection_val.go	2434	d60cdf2e686d39b43edfefe43c5bdea54c4babc0a58716735b3e6fc383d03552	0
core/ledger/kvledger/txmgmt/txmgr/lockbased_txmgr.go	27124	d503e2fd8c9301a63fe01f5cf352190fa3dde63ae7b851c1c5aedf51f35608b8	0
core/ledger/kvledger/txmgmt/txmgr/query_executor.go	18752	05ab1351d9e7d1a3baf0cf005016c272566fa1694bbba3f4e14216aafccf3100	0
core/ledger/kvledger/txmgmt/txmgr/tx_simulator.go	9567	70bdc643a565247996db085198bf8e0811202cc91faed074ad9cd2a7f9eed68b	0
core/ledger/kvledger/txmgmt/txmgr/update_batch_bytes.go	3386	3b5c20f81e8d1767cbfa63cd117edb50bf34eb7c24546a0316acf6a1154603c4	0
core/ledger/kvledger/txmgmt/txmgr/updates.pb.go	8010	91c40862ec87072d965858c6a49b5020bab1df89f729628cf393459801254fae	0
core/ledger/kvledger/txmgmt/txmgr/updates.proto	430	1f70ad55b5382f6bf0b817daca655cd221de385a23b7566ac6bb0c814c2df85d	0
core/ledger/kvledger/txmgmt/validation/batch_preparer.go	16370	23ef145ac8d24dc48c7c2a39201b9dc991411e731c6857f7e6966c42fff1fbc6	0
core/ledger/kvledger/txmgmt/validation/combined_iterator.go	5067	683b65ae664b93591be2d63679409f0298ac89ff24021a394220f59f456b98ac	0
core/ledger/kvledger/txmgmt/validation/rangequery_validator.go	5838	40a639488e05f9fb567066577a797e7bf011821137cffd722ff4b3b820b9fe88	0
core/ledger/kvledger/txmgmt/validation/tx_ops.go	7040	6e26be06668552567d9f637b2d195cbec4df224b280748eab2171f7fa81fbd0b	0
core/ledger/kvledger/txmgmt/validation/types.go	3378	b228cd9de65c0d4e5ac4e1330c9399531a32d422ce03da8dc5670f1eb6a03195	0
core/ledger/kvledger/txmgmt/validation/validator.go	14024	3a570273934edd6a79ee1f51d75ce8bb8449fabe6620cd9aca541519b2dbfe2a	0
core/ledger/kvledger/unjoin_channel.go	6249	0d94e5d15a4a466e3cb19e8251b630ff08eaa25d0511920f205e1d4020683456	0
core/ledger/kvledger/upgrade_dbs.go	2242	3effb52bec3956d439b1ef4be6201ae0f9766e10f34592b50504a827d4d8c39b	0
core/ledger/ledger_interface.go	43354	bb4558b7eca6558d36c98d846ee9c508015f8fee7186255e66d34a6ab27b1990	0
core/ledger/ledgermgmt/ledger_mgmt.go	11931	1b84c59fa14d2c79d9805c2d62beac5ca1ed3c3480d1f938359e62076ddd7edc	0
core/ledger/ledgermgmt/ledgermgmttest/ledgermgmttest.go	3258	5e4cf513cabf5e5f3751f09f30e09245a32f4b2f556fdc2deb15dc9450f3bb24	0
core/ledger/pvtdatapolicy/btlpolicy.go	2943	f20be984103f1e9af1088c588faf3fc26d747bfa67d3817c7d8917e1bd78b395	0
core/ledger/pvtdatastorage/helper.go	10531	07485a8b67864206847166 61e870bc308f3f9ac2fd90b2db3b7139fa70ee0358	0
core/ledger/pvtdatastorage/kv_encoding.go	14645	78e17e8d7235cc0aebc4f3a34145b9d77ffa56f54de3c8dbd6be5c811292493f	0
core/ledger/pvtdatastorage/persistent_msgs.pb.go	22845	dee9a35db75dd660c58adf220a82d1d1a52b8efb241b44434102d323194c6c9b	0

core/ledger/pvtdatastorage/persistent_msgs.proto	942	5dc173dc6af9791e63c6960c69eb68799f840a8dd826536dcc9b77e38da5fac7	0
core/ledger/pvtdatastorage/persistent_msgs_helper.go	2250	0f0f7b6d2555bbaa9aade63b8188451c0fb92bb187c059fe758746a1534fafdd	0
core/ledger/pvtdatastorage/reconcile_missing_pvtdata.go	12298	1c1a93e459e2bf2ed0555e1a015bd5ece571e28e0b8b5c4f4ae3f4cbbe41384f	0
core/ledger/pvtdatastorage/retroactive_hashed_index.go	5002	e50363d1ed1c32052028e47e30bd22ec498f72681f4edbcca41eeb896f83292e	0
core/ledger/pvtdatastorage/snapshot_data_importer.go	13614	12b71faa50c9b32e6bc12f69a3d5e436aeeedd2296e5918b9847f10c9a934c83	0
core/ledger/pvtdatastorage/store.go	39817	6b83c0caec4295476ce50169a57b5beefbeb4cdf73f18e2b66c67fae2d076aeb	0
core/ledger/pvtdatastorage/v11.go	1405	3633e4521e5f7fd3371f07218f98c4c9d68328de859072f66c4aadf06435d0fd	0
core/ledger/snapshotgrpc/snapshot_service.go	4131	0f649a68953874a4707cd4d27986aed23221726b2887f1aba05bd2622cb6af6a	0
core/ledger/util/util.go	2364	e87c03551e54a0ace635fb50d56a2b5d4d83adb66165f42c608b127a8aeee7fe	0
core/middleware/chain.go	843	3591fd039f105c285a5900a0867c1b189b32c1693de6fb1ad33cfd0e0b313a42	0
core/middleware/fakes/http_handler.go	2122	85eda81b8dd4ec2e20df2569dbad3f25b281536643032e36a1602edf03f9b9f9	0
core/middleware/request_id.go	992	f02bc4f82565c39c5b159ec1b530cd16129227a7b753fa90800199f2f5f1fbbf	0
core/middleware/require_cert.go	882	58b8ceee65b4aae6d0f66d013242abc611b2257996bcac4f7eadf33552e75d53	0
core/operations/fakes/handler.go	297	ece8422ae68c0b8f2bc2a531346aeccb6afcad7bc6bbb55433a6b8751245f06b	0
core/operations/fakes/healthchecker.go	2950	10deb030a418e16000c275b8c1b661aad7524f45169a22aeb5cb08fcb64b9c16	0
core/operations/fakes/logger.go	2923	8b385953a09195b8ee5150d2db37318672fc0418fa1a362955413f9f72b2f7dd	0
core/operations/metrics.go	853	92282abff00347a872cded7fa57c39cb2dbf3fce17c0b03481098e002709ba6e	0
core/operations/system.go	5716	7361dbcf4d24c3bd2256628a3ffcb854b78bc2798a5b36c8c697662113697bb1	0
core/operations/version.go	1204	f74f258de6c03d3aa0755769263dc59dd83af263e7058b8e10273dbd81994715	0
core/peer/channel.go	5115	b230b953797ca81aa0348582e9ac31ab3adb358c4c7b2591433c50fd572fcfac	0
core/peer/config.go	20037	aa25024a89d6684dd921c5662fb1c96633a025f4cdbda521e9e0e8848814e5ba	0
core/peer/configtx_processor.go	1868	e95f108c40729923468fe50b2be74d85c454120e53f40a063c431f0bb1cf9337	0
core/peer/deliverevents.go	17714	0e049f462a30d9c2f01ac27d6907ae9667cbd8976170953acaa08e932bd603e9	0
core/peer/mock_helpers.go	1003	117efa0ba0b9813de532b0c8cab2ba7a1356b34ce7d234db4d312b5aac557c45	0
core/peer/peer.go	16585	5b2568556b8addb6ccae8e1d07fdb42725fc80b1a85110916b4e4f226311aebf	0
core/policy/application.go	6009	c8096b5a118dda58b73fc4f5d0edccbc34264d313ed57770ba7f945246abfae4	0
core/policy/policy.go	9783	9956f64e26fd3a40c3d977d5f8563c0edbd8b56655c17397ca8ffde052996496	0
core/policy/principal.go	2271	9d123582b0ea3968b549fe109d0ee5b05153c2fbce864f1d82d056cc297cfc9f	0

core/scc/cscc/configure.go	12297	244b59c038756e1b84e2e1b891a72fea83b8ec73104cb1a18255578105dac807	0
core/scc/inprocstream.go	1272	44de246c303b36b192ac003281a3dda52471462589b30ebf55a77c00c460a934	0
core/scc/lscc/deployedcc_infoprovider.go	5877	1071f47ccaf36dae5b8eef2899e61f311780dcaecb700fa9de70d1c4ff7e8dad	0
core/scc/lscc/errors.go	3824	1b11cd64769f970d69845a90dedd94d98023219afd8ab039df1e7a2e68a6cc9e	0
core/scc/lscc/lscc.go	11546	efae71264a7c47bb883c422eaf8d16c22508dc58954360aaab9178c4aba0209a	0
core/scc/lscc/support.go	3822	d22f591f0d1667a9f00dd54f83a64a12706cff33600523dfa7b877a2856eb47f	0
core/scc/qscc/query.go	6984	2df60e9435394b9701cd411da9bb3bddc172f34d3c144bfd7db4a76b67af0215	0
core/scc/scc.go	3191	2d1cb2a365ff5c816bc9c3933b50f5e6afb6ce135c1b02b9f48ef7ca60877f03	0
core/transientstore/persistence.pb.go	4795	95bed4129519586e6608abb9c08510ec4a2d58307eacbfba93233454d0fdae91	0
core/transientstore/persistence.proto	270	7fb127ef1f179b1cd2466c9d45c22d518205bc34d8f0ab159366bf9e45836607	0
core/transientstore/store.go	21019	513479c094129d6a577b9fad6b07dd3028b570e16dab422bcdbe3e153d1e18d6	0
core/transientstore/store_helper.go	9716	d7ef37b10de6749cc798763ec623f675c88a45dd70725a4c1331ae0f82a4fe76	0
core/tx/endorser/parser.go	5565	5b0670ac6cb4e55326ea0e2bdfccff133ffcd386c504ed689d97f29c73482323	0
core/tx/processor_factory.go	4103	169d8f2d03877e8785afa3764429b645a52fa18afe157e6b2db32b68239a6aeb	0
discovery/api.go	2881	aba538b2538c619b5da8b444e5e2f3935ce1527ca43ec5f1a67ed343229d3999	0
discovery/authcache.go	5292	9f4277ec9a07a15bae8731915ef0cd56484ff2d0e3644464e4882ebbb2c3c047	0
discovery/client/api.go	2559	0356281881bb04081ac1aedbbf6f0a0369c8180e14dfd5e055f64293de608c57	0
discovery/client/client.go	18749	4d7c22d357c31b203f17245c0937d72a9790692a2b3bf4afca088cc1e9bfa426	0
discovery/client/selection.go	3947	4109eb8dddeb58dc0a7096da8e3c3b32edb40c7fff75f1fcc462fa65256fadab	0
discovery/client/signer.go	2108	4797cb5adf643d913d98f4b6e2668fca3b10b6a45f3d2a5f1aa36aa04ba3a3aa	0
discovery/cmd/cmd.go	3320	59d72c2a0bacd32ab77a01f01116af68780fd73ebfdd72695a894e62f5d6442a	0
discovery/cmd/config.go	2055	3a19dc582bdc98f106c7024dab4966e826a0aaf058790f99b419d22680e09a45	0
discovery/cmd/endorsers.go	7132	a834d2c755ec1393e02ce5d64ac2a79bfb2b4d1a4ebfcbd171d77ff6f9b5cea1	0
discovery/cmd/peers.go	4310	78ff43fef62ab8f86d27a4890b864ac7fbd38827894ec9f9bd4d91fc4b6bef3a	0
discovery/cmd/stub.go	3613	45bf3c02965ffa2b06b107a780da50f1a8ce8418c11927cd4fe5870240bb122f	0
discovery/endorsement/collection.go	3631	e405fff150b011c83dfb553a24babe4c024f33a4a934993bfc395978f214c17e	0
discovery/endorsement/endorsement.go	25763	42ed3fb6a84960feeee350a02cd52b036b960de7928d3826bf30f9ac3b2dd681	0
discovery/protoext/querytype.go	780	058e0ec8e700c28503728b12d9cc35e343e2ce3de6c0323a492b42e0b5536784	0
discovery/protoext/response.go	1026	f7ce8d3c7b4c20d07e68820a25bc41f48e275e8f0d97740838eba072992d661b	0
discovery/protoext/signedreq.go	554	40e3b3e2474ac7eb2e98941200c4ee284fbb9f846cb3c985014fefcf019035db	0
discovery/service.go	9756	ca328f5a418a218a4bd6c029a00e28e330d9c2c89849f12b388b57b98a207a38	0
discovery/support/acl/support.go	5053	b43bfb4d062c6e77c1f9996bb779321da90668abde88e799e3ec3b8c35fb8ea9	0

discovery/support/chaincode/support.go	3596	dcbf67719deb032313064a328d509b941f59872f70c6ab7f83965609793358b2	0
discovery/support/config/support.go	8520	b4b86032c225ac965cb6cc18b01b84b49856cae256575a3f548b9e1038285f6f	0
discovery/support/gossip/support.go	2765	a8152929c569a86753efeda538c1768533f3c377a3610204ec49a5931f53e8f8	0
discovery/support/support.go	3015	22d2db8f2ce6c5f7bf2fe5183a454b3b2b16ed5e83293451ba8671954ded7e1b	0
docs/requirements.txt	815	a38d70b7cdc8de8fd432b12cd302fa341b91e3586ad789aa1d9a96c2c86971f2	0
docs/source/cc_service.md	14783	6acb92fde03c38e33997b79ed77e51464a532dd80f024d06ee72c3bb69d43257	0
docs/source/commands/peerchaincode.md	12168	36ed0eee09c21cd5fcffd7ef1a44974b7de8da226f03baa912b87e6252de2982	0
docs/source/conf.py	4068	77437e6a2d3f71386508ec078cfce9d4da7f8c4683717208b5dd27fa6aacfa27	0
docs/source/discovery-cli.md	41757	edcd8ac48a48a69ae4f871914ce5177af984f892a60b37baa614b024af376869	0
docs/source/requirements.txt	26	d32adf438ebe013e6f68f4ffc70072045da39d4306b16e6a8a4e47e35766618c	0
docs/wrappers/peer_chaincode_postscript.md	4589	e74548d0cfeadd6035590a9272871310d34dbc22a2c9b958c99a6bc6cdd2f94f	0
go.mod	5126	d115e2c102d45e7be8aef0b6d55ec69f4628d953af6c814dc080721041115963	0
gossip/api/channel.go	1816	09f299f1ed15c3b88e082cb493f7f39f09d1b7b7d5f4840cd1d26c4f28b490d0	0
gossip/api/crypto.go	6064	99ce2f3bb15dd2aa77c5a7c35dc226cda277973829de28d390f8cdc3777fc786	0
gossip/api/subchannel.go	898	a3cac7abd1595757bbd68a68eba6d7d17a35e6f9cb77c3d7de98bf5527fe2d78	0
gossip/comm/ack.go	1717	18d17eb96d5334e1c6840741309eb8203b02f9300da874fefbf554762468d318	0
gossip/comm/comm.go	3304	84a20a40557c6b63477597f65560e9db8b367fed41012907d3633ac50d5c0f91	0
gossip/comm/comm_impl.go	19385	3a0140ce7f45ccacda12946e573a6f6f2bf3a4f2d860f559e427e1ab81bc3427	0
gossip/comm/conn.go	9122	f6954caadf83701e30faf4fb75b6864583e33b2d942ebe64a62d8e66cbe53a8d	0
gossip/comm/crypto.go	885	b1ae2879453c92dbd27eb78909f6b7014c3350626c7cd45597e01cf4428d2ce2	0
gossip/comm/demux.go	2854	47ed43709cf5ba4116a8cafcbee73927d30969cff4d58160d9d750e2b0307d46	0
gossip/comm/msg.go	1663	a131682c3b5dbfcad688800374b83cc3809b307afabd1059a95bcb4aed231f1b	0
gossip/common/cert.go	383	6584474984f30581baf43582694a4a14cf2088edcf60e5af06e125235260786b	0
gossip/common/common.go	1930	136f3aadc7ba5ce2cdf13393d3ded9db306052026c89eee265ec6ec22782dee1	0
gossip/discovery/discovery.go	6873	21cfc6a93424da12960c4e716ea62e86247a8384a2e456a9023f239bbb2f291b	0
gossip/discovery/discovery_impl.go	32445	a8609024945fe530d49f727e354d197d4a15d08a458af037dc75a0b412eeee81	0
gossip/election/adapter.go	4261	99ff485f41c229f5a40d695547857a551a4f34c3a7ef1b22c3268006f504d9ae	0
gossip/election/election.go	12067	a37067a439f301f3b13b993836af68e70a406451351f4a18caf171a93741ffbf	0
gossip/filter/filter.go	2327	39f152a2d72ec697d39b61a91f9864a7161808a69efb75ed4a87f584b247dcf1	0
gossip/gossip/algo/pull.go	9273	4c7f6878e506e3d7b740a1d8dac38d1b8ecdaad8ad0d02d7e5e4a10bc03bbc92	0
gossip/gossip/batcher.go	2985	1af9ccc6b78df73b8241476c96928ccf36b862aaf2027f0638f5666961d4d754	0

gossip/gossip/certstore.go	4313	fefde0aa3ab6af358d3b25ab72ab2e572959219b8064fb006f344f8bfb267392	0
gossip/gossip/channel/channel.go	37299	2c226074a3996c9fbb3a05bb79c3b9e6837d3ea8b770a7bf8a900a9144eddea2	0
gossip/gossip/chanstate.go	6027	594f555d6297009f2f5fd4d3011344e52613f31dbdcda343bced402046b20b6a	0
gossip/gossip/config.go	7060	36cda88b76f5e35a42a5bf1ed75efff06f1afc080800b76e66077d53f20a4b40	0
gossip/gossip/gossip.go	1392	7e9a5f1fdf7eabc3fe84f23c48919134422cb832d6c442a4b3498f0480b66203	0
gossip/gossip/gossip_impl.go	44911	361aa6c8e556c6e9bbd13c216aee7b1390345b7abcabe6b1ec2394d4f81e9dcd	0
gossip/gossip/msgstore/msgs.go	6463	dfb2510e11ca6a908438a2b18369407b81a91f6b84615231ebe5277937cff471	0
gossip/gossip/pull/pullstore.go	13056	569ed95edf7f9081aedb2d597b9ac2efc122c8b929985a6a4ea65cf56532229b	0
gossip/identity/identity.go	8556	77888f825e5d43fdc18728691a64c2d1f71a27a6d78f57aa5ed9f1e654a97188	0
gossip/metrics/metrics.go	8127	ac3ca14ca2f2cc43e14c7af70555ed996ac4a931fb1655a80369b8802dd9ad86	0
gossip/privdata/common/common.go	818	5aacd6471f0b669d280821a3f3632a386eb8e1b0509165eb5264395df3bc59ad	0
gossip/privdata/config.go	3719	ed5370760fd7440c1ca7bf12cf02acefa75769c214cbbd02e9635bc385bc08b8	0
gossip/privdata/coordinator.go	18256	ac0877b5073ad6696cf8119ff2eff40e9290bc2b9a84c1de197040a7e12cba1f	0
gossip/privdata/dataretriever.go	10107	fe8684b58a6c22ae2dbfc9079ae210f60b507ca492a3c3b5b947fcef6047da81	0
gossip/privdata/distributor.go	17350	a49eebbdbe91601be24588a9e1afd0bbb6d2938b5eb1d32064e4c51ff01e5f5a	0
gossip/privdata/pull.go	24658	5bb3d5411534ef2fe4299ecd5519738797ac7e9579069a839e700a6a83db9f5d	0
gossip/privdata/pvtdataprovider.go	24434	b7b2c4744af8a163a2266d28abe8dd7d2eaf0e4114e349eff808ba1f9da62727	0
gossip/privdata/reconcile.go	12291	b0d32db7f7daf9db18bf2714455151d38d96fe414bfb74185774825cc71a606b	0
gossip/privdata/util.go	8558	3c14c7ee595b5f1de44f59efc580d4a9ea7e8c73215eeb67eba15b675140aabd	0
gossip/protoext/message.go	6112	13496633561c85743b1886e1c436acf1614329a998e2b90bbe4a89c3e6ebc316	0
gossip/protoext/msgcomparator.go	4169	733cd6f57a3e47e3fc30127119d99b122aa8b090d852b7ebbb4b03de3bd2274f	0
gossip/protoext/receivedmessage.go	1857	80104d629c6a2d8cb45e115972e93c8a84434b483bebd31258708058b7fa2c37	0
gossip/protoext/signing.go	6590	296899d8691285bb8e085e1f7f21e05882e9f2ebde264d8db6129cc67a053c18	0
gossip/protoext/stringers.go	4690	e0eacc50b7e41e5b09ccee44cd953c0eb3a4540821e810ff3177388d17e644fd	0
gossip/service/config.go	4601	8cce2f74bb077d84be9e97a82322f073656013395b79fb7e4f7da34ed9778772	0
gossip/service/eventer.go	3720	a772f52f4ce59dc891342d5e00249705d6a00156edf31b486e9c6515e32665ed	0
gossip/service/gossip_service.go	20930	71a3144b61956fd5c121dd554493c347e4c8c097ef5c67f932f73015a42c9870	0
gossip/state/config.go	2285	89fc5200329f287687b63f0dba8a6e20c2086455266dca05c0443695e6759e9d	0
gossip/state/payloads_buffer.go	4237	d137386e9606828636503473af5c6afb76b3fd2c36f10cf28c3006437822e20e	0
gossip/state/state.go	29153	40a1a2712d96dea7165d5c3cf81ebd87b8357d759509baf52cd67cf6d8ab7e39	0
gossip/util/grpc.go	2353	c5c152862f007253c0dd8f5951ca0f9fa04150eefd55bc2ed7c7c773863c64e4	0
gossip/util/logging.go	1995	e51543b236e114ddb7dd09f1264642a0e7c58c0eb6cd2b5920384b9a7e7e4472	0
gossip/util/misc.go	3982	aaf15514f2cc1318c73851a418b10b23e0620f9a535abe640757b4b47ce7dbb0	0

gossip/util/msgs.go	1664	abf0e66c80e0cddb6ac8f466876d28fb8ee26047fbe0a4c55103f93ffdbfb0be	0
gossip/util/privdata.go	3080	ec9655a618a497e8b5f969a801e5c2a14e18e6f5975819a758ba51526cc7e2a8	0
gossip/util/pubsub.go	2707	d4785ff2b99317bc104c8ffa01a4a5f559f1af10aba4c223a7d183305ba2811d	0
integration/chaincode/keylevelep/chaincode.go	7613	cfbcf74d69e8fdcfef17459a1d1ded73e213545127114b1c568762d7ba12420b	0
integration/chaincode/keylevelep/cmd/main.go	401	624d2b008129f73e3c7871e48bb4361877735cf38d5ac2c61fb26c41f4fceff1	0
integration/chaincode/kvexecutor/chaincode.go	3658	966a2eb95706849a5cbc73e9a1891c6028e1b45aa2511a98f245da0abb303554	0
integration/chaincode/kvexecutor/cmd/main.go	401	f9bbd83de7787da27c297fdabd2f00bb7ef289ec4b807dd0f7aa54d8e1fe351d	0
integration/chaincode/marbles/cmd/main.go	407	57345975b0dbc75e04b5028e12bc172dbb06087199a38b4f08c9d61f665157d9	0
integration/chaincode/marbles/cmdwithindexspec/main.go	407	57345975b0dbc75e04b5028e12bc172dbb06087199a38b4f08c9d61f665157d9	0
integration/chaincode/marbles/cmdwithindexspecs/main.go	407	57345975b0dbc75e04b5028e12bc172dbb06087199a38b4f08c9d61f665157d9	0
integration/chaincode/marbles/marbles_chaincode.go	30349	b2261ea7b59d856d089281b874aed9412c2890f932c05297036f94e013c82472	0
integration/chaincode/marbles_private/chaincode.go	23340	cca54d8e381487f0a6ad52e03299d000af849455ee470aa5150e06b7a953ad7b	0
integration/chaincode/marbles_private/cmd/main.go	424	1b08cd608daa1b97e17cd6dd93f3a1cac2b03f4e999a0c10d2ddf275bd81cd5d	0
integration/chaincode/module/go.mod	485	dc208dd0ea37bec23ab37f6ebfc9a97fbcd0e61cac9308df1e6a8425480df0ae	0
integration/chaincode/module/main.go	5213	d1d562d8496966779a199bafe0e0607a7e568fa66359cfeac777eef879d75eed	0
integration/chaincode/multi/chaincode.go	3722	f147e3d83cc786ce5eb296a6ed4fc10a328f66ca9e65353531361a93e05525ff	0
integration/chaincode/multi/cmd/main.go	388	5399768ebb297610ad65e69d4cab6e4204ff949cc1b47f02c938f56cfeb993d2	0
integration/chaincode/server/main.go	1453	ab8166de89f695b5a1410547a0f61edfd4fd0665fade7983055716dbf9d473ca	0
integration/chaincode/simple/chaincode.go	6972	4a42576a2c1d09ad0b8731b0343de404738bb1630d9c461fcb0a2d7cee4b8326	0
integration/chaincode/simple/cmd/main.go	1514	182dc80c481a54d578feab534a6174e49bf00722b8dc589984561b64fbd49ecd	0
integration/configtx/host_port.go	1097	6aebdc83093de1ecf8b2fc53ab5b80717a388a383842e38c6c6e7181ae54f80f	0
integration/lifecycle/chaincode/callee/chaincode.go	954	560025f9fc61a8c3494e54559f9380d73e50f522b5fd54b9c42a1819f525945d	0
integration/lifecycle/chaincode/callee/cmd/main.go	395	0fe9b586b3987cd7066f0c1a7dd94ab210030283c59864af25cc9799a340d254	0

integration/lifecycle/chaincode/caller/chaincode.go	1233	e8d8a060ba643eddb20bb61dea87321e091ef6a2920a7f5eda08693375e5c515	0
integration/lifecycle/chaincode/caller/cmd/main.go	395	b83445cae8132959a90fbaeabd7ab68aa65cc40cf060f45183156bc02440bb33	0
integration/nwo/buildserver.go	2072	da1becf24e36ad39362ef7c801c4545017041fa973a143bea739b964e87368bd	0
integration/nwo/channel_participation.go	12607	cd8145426c8a234cf37604db682623aafbed4d752f8695582bf74154c7bddace	0
integration/nwo/command.go	586	0ad1786f2aa2ce56aa77788562db94cb639ca15f9e7a761a49f4bfc9eddb1791	0
integration/nwo/commands/configtxgen.go	1307	f46b2da4f29a0c739f00bbce4910b4c7cd1de3d66ba8bd6a1f707a28f728ae23	0
integration/nwo/commands/cryptogen.go	592	f6037f36f511be5b2b3373f4364ba6d03d43be147d891dabc1b5c5b4622aff06	0
integration/nwo/commands/discover.go	2416	5bd2b6eacd187bdcca5a5d0edce6d7c3e8452575f146adb7a63a118374d356c6	0
integration/nwo/commands/idemixgen.go	793	65e87780f163f856f9f61efcedfd994b6bb75a0732c74a3b3d385fda87da6dbc	0
integration/nwo/commands/peer.go	14805	5fed9880e25147a834a68be4918a4bef5ccb2a5e4747704d2eb30139383f7848	0
integration/nwo/components.go	1778	a5ee9a75fc4b58539ceadc8e0d8c0afa96ba64e3adfe56fd02aea610f3600e86	0
integration/nwo/config.go	841	136da67e9c161a9267b8c86c90c40559ffb4dd293fed49f970864c59731cf7a5	0
integration/nwo/configblock.go	14734	eef318bca10e09b4c1a8616da85448cb42fb598b9c3c307e7289dfbe7064abe8	0
integration/nwo/deploy.go	20910	78725b6875a72131d6728fa84c07b90d6c4a99b4dc39d6b8ad4bad64f2203d95	0
integration/nwo/discover.go	1621	33b0749eee4e608d5beae275ce355235fb6972579dc21ae61e899e61f399dee8	0
integration/nwo/fabricconfig/configtx.go	4546	cf103d06cb48ae6b63112e86332480d092849633896e5b7270f335947d9dbb82	0
integration/nwo/fabricconfig/core.go	14177	c78a2dbbcab139d19feec2fe3a84d0b2f2fd04931e387758f90b09da50deae42	0
integration/nwo/fabricconfig/orderer.go	6383	8e7f82decb4962c19328d896322136b7cbea66580c3e30f97529b5ac071add95	0
integration/nwo/network.go	63715	5e92bc876b553bb797238468dec5d3abc215f627856744af83812714b70d79a0	0
integration/nwo/operational_client.go	2041	7c13843645e7261a9f294d78c0ecdf8e9e02f6efa2e5879b74f58ea5137f5d45	0
integration/nwo/package.go	2496	8c897e08dd0a6e67e59c0e9e67bcb2f3bb3a29b80852364bc426f60e69ad9d3b	0
integration/nwo/runner/couchdb.go	7204	b900d155a14875edecde8250454303b18fe3d8e073ae5197c563ad67bc23d873	0
integration/nwo/runner/defaults.go	714	0f8dffe86ff47ead837002912ae652b03621e3ab3a7b0a4a9f63ece6fe3b3376	0
integration/nwo/signingid.go	1841	5fc4f91644273dee98c763ff9dc5c2d0094f55f7b84049f60e45d26aa7079f8a	0
integration/nwo/standard_networks.go	7247	533efa34b01d5587be852d3ada6922d9d3a803d057b9ae0f036febc14ea0093f	0
integration/nwo/template/configtx_template.go	7480	b5bdd6a01f7fe7e473eb7297e3546aba1c3fe9f98fda95c440e345e6ce79d8c8	0

integration/nwo/template/core_template.go	6408	6430499bedc52d815c77e9390c22e3b3f1e6eb4f747b6837dac632284e6a16c7	0
integration/nwo/template/crypto_template.go	1485	ad970635df4fb02644150412926d5f17fec6fa59dd7b8fe7501e5423451f6df3	0
integration/nwo/template/orderer_template.go	3362	e67c0380640444b1f1c0ace200fb589c0a818e7e5f0e81b2a8c4e46c5115f725	0
integration/nwo/templates.go	930	cfe7d1880b73fcbeb6f0a9ea63163636d7cec756cfec0520a425d70254d96805	0
integration/ordererclient/envelope_creator.go	983	c6a7c3430ca913e61af2fcac1708726558311195fdc0646cfc3c6b78f4c3e417	0
integration/ordererclient/orderer_client.go	1773	e6ee9069fd1bc03018acf959b0c6d13f294d18b9e900fa0327f3b527cc2ff781	0
integration/pkcs11/p11key.go	1495	239a42d597cab9a1ffb2704dcfb5325c346efe1f41ed16573d27c528be46cb26	0
integration/pluggable/plugin_activation.go	2738	48a73986a5eb7ebdd6bbd6af9ffb0258ab35565b1673a6121064c3f8c5de9859	0
integration/ports.go	1300	9324ce74aaf10dcb135d02a35b1c5d74b2fffa7ab98fe55cf1ad24870bd7a5bf	0
integration/pvtdata/marblechaincodeutil/testutil.go	13583	12907be54928a15276eba76c2b460f20f97dc60b6f1aa5de92e41ec0be1716d8	0
integration/raft/client.go	1710	aa3a2ee68324cbe5b6d85ead98818fe99522c80e6915f29f8ae394713b8332a0	0
integration/raft/util.go	1352	6fe0ac7dda1d3a840109154b16924297013f5df3a293c2c1e48dfaa94238fbde	0
integration/smartbft/mock_orderer.go	8320	3f4d11ccd4b8da0ff48386a3d1702366d825f25eb76ad621d651a8d2e8d055c6	0
internal/ccmetadata/validators.go	8633	e958dc6feac97e6b033fe46e0c406e5fc575fc9c9e5a1d33b5a7ea5bf4ec9bc3	0
internal/configtxgen/encoder/encoder.go	27903	5d4f3b8fa8c1d609365f3ed239115f2dbb0a1c5eb162523d5ac5c0b4adbde957	0
internal/configtxgen/encoder/fakes/signer_serializer.go	4813	c2d58aa361d57ae3152228f14f524e963fb1d651f1e3de168ed546153fe7bf74	0
internal/configtxgen/genesisconfig/config.go	19499	506deefbd9fa041990bf8d5af4a244f4cc26d1684cdb28b5a10fa517ba4bb62f	0
internal/configtxgen/metadata/metadata.go	509	e89c2fe37d1fa5f2e6eede472b2dba6c08ad5030e0df632efeade257d1e3d6c1	0
internal/configtxlator/metadata/metadata.go	533	16173bc73a9e3bd109b8551ae8d16a6021f7dd707eb9f271ac296242aeb97161	0
internal/configtxlator/rest/configtxlator_handlers.go	1871	498e6f0f9c63d04cb83c97be7b98c6287e98c598cd229f4af9349cd766297451	0
internal/configtxlator/rest/protolator_handlers.go	2137	acf5bf21cf2c6b41d9615e9a66d34ff6e36f81e6fc04928aef252e984b984fa1	0
internal/configtxlator/rest/router.go	512	c3c509b3f7fcdc82935b2c7c056fbf4a4a5df86ba0f115fb42b2b3e70716b524	0
internal/configtxlator/update/update.go	7301	16d5042cae703b831acb02282e6a3dbd5747d4dd10a402f817a197c28c2ee476	0
internal/cryptogen/ca/ca.go	7379	9c4a52420badd786f188cad199eea405aff611bca991af3a4567be070d4e62e7	0

internal/cryptogen/csp/csp.go	4718	5c9ce9a5c042bf0b17e2ead9d464a61a485c280ca7157e9c041a9f1dae33e417	0
internal/cryptogen/metadata/metadata.go	529	4b9ffd9679924a78f56c542d1cbc488ac4a88f3fd2933c0107beda8ebe517124	0
internal/cryptogen/msp/msp.go	7530	520e9f341cf43d3e79dc543337cda8017370cb5b2f4481e8856808f2cbc3a435	0
internal/fileutil/fileutil.go	4164	1d00e3df252abda9cd2870efb08862248d59be71207a5b33fec8edc37cca7361	0
internal/fileutil/syncdir.go	592	7bfcc9c9826fdf9c5f53927d5c74187f158079017a4432e185db472970ed7286	0
internal/fileutil/syncdir_windows.go	191	3ebb8223ce5eb0482038f8d48f02e184b5272ba9eff4973c1af423f678fdf812	0
internal/ledgerutil/compare/compare.go	19571	27af55bdfa5aed4fedd0fcf609190be9dc9527497f23526fb7afc3f5bfb80446	0
internal/ledgerutil/identifytxs/identifytxs.go	15279	b47eb3979768297c69c3e3f5a2117a5f7393d522365d2aecc6fd948bdb18353d	0
internal/ledgerutil/jsonrw/json_read_write.go	4105	a38ab16abcfbe23489904fb2d74383ca6158a4a961c2edfd672454021e65e1ea	0
internal/ledgerutil/models/diffrecord.go	1568	faa74d01eba889371f391adad30d4cd8e4bdb607dd3441b80729e3743a3252b8	0
internal/ledgerutil/verify/verify.go	7329	629a4665fae80eecdb193695ff060438f5b03f54de2662811dba6e39d2866617	0
internal/osnadmin/fetch.go	526	bd1a2ddac848816df8f00de97bd1d1b2c6207947e2acc7bfc3138e20f46fa764	0
internal/osnadmin/httpclient.go	1403	94810bc4831afd18c55e7d4e4effcb6a0d1350d339fe8fac070d2c275d2c3e91	0
internal/osnadmin/join.go	1063	d55ba273799d76a7db279d3ca47c181114ec64a3deb322cd44fe5313d3792d14	0
internal/osnadmin/list.go	733	6a8e2bafbac32072e4c02dfe1762074df3a6ef3fc12bf279d4c09261287175dc	0
internal/osnadmin/remove.go	550	b967f0b6e966186db9d0a4162e4265a6d81ff3525e1d9c5f5a793468b1cb8346	0
internal/osnadmin/update.go	1145	5492e6662e8ad2cd86cf2afbed103b15f635184588d79e9f92a1bc1f531f003d	0
internal/peer/chaincode/chaincode.go	4099	3a51234e6db0f01b214846c6e9820ed52895a6852a891988e05f8f429cfa97d3	0
internal/peer/chaincode/common.go	25589	5cc084da2177e7cc6f43df3044c1d98184c07c762c92cfe290a2accf23f451fe	0
internal/peer/chaincode/invoke.go	1597	bbeaad9b5dcb4d1437024f071b3c564220851ebf4c1a4cad25ca4297117744cd	0
internal/peer/chaincode/query.go	1816	7aaabd0469fab4c71539e09ad1097fefd4fd27860ae004492f63661228ebc513	0
internal/peer/channel/channel.go	6042	10e65d35ff3ba163ea5119c952ab07651bd1c87ce5c13fee2ab0aecf1fbda98a	0
internal/peer/channel/create.go	6287	06339f25ccb99626c89fdc673cd04cf8b4757b14150a5223614405b4d28606e6	0
internal/peer/channel/fetch.go	2716	1637d5040a47558348d09fe451dcb62d8c2242d6006aab8afe3adab5b90d1dc7	0
internal/peer/channel/getinfo.go	3181	4ad9614c36e42cb64533ac229e01cdef0261c0a85870534f4d0b40968bebd370	0
internal/peer/channel/join.go	3702	f7f5e61df91924833a36ce4abe9ef950b9066f7083f1a475b252911979ad63b3	0
internal/peer/channel/joinbysnapshot.go	1803	a7dc261616428b3532be8042ca339e59ce0e31f30944d354018c5dfca7bdf246	0
internal/peer/channel/joinbysnapshotstatus.go	3120	4a24d754ce69c9f129d4f1c49bec93017bc68aa77b6c6fed4ef6fbc82496ec48	0
internal/peer/channel/list.go	2973	29ae355ed1995897d90d96c29dac2c0c5e440061a45dfdabef4ae20aa037bbb6	0

internal/peer/channel/signconfigtx.go	1459	8646248a7aa502d665bd244ef1306c92627821b56c6e31448d7fa2a990ddc3c8	0
internal/peer/channel/update.go	1914	02cbc6cc2c5d1e95e627bcec171657869a658133bda1e2a96fa262dafbe36782	0
internal/peer/common/broadcastclient.go	1273	d8d7b9845815c92fbde751969291d9b3ffb313fdc4abc5a8a030dbef1fd16790	0
internal/peer/common/common.go	14261	e52c8ac13154f83ca4acd05c71051ad57934f781e569ecab6ffc8e276bf67e2b	0
internal/peer/common/deliverclient.go	6567	4c75a772462cb82583b8904486bec47bf0ba9f24727bfe658864c86c7c79b3bf	0
internal/peer/common/mockclient.go	1134	c732c47dd418b6c4581f5951088cbc7c226d5984ce639aa7e2f7c11f9def8d1d	0
internal/peer/common/networkconfig.go	5573	da23d542a895badff57913b7b27c092fed0c3a5775e617d8e810aa367372466c	0
internal/peer/common/ordererclient.go	3342	8fc576488d58f68ef63e0a833e115cb63d91dbf5f77af3a995358398bdf997d0	0
internal/peer/common/ordererenv.go	3032	e260500adcef3ca8c73cfb3b5772dbc92e89ba3e5118e353e9831c10be32c649	0
internal/peer/common/peerclient.go	6980	e913d9c208fa60a52e9580df714ee9159f095ceb9013cb922d8e49f3945ef483	0
internal/peer/gossip/deserializer.go	1746	ace7789f54cffbe4915fd213b28b9f0a8a9531757a34e13b38cbc787164a3573	0
internal/peer/gossip/mcs.go	13924	d41bc050d57bf35362cf43052df52689e7a530348f0a1a5b128f85f4933b5fed	0
internal/peer/gossip/sa.go	2666	459c64221b6a8cddae22a30b225d88af01c710d3dfc19b79e9293d26db751c5b	0
internal/peer/lifecycle/chaincode/approveformyorg.go	9811	cb4bbdcd27dc6d3c3b036e20f4bc334178f8869a307a4665a216f4272729762e	0
internal/peer/lifecycle/chaincode/calculatepackageid.go	3466	f0e38c65ba1334f5fac195e2e52f685c1b5aea7a3231afd0877c01f7e64a5d0d	0
internal/peer/lifecycle/chaincode/chaincode.go	6582	7fa3bedd6b6e2c74a6209d38c40b0986e535e382a5cd35e4e0792c5f8f94e7a1	0
internal/peer/lifecycle/chaincode/checkcommitreadiness.go	10724	7e67eb9b1ad4751ee154d657fcf3cc5d910c8c504192e4d0727949b39c3ec1cf	0
internal/peer/lifecycle/chaincode/client_connections.go	6698	f8b0306a2c7f60a522176ec04043aedd2e3cefa4c1a6a1da55208d20fb94121e	0
internal/peer/lifecycle/chaincode/commit.go	9008	4607c2b05c306d558e16f7af2af6d2d62ac99b75f0199c80adcba81f7228f0ea	0
internal/peer/lifecycle/chaincode/common.go	4071	d402cade8f80cc7f19df10fc8aa9cb335e7843fc703cebdbb294de4219ad1cb1	0
internal/peer/lifecycle/chaincode/getinstalledpackage.go	6032	6df84aae154ebb0ef1abf2acb653deb9e62085d452309d685453baac8efbe58b	0
internal/peer/lifecycle/chaincode/install.go	5847	c64b3f704faa2f7edbcc9c86258f27ad231aed25189d6adff10adaa21415eea1	0
internal/peer/lifecycle/chaincode/package.go	5771	c83d4940443afc75eaefc9869836b8c20b2b9565720eb46f66515a3c68e17687	0
internal/peer/lifecycle/chaincode/queryapproved.go	7851	d2406eb9d0bd988b2b7bf407c9a1d869bbfcfc2b8490bc37fce32993ba9f0965	0

internal/peer/lifecycle/chaincode/querycommitted.go	7571	0a2a015f95261b26bf3ceae777f9fc8f6b692dd18fcdb945497114b75c069543	0
internal/peer/lifecycle/chaincode/queryinstalled.go	5219	eb85b9c2b5b2a0957bcc85d6efda570a702bd9b063e2b3e6c6e8626c858b000d	0
internal/peer/lifecycle/lifecycle.go	578	7af14183eee09681f1c26ce0f5330278a0c2990ff6cb9c58937dec0024c93a95	0
internal/peer/node/config.go	4265	3caa3c29b303164eab67768f0f98e126d3d4ac0471b0751a46ae057e6d1f72f9	0
internal/peer/node/grpc_limiters.go	2828	131781ac076eab8483bdc775b603dfd8a29c92d6275e476de7e0e155ea404886	0
internal/peer/node/node.go	960	3111c26766ee99ef061331416a88a128799c98bd5610c28b649c05554c86126d	0
internal/peer/node/pause.go	1040	33bd7b932a78b924a5e79222b156b9ecb1cff4d8873b884034ba92226621220b	0
internal/peer/node/rebuild_dbs.go	730	3807b7ca7dde4d62010044eea700d13f9d07d7843368542293ae54951dc3f1c5	0
internal/peer/node/reset.go	887	3c792257406332375ecd122f6e043c94ea9527623c49a731427177fdccee3635	0
internal/peer/node/resume.go	1048	8852d20bb0c25865859917a2c62de4a2d0639c07cf198ab368b7d387d7275dd2	0
internal/peer/node/rollback.go	1466	4eccdc845d96a9d82eea061c908ef056c8ab4c062b1b4c06ee698914b4822f7a	0
internal/peer/node/signals.go	361	91a6d71024a42f85f234e07f93aa16c68ca54da59ef0d34718598a362741784c	0
internal/peer/node/signals_windows.go	226	b0734b09b10c5f21cafd3f2393ad72965e36e3f0429ef6cd1f640d0be9f3d738	0
internal/peer/node/start.go	51656	ac146f7e3b8ba11ee9c8046fc8b0de679ccdd67cc7f994e75f15401188f3c00e	0
internal/peer/node/unjoin.go	1783	49e931f276ac49c5b749570dc2d9b84b458941bded6aaef1dbc5cb2d69346759	0
internal/peer/node/upgrade_dbs.go	706	976951a1872194ce37c347fe34d3e96f3c3c692abc30c54443b3e2eff10c51c4	0
internal/peer/packaging/platforms.go	2571	291ccdbe91ec0efe03ab2aeff7ff50d80c6c12916bf4999d9e7280d43db4bb1b	0
internal/peer/snapshot/cancelrequest.go	2209	ea4280a03e670606d8a6ec213a7089277eb3eb8883d98b9d52dbc93ead3feb80	0
internal/peer/snapshot/client.go	1442	7f945a8dd48b141bbc1833f86f0638d82de23295add128bb1f6a3bb9dc210462	0
internal/peer/snapshot/listpending.go	2012	ec0e2608e1100917be113cccec8483410d2ac9be5b85b70bbc8ea55d81aa68bd	0
internal/peer/snapshot/snapshot.go	2933	058721f469d4cd23f6745ea7c04950fb8e6bcfdfd4524539d03502d6036ad4f5	0
internal/peer/snapshot/submitrequest.go	2187	ffb310fa33336f60825e1a9f66be48c2ad2b26b348314869a3d8cc92bb5c82a6	0
internal/peer/version/version.go	1241	cab547e85db0f3810274bf7da4514b2a446e45d02108df503cd5a6218dca0b61	0
internal/pkg/comm/config.go	11186	a73017af39652462f3ed6b9ffef374dd7a1665a5cd6073f95e5bbc414b7f5f61	0
internal/pkg/comm/connection.go	3920	3833ea9b046e7081e58cec8c952df1e8f15d712cec94bfabb5cb75cf29b599d5	0
internal/pkg/comm/creds.go	5037	e5abda69d010aa8a5e736c43ab494cb4adef062af763a76ed330a4cd76e0f0fe	0
internal/pkg/comm/metrics.go	816	bbb166b1efdbff5cb4052348869935686b2029027dbf08ab91a194820d877618	0
internal/pkg/comm/server.go	8534	faa07e3fc74dac6dfe38345a7e37b366ac94fd97bb5898c84e192f97c6240cd8	0
internal/pkg/comm/serverstatshandler.go	836	5bd8a7161d9dce8a1ac5996119584c937d3dc78a29a7e8e9bd8f61be0f9bc84b	0

internal/pkg/comm/testpb/test.pb.go	6735	37965ade3663520994fcc4efbabb709261c0cb94ffe22dd871b10d6d46a7b666	0
internal/pkg/gateway/apiutils.go	3681	958cec9889e75ef93722359ae65f44ccb2b6f5d5284c11ef8aa841732629bfc7	0
internal/pkg/gateway/chaincodeevents.go	4562	a4a8e0af12f2056ba56e0ec2646173f740d1721018d2eaf7c165197a7700cf18	0
internal/pkg/gateway/commit/blocknotifier.go	1519	b74efe9479c7d242a328b09b90a0a30caf344d5421ff9634978444126c0ddce1	0
internal/pkg/gateway/commit/finder.go	1958	3b60355c998faffdd8486b41f938b8372b6c74e7a4810040b81a85b5607277c1	0
internal/pkg/gateway/commit/notifier.go	2148	d9bc7423977d5f05f914e36feffe97dcdbedd897d7708153b4c871a3a50a837f	0
internal/pkg/gateway/commit/statusnotifier.go	3140	bc5c79f4a4f084879617f115813894e09e37ea6e6f948329f77a5a459ee1fdbb	0
internal/pkg/gateway/commitstatus.go	2385	7864141d78035e919303b71207f88ec9c93e55094f3dbcf428c9f6328dc94cd0	0
internal/pkg/gateway/config/options.go	1519	2e056e0a82dfb1baf93851cba0f9f8b43ec28ffcc6e1fc3c524aa1063b132bf3	0
internal/pkg/gateway/diff.go	11837	f021298c2af6b720ede43496dce947b532532ebb21fabd34d7440eb78d9a1360	0
internal/pkg/gateway/endorse.go	11261	ed8127925693c34c391505b64ab2487a9d9ed03c5c86d5dd3e84c8eea1f4ee0b	0
internal/pkg/gateway/endorsement.go	7375	3da03bc246faba9f6a0e0ba74e412d57ebf4e413f050dc2128a78bf22d383716	0
internal/pkg/gateway/endpoint.go	4004	56bd03e480ccf31eb2fe00e2a75ba655ce8e763cbbea6ab2581e591f1561c85c	0
internal/pkg/gateway/evaluate.go	6894	dc2e3ac4dd8eaf5a9081dfcf084bd552f13afb9148fb01a1634df016bc921e14	0
internal/pkg/gateway/event/block.go	2314	a81f36f088df27e87b494f43924736f5d9b0c566276435a2d5309d54a53790e5	0
internal/pkg/gateway/event/blockiterator.go	790	537ecb7ff32f2ab9492fd120533b6a6ee5bbc97b0eada54b710c6015584f71b2	0
internal/pkg/gateway/event/chaincode.go	692	76c9288588364240d815235c61b2561d62948eedc8c0091dbad7c893d7437cf1	0
internal/pkg/gateway/event/chaincodeiterator.go	1692	a1161be16294dfd77adaa4cdd96cd23e2644f4a823cc55ada229b2bdd25dfe45	0
internal/pkg/gateway/event/transaction.go	2390	af0ba034754ee41679ccc150db951ec8a676cf9c34c246d3a15ad077c3e3a8ac	0
internal/pkg/gateway/gateway.go	3885	eb9791bbfea21f3034acdf76994472e3a1c4f9d070bb8ba4e199f4068f261a27	0
internal/pkg/gateway/ledger/peeradapter.go	1438	a18253f0104328297d7d4ae34cea43dc71fd669d5089955188b9a8134d25cf4d	0
internal/pkg/gateway/registry.go	19009	66ba2b109ed76ed9cbc521766eddda6cab9cd9605c1f53044c16112ab138a7d5	0
internal/pkg/gateway/submit.go	9212	5891716d0c86a4d7098551685b606a44198a91dd9df6c25c1d8675b86a19c950	0
internal/pkg/identity/identity.go	815	7155c32b46678ec00a930770c1e6b5d405ddd7099f05f8e5c0447cd49e0e40f0	0
internal/pkg/txflags/validation_flags.go	1784	3b629ee7b652802b121e1c10d395b3c3dc68a432c00fd73cc162caa21136974d	0
msp/cache/cache.go	3386	9de15d9c11ce2ee7a23e8939fd36ac6627abe9f421e5e8ca02953a4f59b20d4e	0

msp/cache/second_chance.go	2670	07829311265de781e29008b7db3f14fc4ffb26efaf2652717c36188292fe3592	0
msp/cert.go	4400	109d3fecdcba4e48f02886aa9267348f622093a29fa7f85aff24e2bffc4f02ed	0
msp/configbuilder.go	14023	ee88a0458353a674c1c86031a31ffa2983e425baf8127c6ac51cd34574068c19	0
msp/factory.go	2007	e0889fbf44596cd7d367f88bca1962d35fd89c87e95b1f7e06578294983b719b	0
msp/idemix.go	2704	e1ad09cb2d26221d16bdc8d392211fc7450ee8c147e51554bd2639a75c3a81f1	0
msp/identities.go	9172	629cdbecc7cf2b42b7afec2a73442cc2578dd31a4161d27f0fb675ceea4ac7b8	0
msp/mgmt/mgmt.go	3407	a85b414755dad2e3d8363cf41caafd3abfb2b93453726d4c3c3aa260ce445223	0
msp/mgmt/testtools/config.go	807	ea6e526693b8c8ee13720edd84433ae1f9cf12a8e35cfa218ff4db5049ad971a	0
msp/msp.go	8041	2952be7c4bf15ee279b9da866b7d1d1d24290e12ed7434ce53aa7e3ad6696d5f	0
msp/mspimpl.go	34886	ae0665b7a62712ca09b7e5d889e0fdba2e68d974b9e6a6450db6abe53a3b1863	0
msp/mspimplsetup.go	20702	b055cf4785d3f7722ed46c1d1d8939173a7dcd924a46d123bec8b3dc6f25b82e	0
msp/mspimplvalidate.go	12874	230e43557a2c8a13c31c40ed3d6fec82b3ea4e53bed661817f96a198d66f01eb	0
msp/mspmgrimpl.go	3321	7f3fc017b1d3119e1923702157fbc958420b0549fb4330f192eb859ea809ab13	0
orderer/common/blockcutter/blockcutter.go	4829	5aba55795ef920fe0977c1899a4c5983c30521a8a3d4d8148e989243bc912e61	0
orderer/common/blockcutter/metrics.go	645	4ad21449430f33ef65aafe9a343d865827518ef05a56f3f4a76aae0d5ff7b92c	0
orderer/common/broadcast/broadcast.go	8073	47469f31fd05d8ca5ff4e43a2976b72def0b59c58ebfdd302bc41082fbea47f9	0
orderer/common/broadcast/metrics.go	1391	b1049452fc65e2d5c92744a274142e91c8e9366ad76a7bb6ae23e4a63a41e247	0
orderer/common/channelparticipation/restapi.go	25404	07d8825ebf4a06c5d073c27bd3d420b8728a57dbe88ce42b202ad1124e3f398e	0
orderer/common/channelparticipation/validator.go	4120	5fc8a43e20ba8c11ba1b28539a8e3ed2312018e4c33531c3e625326bd638ccec	0
orderer/common/cluster/clusterservice.go	9969	9189145c4a4d64ff8321d0c47f6725f85891fe666a6dedfc09649c8963744322	0
orderer/common/cluster/comm.go	11423	db7bd3d20a9dbb01a80d7942bafeca65eca5f215d7e68802c26b5f74b87852c5	0
orderer/common/cluster/commauth.go	9459	be7df60b02fb3bcac7db426099c9707dd39d16cb7ac2b60811f47401fba3ad70	0
orderer/common/cluster/connections.go	3976	7900296095ff15fcdceb783dc4ab5337ffaa330bd5544bfcb48c7a15a09fa74e	0
orderer/common/cluster/connectionsmgr.go	1928	823d40353b8703fcddf4747950e990fd33ca80d4941532969e3535a7ad501bdb	0
orderer/common/cluster/deliver.go	19653	16b124dbbb56d71c01425bf4542ef8667de92db352a9a16e173cee522a0360a9	0
orderer/common/cluster/interfaces.go	2641	2db95d917ce5f051f888efac619509514202b7b9e5cc60cb65d642bd4d107348	0
orderer/common/cluster/metrics.go	5077	84291cf0b3326e721bfbdced3674ccf61ef36175b4756c912a3edc397ea9ee41	0

orderer/common/cluster/remotecontext.go	4520	83926b89a6c3f75762d0c08609cbf4ce8cbb524f20a5094f447d163253e9e9b6	0
orderer/common/cluster/rpc.go	6453	0c9dd15f65ed7da4374772814af925e8e9dbda5d8ccaec1b5f4e24c148cb048d	0
orderer/common/cluster/service.go	4515	e1b356a72e414f9ff2c77296de072c19d51be096a2617a00731217f11495a3d9	0
orderer/common/cluster/stream.go	5607	7cd311272c61156244ff7bc6f068c1d2afc8e608aa008ba6aadee72f0005b5d3	0
orderer/common/cluster/stub.go	1496	bde2ee52d508959d15133e28812cfa38bb02bf3846d985289063a997e3fcdc04	0
orderer/common/cluster/util.go	26580	57ab1f4c61205f61d5d09396fafb6cee9e718d7732dc9f49e56dfc98d8825545	0
orderer/common/filerepo/filerepo.go	4470	c764bab5b75c4be107c26497e4dc8f10b37a5a4ffee0be2c5e72f6a7f89b80cc	0
orderer/common/follower/block_puller.go	7983	0f4b87ae44d513ba2845d6dc62996b7653e9b0fe3fb6ab88b8ced278f2f0f1b6	0
orderer/common/follower/follower_chain.go	22899	17862abae40438289802a0bc6b13f3d5dcd0864914a778ba1b0f80458fc2a7fa	0
orderer/common/follower/options.go	2069	c00dda071ea03f0fa32680477d6b78f734eb95d976092b7ac8432a74f10a11b2	0
orderer/common/localconfig/config.go	14666	326a3793ba57652be75cc7564c545deebd93ec81c6fbac6fd4936fe4abfeca4e	0
orderer/common/localconfig/flatten.go	1590	15c7b09b131220b34c75c5906b754552bc61a605ad09362f14151a7dcda7d814	0
orderer/common/metadata/metadata.go	499	dde0757e351939ea32469234be2d2a0b809237e44df3d56ffadea14df5133836	0
orderer/common/msgprocessor/expiration.go	1631	72df984d3109c0a069d525a228b666e017da97a346c37bcf9624f64fb25cdbfd	0
orderer/common/msgprocessor/filter.go	1520	d9fc63160e3ffa5b2377085370b5afae773c877476c2861b2e7d13560f08e47d	0
orderer/common/msgprocessor/maintenancefilter.go	10171	c47304a3ed8cb5ded6fb3c5031ab1df45b97d3e94cd144d928c8ed310b556ea2	0
orderer/common/msgprocessor/msgprocessor.go	3389	7ee7b8ed03e891a70c5b9044684775a209fcc21faa26807382d806bf09bce423	0
orderer/common/msgprocessor/sigfilter.go	2964	76e1b028a87dc631414350a3d8d4b988a9522e259a42deb3987502cc16f9a6c7	0
orderer/common/msgprocessor/sizefilter.go	1676	7a809c5b5f3cc537766c3532e9daec6888cd5c60a3c3b50fee70917bed6e16f2	0
orderer/common/msgprocessor/standardchannel.go	6844	f6e24990285fe214a8ca890b47a03a7ea4aeb890c20e119b7dd9fcbe849d1819	0
orderer/common/multichannel/blockwriter.go	9645	b2ac572f82c947f8b9ffd09a4834d2779e0a92ab5c963a8343973c19b17495fd	0
orderer/common/multichannel/chainsupport.go	5859	55768da1b6469c1d24a84d8daeceffaaaeb3bb8273ccc0ba179f96a3f1e1ca9b	0
orderer/common/multichannel/ledger_resources.go	2696	6b04468b6873882d9b4e0c2d1dfcd5730f67b8808440fb3caff4c5c74d92e448	0

orderer/common/multichannel/metrics.go	2695	f81dc969c81903394c80b7ed2ded2577071781dbc33c8bab7a0f979b850e8238	0
orderer/common/multichannel/registrar.go	34901	22b64a61c6142439acc65fd9bf4cb974bd05f71e7b38c0dcd98f03ab4afc4201	0
orderer/common/server/main.go	27674	16ce8c8f8d5741f802f53c3af709d1e34ab9a6833d393ed89795ab440b861647	0
orderer/common/server/policymanager.go	1305	974a714f6294e191f5dacc2af49b21514d3f7f2edfffdaf0e77e0ea0ed415b85	0
orderer/common/server/server.go	6081	7cc48e3da0f43133b42d10446b0097a3536d35c570a7a76e79e91eb641faa16e	0
orderer/common/server/signals.go	363	3f9ba0eec5a8fdec32adf58299f3a5395ff59143d7fec9412c39948f249264f3	0
orderer/common/server/signals_windows.go	228	0fed93ed8c53d53302ae7158ba21d7ccd56c78d4b55b5c5ffdd67004b2037793	0
orderer/common/server/util.go	4497	ae2cf5925e59f60705ada3adbd7a9ab33ea2f709083233c0533bc5693cbd6514	0
orderer/common/throttle/ratelimit.go	3999	e5055c2eba776d0e4a0d3c83f7156425ec532b428393718d3db7b532bbc53341	0
orderer/common/types/channelinfo.go	3770	e0803b1db3c7676b06956924e3f765730b16638e2cb31a33202fd71ba489d000	0
orderer/common/types/errors.go	1708	3ca0b38cea489b2e7f5e0bb6f1ac25681a664b66fc19a2691382395071ce429d	0
orderer/consensus/cluster_status.go	1135	aff8de6879c36989f64ad6dd3d45e4ca701586a3f4113d94cc7533e0cfe6af47	0
orderer/consensus/consensus.go	7975	084be78fef42c292e075ebca5992584d48ad0003ee32b2ce2ed455a1a5db5dcf	0
orderer/consensus/etcdraft/blockcreator.go	1033	fb9936d1b6fff73ecbcbcf7de7606b5e53e290be0d159f8f6c6f31294960dd4e	0
orderer/consensus/etcdraft/blockpuller.go	3692	eb6ded8f5e3c5fa169bdde1ab4cb4e1e9b3c3b4ce3cc0504fd8ca91db10f5612	0
orderer/consensus/etcdraft/chain.go	52466	aed83b5cea203204877bc3d0af171f66c36de4e463f71590d980b8b530899e9f	0
orderer/consensus/etcdraft/consenter.go	13614	45f568bcaac8b323198f8a88e12792b17d74311a6582bf75d0795162ef9c18c1	0
orderer/consensus/etcdraft/dispatcher.go	2234	0320c7e7549ee668ed5dcb4fa5f7658b3a5647033d25dd98eda37d06723fc8e3	0
orderer/consensus/etcdraft/disseminator.go	1107	bd9d7117cc2f78e68fa24528704da7cedf17b29204298e206e5a1a37a47da7c3	0
orderer/consensus/etcdraft/eviction.go	4802	04b395854823c45334a4966e7e77adfe1b2060a37e3d9d385464104fc7f772e5	0
orderer/consensus/etcdraft/membership.go	5326	6bc94ea9674fb2e8b897eea645b02ce520b7b214671abe9a2cba02d5cf81420c	0
orderer/consensus/etcdraft/metrics.go	4220	a33c0e329e2c67703c0749133b54ff28f088a32c6944a7ad49f96aeb5a15842c	0
orderer/consensus/etcdraft/node.go	10282	4daef869de7429ad69489b6c3aa7a57714b090726ba5b9313fa903108636653c	0
orderer/consensus/etcdraft/storage.go	13137	d45d968812becceba518ba008913f3235140cd9e8b650d10c11256b34362c886	0
orderer/consensus/etcdraft/tracker.go	1926	00bc1f5d4d19a1aa7647ac00c8b2dd9e2bd347a744518ca55436281e7abcf36b	0

orderer/consensus/etcdraft/util.go	16889	ac56be3e8e9dc7437269b5dbf6869898c07389323d278e0a7d46701dc2e31c94	0
orderer/consensus/smartbft/assembler.go	5872	c2b6017f4bb9045384d2cb26d39c9414dccc45849568bff164df2801735170a9	0
orderer/consensus/smartbft/block_puller_factory.go	3447	f3eee110dfde76370e0a0d0f086d66ff1eb516960958bd058e0c7103d74a5098	0
orderer/consensus/smartbft/chain.go	22431	04bf2ec245b3fb9d5536ca3e19c0142c8f778708b275ebd17c0b802f5a322e64	0
orderer/consensus/smartbft/configverifier.go	8158	90fb20bbf3bd064fc45f1718f3752268fdb7c3987828d668cd484d54fedbaaac	0
orderer/consensus/smartbft/consenter.go	11955	b578df97e6e0648afd85f163956c651f3fd005f87a5640f27889a28d9df8250a	0
orderer/consensus/smartbft/egress.go	2545	da042e8cd3648c414064fa51d08b12892f74198be5c5fbb17fee014c7edbbbfa	0
orderer/consensus/smartbft/ingress.go	2429	c53475ec2f76f5edd02af5d0464fbf63896022ff5bb6b2f55ccbff289486ff51	0
orderer/consensus/smartbft/interfaces.go	1207	fca8480e5acba5de4e864b9905a02a67ba53738eb074b6185c8e73125f889098	0
orderer/consensus/smartbft/metrics.go	1863	202c838c3f8d1dad7434cb10ced39886d9f3035b3832b1547002a09ac7ef90e8	0
orderer/consensus/smartbft/metrics_provider_converter.go	2451	da98c443d57cb7f83f048c2fa3c37fe1b4c550690c4875e9d7c1ea51d7313a49	0
orderer/consensus/smartbft/signature.go	2199	ce0c455b87f2fc3073a693e536e9b8958d51ac902862ce436bc885fc4836c690	0
orderer/consensus/smartbft/signer.go	2189	0dbc17ea47b37a022608a531f5ec8e19cbe46106843a69b02037b850e1ca6a7f	0
orderer/consensus/smartbft/sync_buffer.go	1477	ca574afd25eee578be447e3707f06a7f5ec0e9a2b2169228f16353e59ff4faea	0
orderer/consensus/smartbft/synchronizer.go	5499	246e3c7d718d31d9fd29997ab706ba3be0ef8640db4fb455b30958b15fb2f175	0
orderer/consensus/smartbft/synchronizer_bft.go	10411	2e12ee6431c5c17c09a6da4f43ff4882936ce1e6d2c78745fd3a75a600f2d5a5	0
orderer/consensus/smartbft/synchronizer_factory.go	3833	e99379f0911a8ca5adf467f56e0b92d28f6b10063164f888ac0ed5944c013e27	0
orderer/consensus/smartbft/util.go	18182	bf8986e94385f53a1b3975ed8fc360f2a02f20d98ef31eebce49e463492203f1	0
orderer/consensus/smartbft/util/util.go	3070	253c5c74f39ae4de73d4e095d505b542fd08e339d163bfb03e6df28db9fa2d57	0
orderer/consensus/smartbft/verifier.go	16381	4bd3e669263107a68f57a3f489a40f2cc736b0d6975df75e7b8f4aa9c1ba143b	0
pkg/statedata/types.go	1712	9ffdc1cd9cab0bbc9dfe78488bb5efd5339d23f61e06d09ed4a468942ca77b6e	0
pkg/tx/interfaces.go	13226	dba343f611c2b7c38ad3802db37f3ada5735882e1aca4fd0f09a2627a6976a64	0
protoutil/blockutils.go	11519	13e239a6aaa1a338bde3605f336a52ed360bea9814835c69e038cd7966f8c8fd	0

protoutil/commonutils.go	8185	1c59989b9a58053623dce42f9e7ad7998de79148e02d433c34dee71f9f841efd	0
protoutil/configtxutils.go	396	65531e092d2555b6a21dc4fc2289d4f79c06cc7b54f4cf0c43502475a644bede	0
protoutil/fakes/signer_serializer.go	4813	c2d58aa361d57ae3152228f14f524e963fb1d651f1e3de168ed546153fe7bf74	0
protoutil/proputils.go	15552	57415c0e72484216ab180f60dfbb8041f638d69daa1db4c4781243acc427d623	0
protoutil/signeddata.go	3763	bfd7895cf428e0762f731163dc5014c33b6900cf2bf55bcd7a0a82a5e328e1a9	0
protoutil/txutils.go	15056	08e0a9c30cbf3db6f4677eb7d94e1340ad7155e937d13009b70efe35f5618a54	0
protoutil/unmarshalers.go	9364	a2ad7a4237d0aa7ebaaa3d39ac6de0062ac5246efcdb14c2d2469c21c219cb06	0
sampleconfig/msp/cacerts/cacert.pem	887	6d24d0804ade3d38931f6fd3545cc5fd793b2b8aa2dc188b8d61424b01a2f020	0
sampleconfig/msp/tlsintermediatecerts/tlsintermediate.pem	778	e9f18cc371b6c3b70ad082bee55f3d886073a2e46a416fd53cd4ccebd52ead79	0
swagger/docs.go	593	e3682a7d38f904b82143d47d6b5f682f6fb2fadab32acdf915e87ca221b73624	0
tools/go.mod	14090	fb7dab680041c396a3730520a64b48f692d38595e063f0d883f7aebae370937c	0