QUANTUM SECURITY INTELLIGENCE

Security & Post-Quantum Readiness Audit Report

obp-api @ 6a4a13ef079f · TESOBE (Open Bank Project) — public repository (passive review)

Organization	QSI
Report date	2026-11-06 10:11 UTC
Report version	1
Audit run	78a831be-14ad-42a7-b5fb-ace36174c24c · Document audit · 2026-11-06 10:11 UTC
Analyzer engine	qsi-engine 1.3.0
Risk profile	Crypto exchange, custodian or wallet
Content SHA-256	`6e83fddb11fe4c5dcc78ace863f481960b11f629a8378ee1992ce77d9bae882f`
Signature key (Ed25519, SHA-256 fingerprint; the signature is the separate file report.sig.json)	`5b3cf9c9bd0fa54447e2b5dfa7a6bab569bd0c666fa46949599e5c348d17083e`

Contents

1. Executive summary
2. Scope and boundaries
3. Methodology
4. Assets examined and not examined
5. Architecture overview
6. Overall security posture
7. Findings by severity
8. Detailed findings
9. Evidence
10. Post-quantum assessment
11. Limitations and assumptions
12. Remediation plan
13. Priorities for 30, 60 and 90 days
14. Verification after remediation
15. Tools used
16. Sources and normative documents
17. Appendices

This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.

Executive summary

44	0	24	12	5
Findings in total	Critical	High	Medium	Low

Classification	Count
Confirmed technical vulnerability	0
Known vulnerable component	18
Confirmed configuration error	15
Potential cryptographic risk	1
Long-term post-quantum risk	5
Improvement recommendation	4
Insufficient data	1

Top 5

ID	Severity	Detailed findings	Priority score
QSI-2026-17438	High	Certificate has expired (app.example.com)	61.4
QSI-2026-17443	High	Certificate has expired (app.example.com)	61.4
QSI-2026-17463	High	org.postgresql:postgresql 42.7.11 is affected by GHSA-j92g-9f8w-j867 (CVE-2026-54291)	50.2
QSI-2026-17464	High	org.xerial.snappy:snappy-java 1.1.10.4 is affected by GHSA-gwq9-9ffj-mvrv (CVE-2026-93451)	50.2
QSI-2026-17465	High	org.xerial.snappy:snappy-java 1.1.10.4 is affected by GHSA-q233-g92q-qxp6 (CVE-2026-108106)	50.2

Mosca's inequality (x + y > z): x = 10, y = 5, z = 8 → migration would finish too late under this scenario. z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Post-quantum maturity: Level 0 of 4 — no post-quantum cryptography. Next step: Inventory where classical public-key cryptography protects long-lived data and keys, and choose the first migration: usually a hybrid TLS key exchange and wrapped keys.

Scope and boundaries

Mode: Document audit

Repository: https://github.com/OpenBankProject/OBP-API @ 6a4a13ef079fa33707f4ee3dba1e600570ed34b4 — evidence links open the lines at this commit.

Supplied inputs

1190 files, 17649437 bytes in total, 111 redaction(s); the per-file SHA-256 list is in appendix C.

Methodology

The audit was performed by the QSI engine 1.3.0. Each analyzer emits facts (rule, parameters, evidence); finding texts are generated from the rule catalog. Methodology sources are listed under "Sources and normative documents".

Prioritization uses an explainable weighted model (severity, exploitability, exposure, confidentiality/integrity/availability impact weighted by the "Crypto exchange, custodian or wallet" profile, asset criticality, urgency, ease of remediation) with a confidence multiplier. CVSS v3.1 is applied only to technical vulnerabilities with a defined vector. Long-term quantum risks use Mosca's inequality; their severity is capped at Medium and they are never presented as exploitable vulnerabilities.

Finding classes: confirmed technical vulnerability; known vulnerable component (a dependency version named in an advisory; whether the affected code is reachable is assessed separately, and a component confirmed by review becomes a vulnerability); confirmed configuration error; potential cryptographic risk; long-term post-quantum risk; improvement recommendation; insufficient data. Heuristic findings are marked preliminary; analyst decisions are shown next to the findings.

Coverage of checks

Area	Status	Count	Examples
source_code	checked	1172	.github/scripts/check_test_isolation.py: 231 lines scanned with 16 rule patterns and 266 registry patterns; obp-api/src/main/scala/bootstrap/http4s/Http4sMtls.scala: 236 lines scanned with 16 rule patterns and 266 registry patterns; obp-api/src/main/scala/bootstrap/http4s/Http4sServer.scala: 80 lines scanned with 16 rule patterns and 266 registry patterns
tls_configuration	checked	4	dev/mtls-nginx/nginx.conf: nginx TLS directives parsed; obp-api/src/main/resources/docs/introductory_system_documentation.md: nginx TLS directives parsed; obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala: openssl TLS directives parsed
certificates	error (not checked)	14	docs/MTLS.md line 403: certificate could not be parsed (ValueError); obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala line 2968: certificate could not be parsed (ValueError); obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala line 3067: certificate could not be parsed (ValueError)
certificates_and_keys	checked	10	docs/MTLS.md: certificates/keys parsed; obp-api/src/main/resources/props/sample.props.template: certificates/keys parsed; obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala: certificates/keys parsed
dependencies	checked	3	obp-api/pom.xml: 89 dependencies parsed (68 pinned); obp-commons/pom.xml: 10 dependencies parsed (3 pinned); pom.xml: 15 dependencies parsed (13 pinned)
tls_key_exchange_groups	Insufficient data	4	obp-api/src/main/resources/docs/introductory_system_documentation.md: no key-exchange group directive; TLS library defaults apply and were not determined; obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala line 14214: not in the algorithm registry, not assessed: List(; obp-api/src/main/scala/code/api/v7_0_0/Http4s700Groups.scala line 304: not in the algorithm registry, not assessed: found.collect

secrets	checked	14	obp-api/src/main/resources/docs/introductory_system_documentation.md: 25 redacted value(s) not reported (comments, test modules, fixture declarations, placeholders, values the source annotates as published, or hex values not bound to a secret name); obp-api/src/main/scala/code/api/OAuth2.scala: 3 redacted value(s) not reported (comments, test modules, fixture declarations, placeholders, values the source annotates as published, or hex values not bound to a secret name); obp-api/src/main/scala/code/api/ResourceDocs1_4_0/OpenAPI31JSONFactory.scala: 1 redacted value(s) not reported (comments, test modules, fixture declarations, placeholders, values the source annotates as published, or hex values not bound to a secret name)
tls_code	checked	1	obp-api/src/main/scala/code/api/util/migration/MigrationOfDynamicEntityRoleNames.scala: TLS key-exchange settings read
entropy	checked	1	random-number generation: 10 code files read with 0 macro definitions from the tree; 0 ineffective guard(s), 0 weak random-bytes provider(s), 0 weak key-generation site(s)
osv_advisories	checked	1	82 pinned packages queried at OSV.dev; 6 affected

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

Assets examined and not examined

Supplied inputs: 1183 (input files: C)

Not checked

- certificates: docs/MTLS.md line 403: certificate could not be parsed (ValueError)
- tls_key_exchange_groups: obp-api/src/main/resources/docs/introductory_system_documentation.md: no key-exchange group directive; TLS library defaults apply and were not determined
- certificates: obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala line 2968: certificate could not be parsed (ValueError)
- certificates: obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala line 3067: certificate could not be parsed (ValueError)
- certificates: obp-api/src/main/scala/code/api/constant/constant.scala line 1035: certificate could not be parsed (ValueError)
- certificates: obp-api/src/main/scala/code/api/util/BerlinGroupSigning.scala line 129: certificate could not be parsed (ValueError)
- certificates: obp-api/src/main/scala/code/api/util/BerlinGroupSigning.scala line 283: certificate could not be parsed (ValueError)
- certificates: obp-api/src/main/scala/code/api/util/CertificateVerifier.scala line 138: certificate could not be parsed (ValueError)
- certificates: obp-api/src/main/scala/code/api/util/CertificateVerifier.scala line 146: certificate could not be parsed (ValueError)
- certificates: obp-api/src/main/scala/code/api/v2_2_0/Http4s220.scala line 884: certificate could not be parsed (ValueError)
- certificates: obp-api/src/main/scala/code/api/v2_2_0/Http4s220.scala line 897: certificate could not be parsed (ValueError)
- certificates: obp-api/src/main/scala/code/api/v4_0_0/Http4s400.scala line 11069: certificate could not be parsed (ValueError)
- tls_key_exchange_groups: obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala line 14214: not in the algorithm registry, not assessed: List(
- tls_key_exchange_groups: obp-api/src/main/scala/code/api/v7_0_0/Http4s700Groups.scala line 304: not in the algorithm registry, not assessed: found.collect
- tls_key_exchange_groups: obp-api/src/main/scala/code/api/v7_0_0/Http4s700Groups.scala line 362: not in the algorithm registry, not assessed: List(
- certificates: scripts/resource_doc_baseline/lift_resource_docs_v2_2_0.json line 214: certificate could not be parsed (ValueError)
- certificates: scripts/resource_doc_baseline/lift_resource_docs_v2_2_0.json line 215: certificate could not be parsed (ValueError)
- certificates: scripts/resource_doc_baseline/lift_resource_docs_v4_0_0.json line 1107: certificate could not be parsed (ValueError)

Architecture overview

Static review of the source tree obp-api at 6a4a13ef079fa33707f4ee3dba1e600570ed34b4. 1190 files analysed; of 1917 files, 572 are test, fuzzing, benchmark or example code and were left out, 155 are not read by any analyzer, 0 exceed the per-file limit and 0 did not fit the total limit. Files no analyzer reads include: .dockerignore, .github/Dockerfile_PreBuild, .github/actions/setup-test-database/action.yml, .github/dependabot.yml, .github/workflows/build_container.yml. 30 files in build-output or dependency-cache directories (.git, .hg, .venv, __pycache__, build, dist, node_modules, target, vendor, venv) were not read. No requests were sent to the owner's systems.

Overall security posture


0
Indicative posture index (0–100)

30.3%
Quantum-vulnerable share of inventory

33
Cryptographic inventory

Derived from findings in scope (confirmed and potential issues weighted by severity). Indicative only; not comparable across differently scoped audits.

Findings by severity



ID	Detailed findings	Classification	Severity	Confidence
QSI-2026-17438	Certificate has expired (app.example.com)	Confirmed configuration error	High	High
QSI-2026-17443	Certificate has expired (app.example.com)	Confirmed configuration error	High	High
QSI-2026-17463	org.postgresql:postgresql 42.7.11 is affected by GHSA-j92g-9f8w-j867 (CVE-2026-54291)	Known vulnerable component	High	Medium
QSI-2026-17464	org.xerial.snappy:snappy-java 1.1.10.4 is affected by GHSA-gwq9-9ffj-mvrv (CVE-2026-93451)	Known vulnerable component	High	Medium
QSI-2026-17465	org.xerial.snappy:snappy-java 1.1.10.4 is affected by GHSA-q233-g92q-qxp6 (CVE-2026-108106)	Known vulnerable component	High	Medium
QSI-2026-17468	org.jsoup:jsoup 1.18.3 is affected by GHSA-65r4-943x-97jj (CVE-2026-75140)	Known vulnerable component	High	Medium
QSI-2026-17472	com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-68mj-5wr7-6fgg (CVE-2026-69219)	Known vulnerable component	High	Medium
QSI-2026-17473	com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-6g32-pxv4-2wfj (CVE-2026-63337)	Known vulnerable component	High	Medium
QSI-2026-17475	com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-93j5-89vc-pph4 (CVE-2026-69220)	Known vulnerable component	High	Medium
QSI-2026-17478	com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-jh4v-gfqj-7rhx (CVE-2026-75516)	Known vulnerable component	High	Medium
QSI-2026-17437	Possible hard-coded secret in obp-api/src/main/resources/docs/introductory_system_documentation.md	Confirmed configuration error	High	Medium, preliminary
QSI-2026-17442	Possible hard-coded secret in obp-api/src/main/resources/props/sample.props.template	Confirmed configuration error	High	Medium, preliminary
QSI-2026-17447	Possible hard-coded secret in obp-api/src/main/scala/code/api/util/APIUtil.scala	Confirmed configuration error	High	Medium, preliminary
QSI-2026-17450	Possible hard-coded secret in obp-api/src/main/scala/code/api/util/DBUtil.scala	Confirmed configuration error	High	Medium, preliminary
QSI-2026-17452	Possible hard-coded secret in obp-api/src/main/scala/code/api/util/Glossary.scala	Confirmed configuration error	High	Medium, preliminary

QSI-2026-17453	Possible hard-coded secret in obp-api/src/main/scala/code/api/util/JwtUtil.scala	Confirmed configuration error	High	Medium, preliminary
QSI-2026-17455	Possible hard-coded secret in obp-api/src/main/scala/code/api/v3_1_0/Http4s310.scala	Confirmed configuration error	High	Medium, preliminary
QSI-2026-17456	Possible hard-coded secret in obp-api/src/main/scala/code/api/v4_0_0/Http4s400.scala	Confirmed configuration error	High	Medium, preliminary
QSI-2026-17457	Possible hard-coded secret in obp-api/src/main/scala/code/api/v5_1_0/Http4s510.scala	Confirmed configuration error	High	Medium, preliminary
QSI-2026-17458	Possible hard-coded secret in obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala	Confirmed configuration error	High	Medium, preliminary
QSI-2026-17459	Possible hard-coded secret in obp-api/src/main/scala/code/paymetngateway/StripeExample.scala	Confirmed configuration error	High	Medium, preliminary
QSI-2026-17460	Possible hard-coded secret in obp-api/src/main/scala/code/sandbox/OBPDataImport.scala	Confirmed configuration error	High	Medium, preliminary
QSI-2026-17461	Possible hard-coded secret in scripts/resource_doc_baseline/lift_resource_docs_v4_0_0.json	Confirmed configuration error	High	Medium, preliminary
QSI-2026-17454	ECB block-cipher mode used in obp-api/src/main/scala/code/api/util/RSAUtil.scala	Potential cryptographic risk	High	Medium, preliminary
QSI-2026-17466	org.xerial.snappy:snappy-java 1.1.10.4 is affected by GHSA-xqrx-qh46-34m7 (CVE-2026-116590)	Known vulnerable component	Medium	Medium
QSI-2026-17467	org.apache.logging.log4j:log4j-api 2.26.0 is affected by GHSA-qv9r-c865-cp47 (CVE-2026-49844)	Known vulnerable component	Medium	Medium
QSI-2026-17469	org.jsoup:jsoup 1.18.3 is affected by GHSA-pmhh-3w7g-xqp8 (CVE-2026-71497)	Known vulnerable component	Medium	Medium
QSI-2026-17470	com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-5m9f-rphj-c435 (CVE-2026-63336)	Known vulnerable component	Medium	Medium
QSI-2026-17474	com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-7822-rcf6-97fx (CVE-2026-106122)	Known vulnerable component	Medium	Medium
QSI-2026-17476	com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-cqgh-8p3p-mx4m (CVE-2026-106121)	Known vulnerable component	Medium	Medium
QSI-2026-17477	com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-h6w7-qmcm-q6xr (CVE-2026-106123)	Known vulnerable component	Medium	Medium
QSI-2026-17479	com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-qx7j-jv8m-fppr (CVE-2026-63335)	Known vulnerable component	Medium	Medium
QSI-2026-17480	com.google.guava:guava 32.0.0-jre is affected by GHSA-xxph-c9ww-hj94 (CVE-2026-102554)	Known vulnerable component	Medium	Medium
QSI-2026-17449	Quantum-vulnerable RSA: key wrapping and data encryption at rest (1 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary

QSI-2026-17448	Quantum-vulnerable RSA: authentication and identity (certificates, tokens, device attestation) (4 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-17451	Quantum-vulnerable RSA: role not determined (3 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-17471	com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-5xwg-cfvj-gff5 (CVE-2026-61634)	Known vulnerable component	Low	Medium
QSI-2026-17439	Quantum-vulnerable RSA key in certificate (app.example.com)	Long-term post-quantum risk	Low	High
QSI-2026-17444	Quantum-vulnerable RSA key in certificate (app.example.com)	Long-term post-quantum risk	Low	High
QSI-2026-17440	Leaf certificate validity of 730 days (app.example.com)	Improvement recommendation	Low	High
QSI-2026-17445	Leaf certificate validity of 730 days (app.example.com)	Improvement recommendation	Low	High
QSI-2026-17441	Self-signed end-entity certificate (app.example.com)	Improvement recommendation	Info	High
QSI-2026-17446	Self-signed end-entity certificate (app.example.com)	Improvement recommendation	Info	High
QSI-2026-17462	No post-quantum capable cryptographic library detected	Insufficient data	Info	Medium, preliminary

Detailed findings

QSI-2026-17438 · CERT-EXPIRED

High

Certificate has expired (app.example.com)

Confirmed configuration error | Confidence: High

The X.509 certificate with subject app.example.com expired on 2025-11-26 (344 days ago).

Affected asset	certificate:app.example.com
Data source	obp-api/src/main/resources/props/sample.props.template
Detection method	X.509 parsing (pyca/cryptography), comparison of notAfter with the analysis time (UTC).
Analyzer	certificates 1.3.0 · 2026-11-06 10:11 UTC
Priority score	61.4 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Clients that validate certificates will refuse connections; users may be trained to ignore warnings.

REPRODUCTION STEPS

```
openssl x509 -in obp-api/src/main/resources/props/sample.props.template -noout -enddate
```

EVIDENCE

certificate · obp-api/src/main/resources/props/sample.props.template · line 2027 · SHA-256 0dda242ea754f035… · File 52cb94e0a128cd3b…

```
Subject: CN=app.example.com
Issuer: CN=app.example.com
Serial: 18c10eb6474
Not before: 2023-11-27T13:15:11+00:00
Not after: 2025-11-26T13:15:11+00:00
Public key: RSA 2048-bit
Signature algorithm: 1.2.840.113549.1.1.11
Signature hash: sha256
CA: False
SAN: -
SHA-256 fingerprint: 25d91ac53796ca8c5598ee6d180ff0efb3919b4592b4ecef1c68fad35b20c726
```

LIMITATIONS OF THE CHECK

Document-based analysis: only the supplied file was examined. Deployed configuration may differ; the result reflects the file content at the recorded SHA-256.

RECOMMENDATION

Renew the certificate and automate renewal (e.g. ACME) with expiry monitoring.

RETEST PROCEDURE

Re-parse the deployed certificate and confirm notAfter is in the future.

NIST SP 800-57 Part 1 Rev. 5 — Recommendation for Key Management

QSI-2026-17443 · CERT-EXPIRED

High

Certificate has expired (app.example.com)

Confirmed configuration error | Confidence: High

The X.509 certificate with subject app.example.com expired on 2025-11-26 (344 days ago).

Affected asset	certificate:app.example.com
Data source	obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala
Detection method	X.509 parsing (pyca/cryptography), comparison of notAfter with the analysis time (UTC).
Analyzer	certificates 1.3.0 · 2026-11-06 10:11 UTC
Priority score	61.4 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Clients that validate certificates will refuse connections; users may be trained to ignore warnings.

REPRODUCTION STEPS

```
openssl x509 -in obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala
-noout -enddate
```

EVIDENCE

certificate · obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala · line 3040 · SHA-256 0dda242ea754f035… · File ef7ccd115d94166f…

```
Subject: CN=app.example.com
Issuer: CN=app.example.com
Serial: 18c10eb6474
Not before: 2023-11-27T13:15:11+00:00
Not after: 2025-11-26T13:15:11+00:00
Public key: RSA 2048-bit
Signature algorithm: 1.2.840.113549.1.1.11
Signature hash: sha256
CA: False
SAN: -
SHA-256 fingerprint: 25d91ac53796ca8c5598ee6d180ff0efb3919b4592b4ecef1c68fad35b20c726
```

LIMITATIONS OF THE CHECK

Document-based analysis: only the supplied file was examined. Deployed configuration may differ; the result reflects the file content at the recorded SHA-256.

RECOMMENDATION

Renew the certificate and automate renewal (e.g. ACME) with expiry monitoring.

RETEST PROCEDURE

Re-parse the deployed certificate and confirm notAfter is in the future.

NIST SP 800-57 Part 1 Rev. 5 — Recommendation for Key Management

QSI-2026-17463 · DEP-KNOWN-ADVISORY

High

org.postgresql:postgresql 42.7.11 is affected by GHSA-j92g-9f8w-j867 (CVE-2026-54291)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-j92g-9f8w-j867 (CVE-2026-54291) for Maven package org.postgresql:postgresql at version 42.7.11: PostgreSQL JDBC Driver: Silent channel-binding authentication downgrade via unsupported certificate algorithms. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/org.postgresql:postgresql@42.7.11
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	50.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-j92g-9f8w-j867
```

EVIDENCE

tool_output · OSV.dev GHSA-j92g-9f8w-j867 · manifest · SHA-256 55c1d9f6200b1c48...


```
{"id": "GHSA-j92g-9f8w-j867", "aliases": ["BIT-postgresql-jdbc-driver-2026-54291",
"CVE-2026-54291"], "modified": "2026-09-10T03:50:12.3770620792", "summary": "PostgreSQL JDBC Driver:
Silent channel-binding authentication downgrade via unsupported certificate algorithms", "severity":
[{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:H/AT:P/PR:N/UI:N/VC:N/VI:H/VA:N/SC:N/SI:L/SA:N"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (42.7.12).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-j92g-9f8w-j867

QSI-2026-17464 · DEP-KNOWN-ADVISORY

High

org.xerial.snappy:snappy-java 1.1.10.4 is affected by GHSA-gwq9-9ffj-mvrv (CVE-2026-93451)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-gwq9-9ffj-mvrv (CVE-2026-93451) for Maven package org.xerial.snappy:snappy-java at version 1.1.10.4: snappy-java: Heap buffer overflow in Snappy.uncompress*Array typed-array methods. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/org.xerial.snappy:snappy-java@1.1.10.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	50.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-gwq9-9ffj-mvrv
```

EVIDENCE

tool_output · OSV.dev GHSA-gwq9-9ffj-mvrv · manifest · SHA-256 6d5b35cc7a996c80...


```
{"id": "GHSA-gwq9-9ffj-mvrv", "aliases": ["CVE-2026-93451"], "modified":
"2026-10-27T15:47:24.498155855Z", "summary": "snappy-java: Heap buffer overflow in
Snappy.uncompress*Array typed-array methods", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/
AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (1.1.10.9).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-gwq9-9ffj-mvrv

QSI-2026-17465 · DEP-KNOWN-ADVISORY

High

org.xerial.snappy:snappy-java 1.1.10.4 is affected by GHSA-q233-g92q-qxp6 (CVE-2026-108106)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-q233-g92q-qxp6 (CVE-2026-108106) for Maven package org.xerial.snappy:snappy-java at version 1.1.10.4: snappy-java: Unbounded memory allocation from attacker-declared uncompressed lengtha. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/org.xerial.snappy:snappy-java@1.1.10.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	50.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-q233-g92q-qxp6
```

EVIDENCE

tool_output · OSV.dev GHSA-q233-g92q-qxp6 · manifest · SHA-256 5073b30c7117c1a1...


```
{"id": "GHSA-q233-g92q-qxp6", "aliases": ["CVE-2026-108106"], "modified":
"2026-10-27T15:47:24.815707184Z", "summary": "snappy-java: Unbounded memory allocation from
attacker-declared uncompressed lengtha", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/
AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (1.1.10.9).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-q233-g92q-qxp6

QSI-2026-17468 · DEP-KNOWN-ADVISORY

High

org.jsoup:jsoup 1.18.3 is affected by GHSA-65r4-943x-97jj (CVE-2026-75140)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-65r4-943x-97jj (CVE-2026-75140) for Maven package org.jsoup:jsoup at version 1.18.3: jsoup XmlTreeBuilder vulnerable to memory exhaustion through deeply nested namespace declarations. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/org.jsoup:jsoup@1.18.3
Data source	OSV.dev

Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	50.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-65r4-943x-97jj
```

EVIDENCE

tool_output · OSV.dev GHSA-65r4-943x-97jj · manifest · SHA-256 a6eff01bbff30178...


```
{"id": "GHSA-65r4-943x-97jj", "aliases": ["CVE-2026-75140"], "modified":
"2026-10-05T22:45:05.710363586Z", "summary": "jsoup XmlTreeBuilder vulnerable to memory exhaustion
through deeply nested namespace declarations", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/
AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}, {"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/
UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (1.23.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-65r4-943x-97jj

QSI-2026-17472 · DEP-KNOWN-ADVISORY

High

com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-68mj-5wr7-6fgg (CVE-2026-69219)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-68mj-5wr7-6fgg (CVE-2026-69219) for Maven package com.rabbitmq:amqp-client at version 5.22.0: RabbitMQ Java client ValueReader: Oversized LongString/bytes length triggers OOM via unchecked allocation. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/com.rabbitmq:amqp-client@5.22.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	50.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-68mj-5wr7-6fgg
```

EVIDENCE

tool_output · OSV.dev GHSA-68mj-5wr7-6fgg · manifest · SHA-256 9fc76e6a96dae44b...


```
{"id": "GHSA-68mj-5wr7-6fgg", "aliases": ["CVE-2026-69219"], "modified":
"2026-09-10T03:51:13.151154373Z", "summary": "RabbitMQ Java client ValueReader: Oversized
LongString/bytes length triggers OOM via unchecked allocation", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/SA:N"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (5.33.1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-68mj-5wr7-6fgg

QSI-2026-17473 · DEP-KNOWN-ADVISORY

High

com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-6g32-pxv4-2wfj (CVE-2026-63337)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-6g32-pxv4-2wfj (CVE-2026-63337) for Maven package com.rabbitmq:amqp-client at version 5.22.0: RabbitMQ Java client: Unvalidated Class.forName in JSON-RPC ProcedureDescription enables arbitrary class loading. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/com.rabbitmq:amqp-client@5.22.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	50.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-6g32-pxv4-2wfj
```

EVIDENCE

tool_output · OSV.dev GHSA-6g32-pxv4-2wfj · manifest · SHA-256 92932aefbff018b9...


```
{"id": "GHSA-6g32-pxv4-2wfj", "aliases": ["CVE-2026-63337"], "modified":
"2026-09-10T03:51:13.214436792Z", "summary": "RabbitMQ Java client: Unvalidated Class.forName in
JSON-RPC ProcedureDescription enables arbitrary class loading", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:L/UI:P/VC:H/VI:H/VA:H/SC:L/SI:L/SA:L"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (5.33.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-6g32-pxv4-2wfj

QSI-2026-17475 · DEP-KNOWN-ADVISORY

High

com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-93j5-89vc-pph4 (CVE-2026-69220)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-93j5-89vc-pph4 (CVE-2026-69220) for Maven package com.rabbitmq:amqp-client at version 5.22.0: RabbitMQ Java client ValueReader: Unbounded recursive table/array nesting causes StackOverflowError DoS. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/com.rabbitmq:amqp-client@5.22.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	50.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-93j5-89vc-pph4
```

EVIDENCE

tool_output · OSV.dev GHSA-93j5-89vc-pph4 · manifest · SHA-256 7e4e5e4e72f01a35...


```
{"id": "GHSA-93j5-89vc-pph4", "aliases": ["CVE-2026-69220"], "modified":
"2026-09-10T03:51:13.771990072Z", "summary": "RabbitMQ Java client ValueReader: Unbounded recursive
table/array nesting causes StackOverflowError DoS", "severity": [{"type": "CVSS_V4", "score":
"CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (5.33.1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-93j5-89vc-pph4

QSI-2026-17478 · DEP-KNOWN-ADVISORY

High

com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-jh4v-gfqj-7rhx (CVE-2026-75516)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-jh4v-gfqj-7rhx (CVE-2026-75516) for Maven package com.rabbitmq:amqp-client at version 5.22.0: RabbitMQ Java client has frame-level OOM: Math.min(maxInboundMessageBodySize, 0) defeats frame size enforcement. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/com.rabbitmq:amqp-client@5.22.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	50.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-jh4v-gfqj-7rhx
```

EVIDENCE

tool_output · OSV.dev GHSA-jh4v-gfqj-7rhx · manifest · SHA-256 e87721f84d12fb27...


```
{"id": "GHSA-jh4v-gfqj-7rhx", "aliases": ["CVE-2026-75516"], "modified":
"2026-09-17T15:00:06.805894716Z", "summary": "RabbitMQ Java client has frame-level OOM:
Math.min(maxInboundMessageBodySize, 0) defeats frame size enforcement", "severity": [{"type":
```

"CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/SA:N"}],
"declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (5.34.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-jh4v-gfqj-7rhx

QSI-2026-17437 · CODE-HARDCODED-SECRET

High

Possible hard-coded secret in obp-api/src/main/resources/docs/introductory_system_documentation.md

Confirmed configuration error | Confidence: Medium | preliminary — requires further verification

1 secret-like value(s) of type generic_assignment (first at line 5126). Values were redacted by QSI.

Affected asset	file:obp-api/src/main/resources/docs/introductory_system_documentation.md
Data source	obp-api/src/main/resources/docs/introductory_system_documentation.md
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC
Priority score	47.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Credentials in source code leak through repositories, builds and logs.

REPRODUCTION STEPS

```
Open line 5126 in the supplied file obp-api/src/main/resources/docs/
introductory_system_documentation.md and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · obp-api/src/main/resources/docs/introductory_system_documentation.md · line 5126 · SHA-256 9f978bb1c5c03768… · File 706e9805de38ccda…

```
 5126 | Authorization: DirectLogin token="[REDACTED]"
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Move secrets to a secrets manager/environment; rotate the exposed values.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

OWASP Application Security Verification Standard

QSI-2026-17442 · CODE-HARDCODED-SECRET

High

Possible hard-coded secret in obp-api/src/main/resources/props/sample.props.template

Confirmed configuration error | Confidence: Medium | preliminary — requires further verification

8 secret-like value(s) of type generic_assignment (first at line 188). Values were redacted by QSI.

Affected asset	file:obp-api/src/main/resources/props/sample.props.template
Data source	obp-api/src/main/resources/props/sample.props.template
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC
Priority score	47.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Credentials in source code leak through repositories, builds and logs.

REPRODUCTION STEPS

```
Open line 188 in the supplied file obp-api/src/main/resources/props/sample.props.template and
inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · obp-api/src/main/resources/props/sample.props.template · line 188 · SHA-256 df11d02a34608f03… · File 52cb94e0a128cd3b…

```
  188 | #keystore.password = [REDACTED]
```

file_excerpt · obp-api/src/main/resources/props/sample.props.template · line 376 · SHA-256 f0f11bd616c66694… · File 52cb94e0a128cd3b…

```
  376 | #db.url=jdbc:postgresql://localhost:5432/dbname?user=dbusername&password=[REDACTED]
```

file_excerpt · obp-api/src/main/resources/props/sample.props.template · line 620 · SHA-256 dbb4be7d2ab4e338… · File 52cb94e0a128cd3b…

```
  620 | connection.password=[REDACTED]
```

file_excerpt · obp-api/src/main/resources/props/sample.props.template · line 1042 · SHA-256 f3a4617d419ff641… · File 52cb94e0a128cd3b…

```
 1042 | # jwt_token_secret=[REDACTED]
```

file_excerpt · obp-api/src/main/resources/props/sample.props.template · line 1457 · SHA-256 5e7423eb90ed1215… · File 52cb94e0a128cd3b…

```
 1457 | # sca_phone_api_key = [REDACTED]
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Move secrets to a secrets manager/environment; rotate the exposed values.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

OWASP Application Security Verification Standard

QSI-2026-17447 · CODE-HARDCODED-SECRET

High

Possible hard-coded secret in obp-api/src/main/scala/code/api/util/APIUtil.scala

Confirmed configuration error | Confidence: Medium | preliminary — requires further verification

2 secret-like value(s) of type jwt (first at line 2917). Values were redacted by QSI.

Affected asset	file:obp-api/src/main/scala/code/api/util/APIUtil.scala
Data source	obp-api/src/main/scala/code/api/util/APIUtil.scala
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC
Priority score	47.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Credentials in source code leak through repositories, builds and logs.

REPRODUCTION STEPS

```
Open line 2917 in the supplied file obp-api/src/main/scala/code/api/util/APIUtil.scala and inspect
the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · obp-api/src/main/scala/code/api/util/APIUtil.scala · line 2917 · SHA-256 71dee0294a08de49... · File 9f72af18e127d466...

```
2917 |       } // Direct Login i.e DirectLogin: token=[REDACTED]
```

file_excerpt · obp-api/src/main/scala/code/api/util/APIUtil.scala · line 2920 · SHA-256 598c88fda5470885... · File 9f72af18e127d466...

```
2920 |       } // Direct Login Deprecated i.e Authorization: DirectLogin token=[REDACTED]
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Move secrets to a secrets manager/environment; rotate the exposed values.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

OWASP Application Security Verification Standard

QSI-2026-17450 · CODE-HARDCODED-SECRET

High

Possible hard-coded secret in obp-api/src/main/scala/code/api/util/DBUtil.scala

Confirmed configuration error | Confidence: Medium | preliminary — requires further verification

1 secret-like value(s) of type generic_assignment (first at line 133). Values were redacted by QSI.

Affected asset	file:obp-api/src/main/scala/code/api/util/DBUtil.scala
Data source	obp-api/src/main/scala/code/api/util/DBUtil.scala
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC
Priority score	47.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Credentials in source code leak through repositories, builds and logs.

REPRODUCTION STEPS

```
Open line 133 in the supplied file obp-api/src/main/scala/code/api/util/DBUtil.scala and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · obp-api/src/main/scala/code/api/util/DBUtil.scala · line 133 · SHA-256 8d79aa1324583ed3... · File f91153c220fc19a2...

```
  133 |     val password = [REDACTED]"password="[REDACTED]"=", 2)(1))
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Move secrets to a secrets manager/environment; rotate the exposed values.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

OWASP Application Security Verification Standard

QSI-2026-17452 · CODE-HARDCODED-SECRET

High

Possible hard-coded secret in obp-api/src/main/scala/code/api/util/Glossary.scala

Confirmed configuration error | Confidence: Medium | preliminary — requires further verification

9 secret-like value(s) of type jwt (first at line 1921). Values were redacted by QSI.

Affected asset	file:obp-api/src/main/scala/code/api/util/Glossary.scala
Data source	obp-api/src/main/scala/code/api/util/Glossary.scala
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC

Priority score	47.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Credentials in source code leak through repositories, builds and logs.

REPRODUCTION STEPS

```
Open line 1921 in the supplied file obp-api/src/main/scala/code/api/util/Glossary.scala and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · obp-api/src/main/scala/code/api/util/Glossary.scala · line 1921 · SHA-256 4708c10c4b5fb11b... · File c87f92b4dbd6585f...

```
1921 |                                |  "jwt":"[REDACTED]",
```

file_excerpt · obp-api/src/main/scala/code/api/util/Glossary.scala · line 1945 · SHA-256 4f06874b3860c92e... · File c87f92b4dbd6585f...

```
1945 |                                |  "jwt":"[REDACTED]",
```

file_excerpt · obp-api/src/main/scala/code/api/util/Glossary.scala · line 1959 · SHA-256 3b0bef94c8711fb9... · File c87f92b4dbd6585f...

```
1959 |                                |Consent-JWT:[REDACTED]-
```

file_excerpt · obp-api/src/main/scala/code/api/util/Glossary.scala · line 2837 · SHA-256 ede5831572efc3ed... · File c87f92b4dbd6585f...

```
2837 | |  "id_token": "[REDACTED]",
```

file_excerpt · obp-api/src/main/scala/code/api/util/Glossary.scala · line 2887 · SHA-256 34ee566587e35991... · File c87f92b4dbd6585f...

```
2887 | |              Authorization: Bearer [REDACTED]
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Move secrets to a secrets manager/environment; rotate the exposed values.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

OWASP Application Security Verification Standard

QSI-2026-17453 · CODE-HARDCODED-SECRET

High

Possible hard-coded secret in obp-api/src/main/scala/code/api/util/JwtUtil.scala

Confirmed configuration error | Confidence: Medium | preliminary — requires further verification

4 secret-like value(s) of type generic_assignment, jwt (first at line 361). Values were redacted by QSI.

Affected asset	file:obp-api/src/main/scala/code/api/util/JwtUtil.scala
Data source	obp-api/src/main/scala/code/api/util/JwtUtil.scala
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC
Priority score	47.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Credentials in source code leak through repositories, builds and logs.

REPRODUCTION STEPS

```
Open line 361 in the supplied file obp-api/src/main/scala/code/api/util/JwtUtil.scala and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · obp-api/src/main/scala/code/api/util/JwtUtil.scala · line 361 · SHA-256 8bcc65a156f914bc... · File b789b486917e9004...

```
361 |     val jwtToken = "[REDACTED]"
```

file_excerpt · obp-api/src/main/scala/code/api/util/JwtUtil.scala · line 366 · SHA-256 04e0c67dadb67261... · File b789b486917e9004...

```
366 |     val idToken = "[REDACTED]"
```

file_excerpt · obp-api/src/main/scala/code/api/util/JwtUtil.scala · line 361 · SHA-256 8bcc65a156f914bc... · File b789b486917e9004...

```
361 |     val jwtToken = "[REDACTED]"
```

file_excerpt · obp-api/src/main/scala/code/api/util/JwtUtil.scala · line 366 · SHA-256 04e0c67dadb67261... · File b789b486917e9004...

```
366 |     val idToken = "[REDACTED]"
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Move secrets to a secrets manager/environment; rotate the exposed values.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

OWASP Application Security Verification Standard

QSI-2026-17455 · CODE-HARDCODED-SECRET

High

Possible hard-coded secret in obp-api/src/main/scala/code/api/v3_1_0/Http4s310.scala

Confirmed configuration error | Confidence: Medium | preliminary — requires further verification

1 secret-like value(s) of type jwt (first at line 4917). Values were redacted by QSI.

Affected asset	file:obp-api/src/main/scala/code/api/v3_1_0/Http4s310.scala
Data source	obp-api/src/main/scala/code/api/v3_1_0/Http4s310.scala
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC
Priority score	47.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Credentials in source code leak through repositories, builds and logs.

REPRODUCTION STEPS

```
Open line 4917 in the supplied file obp-api/src/main/scala/code/api/v3_1_0/Http4s310.scala and
inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · obp-api/src/main/scala/code/api/v3_1_0/Http4s310.scala · line 4917 · SHA-256 45aaa17be5f95a3f... · File 4d7ee2df5ace71e6...

```
4917 |         jwt = "[REDACTED]",
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Move secrets to a secrets manager/environment; rotate the exposed values.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

OWASP Application Security Verification Standard

QSI-2026-17456 · CODE-HARDCODED-SECRET

High

Possible hard-coded secret in obp-api/src/main/scala/code/api/v4_0_0/Http4s400.scala

Confirmed configuration error | Confidence: Medium | preliminary — requires further verification

2 secret-like value(s) of type jwt (first at line 5587). Values were redacted by QSI.

Affected asset	file:obp-api/src/main/scala/code/api/v4_0_0/Http4s400.scala
Data source	obp-api/src/main/scala/code/api/v4_0_0/Http4s400.scala
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC

Priority score	47.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Credentials in source code leak through repositories, builds and logs.

REPRODUCTION STEPS

```
Open line 5587 in the supplied file obp-api/src/main/scala/code/api/v4_0_0/Http4s400.scala and
inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · obp-api/src/main/scala/code/api/v4_0_0/Http4s400.scala · line 5587 · SHA-256 1415241fc995e35f... · File aad66785fdca2f6c...

```
5587 |            "[REDACTED]",
```

file_excerpt · obp-api/src/main/scala/code/api/v4_0_0/Http4s400.scala · line 5619 · SHA-256 a7a854d4f794bc16... · File aad66785fdca2f6c...

```
5619 |            "[REDACTED]",
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Move secrets to a secrets manager/environment; rotate the exposed values.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

OWASP Application Security Verification Standard

QSI-2026-17457 · CODE-HARDCODED-SECRET

High

Possible hard-coded secret in obp-api/src/main/scala/code/api/v5_1_0/Http4s510.scala

Confirmed configuration error | Confidence: Medium | preliminary — requires further verification

4 secret-like value(s) of type jwt (first at line 3327). Values were redacted by QSI.

Affected asset	file:obp-api/src/main/scala/code/api/v5_1_0/Http4s510.scala
Data source	obp-api/src/main/scala/code/api/v5_1_0/Http4s510.scala
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC
Priority score	47.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Credentials in source code leak through repositories, builds and logs.

REPRODUCTION STEPS

```
Open line 3327 in the supplied file obp-api/src/main/scala/code/api/v5_1_0/Http4s510.scala and
inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · obp-api/src/main/scala/code/api/v5_1_0/Http4s510.scala · line 3327 · SHA-256 14aa4e819e9718f8… · File 0ebd3e1e442acc63…

```
3327 |       ConsumerJwtPostJsonV510("[REDACTED]"),
```

file_excerpt · obp-api/src/main/scala/code/api/v5_1_0/Http4s510.scala · line 4329 · SHA-256 5fb105bd40a5ea95… · File 0ebd3e1e442acc63…

```
4329 |         jwt = "[REDACTED]",
```

file_excerpt · obp-api/src/main/scala/code/api/v5_1_0/Http4s510.scala · line 4385 · SHA-256 b6fb5fc9b9fda1be… · File 0ebd3e1e442acc63…

```
4385 |         jwt = "[REDACTED]",
```

file_excerpt · obp-api/src/main/scala/code/api/v5_1_0/Http4s510.scala · line 4441 · SHA-256 23843f240713d2c6… · File 0ebd3e1e442acc63…

```
4441 |         jwt = "[REDACTED]",
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Move secrets to a secrets manager/environment; rotate the exposed values.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

OWASP Application Security Verification Standard

QSI-2026-17458 · CODE-HARDCODED-SECRET

High

Possible hard-coded secret in obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala

Confirmed configuration error | Confidence: Medium | preliminary — requires further verification

3 secret-like value(s) of type generic_assignment, jwt (first at line 9610). Values were redacted by QSI.

Affected asset	file:obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala
Data source	obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC
Priority score	47.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Credentials in source code leak through repositories, builds and logs.

REPRODUCTION STEPS

```
Open line 9610 in the supplied file obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala and
inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala · line 13221 · SHA-256 c7c551212314b66c… · File 010d6af6b5856eb9…

```
13221 |          JSONFactory600.createTokenJSON("[REDACTED]"),
```

file_excerpt · obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala · line 9610 · SHA-256 30bb303e069156eb… · File 010d6af6b5856eb9…

```
 9610 |          client_secret = "[REDACTED]"
```

file_excerpt · obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala · line 12748 · SHA-256 29aedecdc352e146… · File 010d6af6b5856eb9…

```
12748 |            token = "[REDACTED]"
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Move secrets to a secrets manager/environment; rotate the exposed values.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

OWASP Application Security Verification Standard

QSI-2026-17459 · CODE-HARDCODED-SECRET

High

Possible hard-coded secret in obp-api/src/main/scala/code/paymetngateway/StripeExample.scala

Confirmed configuration error | Confidence: Medium | preliminary — requires further verification

1 secret-like value(s) of type generic_assignment (first at line 42). Values were redacted by QSI.

Affected asset	file:obp-api/src/main/scala/code/paymetngateway/StripeExample.scala
Data source	obp-api/src/main/scala/code/paymetngateway/StripeExample.scala
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC
Priority score	47.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Credentials in source code leak through repositories, builds and logs.

REPRODUCTION STEPS

```
Open line 42 in the supplied file obp-api/src/main/scala/code/paymetngateway/StripeExample.scala and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · obp-api/src/main/scala/code/paymetngateway/StripeExample.scala · line 42 · SHA-256 4832568d60d67376… · File 4fe4c8e066ff25a0…

```
   42 |     Stripe.apiKey = "[REDACTED]"
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Move secrets to a secrets manager/environment; rotate the exposed values.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

OWASP Application Security Verification Standard

QSI-2026-17460 · CODE-HARDCODED-SECRET

High

Possible hard-coded secret in obp-api/src/main/scala/code/sandbox/OBPDataImport.scala

Confirmed configuration error | Confidence: Medium | preliminary — requires further verification

2 secret-like value(s) of type generic_assignment (first at line 815). Values were redacted by QSI.

Affected asset	file:obp-api/src/main/scala/code/sandbox/OBPDataImport.scala
Data source	obp-api/src/main/scala/code/sandbox/OBPDataImport.scala
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC
Priority score	47.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Credentials in source code leak through repositories, builds and logs.

REPRODUCTION STEPS

```
Open line 815 in the supplied file obp-api/src/main/scala/code/sandbox/OBPDataImport.scala and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · obp-api/src/main/scala/code/sandbox/OBPDataImport.scala · line 815 · SHA-256 8ffc27b6c250f11a… · File 567ad0163c249219…

```
  815 |   val user1 = SandboxUserImport(email = "user1@example.com", password = "[REDACTED]",
user_name = "User 1")
```

file_excerpt · obp-api/src/main/scala/code/sandbox/OBPDataImport.scala · line 816 · SHA-256 9784bcbafb4b541a… · File 567ad0163c249219…

```
  816 |   val user2 = SandboxUserImport(email = "user2@example.com", password = "[REDACTED]",
user_name = "User 2")
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Move secrets to a secrets manager/environment; rotate the exposed values.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

OWASP Application Security Verification Standard

QSI-2026-17461 · CODE-HARDCODED-SECRET

High

Possible hard-coded secret in scripts/resource_doc_baseline/lift_resource_docs_v4_0_0.json

Confirmed configuration error | Confidence: Medium | preliminary — requires further verification

3 secret-like value(s) of type generic_assignment, jwt (first at line 784). Values were redacted by QSI.

Affected asset	file:scripts/resource_doc_baseline/lift_resource_docs_v4_0_0.json
Data source	scripts/resource_doc_baseline/lift_resource_docs_v4_0_0.json
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC
Priority score	47.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Credentials in source code leak through repositories, builds and logs.

REPRODUCTION STEPS

```
Open line 784 in the supplied file scripts/resource_doc_baseline/lift_resource_docs_v4_0_0.json and
inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · scripts/resource_doc_baseline/lift_resource_docs_v4_0_0.json · line 2038 · SHA-256 9a892ce1aed01795… · File 2ff65ec9486cd877…

```
 2038 |       "success_response_body": "ConsentChallengeJsonV310(\n       consent_id =
\"9d429899-24f5-42c8-8565-943ffa6a7945\",\n       jwt =\n         \"[REDACTED]\",\n       status =
\"AUTHORISED\"\n     )",
```

file_excerpt · scripts/resource_doc_baseline/lift_resource_docs_v4_0_0.json · line 2049 · SHA-256 257915153b75ccbb… · File 2ff65ec9486cd877…

```
 2049 |       "success_response_body": "ConsentChallengeJsonV310(\n       consent_id =
\"9d429899-24f5-42c8-8565-943ffa6a7945\",\n       jwt =\n         \"[REDACTED]\",\n       status =
\"AUTHORISED\"\n     )",
```

file_excerpt · scripts/resource_doc_baseline/lift_resource_docs_v4_0_0.json · line 784 · SHA-256 4d569836ba65f375… · File 2ff65ec9486cd877…

```
  784 |       "example_request_body": "PostUserInvitationAnonymousJsonV400(secret_key = [REDACTED]",
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Move secrets to a secrets manager/environment; rotate the exposed values.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

OWASP Application Security Verification Standard

QSI-2026-17454 · CODE-ECB-MODE

High

ECB block-cipher mode used in obp-api/src/main/scala/code/api/util/RSAUtil.scala

Potential cryptographic risk | Confidence: Medium | preliminary — requires further verification

1 usage(s) of ECB mode (first at line 44).

Affected asset	file:obp-api/src/main/scala/code/api/util/RSAUtil.scala
Data source	obp-api/src/main/scala/code/api/util/RSAUtil.scala
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC
Priority score	38.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

ECB reveals patterns in encrypted data and provides no integrity.

REPRODUCTION STEPS

```
Open line 44 in the supplied file obp-api/src/main/scala/code/api/util/RSAUtil.scala and inspect the
quoted lines (see evidence).
```

EVIDENCE

file_excerpt · obp-api/src/main/scala/code/api/util/RSAUtil.scala · line 44 · SHA-256 ab13caf4ff640725… · File 6a54aa33f128bfeb…

```
   42 | object RSAUtil  extends MdcLoggable {
   43 |
   44 |   val cryptoSystem = "RSA/ECB/OAEPWithSHA-256AndMGF1Padding"
   45 |
   46 |   def encrypt(text: String): String = {
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Use an AEAD mode (GCM) with unique nonces.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

NIST SP 800-131A Rev. 2 — Transitioning the Use of Cryptographic Algorithms and Key Lengths

QSI-2026-17466 · DEP-KNOWN-ADVISORY

Medium

org.xerial.snappy:snappy-java 1.1.10.4 is affected by GHSA-xqrx-qh46-34m7 (CVE-2026-116590)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-xqrx-qh46-34m7 (CVE-2026-116590) for Maven package org.xerial.snappy:snappy-java at version 1.1.10.4: snappy-java: JVM crash from unchecked ranges in Snappy.arrayCopy and SnappyOutputStream.rawWrite. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/org.xerial.snappy:snappy-java@1.1.10.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	5.9 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-xqrx-qh46-34m7
```

EVIDENCE

tool_output · OSV.dev GHSA-xqrx-qh46-34m7 · manifest · SHA-256 1e47744c23c7bc7c...


```
{"id": "GHSA-xqrx-qh46-34m7", "aliases": ["CVE-2026-116590"], "modified":
"2026-10-27T15:47:25.122359555Z", "summary": "snappy-java: JVM crash from unchecked ranges in
Snappy.arrayCopy and SnappyOutputStream.rawWrite", "severity": [{"type": "CVSS_V3", "score":
"CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (1.1.10.9).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-xqrx-qh46-34m7

QSI-2026-17467 · DEP-KNOWN-ADVISORY

Medium

org.apache.logging.log4j:log4j-api 2.26.0 is affected by GHSA-qv9r-c865-cp47 (CVE-2026-49844)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-qv9r-c865-cp47 (CVE-2026-49844) for Maven package org.apache.logging.log4j:log4j-api at version 2.26.0: Apache Log4j API: Improper encoding of non-finite floating-point values during MapMessage JSON serialization. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/org.apache.logging.log4j:log4j-api@2.26.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-qv9r-c865-cp47
```

EVIDENCE

tool_output · OSV.dev GHSA-qv9r-c865-cp47 · manifest · SHA-256 207fe7bc67e70e46…


```
{"id": "GHSA-qv9r-c865-cp47", "aliases": ["CVE-2026-49844"], "modified":
"2026-09-10T03:50:52.972700022Z", "summary": "Apache Log4j API: Improper encoding of non-finite
floating-point values during MapMessage JSON serialization", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:N/VI:N/VA:N/SC:N/SI:L/SA:N"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (2.25.5, 2.26.1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-qv9r-c865-cp47

QSI-2026-17469 · DEP-KNOWN-ADVISORY

Medium

org.jsoup:jsoup 1.18.3 is affected by GHSA-pmhh-3w7g-xqp8 (CVE-2026-71497)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-pmhh-3w7g-xqp8 (CVE-2026-71497) for Maven package org.jsoup:jsoup at version 1.18.3: jsoup: Cleaner may expose markup with custom raw-text elements. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/org.jsoup:jsoup@1.18.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	4.7 — CVSS:3.1/AV:N/AC:H/PR:N/UI:R/S:C/C:L/I:L/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-pmhh-3w7g-xqp8
```

EVIDENCE

tool_output · OSV.dev GHSA-pmhh-3w7g-xqp8 · manifest · SHA-256 78cdc8fec250f8e9...


```
{"id": "GHSA-pmhh-3w7g-xqp8", "aliases": ["CVE-2026-71497"], "modified":
"2026-09-10T03:50:53.809983880Z", "summary": "jsoup: Cleaner may expose markup with custom raw-text
elements", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:N/UI:R/S:C/C:L/I:L/
A:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (1.23.1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-pmhh-3w7g-xqp8

QSI-2026-17470 · DEP-KNOWN-ADVISORY

Medium

com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-5m9f-rphj-c435 (CVE-2026-63336)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-5m9f-rphj-c435 (CVE-2026-63336) for Maven package com.rabbitmq:amqp-client at version 5.22.0: RabbitMQ Java client: TrustEverythingTrustManager

used by default in useSslProtocol() enables MITM. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/com.rabbitmq:amqp-client@5.22.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-5m9f-rphj-c435
```

EVIDENCE

tool_output · OSV.dev GHSA-5m9f-rphj-c435 · manifest · SHA-256 df1f24662e55c01f...


```
{"id": "GHSA-5m9f-rphj-c435", "aliases": ["CVE-2026-63336"], "modified":
"2026-09-10T03:51:13.150501327Z", "summary": "RabbitMQ Java client: TrustEverythingTrustManager used
by default in useSslProtocol() enables MITM", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/
AV:N/AC:L/AT:P/PR:L/UI:N/VC:N/VI:N/VA:N/SC:H/SI:L/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (5.33.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-5m9f-rphj-c435

QSI-2026-17474 · DEP-KNOWN-ADVISORY

Medium

com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-7822-rcf6-97fx (CVE-2026-106122)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-7822-rcf6-97fx (CVE-2026-106122) for Maven package com.rabbitmq:amqp-client at version 5.22.0: RabbitMQ: Malformed UTF-8 in shortstr properties permanently disables RPC consumers. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/com.rabbitmq:amqp-client@5.22.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.

Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-7822-rcf6-97fx
```

EVIDENCE

tool_output · OSV.dev GHSA-7822-rcf6-97fx · manifest · SHA-256 714a9992d656cfa7...


```
{"id": "GHSA-7822-rcf6-97fx", "aliases": ["CVE-2026-106122"], "modified":
"2026-10-07T20:30:07.156315722Z", "summary": "RabbitMQ: Malformed UTF-8 in shortstr properties
permanently disables RPC consumers", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/
AT:P/PR:L/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (5.36.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-7822-rcf6-97fx

QSI-2026-17476 · DEP-KNOWN-ADVISORY

Medium

com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-cqgh-8p3p-mx4m (CVE-2026-106121)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-cqgh-8p3p-mx4m (CVE-2026-106121) for Maven package com.rabbitmq:amqp-client at version 5.22.0: RabbitMQ: JSONReader in the default JSON-RPC mapper never terminates on truncated input, causing DoS. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/com.rabbitmq:amqp-client@5.22.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	4.9 — CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-cqgh-8p3p-mx4m
```

EVIDENCE

tool_output · OSV.dev GHSA-cqgh-8p3p-mx4m · manifest · SHA-256 d186581ae9580ffa...


```
{"id": "GHSA-cqgh-8p3p-mx4m", "aliases": ["CVE-2026-106121"], "modified":
"2026-10-07T21:00:04.481305005Z", "summary": "RabbitMQ: JSONReader in the default JSON-RPC mapper
never terminates on truncated input, causing DoS", "severity": [{"type": "CVSS_V3", "score":
"CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (5.36.1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-cqgh-8p3p-mx4m

QSI-2026-17477 · DEP-KNOWN-ADVISORY

Medium

com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-h6w7-qmcm-q6xr (CVE-2026-106123)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-h6w7-qmcm-q6xr (CVE-2026-106123) for Maven package com.rabbitmq:amqp-client at version 5.22.0: RabbitMQ Java client: plaintext broker credentials leaked in exception message from ConnectionFactoryConfigurator.load(). The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/com.rabbitmq:amqp-client@5.22.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	5.5 — CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-h6w7-qmcm-q6xr
```

EVIDENCE

tool_output · OSV.dev GHSA-h6w7-qmcm-q6xr · manifest · SHA-256 02a97ab4cfa70da6...


```
{"id": "GHSA-h6w7-qmcm-q6xr", "aliases": ["CVE-2026-106123"], "modified":
"2026-10-19T19:45:04.498976139Z", "summary": "RabbitMQ Java client: plaintext broker credentials
leaked in exception message from ConnectionFactoryConfigurator.load()", "severity": [{"type":
"CVSS_V3", "score": "CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:N/A:N"}, {"type": "CVSS_V4", "score":
"CVSS:4.0/AV:L/AC:L/AT:P/PR:L/UI:N/VC:H/VI:N/VA:N/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (5.35.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-h6w7-qmcm-q6xr

QSI-2026-17479 · DEP-KNOWN-ADVISORY

Medium

com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-qx7j-jv8m-fppr (CVE-2026-63335)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-qx7j-jv8m-fppr (CVE-2026-63335) for Maven package com.rabbitmq:amqp-client at version 5.22.0: RabbitMQ Java client malformed body frame triggers raw command assembler exception. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/com.rabbitmq:amqp-client@5.22.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-qx7j-jv8m-fppr
```

EVIDENCE

tool_output · OSV.dev GHSA-qx7j-jv8m-fppr · manifest · SHA-256 8945a9e701ebd554…


```
{"id": "GHSA-qx7j-jv8m-fppr", "aliases": ["CVE-2026-63335"], "modified":
"2026-09-10T03:50:54.002021426Z", "summary": "RabbitMQ Java client malformed body frame triggers raw
command assembler exception", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/
PR:L/UI:N/VC:N/VI:N/VA:N/SC:N/SI:N/SA:H"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (5.31.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-qx7j-jv8m-fppr

QSI-2026-17480 · DEP-KNOWN-ADVISORY

Medium

com.google.guava:guava 32.0.0-jre is affected by GHSA-xxph-c9ww-hj94 (CVE-2026-102554)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-xxph-c9ww-hj94 (CVE-2026-102554) for Maven package com.google.guava:guava at version 32.0.0-jre: Google Guava: CompactHashMap/CompactHashSet/MapMakerInternalMap deserialization triggers uncontrolled memory allocation. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/com.google.guava:guava@32.0.0-jre
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	5.9 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-xxph-c9ww-hj94
```

EVIDENCE

tool_output · OSV.dev GHSA-xxph-c9ww-hj94 · manifest · SHA-256 644d94f8abc6f123…


```
{"id": "GHSA-xxph-c9ww-hj94", "aliases": ["CVE-2026-102554"], "modified":
"2026-10-27T14:45:04.803511466Z", "summary": "Google Guava: CompactHashMap/CompactHashSet/
MapMakerInternalMap deserialization triggers uncontrolled memory allocation", "severity": [{"type":
```

"CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H"}, {"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (33.7.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-xxph-c9ww-hj94

QSI-2026-17449 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable RSA: key wrapping and data encryption at rest (1 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

1 reference(s) to RSA across 1 file(s), e.g. obp-api/src/main/scala/code/api/util/CertificateUtil.scala:232. Role, judged from paths, function names and nearby code: key wrapping and data encryption at rest. Keys or data encrypted to these public keys are stored: anyone who copies them now decrypts them once a CRQC exists (harvest now, decrypt later).

Affected asset	source-code:RSA:key_wrapping
Data source	obp-api/src/main/scala/code/api/util/CertificateUtil.scala
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC
Priority score	36.9 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open obp-api/src/main/scala/code/api/util/CertificateUtil.scala:232 and inspect the quoted lines;
the evidence lists further files.
```

EVIDENCE

file_excerpt · obp-api/src/main/scala/code/api/util/CertificateUtil.scala · line 232 · SHA-256 7e6a56123c8c6b3d… · File b51a5a90b224e387…

```
231 |     // Request JWT encrypted with RSA-OAEP-256 and 128-bit AES/GCM
232 |     val header = new JWEHeader(JWEAlgorithm.RSA_OAEP_256, EncryptionMethod.A128GCM)
233 |     // Create an encrypter with the specified public RSA key
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Wrap keys with ML-KEM or a hybrid KEM (X25519 + ML-KEM-768) and re-wrap the stored keys; data that may already have been copied needs its own assessment.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-17448 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable RSA: authentication and identity (certificates, tokens, device attestation) (4 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

7 reference(s) to RSA across 4 file(s), e.g. obp-api/src/main/scala/code/api/util/BerlinGroupSigning.scala:95. Role, judged from paths, function names and nearby code: authentication and identity (certificates, tokens, device attestation). Short-lived authentication stays safe until a CRQC exists; long-lived identities (device attestation, CA and SSH keys) need a plan earlier.

Affected asset	source-code:RSA:authentication
Data source	obp-api/src/main/scala/code/api/util/BerlinGroupSigning.scala
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC
Priority score	34.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open obp-api/src/main/scala/code/api/util/BerlinGroupSigning.scala:95 and inspect the quoted lines;
the evidence lists further files.
```

EVIDENCE

file_excerpt · obp-api/src/main/scala/code/api/util/BerlinGroupSigning.scala · line 95 · SHA-256 55ef8a46b3449c4c... · File 735211d144848843...

```
   94 |     val privateKey: [REDACTED] = loadPrivateKey(privateKeyPem)
   95 |     val signature = Signature.getInstance("SHA256withRSA")
   96 |     signature.initSign(privateKey)
```

file_excerpt · obp-api/src/main/scala/code/api/util/BerlinGroupSigning.scala · line 110 · SHA-256 12c08357b82ad790… · File 735211d144848843…

```
  109 |     val keySpec = new PKCS8EncodedKeySpec(decodedKey)
  110 |     KeyFactory.getInstance("RSA").generatePrivate(keySpec)
  111 |   }
```

file_excerpt · obp-api/src/main/scala/code/api/util/BerlinGroupSigning.scala · line 120 · SHA-256 a2ecf53b7d25d57a… · File 735211d144848843…

```
  119 |     logger.debug(s"signatureStr: $signatureStr")
  120 |     val signature = Signature.getInstance("SHA256withRSA")
  121 |     signature.initVerify(publicKey)
```

file_excerpt · obp-api/src/main/scala/code/api/util/JwsUtil.scala · line 255 · SHA-256 e46c21f28a6d1282… · File bc75d8ade88fafba…

```
  254 |     logger.debug("signRequestResponseCommon says before Create and sign JWS")
  255 |     val jwsProtectedHeader: JWSHeader = new JWSHeader.Builder(JWSAlgorithm.RS256)
  256 |       .base64URLEncodePayload(false)
```

file_excerpt · obp-api/src/main/scala/code/api/util/JwtUtil.scala · line 259 · SHA-256 27efd592a76590f2… · File b789b486917e9004…

```
  258 |     // The JWS algorithm of the access tokens
  259 |     val jwsAlg: JWSAlgorithm = getAlgorithm(accessToken).getOrElse(JWSAlgorithm.RS256)
  260 |
```

file_excerpt · obp-api/src/main/scala/code/api/util/JwtUtil.scala · line 298 · SHA-256 3ec5cca9c6e717d3… · File b789b486917e9004…

```
  297 |     val clientID: ClientID = new ClientID(aud)
  298 |     val jwsAlg: JWSAlgorithm = getAlgorithm(idToken).getOrElse(JWSAlgorithm.RS256)
  299 |     val jwkSetSource = getOrCreateRemoteJWKSet(remoteJWKSetUrl)
```

file_excerpt · obp-api/src/main/scala/code/api/util/SelfSignedCertificateUtil.scala · line 68 · SHA-256 6d57ed7b3c94dee1… · File 4dfcd06ec75fd07b…

```
   67 |     Security.addProvider(new BouncyCastleProvider)
   68 |     val keyPairGenerator = KeyPairGenerator.getInstance("RSA", bcProvider) // Define RSA as
the algorithm for a key creation
   69 |     keyPairGenerator.initialize(2048) // Define 2048 as the size of the key
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Keep credentials short-lived and plan ML-DSA certificates, tokens and keys as the ecosystem supports them.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-17451 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable RSA: role not determined (3 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

3 reference(s) to RSA across 3 file(s), e.g. obp-api/src/main/scala/code/api/util/Glossary.scala:3097. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:RSA:general
Data source	obp-api/src/main/scala/code/api/util/Glossary.scala
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 10:11 UTC
Priority score	34.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open obp-api/src/main/scala/code/api/util/Glossary.scala:3097 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · obp-api/src/main/scala/code/api/util/Glossary.scala · line 3097 · SHA-256 f094b45aa114d51c… · File c87f92b4dbd6585f…

```
3096 | |{
3097 | |  "alg": "RS256",
3098 | |  "typ": "JWT"
```

file_excerpt · obp-api/src/main/scala/code/api/util/RSAUtil.scala · line 70 · SHA-256 c8ba344a7fe82866… · File 6a54aa33f128bfeb…

```
 69 |     val jwsObject = new JWSObject(
 70 |       new JWSHeader.Builder(JWSAlgorithm.RS256).build,
 71 |       new Payload(payload)
```

file_excerpt · obp-api/src/main/scala/code/messageoutbox/WebhookOutbox.scala · line 111 · SHA-256 3737a23ccaa6d6e5… · File 2d2891ef1349cd66…

```
110 |     val keyId = new RSAKey.Builder(publicKey).keyIDFromThumbprint().build().getKeyID
111 |     val header = new JWSHeader.Builder(JWSAlgorithm.RS256)
112 |       .keyID(keyId)
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability.

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-17471 · DEP-KNOWN-ADVISORY

Low

com.rabbitmq:amqp-client 5.22.0 is affected by GHSA-5xwg-cfvj-gff5 (CVE-2026-61634)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-5xwg-cfvj-gff5 (CVE-2026-61634) for Maven package com.rabbitmq:amqp-client at version 5.22.0: RabbitMQ Java client accepts broker frames larger than the negotiated AMQP frame_max. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Maven/com.rabbitmq:amqp-client@5.22.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	39.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-5xwg-cfvj-gff5
```

EVIDENCE

tool_output · OSV.dev GHSA-5xwg-cfvj-gff5 · manifest · SHA-256 6f72836321403b85…


```
{"id": "GHSA-5xwg-cfvj-gff5", "aliases": ["CVE-2026-61634"], "modified":
"2026-09-10T03:51:13.134044568Z", "summary": "RabbitMQ Java client accepts broker frames larger than
the negotiated AMQP frame_max", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:H/AT:P/
PR:N/UI:N/VC:N/VI:N/VA:N/SC:N/SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (5.33.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-5xwg-cfvj-gff5

QSI-2026-17439 · CERT-QV-KEY

Low

Quantum-vulnerable RSA key in certificate (app.example.com)

Long-term post-quantum risk | Confidence: High

The certificate app.example.com uses a RSA 2048-bit public key, valid until 2025-11-26. RSA is broken by Shor's algorithm on a CRQC.

Affected asset	certificate:app.example.com
Data source	obp-api/src/main/resources/props/sample.props.template
Detection method	X.509 public key algorithm identification.
Analyzer	certificates 1.3.0 · 2026-11-06 10:11 UTC
Priority score	36.5 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=0.0, y=5.0, z=8.0 → time available under this scenario

POTENTIAL IMPACT

For authentication, risk materializes only once a CRQC exists while the key/certificate is still trusted. Certificates are short-lived, so the main concern is the PKI and long-lived roots/ intermediates.

REPRODUCTION STEPS

```
openssl x509 -in obp-api/src/main/resources/props/sample.props.template -noout -text | grep -A2
'Public Key Algorithm'
```

EVIDENCE

certificate · obp-api/src/main/resources/props/sample.props.template · line 2027 · SHA-256 0dda242ea754f035… · File 52cb94e0a128cd3b…

```
Subject: CN=app.example.com
Issuer: CN=app.example.com
Serial: 18c10eb6474
Not before: 2023-11-27T13:15:11+00:00
Not after: 2025-11-26T13:15:11+00:00
Public key: RSA 2048-bit
Signature algorithm: 1.2.840.113549.1.1.11
Signature hash: sha256
CA: False
SAN: -
SHA-256 fingerprint: 25d91ac53796ca8c5598ee6d180ff0efb3919b4592b4ecef1c68fad35b20c726
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability.

RECOMMENDATION

Track in the PQC inventory; prefer short certificate lifetimes; follow CA/Browser Forum and NIST PQC transition guidance for ML-DSA certificates.

RETEST PROCEDURE

Re-audit once PQC or hybrid certificates are deployed.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-17444 · CERT-QV-KEY

Low

Quantum-vulnerable RSA key in certificate (app.example.com)

Long-term post-quantum risk | Confidence: High

The certificate app.example.com uses a RSA 2048-bit public key, valid until 2025-11-26. RSA is broken by Shor's algorithm on a CRQC.

Affected asset	certificate:app.example.com
Data source	obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala
Detection method	X.509 public key algorithm identification.
Analyzer	certificates 1.3.0 · 2026-11-06 10:11 UTC
Priority score	36.5 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=0.0, y=5.0, z=8.0 → time available under this scenario

POTENTIAL IMPACT

For authentication, risk materializes only once a CRQC exists while the key/certificate is still trusted. Certificates are short-lived, so the main concern is the PKI and long-lived roots/intermediates.

REPRODUCTION STEPS

```
openssl x509 -in obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala
-noout -text | grep -A2 'Public Key Algorithm'
```

EVIDENCE

certificate · obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala · line 3040 · SHA-256 0dda242ea754f035… · File ef7ccd115d94166f…

```
Subject: CN=app.example.com
Issuer: CN=app.example.com
Serial: 18c10eb6474
Not before: 2023-11-27T13:15:11+00:00
Not after: 2025-11-26T13:15:11+00:00
Public key: RSA 2048-bit
Signature algorithm: 1.2.840.113549.1.1.11
Signature hash: sha256
CA: False
SAN: -
SHA-256 fingerprint: 25d91ac53796ca8c5598ee6d180ff0efb3919b4592b4ecef1c68fad35b20c726
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability.

RECOMMENDATION

Track in the PQC inventory; prefer short certificate lifetimes; follow CA/Browser Forum and NIST PQC transition guidance for ML-DSA certificates.

RETEST PROCEDURE

Re-audit once PQC or hybrid certificates are deployed.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-17440 · CERT-LONG-VALIDITY

Low

Leaf certificate validity of 730 days (app.example.com)

Improvement recommendation | Confidence: High

The end-entity certificate is valid for 730 days. Publicly trusted TLS certificates are limited to 398 days today, and CA/Browser Forum rules are reducing this further.

Affected asset	certificate:app.example.com
Data source	obp-api/src/main/resources/props/sample.props.template
Detection method	X.509 validity period computation.
Analyzer	certificates 1.3.0 · 2026-11-06 10:11 UTC
Priority score	30.9 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Long-lived certificates extend exposure if the key is compromised and slow down algorithm migration.

REPRODUCTION STEPS

```
openssl x509 -in obp-api/src/main/resources/props/sample.props.template -noout -dates
```

EVIDENCE

certificate · obp-api/src/main/resources/props/sample.props.template · line 2027 · SHA-256 0dda242ea754f035... · File 52cb94e0a128cd3b...

```
Subject: CN=app.example.com
Issuer: CN=app.example.com
Serial: 18c10eb6474
Not before: 2023-11-27T13:15:11+00:00
Not after: 2025-11-26T13:15:11+00:00
Public key: RSA 2048-bit
Signature algorithm: 1.2.840.113549.1.1.11
Signature hash: sha256
CA: False
SAN: -
SHA-256 fingerprint: 25d91ac53796ca8c5598ee6d180ff0efb3919b4592b4ecef1c68fad35b20c726
```

LIMITATIONS OF THE CHECK

Document-based analysis: only the supplied file was examined. Deployed configuration may differ; the result reflects the file content at the recorded SHA-256. Private-PKI certificates may intentionally use other policies.

RECOMMENDATION

Use shorter validity with automated renewal.

RETEST PROCEDURE

Check notBefore/notAfter of the next issuance.

NIST SP 800-57 Part 1 Rev. 5 — Recommendation for Key Management

QSI-2026-17445 · CERT-LONG-VALIDITY

Low

Leaf certificate validity of 730 days (app.example.com)

Improvement recommendation | Confidence: High

The end-entity certificate is valid for 730 days. Publicly trusted TLS certificates are limited to 398 days today, and CA/Browser Forum rules are reducing this further.

Affected asset	certificate:app.example.com
Data source	obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala
Detection method	X.509 validity period computation.
Analyzer	certificates 1.3.0 · 2026-11-06 10:11 UTC
Priority score	30.9 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Long-lived certificates extend exposure if the key is compromised and slow down algorithm migration.

REPRODUCTION STEPS

```
openssl x509 -in obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala
-noout -dates
```

EVIDENCE

certificate · obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala · line 3040 · SHA-256 0dda242ea754f035… · File ef7ccd115d94166f…

```
Subject: CN=app.example.com
Issuer: CN=app.example.com
Serial: 18c10eb6474
Not before: 2023-11-27T13:15:11+00:00
Not after: 2025-11-26T13:15:11+00:00
Public key: RSA 2048-bit
Signature algorithm: 1.2.840.113549.1.1.11
Signature hash: sha256
CA: False
SAN: -
SHA-256 fingerprint: 25d91ac53796ca8c5598ee6d180ff0efb3919b4592b4ecef1c68fad35b20c726
```

LIMITATIONS OF THE CHECK

Document-based analysis: only the supplied file was examined. Deployed configuration may differ; the result reflects the file content at the recorded SHA-256. Private-PKI certificates may intentionally use other policies.

RECOMMENDATION

Use shorter validity with automated renewal.

RETEST PROCEDURE

Check notBefore/notAfter of the next issuance.

NIST SP 800-57 Part 1 Rev. 5 — Recommendation for Key Management

QSI-2026-17441 · CERT-SELF-SIGNED

Info

Self-signed end-entity certificate (app.example.com)

Improvement recommendation | Confidence: High

Issuer equals subject and the certificate is not marked as a CA.

Affected asset	certificate:app.example.com
Data source	obp-api/src/main/resources/props/sample.props.template
Detection method	X.509 issuer/subject comparison, BasicConstraints.
Analyzer	certificates 1.3.0 · 2026-11-06 10:11 UTC
Priority score	32.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Clients cannot validate it against a trust anchor unless pinned; may encourage disabling verification.

REPRODUCTION STEPS

```
openssl x509 -in obp-api/src/main/resources/props/sample.props.template -noout -issuer -subject
```

EVIDENCE

certificate · obp-api/src/main/resources/props/sample.props.template · line 2027 · SHA-256 0dda242ea754f035… · File 52cb94e0a128cd3b…

```
Subject: CN=app.example.com
Issuer: CN=app.example.com
Serial: 18c10eb6474
Not before: 2023-11-27T13:15:11+00:00
Not after: 2025-11-26T13:15:11+00:00
Public key: RSA 2048-bit
Signature algorithm: 1.2.840.113549.1.1.11
Signature hash: sha256
CA: False
SAN: -
SHA-256 fingerprint: 25d91ac53796ca8c5598ee6d180ff0efb3919b4592b4ecef1c68fad35b20c726
```

LIMITATIONS OF THE CHECK

Document-based analysis: only the supplied file was examined. Deployed configuration may differ; the result reflects the file content at the recorded SHA-256. Acceptable in closed test environments.

RECOMMENDATION

Use a certificate from a public or internal CA, or pin explicitly.

RETEST PROCEDURE

Check issuer of the deployed certificate.

RFC 5280 — Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile

QSI-2026-17446 · CERT-SELF-SIGNED

Info

Self-signed end-entity certificate (app.example.com)

Improvement recommendation | Confidence: High

Issuer equals subject and the certificate is not marked as a CA.

Affected asset	certificate:app.example.com
Data source	obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala
Detection method	X.509 issuer/subject comparison, BasicConstraints.
Analyzer	certificates 1.3.0 · 2026-11-06 10:11 UTC
Priority score	32.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Clients cannot validate it against a trust anchor unless pinned; may encourage disabling verification.

REPRODUCTION STEPS

```
openssl x509 -in obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala
-noout -issuer -subject
```

EVIDENCE

certificate · obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala · line 3040 · SHA-256 0dda242ea754f035… · File ef7ccd115d94166f…

```
Subject: CN=app.example.com
Issuer: CN=app.example.com
Serial: 18c10eb6474
Not before: 2023-11-27T13:15:11+00:00
Not after: 2025-11-26T13:15:11+00:00
Public key: RSA 2048-bit
Signature algorithm: 1.2.840.113549.1.1.11
Signature hash: sha256
CA: False
SAN: -
SHA-256 fingerprint: 25d91ac53796ca8c5598ee6d180ff0efb3919b4592b4ecef1c68fad35b20c726
```

LIMITATIONS OF THE CHECK

Document-based analysis: only the supplied file was examined. Deployed configuration may differ; the result reflects the file content at the recorded SHA-256. Acceptable in closed test environments.

RECOMMENDATION

Use a certificate from a public or internal CA, or pin explicitly.

RETEST PROCEDURE

Check issuer of the deployed certificate.

RFC 5280 — Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile

QSI-2026-17462 · DEP-NO-PQC-LIBRARY

Info

No post-quantum capable cryptographic library detected

Insufficient data | Confidence: Medium | preliminary — requires further verification

Across 3 dependency manifests, QSI found crypto libraries (com.nimbusds:nimbus-jose-jwt) but none from its PQC-capable list.

Affected asset	dependencies
Data source	dependency manifests
Detection method	Dependency name matching.
Analyzer	dependencies 1.3.0 · 2026-11-06 10:11 UTC
Priority score	13.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Readiness indicator only: PQC support may come from the platform (OpenSSL, OS, cloud KMS) rather than application dependencies.

REPRODUCTION STEPS

```
Review the dependency manifests listed in the evidence.
```

EVIDENCE

dependency · obp-api/pom.xml, obp-commons/pom.xml, pom.xml · SHA-256 d7f938c8d0b32a1e...

```
Crypto libraries: com.nimbusds:nimbus-jose-jwt
```

LIMITATIONS OF THE CHECK

Absence of evidence is not evidence of absence: system libraries and transitive dependencies may not be listed.

RECOMMENDATION

Confirm where PQC support will come from (TLS terminator, KMS/HSM, library upgrade).

RETEST PROCEDURE

Re-scan after upgrades.

FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM); FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA)

Evidence

ID	Type	Data source	SHA-256
QSI-2026-17438	certificate	obp-api/src/main/resources/props/sample.props.template (line 2027)	0dda242ea754f0359967578bc4499e17a3c382359f0acb
QSI-2026-17443	certificate	obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala (line 3040)	0dda242ea754f0359967578bc4499e17a3c382359f0acb
QSI-2026-17463	tool_output	OSV.dev GHSA-j92g-9f8w-j867 (manifest)	55c1d9f6200b1c48b1ec20aadc0770bd4ba772d41d7dcb
QSI-2026-17464	tool_output	OSV.dev GHSA-gwq9-9ffj-mvrv (manifest)	6d5b35cc7a996c80fc06ef703f1e363b13bb47e8ec5b56
QSI-2026-17465	tool_output	OSV.dev GHSA-q233-g92q-qxp6 (manifest)	5073b30c7117c1a1ef15020ce616e3a0bcf16a0d253a90
QSI-2026-17468	tool_output	OSV.dev GHSA-65r4-943x-97jj (manifest)	a6eff01bbff30178abaee3aa9fb806714a8d0581e2b70b
QSI-2026-17472	tool_output	OSV.dev GHSA-68mj-5wr7-6fgg (manifest)	9fc76e6a96dae44b9054874bdf2053b4fbf9651977368f
QSI-2026-17473	tool_output	OSV.dev GHSA-6g32-pxv4-2wfj (manifest)	92932aefbff018b9d50b93c1dcf8c3a30a5adad8ea50f6
QSI-2026-17475	tool_output	OSV.dev GHSA-93j5-89vc-pph4 (manifest)	7e4e5e4e72f01a35c97cc81070a5b3d7d7e514c7a266ea
QSI-2026-17478	tool_output	OSV.dev GHSA-jh4v-gfqj-7rhx (manifest)	e87721f84d12fb2772add1f51b05dcd3384dbd56272496
QSI-2026-17437	file_excerpt	obp-api/src/main/resources/docs/introductory_system_documentation.md (line 5126)	9f978bb1c5c0376841869923240b332ccf2e14a3e17db4
QSI-2026-17442	file_excerpt	obp-api/src/main/resources/props/sample.props.template (line 188)	df11d02a34608f03117e05f5847be146d57d14e0ebc91e
QSI-2026-17442	file_excerpt	obp-api/src/main/resources/props/sample.props.template (line 376)	f0f11bd616c66694efa8205b409b798d5cf38082be608c
QSI-2026-17442	file_excerpt	obp-api/src/main/resources/props/sample.props.template (line 620)	dbb4be7d2ab4e338bd2bbafd1bed3b01a4534e4dfa0c42
QSI-2026-17442	file_excerpt	obp-api/src/main/resources/props/sample.props.template (line 1042)	f3a4617d419ff641ad81d4ea4de4be5f480060627cfb14
QSI-2026-17442	file_excerpt	obp-api/src/main/resources/props/sample.props.template (line 1457)	5e7423eb90ed12159e10fa94d2f819be7778397860e99c
QSI-2026-17447	file_excerpt	obp-api/src/main/scala/code/api/util/APIUtil.scala (line 2917)	71dee0294a08de49a803c572db3a855e6ec543c3780db7
QSI-2026-17447	file_excerpt	obp-api/src/main/scala/code/api/util/APIUtil.scala (line 2920)	598c88fda54708850cf3b23fd58e904fcdedb8b706a6b2

QSI-2026-17450	file_excerpt	obp-api/src/main/scala/code/api/util/DBUtil.scala (line 133)	8d79aa1324583ed3744c9d9a299e2c1a7bd1a9a2e9a1c8
QSI-2026-17452	file_excerpt	obp-api/src/main/scala/code/api/util/Glossary.scala (line 1921)	4708c10c4b5fb11bc041319b4bc40a1fa52f5bc62af9b0
QSI-2026-17452	file_excerpt	obp-api/src/main/scala/code/api/util/Glossary.scala (line 1945)	4f06874b3860c92e8bbdb6ec50403b393db5dcc2be72e5
QSI-2026-17452	file_excerpt	obp-api/src/main/scala/code/api/util/Glossary.scala (line 1959)	3b0bef94c8711fb9e3d87dc3784bb4c814ba08cb34e8fe
QSI-2026-17452	file_excerpt	obp-api/src/main/scala/code/api/util/Glossary.scala (line 2837)	ede5831572efc3ed16bc09c2f92a0620ebdda1343919a8
QSI-2026-17452	file_excerpt	obp-api/src/main/scala/code/api/util/Glossary.scala (line 2887)	34ee566587e35991522cf914b2ba3b377ad0a42e11516d
QSI-2026-17453	file_excerpt	obp-api/src/main/scala/code/api/util/JwtUtil.scala (line 361)	8bcc65a156f914bca64220235edf4abc0d367aebe05508
QSI-2026-17453	file_excerpt	obp-api/src/main/scala/code/api/util/JwtUtil.scala (line 366)	04e0c67dadb67261e5c2398bd40af6f8d125080cbf33be
QSI-2026-17453	file_excerpt	obp-api/src/main/scala/code/api/util/JwtUtil.scala (line 361)	8bcc65a156f914bca64220235edf4abc0d367aebe05508
QSI-2026-17453	file_excerpt	obp-api/src/main/scala/code/api/util/JwtUtil.scala (line 366)	04e0c67dadb67261e5c2398bd40af6f8d125080cbf33be
QSI-2026-17455	file_excerpt	obp-api/src/main/scala/code/api/v3_1_0/Http4s310.scala (line 4917)	45aaa17be5f95a3f493a3cbf041cc62deb5c8aa44055cf
QSI-2026-17456	file_excerpt	obp-api/src/main/scala/code/api/v4_0_0/Http4s400.scala (line 5587)	1415241fc995e35fffd9ed487c8e7002f1c99a5765fef5
QSI-2026-17456	file_excerpt	obp-api/src/main/scala/code/api/v4_0_0/Http4s400.scala (line 5619)	a7a854d4f794bc161f027a27f009158d9c76b885d0c4b0
QSI-2026-17457	file_excerpt	obp-api/src/main/scala/code/api/v5_1_0/Http4s510.scala (line 3327)	14aa4e819e9718f8a9ad41ad1be753dfc2216f342019bc
QSI-2026-17457	file_excerpt	obp-api/src/main/scala/code/api/v5_1_0/Http4s510.scala (line 4329)	5fb105bd40a5ea95aa566deae841675ce6761fa95bbf73
QSI-2026-17457	file_excerpt	obp-api/src/main/scala/code/api/v5_1_0/Http4s510.scala (line 4385)	b6fb5fc9b9fda1be1e1ae4623e78f7a4dd2655b8024a4c
QSI-2026-17457	file_excerpt	obp-api/src/main/scala/code/api/v5_1_0/Http4s510.scala (line 4441)	23843f240713d2c6e1c6df18302654109d8f2cd74eb3e0
QSI-2026-17458	file_excerpt	obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala (line 13221)	c7c551212314b66ce60393df810044aaa5756a26d87661
QSI-2026-17458	file_excerpt	obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala (line 9610)	30bb303e069156eb4c167e6b14a7139d29f48887879324
QSI-2026-17458	file_excerpt	obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala (line 12748)	29aedecdc352e146b7a9ac91d114a9c77e2e52066c4942

QSI-2026-17459	file_excerpt	obp-api/src/main/scala/code/paymetngateway/StripeExample.scala (line 42)	4832568d60d673765255866449deea640cc2b6cb1d05ee
QSI-2026-17460	file_excerpt	obp-api/src/main/scala/code/sandbox/OBPDataImport.scala (line 815)	8ffc27b6c250f11a97e5a35889799272cb27867a9b2b93
QSI-2026-17460	file_excerpt	obp-api/src/main/scala/code/sandbox/OBPDataImport.scala (line 816)	9784bcbafb4b541a11c4d482c1e1aade8b47ac85cd53dc
QSI-2026-17461	file_excerpt	scripts/resource_doc_baseline/lift_resource_docs_v4_0_0.json (line 2038)	9a892ce1aed017955c3b2e2bf0d8eae91ca2c2880b786b
QSI-2026-17461	file_excerpt	scripts/resource_doc_baseline/lift_resource_docs_v4_0_0.json (line 2049)	257915153b75ccbb2b08e6f7b90823309a3fa24b0db460
QSI-2026-17461	file_excerpt	scripts/resource_doc_baseline/lift_resource_docs_v4_0_0.json (line 784)	4d569836ba65f375f67efdc78b0a2c53f98844ab28da46
QSI-2026-17454	file_excerpt	obp-api/src/main/scala/code/api/util/RSAUtil.scala (line 44)	ab13caf4ff64072500643bdfdf68089d20200e31b8d0b9
QSI-2026-17466	tool_output	OSV.dev GHSA-xqrx-qh46-34m7 (manifest)	1e47744c23c7bc7c5a2cc81dccdb3b7859b21b8e763bfd
QSI-2026-17467	tool_output	OSV.dev GHSA-qv9r-c865-cp47 (manifest)	207fe7bc67e70e467ef1d013e612b27907f364586b7c52
QSI-2026-17469	tool_output	OSV.dev GHSA-pmhh-3w7g-xqp8 (manifest)	78cdc8fec250f8e99ff0773dc821860d621c1b52fa8ac8
QSI-2026-17470	tool_output	OSV.dev GHSA-5m9f-rphj-c435 (manifest)	df1f24662e55c01f5e56e884adbbc7db4dab7eb0425997
QSI-2026-17474	tool_output	OSV.dev GHSA-7822-rcf6-97fx (manifest)	714a9992d656cfa759f2305675cc4bba3e887fbdd1f67a
QSI-2026-17476	tool_output	OSV.dev GHSA-cqgh-8p3p-mx4m (manifest)	d186581ae9580ffa443133e6bcdd306bcfa404364f80b5
QSI-2026-17477	tool_output	OSV.dev GHSA-h6w7-qmcm-q6xr (manifest)	02a97ab4cfa70da61a062fbac3a25fca679e275b046f10
QSI-2026-17479	tool_output	OSV.dev GHSA-qx7j-jv8m-fppr (manifest)	8945a9e701ebd554b9a3e63df0c51e16fc0d5916e666af
QSI-2026-17480	tool_output	OSV.dev GHSA-xxph-c9ww-hj94 (manifest)	644d94f8abc6f1230e34b98eb21f280b407b1fcb664ce8
QSI-2026-17449	file_excerpt	obp-api/src/main/scala/code/api/util/CertificateUtil.scala (line 232)	7e6a56123c8c6b3d3368714940837728364 8aff8c9f0ed
QSI-2026-17448	file_excerpt	obp-api/src/main/scala/code/api/util/BerlinGroupSigning.scala (line 95)	55ef8a46b3449c4c6c5fb66872ff8a4e835d660aa74699
QSI-2026-17448	file_excerpt	obp-api/src/main/scala/code/api/util/BerlinGroupSigning.scala (line 110)	12c08357b82ad7909d1019946dfb956c9ac90d0a597068

QSI-2026-17448	file_excerpt	obp-api/src/main/scala/code/api/util/BerlinGroupSigning.scala (line 120)	a2ecf53b7d25d57a75a15c02496242cb328381982e8fb8
QSI-2026-17448	file_excerpt	obp-api/src/main/scala/code/api/util/JwsUtil.scala (line 255)	e46c21f28a6d12825066b7e1daa11b7351ca1af2a570d2
QSI-2026-17448	file_excerpt	obp-api/src/main/scala/code/api/util/JwtUtil.scala (line 259)	27efd592a76590f2d70e6810733bb4d825358c57d25524
QSI-2026-17448	file_excerpt	obp-api/src/main/scala/code/api/util/JwtUtil.scala (line 298)	3ec5cca9c6e717d318b73ef90a69f3e75ac767aaf98108
QSI-2026-17448	file_excerpt	obp-api/src/main/scala/code/api/util/SelfSignedCertificateUtil.scala (line 68)	6d57ed7b3c94dee1b510fcc5fac230e9ff34dace9b5240
QSI-2026-17451	file_excerpt	obp-api/src/main/scala/code/api/util/Glossary.scala (line 3097)	f094b45aa114d51c9d73652bb543b9235c93527aa46387
QSI-2026-17451	file_excerpt	obp-api/src/main/scala/code/api/util/RSAUtil.scala (line 70)	c8ba344a7fe82866d202b75a7f13828c6d772bb6d53e05
QSI-2026-17451	file_excerpt	obp-api/src/main/scala/code/messageoutbox/WebhookOutbox.scala (line 111)	3737a23ccaa6d6e514bc504d1e58976ceb1c1e97c82354
QSI-2026-17471	tool_output	OSV.dev GHSA-5xwg-cfvj-gff5 (manifest)	6f72836321403b85c6b4cc38ad9a04928781ce8d53ca5d
QSI-2026-17439	certificate	obp-api/src/main/resources/props/sample.props.template (line 2027)	0dda242ea754f0359967578bc4499e17a3c382359f0acb
QSI-2026-17444	certificate	obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala (line 3040)	0dda242ea754f0359967578bc4499e17a3c382359f0acb
QSI-2026-17440	certificate	obp-api/src/main/resources/props/sample.props.template (line 2027)	0dda242ea754f0359967578bc4499e17a3c382359f0acb
QSI-2026-17445	certificate	obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala (line 3040)	0dda242ea754f0359967578bc4499e17a3c382359f0acb
QSI-2026-17441	certificate	obp-api/src/main/resources/props/sample.props.template (line 2027)	0dda242ea754f0359967578bc4499e17a3c382359f0acb
QSI-2026-17446	certificate	obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala (line 3040)	0dda242ea754f0359967578bc4499e17a3c382359f0acb
QSI-2026-17462	dependency	obp-api/pom.xml, obp-commons/pom.xml, pom.xml	d7f938c8d0b32a1e5d9fa6803bbcfb0dd448ca7cd9ce0d

Post-quantum assessment

	Key establishment (x = how long data must stay confidential; harvest now, decrypt later)	Signatures (x = how long signatures/ keys must stay trusted)
Data/key lifetime x	10	10
Migration time y	5	5
Assumed years to CRQC z	8 (early)	8
x + y − z	7 → migration would finish too late under this scenario	7 → migration would finish too late under this scenario

Planning assumptions: x for key establishment, x for signatures, y are the defaults of the risk profile “Crypto exchange, custodian or wallet”, not the client's figures; with the client's actual lifetimes the verdict can change.

Post-quantum maturity: Level 0 of 4 — no post-quantum cryptography

- Classical only — key wrapping and data encryption at rest: RSA (1 file(s))

Next step: Inventory where classical public-key cryptography protects long-lived data and keys, and choose the first migration: usually a hybrid TLS key exchange and wrapped keys.

Levels: 0 none; 1 present, not wired; 2 in use outside the critical paths; 3 hybrid in a critical path; 4 post-quantum by default in the critical paths (root of trust, key wrapping, channel key exchange). Judged from code and manifests.

What the quantum-vulnerable algorithms do

Role	Algorithms (files)	ID	First step
key wrapping and data encryption at rest	RSA (1)	QSI-2026-17449	Wrap keys with ML-KEM or a hybrid KEM (X25519 + ML-KEM-768) and re-wrap the stored keys; data that may already have been copied needs its own assessment
authentication and identity (certificates, tokens, device attestation)	RSA (4)	QSI-2026-17448	Keep credentials short-lived and plan ML-DSA certificates, tokens and keys as the ecosystem supports them
role not determined	RSA (3)	QSI-2026-17451	Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility

Roles are judged from file paths, function names and the code around each match; review confirms them. Root-of-trust keys and wrapped keys come first: they are hard to replace or can be recorded today.

z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Quantum status	Count
reduced margin (Grover), approved	7
Grover: acceptable to NIST, below ECCG/ANSSI guidance	13
n/a	3
vulnerable (Shor)	10

Detailed findings: QSI-2026-17449, QSI-2026-17448, QSI-2026-17451, QSI-2026-17439, QSI-2026-17444

PQC readiness questionnaire

No readiness questionnaire was completed for this project.

Quantum algorithms relevant to this inventory

Quantum algorithm	Effect	Inventoried algorithms (rows)	What it means for this audit
Shor's algorithm — factoring Q1: quantum computation offline, classical access to the victim	breaks	RSA (10)	Breaks RSA at every key length: a longer modulus only raises the cost polynomially. Plan migration to ML-KEM (or a hybrid) for key establishment and ML-DSA / SLH-DSA for signatures; start with keys protecting data that must stay confidential for years (harvest now, decrypt later) and with long-lived signatures.
Grover's algorithm — key search and preimages Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	HMAC (4), SHA-2 (13), bcrypt (3)	Not a break. 256-bit keys (AES-256, ChaCha20) keep a comfortable margin; AES-128 meets NIST category 1, while some authorities ask for 256-bit keys in quantum-resistant contexts (see the AES-128 entry). Prefer 256-bit keys for long-lived data; 256-bit hashes need no change for preimage resistance.
Brassard–Høyer–Tapp — collision search Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	SHA-2 (13)	256-bit hashes (SHA-256, SHA3-256) remain adequate for collision resistance; 160-bit hashes are already weak classically (SHA-1 collisions are practical). Use 384/512-bit hashes where NIST categories 4–5 are required.

Effects: breaks — replace the algorithm; weakens — larger keys or outputs restore the margin; included in standard parameters — no action at standard parameter sets; only with superposition queries — not applicable to ordinary deployments.

Limitations and assumptions

- This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.
- z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.
- certificates — error (not checked): docs/MTLS.md line 403: certificate could not be parsed (ValueError)
- tls_key_exchange_groups — Insufficient data: obp-api/src/main/resources/docs/introductory_system_documentation.md: no key-exchange group directive; TLS library defaults apply and were not determined
- certificates — error (not checked): obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala line 2968: certificate could not be parsed (ValueError)
- certificates — error (not checked): obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala line 3067: certificate could not be parsed (ValueError)
- certificates — error (not checked): obp-api/src/main/scala/code/api/constant/constant.scala line 1035: certificate could not be parsed (ValueError)
- certificates — error (not checked): obp-api/src/main/scala/code/api/util/BerlinGroupSigning.scala line 129: certificate could not be parsed (ValueError)
- certificates — error (not checked): obp-api/src/main/scala/code/api/util/BerlinGroupSigning.scala line 283: certificate could not be parsed (ValueError)
- certificates — error (not checked): obp-api/src/main/scala/code/api/util/CertificateVerifier.scala line 138: certificate could not be parsed (ValueError)
- certificates — error (not checked): obp-api/src/main/scala/code/api/util/CertificateVerifier.scala line 146: certificate could not be parsed (ValueError)
- certificates — error (not checked): obp-api/src/main/scala/code/api/v2_2_0/Http4s220.scala line 884: certificate could not be parsed (ValueError)
- certificates — error (not checked): obp-api/src/main/scala/code/api/v2_2_0/Http4s220.scala line 897: certificate could not be parsed (ValueError)
- certificates — error (not checked): obp-api/src/main/scala/code/api/v4_0_0/Http4s400.scala line 11069: certificate could not be parsed (ValueError)
- tls_key_exchange_groups — Insufficient data: obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala line 14214: not in the algorithm registry, not assessed: List(
- tls_key_exchange_groups — Insufficient data: obp-api/src/main/scala/code/api/v7_0_0/Http4s700Groups.scala line 304: not in the algorithm registry, not assessed: found.collect
- tls_key_exchange_groups — Insufficient data: obp-api/src/main/scala/code/api/v7_0_0/Http4s700Groups.scala line 362: not in the algorithm registry, not assessed: List(
- certificates — error (not checked): scripts/resource_doc_baseline/lift_resource_docs_v2_2_0.json line 214: certificate could not be parsed (ValueError)
- certificates — error (not checked): scripts/resource_doc_baseline/lift_resource_docs_v2_2_0.json line 215: certificate could not be parsed (ValueError)
- certificates — error (not checked): scripts/resource_doc_baseline/lift_resource_docs_v4_0_0.json line 1107: certificate could not be parsed (ValueError)

Remediation plan

QSI-2026-17438 · P1 · 30 days root-cause fix

Renew the certificate for app.example.com and enable automated renewal with alerting ≥ 30 days before expiry.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	None expected.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	The deployed certificate is valid and renewal is automated.

QSI-2026-17443 · P1 · 30 days root-cause fix

Renew the certificate for app.example.com and enable automated renewal with alerting ≥ 30 days before expiry.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	None expected.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	The deployed certificate is valid and renewal is automated.

QSI-2026-17437 · P1 · 30 days root-cause fix

Rotate and remove secrets found in obp-api/src/main/resources/docs/introductory_system_documentation.md.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible compatibility impact on old clients.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Secret scanner reports no secrets; old values revoked.

QSI-2026-17442 · P1 · 30 days root-cause fix

Rotate and remove secrets found in obp-api/src/main/resources/props/sample.props.template.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible compatibility impact on old clients.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Secret scanner reports no secrets; old values revoked.

QSI-2026-17447 · P1 · 30 days root-cause fix

Rotate and remove secrets found in obp-api/src/main/scala/code/api/util/APIUtil.scala.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible compatibility impact on old clients.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Secret scanner reports no secrets; old values revoked.

QSI-2026-17450 · P1 · 30 days root-cause fix

Rotate and remove secrets found in obp-api/src/main/scala/code/api/util/DBUtil.scala.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible compatibility impact on old clients.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Secret scanner reports no secrets; old values revoked.

QSI-2026-17452 · P1 · 30 days root-cause fix

Rotate and remove secrets found in obp-api/src/main/scala/code/api/util/Glossary.scala.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.

Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible compatibility impact on old clients.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Secret scanner reports no secrets; old values revoked.

QSI-2026-17453 · P1 · 30 days root-cause fix

Rotate and remove secrets found in obp-api/src/main/scala/code/api/util/JwtUtil.scala.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible compatibility impact on old clients.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Secret scanner reports no secrets; old values revoked.

QSI-2026-17455 · P1 · 30 days root-cause fix

Rotate and remove secrets found in obp-api/src/main/scala/code/api/v3_1_0/Http4s310.scala.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible compatibility impact on old clients.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Secret scanner reports no secrets; old values revoked.

QSI-2026-17456 · P1 · 30 days root-cause fix

Rotate and remove secrets found in obp-api/src/main/scala/code/api/v4_0_0/Http4s400.scala.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible compatibility impact on old clients.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.

Closure criteria	Secret scanner reports no secrets; old values revoked.

QSI-2026-17457 · P1 · 30 days root-cause fix

Rotate and remove secrets found in obp-api/src/main/scala/code/api/v5_1_0/Http4s510.scala.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible compatibility impact on old clients.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Secret scanner reports no secrets; old values revoked.

QSI-2026-17458 · P1 · 30 days root-cause fix

Rotate and remove secrets found in obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible compatibility impact on old clients.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Secret scanner reports no secrets; old values revoked.

QSI-2026-17459 · P1 · 30 days root-cause fix

Rotate and remove secrets found in obp-api/src/main/scala/code/paymetngateway/StripeExample.scala.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible compatibility impact on old clients.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Secret scanner reports no secrets; old values revoked.

QSI-2026-17460 · P1 · 30 days root-cause fix

Rotate and remove secrets found in obp-api/src/main/scala/code/sandbox/OBPDataImport.scala.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible compatibility impact on old clients.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Secret scanner reports no secrets; old values revoked.

QSI-2026-17461 · P1 · 30 days root-cause fix

Rotate and remove secrets found in scripts/resource_doc_baseline/lift_resource_docs_v4_0_0.json.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible compatibility impact on old clients.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Secret scanner reports no secrets; old values revoked.

QSI-2026-17454 · P1 · 30 days root-cause fix

Use an AEAD mode (GCM) with unique nonces.

Rationale	ECB reveals patterns in encrypted data and provides no integrity.
Expected outcome	Re-scan the source and review the call sites listed in the evidence.
Complexity	medium
Tests before change	Open line 44 in the supplied file obp-api/src/main/scala/code/api/util/RSAUtil.scala and inspect the quoted lines (see evidence).
Tests after change	Re-scan the source and review the call sites listed in the evidence.
Closure criteria	Re-scan the source and review the call sites listed in the evidence.

QSI-2026-17463 · P2 · 30 days root-cause fix

Upgrade org.postgresql:postgresql to a fixed version (42.7.12).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.

Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-j92g-9f8w-j867 (CVE-2026-54291).

QSI-2026-17464 · P2 · 30 days

root-cause fix

Upgrade org.xerial.snappy:snappy-java to a fixed version (1.1.10.9).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-gwq9-9ffj-mvrv (CVE-2026-93451).

QSI-2026-17465 · P2 · 30 days

root-cause fix

Upgrade org.xerial.snappy:snappy-java to a fixed version (1.1.10.9).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-q233-g92q-qxp6 (CVE-2026-108106).

QSI-2026-17468 · P2 · 30 days

root-cause fix

Upgrade org.jsoup:jsoup to a fixed version (1.23.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-65r4-943x-97jj (CVE-2026-75140).

QSI-2026-17472 · P2 · 30 days root-cause fix

Upgrade com.rabbitmq:amqp-client to a fixed version (5.33.1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-68mj-5wr7-6fgg (CVE-2026-69219).

QSI-2026-17473 · P2 · 30 days root-cause fix

Upgrade com.rabbitmq:amqp-client to a fixed version (5.33.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-6g32-pxv4-2wfj (CVE-2026-63337).

QSI-2026-17475 · P2 · 30 days root-cause fix

Upgrade com.rabbitmq:amqp-client to a fixed version (5.33.1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-93j5-89vc-pph4 (CVE-2026-69220).

QSI-2026-17478 · P2 · 30 days root-cause fix

Upgrade com.rabbitmq:amqp-client to a fixed version (5.34.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.

Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-jh4v-gfqj-7rhx (CVE-2026-75516).

QSI-2026-17466 · P2 · 30 days

root-cause fix

Upgrade org.xerial.snappy:snappy-java to a fixed version (1.1.10.9).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-xqrx-qh46-34m7 (CVE-2026-116590).

QSI-2026-17467 · P2 · 30 days

root-cause fix

Upgrade org.apache.logging.log4j:log4j-api to a fixed version (2.25.5, 2.26.1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-qv9r-c865-cp47 (CVE-2026-49844).

QSI-2026-17469 · P2 · 30 days

root-cause fix

Upgrade org.jsoup:jsoup to a fixed version (1.23.1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-pmhh-3w7g-xqp8 (CVE-2026-71497).

QSI-2026-17470 · P2 · 30 days root-cause fix

Upgrade com.rabbitmq:amqp-client to a fixed version (5.33.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-5m9f-rphj-c435 (CVE-2026-63336).

QSI-2026-17474 · P2 · 30 days root-cause fix

Upgrade com.rabbitmq:amqp-client to a fixed version (5.36.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-7822-rcf6-97fx (CVE-2026-106122).

QSI-2026-17476 · P2 · 30 days root-cause fix

Upgrade com.rabbitmq:amqp-client to a fixed version (5.36.1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-cqgh-8p3p-mx4m (CVE-2026-106121).

QSI-2026-17477 · P2 · 30 days root-cause fix

Upgrade com.rabbitmq:amqp-client to a fixed version (5.35.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.

Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-h6w7-qmcm-q6xr (CVE-2026-106123).

QSI-2026-17479 · P2 · 30 days

root-cause fix

Upgrade com.rabbitmq:amqp-client to a fixed version (5.31.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-qx7j-jv8m-fppr (CVE-2026-63335).

QSI-2026-17480 · P2 · 30 days

root-cause fix

Upgrade com.google.guava:guava to a fixed version (33.7.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-xxph-c9ww-hj94 (CVE-2026-102554).

QSI-2026-17471 · P2 · 30 days

root-cause fix

Upgrade com.rabbitmq:amqp-client to a fixed version (5.33.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-5xwg-cfvj-gff5 (CVE-2026-61634).

QSI-2026-17449 · P3 · 90 days

short-term risk reduction

Add RSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-17448 · P3 · 90 days

short-term risk reduction

Add RSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-17451 · P3 · 90 days

short-term risk reduction

Add RSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-17439 · P3 · 90 days short-term risk reduction

Add RSA usages at certificate:app.example.com to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-17444 · P3 · 90 days short-term risk reduction

Add RSA usages at certificate:app.example.com to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-17440 · P3 · 90 days root-cause fix

Use shorter validity with automated renewal.

Rationale	Long-lived certificates extend exposure if the key is compromised and slow down algorithm migration.
Expected outcome	Check notBefore/notAfter of the next issuance.
Complexity	low
Tests before change	openssl x509 -in obp-api/src/main/resources/props/sample.props.template -noout -dates
Tests after change	Check notBefore/notAfter of the next issuance.
Closure criteria	Check notBefore/notAfter of the next issuance.

QSI-2026-17445 · P3 · 90 days root-cause fix

Use shorter validity with automated renewal.

Rationale

	Long-lived certificates extend exposure if the key is compromised and slow down algorithm migration.
Expected outcome	Check notBefore/notAfter of the next issuance.
Complexity	low
Tests before change	openssl x509 -in obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala -noout -dates
Tests after change	Check notBefore/notAfter of the next issuance.
Closure criteria	Check notBefore/notAfter of the next issuance.

QSI-2026-17449 · P4 · 90 days root-cause fix

Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-17448 · P4 · 90 days root-cause fix

Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-17451 · P4 · 90 days root-cause fix

Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.

Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-17439 · P4 · 90 days

root-cause fix

Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it. (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it. or a hybrid scheme in use.

QSI-2026-17444 · P4 · 90 days

root-cause fix

Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it. (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it. or a hybrid scheme in use.

QSI-2026-17441 · P4 · 90 days

root-cause fix

Use a certificate from a public or internal CA, or pin explicitly.

Rationale

	Clients cannot validate it against a trust anchor unless pinned; may encourage disabling verification.
Expected outcome	Check issuer of the deployed certificate.
Complexity	low
Tests before change	openssl x509 -in obp-api/src/main/resources/props/sample.props.template -noout -issuer -subject
Tests after change	Check issuer of the deployed certificate.
Closure criteria	Check issuer of the deployed certificate.

QSI-2026-17446 · P4 · 90 days

root-cause fix

Use a certificate from a public or internal CA, or pin explicitly.

Rationale	Clients cannot validate it against a trust anchor unless pinned; may encourage disabling verification.
Expected outcome	Check issuer of the deployed certificate.
Complexity	low
Tests before change	openssl x509 -in obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala -noout -issuer -subject
Tests after change	Check issuer of the deployed certificate.
Closure criteria	Check issuer of the deployed certificate.

Priorities for 30, 60 and 90 days

30 days

Priority	ID	Action	Type
P1	QSI-2026-17438	Renew the certificate for app.example.com and enable automated renewal with alerting ≥ 30 days before expiry.	root-cause fix
P1	QSI-2026-17443	Renew the certificate for app.example.com and enable automated renewal with alerting ≥ 30 days before expiry.	root-cause fix
P1	QSI-2026-17437	Rotate and remove secrets found in obp-api/src/main/resources/docs/introductory_system_documentation.md.	root-cause fix
P1	QSI-2026-17442	Rotate and remove secrets found in obp-api/src/main/resources/props/sample.props.template.	root-cause fix
P1	QSI-2026-17447	Rotate and remove secrets found in obp-api/src/main/scala/code/api/util/APIUtil.scala.	root-cause fix
P1	QSI-2026-17450	Rotate and remove secrets found in obp-api/src/main/scala/code/api/util/DBUtil.scala.	root-cause fix
P1	QSI-2026-17452	Rotate and remove secrets found in obp-api/src/main/scala/code/api/util/Glossary.scala.	root-cause fix
P1	QSI-2026-17453	Rotate and remove secrets found in obp-api/src/main/scala/code/api/util/JwtUtil.scala.	root-cause fix
P1	QSI-2026-17455	Rotate and remove secrets found in obp-api/src/main/scala/code/api/v3_1_0/Http4s310.scala.	root-cause fix
P1	QSI-2026-17456	Rotate and remove secrets found in obp-api/src/main/scala/code/api/v4_0_0/Http4s400.scala.	root-cause fix
P1	QSI-2026-17457	Rotate and remove secrets found in obp-api/src/main/scala/code/api/v5_1_0/Http4s510.scala.	root-cause fix
P1	QSI-2026-17458	Rotate and remove secrets found in obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala.	root-cause fix
P1	QSI-2026-17459	Rotate and remove secrets found in obp-api/src/main/scala/code/paymetngateway/StripeExample.scala.	root-cause fix
P1	QSI-2026-17460	Rotate and remove secrets found in obp-api/src/main/scala/code/sandbox/OBPDataImport.scala.	root-cause fix
P1	QSI-2026-17461	Rotate and remove secrets found in scripts/resource_doc_baseline/lift_resource_docs_v4_0_0.json.	root-cause fix
P1	QSI-2026-17454	Use an AEAD mode (GCM) with unique nonces.	root-cause fix
P2	QSI-2026-17463	Upgrade org.postgresql:postgresql to a fixed version (42.7.12).	root-cause fix
P2	QSI-2026-17464	Upgrade org.xerial.snappy:snappy-java to a fixed version (1.1.10.9).	root-cause fix

P2	QSI-2026-17465	Upgrade org.xerial.snappy:snappy-java to a fixed version (1.1.10.9).	root-cause fix
P2	QSI-2026-17468	Upgrade org.jsoup:jsoup to a fixed version (1.23.2).	root-cause fix
P2	QSI-2026-17472	Upgrade com.rabbitmq:amqp-client to a fixed version (5.33.1).	root-cause fix
P2	QSI-2026-17473	Upgrade com.rabbitmq:amqp-client to a fixed version (5.33.0).	root-cause fix
P2	QSI-2026-17475	Upgrade com.rabbitmq:amqp-client to a fixed version (5.33.1).	root-cause fix
P2	QSI-2026-17478	Upgrade com.rabbitmq:amqp-client to a fixed version (5.34.0).	root-cause fix
P2	QSI-2026-17466	Upgrade org.xerial.snappy:snappy-java to a fixed version (1.1.10.9).	root-cause fix
P2	QSI-2026-17467	Upgrade org.apache.logging.log4j:log4j-api to a fixed version (2.25.5, 2.26.1).	root-cause fix
P2	QSI-2026-17469	Upgrade org.jsoup:jsoup to a fixed version (1.23.1).	root-cause fix
P2	QSI-2026-17470	Upgrade com.rabbitmq:amqp-client to a fixed version (5.33.0).	root-cause fix
P2	QSI-2026-17474	Upgrade com.rabbitmq:amqp-client to a fixed version (5.36.0).	root-cause fix
P2	QSI-2026-17476	Upgrade com.rabbitmq:amqp-client to a fixed version (5.36.1).	root-cause fix
P2	QSI-2026-17477	Upgrade com.rabbitmq:amqp-client to a fixed version (5.35.0).	root-cause fix
P2	QSI-2026-17479	Upgrade com.rabbitmq:amqp-client to a fixed version (5.31.0).	root-cause fix
P2	QSI-2026-17480	Upgrade com.google.guava:guava to a fixed version (33.7.2).	root-cause fix
P2	QSI-2026-17471	Upgrade com.rabbitmq:amqp-client to a fixed version (5.33.0).	root-cause fix

60 days

Priority	ID	Action	Type
None			

90 days

Priority	ID	Action	Type
P3	QSI-2026-17449	Add RSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction

P3	QSI-2026-17448	Add RSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-17451	Add RSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-17439	Add RSA usages at certificate:app.example.com to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-17444	Add RSA usages at certificate:app.example.com to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-17440	Use shorter validity with automated renewal.	root-cause fix
P3	QSI-2026-17445	Use shorter validity with automated renewal.	root-cause fix
P4	QSI-2026-17449	Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-17448	Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-17451	Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-17439	Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it. (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-17444	Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it. (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-17441	Use a certificate from a public or internal CA, or pin explicitly.	root-cause fix
P4	QSI-2026-17446	Use a certificate from a public or internal CA, or pin explicitly.	root-cause fix

Verification after remediation

ID	Retest procedure
QSI-2026-17438	Re-parse the deployed certificate and confirm notAfter is in the future.
QSI-2026-17443	Re-parse the deployed certificate and confirm notAfter is in the future.
QSI-2026-17463	Re-run the dependency scan after upgrading.
QSI-2026-17464	Re-run the dependency scan after upgrading.
QSI-2026-17465	Re-run the dependency scan after upgrading.
QSI-2026-17468	Re-run the dependency scan after upgrading.
QSI-2026-17472	Re-run the dependency scan after upgrading.
QSI-2026-17473	Re-run the dependency scan after upgrading.
QSI-2026-17475	Re-run the dependency scan after upgrading.
QSI-2026-17478	Re-run the dependency scan after upgrading.
QSI-2026-17437	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-17442	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-17447	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-17450	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-17452	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-17453	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-17455	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-17456	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-17457	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-17458	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-17459	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-17460	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-17461	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-17454	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-17466	Re-run the dependency scan after upgrading.
QSI-2026-17467	Re-run the dependency scan after upgrading.
QSI-2026-17469	Re-run the dependency scan after upgrading.
QSI-2026-17470	Re-run the dependency scan after upgrading.
QSI-2026-17474	Re-run the dependency scan after upgrading.
QSI-2026-17476	Re-run the dependency scan after upgrading.

QSI-2026-17477	Re-run the dependency scan after upgrading.
QSI-2026-17479	Re-run the dependency scan after upgrading.
QSI-2026-17480	Re-run the dependency scan after upgrading.
QSI-2026-17449	Re-run the inventory after refactoring.
QSI-2026-17448	Re-run the inventory after refactoring.
QSI-2026-17451	Re-run the inventory after refactoring.
QSI-2026-17471	Re-run the dependency scan after upgrading.
QSI-2026-17439	Re-audit once PQC or hybrid certificates are deployed.
QSI-2026-17444	Re-audit once PQC or hybrid certificates are deployed.
QSI-2026-17440	Check notBefore/notAfter of the next issuance.
QSI-2026-17445	Check notBefore/notAfter of the next issuance.
QSI-2026-17441	Check issuer of the deployed certificate.
QSI-2026-17446	Check issuer of the deployed certificate.
QSI-2026-17462	Re-scan after upgrades.

Tools used

Tool	Version
blockchain	1.0.0
certificates	1.2.0
chain_map	1.0.0
configs	1.1.0
dependencies	1.3.0
inventory_document	1.1.0
solidity	1.3.0
source_code	1.4.0
tls_code	1.1.0
tls_live	1.0.0
qsi-engine	1.3.0
OSV.dev API	v1

Sources and normative documents

Reviewed: 2026-10-13

1. A. Chailloux, M. Naya-Plasencia, A. Schrottenloher — An Efficient Quantum Collision Search Algorithm and Implications on Symmetric Cryptography (ASIACRYPT 2017; IACR ePrint 2017/847) — IACR ePrint. https://eprint.iacr.org/2017/847 (peer-reviewed article: Õ(2^{2n/5}) time, O(n) qubits, Õ(2^{n/5}) classical memory)
2. C. Gidney — How to factor 2048 bit RSA integers with less than a million noisy qubits (arXiv:2505.15917) — arXiv. https://arxiv.org/abs/2505.15917 (preprint (2025-05-21): < 1 million noisy qubits, < 1 week, 0.1% gate error, 1 µs surface-code cycle)
3. C. Gidney, M. Ekerå — How to factor 2048 bit RSA integers in 8 hours using 20 million noisy qubits (Quantum 5, 433) — Quantum. https://doi.org/10.22331/q-2021-04-15-433 (peer-reviewed article (2021): 10^-3 gate error, 1 µs cycle, 10 µs reaction time)
4. C. Zalka — Grover's quantum searching algorithm is optimal (Phys. Rev. A 60, 2746, 1999; arXiv:quant-ph/9711070) — APS. https://doi.org/10.1103/PhysRevA.60.2746 (peer-reviewed article: optimal for any success probability; parallel search gains no more than splitting the space)
5. Common Vulnerability Scoring System v3.1: Specification Document — FIRST. https://www.first.org/cvss/v3.1/specification-document (final)
6. D. J. Bernstein — Cost analysis of hash collisions: Will quantum computers make SHARCS obsolete? (2009) — cr.yp.to. https://cr.yp.to/hash/collisioncost-20090823.pdf (paper dated 2009-08-23)
7. FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM) — NIST. https://csrc.nist.gov/pubs/fips/203/final (final (August 2024))
8. FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA) — NIST. https://csrc.nist.gov/pubs/fips/204/final (final (August 2024))
9. FIPS 205 — Stateless Hash-Based Digital Signature Standard (SLH-DSA) — NIST. https://csrc.nist.gov/pubs/fips/205/final (final (August 2024))
10. G. Brassard, P. Høyer, A. Tapp — Quantum Algorithm for the Collision Problem (LATIN '98; arXiv:quant-ph/9705002) — Springer / arXiv. https://arxiv.org/abs/quant-ph/9705002 (peer-reviewed article: collisions of r-to-one functions in O((N/r)^{1/3}) expected evaluations)
11. L. K. Grover — A fast quantum mechanical algorithm for database search (STOC 1996) — ACM. https://doi.org/10.1145/237814.237866 (peer-reviewed article)
12. M. Amy et al. — Estimating the cost of generic quantum pre-image attacks on SHA-2 and SHA-3 (SAC 2016; arXiv:1603.09383) — Springer / arXiv. https://arxiv.org/abs/1603.09383 (peer-reviewed article: SHA-256 about 2^153.8 surface-code cycles on 2^12.6 logical qubits; SHA3-256 about 2^146.5 cycles on 2^20)
13. M. Cain et al. — Shor's algorithm is possible with as few as 10,000 reconfigurable atomic qubits (arXiv:2603.28627) — arXiv. https://arxiv.org/abs/2603.28627 (preprint (2026-03-30): P-256 in a few days with 26,000 physical neutral-atom qubits; RSA-2048 one to two orders of magnitude longer)
14. M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018) — IEEE. https://doi.org/10.1109/MSP.2018.3761723 (peer-reviewed article; source of the x + y > z migration inequality)
15. NIST IR 8547 — Transition to Post-Quantum Cryptography Standards — NIST. https://csrc.nist.gov/pubs/ir/8547/final (final (2026-10-27; the initial public draft of November 2024 is obsoleted). Tables 2 and 4: ECDSA, EdDSA and RSA signatures, finite-field and elliptic-curve DH and MQV, and RSA key establishment are deprecated after 2030 and disallowed after 2035 at every key size — the draft deprecated only the 112-bit level. A composite (hybrid) key establishment stays FIPS 140-validatable while one input comes from an approved scheme. Repeats the federal deadlines of OMB M-26-15: post-quantum key establishment by 2030-12-31 and signatures by 2031-12-31 for high value assets and high impact systems)
16. NIST SP 800-131A Rev. 2 — Transitioning the Use of Cryptographic Algorithms and Key Lengths — NIST. https://csrc.nist.gov/pubs/sp/800/131/a/r2/final (final (2019))
17. NIST SP 800-57 Part 1 Rev. 5 — Recommendation for Key Management — NIST. https://csrc.nist.gov/pubs/sp/800/57/pt1/r5/final (final (2020))
18. NIST — Post-Quantum Cryptography Standardization: Evaluation Criteria, Security (Call for Proposals, Section 4.A.5) — NIST. https://csrc.nist.gov/Projects/Post-Quantum-Cryptography/Post-Quantum-Cryptography-Standardization/Evaluation-Criteria/Security-(Evaluation-Criteria) (security categories: AES-128 key search 2^170/MAXDEPTH quantum gates, AES-192 2^233/MAXDEPTH, AES-256 2^298/MAXDEPTH; MAXDEPTH 2^40–2^96)
19. OSV advisory GHSA-5m9f-rphj-c435 — OSV.dev. https://osv.dev/vulnerability/GHSA-5m9f-rphj-c435 (modified 2026-09-10T03:51:13.150501327Z)
20. OSV advisory GHSA-5xwg-cfvj-gff5 — OSV.dev. https://osv.dev/vulnerability/GHSA-5xwg-cfvj-gff5 (modified 2026-09-10T03:51:13.134044568Z)
21. OSV advisory GHSA-65r4-943x-97jj — OSV.dev. https://osv.dev/vulnerability/GHSA-65r4-943x-97jj (modified 2026-10-05T22:45:05.710363586Z)

22. OSV advisory GHSA-68mj-5wr7-6fgg — OSV.dev. https://osv.dev/vulnerability/GHSA-68mj-5wr7-6fgg (modified 2026-09-10T03:51:13.151154373Z)
23. OSV advisory GHSA-6g32-pxv4-2wfj — OSV.dev. https://osv.dev/vulnerability/GHSA-6g32-pxv4-2wfj (modified 2026-09-10T03:51:13.2144367922)
24. OSV advisory GHSA-7822-rcf6-97fx — OSV.dev. https://osv.dev/vulnerability/GHSA-7822-rcf6-97fx (modified 2026-10-07T20:30:07.156315722Z)
25. OSV advisory GHSA-93j5-89vc-pph4 — OSV.dev. https://osv.dev/vulnerability/GHSA-93j5-89vc-pph4 (modified 2026-09-10T03:51:13.771990072Z)
26. OSV advisory GHSA-cqgh-8p3p-mx4m — OSV.dev. https://osv.dev/vulnerability/GHSA-cqgh-8p3p-mx4m (modified 2026-10-07T21:00:04.481305005Z)
27. OSV advisory GHSA-gwq9-9ffj-mvrv — OSV.dev. https://osv.dev/vulnerability/GHSA-gwq9-9ffj-mvrv (modified 2026-10-27T15:47:24.498155855Z)
28. OSV advisory GHSA-h6w7-qmcm-q6xr — OSV.dev. https://osv.dev/vulnerability/GHSA-h6w7-qmcm-q6xr (modified 2026-10-19T19:45:04.498976139Z)
29. OSV advisory GHSA-j92g-9f8w-j867 — OSV.dev. https://osv.dev/vulnerability/GHSA-j92g-9f8w-j867 (modified 2026-09-10T03:50:12.377062079Z)
30. OSV advisory GHSA-jh4v-gfqj-7rhx — OSV.dev. https://osv.dev/vulnerability/GHSA-jh4v-gfqj-7rhx (modified 2026-09-17T15:00:06.805894716Z)
31. OSV advisory GHSA-pmhh-3w7g-xqp8 — OSV.dev. https://osv.dev/vulnerability/GHSA-pmhh-3w7g-xqp8 (modified 2026-09-10T03:50:53.809983880Z)
32. OSV advisory GHSA-q233-g92q-qxp6 — OSV.dev. https://osv.dev/vulnerability/GHSA-q233-g92q-qxp6 (modified 2026-10-27T15:47:24.815707184Z)
33. OSV advisory GHSA-qv9r-c865-cp47 — OSV.dev. https://osv.dev/vulnerability/GHSA-qv9r-c865-cp47 (modified 2026-09-10T03:50:52.972700022Z)
34. OSV advisory GHSA-qx7j-jv8m-fppr — OSV.dev. https://osv.dev/vulnerability/GHSA-qx7j-jv8m-fppr (modified 2026-09-10T03:50:54.002021426Z)
35. OSV advisory GHSA-xqrx-qh46-34m7 — OSV.dev. https://osv.dev/vulnerability/GHSA-xqrx-qh46-34m7 (modified 2026-10-27T15:47:25.122359555Z)
36. OSV advisory GHSA-xxph-c9ww-hj94 — OSV.dev. https://osv.dev/vulnerability/GHSA-xxph-c9ww-hj94 (modified 2026-10-27T14:45:04.803511466Z)
37. OWASP Application Security Verification Standard — OWASP. https://owasp.org/www-project-application-security-verification-standard/ (living standard — check the project page for the current version)
38. P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997) — SIAM. https://doi.org/10.1137/S0097539795293172 (peer-reviewed article)
39. RFC 5280 — Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile — IETF. https://www.rfc-editor.org/rfc/rfc5280 (proposed standard: path validation requires a trust anchor, so a self-signed certificate is trusted only where it has been installed as one — a deployment fact, not a defect in itself)
40. S. Jaques, M. Naehrig, M. Roetteler, F. Virdia — Implementing Grover oracles for quantum key search on AES and LowMC (EUROCRYPT 2020; arXiv:1910.01700) — Springer / arXiv. https://arxiv.org/abs/1910.01700 (peer-reviewed article: lower cost estimates for the AES key searches that define the NIST categories)

Appendices

A. Cryptographic inventory

Algorithm	Parameter	Quantum status	Classical status	Count	Locations	Examples
HMAC		reduced margin (Grover), approved	acceptable	2	2	obp-api/src/main/scala/code/api/GatewayLogin.scala:132; obp-api/src/main/scala/code/api/dauth.scala:120
HMAC	HS256	reduced margin (Grover), approved	acceptable	2	2	obp-api/src/main/scala/code/api/util/CertificateUtil.scala:179; obp-api/src/main/scala/code/api/util/Glossary.scala:2970
bcrypt		reduced margin (Grover), approved	acceptable	3	3	obp-api/src/main/scala/code/bankconnectors/LocalMappedConnector.scala:414; obp-api/src/main/scala/code/consent/MappedConsent.scala:229; obp-api/src/main/scala/code/transactionChallenge/MappedChallengeProvider.scala:128
SHA-2	SHA-256	Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	13	13	obp-api/src/main/resources/props/sample.props.template (line 2027); obp-api/src/main/scala/bootstrap/http4s/Http4sMtls.scala:118; obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala (line 3040)
Crypto library com.nimbusds:nimbus-jose-jwt (Nimbus JOSE+JWT)	10.5	n/a	acceptable	1	1	obp-api/pom.xml
TLS 1.2		n/a	acceptable	1	1	obp-api/src/main/resources/docs/introductory_system_documentation.md (line 1768)
TLS 1.3		n/a	acceptable	1	1	obp-api/src/main/resources/docs/introductory_system_documentation.md (line 1768)
RSA	2048-bit	vulnerable (Shor)	acceptable	2	2	obp-api/src/main/resources/props/sample.props.template (line 2027) — app.example.com; obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala (line 3040) — app.example.com
RSA		vulnerable (Shor)	acceptable	2	2	obp-api/src/main/scala/code/api/util/BerlinGroupSigning.scala:95; obp-api/src/main/scala/code/api/util/SelfSignedCertificateUtil.scala:68

RSA	RSA-OAEP-256	vulnerable (Shor)	acceptable	1	1	obp-api/src/main/scala/code/api/util/CertificateUtil.scala:232
RSA	RS256	vulnerable (Shor)	acceptable	5	5	obp-api/src/main/scala/code/api/util/Glossary.scala:3097; obp-api/src/main/scala/code/api/util/JwsUtil.scala:255; obp-api/src/main/scala/code/api/util/JwtUtil.scala:259

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

B. JSON

qsi.report/1 · SHA-256 6e83fddb11fe4c5dcc78ace863f481960b11f629a8378ee1992ce77d9bae882f

C. Input files

File	Size	SHA-256
.github/scripts/check_test_isolation.py	7674	fe057b9c78be2cad2fe75eb56678a7c94d689ce674
dev/mtls-nginx/nginx.conf	2448	ae0b83095b15e123c08b4e7902c13dd33fcf347a1d
docs/MTLS.md	27564	3753e5d90b725aaa4f9c82e44999b1d5420d82392d
obp-api/pom.xml	35211	4663b32c309af2e981740bdcc07208ecece96e1ba8
obp-api/src/main/protobuf/api.proto	6669	01d3acecacd05293448793ec3260c57b0e1e88ce49
obp-api/src/main/protobuf/chat.proto	1672	411436a082033ae3e35feb9358e319e80324ccbb20
obp-api/src/main/protobuf/connector.proto	405	ef426dd0c3021097db78df47c3538ba9d737b5bfd2
obp-api/src/main/protobuf/google/protobuf/empty.proto	2421	a3d2c9810309d8b9f9dc59446b873a883dd5e400ed
obp-api/src/main/protobuf/google/protobuf/timestamp.proto	6217	9676e79a10857737ca23353b7877ea363856edbe94
obp-api/src/main/protobuf/log_cache.proto	1288	6dac771f191c60ea5b63195c543272b576f22fec7a
obp-api/src/main/protobuf/metrics_stream.proto	3907	f3ee2eafd78defad33a001f70502f2a04adb8c1860
obp-api/src/main/protobuf/signal.proto	3035	2b6d0ae876baa5dc072768f05f7ff8c4214b17f671
obp-api/src/main/resources/docs/introductory_system_documentation.md	193763	706e9805de38ccda0bda34ab6cff7aa2bdc0e9975c
obp-api/src/main/resources/props/sample.props.template	120119	52cb94e0a128cd3bf8f2a545ab506cbc158ea50fb3
obp-api/src/main/scala/bootstrap/http4s/Http4sMtls.scala	12055	39ab3ac211bc76b762759e870d0b21b1c8f59f7007
obp-api/src/main/scala/bootstrap/http4s/Http4sServer.scala	3338	5f52500a49fec860267c9381ccddc6db34d1e5b03e
obp-api/src/main/scala/bootstrap/liftweb/Boot.scala	54798	273e7dc071a270f73551f2bef9cbb23289a685b5e9
obp-api/src/main/scala/bootstrap/liftweb/CustomDBVendor.scala	4967	b8de314dc648a0fa87dbec5e09828bc2810190f9a4
obp-api/src/main/scala/code/abacrule/AbacRuleEngine.scala	26454	322e3d1a5923206798f84c10b3d98d89490c92ebe0
obp-api/src/main/scala/code/abacrule/AbacRuleExamples.scala	12362	e8c2dd1b75741be937246b4daddf2f64e56c364250
obp-api/src/main/scala/code/abacrule/AbacRuleTrait.scala	5819	0b4f95f7380f94e6daf161856b5bb8ec0eb3e19ca0

obp-api/src/main/scala/code/accountaccessrequest/AccountAccessRequest.scala	6366	0bbada3e06144fc3aab2e5d69832bc9e5e922169c1
obp-api/src/main/scala/code/accountaccessrequest/AccountAccessRequestTrait.scala	2565	51e8612bb31c6f9b64e2b6fb125746471f7115ad92
obp-api/src/main/scala/code/accountapplication/AccountApplication.scala	1709	1f9e28766a414378a53b2c37cb6aaa285fbb174146
obp-api/src/main/scala/code/accountapplication/MappedAccountApplication.scala	5129	2eb4136637725b15c3013c7cfb75e694219f5c2619
obp-api/src/main/scala/code/accountattribute/AccountAttribute.scala	3700	305e0701e09135e070be4fc3023a1ac827e1e81543
obp-api/src/main/scala/code/accountattribute/MappedAccountAttributeProvider.scala	10460	4548b58979bf1802021f7ac425cc841ff03570ef7c
obp-api/src/main/scala/code/accountholders/AccountHolders.scala	2438	36018d531333ce19beac83dc5e9eb874f41dca9f02
obp-api/src/main/scala/code/accountholders/MapperAccountHolders.scala	7298	bfa9c5585fd9ce6f76caecb171a7e9eddb2f6b6b99
obp-api/src/main/scala/code/actorsystem/ObpActorConfig.scala	3943	0d7e6053d67291e749e5e47ae664d2ab3f7a9bdea3
obp-api/src/main/scala/code/actorsystem/ObpActorHelper.scala	1190	aa9ecc8a32701953444747d1365e8d4fdc29dd6878
obp-api/src/main/scala/code/actorsystem/ObpActorSystem.scala	2567	04800e3e1f2c804d6fee696d98454e9e51e1617709
obp-api/src/main/scala/code/actorsystem/ObpLookupSystem.scala	4054	058dc45bc408f27d51925e910294711cc25df2249a
obp-api/src/main/scala/code/amqpbroker/AmqpBankBroker.scala	4363	040acff973769c780aed43d45325498f7c97383b89
obp-api/src/main/scala/code/api/AliveCheckRoutes.scala	1625	67a48680966edeeec7c641cb28df90fd1d4d8e77e3
obp-api/src/main/scala/code/api/DirectLoginRoutes.scala	5032	1c5498222f03f16c63536d5aa2d8ae8dc2df6cab87
obp-api/src/main/scala/code/api/GatewayLogin.scala	21679	facbcecdd72fc00916ae23c5bec92f3741af0ed50f
obp-api/src/main/scala/code/api/OAuth2.scala	42955	879ea9cb7569034552bc75018139ee66a5bb6d080c
obp-api/src/main/scala/code/api/OBPRestHelper.scala	9831	596e586061955a33758df4d04b03a59eef47979560
obp-api/src/main/scala/code/api/ResourceDocs1_4_0/MessageDocsSwaggerDefinitions.scala	11245	9b69431599e26e91bf8e6d58eca2e9ef702620c73f
obp-api/src/main/scala/code/api/ResourceDocs1_4_0/OpenAPI31JSONFactory.scala	31333	91a0d25ec706ea18dba68bbafd2ea15a9308316e77
obp-api/src/main/scala/code/api/ResourceDocs1_4_0/ResourceDocs140.scala	2624	aa55fe4aeb53e39ac86c83f1457a1799c453e26cb7
obp-api/src/main/scala/code/api/ResourceDocs1_4_0/ResourceDocsAPIMethods.scala	76094	faf1710e2f266a02eb0bd32785e350668e785e217f
obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerDefinitionsJSON.scala	245067	ef7ccd115d94166f2d2020c627699d0ab26cab361f
obp-api/src/main/scala/code/api/ResourceDocs1_4_0/SwaggerJSONFactory.scala	58215	29e022acccf67cfa2ebf94581f7b152ef0eeec4f57
obp-api/src/main/scala/code/api/SIWERoutes.scala	6824	c5a8d68913ee693f0312ce68e1eff6aacc9c6a33d5

obp-api/src/main/scala/code/api/UKOpenBanking/UKAmounts.scala	6652	0176e4e2834b7edae17fb968404d7590efcf6e7272
obp-api/src/main/scala/code/api/UKOpenBanking/UKTransactionsQuery.scala	7480	dcdd7357cff50832b9fabbceb1aa3c5e716c015331
obp-api/src/main/scala/code/api/UKOpenBanking/v2_0_0/Http4sUKOBv200.scala	2464	18e7bb14fca96f99e399b64cdcd5bab6a6ca241219
obp-api/src/main/scala/code/api/UKOpenBanking/v2_0_0/Http4sUKOBv200AIS.scala	9728	d5932105c57ea673f798c8ce690a7f47f6205e5a5f
obp-api/src/main/scala/code/api/UKOpenBanking/v2_0_0/JSONFactory_UKOpenBanking_200.scala	9410	d7851ba35fd28170a446f03c9a75c1be620568ac68
obp-api/src/main/scala/code/api/UKOpenBanking/v2_0_0/OBP_UKOpenBanking_200.scala	1876	18c79a551e54876785a8bdb7e196383718ca7e417f
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310.scala	4566	5a714638cb4f0b6082be583f99dc5a099c494dabd4
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310AccountAccess.scala	15426	b5112373c9f2a872017a90c657378bb4ed903f4688
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310Accounts.scala	9665	cd5f98ca9edfa3a20c1c3a7be5ecd6937b4f961043
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310Balances.scala	7234	a3e969d81fab56beef5f33afc65189d12278eea826
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310Beneficiaries.scala	9162	7a1686f4b483c26f7ff091eaffbe0c2c391f6d5960
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310DirectDebits.scala	6048	cdf23c8fdde44551e798b12be15955136b5d3f3451
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310DomesticPayments.scala	20033	8702147b2881cb861b953b9c4c3b2a68672e264a62
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310DomesticScheduledPayments.scala	19351	899f0be95c309da449ebdc5072b049296378dcf4b7
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310DomesticStandingOrders.scala	16183	f986b52330731f62cbd8c24bdc7c5dbf7ecbfcd700
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310FilePayments.scala	16632	2f03bb242637f13dd1230f86dfcf622ff81253dba1
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310FundsConfirmations.scala	7876	83c74084a08a98b0726f465cf8fdded31e4786da51
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310InternationalPayments.scala	25908	9f2927572209a4afd82f746a6a72ad49f4e1941105
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310InternationalScheduledPayments.scala	26675	144ea2a4942bd6e93894dac736272a6dcbcabf636d
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310InternationalStandingOrders.scala	20915	8ffa292f2d59edc9d86e20df3fcf60c23f061fa0b4
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310Offers.scala	6447	6da2f0f98b5feef5627f3159a7a90f95b888fc0de1

obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310Partys.scala	6443	a4ec38cb947f9dbda26c351a909a666b1eb6c1bdd6
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310Products.scala	4324	98fe875da6ad64bd629b40264be249c10c586e8c13
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310ScheduledPayments.scala	7607	2d0746bc6dc292751cbbb23ca31c0ceff78848f7dc
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310StandingOrders.scala	9094	08e5beb8e28d94574fde13d552aab9b64f4411740e
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310Statements.scala	52964	7e08ec0b860ca4696d69151258af2b105041abe8c4
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/Http4sUKOBv310Transactions.scala	33328	66f0c56eae79945a323db1f8302670b372c6db282f
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/JSONFactory_UKOpenBanking_310.scala	21335	ddfcea7a5fbf6b6696070e68d24947e88c9eefe2c6
obp-api/src/main/scala/code/api/UKOpenBanking/v3_1_0/OBP_UKOpenBanking_310.scala	1946	b8fa4e19e078d5bb3fe934cb9c542a6faf7c7c1f13
obp-api/src/main/scala/code/api/UKOpenBanking/v4_0_1/Http4sUKOBv401.scala	4024	856989046606a23173046119ca983b22e47a8687d8
obp-api/src/main/scala/code/api/UKOpenBanking/v4_0_1/Http4sUKOBv401AccountInfo.scala	121310	f48444c5235bb445a55b3f10abb3077a69d12f8091
obp-api/src/main/scala/code/api/UKOpenBanking/v4_0_1/Http4sUKOBv401ConfirmationFunds.scala	9506	6a3b65f9b425b122e313e14f1d311d1f143ae04685
obp-api/src/main/scala/code/api/UKOpenBanking/v4_0_1/Http4sUKOBv401EventNotifications.scala	3395	2bf72852322f89d2eaa0141706c7c1a47378f99e88
obp-api/src/main/scala/code/api/UKOpenBanking/v4_0_1/Http4sUKOBv401Events.scala	9104	ed9fe9f88d836a4b74b6c24c9363c0ee875408d502
obp-api/src/main/scala/code/api/UKOpenBanking/v4_0_1/Http4sUKOBv401PaymentInitiation.scala	323257	f7e5b2cbd4dd8782fbdaa473f042cbc20aee6bb580
obp-api/src/main/scala/code/api/UKOpenBanking/v4_0_1/Http4sUKOBv401Vrp.scala	74175	dccf770bd8e551e67814f783b7cbd602523efad29e
obp-api/src/main/scala/code/api/UKOpenBanking/v4_0_1/JSONFactory_UKOpenBanking_401.scala	16608	01ba03bc4576212ee52486cc87ee45e41d391b9f8a
obp-api/src/main/scala/code/api/UKOpenBanking/v4_0_1/OBP_UKOpenBanking_401.scala	1890	9770602ee135cf55b037b8892ea1708b26a1f11db2
obp-api/src/main/scala/code/api/attributedefinition/AttributeDefinition.scala	2576	7a4b89db4128d9665a0c00ef7380b117ffa46e99d6
obp-api/src/main/scala/code/api/attributedefinition/MappedAttributeDefinition.scala	5365	f9277ff252947c6a453af1f90deec12cb7b39ef9bc
obp-api/src/main/scala/code/api/berlin/group/ConstantsBG.scala	2400	9ec9c8cbc5eec4e08533eb119d89122766a96e79bb
obp-api/src/main/scala/code/api/berlin/group/v1_3/BgSpecValidation.scala	2803	bebf28676c7a4b1e4b559b713bb95ec71bb41a05b4

obp-api/src/main/scala/code/api/berlin/group/v1_3/Http4sBGv13.scala	2402	2498222a24207c8177e768f797d5c6148c447d0546
obp-api/src/main/scala/code/api/berlin/group/v1_3/Http4sBGv13AIS.scala	77030	6911be10fa260bf48cacf6c563477fe2941d04cb0a
obp-api/src/main/scala/code/api/berlin/group/v1_3/Http4sBGv13Alias.scala	4205	f6ecfce57f3613c306f783389d6516db19c757dfa9
obp-api/src/main/scala/code/api/berlin/group/v1_3/Http4sBGv13PIIS.scala	6375	e1931d3f627e51b5014c69e6a7e3fff88d3711f303
obp-api/src/main/scala/code/api/berlin/group/v1_3/Http4sBGv13PIS.scala	74491	7cc69574e06f1365fbc4b08f9f6289c5c13789569
obp-api/src/main/scala/code/api/berlin/group/v1_3/Http4sBGv13SigningBaskets.scala	31118	4bd0fbd4805a025f363da9916911d79173239a99a0
obp-api/src/main/scala/code/api/berlin/group/v1_3/JSONFactory_BERLIN_GROUP_1_3.scala	45261	1e973335612f9669445fc3ed6a213bfa4634aec04e
obp-api/src/main/scala/code/api/berlin/group/v1_3/OBP_BERLIN_GROUP_1_3.scala	2194	ffca42ae8090b6e999261a0da8cfec1fc36dae2777
obp-api/src/main/scala/code/api/berlin/group/v1_3/OBP_BERLIN_GROUP_1_3_Alias.scala	3827	0fccf942b044ae521b01f2695001ce7114d7a31d47
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/AccountAccess.scala	7243	d5888948a8308d8b54025c066505c9215b248a8c9c
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/AccountDetails.scala	6938	a74331e7b351c0f78726adaaadbd35d3a5dd86871c
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/AccountList.scala	3937	9b364b95ebc6c7205f112b77383d899b2c5ce0cd7e
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/AccountOwner.scala	4099	902a4fad0db29b418c2a0cc814f850b74facc1ead2
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/AccountReference.scala	4948	5342ec678e9201dab80ca976a8b8fc1063146e68f1
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/AccountReport.scala	4187	cb22c3bc9c7a37ac0c122b4ac098152284e074ba3d
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/AccountStatus.scala	3907	d5e475c0827b1aa27e320375da100103b24ac85205
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/AdditionalInformationAccess.scala	5331	205219e8f3daf8760225ba5b615db6dea1a982ddff
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/AdditionalInformationStructured.scala	3970	a3e24da18700e6d682d1106b3273b2d4f3324d3bbc
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Address.scala	4105	9c9874610069b532329048a33559f1eec8fe7983a6
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Amount.scala	4306	c21854120bfd9f4f05f881856e21215aea384929dc

obp-api/src/main/scala/code/api/berlin/group/v1_3/model/AuthenticationObject.scala	4910	252466d88771b27fc6201812863d5c3f27ac4e2f93
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/AuthenticationType.scala	3912	c85e6b954274a10d9e12861f319f83d393db61177
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/AuthorisationConfirmation.scala	4033	beb7fcc27ba814617ff5c3373c3b89e3d616b6659
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/AuthorisationConfirmationResponse.scala	4145	73ff76e67ef2d6f7742364a7d3cf98d25a2b6b6ee
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Authorisations.scala	3982	9047f8961d64f7c0bf0c74efecdbff72cd5ab7f58
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Balance.scala	4721	94164a5c8f4dce8cb87cd03a9dcb1693e9f24d112
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/BalanceType.scala	3905	f6d8407219e08bcde7b0bd3c49b67427a607bd882
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/BulkPaymentInitiationCrossBorderJson.scala	4466	7aa557dcf36b587d4f3fa826e3932d917c0799d50
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/BulkPaymentInitiationCrossBorderWithStatusResponse.scala	4592	e6264b891ff09e5f16594a4a128fd9e9b437b3ae7
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/BulkPaymentInitiationJson.scala	4664	5498f1f57ee6d547f0073409b8f7e6435a935e158
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/BulkPaymentInitiationSctInstJson.scala	4454	5e4e4f2f0ae7f3946c8c46edda35ef2d45361a705
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/BulkPaymentInitiationSctInstWithStatusResponse.scala	4576	dfaabb1888d92990ee8a9c3844aab6bf039e867a0
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/BulkPaymentInitiationSctJson.scala	4441	be803a1185595b098170b072e2065dfa4ffa2c083
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/BulkPaymentInitiationSctWithStatusResponse.scala	4559	8ce8010715da10a3e194bc020940716ad0d895a64
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/BulkPaymentInitiationTarget2Json.scala	4454	ce42fc8732eeaacd2d684b1e0d120c0534740ef28
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/BulkPaymentInitiationTarget2WithStatusResponse.scala	4576	9e433608edca0389616a8d4f17ccc909e8894660b
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/BulkPaymentInitiationWithStatusResponse.scala	4946	e581be2d6e1b63c5dda1604eb90d6238d045988b7
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/CardAccountDetails.scala	6161	5577c37425574e5d7ba70345c44e1758ae9387dbe
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/CardAccountList.scala	3949	d671961137ce31856d044d37719b0815619e8c8bb
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/CardAccountReport.scala	4114	942a84a2889668390e9dc36d034eb993c16503a97

obp-api/src/main/scala/code/api/berlin/group/v1_3/model/CardAccountsTransactionsResponse200.scala	4495	edbdd3f40c4ab1dda51b1eccd7e9d7faebc2db4534
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/CardTransaction.scala	5945	71c82a9c94dcab8de66fa1a6a6be28992fb9123e8c
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/CardTransactionGrandTotalAmount.scala	4331	557679a40efb48ff66306def04a0cdb9c6ef75cb0a
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ChallengeData.scala	4978	bdd6ab39deb11d613e66fcc904859794fd1f02e3e3
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ChargeBearer.scala	3906	0eeb156086a82cb36ff77f07b5724ab4500e7813c3
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/CheckAvailabilityOfFunds200Response.scala	4323	33a579c26e7fcda523c449f533614b69a365962398
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ConfirmationOfFunds.scala	4147	19957005415feced0a279e71b29405340742c5c158
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ConsentInformationResponse200Json.scala	5277	079484214247ec67879a6d4c7aa709883bba268a75
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ConsentStatus.scala	3907	afd4cec0b2e6b6370e47db3bfbe81760479d51187f
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ConsentStatusResponse200.scala	4069	5201e8ce044bbe5b8998e7d0f3d1adf16af7e1c52e
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Consents.scala	5066	bef73dc43f0ff63cca9d4652914aac7061fe11c9e5
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ConsentsResponse201.scala	4929	53a36853c13f3598e4468bd12ef48c9fb146fbe94c
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/DayOfExecution.scala	3908	41e026d7aa4df077cc4e3070d0a02d993b4557629e
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/EntryDetailsElement.scala	5378	8400ed15ad7fe632f0070f201cb349ba17cb709e85
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error400AIS.scala	4766	45c5dde108c583197b539cd2a3f67e584fd19b4dee
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error400AISAdditionalErrorsInner.scala	4418	9bd1610f7b1b6b7e4bcc739360d14b5855dc1f92de
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error400NGAIS.scala	3994	576ce27ef3312a7c789119db0447f00813e88c4caa
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error400NGPIIS.scala	3996	6abbf1b8b1bf2d39d3ca8513ed6c12ad8f6836cbc2
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error400NGPIS.scala	3994	a3e1fd2175fe69e58b24b11715839c7b3a20bbe8f0
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error400NGSB.scala	3970	d42b769cc65757a5e12069f78e49ea2fa4c5f18d9a

obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error400NGSBS.scala	3994	ad75140b8de986e49b6b4c0eafd4b84619423a0360
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error400PIIS.scala	4770	7c5b959fd2df3d673415b2852192262cab4145177
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error400PIISAdditionalErrorsInner.scala	4421	9cad91ab6a7fc946fe987a9686b1c9d943903d65e5
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error400PIS.scala	4766	ed717c42d1add27a4cee9c71158f424eca78c0c584
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error400PISAdditionalErrorsInner.scala	4418	c2714654dbfc0a7ee8adc8d5871f2c809900c101a4
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error400SB.scala	4740	835a39500d0055020b81064b5335d5b72c4a7e7d2f
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error400SBAdditionalErrorsInner.scala	4393	8b07563b6afecc0330ef03d1fc04384bfe585a949e
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error400SBS.scala	4766	7b49f2551c877e788ac09a8c72581edae2e9f28bf2
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error400SBSAdditionalErrorsInner.scala	4418	b0260e57a3c57ccd1ba59813f304b57c9da396d80b
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error401AIS.scala	4766	ff424802c1e43af8c68b1975fbc4478cab958acae6
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error401AISAdditionalErrorsInner.scala	4418	147dc18c9b0b60ce2f06958f91d492449dd890c5b4
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error401NGAIS.scala	3994	ea01cf227d78284aecedeef65525b9dc7317c67b77
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error401NGPIIS.scala	3996	f019ab16415845a2fcfc544d33e342c1c18e7c208b
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error401NGPIS.scala	3994	932198c8740b9e3e517cfebeda5043907558ede166
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error401NGSB.scala	3970	753189de13fcd1d6e4c9a43e37b4b26368ad90a54a
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error401NGSBS.scala	3994	4ca4933e5ecc35a2727343ef7f2024a7847270aafb
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error401PIIS.scala	4769	b7f56827f5aeee3b75974e65f6f2cf73d6f1aba19b
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error401PIISAdditionalErrorsInner.scala	4421	73c917e060eeb3e4844c7e46fd366c0518ec79c43f
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error401PIS.scala	4766	9cfd88457d9ad3c59e8c49bd6ef5a0d5086452ae49
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error401PISAdditionalErrorsInner.scala	4418	a0169a19b79ef611cfc876531eb66a06ec9c540c79

obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error401SB.scala	4740	788a672c0a5800ef0f935b7f1dd41ead24f5cc902e
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error401SBAdditionalErrorsInner.scala	4393	e95133c24c32290663642e4ba62d95a478e2bec824
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error401SBS.scala	4766	b705b131ecad9b011c75201bb682d6653d28845691
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error401SBSAdditionalErrorsInner.scala	4418	2e1c46f4cb38669df04352745392ed42d5f8db7db7
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error403AIS.scala	4766	b1841c8519af4c07e9318055d4a625b329dda60acc
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error403AISAdditionalErrorsInner.scala	4418	858127d0c831312394e5cc9ad29878bc4716edf837
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error403NGAIS.scala	3994	4c4a15b4667c940d6da2da0f293ab1b1f837815d74
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error403NGPIIS.scala	3996	3ee71fdf7f447fa29591b974ebf2966c904387ba58
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error403NGPIS.scala	3994	d65ff1b9e139940792cc7e5dae457cec7bf7c1cc95
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error403NGSB.scala	3970	cd2f000f07edadce4b6082a9e38b123861c891b3c3
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error403NGSBS.scala	3994	832ceec693106d5bbac386ced1c258e75367806e04
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error403PIIS.scala	4770	84f84858bd7363705f63cb67b06265583b4c7a7647
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error403PIISAdditionalErrorsInner.scala	4421	f2e6c1382522d9c776cb16598492f2ff8d3404e4eb
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error403PIS.scala	4766	eb6ac5033f642ec698ee9f5cc6aa3275e6e8f82b1a
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error403PISAdditionalErrorsInner.scala	4418	b3852e55c8d9c0b7a670f002d3caa325b55219a4dc
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error403SB.scala	4740	d3448e9a1285866cc8d061c8e18afcde5e783076fc
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error403SBAdditionalErrorsInner.scala	4393	369797a5c912ee46603b42bba1106617743ce73180
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error403SBS.scala	4766	bc01217ccf9eefa400a6ee223a4dfff010cfa63718
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error403SBSAdditionalErrorsInner.scala	4418	30aa6037294cb04b8342edcac94f1610277020a31f
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error404AIS.scala	4766	8657f9f7f04289cd2ac84644b31533dba83290c3aa

obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error404AISAdditionalErrorsInner.scala	4418	1f7f0b1af0daecafc996337b4dac6f7ea191745c33
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error404NGAIS.scala	3994	8e6e1474678ab0e80a33b84171ddca4284fcc09a36
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error404NGPIIS.scala	3996	f628b16e7c089e2e5ab48ef5cae3ac096b1336c95c
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error404NGPIS.scala	3994	0d7b09ca235c5b04c9d1da775745d3b3c5c8b5c3fa
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error404NGSB.scala	3970	dd17328b690426fc6fcb5c8f1cb3b8a69f7f2f916c
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error404NGSBS.scala	3994	5cda21d22fa6cd86c1667735c42347bbf75896146e
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error404PIIS.scala	4770	08b1ce55ad8ba270a69865305bfb14346701df91c7
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error404PIISAdditionalErrorsInner.scala	4421	a35f96270ab33dc832c2f50e2a546dfb745d87047b
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error404PIS.scala	4766	ce2318b8a7ecc2a8d212110f4dbb2fd20b65bf3d60
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error404PISAdditionalErrorsInner.scala	4418	2f1b1d9a21cc07b856f7cec5e1353f5bbe2a9e5467
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error404SB.scala	4740	da798c0b2f74a6e1ec60b4f5f60842e4a2da4b60bb
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error404SBAdditionalErrorsInner.scala	4393	e86e384795206eb4d22cecbca17035bfa49b36fbd9
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error404SBS.scala	4766	d265c55e217ff9c829b698daaac28b9058291be497
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error404SBSAdditionalErrorsInner.scala	4418	ee13b2de5b2d4044d34b36dadd223f44d3a560e6db
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405AIS.scala	4766	372689cad5689fcdae5a2ed753251ecb29dcce1dc3
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405AISAdditionalErrorsInner.scala	4418	21b197a866e9c0011459182aeff7191b0bc822e884
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405NGAIS.scala	3994	646a82430a1698d6ce6260610af3992c6c8e3080f0
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405NGPIIS.scala	3996	890c7e3ebcb0b01f4d5d1384a6deb8d0efeab3b723
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405NGPIS.scala	3994	236b7cbcd616e9a8bf1a8c67947733a13a73467f52
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405NGPISCANC.scala	4002	d4fdb01f1619406adfaec6869912285dd0bf0cda13

obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405NGSB.scala	3970	9da692abe8c21fc317caf5a8e4a4159e827d753b3f
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405NGSBS.scala	3994	f56b675e8730a1504a1ebaf3f6b55e7cd546f9a2da
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405PIIS.scala	4770	2305303d314bd1d908575175e76a5809fd254fb05c
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405PIISAdditionalErrorsInner.scala	4421	ff0086788810867995853b4f4678c964ba5318558b
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405PIS.scala	4766	a07c084a96e205bd099f913e403e7c63b6d3a14a25
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405PISAdditionalErrorsInner.scala	4418	55bdb3a5d936738e01c38d84d16ee0ab0c76c38b97
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405PISCANC.scala	4782	7136ab0a5262eb2804d1ab18bf803b534bed2b86a7
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405PISCANCAdditionalErrorsInner.scala	4430	a9d242718438e5b5bb964bb8ba2f6d11aabdedf5a8
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405SB.scala	4740	1804db20dd459234867f91d1b6b24766d344d2f528
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405SBAdditionalErrorsInner.scala	4393	89e479373be8c786640783390c1298322af757ed2e
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405SBS.scala	4766	170796c856972293785833317f7fa6ce986093b63bf
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error405SBSAdditionalErrorsInner.scala	4418	d7991f0c1b1e9a35afe137ba28ce3e1e9e648692fc
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error406AIS.scala	4766	c6379d8f02b743955da3b46580360af298355ad390
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error406AISAdditionalErrorsInner.scala	4418	a4d1784eb8a62acb2d7826be0d6a39649251d82b0c
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error406NGAIS.scala	3994	39b54dce7aaaf6d6e2dee7810306a4eafc3f799ef6
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error409AIS.scala	4766	f52cef48e6c67ba2d47eacefacb9642bb96edec769
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error409AISAdditionalErrorsInner.scala	4418	e627387646a223e4daa74393a51b274190e0054fb2
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error409NGAIS.scala	3994	53522fa8e805363e67b6d935be4393adb76a54ad15
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error409NGPIIS.scala	3996	f6cde1f596814468280c6924e6e9574be27164505
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error409NGPIS.scala	3994	1a27b9957ffbf9dbe64f7755f3920c5046afeae238

obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error409NGSB.scala	3970	80d9747371281f969972345753ecc82cd9eab929eb
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error409NGSBS.scala	3994	c7ad4781d43206cf68be4357625c3a6836e9defc7d
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error409PIIS.scala	4770	e82bb455b73310a1caba349f646d3ef20f5dbc76d9
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error409PIISAdditionalErrorsInner.scala	4421	c8ace74b2af544948931824191ec42f9632c33670b
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error409PIS.scala	4766	ac8f7aa73e8dbe098ad6fa628767524ba022ac468f
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error409PISAdditionalErrorsInner.scala	4418	9f85ecae2e25fde677ad538dee2186ade9b2589dcf
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error409SB.scala	4740	1295553114c7cf028d6df67cc5712533efb194c6d8
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error409SBAdditionalErrorsInner.scala	4393	8e903d921736b8099c850fe3069ec9d60e63cac7f9
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error409SBS.scala	4766	5c4a7e36150d1125adb4583a0f6e006b1bcab9272f
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error409SBSAdditionalErrorsInner.scala	4418	8646d6615d990e0d5ab50dacdf1bfbfb8bfa998bc7
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error429AIS.scala	4766	f35f179e390399c79bbe7ca1362874a4c2cfa34411
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error429AISAdditionalErrorsInner.scala	4418	08fcb5a14c73c58444c0e3fe4002639380623a6b0f
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Error429NGAIS.scala	3994	d1e105f99f6c537e9609d711dfa3cd06d3fdd5fdcf
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ExchangeRate.scala	4144	84ddee889c3ec0ad7e1746f9993dafc36cc3d427d6
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ExecutionRule.scala	3907	a85b014c4dc157cd293be6ee2204591fbea1b3439b
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/FrequencyCode.scala	3907	b8a6c466991249b9cd659c90188018331aaade9184
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/GetPaymentInformation200Response.scala	5670	f40fb1cc52e84675a1422b0671f7b04ac0da458558
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/GetTransactionDetails200Response.scala	3972	014ed40d89d8ff294870e69fb8d0e005e260d928cf
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/GetTransactionList200Response.scala	3923	1cc7f8ff394a198eefaaf66749d127776e54bba4df
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/GetTransactionList200Response1.scala	3924	9d28240a011e585dafd65d3663e37fecae947fac07

obp-api/src/main/scala/code/api/berlin/group/v1_3/model/HrefType.scala	3960	b2a39fd60d6ffe48682751ffa4661b7bf7ca3fe254
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/InitiatePayment201Response.scala	5338	7912de6cb11d79f9aab83ed870bad3cac5fb5a3f16
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/InitiatePaymentRequest.scala	5983	a727c7c80c8af99476dfe37d59a80894742654cd2e
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/InitiatePaymentRequest1.scala	3917	3bd04028d8698f497da44846bdbc8a9e2e99a7c0cb
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksAccountDetails.scala	3990	f6138072423b362dc004c7801de5e8a515acca6177
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksAccountReport.scala	4069	f681114780195358453c8299c1e1776386038346a0
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksAll.scala	5478	fd4c022fe54454a56e30023b94bbf110fbd25342d4
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksAuthorisationConfirmation.scala	3961	b29cfdfa854901a180d91e9bf32e7c54f617ddb7bb
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksCardAccountReport.scala	4125	6bcd63096b49cd4d8adf7b3164312032023bde00aa
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksConsents.scala	4545	af3534ab9d39966456eaf19c71a37a0836b85d1038
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksDownload.scala	3928	172e7f13945a7e5d02bcb818f7b3a448ed1248603
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksGetConsent.scala	3984	ca94cd10bb08082ed7b7189adaf64ce092f4db9710
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksPaymentInitiation.scala	4554	d380162f393e2dba45b46798b85ea22fc9ddf53274
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksPaymentInitiationCancel.scala	4261	2ea0efe916b0e024147fffc13f3d985f50e0d214cb
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksPaymentInitiationMultiLevelSca.scala	4282	33a28731315b35b90577991a642a390f1d4a3e1753
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksSelectPsuAuthenticationMethod.scala	4369	5529cb74a37b0c1931f671c4fd508513163811c143
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksSigningBasket.scala	4509	e7484c9538019dcbb759d2e488d3b917e321523256
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksStartScaProcess.scala	4370	650c24716f943fa8017c98d6b0e805da0bd0dd9c95
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksTransactionDetails.scala	3948	6066dd90c84aebd95b90da58201ec5a9640e1353ff
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksUpdatePsuAuthentication.scala	4196	ce21e4b290791a470a8ac524757109eec2320c8b6b

obp-api/src/main/scala/code/api/berlin/group/v1_3/model/LinksUpdatePsuIdentification.scala	4014	b0292021dced924c186797bb170341390dfbb0f987
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode200InitiationStatus.scala	3924	65731cb741e201b707b62c5566fd0c9f16235245a5
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode201PaymentInitiation.scala	3925	66c99d1fcd41c8de06705692136c01046b7981d449
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode2XX.scala	3908	c7b13465e4c17e50e166a9214dae8b02406c1ea18d
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode400AIS.scala	3911	5ff65bd1071a09568601386567ef2c5e0367e3b9e6
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode400PIIS.scala	3912	863b25656b4cf27b12958435b5739131b71ffb7329
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode400PIS.scala	3911	c0eec3e5760a49aba27cc618a7c4bb21f0d5ba1192
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode400SB.scala	3888	77d78b1a8d8aa66c1dce93f9636017cb073fdd3545
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode400SBS.scala	3911	8be6a036f6aefd54c486d297d12ec07b215f6fd205
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode401AIS.scala	3911	5e005f423b7d6409ab0c781c26dd5ae39691914f0a
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode401PIIS.scala	3912	ee230d2f472ed4077232050b9d6bbc055951279498
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode401PIS.scala	3911	857dbfb63c10e4915b6b8b2745d03d1e6b037b8cee
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode401SB.scala	3888	40ee6c8808ddd50f393d67e0793004e920ae419ef8
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode401SBS.scala	3911	5c8a19119fb2b1a2f35909a81a64e2c7d54a3ce4ef
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode403AIS.scala	3911	e18e1906fb7073636d13cd8c49a67e0f143e786b27
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode403PIIS.scala	3912	07ccad2301631ad59826cb63dcd7ef128d9c31a3cb
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode403PIS.scala	3911	10b467a99ce8e068700c4e86befee73cb62c7a5d8c
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode403SB.scala	3888	673381c8f2bb2b6a171ddb48b44082cc4fa85f6e60
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode403SBS.scala	3911	f9e2e8a52e270d9076c83a72b7e5386a00e244704b
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode404AIS.scala	3911	1af97456e4cb35d03a81666a3e39187bd3dd805789

obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode404PIIS.scala	3912	d766bb9cc47695e888630bc4f1e7b877037e894921
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode404PIS.scala	3911	1333150186d56ceeca0ea33f6bd8bc4a20dfe56171
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode404SB.scala	3888	8d7e9af52f5a9d22e4ca1969e732e68ea6e9920b68
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode404SBS.scala	3911	bdd16016acb62032aa9fa611ddecaf18acba2d7957
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode405AIS.scala	3911	a3137783c7a802b9d24660d4f0cd1885161e5d3b02
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode405PIIS.scala	3912	71938d4d37f0ccf7cb4fc01b0f1bcccfb3e55e9769
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode405PIS.scala	3911	e81749800c213587ff57336182af44f9be0714278
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode405PISCANC.scala	3915	658249c893c5c043865a130b7e33c5a78c9e7b1ea8
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode405SB.scala	3888	13430bf0a28d9752a582d61e9f21d8dbf2db6cae83
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode405SBS.scala	3911	a02ad7fd262bc9ac464fc00181cc4f2f0b74a1aeba
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode406AIS.scala	3911	333c2f3e1551677ec7211f39289eddb109c87188e4
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode409AIS.scala	3911	982f14468e3fc4e110d3127c0328e8d70db34a39bc
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode409PIIS.scala	3912	e8c97d6d5664e60f840914a6411e0667e5a7d1e5ec
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode409PIS.scala	3911	9065f7c1e532e29736c8aedfc55fdfefc64a409275
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode409SB.scala	3888	57aae5e158c96dc0c6694f1f1c924ab0dccbfeb3fc
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode409SBS.scala	3911	24986e09e56f85d7466aebde7598444437487a704a
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/MessageCode429AIS.scala	3911	25c7f3c059a800308b3c5860b2d4d56e84cccb9ac8
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/OtherType.scala	4247	c24253620306d7c25dfa82bb565645e148d21ff7a0
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentExchangeRate.scala	4344	65ac3db699d255e16d53ea49903c9f58743282a252
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitationRequestMultiLevelScaResponse201.scala	4657	c26f2affc8538602a68e6618655142176282db5b0a

obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitationRequestResponse201.scala	5341	4e6ce3dbc59ba6db93cf66576117e32c1f9b26112
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationBulkElementJson.scala	4363	42a0104b460a12a0c1675088191f35de6b6d442a7a
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationCancelResponse202.scala	4796	de51e7bcb5e8cf35d8470b4c56d59d855cccb2c2fc
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationCancelResponse204202.scala	4781	d96794f4c0ebb0e909a2a8d0fec4c16205f3a6302
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationCrossBorderBulkElementJson.scala	4183	45a5024dca3bfd43e8a2390aa6f6b82d38de50c4ff
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationCrossBorderJson.scala	4207	791b47847f2a692e23d03058e278c81aaad1e4da8a
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationCrossBorderWithStatusResponse.scala	4340	a7a6b1eef5bddf7f315b4f97541fd5b739b2bab1fb
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationJson.scala	4387	6801cc782ab8caad4dad81bc70aa4fd2616b3aec1f
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationRequestResponse201.scala	5839	9f34758295c26bd6f4c02c7d2f96bc380e500f1b8e
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationSctBulkElementJson.scala	4269	0072236467b105a59e083c38059d1ef300ce258c2c
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationSctInstBulkElementJson.scala	4228	40b3246c59aba3232bf7cd17ff6c05fa45786c5be9
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationSctInstJson.scala	4252	0ae202441c37821be46e2e09f86ccdb0f1655078ac
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationSctInstWithStatusResponse.scala	4381	495496313cce41d9074da1ee43cb30bf99ab95ff9e
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationSctJson.scala	4293	af4c46a083e944c5cb8e80aff325ef0051d5c4dc0f
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationSctWithStatusResponse.scala	4418	d3935e6945da725bde5a6e556b2ae7b8357f7d506e
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationStatusResponse200Json.scala	5121	209958f88526322cf37bc756fc651fb41272b57a13
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationTarget2BulkElementJson.scala	4228	5a11082b9609992de2cc15265c5bcb398964c8c35a
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationTarget2Json.scala	4252	e565f5a08939a79339708148f04d06636dc4d30f92
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationTarget2WithStatusResponse.scala	4381	9d56bd4574e0bcd92aa1cfb7465c431914b0a293ac
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PaymentInitiationWithStatusResponse.scala	4540	a91d3c8badcd0835ef396204b7798f90e0bf784cef

obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PeriodicPaymentInitiationCrossBorderJson.scala	4672	0b0e39f43353ef07971b6662be849b441341c5b54e
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PeriodicPaymentInitiationCrossBorderWithStatusResponse.scala	4755	6e8f371fefd76b5efaeb274ea8bd7b2e4686979817
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PeriodicPaymentInitiationJson.scala	5250	0006b7ec5150fbfeb64c8087125fcbf20eb8146bfc
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PeriodicPaymentInitiationSctInstJson.scala	4713	68eac8bc0f75e292d1a7eb65da55f5a3c11353202
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PeriodicPaymentInitiationSctInstWithStatusResponse.scala	4841	838c4a7d280e94dc5cd60cbea0dd6d612ede875fb5
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PeriodicPaymentInitiationSctJson.scala	4750	17f28cb0aa33672b12ca48d672991fb47915c578e6
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PeriodicPaymentInitiationSctWithStatusResponse.scala	4833	6ecea89ec3f2a87fe917d8d7331e324fe2d2f30fdc
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PeriodicPaymentInitiationTarget2Json.scala	4713	2a1dacef53885b03206d3e9903f64430802309f45c
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PeriodicPaymentInitiationTarget2WithStatusResponse.scala	4796	519794b37a67e41ccd2d345aacf3e121e1c86d0fbe
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PeriodicPaymentInitiationWithStatusResponse.scala	4956	61ba885efca9323b72cb1ace03913c4dff0dd399a1
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PeriodicPaymentInitiationXmlPart2StandingorderTypeJson.scala	4922	29c099d0531a11695d49d806fc04d07b843ad3c434
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PsuData.scala	4190	de28ec3972e6aca3f0e8de3ed01cdc06713f10cb9f
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/PurposeCode.scala	3905	90f2c70ffd72558963c845fda911dad7a7f4b57bd3
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ReadAccountBalanceResponse200.scala	4148	ae8384ab1e27a2b3b0e9838b6637d95c5b2c31d20c
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ReadAccountDetails200Response.scala	3949	5472319cc5a8acb0249d097db990bb606adf5a5327
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ReadCardAccountBalanceResponse200.scala	4384	2db6a589351bb668c4db57dbc23e366db9cf4ddd0a
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ReadCardAccountDetails200Response.scala	3961	bdb38c8560699deda4083639a1125c97d726d2feaf
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/RemittanceInformationStructured.scala	4027	a77522588821157a02948dcd18deb5b1b27e1abad1
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ReportExchangeRate.scala	4238	e5d90921553971b7631eb791bb03a7015e2eb1d533
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ScaStatus.scala	3903	8a1cc8862dea3fe5e34798dda6356516893852a636

obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ScaStatusAuthorisationConfirmation.scala	3928	0a5b7bf03fa68cb6e878ebd3f51230b0900d991240
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ScaStatusResponse.scala	4652	853f7712e107faff8b278a9ab02c45dfa10efb28e0
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/SelectPsuAuthenticationMethod.scala	4074	cc3044a03775ad921c2ad4715ba5deed0a9ff8197b
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/SelectPsuAuthenticationMethodResponse.scala	4450	29144afcbe4c50eafb4ce5fc8904a4fb45293bea26
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/ServiceLevelCode.scala	3910	f99e8d2deb125d42b86db9095f2270ba8e2681ca21
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/SigningBasket.scala	4050	e9b197b4bfdc8e1fcaa40dfd725166b51b3ff8306c
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/SigningBasketResponse200.scala	4187	a92735ff65927c3394a63d54ee12da3bfaa87cb794
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/SigningBasketResponse201.scala	4975	5361897f191391ce73cc27b1fbbe9fcd987f607ad2
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/SigningBasketStatusResponse200.scala	4014	3478753ab7a78ef083e6429b381edfb9a9d498c938
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/StandingOrderDetails.scala	5789	c31b49913ac50347e1b80f9529d60595ae99f00a7b
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/StartPaymentAuthorisationRequest.scala	4262	a1ca9c0f2b1a3f481301647fa56fef13f898f584e8
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/StartScaprocessResponse.scala	4891	b4bd8e5504e18a457c2858eadcccеea2e7b9757908
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage201PaymentInitiation.scala	4153	7dd55ee7931667ddf08a5999a551eaed3a5bc1c245
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage2XX.scala	4102	95c10aef20af91deff795aaada4e373eaebcc9c0a5
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage400AIS.scala	4111	e08b9325ee7e3e9a9ff9b0fe34c9bb8f604d43a0dc
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage400PIIS.scala	4114	a3efc4fa9fdc3dd6955210706af5efafc5344a4491
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage400PIS.scala	4111	df2738e31a0b4f4c4eea8ddd18b95e9e8567c3ff6a
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage400SB.scala	4086	b2ad647d43af0be4df42296827b5e5d299aa3fe55c
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage400SBS.scala	4111	6956401e20aa6212068c0410a3ef9368ffb9ea914a
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage401AIS.scala	4111	af67e07874ec14e0572e7e60c43b91735491fdfe7e

obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage401PIIS.scala	4114	603df141fd79f1343291c9a9be57db2a978ba2caeb
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage401PIS.scala	4111	38d0a649017fd22dc2c3a778d7ab28f5472875ab8e
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage401SB.scala	4086	d8e50d2e678923f247491c7544f0390cdc8e0d5ce2
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage401SBS.scala	4111	6b9d9ae7872bf592de70eec033406904ace8535de9
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage403AIS.scala	4111	d607783d79c8eaa94b763d1755e48f6783f293299e
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage403PIIS.scala	4114	91f85b001ba62bc107544d748302736405a60acad1
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage403PIS.scala	4111	a201e55fab2ebfac93ad566863dd676c1bd16bffe6
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage403SB.scala	4086	4843ab65a84f435ece8f46098574348f3a9f07a0b4
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage403SBS.scala	4111	99252ad6698aeecdecc194a6997a15a959b9d5d49a
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage404AIS.scala	4111	ce526dd08b264d5bc0ab9cb34054f4c4aac9915c4c
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage404PIIS.scala	4114	c23ab0f6db8f4d44e42878aeb750acc8a0efad9dec
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage404PIS.scala	4111	cfc8d0571bd10fb0fbb14983ea6718d1b4934a937a
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage404SB.scala	4086	d23132e826f199ed2c81c77cee1b215f8c3e1daa2d
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage404SBS.scala	4111	2412b6cda753710447f5d8adeef03de8dabafe4f49
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage405AIS.scala	4111	42344c12c8f3569561680bccc5439c67ed88032f97
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage405PIIS.scala	4114	dc6a690d552cef9e8b7baeaa8080f7807236ac8317
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage405PIS.scala	4111	b37fd341d1226193fab0c331323b9a63803f669ce7
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage405PISCANC.scala	4123	9bfb11696b5aa2c786d93f7bfe6960fd7f17d1eadc
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage405SB.scala	4086	909f0663572194c00d973a0eab9feba9db03f61871
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage405SBS.scala	4111	f6cd5540c9f7331b7a4ec70e0482bc2b6008e9c764

obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage406AIS.scala	4111	b0ab28888066a718cb94fdf4d5a7837487660c8ec9
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage409AIS.scala	4111	8b58a8693be4073997a0070a880b3090f184fbd083
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage409PIIS.scala	4114	5f7f37cded97f5d33954998b6aa0a935638145c085
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage409PIS.scala	4111	6b48905acf5b9d5acdab18b55fd915b7ef9310f191
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage409SB.scala	4086	a09c8b12878a838ac1425d350c0b460139b9723f10
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage409SBS.scala	4111	a598f30bc51d028af7bb3d9ff06e6775ad857faa6e
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessage429AIS.scala	4111	41e1b23aaf6d87fbef558783768286af94875c28b0
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessageCategory.scala	3912	ed7d8b07cd088a7abb7a168b82f1cedd8bf6c3cd04
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessageGeneric.scala	4144	7c25282bc5c8fa41a62ce57e37f7a79b0b0d2ada39
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TppMessageInitiationStatusResponse200.scala	4166	7cf09338c8233f417bdef10903c8323ad00fdd525a
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TransactionAuthorisation.scala	4082	a06344792582b1fae4cf59fb53819c62bfd1dbd808
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TransactionDetails.scala	6541	89d03141e6ec5e786d99c1812b7ec9e45f82c8374f
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TransactionDetailsBody.scala	3951	de3913451438f8a7185d86662d0469c013a2c70970
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TransactionStatus.scala	6920	b4e2ba057dee209568155ea15f0eb48cc61a38e27f
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TransactionStatusSB.scala	3891	f520c99cc257d2c3c3e7a50d28e4c6baf270c601d5
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TransactionStatusSBS.scala	3914	893d5c677ba85974c95a5019db3c7eb3b6d8d13a2f
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/Transactions.scala	7969	e4aafb528f7b475c4d6b88f5338a44c4773ef67b69
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/TransactionsResponse200Json.scala	4247	2404501e185fe00d75fba7e2806af19ba253194f37
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/UpdatePaymentPsuData200Response.scala	5729	6ca19d5b1a8e8ec958a9d27944e5f27af399bf837c
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/UpdatePaymentPsuDataRequest.scala	4372	8e1482074af9c876f0f61a5e53eca6113e5c51d321

obp-api/src/main/scala/code/api/berlin/group/v1_3/model/UpdatePsuAuthentication.scala	3936	d4a9912400d20781a245931e0022ed45c9940c7782
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/UpdatePsuAuthenticationResponse.scala	5142	fd1c205a1fd57f420459da567ecb0e589067643609
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/UpdatePsuIdenticationResponse.scala	4087	3ba9bfe65b487220a29dceccd3c02c16b0d8ce50a9
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/UpdatePsuIdentificationResponse.scala	4932	950370e00b5bdcc3c8993aaf50b3cf9d55b48601cd
obp-api/src/main/scala/code/api/berlin/group/v1_3/model/requests.scala	3923	bc7de90c3eb9d3dbdbeffb3b47e64e768c4f43eb71
obp-api/src/main/scala/code/api/berlin/group/v2/Http4sBGv2.scala	2517	83689c05f113478e9ebf3e8a884af9286ab11c57f7
obp-api/src/main/scala/code/api/berlin/group/v2/Http4sBGv2AIS.scala	9697	3107bc140e337c939543c4fbb42208487d0b36f032
obp-api/src/main/scala/code/api/berlin/group/v2/Http4sBGv2PIIS.scala	3139	95025751bcd3e3c4b6d762bad34a5ec384c3bd2102
obp-api/src/main/scala/code/api/berlin/group/v2/Http4sBGv2PIS.scala	14023	5c44f176f699b7614d1a09c8811e00497c8c9a316b
obp-api/src/main/scala/code/api/berlin/group/v2/JSONFactory_BERLIN_GROUP_v2.scala	17132	9650a043f5e73ba0813f82017dac2181f208db255f
obp-api/src/main/scala/code/api/cache/Caching.scala	10454	34811fd527dced65ff83ed20ccae27daeb20cbccd2
obp-api/src/main/scala/code/api/cache/InMemory.scala	3719	57ef45e5f2f274782741847e9807a809abbdb32c8d
obp-api/src/main/scala/code/api/cache/Redis.scala	25411	e44a74a8d7d45fc2539fc0464d651a7155e77d7544
obp-api/src/main/scala/code/api/cache/RedisLogger.scala	15927	cad9aa44f9aab27705e346ce44f653354a18a99ced
obp-api/src/main/scala/code/api/cache/RedisMessaging.scala	10424	1c748e5c0732c5a369ce642e7a57a4355e5888169a
obp-api/src/main/scala/code/api/constant/constant.scala	51817	42e9c2bd56bda12d657ca286777f1f371e536d0db5
obp-api/src/main/scala/code/api/dauth.scala	9270	ff9a18687a34be5afe740f422314a999433a0c1144
obp-api/src/main/scala/code/api/directlogin.scala	23835	e28207774a62e6219675b2edd3a8778aea7014e932
obp-api/src/main/scala/code/api/dynamic/domainapi/DomainApiPaths.scala	17348	f506bed396a808cf353db38cd91e16a3912c4315ac
obp-api/src/main/scala/code/api/dynamic/domainapi/Http4sDomainApi.scala	8558	8d4c612076ad15edb2287079c24778caad6d30820f
obp-api/src/main/scala/code/api/dynamic/endpoint/APIMethodsDynamicEndpoint.scala	16182	2ab1f9b51a93c1239fe51f2b3164adb323751bb2ef
obp-api/src/main/scala/code/api/dynamic/endpoint/Http4sDynamicEndpoint.scala	9510	53a8407f8dd01277e2a4a0f5856ed70ccfb451938d
obp-api/src/main/scala/code/api/dynamic/endpoint/OBPAPIDynamicEndpoint.scala	2680	2791fe998c21d24793feb594fa50d229f05f5cb03e
obp-api/src/main/scala/code/api/dynamic/endpoint/helper/DynamicCompileEndpoint.scala	4294	61cb39b6c0b701c976a45fa9c336764621956afeea

obp-api/src/main/scala/code/api/dynamic/endpoint/helper/DynamicEndpointHelper.scala	45767	f73e374f1437cc217822d4ec468b2336b62f419d79
obp-api/src/main/scala/code/api/dynamic/endpoint/helper/DynamicEndpoints.scala	22050	2636fc2e2cc1db18eb7dd816b8fc438a3bf16d0a7c
obp-api/src/main/scala/code/api/dynamic/endpoint/helper/DynamicQueryEndpoint.scala	3129	6f3c1d1a3064f2678967e5bb47bc4e3d4a9d47caa4
obp-api/src/main/scala/code/api/dynamic/endpoint/helper/DynamicResourceDocsEndpointGroup.scala	7784	c881a3f52d3476b16906972f28d7ced953b34c18fc
obp-api/src/main/scala/code/api/dynamic/endpoint/helper/practise/DynamicEndpointCodeGenerator.scala	7083	a5ffb21ec1a5d0c657b23934bd7aede03a85d89ffc
obp-api/src/main/scala/code/api/dynamic/endpoint/helper/practise/PractiseEndpoint.scala	4212	229e8aa2b93632e550e7201b3a6efb8a565d21a511
obp-api/src/main/scala/code/api/dynamic/endpoint/helper/practise/PractiseEndpointGroup.scala	2485	9e94f2e32cc6b28f3804d866073d934d8478207142
obp-api/src/main/scala/code/api/dynamic/entity/APIMethodsDynamicEntity.scala	3185	52dcb74d6468ef6d65b0cb3ca4edbd7268997f76c2
obp-api/src/main/scala/code/api/dynamic/entity/Http4sDynamicEntity.scala	67981	d5a4c56d99b4d5912eca1abdcbf2192ab139b219b9
obp-api/src/main/scala/code/api/dynamic/entity/OBPAPIDynamicEntity.scala	3097	8d90def0fe02131e998b801789c207661eacbc0d54
obp-api/src/main/scala/code/api/dynamic/entity/helper/DefinitionsMapCache.scala	2485	bd4e7d452458c3a8c3b6e2eea94a1d167c86f67def
obp-api/src/main/scala/code/api/dynamic/entity/helper/DynamicEntityHelper.scala	72254	5444a40280ff209a5ebff773ebc7e48c127f8a2898
obp-api/src/main/scala/code/api/dynamic/entity/helper/DynamicEntitySpace.scala	3558	940fb610fee902829505865dda626819a91d08c5f0
obp-api/src/main/scala/code/api/dynamic/entity/projection/DynamicEntityIndex.scala	3029	694583aabdd9951cd91d71d98a3552461faf1dbb83
obp-api/src/main/scala/code/api/dynamic/entity/projection/IndexingCapabilities.scala	2812	695c48af5aff920991694aeb776f6878ec9915b707
obp-api/src/main/scala/code/api/dynamic/entity/projection/PostgresProjectionBackend.scala	10141	acf309b397e6c1687e3b25dfdfa60e7425c291131c
obp-api/src/main/scala/code/api/dynamic/entity/projection/ProjectionCoerce.scala	2472	35d99c8f4bf4b01398d7abe8fec81b8ab419952ef0
obp-api/src/main/scala/code/api/dynamic/entity/projection/ProjectionDDL.scala	3686	80a542a45c54f8637b780a698cdc902ab892d2a5ea
obp-api/src/main/scala/code/api/dynamic/entity/projection/ProjectionDb.scala	1904	87236d5913ddd17e02094a13e6a84e3dcf030b9413
obp-api/src/main/scala/code/api/dynamic/entity/projection/ProjectionDualWrite.scala	3207	e285b3184cf40e733fa0b6436ccdc9f4b78be057c3

obp-api/src/main/scala/code/api/dynamic/entity/projection/ProjectionNaming.scala	2628	1362dd4d3b48b42a980490c7a472023ddd105cf3b6
obp-api/src/main/scala/code/api/dynamic/entity/projection/ProjectionProvisioner.scala	5894	834ce7358ff558561677d9347c716bf1f370ad6a21
obp-api/src/main/scala/code/api/dynamic/entity/projection/ProjectionReadiness.scala	2181	e975dfe169c60b33a99859c65f7e2f80ecc547ea15
obp-api/src/main/scala/code/api/dynamic/entity/projection/ProjectionSql.scala	5248	4c79d4875e611c9c3258050352c2fda07ea550735f
obp-api/src/main/scala/code/api/dynamic/entity/projection/ProjectionStore.scala	7965	4e5646739db3a30bbff626a6bacbf4dad96bdc83b9
obp-api/src/main/scala/code/api/dynamic/entity/query/DynamicEntityQueryBackend.scala	2330	d3c835c6a54752295c28e15ad8b74295fa682d3647
obp-api/src/main/scala/code/api/dynamic/entity/query/DynamicQuery.scala	32478	4008f533d80c336b863f7deb8fd605ad15bddb9c72
obp-api/src/main/scala/code/api/dynamic/entity/query/InMemoryQueryExecutor.scala	7488	339c7f1bee8296d0bc7b999349828c559387954d2e
obp-api/src/main/scala/code/api/dynamic/entity/query/JoinPlanner.scala	21714	064ce2bea5181389ec17d88fec898dad8a3df685de
obp-api/src/main/scala/code/api/dynamic/entity/query/OperatorMatrix.scala	3208	68b21c92fe8e7f4b819a71b4ccbbb4b8fbd8c9d43b
obp-api/src/main/scala/code/api/dynamic/entity/query/QueryModel.scala	5644	53d28fc1d49e534567a7639043caaa4cf8f64f6e31
obp-api/src/main/scala/code/api/dynamic/entity/query/QueryParamParser.scala	8883	f87371e51f1e98ba7635eaa2268727b4a8a7960bdf
obp-api/src/main/scala/code/api/dynamic/entity/query/QueryPlanner.scala	12555	aaa85a54c62ece4cea3ebac946611bdaa8bc280704
obp-api/src/main/scala/code/api/dynamic/entity/query/RecordJoiner.scala	10886	339a4f98039f42566505ff414f0d1c567bc9b79b87
obp-api/src/main/scala/code/api/pemusage/MappedPemUsage.scala	1664	c8a9387f01c9a14beda2cff2cdf89117574379ec6a
obp-api/src/main/scala/code/api/pemusage/PemUsage.scala	1255	924ab77a2ddde155e5d0cd9124065fb80d9f02fcc5
obp-api/src/main/scala/code/api/siwe.scala	12031	7f364070e1272dad20e187988357913438853fad85
obp-api/src/main/scala/code/api/util/APIUtil.scala	255158	9f72af18e127d466e59f885c05c499adc86cfd8837
obp-api/src/main/scala/code/api/util/AfterApiAuth.scala	9733	d3ee97430fc0d36d5e653e39692710f86cc4e12ce6
obp-api/src/main/scala/code/api/util/ApiPropsWithAlias.scala	6343	bc5e0d2ac9035840b9e41c9c60f675e2b9da87050f
obp-api/src/main/scala/code/api/util/ApiRole.scala	91892	77a6048d0984c438328ad9b0769b4d6985044c1882
obp-api/src/main/scala/code/api/util/ApiSession.scala	25773	f7b746c6a404dd57013c3c38af79af9e79ff372bef
obp-api/src/main/scala/code/api/util/ApiTag.scala	11098	213cf091abaad681ce718a74f47198157496a87e49
obp-api/src/main/scala/code/api/util/ApiTrigger.scala	2022	2fbc54380f7913ce6c49191983a75028e0f43e2b06

obp-api/src/main/scala/code/api/util/ApiVersionUtils.scala	3826	5fa0e5101170ff5546d2ee50b00ca6afe5a85d4939
obp-api/src/main/scala/code/api/util/ApiWarnings.scala	2368	718847bd724da01d71d6de4967125bbe54ca4d90df
obp-api/src/main/scala/code/api/util/AttributeTypeDocs.scala	3380	d35efaefb11aefca0063190b3a33634422fb157878
obp-api/src/main/scala/code/api/util/AuthHeaderParser.scala	3753	625b93174ac031e8d660bc6f32bffe6b336aecbb66
obp-api/src/main/scala/code/api/util/AuthRateLimiter.scala	6188	4f3ef8cbd8e04b332ac82781f9825c2e935ec22e2c
obp-api/src/main/scala/code/api/util/AuthorisationUtil.scala	1237	15a5983e320d8c02f0964d7e19fef1d7c928cab87b
obp-api/src/main/scala/code/api/util/BerlinGroupCheck.scala	14884	b1b3ae2300b80a684f1cda4defbd9ae6f4cba3a447
obp-api/src/main/scala/code/api/util/BerlinGroupError.scala	15091	150480b77b87c77fe0636743907c56c488494f975f
obp-api/src/main/scala/code/api/util/BerlinGroupSignatureHeaderParser.scala	5209	d136cabc8695d5dcf8c90076abbb826c0bff3889f0
obp-api/src/main/scala/code/api/util/BerlinGroupSigning.scala	22133	735211d144848843dd33c72b6fff40e9e251cde69a
obp-api/src/main/scala/code/api/util/BlockingIoExecutionContext.scala	1887	f5e5411b9323b56f83394560ea00bee1b07c0c3288
obp-api/src/main/scala/code/api/util/CertificateUtil.scala	15668	b51a5a90b224e387aa71b2e69f7fcd73903a5a3ee4
obp-api/src/main/scala/code/api/util/CertificateVerifier.scala	6798	570ef050cdcd3582a7cbce1e8617c6d741b8d789fc
obp-api/src/main/scala/code/api/util/CodeGenerateUtils.scala	14267	1ebb7c2296474d49c1eafeb72a4b34695cee0be51f
obp-api/src/main/scala/code/api/util/CommonFunctions.scala	2626	dbb999f8e45a6acfe893abce576130eee8fd5c560e
obp-api/src/main/scala/code/api/util/CommonUtil.scala	1472	f0165730fd59cf11a412f046d9591cb1270c985a22
obp-api/src/main/scala/code/api/util/CommonsEmailWrapper.scala	14657	bd0d967630b6caa396a44184672b42ca35569f2137
obp-api/src/main/scala/code/api/util/ConsentUtil.scala	157781	c58958d57aa16c7233070ce30c5a1c822da48ef548
obp-api/src/main/scala/code/api/util/CurrencyUtil.scala	1949	827582ed90a468b1261a8693e43b9a34bd290aa6ec
obp-api/src/main/scala/code/api/util/CustomJsonFormats.scala	7310	80c0a9cd42aa6785430a8050a71846921ab39509ba
obp-api/src/main/scala/code/api/util/DBUtil.scala	5842	f91153c220fc19a21ffa6744a732ecd03189614709
obp-api/src/main/scala/code/api/util/DateTimeUtil.scala	2597	a57030a3a01986529ea6c9fce098e98bb8ec1c49a8
obp-api/src/main/scala/code/api/util/DeploymentChecks.scala	16621	9da3f2d1a0dad0d6fec4c38f71adf2f7798e586efc
obp-api/src/main/scala/code/api/util/DiagnosticDynamicEntityCheck.scala	13391	2962f4642bc7d3963daa4006a49c716c96fa07c8bf
obp-api/src/main/scala/code/api/util/DoobieAccountAccessViewQueries.scala	4651	4474e20fdce8dbefbe242889ec905524b69bd6538e
obp-api/src/main/scala/code/api/util/DoobieQueries.scala	5117	365b362da7099b2713034c08ee39e1e05dd7af3b70
obp-api/src/main/scala/code/api/util/DoobieTransactor.scala	9852	690737646f9dae623d582bf4cd76482f5d14f157aa
obp-api/src/main/scala/code/api/util/DynamicUtil.scala	52699	020e421aa7b1971483bb38432f909b88dd78c39fbc
obp-api/src/main/scala/code/api/util/ErrorMessages.scala	114200	941a1564c39a2fcaea074e7e09966cddc4a77f1553
obp-api/src/main/scala/code/api/util/ErrorUtil.scala	2234	9631c1792f156fef96eba6c5a65988de7887bb1780

obp-api/src/main/scala/code/api/util/ExampleValue.scala	167210	5ffd33ba9cfff12499c29db9b33d417d4bf140242
obp-api/src/main/scala/code/api/util/FutureUtil.scala	4983	e596b7550d57c9c3d3453fa8f4b6ebc1fe325767a7
obp-api/src/main/scala/code/api/util/Glossary.scala	434752	c87f92b4dbd6585ffb6da5d6726bc0f4fd00403f86
obp-api/src/main/scala/code/api/util/HashUtil.scala	2058	8ba13389d9c6241895d43734802909810ade1d99f6
obp-api/src/main/scala/code/api/util/I18NUtil.scala	3104	cf8558feddff24bf6c3e5504470476cbe2dff1c065
obp-api/src/main/scala/code/api/util/IpPenalties.scala	8457	f2875db194f8ab9051e3513b1ac9a9f0cd70b88cd0
obp-api/src/main/scala/code/api/util/JsonSchemaGenerator.scala	13077	ef352f1a86e098fdf7c5f4c3edcbb606369bcd23b8
obp-api/src/main/scala/code/api/util/JwsUtil.scala	14065	bc75d8ade88fafba445912327358cd739314c5033c
obp-api/src/main/scala/code/api/util/JwtUtil.scala	14132	b789b486917e9004004072be302ea67ba6fe914192
obp-api/src/main/scala/code/api/util/KeycloakAdmin.scala	4503	761638d283abab6eccd7d95d4efce1680aa08a960c
obp-api/src/main/scala/code/api/util/KeycloakFederatedUserReference.scala	2474	7b2b30373ea60774e7a4d009d064937eb293c5a11f
obp-api/src/main/scala/code/api/util/NewStyle.scala	257665	42c988b93f1891bb9c13049ceb2af184fca119e885
obp-api/src/main/scala/code/api/util/NotificationUtil.scala	3414	76d7c3699f4152e26d5143c7163df544c7d11bfaa2
obp-api/src/main/scala/code/api/util/OBPParam.scala	8376	be4acd7cedbcf964d27e5a3f0f0953a5bf7e2b6089
obp-api/src/main/scala/code/api/util/P12StoreUtil.scala	3778	d3666e12a9474c2019fb4e840fb4e8aabaf24fb283
obp-api/src/main/scala/code/api/util/PasswordUtil.scala	1349	90cc0b3742c3ca6e521ab3e59106723b94cb5f0e89
obp-api/src/main/scala/code/api/util/PeerTrust.scala	12710	fb803ec692255397100bd9f360f5f18ab573ea7c6c
obp-api/src/main/scala/code/api/util/PegdownOptions.scala	5321	24e9d9f3faec90b1221b3af8967cbbef33cc56b483
obp-api/src/main/scala/code/api/util/RSAUtil.scala	5175	6a54aa33f128bfebcc0c1bf151e287449fd2320ce6
obp-api/src/main/scala/code/api/util/RateLimitingUtil.scala	26439	e5ae261756395587404204bc593f0c45a3af485598
obp-api/src/main/scala/code/api/util/RedirectUrlValidation.scala	8711	8466d8446d41e48a9a1d9c13c4b4dd66055f270a7e
obp-api/src/main/scala/code/api/util/RemoteIpUtil.scala	10030	32ec9460ec635d6073cef4ffeb5fa9fd090610d463
obp-api/src/main/scala/code/api/util/RequestHeadersUtil.scala	3687	3b4718fcec0f0368560402b158d9cf21e3db17c260
obp-api/src/main/scala/code/api/util/ResourceDocFilters.scala	6923	adf3427b1074dcb0a830b5116491c284615f0a8e88
obp-api/src/main/scala/code/api/util/ResourceDocRegistry.scala	11428	4ff67af926ae5bc0c377577f00e0916fb36f94d099
obp-api/src/main/scala/code/api/util/ScannedApis.scala	2793	f1abda0d42311bfcbe98f5e44d5084957dcab375f9
obp-api/src/main/scala/code/api/util/SecureRandomUtil.scala	2027	e782210ad9cc13532db8aeac7c053925b3f4f2d6a3
obp-api/src/main/scala/code/api/util/SelfServiceRateLimiter.scala	14323	3ac81e5d09bf27d583f526e59b72351232238621d0
obp-api/src/main/scala/code/api/util/SelfSignedCertificateUtil.scala	3293	4dfcd06ec75fd07bd70f0946eafae02e31cdd1d8c2
obp-api/src/main/scala/code/api/util/SortFields.scala	3117	8a9fffd4558f4eb9c4be9e6f311dae480a64afc4e0
obp-api/src/main/scala/code/api/util/SqlServerDateTimeUpgrade.scala	9088	9b5234fbe4ea95292d0c5b1c4c31bd53c7d5669676
obp-api/src/main/scala/code/api/util/TokenBinding.scala	6390	fb66234dab536e9b9c66bf91a1ddf25b71f33396fd

obp-api/src/main/scala/code/api/util/WriteMetricUtil.scala	11393	84808344e1453e4c2d36043658e9255a141b6d0f0b
obp-api/src/main/scala/code/api/util/X509.scala	11402	64677be6c73ca3610069379182b53f0db21b448e56
obp-api/src/main/scala/code/api/util/YAMLUtils.scala	3578	119103d1d42d6cf5fe2e61450c96b56561a270f71e
obp-api/src/main/scala/code/api/util/http4s/AppsPage.scala	7532	3b66be53077800adda6b6436fcfd6ad7e06e4a378c
obp-api/src/main/scala/code/api/util/http4s/CallerCertificate.scala	3680	518f83e3372d4b7048c25b8f69988206709046576 3
obp-api/src/main/scala/code/api/util/http4s/ ErrorResponseConverter.scala	10642	2b976b2a35915ed5b3fba67e82f47e3eac39c735f2
obp-api/src/main/scala/code/api/util/http4s/Http4sApp.scala	13001	b2df27d0ca506e950cb664effd988e02bd2e84029e
obp-api/src/main/scala/code/api/util/http4s/ Http4sResourceDocAggregation.scala	11362	9a1075338ac88e4e4bbd4c9c186d9a8ecc9c5c0721
obp-api/src/main/scala/code/api/util/http4s/ Http4sResourceDocs.scala	44650	6b39f9f9a4575d7f81393078bcad6f78eb9d8306fc
obp-api/src/main/scala/code/api/util/http4s/ Http4sStandardHeaders.scala	3365	6f969e0aaae42d6455f235a0ab819b51eee737c7b7
obp-api/src/main/scala/code/api/util/http4s/Http4sSupport.scala	49925	4d0e4caa7c26db638c63be2fcd4ba24a2c4d16262a
obp-api/src/main/scala/code/api/util/http4s/ IdempotencyMiddleware.scala	19415	d46724b13fb4fc1c66438d7d68b2ee03c4ef7fd73c
obp-api/src/main/scala/code/api/util/http4s/Psd2CertIngress.scala	3799	7ed96f972ec4dc72cf5b6f5000977744949cdf8d6c
obp-api/src/main/scala/code/api/util/http4s/ RequestScopeConnection.scala	19773	585b7413902699a9505d8a6838862d5f0003925435
obp-api/src/main/scala/code/api/util/http4s/ ResourceDocMiddleware.scala	41828	843ecc2c86f3b67eb31afe955c76e7db5eec8f3320
obp-api/src/main/scala/code/api/util/http4s/ SelfServiceRateLimitMiddleware.scala	10941	d15d794e2c1a9f09b66ecd9e5a927ec0779811f667
obp-api/src/main/scala/code/api/util/http4s/StatusPage.scala	12066	f954f28c7332f3e46bc7d330e9f7874ab2e1cd9e9c
obp-api/src/main/scala/code/api/util/migration/Migration.scala	60604	f1c8e4d5bc136fe44916ecaf649fc511348dfbfaf8
obp-api/src/main/scala/code/api/util/migration/ MigrationInfoOfAccoutHolders.scala	4111	4bc52481a671a1cc4b633ded83089d3ee1d54deb49
obp-api/src/main/scala/code/api/util/migration/ MigrationOfAccountAccessAddedConsumerId.scala	2999	e5dedde1ddda74967b60a3b5ccd952197e047513e4
obp-api/src/main/scala/code/api/util/migration/ MigrationOfAccountAccessWithViewsView.scala	7981	d1b8ea52e87eba1a466d0db5376998786d491a6dd5
obp-api/src/main/scala/code/api/util/migration/ MigrationOfAccountRoutings.scala	4244	287038e659d6ee3f8935b364fcd5c912f617a11423
obp-api/src/main/scala/code/api/util/migration/ MigrationOfActivityDashboardIndexes.scala	7598	1c3151a7846af104240c74eacf4b6a6b67de6a334c
obp-api/src/main/scala/code/api/util/migration/ MigrationOfAuthUser.scala	6647	e0493ed120121acd13ec6e82c56e3d8b414d77a037

obp-api/src/main/scala/code/api/util/migration/MigrationOfChatRoomCreatedByAndLastMessageSender.scala	4681	da83b6999e45493d56fba3f6d5edfbe621ff6b95f7
obp-api/src/main/scala/code/api/util/migration/MigrationOfChatRoomIsOpenRoom.scala	4104	f0a2a8f65d9b7bfbaddb09b47421b96d23b7be9330
obp-api/src/main/scala/code/api/util/migration/MigrationOfConsentAuthContextDropIndex.scala	2911	d7d715f6223506e4d193577cf983d65502d15b38ac
obp-api/src/main/scala/code/api/util/migration/MigrationOfConsentJwtPayload.scala	2358	7cb900fbec056591dd93c34f6af4d8d27d97ac9655
obp-api/src/main/scala/code/api/util/migration/MigrationOfConsentReferenceIdUuid.scala	10614	273e12dec68feb6591a9bc891484ade34ec12bc68c
obp-api/src/main/scala/code/api/util/migration/MigrationOfConsentRequestConsumerIdFieldLength.scala	2777	8341bcde11b0bbb96c710e75b21a6333bcf1531a6b
obp-api/src/main/scala/code/api/util/migration/MigrationOfConsentView.scala	5431	5f51e9e766966f0b4a72ac14ad030d19c15acee2ee
obp-api/src/main/scala/code/api/util/migration/MigrationOfConsumer.scala	6201	666d1bc058927fa45cf9e68e7c86820d06f7754004
obp-api/src/main/scala/code/api/util/migration/MigrationOfConsumerRateLimiting.scala	3638	77c9a5b31b79e803aeb3eee6fc25be6279faae4127
obp-api/src/main/scala/code/api/util/migration/MigrationOfCounterpartyLimitFieldType.scala	3800	6e6a88058eefb57bbe07e5f952d9577a9b8082ee2c
obp-api/src/main/scala/code/api/util/migration/MigrationOfCurrencyCodesUpperCase.scala	12256	9aff5cd6ec9a54bb1388ae2d4c8d95d5e3ee61be1a
obp-api/src/main/scala/code/api/util/migration/MigrationOfCustomerAttributes.scala	4784	c7fc6ff4e9d8b0d4c492acfeeff5d060b80c95fafe
obp-api/src/main/scala/code/api/util/migration/MigrationOfCustomerRoleNames.scala	7430	a86b81cbe0cc53e6f5ab9a9a5d7b8a5d931f092c5b
obp-api/src/main/scala/code/api/util/migration/MigrationOfDropFastFireHoseViews.scala	3161	5f4e17f6365d816cd38d4b2585d45b30943a35085f
obp-api/src/main/scala/code/api/util/migration/MigrationOfDynamicDataIdFieldLength.scala	5042	a260bd9358d4dd250d2f5e2f89180095b83ceccc3b
obp-api/src/main/scala/code/api/util/migration/MigrationOfDynamicEntityRoleNames.scala	13181	862f1c13856599f5e546e94cb1bd94a915b658ea19
obp-api/src/main/scala/code/api/util/migration/MigrationOfDynamicResourceDocBodyFieldsLength.scala	3662	88d5da9c9ecf244ee72742f36bc7540e5562745364
obp-api/src/main/scala/code/api/util/migration/MigrationOfDynamicResourceDocTextFieldsLength.scala	4173	14e51ab8e96d918e0df0eaed5ad94173c1da9489d2
obp-api/src/main/scala/code/api/util/migration/MigrationOfFastFireHoseMaterializedView.scala	5670	6220cc23185d2b06fd0190966927f0cadd68adaa27
obp-api/src/main/scala/code/api/util/migration/MigrationOfFastFireHoseView.scala	5509	b2392bbbcfd94a23e55f3da61239ba2cc83edd7159

obp-api/src/main/scala/code/api/util/migration/MigrationOfMappedBadLoginAttemptDropIndex.scala	2827	225cb42fefe0dbc07a4b1163b1701f41fcb81e0b5b
obp-api/src/main/scala/code/api/util/migration/MigrationOfMappedConsent.scala	7835	83937c5cb5a515c5cb550c769a7d8df6d8d60a7907
obp-api/src/main/scala/code/api/util/migration/MigrationOfMappedCounterpartyDescriptionLength.scala	3106	0c26673a70ee39bd7c989702a7de8ac2c773c8a377
obp-api/src/main/scala/code/api/util/migration/MigrationOfMappedExpectedChallengeAnswerFieldLength.scala	3176	ced92cbc8f53b0d526cb36afe5fad5b3cc1097b577
obp-api/src/main/scala/code/api/util/migration/MigrationOfMappedTransactionRequestFieldsLength.scala	4208	ca8bb1582fd4f6a8175dfa2cdf10fcac86103297de
obp-api/src/main/scala/code/api/util/migration/MigrationOfMappedUserAuthContext.scala	3004	2ba60d3835d4a9854a4eaeec3992ef381a921d3fe7
obp-api/src/main/scala/code/api/util/migration/MigrationOfMappedUserAuthContextUpdate.scala	3233	ca81b81e9f6e96a3efcfd2ac6041bc98b424f16540
obp-api/src/main/scala/code/api/util/migration/MigrationOfMetricArchiveTable.scala	3995	8da9c2741e8803aaee7c111537fcbe56a4eecf8b6e
obp-api/src/main/scala/code/api/util/migration/MigrationOfMetricAuthType.scala	4096	2135e1fd19b75475d66881c4b20704106f778b7886
obp-api/src/main/scala/code/api/util/migration/MigrationOfMetricCertificateTrust.scala	5296	0477806a013b50369a9279a16b31b246bec51c7601
obp-api/src/main/scala/code/api/util/migration/MigrationOfMetricConsentReferenceId.scala	6223	557abbc09ca08a119b0a5ef2f4f00f6e8b12eb0079
obp-api/src/main/scala/code/api/util/migration/MigrationOfMetricConsumerIdFieldLength.scala	7277	0fdd4b7b2bc8795729f2f23202f889e54f52535ca4
obp-api/src/main/scala/code/api/util/migration/MigrationOfMetricTable.scala	5168	c4dd8cc8f15794ea825ef227027b5fcfe44c4867c5
obp-api/src/main/scala/code/api/util/migration/MigrationOfMetricView.scala	5132	9b5778a3f3697c4e3903eec0128f332260fa1b22d8
obp-api/src/main/scala/code/api/util/migration/MigrationOfOpnIDConnectToken.scala	4825	36ecdfc6177df2da1d426f3ecfbc0c29870c8f66bc
obp-api/src/main/scala/code/api/util/migration/MigrationOfProductAttribute.scala	2818	57b27a06f2ff5cfa8a3a7cf474a746256b1d8ae9bf
obp-api/src/main/scala/code/api/util/migration/MigrationOfProductFee.scala	3070	23fc9db709aa81e9466ceaa540bf6fc5e1277b5090
obp-api/src/main/scala/code/api/util/migration/MigrationOfResourceUser.scala	5094	2171f93b43c1c376f42a15c97250765b00603bf309
obp-api/src/main/scala/code/api/util/migration/MigrationOfResourceUserIsDeleted.scala	4366	b1c70810cce7866a10d0a8837ebfbb41a67ba621df
obp-api/src/main/scala/code/api/util/migration/MigrationOfRoleNameFieldLength.scala	5764	0553e29ad3b391a62d17d8103d1309c542e54d6ade

obp-api/src/main/scala/code/api/util/migration/MigrationOfSettlementAccounts.scala	4410	64774eabd680b9afd35c69bbadaf8d896046a9f83f
obp-api/src/main/scala/code/api/util/migration/MigrationOfSystemViewsToCustomViews.scala	4068	9b86414c61afd378a3b46ee8e12c86ca98e6537f2f
obp-api/src/main/scala/code/api/util/migration/MigrationOfTransactionRequerst.scala	3022	e7974ecf6554e39a28893fe9b2174431a8470cfa13
obp-api/src/main/scala/code/api/util/migration/MigrationOfTransactionRequestAttributeValueType.scala	3012	73e8b8e23e2ace0c5b58a99b764291a8fb393c90e5
obp-api/src/main/scala/code/api/util/migration/MigrationOfTransactionRequestChallengeChallengeTypeLength.scala	3118	35c32e22ceb54cc1c5d1a6ef94120e3b3aa722f6ec
obp-api/src/main/scala/code/api/util/migration/MigrationOfUserAttributeNameFieldLength.scala	3086	5f8156ba9d25d2964d7bf69d8cb0fb69b728146934
obp-api/src/main/scala/code/api/util/migration/MigrationOfUserAuthContext.scala	3188	bac388e52ebef52c38957b632eb5f1ec6e03b169c4
obp-api/src/main/scala/code/api/util/migration/MigrationOfUserAuthContextFieldLength.scala	3684	d3d42ecec74afc2cf720add79fb2bad9e6db0b0bdf
obp-api/src/main/scala/code/api/util/migration/MigrationOfUserIdIndexes.scala	7123	2d047b2e9a29c2e943c2c0d3818a74c8698d052982
obp-api/src/main/scala/code/api/util/migration/MigrationOfWebhookUrlFieldLength.scala	3965	a2572603dd80ef4ae3ce71a1a3a5cb87bb056bfdf8
obp-api/src/main/scala/code/api/util/newstyle/AttributeDocumentation.scala	3395	222d3a5c76cf8fa25bdd3107997ed155e4ebd073cc
obp-api/src/main/scala/code/api/util/newstyle/BalanceNewStyle.scala	3808	3039fe29a5ab9a03dc5ffeab9fdda8765f2da306d9
obp-api/src/main/scala/code/api/util/newstyle/BankAccountBalanceNewStyle.scala	3543	70f9b45931d405d4ca3fc3bb7fd0f75fd78de72f8a
obp-api/src/main/scala/code/api/util/newstyle/Consumer.scala	2459	c9927605e4df7d0448e51a4fb8663565549a33fecb
obp-api/src/main/scala/code/api/util/newstyle/CounterpartyAttribute.scala	3918	ac1d5fbbe2cf9b8b7cfb9c184a6b6bae02b3a5efb5
obp-api/src/main/scala/code/api/util/newstyle/RegulatedEntity.scala	4416	8637dcbe0b9a4c4379c332c87a62d6d46ea4a7675c
obp-api/src/main/scala/code/api/util/newstyle/RegulatedEntityAttribute.scala	4076	6660ea2c7906f71daa72cd1d03ecace3d1e766883e
obp-api/src/main/scala/code/api/util/newstyle/SigningBasketNewStyle.scala	3559	9985f097c97acedaeafd8478d0a930ca246f533f4c
obp-api/src/main/scala/code/api/util/newstyle/UserCustomerLinkNewStyle.scala	2180	00f9f4a33088167bb72c48f72b577aa0c6f9df9f0f
obp-api/src/main/scala/code/api/util/newstyle/ViewNewStyle.scala	11510	5a5704f92370d1dfa2d0fe00af80a8b46cab9b172c
obp-api/src/main/scala/code/api/util/poc/storedprocedure/CallingStoredProcedureReturningResultSet.scala	2459	6bf1617ef1dd2acf5be50aafbf38c7397d3f780f84
obp-api/src/main/scala/code/api/util/poc/storedprocedure/PostgreSQLFunctionOutputingSimpleValue.scala	2706	8e620047a208770cf4027d82a2f06c8b83a1892d5a

obp-api/src/main/scala/code/api/v1_2/JSONFactory1.2.scala	7786	659ffc61019b2c4d39b1776ae2d1ba4ad46d692842
obp-api/src/main/scala/code/api/v1_2_1/Http4s121.scala	162112	8f34a88a67a2b69e1fa85c2688ca1b5529fe2261bb
obp-api/src/main/scala/code/api/v1_2_1/JSONFactory1.2.1.scala	25929	d7d3fae030592f845b8fc6c3bae5a940535de17a44
obp-api/src/main/scala/code/api/v1_3_0/Http4s130.scala	7503	f4a393989db2a94f89b72c25c0bcdfef416b03106f
obp-api/src/main/scala/code/api/v1_3_0/JSONFactory1_3_0.scala	5483	696f89a08889410df58ca21aa399e49dba56e84691
obp-api/src/main/scala/code/api/v1_4_0/Http4s140.scala	25780	3b39c12bd44865d876135fe86a80a7130a3a472db1
obp-api/src/main/scala/code/api/v1_4_0/JSONFactory1_4_0.scala	56285	5e286b234c9906bf8dd6374d587aec4ba55a41b868
obp-api/src/main/scala/code/api/v2_0_0/AccountsHelper.scala	1686	a2c5d2112ea9750898556de7442e7b86fd0114e3a6
obp-api/src/main/scala/code/api/v2_0_0/Http4s200.scala	86676	226bcb594e33816af1d3cb99c20d0d471ea9aef242
obp-api/src/main/scala/code/api/v2_0_0/JSONFactory2.0.0.scala	28405	14afa57f75bfafbd80b21488dfef35666b89101de3
obp-api/src/main/scala/code/api/v2_1_0/Http4s210.scala	78370	47c33910a3692a3fb68913733da2f6785dc1fa98b6
obp-api/src/main/scala/code/api/v2_1_0/JSONFactory2.1.0.scala	36410	9da6566d7dc5cd5668f5884d9ca1550e12719c46e8
obp-api/src/main/scala/code/api/v2_2_0/Http4s220.scala	60449	6809a51bc5d9cab75b0e186b89241bb0f2c70764fb
obp-api/src/main/scala/code/api/v2_2_0/JSONFactory2.2.0.scala	36336	46b19f83bc60debb8808d37dbe0e0983779cafd129
obp-api/src/main/scala/code/api/v2_2_0/MessageDocsJsonCache.scala	5769	5cb8633f96fdfc55c457ec3d70df3c93855ba37c6e
obp-api/src/main/scala/code/api/v3_0_0/Http4s300.scala	115615	1789e24e2e47443c0723c9790374f9a4e6848ae48c
obp-api/src/main/scala/code/api/v3_0_0/JSONFactory3.0.0.scala	59507	39ff342f89b95d9f3674bd7a53aacda2d431e7f94c
obp-api/src/main/scala/code/api/v3_0_0/custom/JSONFactoryCustom3.0.0.scala	1257	8aa9bbb800a71f2b49b4d6824bd47a7b6637d39fb3
obp-api/src/main/scala/code/api/v3_1_0/Http4s310.scala	251568	4d7ee2df5ace71e65330dab633dc86cf475cee4691
obp-api/src/main/scala/code/api/v3_1_0/JSONFactory3.1.0.scala	53827	a7bec8e2805ae267b2fa5d81979515af357425e213
obp-api/src/main/scala/code/api/v4_0_0/Http4s400.scala	547704	aad66785fdca2f6cacd8440abe80d18f10a5a52032
obp-api/src/main/scala/code/api/v4_0_0/JSONFactory4.0.0.scala	86088	b93af5aa54cc803fe1e97383703585d606054bd13f
obp-api/src/main/scala/code/api/v5_0_0/Http4s500.scala	128457	f79f72ff46681bfbf3ea87f2246967ad6425fbd01b
obp-api/src/main/scala/code/api/v5_0_0/JSONFactory5.0.0.scala	40328	08dcefc4b2bfc46bc89d1e9083685f35ae672d9f95
obp-api/src/main/scala/code/api/v5_1_0/Http4s510.scala	282668	0ebd3e1e442acc631653113bc51ba19409e5bef8ab
obp-api/src/main/scala/code/api/v5_1_0/JSONFactory5.1.0.scala	57453	0e6c8d9fcda2cf81d1f45fa5df449c345f04d1aa7f
obp-api/src/main/scala/code/api/v6_0_0/Http4s600.scala	786218	010d6af6b5856eb9a2162cc3700e404b8b4d66a5de
obp-api/src/main/scala/code/api/v6_0_0/JSONFactory6.0.0.scala	118640	c26560c43470cbe77933790e25e87db6f8a595397c
obp-api/src/main/scala/code/api/v7_0_0/Http4s700.scala	427340	ee1b40abf2ff7bf46c7de322f2b2d88050031337a1
obp-api/src/main/scala/code/api/v7_0_0/Http4s700Assets.scala	9231	f78b127b50309a34c8ea943a50504d264c55615673
obp-api/src/main/scala/code/api/v7_0_0/Http4s700DeploymentChecks.scala	4555	e3e7a6be23484eae3b07aecc564f8199120f425f40

obp-api/src/main/scala/code/api/v7_0_0/Http4s700DomainApis.scala	20647	fbd56c471078c79276748a831112f2c79565c04627
obp-api/src/main/scala/code/api/v7_0_0/Http4s700DynamicEntityDefinitions.scala	17463	c97cad6a29d1259a9763db06dd524eb0214a3b3572
obp-api/src/main/scala/code/api/v7_0_0/Http4s700DynamicEntityWebhooks.scala	28699	bc8aa07d7b1d25f832cf9e52eabedbdfb1276848e5
obp-api/src/main/scala/code/api/v7_0_0/Http4s700Grants.scala	5205	a4e5195e0d4ab310e439768f65c773213b8e82581b
obp-api/src/main/scala/code/api/v7_0_0/Http4s700Groups.scala	18793	41fb2f9d21dd1f62bdb2cf27271d1225a018c3345e
obp-api/src/main/scala/code/api/v7_0_0/Http4s700IpPenalties.scala	7340	fb4783ef4555e1f1ecdfc5c262561bac5c81b52618
obp-api/src/main/scala/code/api/v7_0_0/Http4s700MyRoles.scala	8628	04f04243bb28a553502f67fe32d6035004cf1954b8
obp-api/src/main/scala/code/api/v7_0_0/Http4s700OpenIdConnect.scala	5351	4d4f2894a8734b8ad939ebe21230d709470bde895f
obp-api/src/main/scala/code/api/v7_0_0/Http4s700PlatformApps.scala	12644	435ed4bc9e6d9157d78c07f2d1a512e6b1c90ef221
obp-api/src/main/scala/code/api/v7_0_0/Http4s700Telemetry.scala	5676	06f85d47160e9deff16620f522753cc9075b182a7c
obp-api/src/main/scala/code/api/v7_0_0/Http4s700TrafficSources.scala	5705	d15206ae0dc5142968f27d400320d6de3984e5a952
obp-api/src/main/scala/code/api/v7_0_0/JSONFactory7.0.0.scala	130046	57eafb971a14e13eb82d0d0c111f70317f730085f6
obp-api/src/main/scala/code/api/v7_0_0/JSONFactory700Assets.scala	4016	60d0ddfdc25058955f89b53e566eacc7d70e8dbca0
obp-api/src/main/scala/code/api/v7_0_0/JSONFactory700DomainApis.scala	4794	c055b3e496d5ce23666fe94cd0b7f27da128af9b3d
obp-api/src/main/scala/code/api/v7_0_0/JSONFactory700DynamicEntityWebhooks.scala	8076	78fbc10f6f627100f2e040000e41ccf14e8d48db1e
obp-api/src/main/scala/code/api/v7_0_0/JSONFactory700OpenIdConnect.scala	1673	7ac390888c58ae6906e6948eed1997047ef42e5bbe
obp-api/src/main/scala/code/api/v7_0_0/JSONFactory700Operations.scala	14058	cda363963bda2420ac891ffe24d99c5acd69833d49
obp-api/src/main/scala/code/api/v7_0_0/JSONFactory700PlatformApps.scala	4443	23b48aa7a012ef963a0b5851d17ccb7ff8adaf075a
obp-api/src/main/scala/code/apicollection/ApiCollection.scala	2034	33988a66990bc3546e081a889a6868321e154f649c
obp-api/src/main/scala/code/apicollection/ApiCollectionsProvider.scala	3525	3d30cd1db47997c9e07591e5d9303ca39a1dfeaa3b
obp-api/src/main/scala/code/apicollectionendpoint/ApiCollectionEndpoint.scala	1890	86467613ca622f7b6e6dc6f7d3237eebe5f3551aeb
obp-api/src/main/scala/code/apicollectionendpoint/ApiCollectionEndpointsProvider.scala	2932	224d842bfa0bd5ea9bbaeb88e93e7354f609d21ff1
obp-api/src/main/scala/code/apiproduct/ApiProduct.scala	4978	9c7087a82197a66b5e06543207ebbad3a01a311d83
obp-api/src/main/scala/code/apiproduct/ApiProductsProvider.scala	5442	581d794cd9df4dd59a75c45ea978253120bb577cb5

obp-api/src/main/scala/code/apiproductattribute/ApiProductAttribute.scala	2277	082f8b2aeafdf94928161465588edad2485b2576a5
obp-api/src/main/scala/code/apiproductattribute/ApiProductAttributesProvider.scala	4442	1ea9e117c3ca69e3a78ecfc3a6e89b9a6eda0c3602
obp-api/src/main/scala/code/apiproductsubscription/ApiProductSubscription.scala	4355	7ba2bf46023c7c6976037b855510dd208a745869a2
obp-api/src/main/scala/code/apiproductsubscription/ApiProductSubscriptionEnforcer.scala	8884	3107dd8e1899ec09f97417f9edc2e3c2e229037c95
obp-api/src/main/scala/code/apiproductsubscription/ApiProductSubscriptionScope.scala	2548	a921291aaa2c5a45d3e06f64174ab0b5185713231
obp-api/src/main/scala/code/apiproductsubscription/ApiProductSubscriptionsProvider.scala	5880	dd66b618947b03bb9d2a4db08203e73863a59c1e2f
obp-api/src/main/scala/code/apiproductsubscriptionattribute/ApiProductSubscriptionAttribute.scala	2491	3e63f3eadbcfda786e0eafe2836d12d3a8197a5d1c
obp-api/src/main/scala/code/apiproductsubscriptionattribute/ApiProductSubscriptionAttributesProvider.scala	4215	d22385ca13398b78dda983e1ada73933e7a706e2c7
obp-api/src/main/scala/code/asset/AmountPrecision.scala	6364	688636ca742b5459317f19afa18dd54d1b4df208b6
obp-api/src/main/scala/code/asset/Asset.scala	5079	61cd974cf9f984e0b31b27fa03c03c3c9e83af62af
obp-api/src/main/scala/code/asset/AssetLookup.scala	5912	ae51d46c2edfacd073884a0737d664088fee574467
obp-api/src/main/scala/code/asset/AssetSeed.scala	5451	f33a4e2fd5e6b432d52db15cea9d1af0326424f71c
obp-api/src/main/scala/code/asset/Assets.scala	7329	b914ab499ce2c3e178d2535327c4133e017c166f5a
obp-api/src/main/scala/code/asset/CurrencyCodes.scala	5211	fcf7d5d84980e23e6c1165108ade995607c909c01c
obp-api/src/main/scala/code/atmattribute/AtmAttribute.scala	2404	8834a108e34ff805b86ed7bb69088a4b2ed7282e98
obp-api/src/main/scala/code/atmattribute/MappedAtmAttributeProvider.scala	4775	574587843bf73aa9002e7c79e655230cc673b586e8
obp-api/src/main/scala/code/atms/Atms.scala	3887	9a9d9801b972e02855e6b4ca476ec5371f3bae6eac
obp-api/src/main/scala/code/atms/MappedAtmsProvider.scala	16674	befd4cb8454d2777d6a5720a501d90fbaf4d98bdab
obp-api/src/main/scala/code/authtypevalidation/AuthenticationTypeValidationProvider.scala	2440	5ef01b9f247209934f334d4c575a83779c9b866223
obp-api/src/main/scala/code/authtypevalidation/MappedAuthTypeValidationProvider.scala	3150	76c7addac36eddd457c7fb0df9fe9fe3a121a835d8
obp-api/src/main/scala/code/authtypevalidation/MappedAuthenticationTypeValidation.scala	1557	29e7d7b2c95c78758604aa31ed68055224eeeb7166
obp-api/src/main/scala/code/bankaccountbalance/BankAccountBalance.scala	3585	a66ffadaf33f41ceb1351397bde06eb30a8fc47c9f
obp-api/src/main/scala/code/bankaccountbalance/BankAccountBalanceProvider.scala	4866	163e440cfc7b3328efafe62c8a18c6a885902ee03c
obp-api/src/main/scala/code/bankattribute/BankAttribute.scala	2317	ed93cb8192ed994537e80fdfcf573a1adcc0e61c30

obp-api/src/main/scala/code/bankattribute/MappedBankAttributeProvider.scala	4251	65a140463d736792922f2576c1fb0fd76c496f6ed9
obp-api/src/main/scala/code/bankconnectors/AvroSerializer.scala	2286	74d3d985b35f0a0f8f82156666161f6a2adb50f5f4
obp-api/src/main/scala/code/bankconnectors/Connector.scala	126888	6f6d34288fab943a38fa9df7383b526abcee959d85
obp-api/src/main/scala/code/bankconnectors/ConnectorEndpoints.scala	9154	76fd94693c68f8b4030f1bf196775527537ce2851e
obp-api/src/main/scala/code/bankconnectors/ConnectorProxy.scala	5292	a8c72c853f93adc9e3c792984f8eb5bc2e518cbe17
obp-api/src/main/scala/code/bankconnectors/ConnectorUtils.scala	6903	2fcff32f5f5f2f0efe027bff38a69215cad8b6cb87
obp-api/src/main/scala/code/bankconnectors/DoobieBadLoginAttemptQueries.scala	1826	b484d5366a8e585fc65a26a275421f260970689cd3
obp-api/src/main/scala/code/bankconnectors/DoobieBankAccountQueries.scala	2235	e8df54ca2dc8bea2ccb53742d8dfb7c6f1b6ad7900
obp-api/src/main/scala/code/bankconnectors/DoobieBusinessStatusQueries.scala	4058	d2a143708374a783cd97df34cbb57ad78f77a188d6
obp-api/src/main/scala/code/bankconnectors/DoobieChallengeQueries.scala	1860	44d5af12e4d116718f56fb9660792b781b6b8794d1
obp-api/src/main/scala/code/bankconnectors/DoobieConsentSchedulerQueries.scala	1822	5bf6d899315985aba7ad9713c7bdc45e01097ad539
obp-api/src/main/scala/code/bankconnectors/DoobieConsentStatusQueries.scala	3405	070d615d2f8b232866988f57e6660134c24f5f52eb
obp-api/src/main/scala/code/bankconnectors/DoobieTransactionRequestQueries.scala	3082	46076a628a34ba2bb8a420d4f929b5aae46903ae1e
obp-api/src/main/scala/code/bankconnectors/DoobieUserAuthContextUpdateQueries.scala	1738	35adaf9b3bc072cc3b3ee49651dc0375482a62ef82
obp-api/src/main/scala/code/bankconnectors/DynamicConnector.scala	5853	2943ae34c8de05d3765fadf7e15524eec6a5a5316c
obp-api/src/main/scala/code/bankconnectors/DynamicJavaConnector.java	981	d008c0ef4e2ba5919e352458804971c2727617207c
obp-api/src/main/scala/code/bankconnectors/InternalConnector.scala	16455	75fca58f31964b58deca338e6015bfbdec9bd64591
obp-api/src/main/scala/code/bankconnectors/LocalMappedConnector.scala	324996	43ef119ef05f87d89a14bd284d5758e4a844c8e365
obp-api/src/main/scala/code/bankconnectors/LocalMappedConnectorInternal.scala	88378	26c8bcd7d979a68c0d911ab2dcbb9b0ae47aca8a8a
obp-api/src/main/scala/code/bankconnectors/akka/AkkaConnectorBuilder.scala	1637	0438b5ae78e6dcf7841cce791e760db7be70301fbc
obp-api/src/main/scala/code/bankconnectors/akka/AkkaConnector_vDec2018.scala	347869	861355642e8c2b9135567dc4b3c1071bb16a9dcca7
obp-api/src/main/scala/code/bankconnectors/akka/actor/AkkaConnectorActorConfig.scala	4196	3a2a58f3210c9fc2dad00d2a78598e77bdf419f8f0

obp-api/src/main/scala/code/bankconnectors/akka/actor/AkkaConnectorActorInit.scala	1338	98536ba20dbe71f1c1a19563bf474a15eb7434895
obp-api/src/main/scala/code/bankconnectors/akka/actor/AkkaConnectorHelperActor.scala	1550	0e27fef033cb3de79f5bfd4e0fbe4115f5f54cd306
obp-api/src/main/scala/code/bankconnectors/akka/actor/SouthSideActorOfAkkaConnector.scala	7827	3e924166d23ebf5139ed61c447939ca2fc81ae73ae
obp-api/src/main/scala/code/bankconnectors/cardano/CardanoConnector_vJun2025.scala	7203	4819ad07a5596139267a6ff9386fd1fca8c3e5900b
obp-api/src/main/scala/code/bankconnectors/demoJsConnector.js	1344	92d1b6ad9a1adc665c0c052d4fdac3d72abaa6fddb
obp-api/src/main/scala/code/bankconnectors/ethereum/DecodeRawTx.scala	7744	07d7e6add499f0a08952c24614373040d85cb57b6e
obp-api/src/main/scala/code/bankconnectors/ethereum/EthereumConnector_vSept2025.scala	6329	e4948ca1bd18af18cfae62ef8784b08c51b80952e8
obp-api/src/main/scala/code/bankconnectors/generator/CommonsCaseClassGenerator.scala	3249	ec649800e9589d2116f9eca2753efb14c1fa53b74d
obp-api/src/main/scala/code/bankconnectors/generator/ConnectorBuilderUtil.scala	22054	f0b3dce71a7fa2b17f3dd88df0c86cbf798bc75a19
obp-api/src/main/scala/code/bankconnectors/generator/InOutCaseClassGenerator.scala	3134	1f5e1fac95272ad31682603b3907a4ffb96aa64407
obp-api/src/main/scala/code/bankconnectors/grpc/GrpcConnectorBuilder.scala	2250	7b6dda0dad900500fa0be7900c97c04e17815ea690
obp-api/src/main/scala/code/bankconnectors/grpc/GrpcConnector_vFeb2026.scala	417242	0d702a7df6e805fe5b157460d13ec7cf88ae00b9bc
obp-api/src/main/scala/code/bankconnectors/grpc/GrpcUtils.scala	4227	019704ebcc7bedc0fbd3a4199b7968a19c1a45d5f0
obp-api/src/main/scala/code/bankconnectors/grpc/api/ObpConnectorServiceGrpc.scala	4582	f9aae1b045dc2a71e70a0d8e359ebc051a4d17b230
obp-api/src/main/scala/code/bankconnectors/opencorridor/OpenCorridorProcessor.scala	18716	5ab7b403e679bf241eea192f69dc4e51d6dea73c86
obp-api/src/main/scala/code/bankconnectors/opencorridor/OpenCorridorPublisher.scala	12320	2c280a1abca98c75b3d5076bbbf02af218ca4a67d1
obp-api/src/main/scala/code/bankconnectors/opencorridor/OpenCorridorSettlement.scala	21038	d244c43b15ac13aef9cf23a05755a0f6aa64037a88
obp-api/src/main/scala/code/bankconnectors/package.scala	26966	ab23b15e2efbb50486e78924a55d149e7e4c41cc94
obp-api/src/main/scala/code/bankconnectors/rabbitmq/Adapter/AdapterStubBuilder.scala	9706	570b65fc71eb57075fa719ca1f2d87478b5478a597
obp-api/src/main/scala/code/bankconnectors/rabbitmq/Adapter/MockedRabbitMqAdapter.scala	164376	a6d22a3e7a64c34595584ae9856672e38f2fabaaa3
obp-api/src/main/scala/code/bankconnectors/rabbitmq/RabbitMQConnectionPool.scala	4952	360798dc4d7bc0672f7aec6539a85d38ac25f2f6ab
obp-api/src/main/scala/code/bankconnectors/rabbitmq/RabbitMQConnectorBuilder.scala	1334	d8631861abd19da4eaa1b4497068f27b52dcf74641

obp-api/src/main/scala/code/bankconnectors/rabbitmq/RabbitMQConnector_vOct2024.scala	416444	78f6a1b9b3375bbf45276b77696af1543efa76a8d8
obp-api/src/main/scala/code/bankconnectors/rabbitmq/RabbitMQUtils.scala	11982	0e76a8b612c3cdcbe55f70a7d322157b039f05ad13
obp-api/src/main/scala/code/bankconnectors/rest/RestConnectorBuilder.scala	1271	4f49c40af545216b1796b7011d252b1f2d57b9060c
obp-api/src/main/scala/code/bankconnectors/rest/RestConnector_vMar2019.scala	412695	9227dfe13d0e8bb55a3d8c28dce35015336c45d762
obp-api/src/main/scala/code/bankconnectors/storedprocedure/MSsqlStoredProcedureBuilder.scala	4445	e430f39b574ed2b0098e8871ec89c737191cf2381c
obp-api/src/main/scala/code/bankconnectors/storedprocedure/StoredProcedureConnectorBuilder.scala	1344	95c9ee6d04449a7e69d648cadd69cc75abf52af342
obp-api/src/main/scala/code/bankconnectors/storedprocedure/StoredProcedureConnector_vDec2019.scala	417683	30989e5ff10ef368edda6b4934861606b87281e19a
obp-api/src/main/scala/code/bankconnectors/storedprocedure/StoredProcedureUtils.scala	11574	c29df9d077f625187d3ab419493dc90507270b7368
obp-api/src/main/scala/code/branches/Branches.scala	8488	614c5cac66dbce60a29ab417403193875a6544dac6
obp-api/src/main/scala/code/branches/MappedBranchesProvider.scala	11229	b0a859faaf97accf0a0dae4b6b77aa29b74e1bf907
obp-api/src/main/scala/code/bulkpayment/BulkPayment.scala	5633	0ce504fcd436c9d39643e49eb52ffbd284789ce97f
obp-api/src/main/scala/code/bulkpayment/BulkPaymentHandler.scala	9927	c7fec5243080c2fe5e8c6e9b4b9a4000152009325b
obp-api/src/main/scala/code/bulkpayment/BulkPaymentTrait.scala	3174	b777b8a0c3ba3bf991923005595f4a182bf6837715
obp-api/src/main/scala/code/cardattribute/CardAttribute.scala	2214	2b90c836bae80ec36b14cb960bb25da18698fb252e
obp-api/src/main/scala/code/cardattribute/MappedCardAttribute.scala	2126	423bc857e5bc970228077febe260362d4b3456f50c
obp-api/src/main/scala/code/cardattribute/MappedCardAttributeProvider.scala	3062	d38f9a85af57021c06cfe2371f682d2bc9a1faf811
obp-api/src/main/scala/code/cards/MappedPhisicalCard.scala	15640	a7f2a0005e17c224449f0ce73c440dad7733b2326b
obp-api/src/main/scala/code/cards/PhisicalCardProvider.scala	3206	e5d30d5d0c9b571eef2c2150c255c313105bdfd17c
obp-api/src/main/scala/code/chat/ChatContentPolicy.scala	1688	59201d26a601a17c4e1746a91bc6942c055b3f5a93
obp-api/src/main/scala/code/chat/ChatEmailDigestScheduler.scala	7579	e22c65d82c8d8c1913f1ffef71ddd2ace11e4e24a3
obp-api/src/main/scala/code/chat/ChatEmailDigestState.scala	2111	825be200c27fd4707cb9da5cafcfe442de3bf3fbd5
obp-api/src/main/scala/code/chat/ChatEventBus.scala	6017	8852783ef1c4244c4083c9b7626150d309368bab71
obp-api/src/main/scala/code/chat/ChatEventPublisher.scala	8328	a78a63d93cbfd3e90d02957fabbf56617589a48901
obp-api/src/main/scala/code/chat/ChatLinkPolicy.scala	4049	9b8cd4f36271216a4ce7bd40101263d8dbda32bdc0
obp-api/src/main/scala/code/chat/ChatMessageTrait.scala	2476	7eef134e1bc8d49fdadcd58acff75278e7e970032c
obp-api/src/main/scala/code/chat/ChatMessageValidation.scala	2104	d1038a92701c5b8b38ea84bc844210cb3264da982b

obp-api/src/main/scala/code/chat/ChatPermissions.scala	3276	15fce173e749d877af0f801a36813f90b29baa50ec
obp-api/src/main/scala/code/chat/ChatRoomTrait.scala	3237	0c87c71410b1dd695c591531a900ae99f020c6f1a8
obp-api/src/main/scala/code/chat/DoobieChatMessageQueries.scala	3908	1d5ae399349189da2945dd0dfc43a2e148733197b2
obp-api/src/main/scala/code/chat/MappedChatMessage.scala	6035	4ecd31f2440e8c08012f5b64c849143e07b2dc6152
obp-api/src/main/scala/code/chat/MappedChatRoom.scala	8216	59fc7d520ec4f53b2c456422db06e87ce108b90018
obp-api/src/main/scala/code/chat/MappedParticipant.scala	5381	53954a431167e5cfdefc54799f8622f00889a0349d
obp-api/src/main/scala/code/chat/MappedReaction.scala	3229	f008b8c298fde7963a58d57b1206e2dbf95a70d1e0
obp-api/src/main/scala/code/chat/ParticipantTrait.scala	2440	0155da1be5360ee497c7f24afb5c1691f0d7c49242
obp-api/src/main/scala/code/chat/ReactionTrait.scala	1750	75ed162ea1258fe10b97a50f124bb00607ff587197
obp-api/src/main/scala/code/connectormethod/ConnectorMethod.scala	3096	d93c7cfec9d341df27d106bcad4cfa69be790ad68d
obp-api/src/main/scala/code/connectormethod/ConnectorMethodProvider.scala	2295	05dee11f3953ee1facfe3b50e3d31018eaf8552539
obp-api/src/main/scala/code/connectormethod/MappedConnectorMethodProvider.scala	4189	08caf187ade6f04f2096728374cc28bbea86032794
obp-api/src/main/scala/code/consent/ConsentItem.scala	2451	6b21549a4977db82ca43f8e622be93175cf3907cc4
obp-api/src/main/scala/code/consent/ConsentProvider.scala	9265	18d94c75435c6fb4dda576e4d4e9f101ae8e747885
obp-api/src/main/scala/code/consent/ConsentRequesProvider.scala	1541	057298c79c84564ae8160434124c36816f2638de63
obp-api/src/main/scala/code/consent/ConsentRequest.scala	2338	c6d8262e336e900540c13821a8c3ab2397f647f1dc
obp-api/src/main/scala/code/consent/DoobieConsentQueries.scala	10500	0fc19e432974affa614e33dfa9f2e0eea2c4daca2e
obp-api/src/main/scala/code/consent/MappedConsent.scala	24286	20b69b856bdc3d5d95914cd29bf730814d0e8b562a
obp-api/src/main/scala/code/consumer/ConsumerProvider.scala	4439	a66b9c54cf75f81cbb54000426dfe556c1cd028a7a
obp-api/src/main/scala/code/context/ConsentAuthContextProvider.scala	1966	eb76c6f31c46c51f42cf2bc8a2800b9b3cf3cb38e7
obp-api/src/main/scala/code/context/MappedConsentAuthContext.scala	1906	c69cd9977ce1e1f3b8bb692ad3ca7a0d4ce3649931
obp-api/src/main/scala/code/context/MappedConsentAuthContextProvider.scala	4467	cd359b9d848384e7f36c6caf4b130a624d546ae2aa
obp-api/src/main/scala/code/context/MappedUserAuthContext.scala	1889	fed52b7a6ff6bec62f72a8e166b6a00489a452a53b
obp-api/src/main/scala/code/context/MappedUserAuthContextProvider.scala	4628	eea9bcb8cda995881a4c4140a4bc6c569ba00a9845
obp-api/src/main/scala/code/context/MappedUserAuthContextUpdate.scala	2533	eccd1727940b32a9cfa419184a3929b4b8d2b9b924
obp-api/src/main/scala/code/context/MappedUserAuthContextUpdateProvider.scala	5551	379755a6a345ac546c034f218dcc2c44f16a95a7df
obp-api/src/main/scala/code/context/UserAuthContextProvider.scala	1920	e1646c7bdaf4d44b558705286640db68921a8bc177

obp-api/src/main/scala/code/context/UserAuthContextUpdateProvider.scala	2164	a6f54cdf453a27e731e08e8e4993e269e7a26f9813
obp-api/src/main/scala/code/counterpartyattribute/CounterpartyAttribute.scala	2326	da414899c5ffd1bfc4e7f94f63ed3f7755be9c4ff7
obp-api/src/main/scala/code/counterpartyattribute/MappedCounterpartyAttributeProvider.scala	4829	81339925ec74f9893584ed9ebc3f0f2f263112ace5
obp-api/src/main/scala/code/counterpartylimit/CounterpartyLimit.scala	2056	0e3fa06e3bfe16c0222168762ece6b6616c255ac9d
obp-api/src/main/scala/code/counterpartylimit/MappedCounterpartyLimit.scala	7294	d9e37edd4a92810e6458cb0e2e42054ae01e0d6805
obp-api/src/main/scala/code/crm/CrmEvent.scala	3266	62be020175086805a6f3919991c9c183fd466df6ea
obp-api/src/main/scala/code/crm/MappedCrmEventProvider.scala	3909	830bfe462f652f6945c327dfd0273bfe68fd9e0f1b
obp-api/src/main/scala/code/customer/CustomerMessage.scala	1773	fd2dcba56e658762a3e2e17290aca9395d2ed106e5
obp-api/src/main/scala/code/customer/CustomerProvider.scala	5219	9f9a1f81563c2db07ae6d4aa7f3912179abb5a515f
obp-api/src/main/scala/code/customer/MappedCustomerMessageProvider.scala	3982	0022adc6f55bbd1b85f2ba3ac36a37bd4ee06b71dc
obp-api/src/main/scala/code/customer/MappedCustomerProvider.scala	19422	4d78600d2e6f1d4c72511855ec5eb25ac04a827726
obp-api/src/main/scala/code/customer/agent/AgentProvider.scala	2417	ac82010df967c3916a5f821375968c18834d496146
obp-api/src/main/scala/code/customer/agent/MappedAgentProvider.scala	4605	cb46a3b8cf8229889256e8ac85fcce7672bcc54a1d
obp-api/src/main/scala/code/customer/internalMapping/CustomerIdMapping.scala	2138	b9cf74a8d3fceb8c343915467b6fe85e664cfff89d
obp-api/src/main/scala/code/customer/internalMapping/CustomerIdMappingProvider.scala	1436	5e534d4d809600482c78ac07b06bf69d6c5a997147
obp-api/src/main/scala/code/customer/internalMapping/MappedCustomerIdMapping.scala	2253	a2d1a61dab90a9546b187b088c32251709a36b6dff
obp-api/src/main/scala/code/customer/internalMapping/MappedCustomerIdMappingProvider.scala	2723	e4ba4b6d91e6868396f5fe95d4688569b9d1e5f41f
obp-api/src/main/scala/code/customerDobDependants/CustomerDependants.scala	1669	3ef0cb94b001828aa75fd56d2a13a14de77a96cef8
obp-api/src/main/scala/code/customerDobDependants/MapperCounterpartyBespoke.scala	2202	977e28f170808e00115203f2dc289fd321015c4833
obp-api/src/main/scala/code/customeraccountlinks/CustomerAccountLink.scala	2444	b7e3390e43593f0ea63a37845ef7b0631c96c0c774
obp-api/src/main/scala/code/customeraccountlinks/MappedCustomerAccountLink.scala	6037	1237735671b033d00b95ddfcbccd50f49f7347f993
obp-api/src/main/scala/code/customeraddress/CustomerAddress.scala	2337	a898417b98abaa5af69483ba8eddb243977e50f531

obp-api/src/main/scala/code/customeraddress/MappedCustomerAddressProvider.scala	6155	4ad3d99eeafbbc9b3402c720d505e0f3101e16b40e
obp-api/src/main/scala/code/customerattribute/CustomerAttribute.scala	3144	4b2d1c034508b29c3ac341551e391ee75545f7970c
obp-api/src/main/scala/code/customerattribute/MappedCustomerAttributeProvider.scala	7451	67ae1647415551792ce6e559e57439a110e68cae27
obp-api/src/main/scala/code/customerlinks/CustomerLink.scala	2067	1700fa58dae6f1ac30fa1945f9a939f1e0c0cf49d9
obp-api/src/main/scala/code/customerlinks/MappedCustomerLink.scala	4263	a75cc9e76cab180ed3ab6ee585dcc0e1e7e7c79c2b
obp-api/src/main/scala/code/directdebit/DirectDebit.scala	1789	f10fe20632f9a499e5569eea3ffc90ed23ac3644d7
obp-api/src/main/scala/code/directdebit/MappedDirectDebit.scala	4041	06398126ab579923ae7dc2b7a03453b1bd04d97fdc
obp-api/src/main/scala/code/domainapi/DomainApi.scala	9891	014267b03fa429376eef8fc0a3745878b4b0c6caf0
obp-api/src/main/scala/code/dynamicEndpoint/DynamicEndpointProvider.scala	2623	21b8c420b0ee3a9fc0ee9e44b088a523bf2a3a32c0
obp-api/src/main/scala/code/dynamicEndpoint/MapppedDynamicEndpointProvider.scala	5342	8669303a74cf568b3d39aa1639a6f35eedf47844ea
obp-api/src/main/scala/code/dynamicEntity/DynamicDataAccessProvider.scala	4488	27c9c29b10410ecc9f12fc6d4c711341e8cec47c3e
obp-api/src/main/scala/code/dynamicEntity/DynamicDataProvider.scala	5651	1f0c8ded39215acf4115e6870260d3718b14c55d8e
obp-api/src/main/scala/code/dynamicEntity/DynamicEntityProvider.scala	41804	48797cb0db764ad779b9dd35911e3fcf8a72840bec
obp-api/src/main/scala/code/dynamicEntity/MappedDynamicDataAccessProvider.scala	8605	02b9aaef15ce4fbbf69c8d35d731a2d4d70ca86089
obp-api/src/main/scala/code/dynamicEntity/MapppedDynamicDataProvider.scala	22633	e88b03ba99013aea8c26aa6dadbc31f764f7ef83b8
obp-api/src/main/scala/code/dynamicEntity/MapppedDynamicEntityProvider.scala	11524	15d557c3800a04ffa2832f3533c6e2b9d09b9ec2ac
obp-api/src/main/scala/code/dynamicMessageDoc/DynamicMessageDoc.scala	4149	71c25406039773ebaf3d3c1c348a84b308925346b8
obp-api/src/main/scala/code/dynamicMessageDoc/DynamicMessageDocProvider.scala	2504	8b35c1cf0c547c58e3c75517fe1ba3dd16c88f48d0
obp-api/src/main/scala/code/dynamicMessageDoc/MappedDynamicMessageDocProvider.scala	6357	1391523cee80df9b3faab859382418740f2852e8ea
obp-api/src/main/scala/code/dynamicResourceDoc/DynamicResourceDoc.scala	5451	ed8beb3858ebd6170029d245dd0ac89a9bfc4f9602
obp-api/src/main/scala/code/dynamicResourceDoc/DynamicResourceDocProvider.scala	3504	8323b254a16d8e54669f8444071e4f48fd1a4bd420
obp-api/src/main/scala/code/dynamicResourceDoc/MappedDynamicResourceDocProvider.scala	7090	d7d4592afd6ba738245fb886d780e06b7afc5ca335

obp-api/src/main/scala/code/dynamicchangerequest/DynamicChangeRequest.scala	6642	b5db3e6d0488ef187ea8dabedaad0eec7eb650fce4
obp-api/src/main/scala/code/dynamicchangerequest/DynamicChangeRequestTrait.scala	3436	13ca4f8c7534e7a5767bfdeebdd0a792003151dc7c
obp-api/src/main/scala/code/dynamicchangerequest/MakerChecker.scala	38913	13adc6c155cf93083187e10ee7f21bea6b7ec18d34
obp-api/src/main/scala/code/dynamicentitywebhook/DynamicEntityWebhook.scala	15962	2aac018dadcb08d4e521a953752e96c54b3794955
obp-api/src/main/scala/code/dynamicentitywebhook/DynamicEntityWebhookConditions.scala	4951	7447a9198f2bf29974ac6bfddfde42c64905bcf48b
obp-api/src/main/scala/code/dynamicentitywebhook/DynamicEntityWebhookDefinitionChanges.scala	3444	304c15f70b914b55334e7529f2b88aaaa30fb3a42c
obp-api/src/main/scala/code/dynamicentitywebhook/DynamicEntityWebhookEvents.scala	4475	d72a0600d63724c2630ea3baa06b92050e866c1bbf
obp-api/src/main/scala/code/dynamicentitywebhook/DynamicEntityWebhookFiring.scala	6458	6eacf9af1a058c8a8d2d880c800b234198b2eada27
obp-api/src/main/scala/code/endpointMapping/EndpointMappingProvider.scala	3166	f45f3bb16c5f70c15b822326353de66b4a0f74c445
obp-api/src/main/scala/code/endpointMapping/MappedEndpointMappingProvider.scala	4827	03cdd0d11a65875ecd75884bceb3879621d969f29c
obp-api/src/main/scala/code/endpointTag/EndpointMappingProvider.scala	2549	2b58f28f6e3b8dd60e57eef7de281d19191099212
obp-api/src/main/scala/code/endpointTag/MappedEndpointMappingProvider.scala	3369	db4784fbd77b9b4100da7a09bedc3d3143add91bc6
obp-api/src/main/scala/code/entitlement/Entilement.scala	3578	1e487d0a77764249bca2cf6200da98f8325195f2e5
obp-api/src/main/scala/code/entitlement/MappedEntitlements.scala	11436	21be9620fdb3ad27052777369382bf519dc92e282e
obp-api/src/main/scala/code/entitlementrequest/EntilementRequest.scala	2514	a657981aa2bb276f4b1672b8a1a997abeae4f470ce
obp-api/src/main/scala/code/entitlementrequest/MappedEntitlementRquests.scala	6010	b8af55e55629bb67a3f44b9ab7ef956305ec706459
obp-api/src/main/scala/code/etag/MappedETag.scala	1743	446ffc7a8294bbe829a1b7dd38bcb897c0f4581c9c
obp-api/src/main/scala/code/examplething/MappedThingProvider.scala	2248	a3b2d44061e9ab244c27a603ab40f4ccc515a7313e
obp-api/src/main/scala/code/examplething/Thing.scala	2694	398d8f26372e45e927efb10d2469214432b64df042
obp-api/src/main/scala/code/featuredapicollection/FeaturedApiCollection.scala	1842	30216ac3830b62e5753dc4496eb9f5605285d7f7ef
obp-api/src/main/scala/code/featuredapicollection/FeaturedApiCollectionsProvider.scala	3625	b214b6f2aae36303af4d0c4a087947c7fae242b0b4
obp-api/src/main/scala/code/files/Files.scala	4979	bed4e038a0af0487fc6f2cc27a53bf03f3a5eeeff1
obp-api/src/main/scala/code/files/MappedFilesProvider.scala	9413	873091d841db570bde3886a0970fdde503ab005be7

obp-api/src/main/scala/code/fx/MappedCurrency.scala	1762	6d09d39efe9473fa8cd17958c8ed60dd77fa89f3fc
obp-api/src/main/scala/code/fx/MappedFXRate.scala	2111	e3c0be7b027d52c7441f37275d52197234fc25f484
obp-api/src/main/scala/code/fx/fx.scala	12669	d2a548dd94712846955c9bbfe567b4038eb26acf87
obp-api/src/main/scala/code/glossaryitem/DynamicGlossaryItem.scala	5960	a1632ace218de1ee4f7f3a52531299de3cf0fda80a
obp-api/src/main/scala/code/glossaryitem/DynamicGlossaryItemTrait.scala	3153	bd15eb6ae3e77c31423d8b61db473fe7b67488cce8
obp-api/src/main/scala/code/group/Group.scala	4216	6c55da41c7678885aa8cf4cb0f5621823b4c55ae90
obp-api/src/main/scala/code/group/GroupMembership.scala	4768	8fa2f7ec750b22ad08c6d49eaaeda001c091c38252
obp-api/src/main/scala/code/group/GroupTrait.scala	1955	4a8af26ec7b085699a768c4fddeb560d77d1f09c31
obp-api/src/main/scala/code/investigation/DoobieInvestigationQueries.scala	6367	0eb3b987a31ad1fe13e9697640c82896b84023d96b
obp-api/src/main/scala/code/kyccheck/KycCheck.scala	1494	965d63e1c76ddf7732f13a16b3ad83bcde9bf53dc4
obp-api/src/main/scala/code/kyccheck/MappedKycChecksProvider.scala	3698	5b59161dd21670b6feb9d951820c871d637aa9d43c
obp-api/src/main/scala/code/kycdocuments/KycDocuments.scala	1509	b7ac355402dcbee1e435b779ddbc21d69230ee0be5
obp-api/src/main/scala/code/kycdocuments/MappedKycDocumentsProvider.scala	3680	43a86262c9db460f1b34c5d0f25485ffecabef9b67
obp-api/src/main/scala/code/kycmedia/KycMedia.scala	1500	f116072dd662a004489e83849626dbdebf865f0ace
obp-api/src/main/scala/code/kycmedia/MappedKycMediasProvider.scala	3591	0f909c10b94a81068500f4d623cfb11e0dc485f887
obp-api/src/main/scala/code/kycstatus/KycStatus.scala	1417	3fa2daf5cbd15aef2360a1bc0fe51505fca332b3da
obp-api/src/main/scala/code/kycstatus/MappedKycStatusesProvider.scala	2885	b61abc4eaacc43edba0d6a5fc33f3132ceef619d83
obp-api/src/main/scala/code/logcache/LogCacheEventBus.scala	8489	72abed7572405f098e4f22ab2518006a4b4e6476d5
obp-api/src/main/scala/code/loginattempts/LoginAttempts.scala	5028	e837809e52bd03a9909dd4a0ce9ea9edfbbf26ec25
obp-api/src/main/scala/code/loginattempts/MappedBadLoginAttempt.scala	1960	d2e88dad5b450479c5a1954c73337e278f8b19b2c4
obp-api/src/main/scala/code/mandate/MandateTrait.scala	16072	efe9ee4e88ce4d74b00a69fd90526042b35e7622d4
obp-api/src/main/scala/code/meetings/MappedMeetingProvider.scala	6689	5f295b398953048b56cc3cdf9147e9a549d7fe4761
obp-api/src/main/scala/code/meetings/Meetings.scala	1847	9e8dd0b375dea7321b36f9e623b866a251c9ff0af5
obp-api/src/main/scala/code/messageoutbox/MessageOutbox.scala	9785	825a553548d7ebabbedfea1cdc695947b9ee4df6aa
obp-api/src/main/scala/code/messageoutbox/MessageOutboxRelay.scala	13382	ac298940996b6a1434e34567417cdf76c869dc8ecb
obp-api/src/main/scala/code/messageoutbox/WebhookOutbox.scala	11923	2d2891ef1349cd66f86d5bbda2ad7a9c151cac559c

obp-api/src/main/scala/code/messageoutbox/WebhookUrlCheck.scala	6533	3678f8aa60f105889eb596cd87f61d5c016b8a7d37
obp-api/src/main/scala/code/metadata/comments/Comments.scala	1971	5b2105a1ce91514fb3718af18f713e13b03efa7ece
obp-api/src/main/scala/code/metadata/comments/MappedComment.scala	4588	6df14c4c2b2c48409191a5fd1a893cbb91390f64f6
obp-api/src/main/scala/code/metadata/counterparties/Counterparties.scala	5528	9b7a9ca020239da894e42f6936c8727ecc86eee47c
obp-api/src/main/scala/code/metadata/counterparties/CounterpartyBespokes.scala	1696	3d8f7b68e7262e056a92336e5441848dab6414f8a7
obp-api/src/main/scala/code/metadata/counterparties/MapperCounterparties.scala	28483	b1592e73e08ac2ce2242c49e58754614687d53093a
obp-api/src/main/scala/code/metadata/counterparties/MapperCounterpartyBespoke.scala	2255	a56f4680889148e70fa60da9733b89d2a3e8a730c3
obp-api/src/main/scala/code/metadata/narrative/MappedNarratives.scala	3426	4ccc935c85cd71d919f55e69cd4170bb156d334f30
obp-api/src/main/scala/code/metadata/narrative/Narrative.scala	1856	1a9051dd8e0dd020c32175fbef5cacc49ac772738e
obp-api/src/main/scala/code/metadata/tags/MappedTags.scala	5550	a28fbe3a7e0789cb4eba2487eb1adbc7398a9dc5ae
obp-api/src/main/scala/code/metadata/tags/Tags.scala	2321	34f42c6de8dbd6fee17d83aac5cb7fe8312ba68923
obp-api/src/main/scala/code/metadata/transactionimages/MapperTransactionImages.scala	4918	4b63cdf0cb8821d954fb72dd188d17c3c2ccce11b8
obp-api/src/main/scala/code/metadata/transactionimages/TransactionImages.scala	2012	434d1b597b7691e0be4e2f10dab424251d0205a947
obp-api/src/main/scala/code/metadata/wheretags/MapperWhereTags.scala	4789	c64bb2be7ffb1c5f143ab7da3c1bf81a80eba9183a
obp-api/src/main/scala/code/metadata/wheretags/WhereTags.scala	2251	c713877831c4bcb28e8d48e89d95ca61a0394b7ec8
obp-api/src/main/scala/code/methodrouting/MappedMethodRoutingProvider.scala	5255	e7280be12ddf51052fb35c516fc18d50541238285e
obp-api/src/main/scala/code/methodrouting/MethodRoutingProvider.scala	4827	e14428599dd13c3217389d5c9ac959c408ea126fee
obp-api/src/main/scala/code/metrics/APIMetrics.scala	12719	494ef1ca26c65ace51b58d97d77939a17f8d498047
obp-api/src/main/scala/code/metrics/ConnectorMetricBatchWriter.scala	5026	db513be229dd9882927d4b9e4c983ec279783a19ab
obp-api/src/main/scala/code/metrics/ConnectorMetrics.scala	6048	1c2a012a14966f02b38e8eb9370f3f0f8bd98df1e2
obp-api/src/main/scala/code/metrics/ConnectorMetricsProvider.scala	2904	e8a2d7c01b7be76970ecd1c99cba7e633f66e545bb
obp-api/src/main/scala/code/metrics/ConnectorMetricsRedis.scala	7760	cde05fdb2ce430defe08c813b8e58b92cc12ba90b9
obp-api/src/main/scala/code/metrics/ConnectorTrace.scala	4428	f06cb4af612a21369755e65fd7b8a0539a0c07f4f0
obp-api/src/main/scala/code/metrics/ConsumerLastCall.scala	3985	3582e15fc873cb6d68b9eb3c35a746f0e8e300f372
obp-api/src/main/scala/code/metrics/DoobieMetricsQueries.scala	25009	9b9caaa9902b37a268700dd941012270946470dc42

obp-api/src/main/scala/code/metrics/ElasticsearchMetrics.scala	5379	30875c9e11920ee2482d44895cd70b7df8fd08e082
obp-api/src/main/scala/code/metrics/MappedMetrics.scala	46883	639454ec01087a6ab11656065bcba7f0e4469f403e
obp-api/src/main/scala/code/metrics/MetricBatchWriter.scala	11333	5f58c6aaa61f71037592b6feba8ca3c1cef50f03e6
obp-api/src/main/scala/code/metrics/MetricsArchiveRun.scala	4520	54ce34b728b40eba668190ac12c44b0a6aa875a02e
obp-api/src/main/scala/code/metrics/MetricsProps.scala	4209	ed8d052014b2f300f6a860c0e809137ea3fb40a46a
obp-api/src/main/scala/code/metricsstream/MetricsEventBus.scala	7533	cee14a0db9dfb6942b9b5796625b5f260155c5250c
obp-api/src/main/scala/code/migration/MappedMigrationScriptLogProvider.scala	2217	26a39a195e888d366345df19ce86434722b047f7ee
obp-api/src/main/scala/code/migration/MigrationScriptLog.scala	2080	4a0bc1fbf16e995dbe2ebeb61ced69f227bee63e1c
obp-api/src/main/scala/code/migration/MigrationScriptLogProvider.scala	1405	22df7477d05bbe346b12e76e5b31f3847e638161db
obp-api/src/main/scala/code/migration/MigrationScriptLogTrait.scala	1115	d87eb0f58fb3eaca6d9703c7e0c85f1094d046915c
obp-api/src/main/scala/code/model/BankingData.scala	30988	4211afb8a5afd7a70c7cf6437059b21955faf8b8d8
obp-api/src/main/scala/code/model/Metadata.scala	1605	8493e67a88b7d17407fbab97be9191fc26b108ebe0
obp-api/src/main/scala/code/model/ModeratedBankingData.scala	15380	93dc94546204ea92bc5eb2439b24052dcb9416d1d5
obp-api/src/main/scala/code/model/OAuth.scala	34704	67b635580ff5c3723adaa62f43d46fd0272675bee4
obp-api/src/main/scala/code/model/User.scala	7273	0c17e97bdf8836b73b01b76105febb15612ba5daef
obp-api/src/main/scala/code/model/View.scala	33210	4e4c97ea67faef4aa3b0bf1d79a7327266dae27289
obp-api/src/main/scala/code/model/dataAccess/AuthUser.scala	64499	352152ef398c9082a263d236f4bafcea47e093ae2f
obp-api/src/main/scala/code/model/dataAccess/BankAccountCreationDispatcher.scala	6643	219b6741ea1cbe5cda09e1ba269c43d7342b03e0c3
obp-api/src/main/scala/code/model/dataAccess/BankAccountRouting.scala	2054	006c41bfe5805b9a09280fffa6a23da094ae5f0623
obp-api/src/main/scala/code/model/dataAccess/DoubleEntryBookTransaction.scala	3568	393eb8eaeb8dc92382bf284e54f50fbeaf56be653e
obp-api/src/main/scala/code/model/dataAccess/MappedBank.scala	2982	3e8f9017d98dd0e7c4583664d063513aa7668ecaa2
obp-api/src/main/scala/code/model/dataAccess/MappedBankAccount.scala	4027	37d7199698bb8a66880ef1d1e612f2eec313dd9f3f
obp-api/src/main/scala/code/model/dataAccess/MappedBankAccountData.scala	1697	c5587e5422b987c1ae0a5d2adc74bc21c7cf6a36ec
obp-api/src/main/scala/code/model/dataAccess/ResourceUser.scala	7753	5f0b269c6a4428683ba918f01658b9dc15967c6204
obp-api/src/main/scala/code/model/dataAccess/UpdatesRequestSender.scala	2956	36724142a8457b128cd678d769c3bc631a51f5072b
obp-api/src/main/scala/code/model/dataAccess/internalMapping/AccountIdMapping.scala	1707	cbd0c97f9124f6d535c2354cdcd9c2c432674a690c
obp-api/src/main/scala/code/model/dataAccess/internalMapping/AccountIdMappingProvider.scala	1432	ae19c43e799b9d7fe42f57e3a574c1bdf10980ee03

obp-api/src/main/scala/code/model/dataAccess/internalMapping/AccountIdMappingT.scala	1871	918557aad928d01bcd8581e8fccfb224b42f76a2dc
obp-api/src/main/scala/code/model/dataAccess/internalMapping/MappedAccountIdMappingProvider.scala	2670	f8bcb2eb5d3ebf12ce3a2cddc2bf950d252f84ec9a
obp-api/src/main/scala/code/model/package.scala	4329	9f229f5e7c1dad333fead7f3a171b5a67013f69a10
obp-api/src/main/scala/code/nonce/NonceProvider.scala	1879	7187ed5a174ffc23aa92a773eae82c2be1f94e64d2
obp-api/src/main/scala/code/obp/grpc/Client.scala	2361	7a9140bbf862962b6d01b2bf479c5dc3498cbb9e42
obp-api/src/main/scala/code/obp/grpc/ObpGrpcServer.scala	13758	8e345c7dd8db4bceec99cb7cb95609ee0963dbc6d4
obp-api/src/main/scala/code/obp/grpc/api/AccountIdGrpc.scala	4737	75a61ee07ce39c79b22c0c5436bb83e5ce9f6a191e
obp-api/src/main/scala/code/obp/grpc/api/AccountJSONGrpc.scala	8956	230cf9d1d68e59f4acd8df4414c10eb5a46d18d8af
obp-api/src/main/scala/code/obp/grpc/api/AccountsBalancesV310JsonGrpc.scala	35150	b881c51aa6de006b8e4b798b8815e6426243c65554
obp-api/src/main/scala/code/obp/grpc/api/AccountsGrpc.scala	5793	4a40d8f0da0c99d3cf5088988a736da9243a926bab
obp-api/src/main/scala/code/obp/grpc/api/AccountsJSONGrpc.scala	5802	ed830458551c62ba32f8f740d59aa705f26a3495fc
obp-api/src/main/scala/code/obp/grpc/api/ApiProto.scala	13878	242cce385285af8494fc177ad870b0e72147bd2b1b
obp-api/src/main/scala/code/obp/grpc/api/BankIdAccountIdAndUserIdGrpc.scala	7157	c8a7404ab312106976957322ea5a40ddc54ec42f01
obp-api/src/main/scala/code/obp/grpc/api/BankIdAndAccountIdGrpc.scala	6003	f4ebf562fbb0aa42d8609c181ce140aa52e4b5235b
obp-api/src/main/scala/code/obp/grpc/api/BankIdGrpc.scala	5705	34daf3d59a3b6c3bff352d6269f141cc54bc4e8c02
obp-api/src/main/scala/code/obp/grpc/api/BankIdUserIdGrpc.scala	5836	837527fd8fa0330da1338d19a7ebfa05c152683a06
obp-api/src/main/scala/code/obp/grpc/api/BanksJson400Grpc.scala	24275	68a027ac4d95f17a9acda421444350e687c6aa9f0c
obp-api/src/main/scala/code/obp/grpc/api/BasicAccountJSONGrpc.scala	16638	ceecc4060c70f9f0a1294923d3dea2dcf3644b6355
obp-api/src/main/scala/code/obp/grpc/api/CoreTransactionsJsonV300Grpc.scala	84167	32d3cbfa7d243312da2807b4886ad2b316bc294710
obp-api/src/main/scala/code/obp/grpc/api/ObpServiceGrpc.scala	11833	1378c735b83be1c0827bf977273a48f9f5cb7b3703
obp-api/src/main/scala/code/obp/grpc/api/ViewJSONV121Grpc.scala	85204	3ed36494dfb3b0fd43ab2b5ab44ca4c411f6d250d8
obp-api/src/main/scala/code/obp/grpc/api/ViewsJSONV121Grpc.scala	5754	515ba7e6d44ccb3a910c9bd2beb5330f5a7778080
obp-api/src/main/scala/code/obp/grpc/chat/AuthInterceptor.scala	5644	38f3e4ee9429cc6bbd148988df757d63b56614c656
obp-api/src/main/scala/code/obp/grpc/chat/ChatStreamServiceImpl.scala	13382	250e4ecfadbc55fa89a75c9d6c2ff8db2f9446612e
obp-api/src/main/scala/code/obp/grpc/chat/api/ChatMessageEvent.scala	24168	04de66e6ebd06fd0f5e1243d71bf1fc71b7515a939
obp-api/src/main/scala/code/obp/grpc/chat/api/ChatProto.scala	6724	bc3546d08ef3b77a6cf1851e83be43f714e5313e02

obp-api/src/main/scala/code/obp/grpc/chat/api/ChatStreamServiceGrpc.scala	7420	db359a56adc55f9c0677e35cdab2e4a2b8ed4c2290
obp-api/src/main/scala/code/obp/grpc/chat/api/PresenceEvent.scala	8016	f559edc207e8e584d34dbb498be513511c51166b0b
obp-api/src/main/scala/code/obp/grpc/chat/api/StreamMessagesRequest.scala	5068	f0f5fa8240066e00b2f80f3793dbe4662082923d3c
obp-api/src/main/scala/code/obp/grpc/chat/api/StreamPresenceRequest.scala	5068	c56dbf94074ee8d293395085fa309f93942bfd102e
obp-api/src/main/scala/code/obp/grpc/chat/api/StreamUnreadCountsRequest.scala	4097	14069a349dd053a2cae9d7ab6976eb08fcec54c3f5
obp-api/src/main/scala/code/obp/grpc/chat/api/TypingEvent.scala	5928	38477e2960a2404056f1408a104bb112542300ceec
obp-api/src/main/scala/code/obp/grpc/chat/api/TypingIndicator.scala	9153	a85402e61aa54cea825b794cb6b9e1f4fad1808f16
obp-api/src/main/scala/code/obp/grpc/chat/api/UnreadCountEvent.scala	6041	6a1608989a7fef245d0f346186fc193b2bff3a857b
obp-api/src/main/scala/code/obp/grpc/logcache/LogCacheStreamServiceImpl.scala	4712	3db206d90bde2333269ee578ab3aadff7ca1eb75bc
obp-api/src/main/scala/code/obp/grpc/logcache/api/LogCacheEntry.scala	9965	0a7b5e10024ce6ca9e13599062e4a30557c9be8f38
obp-api/src/main/scala/code/obp/grpc/logcache/api/LogCacheProto.scala	4199	0dba112bd9b212985f7e76a249fda13619a7539895
obp-api/src/main/scala/code/obp/grpc/logcache/api/LogCacheStreamServiceGrpc.scala	3871	9b2eafd4ebb19afba2a76ffbc49cfab16b4eafae65
obp-api/src/main/scala/code/obp/grpc/logcache/api/LogLevel.scala	2200	29aaf4b4b2b7ca6924721258146df8bc5a4b2116c8
obp-api/src/main/scala/code/obp/grpc/logcache/api/StreamLogCacheRequest.scala	6004	ed02ee32bc021858c143ca896dbda5d3d2dbcbb5fc
obp-api/src/main/scala/code/obp/grpc/metricsstream/MetricsStreamServiceImpl.scala	7001	d00635527403342ca2763494c0e8bc3d170c37f70e
obp-api/src/main/scala/code/obp/grpc/metricsstream/api/MetricEvent.scala	28631	d331e45fa38d9194f2fb03bde39665d410793ba0e5
obp-api/src/main/scala/code/obp/grpc/metricsstream/api/MetricsStreamProto.scala	4456	b69bf5b4b2704c1356e1318ff68815c6c739426a73
obp-api/src/main/scala/code/obp/grpc/metricsstream/api/MetricsStreamServiceGrpc.scala	3814	c7e2f1f8963a5e8c241ea088a6004a5d0742ca7573
obp-api/src/main/scala/code/obp/grpc/metricsstream/api/StreamMetricsRequest.scala	12431	f62ed9b6a0102ae98d6d95b0d578b063377635ff65
obp-api/src/main/scala/code/obp/grpc/signal/SignalChannelsServiceImpl.scala	10279	62e134bfa7e63960dd21aa7f1eb61fbc2423a1d83c
obp-api/src/main/scala/code/obp/grpc/signal/api/FetchRequest.scala	8872	e20e1bd0e0816b70cdcf8a13a9fbc46d2d76f8d7b2

obp-api/src/main/scala/code/obp/grpc/signal/api/FetchResponse.scala	13290	6530b6fcda047a7c2d74cb198f7bd0ea1dca41b885
obp-api/src/main/scala/code/obp/grpc/signal/api/ListChannelsRequest.scala	4955	fa9488df659c6f476fcb8bd87b3d4e6ffe7cd2948f
obp-api/src/main/scala/code/obp/grpc/signal/api/ListChannelsResponse.scala	7193	d23fa7a0e404d0fc32608a55f1ffee5f2b27962fb1
obp-api/src/main/scala/code/obp/grpc/signal/api/PublishRequest.scala	9193	b21b0dbdc46c995ed0d658d8a188cbc7542e62c638
obp-api/src/main/scala/code/obp/grpc/signal/api/PublishResponse.scala	11211	bde4b1bf54b1ba670210e7ee2a11a13a4dcdc1dcd6
obp-api/src/main/scala/code/obp/grpc/signal/api/SignalChannelInfo.scala	8134	0cb5132957781878c6e74ad9fa6c794b9f74fbde42
obp-api/src/main/scala/code/obp/grpc/signal/api/SignalChannelsServiceGrpc.scala	10487	dd9e4090e4e922b270b1fbef161456ada9c65d0b95
obp-api/src/main/scala/code/obp/grpc/signal/api/SignalMessage.scala	15404	e6cf4f1040588073247942318379eb00df0c71a6cb
obp-api/src/main/scala/code/obp/grpc/signal/api/SignalProto.scala	7385	20e4ff59c21520c0654046db99db1e44e3b3434437
obp-api/src/main/scala/code/obp/grpc/signal/api/SubscribeRequest.scala	6072	079a5cf66655ccfe5c0e06e9c7493c0e846276635a
obp-api/src/main/scala/code/opencorridorfees/OpenCorridorFeeAccrual.scala	5016	2f2105ff862fa43185489aef30d2af9de7216d6abb
obp-api/src/main/scala/code/opencorridorfees/OpenCorridorFees.scala	5814	dd3c9352dffb6035081998cc5853f947d1748769d4
obp-api/src/main/scala/code/organisation/Organisation.scala	4377	241b07fbc997f512d8f639f66c84fc61e7ec1fa6cb
obp-api/src/main/scala/code/organisation/OrganisationTrait.scala	2129	ff5bdecf74ab9477b33010e630aa7601522540e770
obp-api/src/main/scala/code/payeelookup/PayeeLookup.scala	4617	9938d38dca1c0d635c2eb7f07084889cf6eb84105e
obp-api/src/main/scala/code/payeelookup/PayeeLookupTrait.scala	2325	110b5b8e1ab7aef4f7721dc7981cc7e18c43f5297f
obp-api/src/main/scala/code/paymetngateway/StripeExample.scala	1914	4fe4c8e066ff25a01663e2612dab5f712e54bbdd9e
obp-api/src/main/scala/code/platformapp/PlatformApp.scala	3169	024420b177ac9c537371b5f93a421ca327ebb13c44
obp-api/src/main/scala/code/platformapp/PlatformAppTables.scala	6141	41f309a2b259f79edea374a6f1fe51833341ae359a
obp-api/src/main/scala/code/productattribute/MappedProductAttributeProvider.scala	5217	84242ae4814713ae7b23a3ef6eba29521d8943f484
obp-api/src/main/scala/code/productattribute/ProductAttribute.scala	2578	b058fafcab59d4396886aeecb16fea0d7cbce16faa
obp-api/src/main/scala/code/productcollection/MappedProductCollection.scala	2872	9cce25104b4cc9c6b4e126a5d618a37fe535d5c6ef
obp-api/src/main/scala/code/productcollection/ProductCollction.scala	1532	28f5f945c0c6e6e2fc37f5b834a7e1f66908b0cbff
obp-api/src/main/scala/code/productcollectionitem/MappedProductCollectionItem.scala	3869	f4c9bdaf0f1fdc8a4f1ff2fc22ae489357d810e1c2

obp-api/src/main/scala/code/productcollectionitem/ProductCollctionItem.scala	1796	1a12e1f50d1a08d8984c545c7fb0f8ce8ef9cd2058
obp-api/src/main/scala/code/productfee/MappedProductFeeProvider.scala	4993	7e500c07a7e255b609516e2d2d748dafdd071c486f
obp-api/src/main/scala/code/productfee/ProductFee.scala	2206	6328ac3c1eaea5e04fe7ae0cc2581d84163e381112
obp-api/src/main/scala/code/products/MappedProductsProvider.scala	3599	43bfd57b23030de535c4d1ff6bfeea9b4287139a69
obp-api/src/main/scala/code/products/ProductTag.scala	3950	ccf5f8c44b8fa93e4b5e1e70c9aee43d3b7cf07584
obp-api/src/main/scala/code/products/Products.scala	2365	bea57294841db0a978de36af71a754d1aeabd76fde
obp-api/src/main/scala/code/ratelimiting/MappedRateLimiting.scala	16334	157770a1496e3ae6996ecf60fe8c4eac8332b05ad8
obp-api/src/main/scala/code/ratelimiting/RateLimiting.scala	4505	3336518c870b3511b998db4c9b45a5d8ee96eb93d9
obp-api/src/main/scala/code/refreshuser/MappedUserRefreshesProvider.scala	2933	60b61c9cd19a0a52a76a3db000d1b3065cc90b0c78
obp-api/src/main/scala/code/refreshuser/UserRefreshes.scala	1508	23249b60fc0d27567c21302548a04c125655f9eb3f
obp-api/src/main/scala/code/regulatedentities/MappedRegulatedEntitiyProvider.scala	6083	2e9f06b5b04070305f393fbacd2fb5b4acef3eac52
obp-api/src/main/scala/code/regulatedentities/RegulatedEntity.scala	2257	041673a02f6e5f4b64737ed4baefd766ccad7bb481
obp-api/src/main/scala/code/regulatedentities/attribute/MappedRegulatedEntityAttributeProvider.scala	5069	3c6c56832426c7e8e58e22a5e848bf7d2d801e1bf5
obp-api/src/main/scala/code/regulatedentities/attribute/RegulatedEntityAttribute.scala	2468	c5380cbc7bbd44679530bbd5c76cd438edb28d3e25
obp-api/src/main/scala/code/routingscheme/RoutingScheme.scala	10889	8e0cb3d68c9d48074d29e820e347d6f0a999151edb
obp-api/src/main/scala/code/routingscheme/RoutingSchemeSeed.scala	6144	dccc19346db2004c3d03ba06cd6a4ef4a18fada76b
obp-api/src/main/scala/code/routingscheme/RoutingSchemeTrait.scala	3159	9dd1e17d8e772e27d89949ccc6a55e0356c92719d9
obp-api/src/main/scala/code/sandbox/CreateOBPUsers.scala	2410	c6d7c0cf0624c53d9aa606921421cff42b30cb349a
obp-api/src/main/scala/code/sandbox/LocalMappedConnectorDataImport.scala	11063	65728519ab06c0918c83f8bbdc4ec2ca7db57cf6c4
obp-api/src/main/scala/code/sandbox/OBPDataImport.scala	35994	567ad0163c249219459cfec76b33a2b2223854d4a5
obp-api/src/main/scala/code/scheduler/ConsentScheduler.scala	11696	687157026d6c15904976b33d78298109ffe3d2e73b
obp-api/src/main/scala/code/scheduler/DataBaseCleanerScheduler.scala	3860	3fb30082331659511714ccca6c72595eb70820b589
obp-api/src/main/scala/code/scheduler/DatabaseDriverScheduler.scala	2479	7352028d2d858cd5a7748d4b427c5e5b36c1cc3c82
obp-api/src/main/scala/code/scheduler/JobScheduler.scala	2414	1825b9bb22d891baf7841d325a2a91ce6f9b0a95af
obp-api/src/main/scala/code/scheduler/JobSchedulerTrait.scala	1008	3a1bd60fad60ffe6df1ea2f7ce26a806aef479f582

obp-api/src/main/scala/code/scheduler/MetricsArchiveScheduler.scala	12697	9cc85d5703f487440295a21841083a5f059e12a660
obp-api/src/main/scala/code/scheduler/SchedulerUtil.scala	1771	7b16ae6613b07bb197161d65497b88ddcba2e74566
obp-api/src/main/scala/code/scheduler/TransactionScheduler.scala	3075	1da08352c093573474f2eb7f5a8d7629f41f5677e9
obp-api/src/main/scala/code/scope/MappedScopesProvider.scala	3894	0214c94d76e00dd88eb33a508cb7697aedc89742a5
obp-api/src/main/scala/code/scope/MappedUserScopeProvider.scala	2599	c613e2ec2f0d8282245a940764a0e2506cc2766d63
obp-api/src/main/scala/code/scope/Scope.scala	1769	431ccfaff21d23a67788aa6edcb81b80d4f7aa9298
obp-api/src/main/scala/code/scope/UserScope.scala	1545	144658cc3c6d590227a5b568a07705362a48c01549
obp-api/src/main/scala/code/search/search.scala	12592	83fc6ebeb64320b691a74f91b85eb90d61b459df02
obp-api/src/main/scala/code/signal/SignalChannels.scala	6300	dbf72e493c4a68d8bfab696350b5932c0c7a562cb6
obp-api/src/main/scala/code/signal/SignalContentPolicy.scala	2695	b1c207dba44b3e08599c7aae3a9cb66d22613350a2
obp-api/src/main/scala/code/signal/SignalEventBus.scala	5253	5d9137e69470d9504bd0cecc57ce99a4b408fb587c
obp-api/src/main/scala/code/signingbaskets/MappedSigningBasketProvider.scala	6667	e1016148048dbbabcca731f89292f9dbca8a7b770c
obp-api/src/main/scala/code/signingbaskets/SigningBasket.scala	2299	82a1a0980433c093fd703b37292af0041fda18a20e
obp-api/src/main/scala/code/socialmedia/MappedSocialMediasProvider.scala	2600	95ae9fa4a878f4b2268fdbe6fd9178d96ac201b605
obp-api/src/main/scala/code/socialmedia/SocialMedia.scala	1648	fc8459daec8bfa22c81ec3e2b9314a85d29b8fe470
obp-api/src/main/scala/code/standingorders/MappedStandingOrder.scala	5145	478dc82d9c38e5ad0b50b80ec2b16c1055f742b80f
obp-api/src/main/scala/code/standingorders/StandingOrder.scala	2042	332f710f7e8dfa5c146bd7b5e959f4f484adda1ecf
obp-api/src/main/scala/code/taxresidence/MappedTaxResidence.scala	3422	11ff5393d96292d38e67bd0ea10708de31a1402e24
obp-api/src/main/scala/code/taxresidence/TaxResidence.scala	1533	72464187a712a0dbec4d71e15cc793a2378f51133c
obp-api/src/main/scala/code/telemetry/BatchWriterTelemetry.scala	2717	f1414a9c43dd3d77e8dfd4eeb8c8499f34519cec97
obp-api/src/main/scala/code/telemetry/HeavyHitters.scala	5159	c2f25b0acce4a463ac4ce05bfff0db61d74beb0eea
obp-api/src/main/scala/code/telemetry/Telemetry.scala	12120	9ab58af33cbf4d15c2ba3ccd12303805a2a5f9f743
obp-api/src/main/scala/code/telemetry/TelemetryBindings.scala	3902	6392dbc2615983c0630b94f4f70ef26bbd2e175a61
obp-api/src/main/scala/code/telemetry/TrafficSources.scala	11641	275290f750e41d589d3d5091888966151247641fcb
obp-api/src/main/scala/code/tesobe/CashAPI.scala	1149	78340ce71d24b205a382c85e06c4689447c9a3420e
obp-api/src/main/scala/code/token/MappedOpenIDConnectToken.scala	2933	d43de844f6639e7a1b6af0bc65249ecaf6c872e863
obp-api/src/main/scala/code/token/OpenIDConnectTokenProvider.scala	1763	e0dbaa7053edcada0a9d9717a8f217736851b9663c
obp-api/src/main/scala/code/token/TokenProvider.scala	2163	87ffa576db9de77611cc83c6799cab5c3981e33bee

obp-api/src/main/scala/code/transaction/MappedTransaction.scala	13875	fa6287e674e8b3b469e0b58cb64d96220114e818a2
obp-api/src/main/scala/code/transaction/internalMapping/MappedTransactionIdMappingProvider.scala	2751	290437a4c94f24dfb7f728d90f74a9087b23f2f185
obp-api/src/main/scala/code/transaction/internalMapping/TransactionIdMapping.scala	1822	5bd1a2f7bd853250f1aabfdfeaca9e54da0c2c8ff0
obp-api/src/main/scala/code/transaction/internalMapping/TransactionIdMappingProvider.scala	1465	8e44dc69047366d7ee13dccd7d1ceea574d399c3f3
obp-api/src/main/scala/code/transaction/internalMapping/TransactionIdMappingTrait.scala	1878	d5f997aa6f4c28af973b6b01be1a6419202f9a7aa6
obp-api/src/main/scala/code/transactionChallenge/ChallengeProvider.scala	2734	64b9d70fa1d7ac3c261faaeff5faa3a36dc921aee4
obp-api/src/main/scala/code/transactionChallenge/ChallengeTrait.scala	1324	4ea7f22dd9e3ca946db4f8e31144d8491ba2bb0a82
obp-api/src/main/scala/code/transactionChallenge/MappedChallengeProvider.scala	7480	3b5973160431bc4859bfe886cc11c8f812c71a652c
obp-api/src/main/scala/code/transactionChallenge/MappedExpectedChallengeAnswer.scala	3949	75f5e20da3424b8647b4a203a48cfb971521bd6cbc
obp-api/src/main/scala/code/transactionRequestAttribute/MappedTransactionRequestAttributeProvider.scala	8164	8f7f269d5d4c77c1157202b91c227c412a9e039476
obp-api/src/main/scala/code/transactionRequestAttribute/TransactionRequestAttribute.scala	2929	a25b6a441fbd095552ee7b7a58083c7408621ad52a
obp-api/src/main/scala/code/transactionRequestAttribute/TransactionRequestAttributeProvider.scala	3418	76ea40de25d7d0419097d3eeafd5efd307972a7a59
obp-api/src/main/scala/code/transactionRequestAttribute/TransactionRequestAttributeX.scala	1589	1e5eaa93ae400ba4afed1d9e42e263db4589bdb4c9
obp-api/src/main/scala/code/transactionattribute/MappedTransactionAttributeProvider.scala	9524	85024d67fffeced93ca620c267273b57a370d5558b
obp-api/src/main/scala/code/transactionattribute/TransactionAttribute.scala	3578	5780e14809f8ca15775b4eed2c93e4cd30921d2be4
obp-api/src/main/scala/code/transactionrequests/MappedTransactionRequestProvider.scala	28030	dd39c982e71f99d2a6d47eba3dd1941590a14b2024
obp-api/src/main/scala/code/transactionrequests/MappedTransactionRequestReasons.scala	2210	f7c10b7875f4a8b4bc277ce37fe3011220e6c69b8c
obp-api/src/main/scala/code/transactionrequests/MappedTransactionRequestTypeCharge.scala	2872	70dd42484407b780ad34da5ed4458501d0c8645b31
obp-api/src/main/scala/code/transactionrequests/TransactionRequests.scala	5480	cb2116355d98f59160f47860c73e3610b1f55eb384
obp-api/src/main/scala/code/transactionstatus/TransactionRequestStatusScheduler.scala	1783	edc5fa01034d203d80de7dfe084887c406b9ef8cd8
obp-api/src/main/scala/code/transactiontypes/MappedTransactionTypeProvider.scala	5445	65e5f7ece22f933de1ca732022cf2825a0d123003a

obp-api/src/main/scala/code/transactiontypes/TransactionType.scala	3937	f6a3ef944c3f4c5272dbf8241ec9c66e4b2b3f9f05
obp-api/src/main/scala/code/usercustomerlinks/MappedUserCustomerLink.scala	6796	5f62c71ebd53009de910892e129a1ffc4a2341f9c7
obp-api/src/main/scala/code/usercustomerlinks/UserCustomerLink.scala	2200	4f428e60059baf88f11c2acc52cbf90a735369807e
obp-api/src/main/scala/code/userlocks/UserLocks.scala	1647	3e8771391ba9cc306b0ece5779e07fe6ea7232c4cb
obp-api/src/main/scala/code/userlocks/UserLocksProvider.scala	2481	5e6f7504b7cb00dba044bc117df736eb839c7f9311
obp-api/src/main/scala/code/users/DoobieUserQueries.scala	9201	48bd45c9fc4698b3813a22d21af8fa2a3f8a277f6a
obp-api/src/main/scala/code/users/LiftUsers.scala	31072	608c2c2c3bd86cfeb3288dd425b1eb9670464766ac
obp-api/src/main/scala/code/users/MappedUserAttribute.scala	5000	bcd13569c2c998a818a255564cb5b0c98549cc3484
obp-api/src/main/scala/code/users/UserAgreement.scala	3055	250068959dc48f6afa1f94fedb75e135d51bbe8b88
obp-api/src/main/scala/code/users/UserAgreementProvider.scala	1606	ce09bf667f83ce0f50b8cd45d725beee44702681c6
obp-api/src/main/scala/code/users/UserAttributeProvider.scala	2460	92a4477561debf970ecb1e637397863b583ef40387
obp-api/src/main/scala/code/users/UserInitAction.scala	1827	af5b7fff8159851a5517f3f9333be52077cd2e7803
obp-api/src/main/scala/code/users/UserInitActionProvider.scala	1712	3f91632b3a16cb10fd4a4c1c501ba7f0022abeaf45
obp-api/src/main/scala/code/users/UserInvitation.scala	4726	955f73283a830f65c6251ffa2bb4b10268c108af7b
obp-api/src/main/scala/code/users/UserInvitationProvider.scala	2038	1df9aa07e3baadcfbd2f670cbb8a8365b85bad071f
obp-api/src/main/scala/code/users/UserReference.scala	41252	8d46a93c472cee5af666b0334e0551aa652f2839a3
obp-api/src/main/scala/code/users/Users.scala	8276	1e3bbd38786e04ae6a31c4aa7d498e1b262b48f5cb
obp-api/src/main/scala/code/util/AkkaHttpClient.scala	5875	d449f58e8acf05f768b72bfa06e8c445b423fc6d90
obp-api/src/main/scala/code/util/AttributeQueryTrait.scala	4184	7be5c83b933ec78eca1b5c85fe08c3794a605e110b
obp-api/src/main/scala/code/util/BankNameGenerator.scala	7042	69a98487f40674fc886e711e8aefd441d8a1526a66
obp-api/src/main/scala/code/util/ClassScanUtils.scala	4867	f268e2ae1f70725ba67c24c46e513ffe37b4a61a59
obp-api/src/main/scala/code/util/DangerousCharacters.scala	1965	5f1b94384aa1aa8c55b8b71a06fbc5c4b519a07d18
obp-api/src/main/scala/code/util/DatabaseConnectionHoldWatch.scala	9347	5bdcd02de6f012058600cb348f4435d7878df543e9
obp-api/src/main/scala/code/util/DefaultStringField.scala	1166	d742a8004b45a9fdc896985657ae845704d588f764
obp-api/src/main/scala/code/util/Helper.scala	33173	6ffb498bef4aac4fff7c29b49e167abc3c1e2d6fa4
obp-api/src/main/scala/code/util/JsonSchemaUtil.scala	8825	49709345fe3c1e6fa494fe1d947751f47fc91d56e8
obp-api/src/main/scala/code/util/MappedAccountNumber.scala	1160	558c71e385f4c7c917a4064b6e52ed92c93ce3a6d4
obp-api/src/main/scala/code/util/MappedUUID.scala	1127	dbcfa4e7d26338f020810aeb461961e10e0dc736ab
obp-api/src/main/scala/code/util/NewAttributeQueryTrait.scala	4182	759f4e2b79dbcbb1032a3b7f2df3753e34d550977e
obp-api/src/main/scala/code/util/ReflectionUtils.scala	6402	8dc9134f92881d235086713762d49bc322d3d04b97

obp-api/src/main/scala/code/util/SecureLogging.scala	11619	e06911e0d8986df0c3a5448e9e693be7ef31071ab5
obp-api/src/main/scala/code/util/SecureLoggingDemo.scala	10315	efa3437d672fc3a362ede31268d01681a9de623b2a
obp-api/src/main/scala/code/util/TTLCache.scala	2673	0a275e1413e1fe487fdb36d5f3344056e5b59140d2
obp-api/src/main/scala/code/util/UUIDString.scala	2354	55c331778f07b4b5a77497ef34c8c25a35d9671a9a
obp-api/src/main/scala/code/utilitypayment/UtilityCallbackDispatcher.scala	3417	ea4640e99880007df988c4535a9aa302574e77f0d9
obp-api/src/main/scala/code/utilitypayment/UtilityPaymentCallback.scala	6397	38650765dc6f92d85e4e3a2df5c8fc5e273a230b24
obp-api/src/main/scala/code/validation/JsonSchemaValidationProvider.scala	1954	341997f057369ad2ce7b7a5b9b206933cdd0dac1ba
obp-api/src/main/scala/code/validation/MappedJsonSchemaValidation.scala	1482	e3dd42a04d34d580eacc312af5fec1f96d1bdc1fc1
obp-api/src/main/scala/code/validation/MappedJsonSchemaValidationProvider.scala	2920	ff1c09440e89867a83b789e4ea7318d19fa5d39330
obp-api/src/main/scala/code/views/MapperViews.scala	43259	479db51a1b422d4c5a664973288bfc224e42f4bac6
obp-api/src/main/scala/code/views/Views.scala	9679	5481f9754276d9e8a108076100e2d3e3bacf567643
obp-api/src/main/scala/code/views/system/AccountAccess.scala	4547	d06e17d84106d199cb02bad3a681c705bcd2a67775
obp-api/src/main/scala/code/views/system/ViewDefinition.scala	18273	886b8dbf491aa29ce0ff1d81202f82a8f81a50638e
obp-api/src/main/scala/code/views/system/ViewPermission.scala	6352	b8bec157c58ed03d3f8385fc4354c48f1a176100a5
obp-api/src/main/scala/code/webhook/AccountWebhook.scala	2460	d0f4f07a82d38d1619614adac02892136d6b2041d9
obp-api/src/main/scala/code/webhook/BankAccountNotification.scala	2183	22458a0f608ab7459c044fcf2ae5f2418660c1b8db
obp-api/src/main/scala/code/webhook/BankAccountNotificationWebhook.scala	4585	13cdc18d70f8d8fe5fb3281de2a96dddbf0b460260
obp-api/src/main/scala/code/webhook/MappedAccountWebhook.scala	5454	49163435f2abf6470104f32f069f2dfb9f7e56591c
obp-api/src/main/scala/code/webhook/OkHttpWebhookClient.scala	1825	cd54e95474d813102757e27734d175602a2cdfde92
obp-api/src/main/scala/code/webhook/SystemAccountNotification.scala	2284	6abc1560a1ec4933ed383ae322050f02626fb9b0a1
obp-api/src/main/scala/code/webhook/SystemAccountNotificationWebhook.scala	4534	f67104fe5d3ef6e21352f19828e259054c7a62af65
obp-api/src/main/scala/code/webhook/WebhookActor.scala	4776	b4bc582e4818e2cce48d7ca75d51cefb9161a14632
obp-api/src/main/scala/code/webhook/WebhookHttpClient.scala	9831	1d3b9c13029e71ed1518fa33b9695828d8802595ac
obp-api/src/main/scala/code/webuiprops/MappedWebUiPropsProvider.scala	4662	e00648e407fabf4ef57b8948050c9697dc17e32c5a
obp-api/src/main/scala/code/webuiprops/WebUiProps.scala	1953	f9c0187c3b35665a649fda47dfabc9d43a0c74933c
obp-api/src/main/scala/com/google/protobuf/empty/Empty.scala	3537	2949be67cd0f472d48162adee4c84c2895873cb44c

obp-api/src/main/scala/com/google/protobuf/empty/EmptyProto.scala	1575	53995af08cb7016025178411e676e37a12265f6782
obp-api/src/main/scala/com/google/protobuf/timestamp/Timestamp.scala	10009	f929c0660516ef9f75b0facad1dff3abb73862a5e8
obp-api/src/main/scala/com/google/protobuf/timestamp/TimestampProto.scala	1682	5ee0f2169dbd5280100d2f22650992f41b04251e4a
obp-api/src/main/scala/deletion/DeleteAccountCascade.scala	10180	f9ce613f501d72887dc594999b1f1ad66ba53e6302
obp-api/src/main/scala/deletion/DeleteBankCascade.scala	2890	b2b8d85f872d3553ca6e7b64fc4348c2f0b967e920
obp-api/src/main/scala/deletion/DeleteCustomerCascade.scala	5179	c9910fd98ae6389d92efeacccd4904464bb790880c
obp-api/src/main/scala/deletion/DeleteProductCascade.scala	3805	81700eccbcb36115515a3f6e8557d324b19fb6dd8c
obp-api/src/main/scala/deletion/DeleteTransactionCascade.scala	3363	8cf0685a05abd6facd471765d652b4f639aefa18f7
obp-api/src/main/scala/deletion/DeletionUtil.scala	1114	ceaa74b87994323978ae16041a472191c94db1af5b
obp-commons/pom.xml	10717	e6b8155ad1a632fe3456bc9c2c9f94c8fa84b342b7
obp-commons/src/main/scala/com/openbankproject/commons/ExecutionContext.scala	2247	34d4353f35b86303599ba00d65fbb19501083b5163
obp-commons/src/main/scala/com/openbankproject/commons/dto/JsonsTransfer.scala	109115	f25f6bdf8fced5725ee47c58fc44746772c5eb2afb
obp-commons/src/main/scala/com/openbankproject/commons/dto/OpenCorridorInterfaceC.scala	7841	ba87ef943c33b2ff3f93905a6fa1e02c42e71613ac
obp-commons/src/main/scala/com/openbankproject/commons/dto/OutInBoundTransfer.scala	1176	33bb3b4fe96642517dfdee69c28a897d2a836d25c9
obp-commons/src/main/scala/com/openbankproject/commons/model/BankingModel.scala	14332	3e0b2d6e03d1966a2cc713b57109a5f0332217ac54
obp-commons/src/main/scala/com/openbankproject/commons/model/CommonModel.scala	59857	efe8e7c1b101aede0a9862911bf0aa0227ec0cbadb
obp-commons/src/main/scala/com/openbankproject/commons/model/CommonModelTrait.scala	23016	b9cd3535fe0ad47f2793d83b812be6cb5058dfb1b5
obp-commons/src/main/scala/com/openbankproject/commons/model/CounterpartyModel.scala	2717	21617ace8ec63a0f1e1893d262ece533bc448b6bfa
obp-commons/src/main/scala/com/openbankproject/commons/model/CustomerDataModel.scala	2759	0326f6b692eb359df8feb0c6e541dd1693eb95284f
obp-commons/src/main/scala/com/openbankproject/commons/model/MetadataModel.scala	4364	65eeeb8f49c24558b7a3faa1d309d44ae21690af0c
obp-commons/src/main/scala/com/openbankproject/commons/model/PhysicalCardModel.scala	4562	84c872e5bf80d4c43d16ce642e3ef43c34e260bd74
obp-commons/src/main/scala/com/openbankproject/commons/model/UserModel.scala	3609	d442b1f0384074e6da7b0699922b530f163723e339
obp-commons/src/main/scala/com/openbankproject/commons/model/ViewModel.scala	10922	4daa7cb20dd546c9aa72da2b20e2412ba57437e43b

obp-commons/src/main/scala/com/openbankproject/commons/model/enums/Enumerations.scala	17001	fee87e557e891ff6756da02d04ede3acd63151d333
obp-commons/src/main/scala/com/openbankproject/commons/util/ApiVersion.scala	7780	42440688ff68d48df7f7ad2908afd3497880c90c38
obp-commons/src/main/scala/com/openbankproject/commons/util/Functions.scala	8423	c74a37ed19805a17fc7e2d57deaf8b9d7381d6ebec
obp-commons/src/main/scala/com/openbankproject/commons/util/JsonAliases.scala	3252	cd7e82a0f0497e9aef619b1415abc10538d667d1fc
obp-commons/src/main/scala/com/openbankproject/commons/util/JsonBoxSerializer.scala	4443	7a2320a3d7342e33092f9fc9d3394fe69a71e0cbe4
obp-commons/src/main/scala/com/openbankproject/commons/util/JsonSerializers.scala	23273	7a334d2181ddf0946151aaeaef52f06c87ba19cecf
obp-commons/src/main/scala/com/openbankproject/commons/util/JsonUtils.scala	39471	c75796e82e8714ca97eafef30acaccfb90f2d212e0
obp-commons/src/main/scala/com/openbankproject/commons/util/OBPEnum.scala	5162	80910279cad992bee46eed72c0b9680bb7ca4ac61c
obp-commons/src/main/scala/com/openbankproject/commons/util/ReflectUtils.scala	30938	b2e4d15e0476d5c301b5b39fd53d6fb279b19c05ee
obp-commons/src/main/scala/com/openbankproject/commons/util/RequiredFieldValidation.scala	16249	4e70a58a93a6d8778f41d8c7699c171c526fafed9e
pom.xml	18829	0ede10727642b18179cae0a937308751effa22ca86
scripts/check_lift_http4s_resource_doc_parity.py	34126	850c5944d66c71fe858d01d8f695878ba3477a498b
scripts/count_v7_endpoints.py	15031	6be3478e98741ffdcfcf769a6e2db905d03f930dc8
scripts/rehydrate_resource_docs.py	33341	d59ce96f599f7f77cd47c618b13ef614ac08b12a0c
scripts/remove_duplicate_v7_endpoints.py	2378	fb8cf1c7ca3e96dc1b3f9c73cccc4045f697ef2b00
scripts/resource_doc_baseline/allowlist_helper.py	6285	ae49ef57dda83559e326c6f046c3559da2f7f0e867
scripts/resource_doc_baseline/export_and_verify.py	15027	5063062c2436e36239a5d9e85c906aa5fdec6c7d87
scripts/resource_doc_baseline/lift_resource_docs_v2_2_0.json	24374	fa5622e08229887642b95c1e70f10e5303669d0ee5
scripts/resource_doc_baseline/lift_resource_docs_v4_0_0.json	247232	2ff65ec9486cd8778a82f9b4f42fcba3ab943dd875
scripts/restore_resource_doc_bodies.py	17815	d75962443a8742985a4767e0d64ebaf6aa4b637de0
security_check.sh	4926	605501f6d16910303ce446829202366ad79fc8aad7