QUANTUM SECURITY INTELLIGENCE

Security & Post-Quantum Readiness Audit Report

arc-node @ 6e764023ee65 · Circle (Arc) — public repository (passive review)

Organization	QSI
Report date	2026-11-06 15:31 UTC
Report version	1
Audit run	a58a0714-a9d2-41d4-b96d-7e3809f2d534 · Document audit · 2026-11-06 15:31 UTC
Analyzer engine	qsi-engine 1.3.0
Risk profile	Crypto exchange, custodian or wallet
Content SHA-256	`2cb1f259975c8af684ffa81af50b3a9c029ff2d5a6375299ede323d6502412cd`
Signature key (Ed25519, SHA-256 fingerprint; the signature is the separate file report.sig.json)	`5b3cf9c9bd0fa54447e2b5dfa7a6bab569bd0c666fa46949599e5c348d17083e`

Contents

1. Executive summary
2. Scope and boundaries
3. Methodology
4. Assets examined and not examined
5. Architecture overview
6. Overall security posture
7. Findings by severity
8. Detailed findings
9. Evidence
10. Post-quantum assessment
11. Limitations and assumptions
12. Remediation plan
13. Priorities for 30, 60 and 90 days
14. Verification after remediation
15. Tools used
16. Sources and normative documents
17. Appendices

This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.

Executive summary

129	0	17	20	31
Findings in total	Critical	High	Medium	Low

Classification	Count
Confirmed technical vulnerability	0
Known vulnerable component	45
Confirmed configuration error	1
Potential cryptographic risk	6
Long-term post-quantum risk	4
Improvement recommendation	73
Insufficient data	0

Top 5

ID	Severity	Detailed findings	Priority score
QSI-2026-19526	High	rmcp 1.4.0 is affected by GHSA-33f5-2c5q-wgwj (CVE-2026-63127)	50.2
QSI-2026-19528	High	rmcp 1.4.0 is affected by GHSA-9pj6-vhgr-3mwh (CVE-2026-63128)	50.2
QSI-2026-19441	High	Possible hard-coded secret in contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC6909/extensions/draft-ERC6909TokenSupplyUpgradeable.sol preliminary	47.1
QSI-2026-19499	High	hickory-proto 0.25.2 is affected by GHSA-3v94-mw7p-v465 (RUSTSEC-2026-0118)	37.6
QSI-2026-19501	High	hickory-resolver 0.25.2 is affected by GHSA-5j98-2g5x-46v6 (CVE-2026-93657)	37.6

Mosca's inequality (x + y > z): x = 10, y = 5, z = 8 → migration would finish too late under this scenario. z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Post-quantum maturity: Level 2 of 4 — post-quantum in use outside the critical paths. Next step: Extend post-quantum protection to the critical roles that stay classical, starting with what can be recorded today (wrapped keys, channel key exchange).

Scope and boundaries

Mode: Document audit

Repository: https://github.com/circlefin/arc-node @ 6e764023ee6515fe70573e123ed2db912a7207b4 — evidence links open the lines at this commit.

Supplied inputs

1135 files, 11126358 bytes in total, 78 redaction(s); the per-file SHA-256 list is in appendix C.

Methodology

The audit was performed by the QSI engine 1.3.0. Each analyzer emits facts (rule, parameters, evidence); finding texts are generated from the rule catalog. Methodology sources are listed under "Sources and normative documents".

Prioritization uses an explainable weighted model (severity, exploitability, exposure, confidentiality/integrity/availability impact weighted by the "Crypto exchange, custodian or wallet" profile, asset criticality, urgency, ease of remediation) with a confidence multiplier. CVSS v3.1 is applied only to technical vulnerabilities with a defined vector. Long-term quantum risks use Mosca's inequality; their severity is capped at Medium and they are never presented as exploitable vulnerabilities.

Finding classes: confirmed technical vulnerability; known vulnerable component (a dependency version named in an advisory; whether the affected code is reachable is assessed separately, and a component confirmed by review becomes a vulnerability); confirmed configuration error; potential cryptographic risk; long-term post-quantum risk; improvement recommendation; insufficient data. Heuristic findings are marked preliminary; analyst decisions are shown next to the findings.

Coverage of checks

Area	Status	Count	Examples
dependencies	checked	40	Cargo.lock: 1276 dependencies parsed (1276 pinned); Cargo.toml: 216 dependencies parsed (3 pinned); crates/consensus-db/Cargo.toml: 20 dependencies parsed (0 pinned)
source_code	checked	498	assets/devnet/genesis.config.ts: 138 lines scanned with 16 rule patterns and 267 registry patterns; assets/localdev/genesis.config.ts: 182 lines scanned with 16 rule patterns and 267 registry patterns; assets/mainnet/genesis.config.ts: 177 lines scanned with 16 rule patterns and 267 registry patterns
secrets	checked	66	assets/mainnet/genesis.config.ts: 11 redacted value(s) not reported (comments, test modules, fixture declarations, placeholders, values the source annotates as published, or hex values not bound to a secret name); crates/eth-engine/src/abi_utils.rs: value(s) at line(s) 337 (test_corrupted_public_key_leaves_set_empty_and_errors) are declared inside a fixture and treated as test data, although the file itself is not test code; crates/eth-engine/src/abi_utils.rs: 1 redacted value(s) not reported (comments, test modules, fixture declarations, placeholders, values the source annotates as published, or hex values not bound to a secret name)
smart_contracts	checked	590	contracts/scripts/Addresses.sol: built-in Solidity pattern checks; contracts/scripts/ArtifactHelper.s.sol: built-in Solidity pattern checks; contracts/scripts/DenylistManagement.s.sol: built-in Solidity pattern checks
slither	not checked	590	slither is not installed on the server (pip install slither-analyzer + solc)
entropy	checked	1	random-number generation: 498 code files read with 0 macro definitions from the tree; 0 ineffective guard(s), 0 weak random-bytes provider(s), 0 weak key-generation site(s)

osv_advisories	not checked	1	125 package(s) are built from git repositories (forks or unreleased code), so registry advisories were not looked up for them: arc-malachitebft-app, arc-malachitebft-app-channel, arc-malachitebft-codec, arc-malachitebft-config, arc-malachitebft-core-consensus, arc-malachitebft-core-driver, arc-malachitebft-core-state-machine, arc-malachitebft-core-types, arc-malachitebft-core-votekeeper, arc-malachitebft-discovery, arc-malachitebft-engine, arc-malachitebft-engine-byzantine …
osv_advisories	checked	1	1000 pinned packages queried at OSV.dev; 33 affected (1 of them only in development or build dependencies)

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

Assets examined and not examined

Supplied inputs: 1130 (input files: C)

Not checked

- slither: 590 (examples: slither is not installed on the server (pip install slither-analyzer + solc))
- osv_advisories: 1 (examples: 125 package(s) are built from git repositories (forks or unreleased code), so registry advisories were not looked up for them: arc-malachitebft-app, arc-malachitebft-app-channel, arc-malachitebft-codec, arc-malachitebft-config, arc-malachitebft-core-consensus, arc-malachitebft-core-driver, arc-malachitebft-core-state-machine, arc-malachitebft-core-types, arc-malachitebft-core-votekeeper, arc-malachitebft-discovery, arc-malachitebft-engine, arc-malachitebft-engine-byzantine ...)

Architecture overview

Static review of the source tree arc-node at 6e764023ee6515fe70573e123ed2db912a7207b4. 1135 files analysed; of 3265 files, 1461 are test, fuzzing, benchmark or example code and were left out, 669 are not read by any analyzer, 0 exceed the per-file limit and 0 did not fit the total limit. Files no analyzer reads include: .cargo/audit.toml, .config/nextest.toml, .dockerignore, .foundry-version, .github/CODEOWNERS. 685 files in build-output or dependency-cache directories (.git, .hg, .venv, __pycache__, build, dist, node_modules, target, vendor, venv) were not read. 750 files come from directories a .gitmodules pins and are read as shipped source rather than skipped as a dependency cache: contracts/lib/openzeppelin-contracts-upgradeable (459), contracts/lib/openzeppelin-contracts (291). No requests were sent to the owner's systems.

Overall security posture


0
Indicative posture index (0–100)

7.2%
Quantum-vulnerable share of inventory

194
Cryptographic inventory

Derived from findings in scope (confirmed and potential issues weighted by severity). Indicative only; not comparable across differently scoped audits.

Findings by severity



ID	Detailed findings	Classification	Severity	Confidence
QSI-2026-19526	rmcp 1.4.0 is affected by GHSA-33f5-2c5q-wgwj (CVE-2026-63127)	Known vulnerable component	High	Medium
QSI-2026-19528	rmcp 1.4.0 is affected by GHSA-9pj6-vhgr-3mwh (CVE-2026-63128)	Known vulnerable component	High	Medium
QSI-2026-19441	Possible hard-coded secret in contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC6909/extensions/draft-ERC6909TokenSupplyUpgradeable.sol	Confirmed configuration error	High	Medium, preliminary
QSI-2026-19499	hickory-proto 0.25.2 is affected by GHSA-3v94-mw7p-v465 (RUSTSEC-2026-0118)	Known vulnerable component	High	Low
QSI-2026-19501	hickory-resolver 0.25.2 is affected by GHSA-5j98-2g5x-46v6 (CVE-2026-93657)	Known vulnerable component	High	Low
QSI-2026-19505	libp2p-quic 0.13.0 is affected by GHSA-5hq8-qhww-jm7q (CVE-2026-61544)	Known vulnerable component	High	Low
QSI-2026-19508	openssl 0.10.75 is affected by GHSA-8c75-8mhr-p7r9 (CVE-2026-41678)	Known vulnerable component	High	Low
QSI-2026-19509	openssl 0.10.75 is affected by GHSA-ghm9-cr32-g9qj (CVE-2026-41681)	Known vulnerable component	High	Low
QSI-2026-19510	openssl 0.10.75 is affected by GHSA-hppc-g8h3-xhp3 (CVE-2026-41898)	Known vulnerable component	High	Low
QSI-2026-19512	openssl 0.10.75 is affected by GHSA-pqf5-4pqq-29f5 (CVE-2026-41676)	Known vulnerable component	High	Low
QSI-2026-19514	openssl 0.10.75 is affected by GHSA-xp3w-r5p5-63rr (CVE-2026-42327)	Known vulnerable component	High	Low

QSI-2026-19522	quinn-proto 0.11.15 is affected by RUSTSEC-2026-0340	Known vulnerable component	High	Low
QSI-2026-19523	quinn-proto 0.11.15 is affected by RUSTSEC-2026-0341	Known vulnerable component	High	Low
QSI-2026-19449	delegatecall usage in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol	Potential cryptographic risk	High	Low, preliminary
QSI-2026-19465	delegatecall usage in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Address.sol	Potential cryptographic risk	High	Low, preliminary
QSI-2026-19472	delegatecall usage in contracts/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol	Potential cryptographic risk	High	Low, preliminary
QSI-2026-19484	delegatecall usage in contracts/lib/openzeppelin-contracts/contracts/utils/Address.sol	Potential cryptographic risk	High	Low, preliminary
QSI-2026-19504	jsonwebtoken 9.3.1 is affected by GHSA-h395-gr6q-cpjc (CVE-2026-25537)	Known vulnerable component	Medium	Medium
QSI-2026-19527	rmcp 1.4.0 is affected by GHSA-9g45-5xwm-f3wc (CVE-2026-64684)	Known vulnerable component	Medium	Medium
QSI-2026-19529	rmcp 1.4.0 is affected by GHSA-c9xm-49cp-xcr9	Known vulnerable component	Medium	Medium
QSI-2026-19536	serde_with 3.16.1 is affected by GHSA-7gcf-g7xr-8hxj	Known vulnerable component	Medium	Medium
QSI-2026-19537	tar 0.4.45 is affected by GHSA-3pv8-6f4r-ffg2	Known vulnerable component	Medium	Medium
QSI-2026-19466	Raw ecrecover usage in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol	Potential cryptographic risk	Medium	Medium, preliminary
QSI-2026-19485	Raw ecrecover usage in contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol	Potential cryptographic risk	Medium	Medium, preliminary
QSI-2026-19421	Quantum-vulnerable Ed25519: transaction and message signing (1 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-19422	Quantum-vulnerable ECDSA: transaction and message signing (4 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-19420	Quantum-vulnerable ECDSA: role not determined (2 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary

QSI-2026-19423	Quantum-vulnerable Ed25519: role not determined (4 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-19490	block-buffer 0.12.0 is affected by GHSA-qwgh-2vcv-g2f7	Known vulnerable component	Medium	Low
QSI-2026-19491	cmov 0.5.2 is affected by GHSA-3rjw-m598-pq24 (CVE-2026-50185)	Known vulnerable component	Medium	Low
QSI-2026-19500	hickory-proto 0.25.2 is affected by GHSA-q2qq-hmj6-3wpp (RUSTSEC-2026-0119)	Known vulnerable component	Medium	Low
QSI-2026-19502	hickory-resolver 0.25.2 is affected by GHSA-6f2x-v7q7-m7m5	Known vulnerable component	Medium	Low
QSI-2026-19511	openssl 0.10.75 is affected by GHSA-phqj-4mhp-q6mq (CVE-2026-45784)	Known vulnerable component	Medium	Low
QSI-2026-19515	openssl 0.10.75 is affected by GHSA-xv59-967r-8726 (CVE-2026-44662)	Known vulnerable component	Medium	Low
QSI-2026-19516	opentelemetry_sdk 0.31.0 is affected by GHSA-w9wp-h8wv-79jx (CVE-2026-48504)	Known vulnerable component	Medium	Low
QSI-2026-19530	rustls 0.23.36 is affected by GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285)	Known vulnerable component	Medium	Low
QSI-2026-19531	rustls 0.23.36 is affected by GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346)	Known vulnerable component	Medium	Low
QSI-2026-19525	rand 0.8.5 is affected by GHSA-cq8v-f236-94qc (RUSTSEC-2026-0097)	Known vulnerable component	Low	Medium
QSI-2026-19411	Floating pragma (^0.8.29) in 29 file(s)	Improvement recommendation	Low	High
QSI-2026-19424	Floating pragma (^0.8.20) in 336 file(s)	Improvement recommendation	Low	High
QSI-2026-19429	Floating pragma (^0.8.26) in 12 file(s)	Improvement recommendation	Low	High
QSI-2026-19430	Floating pragma (^0.8.24) in 70 file(s)	Improvement recommendation	Low	High
QSI-2026-19440	Floating pragma (^0.8.22) in 11 file(s)	Improvement recommendation	Low	High
QSI-2026-19442	Floating pragma (>=0.8.0 <0.9.0) in 6 file(s)	Improvement recommendation	Low	High
QSI-2026-19445	Floating pragma (>=0.8.4) in 22 file(s)	Improvement recommendation	Low	High

QSI-2026-19448	Floating pragma (>=0.4.16) in 24 file(s)	Improvement recommendation	Low	High
QSI-2026-19459	Floating pragma (>=0.6.2) in 44 file(s)	Improvement recommendation	Low	High
QSI-2026-19460	Floating pragma (>=0.5.0) in 28 file(s)	Improvement recommendation	Low	High
QSI-2026-19461	Floating pragma (>=0.4.11) in 4 file(s)	Improvement recommendation	Low	High
QSI-2026-19462	Floating pragma (^0.8.21) in 2 file(s)	Improvement recommendation	Low	High
QSI-2026-19467	Floating pragma (>=0.6.9) in 2 file(s)	Improvement recommendation	Low	High
QSI-2026-19513	openssl 0.10.75 is affected by GHSA-xmgf-hq76-4vx2 (CVE-2026-41677)	Known vulnerable component	Low	Low
QSI-2026-19533	rustls 0.23.36 is affected by GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349)	Known vulnerable component	Low	Low
QSI-2026-19532	rustls 0.23.36 is affected by GHSA-h2v8-394m-p7vv (RUSTSEC-2026-0348)	Known vulnerable component	Low	Low, preliminary
QSI-2026-19486	anyhow 1.0.102 is affected by RUSTSEC-2026-0190 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-19488	bitmaps 3.2.1 is affected by RUSTSEC-2025-0167 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-19493	crypto-bigint 0.5.5 is affected by RUSTSEC-2026-0387 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-19494	ctutils 0.4.0 is affected by RUSTSEC-2026-0385 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-19496	event-listener 5.4.1 is affected by RUSTSEC-2026-0221 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-19497	git2 0.20.4 is affected by RUSTSEC-2026-0183 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-19498	git2 0.20.4 is affected by RUSTSEC-2026-0184 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-19503	imbl-sized-chunks 0.1.3 is affected by RUSTSEC-2026-0292 (no severity rating)	Known vulnerable component	Low	Low, preliminary

QSI-2026-19506	libz-sys 1.1.23 is affected by RUSTSEC-2026-0418 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-19507	lru 0.16.3 is affected by RUSTSEC-2026-0253 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-19520	quinn-proto 0.11.15 is affected by RUSTSEC-2026-0338 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-19521	quinn-proto 0.11.15 is affected by RUSTSEC-2026-0339 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-19524	quinn-proto 0.11.15 is affected by RUSTSEC-2026-0342 (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-19535	rustls-webpki 0.103.13 is affected by RUSTSEC-2026-0382 (CVE-2026-111943) (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-19412	Privileged administrative functions in contracts/src/Denylist.sol: addDenylister, removeDenylister	Improvement recommendation	Info	High
QSI-2026-19413	Privileged administrative functions in contracts/src/common/roles/Pausable.sol: updatePauser	Improvement recommendation	Info	High
QSI-2026-19414	Privileged administrative functions in contracts/src/protocol-config/roles/Controller.sol: updateController	Improvement recommendation	Info	High
QSI-2026-19415	Privileged administrative functions in contracts/src/proxy/AdminUpgradeableProxy.sol: upgradeTo, upgradeToAndCall, changeAdmin	Improvement recommendation	Info	High
QSI-2026-19416	Privileged administrative functions in contracts/src/validator-manager/PermissionedValidatorManager.sol: transferRegistryOwner, acceptRegistryOwnership	Improvement recommendation	Info	High
QSI-2026-19417	Privileged administrative functions in contracts/src/validator-manager/ValidatorRegistry.sol: registerValidator, activateValidator, removeValidator, updateValidatorVotingPower	Improvement recommendation	Info	High
QSI-2026-19418	Privileged administrative functions in contracts/src/validator-manager/roles/Controller.sol: configureController, removeController, updateVotingPowerLimit	Improvement recommendation	Info	High
QSI-2026-19419	Privileged administrative functions in contracts/src/validator-manager/roles/ValidatorRegisterer.sol: addValidatorRegisterer, removeValidatorRegisterer	Improvement recommendation	Info	High
QSI-2026-19425	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/Ownable2StepHarness.sol: restricted	Improvement recommendation	Info	High

QSI-2026-19426	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/OwnableHarness.sol: restricted	Improvement recommendation	Info	High
QSI-2026-19427	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/Ownable2StepUpgradeable.sol: transferOwnership	Improvement recommendation	Info	High
QSI-2026-19428	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/OwnableUpgradeable.sol: renounceOwnership, transferOwnership	Improvement recommendation	Info	High
QSI-2026-19431	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/GovernorUpgradeable.sol: relay	Improvement recommendation	Info	High
QSI-2026-19432	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorPreventLateQuorumUpgradeable.sol: setLateQuorumVoteExtension	Improvement recommendation	Info	High
QSI-2026-19433	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorProposalGuardianUpgradeable.sol: setProposalGuardian	Improvement recommendation	Info	High
QSI-2026-19434	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorSettingsUpgradeable.sol: setVotingDelay, setVotingPeriod, setProposalThreshold	Improvement recommendation	Info	High
QSI-2026-19435	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockAccessUpgradeable.sol: setBaseDelaySeconds, setAccessManagerIgnored	Improvement recommendation	Info	High
QSI-2026-19436	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockCompoundUpgradeable.sol: updateTimelock	Improvement recommendation	Info	High
QSI-2026-19437	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockControlUpgradeable.sol: updateTimelock	Improvement recommendation	Info	High

QSI-2026-19438	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesQuorumFractionUpgradeable.sol: updateQuorumNumerator	Improvement recommendation	Info	High
QSI-2026-19439	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesSuperQuorumFractionUpgradeable.sol: updateSuperQuorumNumerator	Improvement recommendation	Info	High
QSI-2026-19443	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol: restricted	Improvement recommendation	Info	High
QSI-2026-19444	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/OwnableHarness.sol: restricted	Improvement recommendation	Info	High
QSI-2026-19446	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/Ownable.sol: renounceOwnership, transferOwnership	Improvement recommendation	Info	High
QSI-2026-19447	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol: transferOwnership	Improvement recommendation	Info	High
QSI-2026-19450	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/Governor.sol: relay	Improvement recommendation	Info	High
QSI-2026-19451	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol: setLateQuorumVoteExtension	Improvement recommendation	Info	High
QSI-2026-19452	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol: setProposalGuardian	Improvement recommendation	Info	High
QSI-2026-19453	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol: setVotingDelay, setVotingPeriod, setProposalThreshold	Improvement recommendation	Info	High

QSI-2026-19454	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol: setBaseDelaySeconds, setAccessManagerIgnored	Improvement recommendation	Info	High
QSI-2026-19455	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol: updateTimelock	Improvement recommendation	Info	High
QSI-2026-19456	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol: updateTimelock	Improvement recommendation	Info	High
QSI-2026-19457	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol: updateQuorumNumerator	Improvement recommendation	Info	High
QSI-2026-19458	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol: updateSuperQuorumNumerator	Improvement recommendation	Info	High
QSI-2026-19463	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol: upgradeTo	Improvement recommendation	Info	High
QSI-2026-19464	Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol: upgradeAndCall	Improvement recommendation	Info	High
QSI-2026-19468	Privileged administrative functions in contracts/lib/openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol: restricted	Improvement recommendation	Info	High
QSI-2026-19469	Privileged administrative functions in contracts/lib/openzeppelin-contracts/certora/harnesses/OwnableHarness.sol: restricted	Improvement recommendation	Info	High
QSI-2026-19470	Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/access/Ownable.sol: renounceOwnership, transferOwnership	Improvement recommendation	Info	High
QSI-2026-19471	Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol: transferOwnership	Improvement recommendation	Info	High

QSI-2026-19473	Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/Governor.sol: relay	Improvement recommendation	Info	High
QSI-2026-19474	Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol: setLateQuorumVoteExtension	Improvement recommendation	Info	High
QSI-2026-19475	Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol: setProposalGuardian	Improvement recommendation	Info	High
QSI-2026-19476	Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol: setVotingDelay, setVotingPeriod, setProposalThreshold	Improvement recommendation	Info	High
QSI-2026-19477	Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol: setBaseDelaySeconds, setAccessManagerIgnored	Improvement recommendation	Info	High
QSI-2026-19478	Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol: updateTimelock	Improvement recommendation	Info	High
QSI-2026-19479	Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol: updateTimelock	Improvement recommendation	Info	High
QSI-2026-19480	Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol: updateQuorumNumerator	Improvement recommendation	Info	High
QSI-2026-19481	Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol: updateSuperQuorumNumerator	Improvement recommendation	Info	High
QSI-2026-19482	Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol: upgradeTo	Improvement recommendation	Info	High
QSI-2026-19483	Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol: upgradeAndCall	Improvement recommendation	Info	High
QSI-2026-19538	tokio 1.52.3 is affected by RUSTSEC-2026-0386 (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-19539	1 advisories in 1 development or build-only crates.io package(s)	Improvement recommendation	Info	Medium, preliminary

QSI-2026-19487	bincode 1.3.3: informational advisory RUSTSEC-2025-0141 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-19489	bitmaps 3.2.1: informational advisory RUSTSEC-2026-0247 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-19492	core2 0.4.0: informational advisory RUSTSEC-2026-0105 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-19495	derivative 2.2.0: informational advisory RUSTSEC-2024-0388 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-19517	paste 1.0.15: informational advisory RUSTSEC-2024-0436 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-19518	pin-utils 0.1.0: informational advisory RUSTSEC-2026-0441 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-19519	proc-macro-error2 2.0.1: informational advisory RUSTSEC-2026-0173 (unmaintained)	Improvement recommendation	Info	Low
QSI-2026-19534	rustls-pemfile 2.2.0: informational advisory RUSTSEC-2025-0134 (unmaintained)	Improvement recommendation	Info	Low

Detailed findings

QSI-2026-19526 · DEP-KNOWN-ADVISORY

High

rmcp 1.4.0 is affected by GHSA-33f5-2c5q-wgwj (CVE-2026-63127)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-33f5-2c5q-wgwj (CVE-2026-63127) for crates.io package rmcp at version 1.4.0: RMCP: Missing Resource Field Validation in OAuth Protected Resource Metadata Discovery. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rmcp@1.4.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	50.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	8.2 — CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:L/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-33f5-2c5q-wgwj
```

EVIDENCE

tool_output · OSV.dev GHSA-33f5-2c5q-wgwj · manifest · SHA-256 c1ab8acdb6fd448b...


```
{"id": "GHSA-33f5-2c5q-wgwj", "aliases": ["CVE-2026-63127"], "modified":
"2026-09-16T22:30:08.107391372Z", "summary": "RMCP: Missing Resource Field Validation in OAuth
Protected Resource Metadata Discovery", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/
AC:L/PR:N/UI:R/S:C/C:H/I:L/A:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (2.0.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-33f5-2c5q-wgwj

QSI-2026-19528 · DEP-KNOWN-ADVISORY

High

rmcp 1.4.0 is affected by GHSA-9pj6-vhgr-3mwh (CVE-2026-63128)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-9pj6-vhgr-3mwh (CVE-2026-63128) for crates.io package rmcp at version 1.4.0: RMCP: Unauthenticated permanent session-table leak in rmcp Streamable HTTP server transport leads to remote denial-of-service. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rmcp@1.4.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	50.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-9pj6-vhgr-3mwh
```

EVIDENCE

tool_output · OSV.dev GHSA-9pj6-vhgr-3mwh · manifest · SHA-256 8250eff4b4b60728...


```
{"id": "GHSA-9pj6-vhgr-3mwh", "aliases": ["CVE-2026-63128"], "modified":
"2026-09-16T22:30:08.343637534Z", "summary": "RMCP: Unauthenticated permanent session-table leak in
rmcp Streamable HTTP server transport leads to remote denial-of-service", "severity": [{"type":
"CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (2.0.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-9pj6-vhgr-3mwh

QSI-2026-19441 · CODE-HARDCODED-SECRET

High

Possible hard-coded secret in contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC6909/extensions/draft-ERC6909TokenSupplyUpgradeable.sol

Confirmed configuration error | Confidence: Medium | preliminary — requires further verification

1 secret-like value(s) of type hex_private_key_32b (first at line 21). Values were redacted by QSI.

Affected asset	file:contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC6909/extensions/draft-ERC6909TokenSupplyUpgradeable.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC6909/extensions/draft-ERC6909TokenSupplyUpgradeable.sol

Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 15:31 UTC
Priority score	47.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Credentials in source code leak through repositories, builds and logs.

REPRODUCTION STEPS

```
Open line 21 in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC6909/extensions/draft-ERC6909TokenSupplyUpgradeable.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC6909/extensions/draft-ERC6909TokenSupplyUpgradeable.sol · line 21 · SHA-256 cf74f24f02484f76… · File 2889ebe2756abe44…

```
21 |     bytes32 private constant ERC6909TokenSupplyStorageLocation = [REDACTED];
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Move secrets to a secrets manager/environment; rotate the exposed values.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

OWASP Application Security Verification Standard

QSI-2026-19499 · DEP-KNOWN-ADVISORY

High

hickory-proto 0.25.2 is affected by GHSA-3v94-mw7p-v465 (RUSTSEC-2026-0118)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-3v94-mw7p-v465 (RUSTSEC-2026-0118) for crates.io package hickory-proto at version 0.25.2: hickory-proto: NSEC3 closest-encloser proof validation enters unbounded loop on cross-zone responses. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/hickory-proto@0.25.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-3v94-mw7p-v465
```

EVIDENCE

tool_output · OSV.dev GHSA-3v94-mw7p-v465 · manifest · SHA-256 cc87bacaef206929…


```
{"id": "GHSA-3v94-mw7p-v465", "aliases": ["RUSTSEC-2026-0118", "RUSTSEC-2026-0120"], "modified": "2026-09-10T03:50:45.304576252Z", "summary": "hickory-proto: NSEC3 closest-encloser proof validation enters unbounded loop on cross-zone responses", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/SA:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.26.0-beta.1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-3v94-mw7p-v465

QSI-2026-19501 · DEP-KNOWN-ADVISORY

High

hickory-resolver 0.25.2 is affected by GHSA-5j98-2g5x-46v6 (CVE-2026-93657)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-5j98-2g5x-46v6 (CVE-2026-93657) for crates.io package hickory-resolver at version 0.25.2: hickory-resolver: Resolver::lookup() and Resolver::lookup_ip() APIs obscure DNSSEC validation failures. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/hickory-resolver@0.25.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-5j98-2g5x-46v6
```

EVIDENCE

tool_output · OSV.dev GHSA-5j98-2g5x-46v6 · manifest · SHA-256 79e70d1c34645cde…

{"id": "GHSA-5j98-2g5x-46v6", "aliases": ["CVE-2026-93657"], "modified": "2026-10-05T23:00:04.250222435Z", "summary": "hickory-resolver: Resolver::lookup() and Resolver::lookup_ip() APIs obscure DNSSEC validation failures", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N"}], "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.26.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-5j98-2g5x-46v6

QSI-2026-19505 · DEP-KNOWN-ADVISORY

High

libp2p-quic 0.13.0 is affected by GHSA-5hq8-qhww-jm7q (CVE-2026-61544)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-5hq8-qhww-jm7q (CVE-2026-61544) for crates.io package libp2p-quic at version 0.13.0: libp2p-quic: Remote panic via certificate expiry race during QUIC handshake. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/libp2p-quic@0.13.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-5hq8-qhww-jm7q
```

EVIDENCE

tool_output · OSV.dev GHSA-5hq8-qhww-jm7q · manifest · SHA-256 6fc6dfa16c6ae300...

{"id": "GHSA-5hq8-qhww-jm7q", "aliases": ["CVE-2026-61544"], "modified": "2026-09-15T20:15:04.814697144Z", "summary": "libp2p-quic: Remote panic via certificate expiry race during QUIC handshake", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:H/AT:P/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/SA:N"}], "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default

against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.13.1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-5hq8-qhww-jm7q

QSI-2026-19508 · DEP-KNOWN-ADVISORY

High

openssl 0.10.75 is affected by GHSA-8c75-8mhr-p7r9 (CVE-2026-41678)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-8c75-8mhr-p7r9 (CVE-2026-41678) for crates.io package openssl at version 0.10.75: rust-openssl has incorrect bounds assertion in aes key wrap. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/openssl@0.10.75
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-8c75-8mhr-p7r9
```

EVIDENCE

tool_output · OSV.dev GHSA-8c75-8mhr-p7r9 · manifest · SHA-256 5512e9d3ae72f6ab...


```
{"id": "GHSA-8c75-8mhr-p7r9", "aliases": ["CVE-2026-41678"], "modified":
"2026-09-10T03:50:43.807790048Z", "summary": "rust-openssl has incorrect bounds assertion in aes key
wrap", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:H/VI:H/VA:H/
SC:N/SI:N/SA:N/E:U"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.78).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-8c75-8mhr-p7r9

QSI-2026-19509 · DEP-KNOWN-ADVISORY

High

openssl 0.10.75 is affected by GHSA-ghm9-cr32-g9qj (CVE-2026-41681)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-ghm9-cr32-g9qj (CVE-2026-41681) for crates.io package openssl at version 0.10.75: rust-openssl: rustMdCtxRef::digest_final() writes past caller buffer with no length check. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/openssl@0.10.75
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-ghm9-cr32-g9qj
```

EVIDENCE

tool_output · OSV.dev GHSA-ghm9-cr32-g9qj · manifest · SHA-256 3ac28443d0eb144b...


```
{"id": "GHSA-ghm9-cr32-g9qj", "aliases": ["CVE-2026-41681"], "modified":
"2026-09-10T03:51:01.732377930Z", "summary": "rust-openssl: rustMdCtxRef::digest_final() writes past
caller buffer with no length check", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/
AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N/E:U"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.78).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-ghm9-cr32-g9qj

QSI-2026-19510 · DEP-KNOWN-ADVISORY

High

openssl 0.10.75 is affected by GHSA-hppc-g8h3-xhp3 (CVE-2026-41898)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-hppc-g8h3-xhp3 (CVE-2026-41898) for crates.io package openssl at version 0.10.75: rust-openssl: Unchecked callback length in PSK/cookie trampolines leaks adjacent memory to peer. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/openssl@0.10.75
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-hppc-g8h3-xhp3
```

EVIDENCE

tool_output · OSV.dev GHSA-hppc-g8h3-xhp3 · manifest · SHA-256 ecd44622f7c4e925...


```
{"id": "GHSA-hppc-g8h3-xhp3", "aliases": ["CVE-2026-41898"], "modified":
"2026-09-10T03:51:02.103657748Z", "summary": "rust-openssl: Unchecked callback length in PSK/cookie
trampolines leaks adjacent memory to peer", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/
AV:N/AC:L/AT:P/PR:N/UI:N/VC:H/VI:N/VA:L/SC:N/SI:N/SA:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.78).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-hppc-g8h3-xhp3

QSI-2026-19512 · DEP-KNOWN-ADVISORY

High

openssl 0.10.75 is affected by GHSA-pqf5-4pqq-29f5 (CVE-2026-41676)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-pqf5-4pqq-29f5 (CVE-2026-41676) for crates.io package openssl at version 0.10.75: rust-openssl: Deriver::derive and PkeyCtxRef::derive can overflow short buffers on OpenSSL 1.1.1. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/openssl@0.10.75
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC

Priority score	37.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-pqf5-4pqq-29f5
```

EVIDENCE

tool_output · OSV.dev GHSA-pqf5-4pqq-29f5 · manifest · SHA-256 eb0d3f491496bc0f...


```
{"id": "GHSA-pqf5-4pqq-29f5", "aliases": ["CVE-2026-41676"], "modified":
"2026-09-10T03:51:02.503624598Z", "summary": "rust-openssl: Deriver::derive and PkeyCtxRef::derive
can overflow short buffers on OpenSSL 1.1.1", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/
AV:N/AC:L/AT:P/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N/E:U"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.78).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-pqf5-4pqq-29f5

QSI-2026-19514 · DEP-KNOWN-ADVISORY

High

openssl 0.10.75 is affected by GHSA-xp3w-r5p5-63rr (CVE-2026-42327)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-xp3w-r5p5-63rr (CVE-2026-42327) for crates.io package openssl at version 0.10.75: rust-openssl has undefined behavior in X509Ref::ocsp_responders for certificates with non-UTF-8 OCSP URLs. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/openssl@0.10.75
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-xp3w-r5p5-63rr
```

EVIDENCE

tool_output · OSV.dev GHSA-xp3w-r5p5-63rr · manifest · SHA-256 44c3a538ee434a99…


```
{"id": "GHSA-xp3w-r5p5-63rr", "aliases": ["CVE-2026-42327"], "modified":
"2026-09-10T03:51:07.254489393Z", "summary": "rust-openssl has undefined behavior in
X509Ref::ocsp_responders for certificates with non-UTF-8 OCSP URLs", "severity": [{"type":
"CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:H/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.79).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-xp3w-r5p5-63rr

QSI-2026-19522 · DEP-KNOWN-ADVISORY

High

quinn-proto 0.11.15 is affected by RUSTSEC-2026-0340

Known vulnerable component | Confidence: Low

OSV.dev reports RUSTSEC-2026-0340 for crates.io package quinn-proto at version 0.11.15: Peer minimum ACK delay can panic quinn-proto when ACK_FREQUENCY transmission is enabled. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quinn-proto@0.11.15
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0340
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0340 · manifest · SHA-256 20321fd13a708b93…

{"id": "RUSTSEC-2026-0340", "aliases": ["GHSA-3g6h-r5qx-f6hq"], "modified": "2026-10-12T18:15:01.975478256Z", "summary": "Peer minimum ACK delay can panic quinn-proto when ACK_FREQUENCY transmission is enabled", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.11.18).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0340

QSI-2026-19523 · DEP-KNOWN-ADVISORY

High

quinn-proto 0.11.15 is affected by RUSTSEC-2026-0341

Known vulnerable component | Confidence: Low

OSV.dev reports RUSTSEC-2026-0341 for crates.io package quinn-proto at version 0.11.15: Stream reassembly memory-exhaustion guard in quinn-proto can be bypassed. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quinn-proto@0.11.15
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0341
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0341 · manifest · SHA-256 843224ae2e1a0c89...

{"id": "RUSTSEC-2026-0341", "aliases": ["GHSA-qfwj-vfxf-92j2"], "modified": "2026-10-12T18:15:01.969505433Z", "summary": "Stream reassembly memory-exhaustion guard in quinn-proto can be bypassed", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default

against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.11.17).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0341

QSI-2026-19449 · SOL-DELEGATECALL

High

delegatecall usage in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol

Potential cryptographic risk | Confidence: Low | preliminary — requires further verification

delegatecall at line 234. (related: SWC-112)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	36.5 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

If the target is user-controlled, an attacker can execute arbitrary code in this contract's storage context.

REPRODUCTION STEPS

```
Open line 234 in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/
openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol and inspect the quoted lines
(see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol · line 234 · SHA-256 42e274c73007a59a... · File 819137a7c5f0da2e...

```
  232 |         bytes calldata data
  233 |     ) private returns (bytes memory) {
  234 |         (bool success, bytes memory returndata) = (target == address(0) ? address(this) :
target).delegatecall(data);
  235 |         return _validateExecutionMode(index, execType, success, returndata);
  236 |     }
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Restrict delegatecall targets to trusted, immutable implementations.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19465 · SOL-DELEGATECALL

High

delegatecall usage in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Address.sol

Potential cryptographic risk | Confidence: Low | preliminary — requires further verification

delegatecall at line 97. (related: SWC-112)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Address.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Address.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	36.5 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

If the target is user-controlled, an attacker can execute arbitrary code in this contract's storage context.

REPRODUCTION STEPS

```
Open line 97 in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Address.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Address.sol · line 97 · SHA-256 de90734492398d24… · File f1a9255dbc40cf9a…

```
   95 |      */
   96 |     function functionDelegateCall(address target, bytes memory data) internal returns (bytes
memory) {
   97 |         (bool success, bytes memory returndata) = target.delegatecall(data);
   98 |         return verifyCallResultFromTarget(target, success, returndata);
   99 |     }
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Restrict delegatecall targets to trusted, immutable implementations.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19472 · SOL-DELEGATECALL

High

delegatecall usage in contracts/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol

Potential cryptographic risk | Confidence: Low | preliminary — requires further verification

delegatecall at line 234. (related: SWC-112)

Affected asset	contract:contracts/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol
Data source	contracts/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	36.5 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

If the target is user-controlled, an attacker can execute arbitrary code in this contract's storage context.

REPRODUCTION STEPS

```
Open line 234 in the supplied file contracts/lib/openzeppelin-contracts/contracts/account/utils/
draft-ERC7579Utils.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol · line 234 · SHA-256 42e274c73007a59a... · File 819137a7c5f0da2e...

```
  232 |         bytes calldata data
  233 |     ) private returns (bytes memory) {
  234 |         (bool success, bytes memory returndata) = (target == address(0) ? address(this) :
target).delegatecall(data);
  235 |         return _validateExecutionMode(index, execType, success, returndata);
  236 |     }
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Restrict delegatecall targets to trusted, immutable implementations.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19484 · SOL-DELEGATECALL

High

delegatecall usage in contracts/lib/openzeppelin-contracts/contracts/utils/Address.sol

Potential cryptographic risk | Confidence: Low | preliminary — requires further verification

delegatecall at line 97. (related: SWC-112)

Affected asset	contract:contracts/lib/openzeppelin-contracts/contracts/utils/Address.sol
Data source	contracts/lib/openzeppelin-contracts/contracts/utils/Address.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	36.5 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

If the target is user-controlled, an attacker can execute arbitrary code in this contract's storage context.

REPRODUCTION STEPS

```
Open line 97 in the supplied file contracts/lib/openzeppelin-contracts/contracts/utils/Address.sol
and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/utils/Address.sol · line 97 · SHA-256 de90734492398d24... · File f1a9255dbc40cf9a...

```
   95 |      */
   96 |     function functionDelegateCall(address target, bytes memory data) internal returns (bytes
memory) {
   97 |         (bool success, bytes memory returndata) = target.delegatecall(data);
   98 |         return verifyCallResultFromTarget(target, success, returndata);
   99 |     }
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Restrict delegatecall targets to trusted, immutable implementations.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19504 · DEP-KNOWN-ADVISORY

Medium

jsonwebtoken 9.3.1 is affected by GHSA-h395-gr6q-cpjc (CVE-2026-25537)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-h395-gr6q-cpjc (CVE-2026-25537) for crates.io package jsonwebtoken at version 9.3.1: jsonwebtoken has Type Confusion that leads to potential authorization bypass. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/jsonwebtoken@9.3.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-h395-gr6q-cpjc
```

EVIDENCE

tool_output · OSV.dev GHSA-h395-gr6q-cpjc · manifest · SHA-256 5512edb8cb1bd9b3...


```
{"id": "GHSA-h395-gr6q-cpjc", "aliases": ["CVE-2026-25537"], "modified":
"2026-09-10T03:50:35.169824826Z", "summary": "jsonwebtoken has Type Confusion that leads to
potential authorization bypass", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:N/
PR:N/UI:N/VC:N/VI:L/VA:N/SC:N/SI:N/SA:N/E:P"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (10.3.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-h395-gr6q-cpjc

QSI-2026-19527 · DEP-KNOWN-ADVISORY

Medium

rmcp 1.4.0 is affected by GHSA-9g45-5xwm-f3wc (CVE-2026-64684)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-9g45-5xwm-f3wc (CVE-2026-64684) for crates.io package rmcp at version 1.4.0: RMCP: Custom HTTP headers leak to cross-origin redirect targets. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rmcp@1.4.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC

Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	6.8 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:C/C:H/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-9g45-5xwm-f3wc
```

EVIDENCE

tool_output · OSV.dev GHSA-9g45-5xwm-f3wc · manifest · SHA-256 9ca385e2c811ca73…


```
{"id": "GHSA-9g45-5xwm-f3wc", "aliases": ["CVE-2026-64684"], "modified":
"2026-09-17T16:45:06.215938994Z", "summary": "RMCP: Custom HTTP headers leak to cross-origin
redirect targets", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:C/C:H/
I:N/A:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (2.1.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-9g45-5xwm-f3wc

QSI-2026-19529 · DEP-KNOWN-ADVISORY

Medium

rmcp 1.4.0 is affected by GHSA-c9xm-49cp-xcr9

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-c9xm-49cp-xcr9 for crates.io package rmcp at version 1.4.0: rmcp OAuth client fetches server-controlled resource_metadata URLs. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rmcp@1.4.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-c9xm-49cp-xcr9
```

EVIDENCE

tool_output · OSV.dev GHSA-c9xm-49cp-xcr9 · manifest · SHA-256 305b8c99a86ada5b...


```
{"id": "GHSA-c9xm-49cp-xcr9", "aliases": [], "modified": "2026-10-02T16:30:07.619134114Z",
"summary": "rmcp OAuth client fetches server-controlled resource_metadata URLs", "severity":
[{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (2.0.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-c9xm-49cp-xcr9

QSI-2026-19536 · DEP-KNOWN-ADVISORY

Medium

serde_with 3.16.1 is affected by GHSA-7gcf-g7xr-8hxj

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-7gcf-g7xr-8hxj for crates.io package serde_with at version 3.16.1: serde_with: KeyValueMap serialization panics on empty sequence or map entries. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/serde_with@3.16.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-7gcf-g7xr-8hxj
```

EVIDENCE

tool_output · OSV.dev GHSA-7gcf-g7xr-8hxj · manifest · SHA-256 b42c751004bfb387...


```
{"id": "GHSA-7gcf-g7xr-8hxj", "aliases": [], "modified": "2026-09-10T03:51:10.897685062Z",
"summary": "serde_with: KeyValueMap serialization panics on empty sequence or map entries",
```

```
"severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:L/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:L/SC:N/
SI:N/SA:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (3.21.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-7gcf-g7xr-8hxj

QSI-2026-19537 · DEP-KNOWN-ADVISORY

Medium

tar 0.4.45 is affected by GHSA-3pv8-6f4r-ffg2

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-3pv8-6f4r-ffg2 for crates.io package tar at version 0.4.45: tar has a PAX header desynchronization issue. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/tar@0.4.45
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-3pv8-6f4r-ffg2
```

EVIDENCE

tool_output · OSV.dev GHSA-3pv8-6f4r-ffg2 · manifest · SHA-256 ea380731f63af3a9...


```
{"id": "GHSA-3pv8-6f4r-ffg2", "aliases": [], "modified": "2026-09-10T03:51:04.454810375Z",
"summary": "tar has a PAX header desynchronization issue", "severity": null, "declared_in_manifest":
true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.4.46).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-3pv8-6f4r-ffg2

QSI-2026-19466 · SOL-ECRECOVER

Medium

Raw ecrecover usage in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol

Potential cryptographic risk | Confidence: Medium | preliminary — requires further verification

ecrecover at line 148. (related: SWC-117/SWC-121)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	43.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Without s-value/zero-address checks and nonces, signatures may be malleable or replayable. ecrecover relies on secp256k1 ECDSA (quantum-vulnerable long-term).

REPRODUCTION STEPS

```
Open line 148 in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/
openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol and inspect the quoted lines (see
evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol · line 148 · SHA-256 bbb05c626df77325… · File 0964ddd02f4a7a8c…

```
146 |
147 |         // If the signature is valid (and not malleable), return the signer address
148 |         address signer = ecrecover(hash, v, r, s);
149 |         if (signer == address(0)) {
150 |             return (address(0), RecoverError.InvalidSignature, bytes32(0));
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use OpenZeppelin ECDSA.recover with EIP-712 domain separation and nonces.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19485 · SOL-ECRECOVER

Medium

Raw ecrecover usage in contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol

Potential cryptographic risk | Confidence: Medium | preliminary — requires further verification

ecrecover at line 148. (related: SWC-117/SWC-121)

Affected asset	contract:contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol
Data source	contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	43.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Without s-value/zero-address checks and nonces, signatures may be malleable or replayable. ecrecover relies on secp256k1 ECDSA (quantum-vulnerable long-term).

REPRODUCTION STEPS

```
Open line 148 in the supplied file contracts/lib/openzeppelin-contracts/contracts/utils/
cryptography/ECDSA.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol · line 148 · SHA-256 bbb05c626df77325… · File 0964ddd02f4a7a8c…

```
146 |
147 |         // If the signature is valid (and not malleable), return the signer address
148 |         address signer = ecrecover(hash, v, r, s);
149 |         if (signer == address(0)) {
150 |             return (address(0), RecoverError.InvalidSignature, bytes32(0));
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use OpenZeppelin ECDSA.recover with EIP-712 domain separation and nonces.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19421 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable Ed25519: transaction and message signing (1 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

1 reference(s) to Ed25519 across 1 file(s), e.g. crates/signer/src/local.rs:26. Role, judged from paths, function names and nearby code: transaction and message signing. A CRQC derives the private key from a public key that is already known (on chain after the first spend, in reused addresses): funds and approvals controlled by these keys need a migration path.

Affected asset	source-code:Ed25519:transaction_signing
Data source	crates/signer/src/local.rs
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 15:31 UTC
Priority score	35.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open crates/signer/src/local.rs:26 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · crates/signer/src/local.rs · line 26 · SHA-256 c2ce9e5fae650659… · File 7ee941a38ee12f1d…

```
25 |
26 | pub use malachitebft_signing_ed25519::*;
27 |
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-19422 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable ECDSA: transaction and message signing (4 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

4 reference(s) to ECDSA across 4 file(s), e.g. crates/spammer/src/accounts.rs:20. Role, judged from paths, function names and nearby code: transaction and message signing. A CRQC derives the private key from a public key that is already known (on chain after the first spend, in reused addresses): funds and approvals controlled by these keys need a migration path.

Affected asset	source-code:ECDSA:transaction_signing
Data source	crates/spammer/src/accounts.rs
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 15:31 UTC
Priority score	35.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open crates/spammer/src/accounts.rs:20 and inspect the quoted lines; the evidence lists further
files.
```

EVIDENCE

file_excerpt · crates/spammer/src/accounts.rs · line 20 · SHA-256 0273a225b1be1776… · File aa8313a7a71b80a5…

```
  19 | use color_eyre::eyre::{self, Context, Result};
  20 | use k256::ecdsa::SigningKey;
  21 | use serde::{Deserialize, Serialize};
```

file_excerpt · crates/spammer/src/generator.rs · line 23 · SHA-256 dccd4934ba92819c… · File 7862edd64f3ca87a…

```
  22 | use color_eyre::eyre::{self, Result};
  23 | use k256::ecdsa::SigningKey;
  24 | use rand::Rng;
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol · line 148 · SHA-256 bbb05c626df77325… · File 0964ddd02f4a7a8c…

```
146 |
147 |         // If the signature is valid (and not malleable), return the signer address
148 |         address signer = ecrecover(hash, v, r, s);
149 |         if (signer == address(0)) {
150 |             return (address(0), RecoverError.InvalidSignature, bytes32(0));
```

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol · line 148 · SHA-256 bbb05c626df77325… · File 0964ddd02f4a7a8c…

```
146 |
147 |         // If the signature is valid (and not malleable), return the signer address
148 |         address signer = ecrecover(hash, v, r, s);
```

```
149 |         if (signer == address(0)) {
150 |             return (address(0), RecoverError.InvalidSignature, bytes32(0));
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-19420 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable ECDSA: role not determined (2 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

3 reference(s) to ECDSA across 2 file(s), e.g. crates/quake/src/nodekey.rs:23. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:ECDSA:general
Data source	crates/quake/src/nodekey.rs
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 15:31 UTC
Priority score	34.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open crates/quake/src/nodekey.rs:23 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · crates/quake/src/nodekey.rs · line 23 · SHA-256 e12a2180b412a84e... · File dac4f6d257240d72...

```
22 | use reth_network_peers::{pk2id, NodeRecord, PeerId};
23 | use secp256k1::{SecretKey, SECP256K1};
24 | use std::fs;
```

file_excerpt · crates/quake/src/nodekey.rs · line 129 · SHA-256 aa0bb537f284ae1e... · File dac4f6d257240d72...

```
128 |     SecretKey::from_slice(&bytes)
129 |         .map_err(|e| eyre!("Invalid secp256k1 key in nodekey file {path:?}: {e}"))
130 | }
```

file_excerpt · crates/quake/src/rpc/valset_manager.rs · line 25 · SHA-256 e388969a4614dc2d... · File d970e59689e26878...

```
 24 | use color_eyre::eyre::{eyre, Context, Result};
 25 | use k256::ecdsa::SigningKey;
 26 | use serde::{Deserialize, Serialize};
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-19423 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable Ed25519: role not determined (4 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

4 reference(s) to Ed25519 across 4 file(s), e.g. crates/types/src/codec/proto.rs:28. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:Ed25519:general
Data source	crates/types/src/codec/proto.rs
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 15:31 UTC
Priority score	34.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open crates/types/src/codec/proto.rs:28 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · crates/types/src/codec/proto.rs · line 28 · SHA-256 4690a4677968e8bb... · File 442296defb2e70ce...

```
27 | use malachitebft_proto::{Error as ProtoError, Protobuf};
28 | use malachitebft_signing_ed25519::Signature;
29 | use malachitebft_sync::{self as sync, PeerId};
```

file_excerpt · crates/types/src/proposal_part.rs · line 26 · SHA-256 8cade3a23b00481a... · File b0e67dd548c42511...

```
25 | use malachitebft_proto::{self as proto, Error as ProtoError, Protobuf};
26 | use malachitebft_signing_ed25519::Signature;
27 |
```

file_excerpt · crates/types/src/signing.rs · line 21 · SHA-256 1969d2368ea84b5f... · File 213fb515c28fb183...

```
20 | };
21 | pub use malachitebft_signing_ed25519::{Ed25519, PrivateKey, PublicKey, Signature};
22 |
```

file_excerpt · crates/types/src/ssz/v1/vote.rs · line 21 · SHA-256 2de65aa6e6820f63... · File 673a3c25af7c6f2d...

```
20 | use malachitebft_core_types::{SignedVote, VoteType};
21 | use malachitebft_signing_ed25519::Signature;
22 |
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-19490 · DEP-KNOWN-ADVISORY

Medium

block-buffer 0.12.0 is affected by GHSA-qwgh-2vcv-g2f7

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-qwgh-2vcv-g2f7 for crates.io package block-buffer at version 0.12.0: block_buffer: panic corrupts inline buffer position. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/block-buffer@0.12.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	33.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-qwgh-2vcv-g2f7
```

EVIDENCE

tool_output · OSV.dev GHSA-qwgh-2vcv-g2f7 · manifest · SHA-256 7591b0713b64478f...


```
{"id": "GHSA-qwgh-2vcv-g2f7", "aliases": [], "modified": "2026-10-30T15:45:11.580215361Z",
"summary": "block_buffer: panic corrupts inline buffer position", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-qwgh-2vcv-g2f7

QSI-2026-19491 · DEP-KNOWN-ADVISORY

Medium

cmov 0.5.2 is affected by GHSA-3rjw-m598-pq24 (CVE-2026-50185)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-3rjw-m598-pq24 (CVE-2026-50185) for crates.io package cmov at version 0.5.2: Cmov/CmovEq on aarch64 can produce wrong results if high-bits of registers are set. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/cmov@0.5.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC

Priority score	33.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-3rjw-m598-pq24
```

EVIDENCE

tool_output · OSV.dev GHSA-3rjw-m598-pq24 · manifest · SHA-256 27176a365b98febc...


```
{"id": "GHSA-3rjw-m598-pq24", "aliases": ["CVE-2026-50185"], "modified":
"2026-09-10T03:51:10.250390903Z", "summary": "Cmov/CmovEq on aarch64 can produce wrong results if
high-bits of registers are set ", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/AV:N/AC:L/
AT:N/PR:N/UI:N/VC:N/VI:L/VA:N/SC:N/SI:N/SA:N/E:P"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.5.4).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-3rjw-m598-pq24

QSI-2026-19500 · DEP-KNOWN-ADVISORY

Medium

hickory-proto 0.25.2 is affected by GHSA-q2qq-hmj6-3wpp (RUSTSEC-2026-0119)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-q2qq-hmj6-3wpp (RUSTSEC-2026-0119) for crates.io package hickory-proto at version 0.25.2: hickory-proto vulnerable to CPU exhaustion during message encoding due to O(n²) name compression. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/hickory-proto@0.25.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	33.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-q2qq-hmj6-3wpp
```

EVIDENCE

tool_output · OSV.dev GHSA-q2qq-hmj6-3wpp · manifest · SHA-256 a1d335f000995ae7…


```
{"id": "GHSA-q2qq-hmj6-3wpp", "aliases": ["RUSTSEC-2026-0119"], "modified":
"2026-09-10T03:51:06.690531529Z", "summary": "hickory-proto vulnerable to CPU exhaustion during
message encoding due to O(n²) name compression", "severity": [{"type": "CVSS_V4", "score":
"CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:L/SC:N/SI:N/SA:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.26.1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-q2qq-hmj6-3wpp

QSI-2026-19502 · DEP-KNOWN-ADVISORY

Medium

hickory-resolver 0.25.2 is affected by GHSA-6f2x-v7q7-m7m5

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-6f2x-v7q7-m7m5 for crates.io package hickory-resolver at version 0.25.2: hickory-resolver follows irrelevant CNAME records. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/hickory-resolver@0.25.2
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	33.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-6f2x-v7q7-m7m5
```

EVIDENCE

tool_output · OSV.dev GHSA-6f2x-v7q7-m7m5 · manifest · SHA-256 48a180207e8da293…


```
{"id": "GHSA-6f2x-v7q7-m7m5", "aliases": [], "modified": "2026-10-05T23:15:03.987605025Z",
"summary": "hickory-resolver follows irrelevant CNAME records", "severity": [{"type": "CVSS_V4",
```

```
"score": "CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:L/SC:N/SI:N/SA:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.26.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-6f2x-v7q7-m7m5

QSI-2026-19511 · DEP-KNOWN-ADVISORY

Medium

openssl 0.10.75 is affected by GHSA-phqj-4mhp-q6mq (CVE-2026-45784)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-phqj-4mhp-q6mq (CVE-2026-45784) for crates.io package openssl at version 0.10.75: rust-openssl: Potential out-of-bounds write in `CipherCtxRef::cipher_update_inplace` for AES-KW-PAD ciphers. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/openssl@0.10.75
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	33.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-phqj-4mhp-q6mq
```

EVIDENCE

tool_output · OSV.dev GHSA-phqj-4mhp-q6mq · manifest · SHA-256 883691705dc3dbcc...


```
{"id": "GHSA-phqj-4mhp-q6mq", "aliases": ["CVE-2026-45784"], "modified":
"2026-09-10T03:51:06.601254514Z", "summary": "rust-openssl: Potential out-of-bounds write in
`CipherCtxRef::cipher_update_inplace` for AES-KW-PAD ciphers", "severity": [{"type": "CVSS_V4",
"score": "CVSS:4.0/AV:L/AC:L/AT:N/PR:N/UI:N/VC:N/VI:L/VA:L/SC:N/SI:N/SA:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default

against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.80).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-phqj-4mhp-q6mq

QSI-2026-19515 · DEP-KNOWN-ADVISORY

Medium

openssl 0.10.75 is affected by GHSA-xv59-967r-8726 (CVE-2026-44662)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-xv59-967r-8726 (CVE-2026-44662) for crates.io package openssl at version 0.10.75: rust-openssl vulnerable to heap buffer overflow when encrypting with AES key-wrap-with-padding. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/openssl@0.10.75
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	33.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-xv59-967r-8726
```

EVIDENCE

tool_output · OSV.dev GHSA-xv59-967r-8726 · manifest · SHA-256 65e7b83d8891d6cb...


```
{"id": "GHSA-xv59-967r-8726", "aliases": ["CVE-2026-44662"], "modified":
"2026-09-10T03:51:07.319185525Z", "summary": "rust-openssl vulnerable to heap buffer overflow when
encrypting with AES key-wrap-with-padding", "severity": [{"type": "CVSS_V4", "score": "CVSS:4.0/
AV:L/AC:L/AT:N/PR:N/UI:N/VC:N/VI:L/VA:L/SC:N/SI:N/SA:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.79).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-xv59-967r-8726

QSI-2026-19516 · DEP-KNOWN-ADVISORY

Medium

opentelemetry_sdk 0.31.0 is affected by GHSA-w9wp-h8wv-79jx (CVE-2026-48504)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-w9wp-h8wv-79jx (CVE-2026-48504) for crates.io package opentelemetry_sdk at version 0.31.0: opentelemetry_sdk has unbounded memory allocation in W3C Baggage propagation. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/opentelemetry_sdk@0.31.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	33.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	5.3 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-w9wp-h8wv-79jx
```

EVIDENCE

tool_output · OSV.dev GHSA-w9wp-h8wv-79jx · manifest · SHA-256 813831dd003cedf6...


```
{"id": "GHSA-w9wp-h8wv-79jx", "aliases": ["CVE-2026-48504"], "modified":
"2026-09-10T03:50:50.807599062Z", "summary": "opentelemetry_sdk has unbounded memory allocation in
W3C Baggage propagation", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/
S:U/C:N/I:N/A:L"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.32.1).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-w9wp-h8wv-79jx

QSI-2026-19530 · DEP-KNOWN-ADVISORY

Medium

rustls 0.23.36 is affected by GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285) for crates.io package rustls at version 0.23.36: Rustls: TLS 1.3 handshake messages incorrectly accepted across encryption level boundaries. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls@0.23.36
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	33.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	5.3 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-2mjx-qc3c-rqvc
```

EVIDENCE

tool_output · OSV.dev GHSA-2mjx-qc3c-rqvc · manifest · SHA-256 f20e4b21c01d3d75...


```
{"id": "GHSA-2mjx-qc3c-rqvc", "aliases": ["RUSTSEC-2026-0285"], "modified":
"2026-10-27T15:30:05.509305490Z", "summary": "Rustls: TLS 1.3 handshake messages incorrectly
accepted across encryption level boundaries", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/
AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.45).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-2mjx-qc3c-rqvc

QSI-2026-19531 · DEP-KNOWN-ADVISORY

Medium

rustls 0.23.36 is affected by GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346) for crates.io package rustls at version 0.23.36: Rustls: Session Debug formatting exposes TLS master secrets and resumption PSKs. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls@0.23.36
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	33.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	4.0 — CVSS:3.1/AV:L/AC:H/PR:H/UI:R/S:U/C:H/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-c8m5-c952-6cm4
```

EVIDENCE

tool_output · OSV.dev GHSA-c8m5-c952-6cm4 · manifest · SHA-256 87554a0cce34470a...


```
{"id": "GHSA-c8m5-c952-6cm4", "aliases": ["RUSTSEC-2026-0346"], "modified":
"2026-10-27T16:15:05.354395696Z", "summary": "Rustls: Session Debug formatting exposes TLS master
secrets and resumption PSKs", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:L/AC:H/PR:H/
UI:R/S:U/C:H/I:N/A:N"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.46, 0.24.0-dev.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-c8m5-c952-6cm4

QSI-2026-19525 · DEP-KNOWN-ADVISORY

Low

rand 0.8.5 is affected by GHSA-cq8v-f236-94qc (RUSTSEC-2026-0097)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-cq8v-f236-94qc (RUSTSEC-2026-0097) for crates.io package rand at version 0.8.5: Rand is unsound with a custom logger using rand::rng(). The audited code names rand::rng, rand::thread_rng: the affected code may be reachable.

Affected asset	dependency:crates.io/rand@0.8.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC

Priority score	39.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-cq8v-f236-94qc
```

EVIDENCE

tool_output · OSV.dev GHSA-cq8v-f236-94qc · manifest · SHA-256 a61cde8ef254431f...


```
{"id": "GHSA-cq8v-f236-94qc", "aliases": ["RUSTSEC-2026-0097"], "modified":
"2026-09-10T03:50:43.958966498Z", "summary": "Rand is unsound with a custom logger using
rand::rng()", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.1, 0.8.6, 0.9.3).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-cq8v-f236-94qc

QSI-2026-19411 · SOL-FLOATING-PRAGMA

Low

Floating pragma (^0.8.29) in 29 file(s)

Improvement recommendation | Confidence: High

pragma ^0.8.29 in 29 file(s), first at contracts/scripts/Addresses.sol:17. (related: SWC-103)

Affected asset	solidity:pragma:^0.8.29
Data source	contracts/scripts/Addresses.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	34.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open contracts/scripts/Addresses.sol:17 and inspect the quoted lines; the evidence lists further
files.
```

EVIDENCE

file_excerpt · contracts/scripts/Addresses.sol · line 17 · SHA-256 5c8ac17d5a976b0f... · File 66a5c565bd6f5d8c...

```
15 | // limitations under the License.
16 |
17 | pragma solidity ^0.8.29;
18 |
19 | /**
```

file_excerpt · contracts/scripts/ArtifactHelper.s.sol · line 17 · SHA-256 ef0692d8465f6899... · File 401ddc8f6d3fa2b1...

```
15 | // limitations under the License.
16 |
17 | pragma solidity ^0.8.29;
18 |
19 | // ArtifactHelper — genesis builder entrypoint. Reads compiled contract bytecode and
```

file_excerpt · contracts/scripts/DenylistManagement.s.sol · line 17 · SHA-256 80b7cf5c4aec11e9... · File a65548e15480cd03...

```
15 | // limitations under the License.
16 |
17 | pragma solidity ^0.8.29;
18 |
19 | import {Script, console} from "forge-std/Script.sol";
```

file_excerpt · contracts/scripts/DeployGasGuzzler.s.sol · line 17 · SHA-256 80b7cf5c4aec11e9... · File 196141a931b87876...

```
15 | // limitations under the License.
16 |
17 | pragma solidity ^0.8.29;
18 |
19 | import {Script, console} from "forge-std/Script.sol";
```

file_excerpt · contracts/scripts/DeployMemo.s.sol · line 17 · SHA-256 80b7cf5c4aec11e9... · File 75cc596a34c87f5c...

```
15 | // limitations under the License.
16 |
17 | pragma solidity ^0.8.29;
18 |
19 | import {Script, console} from "forge-std/Script.sol";
```

file_excerpt · contracts/scripts/DeployMulticall3From.s.sol · line 17 · SHA-256 80b7cf5c4aec11e9... · File 4b90e646f1d7c04d...

```
15 | // limitations under the License.
16 |
17 | pragma solidity ^0.8.29;
18 |
19 | import {Script, console} from "forge-std/Script.sol";
```

file_excerpt · contracts/scripts/DeployPermissionedValidatorManager.s.sol · line 17 · SHA-256 80b7cf5c4aec11e9... · File 7d6ab17aac36e0d2...

```
15 | // limitations under the License.
16 |
17 | pragma solidity ^0.8.29;
```

```
18 |
19 | import {Script, console} from "forge-std/Script.sol";
```

file_excerpt · contracts/scripts/DeployProtocolConfig.s.sol · line 17 · SHA-256 80b7cf5c4aec11e9... · File a23ed2a04f7ea081...

```
15 | // limitations under the License.
16 |
17 | pragma solidity ^0.8.29;
18 |
19 | import {Script, console} from "forge-std/Script.sol";
```

file_excerpt · contracts/scripts/ProtocolConfigManagement.s.sol · line 17 · SHA-256 80b7cf5c4aec11e9... · File 6618428965b7dabe...

```
15 | // limitations under the License.
16 |
17 | pragma solidity ^0.8.29;
18 |
19 | import {Script, console} from "forge-std/Script.sol";
```

file_excerpt · contracts/scripts/ProxyManagement.s.sol · line 17 · SHA-256 80b7cf5c4aec11e9... · File f4ba6d45bdd0785e...

```
15 | // limitations under the License.
16 |
17 | pragma solidity ^0.8.29;
18 |
19 | import {Script, console} from "forge-std/Script.sol";
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19424 · SOL-FLOATING-PRAGMA

Low

Floating pragma (^0.8.20) in 336 file(s)

Improvement recommendation | Confidence: High

pragma ^0.8.20 in 336 file(s), first at contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/AccessControlDefaultAdminRulesHarness.sol:2. (related: SWC-103)

Affected asset	solidity:pragma:^0.8.20
Data source	contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/AccessControlDefaultAdminRulesHarness.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	34.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/
AccessControlDefaultAdminRulesHarness.sol:2 and inspect the quoted lines; the evidence lists further
files.
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/AccessControlDefaultAdminRulesHarness.sol · line 2 · SHA-256 756598f4bd85d94c… · File e0ba6d8a93732304…

```
    1 | // SPDX-License-Identifier: MIT
    2 | pragma solidity ^0.8.20;
    3 |
    4 | import {AccessControlDefaultAdminRules} from "../patched/access/extensions/
AccessControlDefaultAdminRules.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/AccessControlHarness.sol · line 2 · SHA-256 d3760e2e2e6b2de8… · File a49b1631dee3cd0b…

```
    1 | // SPDX-License-Identifier: MIT
    2 | pragma solidity ^0.8.20;
    3 |
    4 | import {AccessControl} from "../patched/access/AccessControl.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/AccessManagedHarness.sol · line 3 · SHA-256 8b82af0296a3ec37… · File e6d084707582b75b…

```
    1 | // SPDX-License-Identifier: MIT
    2 |
    3 | pragma solidity ^0.8.20;
    4 |
    5 | import "../patched/access/manager/IAccessManager.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/AccessManagerHarness.sol · line 3 · SHA-256 87d2bae8e69f1f7f… · File 65fc78a99fd9cfc3…

```
    1 | // SPDX-License-Identifier: MIT
    2 |
    3 | pragma solidity ^0.8.20;
    4 |
    5 | import "../patched/access/manager/AccessManager.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/DoubleEndedQueueHarness.sol · line 2 · SHA-256 7465f9b8e6c53057… · File 7473e0ca27398332…

```
    1 | // SPDX-License-Identifier: MIT
    2 | pragma solidity ^0.8.20;
    3 |
    4 | import {DoubleEndedQueue} from "../patched/utils/structs/DoubleEndedQueue.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/ERC20FlashMintHarness.sol · line 3 · SHA-256 d9268da21b039a53… · File d14171faf0d2ccb9…

```
    1 | // SPDX-License-Identifier: MIT
    2 |
    3 | pragma solidity ^0.8.20;
```

```
4 |
5 | import "../patched/token/ERC20/ERC20.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/ERC20PermitHarness.sol · line 2 · SHA-256 fe79ecdbebdd3812… · File 7f5eee48c453af45…

```
1 | // SPDX-License-Identifier: MIT
2 | pragma solidity ^0.8.20;
3 |
4 | import {ERC20Permit, ERC20} from "../patched/token/ERC20/extensions/ERC20Permit.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/ERC20WrapperHarness.sol · line 3 · SHA-256 16d256728596f72e… · File 05f6d555cceadef8…

```
1 | // SPDX-License-Identifier: MIT
2 |
3 | pragma solidity ^0.8.20;
4 |
5 | import {ERC20Permit} from "../patched/token/ERC20/extensions/ERC20Permit.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/ERC3156FlashBorrowerHarness.sol · line 5 · SHA-256 c5389bf3b06d502d… · File 68d31d5af5df023d…

```
3 | import {IERC3156FlashBorrower} from "../patched/interfaces/IERC3156FlashBorrower.sol";
4 |
5 | pragma solidity ^0.8.20;
6 |
7 | contract ERC3156FlashBorrowerHarness is IERC3156FlashBorrower {
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/ERC721Harness.sol · line 3 · SHA-256 6f89bde0f57299eb… · File 69a5144e1ae82497…

```
1 | // SPDX-License-Identifier: MIT
2 |
3 | pragma solidity ^0.8.20;
4 |
5 | import {ERC721} from "../patched/token/ERC721/ERC721.sol";
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19429 · SOL-FLOATING-PRAGMA

Low

Floating pragma (^0.8.26) in 12 file(s)

Improvement recommendation | Confidence: High

pragma ^0.8.26 in 12 file(s), first at contracts/lib/openzeppelin-contracts-upgradeable/contracts/account/extensions/draft-AccountERC7579HookedUpgradeable.sol:4. (related: SWC-103)

Affected asset	solidity:pragma:^0.8.26
Data source	contracts/lib/openzeppelin-contracts-upgradeable/contracts/account/extensions/draft-AccountERC7579HookedUpgradeable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	34.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open contracts/lib/openzeppelin-contracts-upgradeable/contracts/account/extensions/draft-AccountERC7579HookedUpgradeable.sol:4 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/account/extensions/draft-AccountERC7579HookedUpgradeable.sol · line 4 · SHA-256 3b08fda64ef29f18… · File 29aab215b51d8e25…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (account/extensions/draft-AccountERC7579Hooked.sol)
    3 |
    4 | pragma solidity ^0.8.26;
    5 |
    6 | import {IERC7579Hook, MODULE_TYPE_HOOK} from "@openzeppelin/contracts/interfaces/draft-IERC7579.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/account/extensions/draft-AccountERC7579Upgradeable.sol · line 4 · SHA-256 7607a3788222c360… · File 60d31a8f7acce57a…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (account/extensions/draft-AccountERC7579.sol)
    3 |
    4 | pragma solidity ^0.8.26;
    5 |
    6 | import {PackedUserOperation} from "@openzeppelin/contracts/interfaces/draft-IERC4337.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/cryptography/signers/MultiSignerERC7913Upgradeable.sol · line 4 · SHA-256 ebad31ac47b9d001… · File 4a8221d8eca6104d…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (utils/cryptography/signers/MultiSignerERC7913.sol)
    3 |
    4 | pragma solidity ^0.8.26;
    5 |
    6 | import {AbstractSigner} from "@openzeppelin/contracts/utils/cryptography/signers/AbstractSigner.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/cryptography/signers/MultiSignerERC7913WeightedUpgradeable.sol · line 4 · SHA-256 38605c25420c20a6… · File 8474d0aea5fbe4f1…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (utils/cryptography/signers/MultiSignerERC7913Weighted.sol)
    3 |
    4 | pragma solidity ^0.8.26;
```

```
    5 |
    6 | import {SafeCast} from "@openzeppelin/contracts/utils/math/SafeCast.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/extensions/draft-AccountERC7579.sol · line 4 · SHA-256 f79fee1651a2d42e… · File e61c0fd469d053b5…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (account/extensions/draft-
AccountERC7579.sol)
    3 |
    4 | pragma solidity ^0.8.26;
    5 |
    6 | import {PackedUserOperation} from "../../interfaces/draft-IERC4337.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/extensions/draft-AccountERC7579Hooked.sol · line 4 · SHA-256 01723dd7b2303e85… · File c59235653e2b81b4…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (account/extensions/draft-
AccountERC7579Hooked.sol)
    3 |
    4 | pragma solidity ^0.8.26;
    5 |
    6 | import {IERC7579Hook, MODULE_TYPE_HOOK} from "../../interfaces/draft-IERC7579.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/MultiSignerERC7913.sol · line 4 · SHA-256 39d1e7d402496ad8… · File aae5e64818e6ddc0…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (utils/cryptography/signers/
MultiSignerERC7913.sol)
    3 |
    4 | pragma solidity ^0.8.26;
    5 |
    6 | import {AbstractSigner} from "./AbstractSigner.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/MultiSignerERC7913Weighted.sol · line 4 · SHA-256 ce5d1947cf5df8a5… · File 3ff83c3c739a4f42…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (utils/cryptography/signers/
MultiSignerERC7913Weighted.sol)
    3 |
    4 | pragma solidity ^0.8.26;
    5 |
    6 | import {SafeCast} from "../../math/SafeCast.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/account/extensions/draft-AccountERC7579.sol · line 4 · SHA-256 f79fee1651a2d42e… · File e61c0fd469d053b5…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (account/extensions/draft-
AccountERC7579.sol)
    3 |
    4 | pragma solidity ^0.8.26;
    5 |
    6 | import {PackedUserOperation} from "../../interfaces/draft-IERC4337.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/account/extensions/draft-AccountERC7579Hooked.sol · line 4 · SHA-256 01723dd7b2303e85… · File c59235653e2b81b4…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (account/extensions/draft-
AccountERC7579Hooked.sol)
    3 |
    4 | pragma solidity ^0.8.26;
```

```
    5 |
    6 | import {IERC7579Hook, MODULE_TYPE_HOOK} from "../../interfaces/draft-IERC7579.sol";
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19430 · SOL-FLOATING-PRAGMA

Low

Floating pragma (^0.8.24) in 70 file(s)

Improvement recommendation | Confidence: High

pragma ^0.8.24 in 70 file(s), first at contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/GovernorUpgradeable.sol:4. (related: SWC-103)

Affected asset	solidity:pragma:^0.8.24
Data source	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/GovernorUpgradeable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	34.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/GovernorUpgradeable.sol:4
and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/GovernorUpgradeable.sol · line 4 · SHA-256 110868dcdf2d240b… · File 0d312797476d43e3…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (governance/Governor.sol)
    3 |
    4 | pragma solidity ^0.8.24;
    5 |
    6 | import {IERC721Receiver} from "@openzeppelin/contracts/token/ERC721/IERC721Receiver.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorCountingFractionalUpgradeable.sol · line 4 · SHA-256 86e0442c6fa16d0a… · File 061b370822d91306…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (governance/extensions/
GovernorCountingFractional.sol)
```

```
    3 |
    4 | pragma solidity ^0.8.24;
    5 |
    6 | import {IGovernor} from "@openzeppelin/contracts/governance/IGovernor.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorCountingOverridableUpgradeable.sol · line 4 · SHA-256 bdb8e6161a8909cf... · File f490a2f9eebee3e3...

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (governance/extensions/
GovernorCountingOverridable.sol)
    3 |
    4 | pragma solidity ^0.8.24;
    5 |
    6 | import {SignatureChecker} from "@openzeppelin/contracts/utils/cryptography/
SignatureChecker.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorCountingSimpleUpgradeable.sol · line 4 · SHA-256 4454a914a26988a2... · File f27144c31628b4c9...

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (governance/extensions/
GovernorCountingSimple.sol)
    3 |
    4 | pragma solidity ^0.8.24;
    5 |
    6 | import {IGovernor} from "@openzeppelin/contracts/governance/IGovernor.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorNoncesKeyedUpgradeable.sol · line 4 · SHA-256 e536a2de91a5a3a8... · File 74bc08c63a08cc0f...

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (governance/extensions/
GovernorNoncesKeyed.sol)
    3 |
    4 | pragma solidity ^0.8.24;
    5 |
    6 | import {GovernorUpgradeable} from "../GovernorUpgradeable.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorPreventLateQuorumUpgradeable.sol · line 4 · SHA-256 7c84de814498b9dd... · File 69bb6d2fc9b61342...

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (governance/extensions/
GovernorPreventLateQuorum.sol)
    3 |
    4 | pragma solidity ^0.8.24;
    5 |
    6 | import {GovernorUpgradeable} from "../GovernorUpgradeable.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorProposalGuardianUpgradeable.sol · line 3 · SHA-256 dd5c48f694fa58ad... · File f02f5aaccf1c0e81...

```
    1 | // SPDX-License-Identifier: MIT
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (governance/extensions/
GovernorProposalGuardian.sol)
    3 | pragma solidity ^0.8.24;
    4 |
    5 | import {GovernorUpgradeable} from "../GovernorUpgradeable.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorSequentialProposalIdUpgradeable.sol · line 4 · SHA-256 eacd4e34333aea40... · File 51b62f1d721d8ff7...

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (governance/extensions/
GovernorSequentialProposalId.sol)
    3 |
    4 | pragma solidity ^0.8.24;
```

```
5 |
6 | import {IGovernor} from "@openzeppelin/contracts/governance/IGovernor.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorSettingsUpgradeable.sol · line 4 · SHA-256 ded858f835859b38… · File 86ffc956c7114026…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (governance/extensions/GovernorSettings.sol)
3 |
4 | pragma solidity ^0.8.24;
5 |
6 | import {IGovernor} from "@openzeppelin/contracts/governance/IGovernor.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorStorageUpgradeable.sol · line 4 · SHA-256 9289493ceb764442… · File 586f3115854f2413…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (governance/extensions/GovernorStorage.sol)
3 |
4 | pragma solidity ^0.8.24;
5 |
6 | import {GovernorUpgradeable} from "../GovernorUpgradeable.sol";
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19440 · SOL-FLOATING-PRAGMA

Low

Floating pragma (^0.8.22) in 11 file(s)

Improvement recommendation | Confidence: High

pragma ^0.8.22 in 11 file(s), first at contracts/lib/openzeppelin-contracts-upgradeable/contracts/proxy/utils/UUPSUpgradeable.sol:4. (related: SWC-103)

Affected asset	solidity:pragma:^0.8.22
Data source	contracts/lib/openzeppelin-contracts-upgradeable/contracts/proxy/utils/UUPSUpgradeable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	34.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open contracts/lib/openzeppelin-contracts-upgradeable/contracts/proxy/utils/UUPSUpgradeable.sol:4
and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/proxy/utils/UUPSUpgradeable.sol · line 4 · SHA-256 51b7f93f2c4fd2c8… · File 2d07bcf9728190a5…

```
    2 | // OpenZeppelin Contracts (last updated v5.3.0) (proxy/utils/UUPSUpgradeable.sol)
    3 |
    4 | pragma solidity ^0.8.22;
    5 |
    6 | import {IERC1822Proxiable} from "@openzeppelin/contracts/interfaces/draft-IERC1822.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/ERC1967/ERC1967Proxy.sol · line 4 · SHA-256 7adae15fedc454fe… · File a06fe97082355529…

```
    2 | // OpenZeppelin Contracts (last updated v5.2.0) (proxy/ERC1967/ERC1967Proxy.sol)
    3 |
    4 | pragma solidity ^0.8.22;
    5 |
    6 | import {Proxy} from "../Proxy.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/beacon/BeaconProxy.sol · line 4 · SHA-256 19558af72f040ec2… · File 220626a31d80fb0d…

```
    2 | // OpenZeppelin Contracts (last updated v5.2.0) (proxy/beacon/BeaconProxy.sol)
    3 |
    4 | pragma solidity ^0.8.22;
    5 |
    6 | import {IBeacon} from "./IBeacon.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol · line 4 · SHA-256 052868c38d31aa07… · File 4da9a90b1c8b45fd…

```
    2 | // OpenZeppelin Contracts (last updated v5.2.0) (proxy/transparent/ProxyAdmin.sol)
    3 |
    4 | pragma solidity ^0.8.22;
    5 |
    6 | import {ITransparentUpgradeableProxy} from "./TransparentUpgradeableProxy.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/transparent/TransparentUpgradeableProxy.sol · line 4 · SHA-256 a0ab0b407fa84ebb… · File 8391555685fb89d9…

```
    2 | // OpenZeppelin Contracts (last updated v5.2.0) (proxy/transparent/
TransparentUpgradeableProxy.sol)
    3 |
    4 | pragma solidity ^0.8.22;
    5 |
    6 | import {ERC1967Utils} from "../ERC1967/ERC1967Utils.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/utils/UUPSUpgradeable.sol · line 4 · SHA-256 48fa313b14c9a4ef… · File dc5dbb1675e3ca32…

```
    2 | // OpenZeppelin Contracts (last updated v5.3.0) (proxy/utils/UUPSUpgradeable.sol)
    3 |
    4 | pragma solidity ^0.8.22;
    5 |
    6 | import {IERC1822Proxiable} from "../../interfaces/draft-IERC1822.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/proxy/ERC1967/ERC1967Proxy.sol · line 4 · SHA-256 7adae15fedc454fe… · File a06fe97082355529…

```
    2 | // OpenZeppelin Contracts (last updated v5.2.0) (proxy/ERC1967/ERC1967Proxy.sol)
    3 |
    4 | pragma solidity ^0.8.22;
    5 |
    6 | import {Proxy} from "../Proxy.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/proxy/beacon/BeaconProxy.sol · line 4 · SHA-256 19558af72f040ec2… · File 220626a31d80fb0d…

```
    2 | // OpenZeppelin Contracts (last updated v5.2.0) (proxy/beacon/BeaconProxy.sol)
    3 |
    4 | pragma solidity ^0.8.22;
    5 |
    6 | import {IBeacon} from "./IBeacon.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol · line 4 · SHA-256 052868c38d31aa07… · File 4da9a90b1c8b45fd…

```
    2 | // OpenZeppelin Contracts (last updated v5.2.0) (proxy/transparent/ProxyAdmin.sol)
    3 |
    4 | pragma solidity ^0.8.22;
    5 |
    6 | import {ITransparentUpgradeableProxy} from "./TransparentUpgradeableProxy.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/proxy/transparent/TransparentUpgradeableProxy.sol · line 4 · SHA-256 a0ab0b407fa84ebb… · File 8391555685fb89d9…

```
    2 | // OpenZeppelin Contracts (last updated v5.2.0) (proxy/transparent/
TransparentUpgradeableProxy.sol)
    3 |
    4 | pragma solidity ^0.8.22;
    5 |
    6 | import {ERC1967Utils} from "../ERC1967/ERC1967Utils.sol";
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19442 · SOL-FLOATING-PRAGMA

Low

Floating pragma (>=0.8.0 <0.9.0) in 6 file(s)

Improvement recommendation | Confidence: High

pragma >=0.8.0 <0.9.0 in 6 file(s), first at contracts/lib/openzeppelin-contracts-upgradeable/lib/halmos-cheatcodes/src/SVM.sol:2. (related: SWC-103)

Affected asset	solidity:pragma:>=0.8.0 <0.9.0

Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/halmos-cheatcodes/src/SVM.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	34.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open contracts/lib/openzeppelin-contracts-upgradeable/lib/halmos-cheatcodes/src/SVM.sol:2 and
inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/halmos-cheatcodes/src/SVM.sol · line 2 · SHA-256 bd471efc2f4d7d42… · File db2c73220b9f83d1…

```
1 | // SPDX-License-Identifier: AGPL-3.0
2 | pragma solidity >=0.8.0 <0.9.0;
3 |
4 | /// @notice Symbolic Virtual Machine
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/halmos-cheatcodes/src/SymTest.sol · line 2 · SHA-256 97630b16a584af99… · File c5391a942e6ca4a3…

```
1 | // SPDX-License-Identifier: AGPL-3.0
2 | pragma solidity >=0.8.0 <0.9.0;
3 |
4 | import {SVM} from "./SVM.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/lib/halmos-cheatcodes/src/SVM.sol · line 2 · SHA-256 bd471efc2f4d7d42… · File db2c73220b9f83d1…

```
1 | // SPDX-License-Identifier: AGPL-3.0
2 | pragma solidity >=0.8.0 <0.9.0;
3 |
4 | /// @notice Symbolic Virtual Machine
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/lib/halmos-cheatcodes/src/SymTest.sol · line 2 · SHA-256 97630b16a584af99… · File c5391a942e6ca4a3…

```
1 | // SPDX-License-Identifier: AGPL-3.0
2 | pragma solidity >=0.8.0 <0.9.0;
3 |
4 | import {SVM} from "./SVM.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts/lib/halmos-cheatcodes/src/SVM.sol · line 2 · SHA-256 bd471efc2f4d7d42… · File db2c73220b9f83d1…

```
1 | // SPDX-License-Identifier: AGPL-3.0
2 | pragma solidity >=0.8.0 <0.9.0;
3 |
4 | /// @notice Symbolic Virtual Machine
```

file_excerpt · contracts/lib/openzeppelin-contracts/lib/halmos-cheatcodes/src/SymTest.sol · line 2 · SHA-256 97630b16a584af99… · File c5391a942e6ca4a3…

```
1 | // SPDX-License-Identifier: AGPL-3.0
2 | pragma solidity >=0.8.0 <0.9.0;
3 |
4 | import {SVM} from "./SVM.sol";
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19445 · SOL-FLOATING-PRAGMA

Low

Floating pragma (>=0.8.4) in 22 file(s)

Improvement recommendation | Confidence: High

pragma >=0.8.4 in 22 file(s), first at contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/IAccessControl.sol:4. (related: SWC-103)

Affected asset	solidity:pragma:>=0.8.4
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/IAccessControl.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	34.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/
IAccessControl.sol:4 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/IAccessControl.sol · line 4 · SHA-256 23e7d8c92d03f6bf... · File 140304b7e99d517c...

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (access/IAccessControl.sol)
3 |
4 | pragma solidity >=0.8.4;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/extensions/IAccessControlDefaultAdminRules.sol · line 4 · SHA-256 96400a8a52df4007... · File c2788df258d4e1ac...

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (access/extensions/
IAccessControlDefaultAdminRules.sol)
    3 |
    4 | pragma solidity >=0.8.4;
    5 |
    6 | import {IAccessControl} from "../IAccessControl.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/extensions/IAccessControlEnumerable.sol · line 4 · SHA-256 75556f8db0a186ce… · File e0f69ae5acc588f2…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (access/extensions/
IAccessControlEnumerable.sol)
    3 |
    4 | pragma solidity >=0.8.4;
    5 |
    6 | import {IAccessControl} from "../IAccessControl.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/manager/IAccessManaged.sol · line 4 · SHA-256 9c08e8da31027518… · File 2ef4db4c7c678372…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (access/manager/IAccessManaged.sol)
    3 |
    4 | pragma solidity >=0.8.4;
    5 |
    6 | interface IAccessManaged {
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/manager/IAccessManager.sol · line 4 · SHA-256 d28fa18895fb37d6… · File 5b98daaff196df53…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (access/manager/IAccessManager.sol)
    3 |
    4 | pragma solidity >=0.8.4;
    5 |
    6 | interface IAccessManager {
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/IGovernor.sol · line 4 · SHA-256 b81914f14753db89… · File bc307a91cdad776b…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (governance/IGovernor.sol)
    3 |
    4 | pragma solidity >=0.8.4;
    5 |
    6 | import {IERC165} from "../interfaces/IERC165.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/utils/IVotes.sol · line 3 · SHA-256 2d7fa19d01382e1f… · File 5876ce02c2f959a2…

```
    1 | // SPDX-License-Identifier: MIT
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (governance/utils/IVotes.sol)
    3 | pragma solidity >=0.8.4;
    4 |
    5 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC5805.sol · line 4 · SHA-256 3dc3349505a2b221… · File 2b1e317a9ad03039…

```
    2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC5805.sol)
    3 |
    4 | pragma solidity >=0.8.4;
```

```
5 |
6 | import {IVotes} from "../governance/utils/IVotes.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC4337.sol · line 4 · SHA-256 d17bdd715fea647a... · File 070fae39f5842c67...

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/draft-IERC4337.sol)
3 |
4 | pragma solidity >=0.8.4;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC6093.sol · line 3 · SHA-256 5d815c4a9d35069b... · File df936240c9a5d342...

```
1 | // SPDX-License-Identifier: MIT
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/draft-IERC6093.sol)
3 | pragma solidity >=0.8.4;
4 |
5 | /**
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19448 · SOL-FLOATING-PRAGMA

Low

Floating pragma (>=0.4.16) in 24 file(s)

Improvement recommendation | Confidence: High

pragma >=0.4.16 in 24 file(s), first at contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/manager/IAuthority.sol:4. (related: SWC-103)

Affected asset	solidity:pragma:>=0.4.16
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/manager/IAuthority.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	34.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/
manager/IAuthority.sol:4 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/manager/IAuthority.sol · line 4 · SHA-256 4ccb3824a219e881… · File 68428ead009a99c5…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (access/manager/IAuthority.sol)
3 |
4 | pragma solidity >=0.4.16;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC165.sol · line 4 · SHA-256 f9edce89b01b34aa… · File dfb3f56fa928a7c6…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC165.sol)
3 |
4 | pragma solidity >=0.4.16;
5 |
6 | import {IERC165} from "../utils/introspection/IERC165.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1820Implementer.sol · line 4 · SHA-256 90e19e192797c701… · File 99459de7cc9e3387…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC1820Implementer.sol)
3 |
4 | pragma solidity >=0.4.16;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC20.sol · line 4 · SHA-256 10d1b8a3c3afc596… · File 0158e2d3e0e28bed…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC20.sol)
3 |
4 | pragma solidity >=0.4.16;
5 |
6 | import {IERC20} from "../token/ERC20/IERC20.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC5267.sol · line 4 · SHA-256 c945bb5ab2bfe896… · File f89772d2d4fafcbe…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC5267.sol)
3 |
4 | pragma solidity >=0.4.16;
5 |
6 | interface IERC5267 {
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC5313.sol · line 4 · SHA-256 aebdd32a48c284a9… · File 9c99e3d0f9a47337…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC5313.sol)
3 |
4 | pragma solidity >=0.4.16;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC6372.sol · line 4 · SHA-256 c672a1ab55a27f6b… · File b82e19cde1eaa6c1…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC6372.sol)
3 |
4 | pragma solidity >=0.4.16;
5 |
6 | interface IERC6372 {
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC1822.sol · line 4 · SHA-256 a9c6cede38f25754… · File 73653312bc2eda0e…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/draft-IERC1822.sol)
3 |
4 | pragma solidity >=0.4.16;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/beacon/IBeacon.sol · line 4 · SHA-256 0ac512b6beb2e518… · File c1c9726bbb0ec4c5…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (proxy/beacon/IBeacon.sol)
3 |
4 | pragma solidity >=0.4.16;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/IERC20.sol · line 4 · SHA-256 2c0336249aad4558… · File 01b6f5c4fa45fd38…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (token/ERC20/IERC20.sol)
3 |
4 | pragma solidity >=0.4.16;
5 |
6 | /**
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19459 · SOL-FLOATING-PRAGMA

Low

Floating pragma (>=0.6.2) in 44 file(s)

Improvement recommendation | Confidence: High

pragma >=0.6.2 in 44 file(s), first at contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1155.sol:4. (related: SWC-103)

Affected asset	solidity:pragma:>=0.6.2
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1155.sol

Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	34.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/
interfaces/IERC1155.sol:4 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1155.sol · line 4 · SHA-256 dfad9a7c3626bba3… · File 4a472558a19793bd…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC1155.sol)
3 |
4 | pragma solidity >=0.6.2;
5 |
6 | import {IERC1155} from "../token/ERC1155/IERC1155.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1155MetadataURI.sol · line 4 · SHA-256 747195b680510401… · File bf8de067ebb7ec32…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC1155MetadataURI.sol)
3 |
4 | pragma solidity >=0.6.2;
5 |
6 | import {IERC1155MetadataURI} from "../token/ERC1155/extensions/IERC1155MetadataURI.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1155Receiver.sol · line 4 · SHA-256 ba575cd74504fdd2… · File 825aed7cb9f35079…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC1155Receiver.sol)
3 |
4 | pragma solidity >=0.6.2;
5 |
6 | import {IERC1155Receiver} from "../token/ERC1155/IERC1155Receiver.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1363.sol · line 4 · SHA-256 0ae7b1530694970b… · File 9c3a75a925a6dac9…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC1363.sol)
3 |
4 | pragma solidity >=0.6.2;
5 |
6 | import {IERC20} from "./IERC20.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC20Metadata.sol · line 4 · SHA-256 722abdc20b3aed62… · File 0ef8d844d8e066ab…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC20Metadata.sol)
3 |
4 | pragma solidity >=0.6.2;
```

```
5 |
6 | import {IERC20Metadata} from "../token/ERC20/extensions/IERC20Metadata.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC2612.sol · line 4 · SHA-256 d6d9aefd47b64b6f… · File 7ebb71cd1a464a22…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC2612.sol)
3 |
4 | pragma solidity >=0.6.2;
5 |
6 | import {IERC20Permit} from "../token/ERC20/extensions/IERC20Permit.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC2981.sol · line 4 · SHA-256 53750e4f38b884d1… · File ea5f52ef580b9cb7…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC2981.sol)
3 |
4 | pragma solidity >=0.6.2;
5 |
6 | import {IERC165} from "../utils/introspection/IERC165.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC4626.sol · line 4 · SHA-256 b3a2a0351e191c43… · File 4e2150a099080629…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC4626.sol)
3 |
4 | pragma solidity >=0.6.2;
5 |
6 | import {IERC20} from "../token/ERC20/IERC20.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC4906.sol · line 4 · SHA-256 e2ee6d31e713881f… · File 2b14563481c355e6…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC4906.sol)
3 |
4 | pragma solidity >=0.6.2;
5 |
6 | import {IERC165} from "./IERC165.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC721.sol · line 4 · SHA-256 3975ec1ecd5890fa… · File 4e4412e3eb28d5d2…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC721.sol)
3 |
4 | pragma solidity >=0.6.2;
5 |
6 | import {IERC721} from "../token/ERC721/IERC721.sol";
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19460 · SOL-FLOATING-PRAGMA

Low

Floating pragma (>=0.5.0) in 28 file(s)

Improvement recommendation | Confidence: High

pragma >=0.5.0 in 28 file(s), first at contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1271.sol:4. (related: SWC-103)

Affected asset	solidity:pragma:>=0.5.0
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1271.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	34.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/
interfaces/IERC1271.sol:4 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1271.sol · line 4 · SHA-256 f2bacab150c87c9c… · File 2d17bba201aa2f9c…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC1271.sol)
3 |
4 | pragma solidity >=0.5.0;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1363Receiver.sol · line 4 · SHA-256 4f068aab542c1592… · File 39ebf8824bcd8d67…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC1363Receiver.sol)
3 |
4 | pragma solidity >=0.5.0;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1363Spender.sol · line 4 · SHA-256 485ea05476fc90f7… · File 594582216b8d5e0a…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC1363Spender.sol)
3 |
4 | pragma solidity >=0.5.0;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1820Registry.sol · line 4 · SHA-256 40b939f3fb746c2c… · File d5c38c7fc97a0fc4…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC1820Registry.sol)
3 |
```

```
4 | pragma solidity >=0.5.0;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC3156.sol · line 4 · SHA-256 0b8a00ecd164f2e5… · File 9fbd10c6970c328f…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC3156.sol)
3 |
4 | pragma solidity >=0.5.0;
5 |
6 | import {IERC3156FlashBorrower} from "./IERC3156FlashBorrower.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC3156FlashBorrower.sol · line 4 · SHA-256 b81bda4c830c16f6… · File e4c78842b2462889…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC3156FlashBorrower.sol)
3 |
4 | pragma solidity >=0.5.0;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC3156FlashLender.sol · line 4 · SHA-256 dcb834116e3eee95… · File 129df4dbdb600b20…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC3156FlashLender.sol)
3 |
4 | pragma solidity >=0.5.0;
5 |
6 | import {IERC3156FlashBorrower} from "./IERC3156FlashBorrower.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC721Receiver.sol · line 4 · SHA-256 cb571bbb05af940b… · File 875a2b4aaba1fe08…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC721Receiver.sol)
3 |
4 | pragma solidity >=0.5.0;
5 |
6 | import {IERC721Receiver} from "../token/ERC721/IERC721Receiver.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC777.sol · line 4 · SHA-256 42f670948a09c754… · File 9ed85c11bc308eeb…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC777.sol)
3 |
4 | pragma solidity >=0.5.0;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC777Recipient.sol · line 4 · SHA-256 ae2a8cb30d443222… · File 48473616ccf361df…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC777Recipient.sol)
3 |
4 | pragma solidity >=0.5.0;
5 |
6 | /**
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19461 · SOL-FLOATING-PRAGMA

Low

Floating pragma (>=0.4.11) in 4 file(s)

Improvement recommendation | Confidence: High

pragma >=0.4.11 in 4 file(s), first at contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1967.sol:4. (related: SWC-103)

Affected asset	solidity:pragma:>=0.4.11
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1967.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	34.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/
interfaces/IERC1967.sol:4 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1967.sol · line 4 · SHA-256 0fa068eab3436c2f… · File c4e901318ab6d496…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC1967.sol)
3 |
4 | pragma solidity >=0.4.11;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC2309.sol · line 4 · SHA-256 67cd5ff60e6832d7… · File a497c9e32f721912…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC2309.sol)
3 |
4 | pragma solidity >=0.4.11;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC1967.sol · line 4 · SHA-256 0fa068eab3436c2f… · File c4e901318ab6d496…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC1967.sol)
3 |
4 | pragma solidity >=0.4.11;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC2309.sol · line 4 · SHA-256 67cd5ff60e6832d7… · File a497c9e32f721912…

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (interfaces/IERC2309.sol)
3 |
4 | pragma solidity >=0.4.11;
5 |
6 | /**
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19462 · SOL-FLOATING-PRAGMA

Low

Floating pragma (^0.8.21) in 2 file(s)

Improvement recommendation | Confidence: High

pragma ^0.8.21 in 2 file(s), first at contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/ERC1967/ERC1967Utils.sol:4. (related: SWC-103)

Affected asset	solidity:pragma:^0.8.21
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/ERC1967/ERC1967Utils.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	34.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/ERC1967/ERC1967Utils.sol:4 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/ERC1967/ERC1967Utils.sol · line 4 · SHA-256 e64a735b005a914c... · File 58c5b19893bf3d7f...

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (proxy/ERC1967/ERC1967Utils.sol)
3 |
4 | pragma solidity ^0.8.21;
5 |
6 | import {IBeacon} from "../beacon/IBeacon.sol";
```

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/proxy/ERC1967/ERC1967Utils.sol · line 4 · SHA-256 e64a735b005a914c... · File 58c5b19893bf3d7f...

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (proxy/ERC1967/ERC1967Utils.sol)
3 |
4 | pragma solidity ^0.8.21;
5 |
6 | import {IBeacon} from "../beacon/IBeacon.sol";
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19467 · SOL-FLOATING-PRAGMA

Low

Floating pragma (>=0.6.9) in 2 file(s)

Improvement recommendation | Confidence: High

pragma >=0.6.9 in 2 file(s), first at contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/vendor/compound/ICompoundTimelock.sol:4. (related: SWC-103)

Affected asset	solidity:pragma:>=0.6.9
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/vendor/compound/ICompoundTimelock.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	34.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.

REPRODUCTION STEPS

```
Open contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/vendor/
compound/ICompoundTimelock.sol:4 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/vendor/compound/ICompoundTimelock.sol · line 4 · SHA-256 ffd60d39b3c4e53b... · File b1062b283d59aea3...

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (vendor/compound/ICompoundTimelock.sol)
3 |
4 | pragma solidity >=0.6.9;
5 |
6 | /**
```

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/vendor/compound/ICompoundTimelock.sol · line 4 · SHA-256 ffd60d39b3c4e53b... · File b1062b283d59aea3...

```
2 | // OpenZeppelin Contracts (last updated v5.4.0) (vendor/compound/ICompoundTimelock.sol)
3 |
4 | pragma solidity >=0.6.9;
5 |
6 | /**
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Pin the compiler version used in testing.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19513 · DEP-KNOWN-ADVISORY

Low

openssl 0.10.75 is affected by GHSA-xmgf-hq76-4vx2 (CVE-2026-41677)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-xmgf-hq76-4vx2 (CVE-2026-41677) for crates.io package openssl at version 0.10.75: rust-opennssl has an Out-of-bounds read in PEM password callback when returning an oversized length. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/openssl@0.10.75
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	29.4 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-xmgf-hq76-4vx2
```

EVIDENCE

tool_output · OSV.dev GHSA-xmgf-hq76-4vx2 · manifest · SHA-256 b6d4ab0e724d8f8f...


```
{"id": "GHSA-xmgf-hq76-4vx2", "aliases": ["CVE-2026-41677"], "modified":
"2026-09-10T03:50:44.840710191Z", "summary": "rust-opennssl has an Out-of-bounds read in PEM
password callback when returning an oversized length", "severity": [{"type": "CVSS_V4", "score":
"CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:L/VI:N/VA:L/SC:N/SI:N/SA:N/E:U"}], "declared_in_manifest":
false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.10.78).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-xmgf-hq76-4vx2

QSI-2026-19533 · DEP-KNOWN-ADVISORY

Low

rustls 0.23.36 is affected by GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349)

Known vulnerable component | Confidence: Low

OSV.dev reports GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349) for crates.io package rustls at version 0.23.36: rustls: An unauthenticated ServerHello poisons the per-name key-exchange record, so later ClientHellos carry only a classical X25519 share. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls@0.23.36
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	29.4 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	3.7 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-w44r-93j7-qv28
```

EVIDENCE

tool_output · OSV.dev GHSA-w44r-93j7-qv28 · manifest · SHA-256 f0fcaa2fa7a56e18…


```
{"id": "GHSA-w44r-93j7-qv28", "aliases": ["RUSTSEC-2026-0349"], "modified":
"2026-10-27T16:15:05.340347056Z", "summary": "rustls: An unauthenticated ServerHello poisons the
per-name key-exchange record, so later ClientHellos carry only a classical X25519 share",
"severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N"}],
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.46, 0.24.0-dev.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-w44r-93j7-qv28

QSI-2026-19532 · DEP-KNOWN-ADVISORY

Low

rustls 0.23.36 is affected by GHSA-h2v8-394m-p7vv (RUSTSEC-2026-0348)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GHSA-h2v8-394m-p7vv (RUSTSEC-2026-0348) for crates.io package rustls at version 0.23.36: Rustls: Brotli certificate decompression can allocate an attacker-controlled amount of memory up to 1 GiB before authentication. The affected code sits behind the `brotli` Cargo feature, off by default, which no audited manifest enables: the advisory does not apply unless another dependency enables it.

Affected asset	dependency:crates.io/rustls@0.23.36
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	25.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	3.7 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:L

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-h2v8-394m-p7vv
```

EVIDENCE

tool_output · OSV.dev GHSA-h2v8-394m-p7vv · manifest · SHA-256 9118726d52fea7ce...


```
{"id": "GHSA-h2v8-394m-p7vv", "aliases": ["RUSTSEC-2026-0348"], "modified":
"2026-10-27T16:15:05.337819489Z", "summary": "Rustls: Brotli certificate decompression can allocate
an attacker-controlled amount of memory up to 1 GiB before authentication.", "severity": [{"type":
"CVSS_V3", "score": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:L"}], "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Upgrade to a fixed version (0.23.46, 0.24.0-dev.2).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-h2v8-394m-p7vv

QSI-2026-19486 · DEP-ADVISORY-UNRATED

Low

anyhow 1.0.102 is affected by RUSTSEC-2026-0190 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0190 for crates.io package anyhow at version 1.0.102: Unsoundness in `Error::downcast_mut()`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (anyhow::Error::downcast_mut); anyhow comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/anyhow@1.0.102
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0190
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0190 · manifest · SHA-256 12d4b3eeb5a7dc67...

{"id": "RUSTSEC-2026-0190", "aliases": [], "modified": "2026-06-29T14:15:03.650725453Z", "summary": "Unsoundness in `Error::downcast_mut()`", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (1.0.103) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0190

QSI-2026-19488 · DEP-ADVISORY-UNRATED

Low

bitmaps 3.2.1 is affected by RUSTSEC-2025-0167 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2025-0167 for crates.io package bitmaps at version 3.2.1: `Bitmap::try_from(&[u8])` can create invalid values. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/bitmaps@3.2.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0167
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0167 · manifest · SHA-256 03863e29642c4e63…

{"id": "RUSTSEC-2025-0167", "aliases": [], "modified": "2026-08-10T19:45:04.530683607Z", "summary": "`Bitmap::try_from(&[u8])` can create invalid values", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo

feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (none published yet; see the advisory for mitigations) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2025-0167

QSI-2026-19493 · DEP-ADVISORY-UNRATED

Low

crypto-bigint 0.5.5 is affected by RUSTSEC-2026-0387 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0387 for crates.io package crypto-bigint at version 0.5.5: Multiple timing variability issues in operations intended to be constant-time. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/crypto-bigint@0.5.5
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0387
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0387 · manifest · SHA-256 eab63427da988e95...


```
{"id": "RUSTSEC-2026-0387", "aliases": [], "modified": "2026-10-24T03:45:02.365137418Z", "summary":
"Multiple timing variability issues in operations intended to be constant-time", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.7.6) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0387

QSI-2026-19494 · DEP-ADVISORY-UNRATED

Low

ctutils 0.4.0 is affected by RUSTSEC-2026-0385 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0385 for crates.io package ctutils at version 0.4.0: Non-constant-time mask generation and `u128` comparisons. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/ctutils@0.4.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0385
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0385 · manifest · SHA-256 200470326c8a5ad1...


```
{"id": "RUSTSEC-2026-0385", "aliases": [], "modified": "2026-10-23T08:30:02.389575143Z", "summary":
"Non-constant-time mask generation and `u128` comparisons", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.4.4) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0385

QSI-2026-19496 · DEP-ADVISORY-UNRATED

Low

event-listener 5.4.1 is affected by RUSTSEC-2026-0221 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0221 for crates.io package event-listener at version 5.4.1: `event-listener` allows `!Send` tags to cross thread boundaries via `StackSlot`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/event-listener@5.4.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0221
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0221 · manifest · SHA-256 984b4e4e87b4e2cc...


```
{"id": "RUSTSEC-2026-0221", "aliases": [], "modified": "2026-07-31T12:15:04.629484145Z", "summary":
"`event-listener` allows `!Send` tags to cross thread boundaries via `StackSlot`", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (5.4.2) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0221

QSI-2026-19497 · DEP-ADVISORY-UNRATED

Low

git2 0.20.4 is affected by RUSTSEC-2026-0183 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0183 for crates.io package git2 at version 0.20.4: Potential undefined behavior when calling Remote::list(). The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/git2@0.20.4
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0183
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0183 · manifest · SHA-256 10faba6c0849fd3b...


```
{"id": "RUSTSEC-2026-0183", "aliases": [], "modified": "2026-06-17T13:00:04.696626611Z", "summary":
"Potential undefined behavior when calling Remote::list()", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.21.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0183

QSI-2026-19498 · DEP-ADVISORY-UNRATED

Low

git2 0.20.4 is affected by RUSTSEC-2026-0184 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0184 for crates.io package git2 at version 0.20.4: Potential undefined behavior with Signature from a buffer-created BlameHunk. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/git2@0.20.4
Data source	OSV.dev

Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0184
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0184 · manifest · SHA-256 bb3368926dab073c...


```
{"id": "RUSTSEC-2026-0184", "aliases": [], "modified": "2026-06-17T14:00:05.672935662Z", "summary":
"Potential undefined behavior with Signature from a buffer-created BlameHunk", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.21.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0184

QSI-2026-19503 · DEP-ADVISORY-UNRATED

Low

imbl-sized-chunks 0.1.3 is affected by RUSTSEC-2026-0292 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0292 for crates.io package imbl-sized-chunks at version 0.1.3: Double free / use-after-free in `Chunk` and `InlineArray` removal methods when an element's `Drop` panics. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code does not name the affected functions (imbl_sized_chunks::inline_array::InlineArray::clear, imbl_sized_chunks::inline_array::InlineArray::truncate, imbl_sized_chunks::sized_chunk::Chunk::clear, imbl_sized_chunks::sized_chunk::Chunk::drop_left, imbl_sized_chunks::sized_chunk::Chunk::drop_right); imbl-sized-chunks comes in through other dependencies, which may still call them.

Affected asset	dependency:crates.io/imbl-sized-chunks@0.1.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.

Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0292
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0292 · manifest · SHA-256 746e59e7a217deb3...


```
{"id": "RUSTSEC-2026-0292", "aliases": [], "modified": "2026-09-21T09:15:02.898993962Z", "summary": "Double free / use-after-free in `Chunk` and `InlineArray` removal methods when an element's `Drop` panics", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.2.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0292

QSI-2026-19506 · DEP-ADVISORY-UNRATED

Low

libz-sys 1.1.23 is affected by RUSTSEC-2026-0418 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0418 for crates.io package libz-sys at version 1.1.23: libz-sys build script leaks environment variables in the build directory. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/libz-sys@1.1.23
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0418
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0418 · manifest · SHA-256 c5853994609eb600...


```
{"id": "RUSTSEC-2026-0418", "aliases": ["GHSA-8p3x-q3q3-q3v5"], "modified":
"2026-10-29T14:15:02.333141406Z", "summary": "libz-sys build script leaks environment variables in
the build directory", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (1.1.31) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0418

QSI-2026-19507 · DEP-ADVISORY-UNRATED

Low

lru 0.16.3 is affected by RUSTSEC-2026-0253 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0253 for crates.io package lru at version 0.16.3: Potential use-after-free due to lack of panic safety in `LruCache::pop()`. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/lru@0.16.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0253
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0253 · manifest · SHA-256 06df98c535068998…


```
{"id": "RUSTSEC-2026-0253", "aliases": [], "modified": "2026-08-11T11:15:06.101553049Z", "summary":
"Potential use-after-free due to lack of panic safety in `LruCache::pop()`", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.18.2) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0253

QSI-2026-19520 · DEP-ADVISORY-UNRATED

Low

quinn-proto 0.11.15 is affected by RUSTSEC-2026-0338 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0338 for crates.io package quinn-proto at version 0.11.15: Remote peer can panic quinn-proto with zero-length STREAM frames during unordered reads. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quinn-proto@0.11.15
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0338
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0338 · manifest · SHA-256 2d8a96c1ccb5782d…

{"id": "RUSTSEC-2026-0338", "aliases": ["GHSA-465w-v9q3-7j98"], "modified": "2026-10-12T18:15:01.969514645Z", "summary": "Remote peer can panic quinn-proto with zero-length STREAM frames during unordered reads", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.11.18) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0338

QSI-2026-19521 · DEP-ADVISORY-UNRATED

Low

quinn-proto 0.11.15 is affected by RUSTSEC-2026-0339 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0339 for crates.io package quinn-proto at version 0.11.15: Unbounded growth of pending connection ID retirements in quinn-proto. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quinn-proto@0.11.15
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0339
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0339 · manifest · SHA-256 b5c8da254e305100…

{"id": "RUSTSEC-2026-0339", "aliases": ["GHSA-hmxj-32vh-65vr"], "modified": "2026-10-12T18:15:01.956822776Z", "summary": "Unbounded growth of pending connection ID retirements in quinn-proto", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo

feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.11.17) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0339

QSI-2026-19524 · DEP-ADVISORY-UNRATED

Low

quinn-proto 0.11.15 is affected by RUSTSEC-2026-0342 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0342 for crates.io package quinn-proto at version 0.11.15: Zero-length DATAGRAM frames bypass the receive buffer limit in quinn-proto. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/quinn-proto@0.11.15
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0342
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0342 · manifest · SHA-256 41dfd63166e25757…


```
{"id": "RUSTSEC-2026-0342", "aliases": ["GHSA-2hv7-gw8g-gpq5"], "modified":
"2026-10-12T18:15:01.956681478Z", "summary": "Zero-length DATAGRAM frames bypass the receive buffer
limit in quinn-proto", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.11.17) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0342

QSI-2026-19535 · DEP-ADVISORY-UNRATED

Low

rustls-webpki 0.103.13 is affected by RUSTSEC-2026-0382 (CVE-2026-111943) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0382 (CVE-2026-111943) for crates.io package rustls-webpki at version 0.103.13: Certificate verification may accept distrusted intermediates. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:crates.io/rustls-webpki@0.103.13
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0382
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0382 · manifest · SHA-256 4c972eb1d77abf0d...


```
{"id": "RUSTSEC-2026-0382", "aliases": ["BIT-golang-2026-111943", "CVE-2026-111943", "GO-2026-6809",
"RUSTSEC-2026-0381", "RUSTSEC-2026-0383"], "modified": "2026-10-29T10:55:54.096394276Z", "summary":
"Certificate verification may accept distrusted intermediates", "severity": null,
"declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.103.16, 0.104.0-alpha.8) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0382

QSI-2026-19412 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/src/Denylist.sol: addDenylister, removeDenylister

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: addDenylister, removeDenylister. (related: —)

Affected asset	contract:contracts/src/Denylist.sol
Data source	contracts/src/Denylist.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/src/Denylist.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/src/Denylist.sol · multiple · SHA-256 cadbbdb19e190130… · File c149e7649461e6cf…

```
Privileged functions: addDenylister, removeDenylister
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19413 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/src/common/roles/Pausable.sol: updatePauser

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updatePauser. (related: —)

Affected asset	contract:contracts/src/common/roles/Pausable.sol
Data source	contracts/src/common/roles/Pausable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)

CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/src/common/roles/Pausable.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/src/common/roles/Pausable.sol · multiple · SHA-256 bd451358b742bb99… · File dfd50cdfab955f02…

```
Privileged functions: updatePauser
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19414 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/src/protocol-config/roles/Controller.sol: updateController

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateController. (related: —)

Affected asset	contract:contracts/src/protocol-config/roles/Controller.sol
Data source	contracts/src/protocol-config/roles/Controller.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/src/protocol-config/roles/Controller.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/src/protocol-config/roles/Controller.sol · multiple · SHA-256 163e0107f6554559… · File 5cb3acbd81e41b84…

```
Privileged functions: updateController
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19415 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/src/proxy/AdminUpgradeableProxy.sol: upgradeTo, upgradeToAndCall, changeAdmin

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: upgradeTo, upgradeToAndCall, changeAdmin. (related: —)

Affected asset	contract:contracts/src/proxy/AdminUpgradeableProxy.sol
Data source	contracts/src/proxy/AdminUpgradeableProxy.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/src/proxy/AdminUpgradeableProxy.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/src/proxy/AdminUpgradeableProxy.sol · multiple · SHA-256 cebcf7b9e5eb6647... · File ad0ea3e7dac75d32...

```
Privileged functions: upgradeTo, upgradeToAndCall, changeAdmin
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19416 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/src/validator-manager/PermissionedValidatorManager.sol: transferRegistryOwner, acceptRegistryOwnership

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: transferRegistryOwner, acceptRegistryOwnership. (related: —)

Affected asset	contract:contracts/src/validator-manager/PermissionedValidatorManager.sol
Data source	contracts/src/validator-manager/PermissionedValidatorManager.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/src/validator-manager/PermissionedValidatorManager.sol
and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/src/validator-manager/PermissionedValidatorManager.sol · multiple · SHA-256 3931080fe35e77bc... · File c5ed1f71c18d3021...

```
Privileged functions: transferRegistryOwner, acceptRegistryOwnership
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19417 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/src/validator-manager/ValidatorRegistry.sol: registerValidator, activateValidator, removeValidator, updateValidatorVotingPower

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: registerValidator, activateValidator, removeValidator, updateValidatorVotingPower. (related: —)

Affected asset	contract:contracts/src/validator-manager/ValidatorRegistry.sol
Data source	contracts/src/validator-manager/ValidatorRegistry.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/src/validator-manager/ValidatorRegistry.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/src/validator-manager/ValidatorRegistry.sol · multiple · SHA-256 bd1b2d0999172dce… · File 7e3d7818a881f3ae…

```
Privileged functions: registerValidator, activateValidator, removeValidator, updateValidatorVotingPower
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19418 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/src/validator-manager/roles/Controller.sol: configureController, removeController, updateVotingPowerLimit

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: configureController, removeController, updateVotingPowerLimit. (related: —)

Affected asset	contract:contracts/src/validator-manager/roles/Controller.sol
Data source	contracts/src/validator-manager/roles/Controller.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/src/validator-manager/roles/Controller.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/src/validator-manager/roles/Controller.sol · multiple · SHA-256 b34887a19bc16816… · File 184585e024206427…

```
Privileged functions: configureController, removeController, updateVotingPowerLimit
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19419 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/src/validator-manager/roles/ValidatorRegisterer.sol: addValidatorRegisterer, removeValidatorRegisterer

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: addValidatorRegisterer, removeValidatorRegisterer. (related: —)

Affected asset	contract:contracts/src/validator-manager/roles/ValidatorRegisterer.sol
Data source	contracts/src/validator-manager/roles/ValidatorRegisterer.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/src/validator-manager/roles/ValidatorRegisterer.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/src/validator-manager/roles/ValidatorRegisterer.sol · multiple · SHA-256 21761771f0d55baa… · File 6127ac456a7e51fa…

```
Privileged functions: addValidatorRegisterer, removeValidatorRegisterer
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19425 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/Ownable2StepHarness.sol: restricted

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: restricted. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/Ownable2StepHarness.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/Ownable2StepHarness.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/certora/
harnesses/Ownable2StepHarness.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/Ownable2StepHarness.sol · multiple · SHA-256 36ed478689eb7537… · File dd7ea7342e518bfd…

```
Privileged functions: restricted
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19426 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/OwnableHarness.sol: restricted

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: restricted. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/OwnableHarness.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/OwnableHarness.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/OwnableHarness.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/OwnableHarness.sol · multiple · SHA-256 36ed478689eb7537… · File b285dad9f93bed4f…

```
Privileged functions: restricted
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19427 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/Ownable2StepUpgradeable.sol: transferOwnership

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: transferOwnership. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/Ownable2StepUpgradeable.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/Ownable2StepUpgradeable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/Ownable2StepUpgradeable.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/Ownable2StepUpgradeable.sol · multiple · SHA-256 3ef6a6924988649e… · File e65937e8c36af5c3…

```
Privileged functions: transferOwnership
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19428 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/OwnableUpgradeable.sol: renounceOwnership, transferOwnership

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: renounceOwnership, transferOwnership. (related: —)

Affected asset

	contract:contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/OwnableUpgradeable.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/OwnableUpgradeable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/OwnableUpgradeable.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/OwnableUpgradeable.sol · multiple · SHA-256 c9178db25d8ef1b1… · File 9247b9ad7939d239…

```
Privileged functions: renounceOwnership, transferOwnership
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19431 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/GovernorUpgradeable.sol: relay

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: relay. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/GovernorUpgradeable.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/GovernorUpgradeable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/
governance/GovernorUpgradeable.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/GovernorUpgradeable.sol · multiple · SHA-256 7ffca126961e19e9… · File 0d312797476d43e3…

```
Privileged functions: relay
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19432 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorPreventLateQuorumUpgradeable.sol: setLateQuorumVoteExtension

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: setLateQuorumVoteExtension. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorPreventLateQuorumUpgradeable.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorPreventLateQuorumUpgradeable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/
governance/extensions/GovernorPreventLateQuorumUpgradeable.sol and inspect the quoted lines (see
evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorPreventLateQuorumUpgradeable.sol · multiple · SHA-256 514805472eac5092… · File 69bb6d2fc9b61342…

```
Privileged functions: setLateQuorumVoteExtension
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19433 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorProposalGuardianUpgradeable.sol: setProposalGuardian

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: setProposalGuardian. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorProposalGuardianUpgradeable.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorProposalGuardianUpgradeable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorProposalGuardianUpgradeable.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorProposalGuardianUpgradeable.sol · multiple · SHA-256 07131118f6b26758… · File f02f5aaccf1c0e81…

```
Privileged functions: setProposalGuardian
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19434 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorSettingsUpgradeable.sol: setVotingDelay, setVotingPeriod, setProposalThreshold

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: setVotingDelay, setVotingPeriod, setProposalThreshold. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorSettingsUpgradeable.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorSettingsUpgradeable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorSettingsUpgradeable.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorSettingsUpgradeable.sol · multiple · SHA-256 86374e75349ee43f… · File 86ffc956c7114026…

```
Privileged functions: setVotingDelay, setVotingPeriod, setProposalThreshold
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19435 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockAccessUpgradeable.sol: setBaseDelaySeconds, setAccessManagerIgnored

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: setBaseDelaySeconds, setAccessManagerIgnored. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockAccessUpgradeable.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockAccessUpgradeable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockAccessUpgradeable.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockAccessUpgradeable.sol · multiple · SHA-256 f2f0ae2a1314268d… · File a01b5b480a9b7f73…

```
Privileged functions: setBaseDelaySeconds, setAccessManagerIgnored
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19436 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockCompoundUpgradeable.sol: updateTimelock

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateTimelock. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockCompoundUpgradeable.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockCompoundUpgradeable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockCompoundUpgradeable.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockCompoundUpgradeable.sol · multiple · SHA-256 825de8a0266ca176… · File f23f8c66c40ec824…

```
Privileged functions: updateTimelock
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19437 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockControlUpgradeable.sol: updateTimelock

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateTimelock. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockControlUpgradeable.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockControlUpgradeable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockControlUpgradeable.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockControlUpgradeable.sol · multiple · SHA-256 825de8a0266ca176... · File 17241d3e0c30cbb0...

```
Privileged functions: updateTimelock
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19438 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesQuorumFractionUpgradeable.sol: updateQuorumNumerator

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateQuorumNumerator. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesQuorumFractionUpgradeable.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesQuorumFractionUpgradeable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC

Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/
governance/extensions/GovernorVotesQuorumFractionUpgradeable.sol and inspect the quoted lines (see
evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesQuorumFractionUpgradeable.sol · multiple · SHA-256 37d9e023fde908bb… · File 589df74216748045…

```
Privileged functions: updateQuorumNumerator
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19439 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesSuperQuorumFractionUpgradeable.sol: updateSuperQuorumNumerator

Improvement recommendation · Confidence: High

Functions guarded by owner/role modifiers: updateSuperQuorumNumerator. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesSuperQuorumFractionUpgradeable.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesSuperQuorumFractionUpgradeable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/
governance/extensions/GovernorVotesSuperQuorumFractionUpgradeable.sol and inspect the quoted lines
(see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesSuperQuorumFractionUpgradeable.sol · multiple · SHA-256 07f49116aa90ff89… · File cdcb483b88bc9519…

```
Privileged functions: updateSuperQuorumNumerator
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19443 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol: restricted

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: restricted. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/
openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol and inspect the quoted lines (see
evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol · multiple · SHA-256 36ed478689eb7537… · File dd7ea7342e518bfd…

```
Privileged functions: restricted
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19444 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/OwnableHarness.sol: restricted

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: restricted. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/OwnableHarness.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/OwnableHarness.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/
openzeppelin-contracts/certora/harnesses/OwnableHarness.sol and inspect the quoted lines (see
evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/OwnableHarness.sol · multiple · SHA-256 36ed478689eb7537… · File b285dad9f93bed4f…

```
Privileged functions: restricted
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19446 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/Ownable.sol: renounceOwnership, transferOwnership

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: renounceOwnership, transferOwnership. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/Ownable.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/Ownable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/
openzeppelin-contracts/contracts/access/Ownable.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/Ownable.sol · multiple · SHA-256 c9178db25d8ef1b1… · File 38578bd71c0a9098…

```
Privileged functions: renounceOwnership, transferOwnership
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19447 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol: transferOwnership

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: transferOwnership. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/
openzeppelin-contracts/contracts/access/Ownable2Step.sol and inspect the quoted lines (see
evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol · multiple · SHA-256 3ef6a6924988649e... · File c75345d7b9feef17...

```
Privileged functions: transferOwnership
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19450 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/Governor.sol: relay

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: relay. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/Governor.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/Governor.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/
openzeppelin-contracts/contracts/governance/Governor.sol and inspect the quoted lines (see
evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/Governor.sol · multiple · SHA-256 7ffca126961e19e9… · File a9fd3f809dcefe36…

```
Privileged functions: relay
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19451 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol: setLateQuorumVoteExtension

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: setLateQuorumVoteExtension. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)

CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/
openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol and inspect the
quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol · multiple · SHA-256 514805472eac5092… · File d50cf5e957c3ea9f…

```
Privileged functions: setLateQuorumVoteExtension
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19452 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol: setProposalGuardian

Improvement recommendation · Confidence: High

Functions guarded by owner/role modifiers: setProposalGuardian. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/
openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol and inspect the
quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol · multiple · SHA-256 07131118f6b26758… · File c0a16f15c06bbbac…

```
Privileged functions: setProposalGuardian
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19453 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol: setVotingDelay, setVotingPeriod, setProposalThreshold

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: setVotingDelay, setVotingPeriod, setProposalThreshold. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/
openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol and inspect the quoted
lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol · multiple · SHA-256 86374e75349ee43f... · File bff3837e8deb8411...

```
Privileged functions: setVotingDelay, setVotingPeriod, setProposalThreshold
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19454 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol: setBaseDelaySeconds, setAccessManagerIgnored

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: setBaseDelaySeconds, setAccessManagerIgnored. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol · multiple · SHA-256 f2f0ae2a1314268d... · File a06730f1dc404e5c...

```
Privileged functions: setBaseDelaySeconds, setAccessManagerIgnored
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19455 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol: updateTimelock

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateTimelock. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol · multiple · SHA-256 825de8a0266ca176… · File 9b7a53edfc892467…

```
Privileged functions: updateTimelock
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19456 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol: updateTimelock

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateTimelock. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol · multiple · SHA-256 825de8a0266ca176… · File 1ceb0775536e4fbf…

```
Privileged functions: updateTimelock
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19457 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol: updateQuorumNumerator

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateQuorumNumerator. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol · multiple · SHA-256 37d9e023fde908bb… · File e7005800451ae5d1…

```
Privileged functions: updateQuorumNumerator
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19458 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol: updateSuperQuorumNumerator

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateSuperQuorumNumerator. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/
openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol and
inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol · multiple · SHA-256 07f49116aa90ff89… · File fd6a895c1d26b988…

```
Privileged functions: updateSuperQuorumNumerator
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19463 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol: upgradeTo

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: upgradeTo. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol
Detection method	Solidity source pattern analysis.

Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/
openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol and inspect the quoted lines
(see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol · multiple · SHA-256 02e606b6560ec4a9... · File 26dda9d5bb961b3d...

```
Privileged functions: upgradeTo
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19464 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol: upgradeAndCall

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: upgradeAndCall. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol
Data source	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/
openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol and inspect the quoted lines (see
evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol · multiple · SHA-256 08d87f8ddab73b6f… · File 4da9a90b1c8b45fd…

```
Privileged functions: upgradeAndCall
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19468 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol: restricted

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: restricted. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol
Data source	contracts/lib/openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts/certora/harnesses/
Ownable2StepHarness.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol · multiple · SHA-256 36ed478689eb7537… · File dd7ea7342e518bfd…

```
Privileged functions: restricted
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19469 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts/certora/harnesses/OwnableHarness.sol: restricted

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: restricted. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts/certora/harnesses/OwnableHarness.sol
Data source	contracts/lib/openzeppelin-contracts/certora/harnesses/OwnableHarness.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts/certora/harnesses/
OwnableHarness.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/certora/harnesses/OwnableHarness.sol · multiple · SHA-256 36ed478689eb7537… · File b285dad9f93bed4f…

```
Privileged functions: restricted
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19470 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/access/Ownable.sol: renounceOwnership, transferOwnership

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: renounceOwnership, transferOwnership. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts/contracts/access/Ownable.sol
Data source	contracts/lib/openzeppelin-contracts/contracts/access/Ownable.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/access/Ownable.sol
and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/access/Ownable.sol · multiple · SHA-256 c9178db25d8ef1b1… · File 38578bd71c0a9098…

```
Privileged functions: renounceOwnership, transferOwnership
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19471 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol: transferOwnership

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: transferOwnership. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol
Data source	contracts/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol · multiple · SHA-256 3ef6a6924988649e… · File c75345d7b9feef17…

```
Privileged functions: transferOwnership
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19473 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/Governor.sol: relay

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: relay. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts/contracts/governance/Governor.sol
Data source	contracts/lib/openzeppelin-contracts/contracts/governance/Governor.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/
Governor.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/governance/Governor.sol · multiple · SHA-256 7ffca126961e19e9… · File a9fd3f809dcefe36…

```
Privileged functions: relay
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19474 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol: setLateQuorumVoteExtension

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: setLateQuorumVoteExtension. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol
Data source	contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/
extensions/GovernorPreventLateQuorum.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol · multiple · SHA-256 514805472eac5092… · File d50cf5e957c3ea9f…

```
Privileged functions: setLateQuorumVoteExtension
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19475 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol: setProposalGuardian

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: setProposalGuardian. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol
Data source	contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol · multiple · SHA-256 07131118f6b26758… · File c0a16f15c06bbbac…

```
Privileged functions: setProposalGuardian
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19476 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol: setVotingDelay, setVotingPeriod, setProposalThreshold

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: setVotingDelay, setVotingPeriod, setProposalThreshold. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol
Data source	contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol · multiple · SHA-256 86374e75349ee43f… · File bff3837e8deb8411…

```
Privileged functions: setVotingDelay, setVotingPeriod, setProposalThreshold
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19477 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol: setBaseDelaySeconds, setAccessManagerIgnored

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: setBaseDelaySeconds, setAccessManagerIgnored. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol
Data source	contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol · multiple · SHA-256 f2f0ae2a1314268d… · File a06730f1dc404e5c…

```
Privileged functions: setBaseDelaySeconds, setAccessManagerIgnored
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19478 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol: updateTimelock

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateTimelock. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol
Data source	contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol · multiple · SHA-256 825de8a0266ca176… · File 9b7a53edfc892467…

```
Privileged functions: updateTimelock
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19479 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol: updateTimelock

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateTimelock. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol
Data source	contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)

CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/
extensions/GovernorTimelockControl.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol · multiple · SHA-256 825de8a0266ca176… · File 1ceb0775536e4fbf…

```
Privileged functions: updateTimelock
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19480 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol: updateQuorumNumerator

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateQuorumNumerator. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol
Data source	contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/
extensions/GovernorVotesQuorumFraction.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol · multiple · SHA-256 37d9e023fde908bb… · File e7005800451ae5d1…

```
Privileged functions: updateQuorumNumerator
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19481 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol: updateSuperQuorumNumerator

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: updateSuperQuorumNumerator. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol
Data source	contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/
extensions/GovernorVotesSuperQuorumFraction.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol · multiple · SHA-256 07f49116aa90ff89… · File fd6a895c1d26b988…

```
Privileged functions: updateSuperQuorumNumerator
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19482 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol: upgradeTo

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: upgradeTo. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol
Data source	contracts/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol · multiple · SHA-256 02e606b6560ec4a9... · File 26dda9d5bb961b3d...

```
Privileged functions: upgradeTo
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19483 · SOL-ADMIN-FUNCTIONS

Info

Privileged administrative functions in contracts/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol: upgradeAndCall

Improvement recommendation | Confidence: High

Functions guarded by owner/role modifiers: upgradeAndCall. (related: —)

Affected asset	contract:contracts/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol
Data source	contracts/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol
Detection method	Solidity source pattern analysis.
Analyzer	solidity 1.3.0 · 2026-11-06 15:31 UTC
Priority score	37.0 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Centralization risk: compromise of the admin key compromises the protocol.

REPRODUCTION STEPS

```
Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · contracts/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol · multiple · SHA-256 08d87f8ddab73b6f… · File 4da9a90b1c8b45fd…

```
Privileged functions: upgradeAndCall
```

LIMITATIONS OF THE CHECK

Lightweight static pattern analysis of Solidity source without compilation or symbolic execution. It does not replace a full smart-contract audit; confirm manually or with dedicated tools (Slither, Foundry tests).

RECOMMENDATION

Use a multisig/timelock for admin roles and document them.

RETEST PROCEDURE

Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Smart Contract Weakness Classification (SWC) Registry

QSI-2026-19538 · DEP-ADVISORY-UNRATED

Info

tokio 1.52.3 is affected by RUSTSEC-2026-0386 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports RUSTSEC-2026-0386 for crates.io package tokio at version 1.52.3: `AsyncFd::new` and related constructors violate I/O safety. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (tokio::io::unix::AsyncFd::new, tokio::io::unix::AsyncFd::try_new, tokio::io::unix::AsyncFd::try_with_interest, tokio::io::unix::AsyncFd::with_interest) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:crates.io/tokio@1.52.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0386
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0386 · manifest · SHA-256 1ebb594fd9923dc0...


```
{"id": "RUSTSEC-2026-0386", "aliases": [], "modified": "2026-10-23T14:45:03.847864944Z", "summary":
"`AsyncFd::new` and related constructors violate I/O safety", "severity": null,
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (1.51.6, 1.53.3) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory RUSTSEC-2026-0386

QSI-2026-19539 · DEP-ADVISORY-DEV

Info

1 advisories in 1 development or build-only crates.io package(s)

Improvement recommendation | Confidence: Medium | preliminary — requires further verification

OSV.dev lists 1 advisories (0 rated high or critical) for 1 crates.io package(s) that only development or build tooling pulls in (Cargo.lock): e.g. scc@2.4.0 [dev]: RUSTSEC-2026-0205. The manifests mark them as such (devDependencies, "dev": true in package-lock.json, pnpm importers sections, [dev-dependencies]/[build-dependencies] reached through Cargo.lock, or — for yarn.lock, which records no scope at all — package.json reached through the lock graph), so they are not part of what ships.

Affected asset	dependencies:crates.io:non-runtime
Data source	OSV.dev
Detection method	OSV.dev querybatch lookup of exact versions; scope from devDependencies, package-lock.json dev flags, pnpm importers sections, the Cargo.lock graph rooted at the Cargo.toml tables, and — for yarn.lock, which records no scope — the lock graph walked from package.json. Where a runtime requirement cannot be resolved in a lock, that lock is left unclassified rather than risking a package being set aside wrongly.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	15.5 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

They do not reach users of the product. They can affect developer machines and CI (supply chain): a compromised or vulnerable tool can tamper with builds.

REPRODUCTION STEPS

```
Look the packages listed in the evidence up at https://osv.dev and check their scope in Cargo.lock.
```

EVIDENCE

tool_output · OSV.dev (crates.io) · Cargo.lock · SHA-256 5e007e5af8431c90…

```
scc@2.4.0 [dev]: RUSTSEC-2026-0205
```

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Scopes come from the manifests; a registry crate's own build dependencies cannot be told apart in Cargo.lock, so the runtime set may be larger than reality, never smaller.

RECOMMENDATION

Update the tooling during routine maintenance; prioritise packages that run in CI with secrets or that produce release artefacts.

RETEST PROCEDURE

Re-run the dependency scan after updating.

OSV.dev — open-source vulnerability database and API

QSI-2026-19487 · DEP-ADVISORY-INFORMATIONAL

Info

bincode 1.3.3: informational advisory RUSTSEC-2025-0141 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2025-0141 for crates.io package bincode at version 1.3.3 as informational (unmaintained): Bincode is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/bincode@1.3.3
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	11.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0141
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0141 · manifest · SHA-256 532525d6fd3f2cb4...


```
{"id": "RUSTSEC-2025-0141", "aliases": [], "modified": "2026-01-16T11:07:28.867553Z", "summary":
"Bincode is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2025-0141

QSI-2026-19489 · DEP-ADVISORY-INFORMATIONAL

Info

bitmaps 3.2.1: informational advisory RUSTSEC-2026-0247 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2026-0247 for crates.io package bitmaps at version 3.2.1 as informational (unmaintained): bitmaps is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/bitmaps@3.2.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.

Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	11.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0247
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0247 · manifest · SHA-256 0490df19bf77e955…


```
{"id": "RUSTSEC-2026-0247", "aliases": [], "modified": "2026-08-10T19:45:04.540318330Z", "summary":
"bitmaps is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2026-0247

QSI-2026-19492 · DEP-ADVISORY-INFORMATIONAL

Info

core2 0.4.0: informational advisory RUSTSEC-2026-0105 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2026-0105 for crates.io package core2 at version 0.4.0 as informational (unmaintained): core2 is unmaintained, all versions yanked. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/core2@0.4.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	11.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0105
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0105 · manifest · SHA-256 9c8a7a39cf41d1c8…

{"id": "RUSTSEC-2026-0105", "aliases": [], "modified": "2026-04-25T15:15:06.139681Z", "summary": "core2 is unmaintained, all versions yanked", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2026-0105

QSI-2026-19495 · DEP-ADVISORY-INFORMATIONAL

Info

derivative 2.2.0: informational advisory RUSTSEC-2024-0388 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2024-0388 for crates.io package derivative at version 2.2.0 as informational (unmaintained): `derivative` is unmaintained; consider using an alternative. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/derivative@2.2.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	11.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0388
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0388 · manifest · SHA-256 3438f6c3cab3309f...

{"id": "RUSTSEC-2024-0388", "aliases": [], "modified": "2024-11-10T13:34:40Z", "summary": "`derivative` is unmaintained; consider using an alternative", "severity": null, "declared_in_manifest": false}

LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0388

QSI-2026-19517 · DEP-ADVISORY-INFORMATIONAL

Info

paste 1.0.15: informational advisory RUSTSEC-2024-0436 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2024-0436 for crates.io package paste at version 1.0.15 as informational (unmaintained): paste - no longer maintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/paste@1.0.15
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	11.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2024-0436
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2024-0436 · manifest · SHA-256 ea867adb8ba26c96...


```
{"id": "RUSTSEC-2024-0436", "aliases": [], "modified": "2026-01-27T22:03:15.694766Z", "summary":
"paste - no longer maintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2024-0436

QSI-2026-19518 · DEP-ADVISORY-INFORMATIONAL

Info

pin-utils 0.1.0: informational advisory RUSTSEC-2026-0441 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2026-0441 for crates.io package pin-utils at version 0.1.0 as informational (unmaintained): `pin-utils` is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/pin-utils@0.1.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	11.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0441
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0441 · manifest · SHA-256 514334496eebf73f...


```
{"id": "RUSTSEC-2026-0441", "aliases": [], "modified": "2026-11-05T09:00:02.627533155Z", "summary":
"`pin-utils` is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2026-0441

QSI-2026-19519 · DEP-ADVISORY-INFORMATIONAL

Info

proc-macro-error2 2.0.1: informational advisory RUSTSEC-2026-0173 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2026-0173 for crates.io package proc-macro-error2 at version 2.0.1 as informational (unmaintained): proc-macro-error2 is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/proc-macro-error2@2.0.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	11.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2026-0173
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2026-0173 · manifest · SHA-256 0ecc182141bd9eff...


```
{"id": "RUSTSEC-2026-0173", "aliases": [], "modified": "2026-06-07T21:00:04.318567692Z", "summary":
"proc-macro-error2 is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2026-0173

QSI-2026-19534 · DEP-ADVISORY-INFORMATIONAL

Info

rustls-pemfile 2.2.0: informational advisory RUSTSEC-2025-0134 (unmaintained)

Improvement recommendation | Confidence: Low

OSV.dev lists RUSTSEC-2025-0134 for crates.io package rustls-pemfile at version 2.2.0 as informational (unmaintained): rustls-pemfile is unmaintained. It reports no vulnerability; an unmaintained package will not receive fixes for future ones.

Affected asset	dependency:crates.io/rustls-pemfile@2.2.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 15:31 UTC
Priority score	11.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

No known vulnerability. Future security fixes may not be released.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/RUSTSEC-2025-0134
```

EVIDENCE

tool_output · OSV.dev RUSTSEC-2025-0134 · manifest · SHA-256 8a337a969850fe57...


```
{"id": "RUSTSEC-2025-0134", "aliases": [], "modified": "2025-12-05T19:07:59.622592Z", "summary":
"rustls-pemfile is unmaintained", "severity": null, "declared_in_manifest": false}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time.

RECOMMENDATION

Plan a move to a maintained alternative, or record the decision to keep it.

RETEST PROCEDURE

Re-run the dependency scan after the change.

OSV advisory RUSTSEC-2025-0134

Evidence

ID	Type	Data source	SHA-256
QSI-2026-19526	tool_output	OSV.dev GHSA-33f5-2c5q-wgwj (manifest)	c1ab8acdb6fd448b36c50ff1155c2047fe2
QSI-2026-19528	tool_output	OSV.dev GHSA-9pj6-vhgr-3mwh (manifest)	8250eff4b4b607285a1b9fee7fddb2ffab5
QSI-2026-19441	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC6909/extensions/draft-ERC6909TokenSupplyUpgradeable.sol (line 21)	cf74f24f02484f76ae662f07905a00e2ce0
QSI-2026-19499	tool_output	OSV.dev GHSA-3v94-mw7p-v465 (manifest)	cc87bacaef206929b0a77fd5d147c04acf1
QSI-2026-19501	tool_output	OSV.dev GHSA-5j98-2g5x-46v6 (manifest)	79e70d1c34645cde8da40aaafd922976090
QSI-2026-19505	tool_output	OSV.dev GHSA-5hq8-qhww-jm7q (manifest)	6fc6dfa16c6ae300993cd42c604eebc708b
QSI-2026-19508	tool_output	OSV.dev GHSA-8c75-8mhr-p7r9 (manifest)	5512e9d3ae72f6abee111221f876c1b246e
QSI-2026-19509	tool_output	OSV.dev GHSA-ghm9-cr32-g9qj (manifest)	3ac28443d0eb144b47d2fac235169496b7b
QSI-2026-19510	tool_output	OSV.dev GHSA-hppc-g8h3-xhp3 (manifest)	ecd44622f7c4e92568c2f150d539347b861
QSI-2026-19512	tool_output	OSV.dev GHSA-pqf5-4pqq-29f5 (manifest)	eb0d3f491496bc0f79c5140235d200f4b90
QSI-2026-19514	tool_output	OSV.dev GHSA-xp3w-r5p5-63rr (manifest)	44c3a538ee434a99967c48575139883b19b
QSI-2026-19522	tool_output	OSV.dev RUSTSEC-2026-0340 (manifest)	20321fd13a708b936ab6ccc115a6ed97f9b
QSI-2026-19523	tool_output	OSV.dev RUSTSEC-2026-0341 (manifest)	843224ae2e1a0c898b003d66aa1610a8f10
QSI-2026-19449	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol (line 234)	42e274c73007a59a42e252b5a5a5cc7573d
QSI-2026-19465	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Address.sol (line 97)	de90734492398d249f990996f44e7767a3e
QSI-2026-19472	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol (line 234)	42e274c73007a59a42e252b5a5a5cc7573d
QSI-2026-19484	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/utils/Address.sol (line 97)	de90734492398d249f990996f44e7767a3e
QSI-2026-19504	tool_output	OSV.dev GHSA-h395-gr6q-cpjc (manifest)	5512edb8cb1bd9b3bd496f0eebe1107455f
QSI-2026-19527	tool_output	OSV.dev GHSA-9g45-5xwm-f3wc (manifest)	9ca385e2c811ca73c332b7dd793b1f1bd19
QSI-2026-19529	tool_output	OSV.dev GHSA-c9xm-49cp-xcr9 (manifest)	305b8c99a86ada5b92bf6013107220f4653
QSI-2026-19536	tool_output	OSV.dev GHSA-7gcf-g7xr-8hxj (manifest)	b42c751004bfb387a1f24d4e9b23157ae70
QSI-2026-19537	tool_output	OSV.dev GHSA-3pv8-6f4r-ffg2 (manifest)	ea380731f63af3a9d11d5db2269a81a3bb2
QSI-2026-19466	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol (line 148)	bbb05c626df7732576d2e3f08f6fcf90876
QSI-2026-19485	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol (line 148)	bbb05c626df7732576d2e3f08f6fcf90876

QSI-2026-19421	file_excerpt	crates/signer/src/local.rs (line 26)	c2ce9e5fae650659e9da0a14bf5a52b1beb
QSI-2026-19422	file_excerpt	crates/spammer/src/accounts.rs (line 20)	0273a225b1be1776c71fa9c34290b74865b
QSI-2026-19422	file_excerpt	crates/spammer/src/generator.rs (line 23)	dccd4934ba92819c55bd41fc3d651df59a8
QSI-2026-19422	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol (line 148)	bbb05c626df7732576d2e3f08f6fcf90876
QSI-2026-19422	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol (line 148)	bbb05c626df7732576d2e3f08f6fcf90876
QSI-2026-19420	file_excerpt	crates/quake/src/nodekey.rs (line 23)	e12a2180b412a84ef180085d707eb0f0b4c
QSI-2026-19420	file_excerpt	crates/quake/src/nodekey.rs (line 129)	aa0bb537f284ae1e32e935520eff06631f8
QSI-2026-19420	file_excerpt	crates/quake/src/rpc/valset_manager.rs (line 25)	e388969a4614dc2df4532973295425542db
QSI-2026-19423	file_excerpt	crates/types/src/codec/proto.rs (line 28)	4690a4677968e8bbb2e0ae3db50e5dcc1ed
QSI-2026-19423	file_excerpt	crates/types/src/proposal_part.rs (line 26)	8cade3a23b00481a217233938938416eae2
QSI-2026-19423	file_excerpt	crates/types/src/signing.rs (line 21)	1969d2368ea84b5f938dab550dc744d6d6a
QSI-2026-19423	file_excerpt	crates/types/src/ssz/v1/vote.rs (line 21)	2de65aa6e6820f63bf63741dd7857a7ee02
QSI-2026-19490	tool_output	OSV.dev GHSA-qwgh-2vcv-g2f7 (manifest)	7591b0713b64478fa8ad16a5dd54163bfd6
QSI-2026-19491	tool_output	OSV.dev GHSA-3rjw-m598-pq24 (manifest)	27176a365b98febca62de077da5905b32ec
QSI-2026-19500	tool_output	OSV.dev GHSA-q2qq-hmj6-3wpp (manifest)	a1d335f000995ae746f9c3c12f06c15ff8c
QSI-2026-19502	tool_output	OSV.dev GHSA-6f2x-v7q7-m7m5 (manifest)	48a180207e8da293534f1ca0c2e4ae7cfb2
QSI-2026-19511	tool_output	OSV.dev GHSA-phqj-4mhp-q6mq (manifest)	883691705dc3dbcc2a7b246591b4e3a6c65
QSI-2026-19515	tool_output	OSV.dev GHSA-xv59-967r-8726 (manifest)	65e7b83d8891d6cb32ae4f4bd6e80da5d77
QSI-2026-19516	tool_output	OSV.dev GHSA-w9wp-h8wv-79jx (manifest)	813831dd003cedf6504e30c78f17b189296
QSI-2026-19530	tool_output	OSV.dev GHSA-2mjx-qc3c-rqvc (manifest)	f20e4b21c01d3d75460ac8d90a54d541a1a
QSI-2026-19531	tool_output	OSV.dev GHSA-c8m5-c952-6cm4 (manifest)	87554a0cce34470a221f04ad57566b2b512
QSI-2026-19525	tool_output	OSV.dev GHSA-cq8v-f236-94qc (manifest)	a61cde8ef254431f750cff43ce8ebe999ba
QSI-2026-19411	file_excerpt	contracts/scripts/Addresses.sol (line 17)	5c8ac17d5a976b0f9784507cbb9141142f0
QSI-2026-19411	file_excerpt	contracts/scripts/ArtifactHelper.s.sol (line 17)	ef0692d8465f6899047b1bb52eb49cdf476
QSI-2026-19411	file_excerpt	contracts/scripts/DenylistManagement.s.sol (line 17)	80b7cf5c4aec11e96887a954beb4331a830
QSI-2026-19411	file_excerpt	contracts/scripts/DeployGasGuzzler.s.sol (line 17)	80b7cf5c4aec11e96887a954beb4331a830
QSI-2026-19411	file_excerpt	contracts/scripts/DeployMemo.s.sol (line 17)	80b7cf5c4aec11e96887a954beb4331a830
QSI-2026-19411	file_excerpt	contracts/scripts/DeployMulticall3From.s.sol (line 17)	80b7cf5c4aec11e96887a954beb4331a830
QSI-2026-19411	file_excerpt	contracts/scripts/DeployPermissionedValidatorManager.s.sol (line 17)	80b7cf5c4aec11e96887a954beb4331a830
QSI-2026-19411	file_excerpt	contracts/scripts/DeployProtocolConfig.s.sol (line 17)	80b7cf5c4aec11e96887a954beb4331a830

QSI-2026-19411	file_excerpt	contracts/scripts/ProtocolConfigManagement.s.sol (line 17)	80b7cf5c4aec11e96887a954beb4331a830
QSI-2026-19411	file_excerpt	contracts/scripts/ProxyManagement.s.sol (line 17)	80b7cf5c4aec11e96887a954beb4331a830
QSI-2026-19424	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/AccessControlDefaultAdminRulesHarness.sol (line 2)	756598f4bd85d94c54eb240ebeadf53780d
QSI-2026-19424	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/AccessControlHarness.sol (line 2)	d3760e2e2e6b2de828a557f740f9904e637
QSI-2026-19424	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/AccessManagedHarness.sol (line 3)	8b82af0296a3ec37e4e214190af0400128d
QSI-2026-19424	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/AccessManagerHarness.sol (line 3)	87d2bae8e69f1f7f97a6ba1e9699d0307d2
QSI-2026-19424	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/DoubleEndedQueueHarness.sol (line 2)	7465f9b8e6c53057c2d9dfbc88a2b83fb14
QSI-2026-19424	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/ERC20FlashMintHarness.sol (line 3)	d9268da21b039a53f3ffe15e3e1b6416396
QSI-2026-19424	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/ERC20PermitHarness.sol (line 2)	fe79ecdbebdd3812b94f5edab6c9b7572be
QSI-2026-19424	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/ERC20WrapperHarness.sol (line 3)	16d256728596f72ea22e19d41f979405a16
QSI-2026-19424	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/ERC3156FlashBorrowerHarness.sol (line 5)	c5389bf3b06d502da28d0c5a350b10b0fab
QSI-2026-19424	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/ERC721Harness.sol (line 3)	6f89bde0f57299ebcc2623cc87a97d97d48
QSI-2026-19429	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/account/extensions/draft-AccountERC7579HookedUpgradeable.sol (line 4)	3b08fda64ef29f18684f1806c44e64f22fa
QSI-2026-19429	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/account/extensions/draft-AccountERC7579Upgradeable.sol (line 4)	7607a3788222c36039abf8fb51e88ce162b
QSI-2026-19429	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/cryptography/signers/MultiSignerERC7913Upgradeable.sol (line 4)	ebad31ac47b9d001fd41ba60b7b910e2c14
QSI-2026-19429	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/cryptography/signers/MultiSignerERC7913WeightedUpgradeable.sol (line 4)	38605c25420c20a61081f0449f28b48153a

QSI-2026-19429	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/extensions/draft-AccountERC7579.sol (line 4)	f79fee1651a2d42e4961cbb1a739af50a55
QSI-2026-19429	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/extensions/draft-AccountERC7579Hooked.sol (line 4)	01723dd7b2303e85d3790f67f93582b8906
QSI-2026-19429	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/MultiSignerERC7913.sol (line 4)	39d1e7d402496ad874c7f7438c101eada78
QSI-2026-19429	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/MultiSignerERC7913Weighted.sol (line 4)	ce5d1947cf5df8a52ee84dcb0e16f460ab6
QSI-2026-19429	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/account/extensions/draft-AccountERC7579.sol (line 4)	f79fee1651a2d42e4961cbb1a739af50a55
QSI-2026-19429	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/account/extensions/draft-AccountERC7579Hooked.sol (line 4)	01723dd7b2303e85d3790f67f93582b8906
QSI-2026-19430	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/GovernorUpgradeable.sol (line 4)	110868dcdf2d240b04a524ee36b745867c4
QSI-2026-19430	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorCountingFractionalUpgradeable.sol (line 4)	86e0442c6fa16d0ac3bbb0ea2dd846de6b7
QSI-2026-19430	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorCountingOverridableUpgradeable.sol (line 4)	bdb8e6161a8909cfc35ed78a2d7d8a62880
QSI-2026-19430	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorCountingSimpleUpgradeable.sol (line 4)	4454a914a26988a27cc038e3fb2add0ee70
QSI-2026-19430	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorNoncesKeyedUpgradeable.sol (line 4)	e536a2de91a5a3a8796e436e81a73ca8bca
QSI-2026-19430	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorPreventLateQuorumUpgradeable.sol (line 4)	7c84de814498b9dd5ddf63879eca2a4f180
QSI-2026-19430	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorProposalGuardianUpgradeable.sol (line 3)	dd5c48f694fa58ad35b341e11d88aa0e0b8
QSI-2026-19430	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorSequentialProposalIdUpgradeable.sol (line 4)	eacd4e34333aea40ebe0b9c7f683f757699

QSI-2026-19430	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorSettingsUpgradeable.sol (line 4)	ded858f835859b38a2d94267fe0f45d451e
QSI-2026-19430	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorStorageUpgradeable.sol (line 4)	9289493ceb764442978e609362e8a9a1149
QSI-2026-19440	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/proxy/utils/UUPSUpgradeable.sol (line 4)	51b7f93f2c4fd2c89014e27a01386d20910
QSI-2026-19440	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/ERC1967/ERC1967Proxy.sol (line 4)	7adae15fedc454fe7d18b8e2fad3c5e4b48
QSI-2026-19440	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/beacon/BeaconProxy.sol (line 4)	19558af72f040ec2c4617d6a8ed5ab34a59
QSI-2026-19440	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol (line 4)	052868c38d31aa073c450d64ff071542886
QSI-2026-19440	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/transparent/TransparentUpgradeableProxy.sol (line 4)	a0ab0b407fa84ebb917a03b4f1fffb4cae8
QSI-2026-19440	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/utils/UUPSUpgradeable.sol (line 4)	48fa313b14c9a4efe40ece54c8b8e32bfe5
QSI-2026-19440	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/proxy/ERC1967/ERC1967Proxy.sol (line 4)	7adae15fedc454fe7d18b8e2fad3c5e4b48
QSI-2026-19440	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/proxy/beacon/BeaconProxy.sol (line 4)	19558af72f040ec2c4617d6a8ed5ab34a59
QSI-2026-19440	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol (line 4)	052868c38d31aa073c450d64ff071542886
QSI-2026-19440	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/proxy/transparent/TransparentUpgradeableProxy.sol (line 4)	a0ab0b407fa84ebb917a03b4f1fffb4cae8
QSI-2026-19442	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/halmos-cheatcodes/src/SVM.sol (line 2)	bd471efc2f4d7d423e928467267caaddb41
QSI-2026-19442	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/halmos-cheatcodes/src/SymTest.sol (line 2)	97630b16a584af991c523a19d6304c66e9d
QSI-2026-19442	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/lib/halmos-cheatcodes/src/SVM.sol (line 2)	bd471efc2f4d7d423e928467267caaddb41
QSI-2026-19442	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/lib/halmos-cheatcodes/src/SymTest.sol (line 2)	97630b16a584af991c523a19d6304c66e9d

QSI-2026-19442	file_excerpt	contracts/lib/openzeppelin-contracts/lib/halmos-cheatcodes/src/SVM.sol (line 2)	bd471efc2f4d7d423e928467267caaddb41
QSI-2026-19442	file_excerpt	contracts/lib/openzeppelin-contracts/lib/halmos-cheatcodes/src/SymTest.sol (line 2)	97630b16a584af991c523a19d6304c66e9d
QSI-2026-19445	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/IAccessControl.sol (line 4)	23e7d8c92d03f6bff5ad665a9628ccf99a1
QSI-2026-19445	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/extensions/IAccessControlDefaultAdminRules.sol (line 4)	96400a8a52df4007d6a7593b1b0be6dbc3f
QSI-2026-19445	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/extensions/IAccessControlEnumerable.sol (line 4)	75556f8db0a186ce0a66b1b5240e24b517d
QSI-2026-19445	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/manager/IAccessManaged.sol (line 4)	9c08e8da31027518b308530215396f93af2
QSI-2026-19445	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/manager/IAccessManager.sol (line 4)	d28fa18895fb37d698e2114a3f9647ecb0f
QSI-2026-19445	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/IGovernor.sol (line 4)	b81914f14753db894afe128eb575dd1b9fe
QSI-2026-19445	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/utils/IVotes.sol (line 3)	2d7fa19d01382e1f39025c59254c6e8b0b5
QSI-2026-19445	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC5805.sol (line 4)	3dc3349505a2b221ebeb2f6bf38d734f18a
QSI-2026-19445	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC4337.sol (line 4)	d17bdd715fea647ade8e58dbb8d6db44eab
QSI-2026-19445	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC6093.sol (line 3)	5d815c4a9d35069b852fa8680de4a927fad
QSI-2026-19448	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/manager/IAuthority.sol (line 4)	4ccb3824a219e881342151d513fd570a985
QSI-2026-19448	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC165.sol (line 4)	f9edce89b01b34aa894800ef3fa3073cc4b
QSI-2026-19448	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1820Implementer.sol (line 4)	90e19e192797c701ec2db43e0080d0ceb11

QSI-2026-19448	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC20.sol (line 4)	10d1b8a3c3afc59652beebb8fe83afe9dc8
QSI-2026-19448	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC5267.sol (line 4)	c945bb5ab2bfe8966a53c06a1d17e19411d
QSI-2026-19448	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC5313.sol (line 4)	aebdd32a48c284a91c895b97fb18d7df2ea
QSI-2026-19448	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC6372.sol (line 4)	c672a1ab55a27f6b879faf23b7a896ea303
QSI-2026-19448	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC1822.sol (line 4)	a9c6cede38f2575457213411cfc96039b78
QSI-2026-19448	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/beacon/IBeacon.sol (line 4)	0ac512b6beb2e5185427fdefea7e79f7a82
QSI-2026-19448	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/IERC20.sol (line 4)	2c0336249aad455845b2389e325e16bec0f
QSI-2026-19459	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1155.sol (line 4)	dfad9a7c3626bba385b5f4d08f81ed1d81c
QSI-2026-19459	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1155MetadataURI.sol (line 4)	747195b68051040181c142d8dad51aa94d7
QSI-2026-19459	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1155Receiver.sol (line 4)	ba575cd74504fdd21e05902631f34f04ecd
QSI-2026-19459	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1363.sol (line 4)	0ae7b1530694970bb44b9fd90939bba9bcd
QSI-2026-19459	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC20Metadata.sol (line 4)	722abdc20b3aed62edb98224660ceda46fb
QSI-2026-19459	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC2612.sol (line 4)	d6d9aefd47b64b6f1cc632539477a628f63
QSI-2026-19459	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC2981.sol (line 4)	53750e4f38b884d1d3c2bd7cb9abb36d887
QSI-2026-19459	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC4626.sol (line 4)	b3a2a0351e191c43fefae23dfed92b09f0b

QSI-2026-19459	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC4906.sol (line 4)	e2ee6d31e713881f491922e294cf49bf785
QSI-2026-19459	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC721.sol (line 4)	3975ec1ecd5890fa0f13a4faac39703402e
QSI-2026-19460	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1271.sol (line 4)	f2bacab150c87c9cfea74e814ce65bae34f
QSI-2026-19460	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1363Receiver.sol (line 4)	4f068aab542c1592d906da9e43036d3f3db
QSI-2026-19460	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1363Spender.sol (line 4)	485ea05476fc90f70bb54f0957581f5788b
QSI-2026-19460	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1820Registry.sol (line 4)	40b939f3fb746c2c9b91ef40155d8878613
QSI-2026-19460	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC3156.sol (line 4)	0b8a00ecd164f2e583d806a567e9b10bc3d
QSI-2026-19460	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC3156FlashBorrower.sol (line 4)	b81bda4c830c16f632c80224092dacf0c06
QSI-2026-19460	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC3156FlashLender.sol (line 4)	dcb834116e3eee956960030ceb40fb2080f
QSI-2026-19460	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC721Receiver.sol (line 4)	cb571bbb05af940bb2c85ae627acf089fc7
QSI-2026-19460	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC777.sol (line 4)	42f670948a09c75454999975a10e63222a9
QSI-2026-19460	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC777Recipient.sol (line 4)	ae2a8cb30d4432227b660192824f615f39f
QSI-2026-19461	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1967.sol (line 4)	0fa068eab3436c2f8fe905a9533f3a048cd
QSI-2026-19461	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC2309.sol (line 4)	67cd5ff60e6832d750865c0d8b2bb32e5bd
QSI-2026-19461	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC1967.sol (line 4)	0fa068eab3436c2f8fe905a9533f3a048cd

QSI-2026-19461	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC2309.sol (line 4)	67cd5ff60e6832d750865c0d8b2bb32e5bd
QSI-2026-19462	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/ERC1967/ERC1967Utils.sol (line 4)	e64a735b005a914c363744d11a5476987b5
QSI-2026-19462	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/proxy/ERC1967/ERC1967Utils.sol (line 4)	e64a735b005a914c363744d11a5476987b5
QSI-2026-19467	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/vendor/compound/ICompoundTimelock.sol (line 4)	ffd60d39b3c4e53b95e2a718e2044ab5dd5
QSI-2026-19467	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/vendor/compound/ICompoundTimelock.sol (line 4)	ffd60d39b3c4e53b95e2a718e2044ab5dd5
QSI-2026-19513	tool_output	OSV.dev GHSA-xmgf-hq76-4vx2 (manifest)	b6d4ab0e724d8f8f0247292f16da1b84ad0
QSI-2026-19533	tool_output	OSV.dev GHSA-w44r-93j7-qv28 (manifest)	f0fcaa2fa7a56e188458f39e55b23e999d0
QSI-2026-19532	tool_output	OSV.dev GHSA-h2v8-394m-p7vv (manifest)	9118726d52fea7cee09a6b4a21a10d2a7ba
QSI-2026-19486	tool_output	OSV.dev RUSTSEC-2026-0190 (manifest)	12d4b3eeb5a7dc67549bc11205181354262
QSI-2026-19488	tool_output	OSV.dev RUSTSEC-2025-0167 (manifest)	03863e29642c4e63a545c7523f4282720a8
QSI-2026-19493	tool_output	OSV.dev RUSTSEC-2026-0387 (manifest)	eab63427da988e95becf061fd8169abcb96
QSI-2026-19494	tool_output	OSV.dev RUSTSEC-2026-0385 (manifest)	200470326c8a5ad19deb3639dff41d33749
QSI-2026-19496	tool_output	OSV.dev RUSTSEC-2026-0221 (manifest)	984b4e4e87b4e2cc5992a06daf6b6466ee0
QSI-2026-19497	tool_output	OSV.dev RUSTSEC-2026-0183 (manifest)	10faba6c0849fd3be4082ba2701b3a701df
QSI-2026-19498	tool_output	OSV.dev RUSTSEC-2026-0184 (manifest)	bb3368926dab073cdb45cbcb12e78836e24
QSI-2026-19503	tool_output	OSV.dev RUSTSEC-2026-0292 (manifest)	746e59e7a217deb325b0ab8f2f61c3aa999
QSI-2026-19506	tool_output	OSV.dev RUSTSEC-2026-0418 (manifest)	c5853994609eb6005df3fdabfd8d90722c9
QSI-2026-19507	tool_output	OSV.dev RUSTSEC-2026-0253 (manifest)	06df98c5350689983b2fda96297e3527fd2
QSI-2026-19520	tool_output	OSV.dev RUSTSEC-2026-0338 (manifest)	2d8a96c1ccb5782dfd51ab6c6bfc548092d
QSI-2026-19521	tool_output	OSV.dev RUSTSEC-2026-0339 (manifest)	b5c8da254e3051004bc694e865ed6cf27e6
QSI-2026-19524	tool_output	OSV.dev RUSTSEC-2026-0342 (manifest)	41dfd63166e25757cdb189c219a98c5e4b8
QSI-2026-19535	tool_output	OSV.dev RUSTSEC-2026-0382 (manifest)	4c972eb1d77abf0d1c39f2b402c5fea32a5
QSI-2026-19412	file_excerpt	contracts/src/Denylist.sol (multiple)	cadbbdb19e190130c437c5cd3c1bdd5bf5b
QSI-2026-19413	file_excerpt	contracts/src/common/roles/Pausable.sol (multiple)	bd451358b742bb99245bd4b702dca8520a5
QSI-2026-19414	file_excerpt	contracts/src/protocol-config/roles/Controller.sol (multiple)	163e0107f6554559a2216f674f448926df9
QSI-2026-19415	file_excerpt	contracts/src/proxy/AdminUpgradeableProxy.sol (multiple)	cebcf7b9e5eb6647254a7b67be21e509d14
QSI-2026-19416	file_excerpt	contracts/src/validator-manager/PermissionedValidatorManager.sol (multiple)	3931080fe35e77bc29d127415ae04b8c321

QSI-2026-19417	file_excerpt	contracts/src/validator-manager/ValidatorRegistry.sol (multiple)	bd1b2d0999172dce7804f3a5026567f3070
QSI-2026-19418	file_excerpt	contracts/src/validator-manager/roles/Controller.sol (multiple)	b34887a19bc168163054e80fca215b40e77
QSI-2026-19419	file_excerpt	contracts/src/validator-manager/roles/ValidatorRegisterer.sol (multiple)	21761771f0d55baafbb802499b47d8acf89
QSI-2026-19425	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/Ownable2StepHarness.sol (multiple)	36ed478689eb7537103955dd954f943862d
QSI-2026-19426	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/OwnableHarness.sol (multiple)	36ed478689eb7537103955dd954f943862d
QSI-2026-19427	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/Ownable2StepUpgradeable.sol (multiple)	3ef6a6924988649e26a7e42a450b6976f80
QSI-2026-19428	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/OwnableUpgradeable.sol (multiple)	c9178db25d8ef1b1a83ff9fe952090d86c1
QSI-2026-19431	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/GovernorUpgradeable.sol (multiple)	7ffca126961e19e9d9b0edb533fbaeacef6
QSI-2026-19432	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorPreventLateQuorumUpgradeable.sol (multiple)	514805472eac509275a6bf6ad6edb5f54cc
QSI-2026-19433	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorProposalGuardianUpgradeable.sol (multiple)	07131118f6b2675894b2f4bfb84fe2a748f
QSI-2026-19434	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorSettingsUpgradeable.sol (multiple)	86374e75349ee43fad2906180e81f23f3c9
QSI-2026-19435	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockAccessUpgradeable.sol (multiple)	f2f0ae2a1314268db485c56a4fe1f2d9748
QSI-2026-19436	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockCompoundUpgradeable.sol (multiple)	825de8a0266ca176b55c917fd9450222f4d
QSI-2026-19437	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockControlUpgradeable.sol (multiple)	825de8a0266ca176b55c917fd9450222f4d
QSI-2026-19438	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesQuorumFractionUpgradeable.sol (multiple)	37d9e023fde908bbc2e9347f91ad2aa3006

QSI-2026-19439	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesSuperQuorumFractionUpgradeable.sol (multiple)	07f49116aa90ff89ec6b7b7d0820cc65a34
QSI-2026-19443	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol (multiple)	36ed478689eb7537103955dd954f943862d
QSI-2026-19444	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/OwnableHarness.sol (multiple)	36ed478689eb7537103955dd954f943862d
QSI-2026-19446	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/Ownable.sol (multiple)	c9178db25d8ef1b1a83ff9fe952090d86c1
QSI-2026-19447	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol (multiple)	3ef6a6924988649e26a7e42a450b6976f80
QSI-2026-19450	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/Governor.sol (multiple)	7ffca126961e19e9d9b0edb533fbaeacef6
QSI-2026-19451	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol (multiple)	514805472eac509275a6bf6ad6edb5f54cc
QSI-2026-19452	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol (multiple)	07131118f6b2675894b2f4bfb84fe2a748f
QSI-2026-19453	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol (multiple)	86374e75349ee43fad2906180e81f23f3c9
QSI-2026-19454	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol (multiple)	f2f0ae2a1314268db485c56a4fe1f2d9748
QSI-2026-19455	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol (multiple)	825de8a0266ca176b55c917fd9450222f4d
QSI-2026-19456	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol (multiple)	825de8a0266ca176b55c917fd9450222f4d
QSI-2026-19457	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol (multiple)	37d9e023fde908bbc2e9347f91ad2aa3006

QSI-2026-19458	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol (multiple)	07f49116aa90ff89ec6b7b7d0820cc65a34
QSI-2026-19463	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol (multiple)	02e606b6560ec4a99c06589dd8655178cca
QSI-2026-19464	file_excerpt	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol (multiple)	08d87f8ddab73b6f3211d313d176dd5e332
QSI-2026-19468	file_excerpt	contracts/lib/openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol (multiple)	36ed478689eb7537103955dd954f943862d
QSI-2026-19469	file_excerpt	contracts/lib/openzeppelin-contracts/certora/harnesses/OwnableHarness.sol (multiple)	36ed478689eb7537103955dd954f943862d
QSI-2026-19470	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/access/Ownable.sol (multiple)	c9178db25d8ef1b1a83ff9fe952090d86c1
QSI-2026-19471	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol (multiple)	3ef6a6924988649e26a7e42a450b6976f80
QSI-2026-19473	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/governance/Governor.sol (multiple)	7ffca126961e19e9d9b0edb533fbaeacef6
QSI-2026-19474	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol (multiple)	514805472eac509275a6bf6ad6edb5f54cc
QSI-2026-19475	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol (multiple)	07131118f6b2675894b2f4bfb84fe2a748f
QSI-2026-19476	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol (multiple)	86374e75349ee43fad2906180e81f23f3c9
QSI-2026-19477	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol (multiple)	f2f0ae2a1314268db485c56a4fe1f2d9748
QSI-2026-19478	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol (multiple)	825de8a0266ca176b55c917fd9450222f4d
QSI-2026-19479	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol (multiple)	825de8a0266ca176b55c917fd9450222f4d
QSI-2026-19480	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol (multiple)	37d9e023fde908bbc2e9347f91ad2aa3006
QSI-2026-19481	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol (multiple)	07f49116aa90ff89ec6b7b7d0820cc65a34

QSI-2026-19482	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol (multiple)	02e606b6560ec4a99c06589dd8655178cca
QSI-2026-19483	file_excerpt	contracts/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol (multiple)	08d87f8ddab73b6f3211d313d176dd5e332
QSI-2026-19538	tool_output	OSV.dev RUSTSEC-2026-0386 (manifest)	1ebb594fd9923dc03209b41738d3f9cf8f3
QSI-2026-19539	tool_output	OSV.dev (crates.io) (Cargo.lock)	5e007e5af8431c90b8e66223e349bc9b101
QSI-2026-19487	tool_output	OSV.dev RUSTSEC-2025-0141 (manifest)	532525d6fd3f2cb4701cae8133e80ff6557
QSI-2026-19489	tool_output	OSV.dev RUSTSEC-2026-0247 (manifest)	0490df19bf77e9550b234acd867daf2068a
QSI-2026-19492	tool_output	OSV.dev RUSTSEC-2026-0105 (manifest)	9c8a7a39cf41d1c8cae299044e250afa162
QSI-2026-19495	tool_output	OSV.dev RUSTSEC-2024-0388 (manifest)	3438f6c3cab3309fb6388762a1909761907
QSI-2026-19517	tool_output	OSV.dev RUSTSEC-2024-0436 (manifest)	ea867adb8ba26c96c3779becf55b3de25d4
QSI-2026-19518	tool_output	OSV.dev RUSTSEC-2026-0441 (manifest)	514334496eebf73f46fcfef878104d88607
QSI-2026-19519	tool_output	OSV.dev RUSTSEC-2026-0173 (manifest)	0ecc182141bd9effc6d35bc24dc20c57e64
QSI-2026-19534	tool_output	OSV.dev RUSTSEC-2025-0134 (manifest)	8a337a969850fe57bfcbd48340c15765400

Post-quantum assessment

	Key establishment (x = how long data must stay confidential; harvest now, decrypt later)	Signatures (x = how long signatures/ keys must stay trusted)
Data/key lifetime x	10	10
Migration time y	5	5
Assumed years to CRQC z	8 (early)	8
x + y − z	7 → migration would finish too late under this scenario	7 → migration would finish too late under this scenario

Planning assumptions: x for key establishment, x for signatures, y are the defaults of the risk profile “Crypto exchange, custodian or wallet”, not the client's figures; with the client's actual lifetimes the verdict can change.

Post-quantum maturity: Level 2 of 4 — post-quantum in use outside the critical paths

- In use: SLH-DSA — crates/pq-precompile/src/lib.rs
- In use: SLH-DSA — crates/precompiles/src/bin/generate_pq_test_vectors.rs
- In use: SLH-DSA — crates/precompiles/src/pq_test_vectors.rs
- A post-quantum library is declared as a dependency

Next step: Extend post-quantum protection to the critical roles that stay classical, starting with what can be recorded today (wrapped keys, channel key exchange).

Levels: 0 none; 1 present, not wired; 2 in use outside the critical paths; 3 hybrid in a critical path; 4 post-quantum by default in the critical paths (root of trust, key wrapping, channel key exchange). Judged from code and manifests.

What the quantum-vulnerable algorithms do

Role	Algorithms (files)	ID	First step
transaction and message signing	ECDSA (4), Ed25519 (1)	QSI-2026-19421, QSI-2026-19422	Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them
role not determined	Ed25519 (4), ECDSA (2)	QSI-2026-19420, QSI-2026-19423	Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility

Roles are judged from file paths, function names and the code around each match; review confirms them. Root-of-trust keys and wrapped keys come first: they are hard to replace or can be recorded today.

z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Quantum status	Count
Grover: acceptable to NIST, below ECCG/ANSSI guidance	90
n/a	82
post-quantum	8
vulnerable (Shor)	14

Detailed findings: QSI-2026-19421, QSI-2026-19422, QSI-2026-19420, QSI-2026-19423

PQC readiness questionnaire

No readiness questionnaire was completed for this project.

Quantum algorithms relevant to this inventory

Quantum algorithm	Effect	Inventoried algorithms (rows)	What it means for this audit
Shor's algorithm — elliptic-curve discrete logarithms Q1: quantum computation offline, classical access to the victim	breaks	ECDSA (9), Ed25519 (5)	Elliptic-curve keys are expected to fall before RSA keys of comparable classical strength. On blockchains, coins whose public key is already on chain (reused addresses, pay-to-public-key and Taproot outputs) are exposed first; plan the move to post-quantum signatures and avoid key reuse in the meantime.
Grover's algorithm — key search and preimages Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	Keccak-256 (90), SLH-DSA (4)	Not a break. 256-bit keys (AES-256, ChaCha20) keep a comfortable margin; AES-128 meets NIST category 1, while some authorities ask for 256-bit keys in quantum-resistant contexts (see the AES-128 entry). Prefer 256-bit keys for long-lived data; 256-bit hashes need no change for preimage resistance.
Brassard–Høyer–Tapp — collision search Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	Keccak-256 (90)	256-bit hashes (SHA-256, SHA3-256) remain adequate for collision resistance; 160-bit hashes are already weak classically (SHA-1 collisions are practical). Use 384/512-bit hashes where NIST categories 4–5 are required.

Effects: breaks — replace the algorithm; weakens — larger keys or outputs restore the margin; included in standard parameters — no action at standard parameter sets; only with superposition queries — not applicable to ordinary deployments.

Limitations and assumptions

- This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.
- z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.
- slither — not checked: 590 (examples: slither is not installed on the server (pip install slither-analyzer + solc))
- osv_advisories — not checked: 1 (examples: 125 package(s) are built from git repositories (forks or unreleased code), so registry advisories were not looked up for them: arc-malachitebft-app, arc-malachitebft-app-channel, arc-malachitebft-codec, arc-malachitebft-config, arc-malachitebft-core-consensus, arc-malachitebft-core-driver, arc-malachitebft-core-state-machine, arc-malachitebft-core-types, arc-malachitebft-core-votekeeper, arc-malachitebft-discovery, arc-malachitebft-engine, arc-malachitebft-engine-byzantine ...)

Remediation plan

QSI-2026-19441 · P1 · 30 days root-cause fix

Rotate and remove secrets found in contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC6909/extensions/draft-ERC6909TokenSupplyUpgradeable.sol.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible compatibility impact on old clients.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Secret scanner reports no secrets; old values revoked.

QSI-2026-19449 · P1 · 30 days root-cause fix

Restrict delegatecall targets to trusted, immutable implementations.

Rationale	If the target is user-controlled, an attacker can execute arbitrary code in this contract's storage context.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open line 234 in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19465 · P1 · 30 days root-cause fix

Restrict delegatecall targets to trusted, immutable implementations.

Rationale	If the target is user-controlled, an attacker can execute arbitrary code in this contract's storage context.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open line 97 in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Address.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19472 · P1 · 30 days root-cause fix

Restrict delegatecall targets to trusted, immutable implementations.

Rationale

	If the target is user-controlled, an attacker can execute arbitrary code in this contract's storage context.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open line 234 in the supplied file contracts/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19484 · P1 · 30 days root-cause fix

Restrict delegatecall targets to trusted, immutable implementations.

Rationale	If the target is user-controlled, an attacker can execute arbitrary code in this contract's storage context.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open line 97 in the supplied file contracts/lib/openzeppelin-contracts/contracts/utils/Address.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19526 · P2 · 30 days root-cause fix

Upgrade rmcp to a fixed version (2.0.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-33f5-2c5q-wgwj (CVE-2026-63127).

QSI-2026-19528 · P2 · 30 days root-cause fix

Upgrade rmcp to a fixed version (2.0.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-9pj6-vhgr-3mwh (CVE-2026-63128).

QSI-2026-19499 · P2 · 30 days root-cause fix

Upgrade hickory-proto to a fixed version (0.26.0-beta.1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-3v94-mw7p-v465 (RUSTSEC-2026-0118).

QSI-2026-19501 · P2 · 30 days root-cause fix

Upgrade hickory-resolver to a fixed version (0.26.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-5j98-2g5x-46v6 (CVE-2026-93657).

QSI-2026-19505 · P2 · 30 days root-cause fix

Upgrade libp2p-quic to a fixed version (0.13.1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-5hq8-qhww-jm7q (CVE-2026-61544).

QSI-2026-19508 · P2 · 30 days root-cause fix

Upgrade openssl to a fixed version (0.10.78).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.

Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-8c75-8mhr-p7r9 (CVE-2026-41678).

QSI-2026-19509 · P2 · 30 days

root-cause fix

Upgrade openssl to a fixed version (0.10.78).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-ghm9-cr32-g9qj (CVE-2026-41681).

QSI-2026-19510 · P2 · 30 days

root-cause fix

Upgrade openssl to a fixed version (0.10.78).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-hppc-g8h3-xhp3 (CVE-2026-41898).

QSI-2026-19512 · P2 · 30 days

root-cause fix

Upgrade openssl to a fixed version (0.10.78).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-pqf5-4pqq-29f5 (CVE-2026-41676).

QSI-2026-19514 · P2 · 30 days root-cause fix

Upgrade openssl to a fixed version (0.10.79).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-xp3w-r5p5-63rr (CVE-2026-42327).

QSI-2026-19522 · P2 · 30 days root-cause fix

Upgrade quinn-proto to a fixed version (0.11.18).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0340.

QSI-2026-19523 · P2 · 30 days root-cause fix

Upgrade quinn-proto to a fixed version (0.11.17).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0341.

QSI-2026-19504 · P2 · 30 days root-cause fix

Upgrade jsonwebtoken to a fixed version (10.3.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.

Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-h395-gr6q-cpjc (CVE-2026-25537).

QSI-2026-19527 · P2 · 30 days

root-cause fix

Upgrade rmcp to a fixed version (2.1.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-9g45-5xwm-f3wc (CVE-2026-64684).

QSI-2026-19529 · P2 · 30 days

root-cause fix

Upgrade rmcp to a fixed version (2.0.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-c9xm-49cp-xcr9.

QSI-2026-19536 · P2 · 30 days

root-cause fix

Upgrade serde_with to a fixed version (3.21.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-7gcf-g7xr-8hxj.

QSI-2026-19537 · P2 · 30 days

root-cause fix

Upgrade tar to a fixed version (0.4.46).

Rationale	Eliminates the root cause described in the finding.

Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-3pv8-6f4r-ffg2.

QSI-2026-19490 · P2 · 30 days root-cause fix

Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-qwgh-2vcv-g2f7.

QSI-2026-19491 · P2 · 30 days root-cause fix

Upgrade cmov to a fixed version (0.5.4).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-3rjw-m598-pq24 (CVE-2026-50185).

QSI-2026-19500 · P2 · 30 days root-cause fix

Upgrade hickory-proto to a fixed version (0.26.1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	

	Dependency scan no longer reports GHSA-q2qq-hmj6-3wpp (RUSTSEC-2026-0119).

QSI-2026-19502 · P2 · 30 days

root-cause fix

Upgrade hickory-resolver to a fixed version (0.26.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-6f2x-v7q7-m7m5.

QSI-2026-19511 · P2 · 30 days

root-cause fix

Upgrade openssl to a fixed version (0.10.80).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-phqj-4mhp-q6mq (CVE-2026-45784).

QSI-2026-19515 · P2 · 30 days

root-cause fix

Upgrade openssl to a fixed version (0.10.79).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-xv59-967r-8726 (CVE-2026-44662).

QSI-2026-19516 · P2 · 30 days

root-cause fix

Upgrade opentelemetry_sdk to a fixed version (0.32.1).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low

Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-w9wp-h8wv-79jx (CVE-2026-48504).

QSI-2026-19530 · P2 · 30 days

root-cause fix

Upgrade rustls to a fixed version (0.23.45).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-2mjx-qc3c-rqvc (RUSTSEC-2026-0285).

QSI-2026-19531 · P2 · 30 days

root-cause fix

Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-c8m5-c952-6cm4 (RUSTSEC-2026-0346).

QSI-2026-19525 · P2 · 30 days

root-cause fix

Upgrade rand to a fixed version (0.10.1, 0.8.6, 0.9.3).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	

	Dependency scan no longer reports GHSA-cq8v-f236-94qc (RUSTSEC-2026-0097).

QSI-2026-19513 · P2 · 30 days root-cause fix

Upgrade openssl to a fixed version (0.10.78).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-xmgf-hq76-4vx2 (CVE-2026-41677).

QSI-2026-19533 · P2 · 30 days root-cause fix

Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-w44r-93j7-qv28 (RUSTSEC-2026-0349).

QSI-2026-19532 · P2 · 30 days root-cause fix

Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-h2v8-394m-p7vv (RUSTSEC-2026-0348).

QSI-2026-19466 · P2 · 60 days root-cause fix

Use OpenZeppelin ECDSA.recover with EIP-712 domain separation and nonces.

Rationale	

	Without s-value/zero-address checks and nonces, signatures may be malleable or replayable. ecrecover relies on secp256k1 ECDSA (quantum-vulnerable long-term).
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open line 148 in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19485 · P2 · 60 days root-cause fix

Use OpenZeppelin ECDSA.recover with EIP-712 domain separation and nonces.

Rationale	Without s-value/zero-address checks and nonces, signatures may be malleable or replayable. ecrecover relies on secp256k1 ECDSA (quantum-vulnerable long-term).
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open line 148 in the supplied file contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19486 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0190; upgrade anyhow to a fixed version (1.0.103) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0190, or the triage is recorded.

QSI-2026-19488 · P3 · 60 days root-cause fix

Triage RUSTSEC-2025-0167; upgrade bitmaps to a fixed version (none published yet; see the advisory for mitigations) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.

Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2025-0167, or the triage is recorded.

QSI-2026-19493 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0387; upgrade crypto-bigint to a fixed version (0.7.6) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0387, or the triage is recorded.

QSI-2026-19494 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0385; upgrade ctutils to a fixed version (0.4.4) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0385, or the triage is recorded.

QSI-2026-19496 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0221; upgrade event-listener to a fixed version (5.4.2) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0221, or the triage is recorded.

QSI-2026-19497 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0183; upgrade git2 to a fixed version (0.21.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0183, or the triage is recorded.

QSI-2026-19498 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0184; upgrade git2 to a fixed version (0.21.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0184, or the triage is recorded.

QSI-2026-19503 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0292; upgrade imbl-sized-chunks to a fixed version (0.2.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0292, or the triage is recorded.

QSI-2026-19506 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0418; upgrade libz-sys to a fixed version (1.1.31) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.

Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0418, or the triage is recorded.

QSI-2026-19507 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0253; upgrade lru to a fixed version (0.18.2) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0253, or the triage is recorded.

QSI-2026-19520 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0338; upgrade quinn-proto to a fixed version (0.11.18) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0338, or the triage is recorded.

QSI-2026-19521 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0339; upgrade quinn-proto to a fixed version (0.11.17) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.

Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0339, or the triage is recorded.

QSI-2026-19524 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0342; upgrade quinn-proto to a fixed version (0.11.17) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0342, or the triage is recorded.

QSI-2026-19535 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0382 (CVE-2026-111943); upgrade rustls-webpki to a fixed version (0.103.16, 0.104.0-alpha.8) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0382 (CVE-2026-111943), or the triage is recorded.

QSI-2026-19538 · P3 · 60 days root-cause fix

Triage RUSTSEC-2026-0386; upgrade tokio to a fixed version (1.51.6, 1.53.3) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports RUSTSEC-2026-0386, or the triage is recorded.

QSI-2026-19421 · P3 · 90 days short-term risk reduction

Add Ed25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-19422 · P3 · 90 days short-term risk reduction

Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-19420 · P3 · 90 days short-term risk reduction

Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-19423 · P3 · 90 days short-term risk reduction

Add Ed25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-19411 · P3 · 90 days root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contracts/scripts/Addresses.sol:17 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19424 · P3 · 90 days root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/AccessControlDefaultAdminRulesHarness.sol:2 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19429 · P3 · 90 days root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Complexity	medium
Tests before change	Open contracts/lib/openzeppelin-contracts-upgradeable/contracts/account/extensions/draft-AccountERC7579HookedUpgradeable.sol:4 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19430 · P3 · 90 days root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/GovernorUpgradeable.sol:4 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19440 · P3 · 90 days root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contracts/lib/openzeppelin-contracts-upgradeable/contracts/proxy/utils/UUPSUpgradeable.sol:4 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19442 · P3 · 90 days root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contracts/lib/openzeppelin-contracts-upgradeable/lib/halmos-cheatcodes/src/SVM.sol:2 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19445 · P3 · 90 days root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/IAccessControl.sol:4 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19448 · P3 · 90 days root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/manager/IAuthority.sol:4 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19459 · P3 · 90 days root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1155.sol:4 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19460 · P3 · 90 days root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium

Tests before change	Open contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1271.sol:4 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19461 · P3 · 90 days

root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1967.sol:4 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19462 · P3 · 90 days

root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/ERC1967/ERC1967Utils.sol:4 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19467 · P3 · 90 days

root-cause fix

Pin the compiler version used in testing.

Rationale	Contracts may be deployed with untested compiler versions. The compiler actually used is set by the build configuration, which this check does not read.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/vendor/compound/ICompoundTimelock.sol:4 and inspect the quoted lines; the evidence lists further files.
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19421 · P4 · 90 days root-cause fix

Plan migration of Ed25519 to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-19422 · P4 · 90 days root-cause fix

Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-19420 · P4 · 90 days root-cause fix

Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	

	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-19423 · P4 · 90 days root-cause fix

Plan migration of Ed25519 to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-19412 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/src/Denylist.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19413 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/src/common/roles/Pausable.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19414 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Complexity	medium
Tests before change	Open contract in the supplied file contracts/src/protocol-config/roles/Controller.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19415 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/src/proxy/AdminUpgradeableProxy.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19416 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/src/validator-manager/PermissionedValidatorManager.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19417 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/src/validator-manager/ValidatorRegistry.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19418 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Complexity	medium
Tests before change	Open contract in the supplied file contracts/src/validator-manager/roles/Controller.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19419 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/src/validator-manager/roles/ValidatorRegisterer.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19425 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/Ownable2StepHarness.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19426 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/OwnableHarness.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19427 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.

Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/Ownable2StepUpgradeable.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19428 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/OwnableUpgradeable.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19431 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/GovernorUpgradeable.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19432 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorPreventLateQuorumUpgradeable.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19433 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorProposalGuardianUpgradeable.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19434 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorSettingsUpgradeable.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19435 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockAccessUpgradeable.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19436 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/

	GovernorTimelockCompoundUpgradeable.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19437 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockControlUpgradeable.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19438 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesQuorumFractionUpgradeable.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19439 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesSuperQuorumFractionUpgradeable.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19443 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19444 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/OwnableHarness.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19446 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/Ownable.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19447 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19450 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/Governor.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19451 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19452 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19453 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	

	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19454 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19455 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19456 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19457 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.

Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19458 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19463 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19464 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19468 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19469 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts/certora/harnesses/OwnableHarness.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19470 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/access/Ownable.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19471 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19473 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/Governor.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19474 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19475 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19476 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19477 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19478 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19479 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19480 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	

	Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19481 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19482 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19483 · P4 · 90 days root-cause fix

Use a multisig/timelock for admin roles and document them.

Rationale	Centralization risk: compromise of the admin key compromises the protocol.
Expected outcome	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Complexity	medium
Tests before change	Open contract in the supplied file contracts/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol and inspect the quoted lines (see evidence).
Tests after change	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
Closure criteria	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19539 · P4 · 90 days root-cause fix

Update the development and build dependencies listed in the evidence.

Rationale	Eliminates the root cause described in the finding.

Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Tooling upgrades may change build output; compare release artefacts.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	The dependency scan reports no advisories for tooling packages, or the remaining ones are recorded.

QSI-2026-19487 · P4 · 90 days

root-cause fix

Replace bincode with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	bincode replaced, or the decision recorded.

QSI-2026-19489 · P4 · 90 days

root-cause fix

Replace bitmaps with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	bitmaps replaced, or the decision recorded.

QSI-2026-19492 · P4 · 90 days

root-cause fix

Replace core2 with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	core2 replaced, or the decision recorded.

QSI-2026-19495 · P4 · 90 days root-cause fix

Replace derivative with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	derivative replaced, or the decision recorded.

QSI-2026-19517 · P4 · 90 days root-cause fix

Replace paste with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	paste replaced, or the decision recorded.

QSI-2026-19518 · P4 · 90 days root-cause fix

Replace pin-utils with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	pin-utils replaced, or the decision recorded.

QSI-2026-19519 · P4 · 90 days root-cause fix

Replace proc-macro-error2 with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.

Tests after change	Re-run the retest procedure from the finding.
Closure criteria	proc-macro-error2 replaced, or the decision recorded.

QSI-2026-19534 · P4 · 90 days

root-cause fix

Replace rustls-pemfile with a maintained alternative or record why it stays.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	medium
Dependencies	Change window and owner approval.
Side effects	Code changes may be required.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	rustls-pemfile replaced, or the decision recorded.

Priorities for 30, 60 and 90 days

30 days

Priority	ID	Action	Type
P1	QSI-2026-19441	Rotate and remove secrets found in contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC6909/extensions/draft-ERC6909TokenSupplyUpgradeable.sol.	root-cause fix
P1	QSI-2026-19449	Restrict delegatecall targets to trusted, immutable implementations.	root-cause fix
P1	QSI-2026-19465	Restrict delegatecall targets to trusted, immutable implementations.	root-cause fix
P1	QSI-2026-19472	Restrict delegatecall targets to trusted, immutable implementations.	root-cause fix
P1	QSI-2026-19484	Restrict delegatecall targets to trusted, immutable implementations.	root-cause fix
P2	QSI-2026-19526	Upgrade rmcp to a fixed version (2.0.0).	root-cause fix
P2	QSI-2026-19528	Upgrade rmcp to a fixed version (2.0.0).	root-cause fix
P2	QSI-2026-19499	Upgrade hickory-proto to a fixed version (0.26.0-beta.1).	root-cause fix
P2	QSI-2026-19501	Upgrade hickory-resolver to a fixed version (0.26.2).	root-cause fix
P2	QSI-2026-19505	Upgrade libp2p-quic to a fixed version (0.13.1).	root-cause fix
P2	QSI-2026-19508	Upgrade openssl to a fixed version (0.10.78).	root-cause fix
P2	QSI-2026-19509	Upgrade openssl to a fixed version (0.10.78).	root-cause fix
P2	QSI-2026-19510	Upgrade openssl to a fixed version (0.10.78).	root-cause fix
P2	QSI-2026-19512	Upgrade openssl to a fixed version (0.10.78).	root-cause fix

P2	QSI-2026-19514	Upgrade openssl to a fixed version (0.10.79).	root-cause fix
P2	QSI-2026-19522	Upgrade quinn-proto to a fixed version (0.11.18).	root-cause fix
P2	QSI-2026-19523	Upgrade quinn-proto to a fixed version (0.11.17).	root-cause fix
P2	QSI-2026-19504	Upgrade jsonwebtoken to a fixed version (10.3.0).	root-cause fix
P2	QSI-2026-19527	Upgrade rmcp to a fixed version (2.1.0).	root-cause fix
P2	QSI-2026-19529	Upgrade rmcp to a fixed version (2.0.0).	root-cause fix
P2	QSI-2026-19536	Upgrade serde_with to a fixed version (3.21.0).	root-cause fix
P2	QSI-2026-19537	Upgrade tar to a fixed version (0.4.46).	root-cause fix
P2	QSI-2026-19490	Upgrade block-buffer to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-19491	Upgrade cmov to a fixed version (0.5.4).	root-cause fix
P2	QSI-2026-19500	Upgrade hickory-proto to a fixed version (0.26.1).	root-cause fix
P2	QSI-2026-19502	Upgrade hickory-resolver to a fixed version (0.26.2).	root-cause fix
P2	QSI-2026-19511	Upgrade openssl to a fixed version (0.10.80).	root-cause fix
P2	QSI-2026-19515	Upgrade openssl to a fixed version (0.10.79).	root-cause fix
P2	QSI-2026-19516	Upgrade opentelemetry_sdk to a fixed version (0.32.1).	root-cause fix
P2	QSI-2026-19530	Upgrade rustls to a fixed version (0.23.45).	root-cause fix

P2	QSI-2026-19531	Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).	root-cause fix
P2	QSI-2026-19525	Upgrade rand to a fixed version (0.10.1, 0.8.6, 0.9.3).	root-cause fix
P2	QSI-2026-19513	Upgrade openssl to a fixed version (0.10.78).	root-cause fix
P2	QSI-2026-19533	Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).	root-cause fix
P2	QSI-2026-19532	Upgrade rustls to a fixed version (0.23.46, 0.24.0-dev.2).	root-cause fix

60 days

Priority	ID	Action	Type
P2	QSI-2026-19466	Use OpenZeppelin ECDSA.recover with EIP-712 domain separation and nonces.	root-cause fix
P2	QSI-2026-19485	Use OpenZeppelin ECDSA.recover with EIP-712 domain separation and nonces.	root-cause fix
P3	QSI-2026-19486	Triage RUSTSEC-2026-0190; upgrade anyhow to a fixed version (1.0.103) if it applies.	root-cause fix
P3	QSI-2026-19488	Triage RUSTSEC-2025-0167; upgrade bitmaps to a fixed version (none published yet; see the advisory for mitigations) if it applies.	root-cause fix
P3	QSI-2026-19493	Triage RUSTSEC-2026-0387; upgrade crypto-bigint to a fixed version (0.7.6) if it applies.	root-cause fix
P3	QSI-2026-19494	Triage RUSTSEC-2026-0385; upgrade ctutils to a fixed version (0.4.4) if it applies.	root-cause fix
P3	QSI-2026-19496	Triage RUSTSEC-2026-0221; upgrade event-listener to a fixed version (5.4.2) if it applies.	root-cause fix
P3	QSI-2026-19497	Triage RUSTSEC-2026-0183; upgrade git2 to a fixed version (0.21.0) if it applies.	root-cause fix
P3	QSI-2026-19498	Triage RUSTSEC-2026-0184; upgrade git2 to a fixed version (0.21.0) if it applies.	root-cause fix
P3	QSI-2026-19503	Triage RUSTSEC-2026-0292; upgrade imbl-sized-chunks to a fixed version (0.2.0) if it applies.	root-cause fix
P3	QSI-2026-19506	Triage RUSTSEC-2026-0418; upgrade libz-sys to a fixed version (1.1.31) if it applies.	root-cause fix
P3	QSI-2026-19507	Triage RUSTSEC-2026-0253; upgrade lru to a fixed version (0.18.2) if it applies.	root-cause fix

P3	QSI-2026-19520	Triage RUSTSEC-2026-0338; upgrade quinn-proto to a fixed version (0.11.18) if it applies.	root-cause fix
P3	QSI-2026-19521	Triage RUSTSEC-2026-0339; upgrade quinn-proto to a fixed version (0.11.17) if it applies.	root-cause fix
P3	QSI-2026-19524	Triage RUSTSEC-2026-0342; upgrade quinn-proto to a fixed version (0.11.17) if it applies.	root-cause fix
P3	QSI-2026-19535	Triage RUSTSEC-2026-0382 (CVE-2026-111943); upgrade rustls-webpki to a fixed version (0.103.16, 0.104.0-alpha.8) if it applies.	root-cause fix
P3	QSI-2026-19538	Triage RUSTSEC-2026-0386; upgrade tokio to a fixed version (1.51.6, 1.53.3) if it applies.	root-cause fix

90 days

Priority	ID	Action	Type
P3	QSI-2026-19421	Add Ed25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-19422	Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-19420	Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-19423	Add Ed25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-19411	Pin the compiler version used in testing.	root-cause fix
P3	QSI-2026-19424	Pin the compiler version used in testing.	root-cause fix
P3	QSI-2026-19429	Pin the compiler version used in testing.	root-cause fix
P3	QSI-2026-19430	Pin the compiler version used in testing.	root-cause fix
P3	QSI-2026-19440	Pin the compiler version used in testing.	root-cause fix
P3	QSI-2026-19442	Pin the compiler version used in testing.	root-cause fix
P3	QSI-2026-19445	Pin the compiler version used in testing.	root-cause fix
P3	QSI-2026-19448	Pin the compiler version used in testing.	root-cause fix
P3	QSI-2026-19459	Pin the compiler version used in testing.	root-cause fix

P3	QSI-2026-19460	Pin the compiler version used in testing.	root-cause fix
P3	QSI-2026-19461	Pin the compiler version used in testing.	root-cause fix
P3	QSI-2026-19462	Pin the compiler version used in testing.	root-cause fix
P3	QSI-2026-19467	Pin the compiler version used in testing.	root-cause fix
P4	QSI-2026-19421	Plan migration of Ed25519 to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-19422	Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-19420	Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-19423	Plan migration of Ed25519 to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-19412	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19413	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19414	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19415	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19416	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19417	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19418	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19419	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19425	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19426	Use a multisig/timelock for admin roles and document them.	root-cause fix

P4	QSI-2026-19427	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19428	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19431	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19432	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19433	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19434	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19435	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19436	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19437	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19438	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19439	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19443	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19444	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19446	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19447	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19450	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19451	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19452	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19453	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19454	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19455	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19456	Use a multisig/timelock for admin roles and document them.	root-cause fix

P4	QSI-2026-19457	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19458	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19463	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19464	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19468	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19469	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19470	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19471	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19473	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19474	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19475	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19476	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19477	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19478	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19479	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19480	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19481	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19482	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19483	Use a multisig/timelock for admin roles and document them.	root-cause fix
P4	QSI-2026-19539	Update the development and build dependencies listed in the evidence.	root-cause fix
P4	QSI-2026-19487	Replace bincode with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-19489	Replace bitmaps with a maintained alternative or record why it stays.	root-cause fix

P4	QSI-2026-19492	Replace core2 with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-19495	Replace derivative with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-19517	Replace paste with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-19518	Replace pin-utils with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-19519	Replace proc-macro-error2 with a maintained alternative or record why it stays.	root-cause fix
P4	QSI-2026-19534	Replace rustls-pemfile with a maintained alternative or record why it stays.	root-cause fix

Verification after remediation

ID	Retest procedure
QSI-2026-19526	Re-run the dependency scan after upgrading.
QSI-2026-19528	Re-run the dependency scan after upgrading.
QSI-2026-19441	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-19499	Re-run the dependency scan after upgrading.
QSI-2026-19501	Re-run the dependency scan after upgrading.
QSI-2026-19505	Re-run the dependency scan after upgrading.
QSI-2026-19508	Re-run the dependency scan after upgrading.
QSI-2026-19509	Re-run the dependency scan after upgrading.
QSI-2026-19510	Re-run the dependency scan after upgrading.
QSI-2026-19512	Re-run the dependency scan after upgrading.
QSI-2026-19514	Re-run the dependency scan after upgrading.
QSI-2026-19522	Re-run the dependency scan after upgrading.
QSI-2026-19523	Re-run the dependency scan after upgrading.
QSI-2026-19449	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19465	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19472	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19484	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19504	Re-run the dependency scan after upgrading.
QSI-2026-19527	Re-run the dependency scan after upgrading.
QSI-2026-19529	Re-run the dependency scan after upgrading.
QSI-2026-19536	Re-run the dependency scan after upgrading.
QSI-2026-19537	Re-run the dependency scan after upgrading.
QSI-2026-19466	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19485	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19421	Re-run the inventory after refactoring.
QSI-2026-19422	Re-run the inventory after refactoring.
QSI-2026-19420	Re-run the inventory after refactoring.
QSI-2026-19423	Re-run the inventory after refactoring.
QSI-2026-19490	Re-run the dependency scan after upgrading.
QSI-2026-19491	Re-run the dependency scan after upgrading.

QSI-2026-19500	Re-run the dependency scan after upgrading.
QSI-2026-19502	Re-run the dependency scan after upgrading.
QSI-2026-19511	Re-run the dependency scan after upgrading.
QSI-2026-19515	Re-run the dependency scan after upgrading.
QSI-2026-19516	Re-run the dependency scan after upgrading.
QSI-2026-19530	Re-run the dependency scan after upgrading.
QSI-2026-19531	Re-run the dependency scan after upgrading.
QSI-2026-19525	Re-run the dependency scan after upgrading.
QSI-2026-19411	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19424	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19429	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19430	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19440	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19442	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19445	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19448	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19459	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19460	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19461	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19462	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19467	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19513	Re-run the dependency scan after upgrading.
QSI-2026-19533	Re-run the dependency scan after upgrading.
QSI-2026-19532	Re-run the dependency scan after upgrading.
QSI-2026-19486	Re-run the dependency scan after upgrading.
QSI-2026-19488	Re-run the dependency scan after upgrading.
QSI-2026-19493	Re-run the dependency scan after upgrading.
QSI-2026-19494	Re-run the dependency scan after upgrading.
QSI-2026-19496	Re-run the dependency scan after upgrading.
QSI-2026-19497	Re-run the dependency scan after upgrading.
QSI-2026-19498	Re-run the dependency scan after upgrading.
QSI-2026-19503	Re-run the dependency scan after upgrading.
QSI-2026-19506	Re-run the dependency scan after upgrading.

QSI-2026-19507	Re-run the dependency scan after upgrading.
QSI-2026-19520	Re-run the dependency scan after upgrading.
QSI-2026-19521	Re-run the dependency scan after upgrading.
QSI-2026-19524	Re-run the dependency scan after upgrading.
QSI-2026-19535	Re-run the dependency scan after upgrading.
QSI-2026-19412	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19413	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19414	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19415	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19416	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19417	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19418	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19419	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19425	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19426	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19427	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19428	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19431	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19432	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19433	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19434	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19435	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19436	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19437	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19438	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19439	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19443	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19444	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19446	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19447	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19450	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19451	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19452	Re-run static analysis and add a unit/fuzz test that exercises the pattern.

QSI-2026-19453	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19454	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19455	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19456	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19457	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19458	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19463	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19464	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19468	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19469	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19470	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19471	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19473	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19474	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19475	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19476	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19477	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19478	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19479	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19480	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19481	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19482	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19483	Re-run static analysis and add a unit/fuzz test that exercises the pattern.
QSI-2026-19538	Re-run the dependency scan after upgrading.
QSI-2026-19539	Re-run the dependency scan after updating.
QSI-2026-19487	Re-run the dependency scan after the change.
QSI-2026-19489	Re-run the dependency scan after the change.
QSI-2026-19492	Re-run the dependency scan after the change.
QSI-2026-19495	Re-run the dependency scan after the change.
QSI-2026-19517	Re-run the dependency scan after the change.
QSI-2026-19518	Re-run the dependency scan after the change.
QSI-2026-19519	Re-run the dependency scan after the change.
QSI-2026-19534	Re-run the dependency scan after the change.

Tools used

Tool	Version
blockchain	1.0.0
certificates	1.2.0
chain_map	1.0.0
configs	1.1.0
dependencies	1.3.0
inventory_document	1.1.0
solidity	1.3.0
source_code	1.4.0
tls_code	1.1.0
tls_live	1.0.0
qsi-engine	1.3.0
OSV.dev API	v1

Sources and normative documents

Reviewed: 2026-10-13

1. A. Chailloux, M. Naya-Plasencia, A. Schrottenloher — An Efficient Quantum Collision Search Algorithm and Implications on Symmetric Cryptography (ASIACRYPT 2017; IACR ePrint 2017/847) — IACR ePrint. https://eprint.iacr.org/2017/847 (peer-reviewed article: Õ(2^{2n/5}) time, O(n) qubits, Õ(2^{n/5}) classical memory)
2. C. Chevignard, P.-A. Fouque, A. Schrottenloher — Reducing the Number of Qubits in Quantum Discrete Logarithms on Elliptic Curves (IACR ePrint 2026/280) — IACR ePrint. https://eprint.iacr.org/2026/280 (revision of a EUROCRYPT 2026 paper: 3.12n + o(n) qubits; for n = 256, 1193 qubits and 22 runs of 2^38.98 Toffoli gates)
3. C. Zalka — Grover's quantum searching algorithm is optimal (Phys. Rev. A 60, 2746, 1999; arXiv:quant-ph/9711070) — APS. https://doi.org/10.1103/PhysRevA.60.2746 (peer-reviewed article: optimal for any success probability; parallel search gains no more than splitting the space)
4. Common Vulnerability Scoring System v3.1: Specification Document — FIRST. https://www.first.org/cvss/v3.1/specification-document (final)
5. D. J. Bernstein — Cost analysis of hash collisions: Will quantum computers make SHARCS obsolete? (2009) — cr.yp.to. https://cr.yp.to/hash/collisioncost-20090823.pdf (paper dated 2009-08-23)
6. D. Litinski — How to compute a 256-bit elliptic curve private key with only 50 million Toffoli gates (arXiv:2306.08585) — arXiv. https://arxiv.org/abs/2306.08585 (preprint (2023-06-14): 6000 modules × 1152 physical qubits, one key per 10 minutes under its architecture assumptions)
7. FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM) — NIST. https://csrc.nist.gov/pubs/fips/203/final (final (August 2024))
8. FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA) — NIST. https://csrc.nist.gov/pubs/fips/204/final (final (August 2024))
9. FIPS 205 — Stateless Hash-Based Digital Signature Standard (SLH-DSA) — NIST. https://csrc.nist.gov/pubs/fips/205/final (final (August 2024))
10. G. Brassard, P. Høyer, A. Tapp — Quantum Algorithm for the Collision Problem (LATIN '98; arXiv:quant-ph/9705002) — Springer / arXiv. https://arxiv.org/abs/quant-ph/9705002 (peer-reviewed article: collisions of r-to-one functions in O((N/r)^{1/3}) expected evaluations)
11. J. Proos, C. Zalka — Shor's discrete logarithm quantum algorithm for elliptic curves (Quantum Inf. Comput. 3(4), 2003; arXiv:quant-ph/0301141) — Quantum Information & Computation. https://doi.org/10.26421/QIC3.4-3 (peer-reviewed article)
12. L. K. Grover — A fast quantum mechanical algorithm for database search (STOC 1996) — ACM. https://doi.org/10.1145/237814.237866 (peer-reviewed article)
13. M. Amy et al. — Estimating the cost of generic quantum pre-image attacks on SHA-2 and SHA-3 (SAC 2016; arXiv:1603.09383) — Springer / arXiv. https://arxiv.org/abs/1603.09383 (peer-reviewed article: SHA-256 about 2^153.8 surface-code cycles on 2^12.6 logical qubits; SHA3-256 about 2^146.5 cycles on 2^20)
14. M. Cain et al. — Shor's algorithm is possible with as few as 10,000 reconfigurable atomic qubits (arXiv:2603.28627) — arXiv. https://arxiv.org/abs/2603.28627 (preprint (2026-03-30): P-256 in a few days with 26,000 physical neutral-atom qubits; RSA-2048 one to two orders of magnitude longer)
15. M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018) — IEEE. https://doi.org/10.1109/MSP.2018.3761723 (peer-reviewed article; source of the x + y > z migration inequality)
16. M. Roetteler, M. Naehrig, K. Svore, K. Lauter — Quantum resource estimates for computing elliptic curve discrete logarithms (ASIACRYPT 2017) — IACR / arXiv. https://arxiv.org/abs/1706.06752 (peer-reviewed article: at most 9n + 2⌈log2 n⌉ + 10 qubits and 448 n^3 log2 n + 4090 n^3 Toffoli gates)
17. NIST IR 8547 — Transition to Post-Quantum Cryptography Standards — NIST. https://csrc.nist.gov/pubs/ir/8547/final (final (2026-10-27; the initial public draft of November 2024 is obsoleted). Tables 2 and 4: ECDSA, EdDSA and RSA signatures, finite-field and elliptic-curve DH and MQV, and RSA key establishment are deprecated after 2030 and disallowed after 2035 at every key size — the draft deprecated only the 112-bit level. A composite (hybrid) key establishment stays FIPS 140-validatable while one input comes from an approved scheme. Repeats the federal deadlines of OMB M-26-15: post-quantum key establishment by 2030-12-31 and signatures by 2031-12-31 for high value assets and high impact systems)
18. NIST — Post-Quantum Cryptography Standardization: Evaluation Criteria, Security (Call for Proposals, Section 4.A.5) — NIST. https://csrc.nist.gov/Projects/Post-Quantum-Cryptography/Post-Quantum-Cryptography-Standardization/Evaluation-Criteria/Security-(Evaluation-Criteria) (security categories: AES-128 key search 2^170/MAXDEPTH quantum gates, AES-192 2^233/MAXDEPTH, AES-256 2^298/MAXDEPTH; MAXDEPTH 2^40–2^96)
19. OSV advisory GHSA-2mjx-qc3c-rqvc — OSV.dev. https://osv.dev/vulnerability/GHSA-2mjx-qc3c-rqvc (modified 2026-10-27T15:30:05.509305490Z)
20. OSV advisory GHSA-33f5-2c5q-wgwj — OSV.dev. https://osv.dev/vulnerability/GHSA-33f5-2c5q-wgwj (modified 2026-09-16T22:30:08.107391372Z)

21. OSV advisory GHSA-3pv8-6f4r-ffg2 — OSV.dev. https://osv.dev/vulnerability/GHSA-3pv8-6f4r-ffg2 (modified 2026-09-10T03:51:04.454810375Z)
22. OSV advisory GHSA-3rjw-m598-pq24 — OSV.dev. https://osv.dev/vulnerability/GHSA-3rjw-m598-pq24 (modified 2026-09-10T03:51:10.250390903Z)
23. OSV advisory GHSA-3v94-mw7p-v465 — OSV.dev. https://osv.dev/vulnerability/GHSA-3v94-mw7p-v465 (modified 2026-09-10T03:50:45.304576252Z)
24. OSV advisory GHSA-5hq8-qhww-jm7q — OSV.dev. https://osv.dev/vulnerability/GHSA-5hq8-qhww-jm7q (modified 2026-09-15T20:15:04.814697144Z)
25. OSV advisory GHSA-5j98-2g5x-46v6 — OSV.dev. https://osv.dev/vulnerability/GHSA-5j98-2g5x-46v6 (modified 2026-10-05T23:00:04.250222435Z)
26. OSV advisory GHSA-6f2x-v7q7-m7m5 — OSV.dev. https://osv.dev/vulnerability/GHSA-6f2x-v7q7-m7m5 (modified 2026-10-05T23:15:03.987605025Z)
27. OSV advisory GHSA-7gcf-g7xr-8hxj — OSV.dev. https://osv.dev/vulnerability/GHSA-7gcf-g7xr-8hxj (modified 2026-09-10T03:51:10.897685062Z)
28. OSV advisory GHSA-8c75-8mhr-p7r9 — OSV.dev. https://osv.dev/vulnerability/GHSA-8c75-8mhr-p7r9 (modified 2026-09-10T03:50:43.807790048Z)
29. OSV advisory GHSA-9g45-5xwm-f3wc — OSV.dev. https://osv.dev/vulnerability/GHSA-9g45-5xwm-f3wc (modified 2026-09-17T16:45:06.215938994Z)
30. OSV advisory GHSA-9pj6-vhgr-3mwh — OSV.dev. https://osv.dev/vulnerability/GHSA-9pj6-vhgr-3mwh (modified 2026-09-16T22:30:08.343637534Z)
31. OSV advisory GHSA-c8m5-c952-6cm4 — OSV.dev. https://osv.dev/vulnerability/GHSA-c8m5-c952-6cm4 (modified 2026-10-27T16:15:05.354395696Z)
32. OSV advisory GHSA-c9xm-49cp-xcr9 — OSV.dev. https://osv.dev/vulnerability/GHSA-c9xm-49cp-xcr9 (modified 2026-10-02T16:30:07.619134114Z)
33. OSV advisory GHSA-cq8v-f236-94qc — OSV.dev. https://osv.dev/vulnerability/GHSA-cq8v-f236-94qc (modified 2026-09-10T03:50:43.958966498Z)
34. OSV advisory GHSA-ghm9-cr32-g9qj — OSV.dev. https://osv.dev/vulnerability/GHSA-ghm9-cr32-g9qj (modified 2026-09-10T03:51:01.732377930Z)
35. OSV advisory GHSA-h2v8-394m-p7vv — OSV.dev. https://osv.dev/vulnerability/GHSA-h2v8-394m-p7vv (modified 2026-10-27T16:15:05.337819489Z)
36. OSV advisory GHSA-h395-gr6q-cpjc — OSV.dev. https://osv.dev/vulnerability/GHSA-h395-gr6q-cpjc (modified 2026-09-10T03:50:35.169824826Z)
37. OSV advisory GHSA-hppc-g8h3-xhp3 — OSV.dev. https://osv.dev/vulnerability/GHSA-hppc-g8h3-xhp3 (modified 2026-09-10T03:51:02.103657748Z)
38. OSV advisory GHSA-phqj-4mhp-q6mq — OSV.dev. https://osv.dev/vulnerability/GHSA-phqj-4mhp-q6mq (modified 2026-09-10T03:51:06.601254514Z)
39. OSV advisory GHSA-pqf5-4pqq-29f5 — OSV.dev. https://osv.dev/vulnerability/GHSA-pqf5-4pqq-29f5 (modified 2026-09-10T03:51:02.503624598Z)
40. OSV advisory GHSA-q2qq-hmj6-3wpp — OSV.dev. https://osv.dev/vulnerability/GHSA-q2qq-hmj6-3wpp (modified 2026-09-10T03:51:06.690531529Z)
41. OSV advisory GHSA-qwgh-2vcv-g2f7 — OSV.dev. https://osv.dev/vulnerability/GHSA-qwgh-2vcv-g2f7 (modified 2026-10-30T15:45:11.580215361Z)
42. OSV advisory GHSA-w44r-93j7-qv28 — OSV.dev. https://osv.dev/vulnerability/GHSA-w44r-93j7-qv28 (modified 2026-10-27T16:15:05.340347056Z)
43. OSV advisory GHSA-w9wp-h8wv-79jx — OSV.dev. https://osv.dev/vulnerability/GHSA-w9wp-h8wv-79jx (modified 2026-09-10T03:50:50.807599062Z)
44. OSV advisory GHSA-xmgf-hq76-4vx2 — OSV.dev. https://osv.dev/vulnerability/GHSA-xmgf-hq76-4vx2 (modified 2026-09-10T03:50:44.840710191Z)
45. OSV advisory GHSA-xp3w-r5p5-63rr — OSV.dev. https://osv.dev/vulnerability/GHSA-xp3w-r5p5-63rr (modified 2026-09-10T03:51:07.254489393Z)
46. OSV advisory GHSA-xv59-967r-8726 — OSV.dev. https://osv.dev/vulnerability/GHSA-xv59-967r-8726 (modified 2026-09-10T03:51:07.319185525Z)
47. OSV advisory RUSTSEC-2024-0388 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0388 (modified 2024-11-10T13:34:40Z)
48. OSV advisory RUSTSEC-2024-0436 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2024-0436 (modified 2026-01-27T22:03:15.694766Z)
49. OSV advisory RUSTSEC-2025-0134 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2025-0134 (modified 2025-12-05T19:07:59.622592Z)
50. OSV advisory RUSTSEC-2025-0141 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2025-0141 (modified 2026-01-16T11:07:28.867553Z)

51. OSV advisory RUSTSEC-2025-0167 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2025-0167 (modified 2026-08-10T19:45:04.530683607Z)
52. OSV advisory RUSTSEC-2026-0105 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0105 (modified 2026-04-25T15:15:06.139681Z)
53. OSV advisory RUSTSEC-2026-0173 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0173 (modified 2026-06-07T21:00:04.318567692Z)
54. OSV advisory RUSTSEC-2026-0183 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0183 (modified 2026-06-17T13:00:04.696626611Z)
55. OSV advisory RUSTSEC-2026-0184 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0184 (modified 2026-06-17T14:00:05.672935662Z)
56. OSV advisory RUSTSEC-2026-0190 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0190 (modified 2026-06-29T14:15:03.650725453Z)
57. OSV advisory RUSTSEC-2026-0221 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0221 (modified 2026-07-31T12:15:04.629484145Z)
58. OSV advisory RUSTSEC-2026-0247 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0247 (modified 2026-08-10T19:45:04.540318330Z)
59. OSV advisory RUSTSEC-2026-0253 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0253 (modified 2026-08-11T11:15:06.101553049Z)
60. OSV advisory RUSTSEC-2026-0292 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0292 (modified 2026-09-21T09:15:02.898993962Z)
61. OSV advisory RUSTSEC-2026-0338 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0338 (modified 2026-10-12T18:15:01.969514645Z)
62. OSV advisory RUSTSEC-2026-0339 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0339 (modified 2026-10-12T18:15:01.956822776Z)
63. OSV advisory RUSTSEC-2026-0340 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0340 (modified 2026-10-12T18:15:01.975478256Z)
64. OSV advisory RUSTSEC-2026-0341 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0341 (modified 2026-10-12T18:15:01.969505433Z)
65. OSV advisory RUSTSEC-2026-0342 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0342 (modified 2026-10-12T18:15:01.956681478Z)
66. OSV advisory RUSTSEC-2026-0382 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0382 (modified 2026-10-29T10:55:54.096394276Z)
67. OSV advisory RUSTSEC-2026-0385 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0385 (modified 2026-10-23T08:30:02.389575143Z)
68. OSV advisory RUSTSEC-2026-0386 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0386 (modified 2026-10-23T14:45:03.847864944Z)
69. OSV advisory RUSTSEC-2026-0387 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0387 (modified 2026-10-24T03:45:02.365137418Z)
70. OSV advisory RUSTSEC-2026-0418 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0418 (modified 2026-10-29T14:15:02.333141406Z)
71. OSV advisory RUSTSEC-2026-0441 — OSV.dev. https://osv.dev/vulnerability/RUSTSEC-2026-0441 (modified 2026-11-05T09:00:02.627533155Z)
72. OSV.dev — open-source vulnerability database and API — Open Source Security Foundation. https://osv.dev/ (the database QSI queries for each exactly pinned version; every advisory id in a finding resolves at https://osv.dev/vulnerability/<id>)
73. OWASP Application Security Verification Standard — OWASP. https://owasp.org/www-project-application-security-verification-standard/ (living standard — check the project page for the current version)
74. P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997) — SIAM. https://doi.org/10.1137/S0097539795293172 (peer-reviewed article)
75. R. Babbush et al. — Securing Elliptic Curve Cryptocurrencies against Quantum Vulnerabilities: Resource Estimates and Mitigations (arXiv:2603.28846) — arXiv. https://arxiv.org/abs/2603.28846 (preprint (2026-03-30, v2 2026-04-15): 256-bit ECDLP with < 1200 logical qubits and < 90 M Toffoli gates (or < 1450 and < 70 M); < 500,000 physical qubits at 10^-3 error, minutes)
76. S. Jaques, M. Naehrig, M. Roetteler, F. Virdia — Implementing Grover oracles for quantum key search on AES and LowMC (EUROCRYPT 2020; arXiv:1910.01700) — Springer / arXiv. https://arxiv.org/abs/1910.01700 (peer-reviewed article: lower cost estimates for the AES key searches that define the NIST categories)
77. Smart Contract Weakness Classification (SWC) Registry — SWC community (no longer actively maintained). https://swcregistry.io/ (historic reference; still widely cited)

Appendices

A. Cryptographic inventory

Algorithm	Parameter	Quantum status	Classical status	Count	Locations	Examples
Keccak-256	Keccak-256	Grover: acceptable to NIST, below ECCG/ ANSSI guidance	acceptable	90	90	contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/manager/AccessManagerUpgradeable.sol:625; contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/GovernorUpgradeable.sol:35; contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/TimelockControllerUpgradeable.sol:27
Crypto library openssl (OpenSSL)	0.10.75	n/a	acceptable	1	1	Cargo.lock
Crypto library p256 (RustCrypto elliptic curves)	0.13.2	n/a	acceptable	1	1	Cargo.lock
Crypto library k256 (RustCrypto elliptic curves)	0.13.4	n/a	acceptable	1	1	Cargo.lock
Crypto library ecdsa (python-ecdsa)	0.16.9	n/a	acceptable	1	1	Cargo.lock
Crypto library ring (ring (Rust))	0.17.14	n/a	acceptable	1	1	Cargo.lock
Crypto library rustls (rustls)	0.23.36	n/a	acceptable	1	1	Cargo.lock
Crypto library secp256k1 (secp256k1 bindings)	0.27.0	n/a	acceptable	1	1	Cargo.lock
Crypto library secp256k1 (secp256k1 bindings)	0.30.0	n/a	acceptable	1	1	Cargo.lock
Crypto library secp256k1 (secp256k1 bindings)	0.31.1	n/a	acceptable	1	1	Cargo.lock

Crypto library jsonwebtoken (jsonwebtoken (Node))	10.4.0	n/a	acceptable	1	1	Cargo.lock
Crypto library x25519-dalek (ed25519-dalek)	2.0.1	n/a	acceptable	1	1	Cargo.lock
Crypto library ed25519-dalek (ed25519-dalek)	2.2.0	n/a	acceptable	1	1	Cargo.lock
Crypto library curve25519-dalek (ed25519-dalek)	4.1.3	n/a	acceptable	1	1	Cargo.lock
Crypto library jsonwebtoken (jsonwebtoken (Node))	9.3.1	n/a	acceptable	2	2	Cargo.lock; Cargo.toml
Crypto library k256 (RustCrypto elliptic curves)	0.13	n/a	acceptable	1	1	Cargo.toml
Crypto library secp256k1 (secp256k1 bindings)	0.30	n/a	acceptable	1	1	Cargo.toml
Crypto library ed25519-dalek (ed25519-dalek)	2.0	n/a	acceptable	1	1	Cargo.toml
Crypto library @noble/hashes (noble-hashes)	1.2.0	n/a	acceptable	4	4	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/package-lock.json; contracts/lib/openzeppelin-contracts-upgradeable/package-lock.json; contracts/lib/openzeppelin-contracts/package-lock.json
Crypto library @noble/curves (noble-curves)	1.2.0	n/a	acceptable	4	4	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/package-lock.json; contracts/lib/openzeppelin-contracts-upgradeable/package-lock.json; contracts/lib/openzeppelin-contracts/package-lock.json

Crypto library @noble/hashes (noble-hashes)	1.3.2	n/a	acceptable	4	4	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/package-lock.json; contracts/lib/openzeppelin-contracts-upgradeable/package-lock.json; contracts/lib/openzeppelin-contracts/package-lock.json
Crypto library @noble/hashes (noble-hashes)	1.4.0	n/a	acceptable	4	4	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/package-lock.json; contracts/lib/openzeppelin-contracts-upgradeable/package-lock.json; contracts/lib/openzeppelin-contracts/package-lock.json
Crypto library @noble/curves (noble-curves)	1.4.2	n/a	acceptable	4	4	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/package-lock.json; contracts/lib/openzeppelin-contracts-upgradeable/package-lock.json; contracts/lib/openzeppelin-contracts/package-lock.json
Crypto library @noble/secp256k1 (noble-curves)	1.7.1	n/a	acceptable	4	4	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/package-lock.json; contracts/lib/openzeppelin-contracts-upgradeable/package-lock.json; contracts/lib/openzeppelin-contracts/package-lock.json
Crypto library @noble/hashes (noble-hashes)	1.7.2	n/a	acceptable	4	4	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/package-lock.json; contracts/lib/openzeppelin-contracts-upgradeable/package-lock.json; contracts/lib/openzeppelin-contracts/package-lock.json
Crypto library @noble/hashes (noble-hashes)	1.8.0	n/a	acceptable	4	4	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/package-lock.json; contracts/lib/openzeppelin-contracts-upgradeable/package-lock.json; contracts/lib/openzeppelin-contracts/package-lock.json
Crypto library @noble/curves (noble-curves)	1.8.2	n/a	acceptable	4	4	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/package-lock.json; contracts/lib/openzeppelin-contracts-upgradeable/package-lock.json; contracts/lib/openzeppelin-contracts/package-lock.json

Crypto library @noble/curves (noble-curves)	1.9.0	n/a	acceptable	3	3	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/package-lock.json; contracts/lib/openzeppelin-contracts-upgradeable/package-lock.json; contracts/lib/openzeppelin-contracts/package-lock.json
Crypto library secp256k1 (secp256k1 bindings)	4.0.4	n/a	acceptable	4	4	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/package-lock.json; contracts/lib/openzeppelin-contracts-upgradeable/package-lock.json; contracts/lib/openzeppelin-contracts/package-lock.json
Crypto library ethers (ethers.js)	6.14.0	n/a	acceptable	3	3	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/package-lock.json; contracts/lib/openzeppelin-contracts-upgradeable/package-lock.json; contracts/lib/openzeppelin-contracts/package-lock.json
Crypto library elliptic (elliptic (Node))	6.6.1	n/a	acceptable	4	4	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/package-lock.json; contracts/lib/openzeppelin-contracts-upgradeable/package-lock.json; contracts/lib/openzeppelin-contracts/package-lock.json
Crypto library ethers (ethers.js)	^6.14.0	n/a	acceptable	3	3	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/package.json; contracts/lib/openzeppelin-contracts-upgradeable/package.json; contracts/lib/openzeppelin-contracts/package.json
Crypto library jsonwebtoken (jsonwebtoken (Node))	workspace	n/a	acceptable	1	1	crates/eth-engine/Cargo.toml
Crypto library k256 (RustCrypto elliptic curves)	workspace	n/a	acceptable	3	3	crates/execution-txpool/Cargo.toml; crates/quake/Cargo.toml; crates/spammer/Cargo.toml
Crypto library secp256k1 (secp256k1 bindings)	workspace	n/a	acceptable	1	1	crates/quake/Cargo.toml
Crypto library @noble/curves (noble-curves)	1.9.2	n/a	acceptable	1	1	package-lock.json

Crypto library @noble/curves (noble-curves)	1.9.4	n/a	acceptable	1	1	package-lock.json
Crypto library @noble/ed25519 (noble-curves)	2.3.0	n/a	acceptable	1	1	package-lock.json
Crypto library ethers (ethers.js)	6.14.4	n/a	acceptable	1	1	package-lock.json
Crypto library @noble/hashes (noble-hashes)	^1.8.0	n/a	acceptable	1	1	package.json
Crypto library @noble/ed25519 (noble-curves)	^2.3.0	n/a	acceptable	1	1	package.json
PQC library slh-dsa (RustCrypto post-quantum crates)	0.2.0-rc.5	post-quantum	acceptable	2	2	Cargo.lock; Cargo.toml
PQC library slh-dsa (RustCrypto post-quantum crates)	workspace	post-quantum	acceptable	2	2	crates/pq-precompile/Cargo.toml; crates/precompiles/Cargo.toml
SLH-DSA		post-quantum	acceptable	3	3	crates/pq-precompile/src/lib.rs:22; crates/precompiles/src/bin/generate_pq_test_vectors.rs:11; crates/precompiles/src/pq_test_vectors.rs:26
SLH-DSA	SLH-DSA-SHA2-128s	post-quantum	acceptable	1	1	crates/precompiles/src/bin/generate_pq_test_vectors.rs:56
ECDSA	secp256k1 (ecrecover)	vulnerable (Shor)	acceptable	2	2	contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol:148; contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol:148
ECDSA	secp256k1	vulnerable (Shor)	acceptable	4	4	crates/quake/src/nodekey.rs:23; crates/quake/src/rpc/valset_manager.rs:25; crates/spammer/src/accounts.rs:20

ECDSA		vulnerable (Shor)	acceptable	3	3	crates/quake/src/rpc/valset_manager.rs:25; crates/spammer/src/accounts.rs:20; crates/spammer/src/generator.rs:23
Ed25519	Ed25519	vulnerable (Shor)	acceptable	5	5	crates/signer/src/local.rs:26; crates/types/src/codec/proto.rs:28; crates/types/src/proposal_part.rs:26

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

B. JSON

qsi.report/1 · SHA-256 2cb1f259975c8af684ffa81af50b3a9c029ff2d5a6375299ede323d6502412cd

C. Input files

File	Size	SHA-256
.cargo/config.toml	88	4869cd5432bb99dc9355fcef9097cafa8cc4801a1bb2476fc4522a5
Cargo.lock	383735	856e1f4149051554ac6ca8a41f9a85ac23398dfccdc428430879f27
Cargo.toml	16100	48f968bca9c09b55e223ecff5a5fc0ead011a9cb8df170151fd2627
assets/devnet/genesis.config.ts	5963	ffaa618e0729c2441e8af86f86affeca4f1759575aa436f287dca4e
assets/localdev/genesis.config.ts	6060	89c9971d57512d25e12cf947ac6b7a7359964de0878cfdf024e59a3
assets/mainnet/genesis.config.ts	6297	df635ca0b44d667f3446abf6eed99ba30066fcee981ed4ac3b881b9
assets/testnet/genesis.config.ts	5687	274222211ae09b7088381d17c8f5672684b90b736e34c1aa325365f
contracts/scripts/Addresses.sol	2466	66a5c565bd6f5d8c923e3c0055452abc6affb593d8851342fb5bc8c
contracts/scripts/ArtifactHelper.s.sol	12903	401ddc8f6d3fa2b1deadc7f37d3618a718432ef47562da9f818f686
contracts/scripts/DenylistManagement.s.sol	8615	a65548e15480cd037a174ec7c23ce68533cc6ee2e141877a154ebc5
contracts/scripts/DeployGasGuzzler.s.sol	1121	196141a931b87876a33814bb33d657c01161c86696fe182ca9542b7
contracts/scripts/DeployMemo.s.sol	1725	75cc596a34c87f5c67f3a06251e05cd04d095420da24d01560ad5dc
contracts/scripts/DeployMulticall3From.s.sol	1176	4b90e646f1d7c04d608a8bdf09406e6b8c1defd24c4ad4ccd97142a
contracts/scripts/DeployPermissionedValidatorManager.s.sol	4448	7d6ab17aac36e0d27584197e9591d6a892142ac03395c80d9625f27
contracts/scripts/DeployProtocolConfig.s.sol	1932	a23ed2a04f7ea0819b77a3b270bef7b6ffdf6b0c84e43bd0cf7e507
contracts/scripts/ProtocolConfigManagement.s.sol	18919	6618428965b7dabeba4f2d7fc11424d368114441003bf3c89c3f67f
contracts/scripts/ProxyManagement.s.sol	2234	f4ba6d45bdd0785ec5a2dd71b5066176ff5e5c33f8607745028c9fb
contracts/src/Denylist.sol	6283	c149e7649461e6cf813f4da9b52eb1c503588ac93f7676a8776acb3
contracts/src/Precompiles.sol	1251	4f3451b4d727b329cb79e558fcc13ac132c8f34aef5785abe47817a
contracts/src/batch/IMulticall3From.sol	4954	35a1770db908bd891b89a861fd30b0a83b2e149bd3e1470df8a54e5
contracts/src/batch/Multicall3From.sol	7389	11728b7d21c8ea63bbafdc920b3832f721e883306f2a0b7b4a30ce9

contracts/src/call-from/ICallFrom.sol	1443	76c879f70368d1b62b3c55146d11be9bb29bd9b5c6a5b922366c29a
contracts/src/common/roles/Pausable.sol	5642	dfd50cdfab955f02501b55b90e2b48a78dfcdde42866ca83743b92f
contracts/src/memo/IMemo.sol	2342	c7c5ab6645867c7db15fe931d8320cc1a95bc03db21514ace9c2cdc
contracts/src/memo/Memo.sol	2088	347349ba5428da3cc1f50bf6d739c11ba8a71138b256456627d7a0e
contracts/src/pq/IPQ.sol	1572	c21bab2326e33beb2fa0294ebd7d9bb2a64457c95d2bbd308c95c1d
contracts/src/protocol-config/ProtocolConfig.sol	7639	8785eb70aec4e2b2b378d6ab0488e880ba00b29e5c9fb796744df4d
contracts/src/protocol-config/interfaces/IProtocolConfig.sol	3418	ef22eb02b705414f8ee5f728b3519de4b3f4cc6d4fa6bf7b69f3c54
contracts/src/protocol-config/roles/Controller.sol	4007	5cb3acbd81e41b845da0059357c93d526d77ce395ef1fa314ff1647
contracts/src/proxy/AdminUpgradeableProxy.sol	4055	ad0ea3e7dac75d32c6064fcebb6789be2a834af68d46f7c3fe01bf3
contracts/src/validator-manager/PermissionedValidatorManager.sol	7059	c5ed1f71c18d3021e12f06f3f9849cde89205d8af6ff599f3b3ad48
contracts/src/validator-manager/ValidatorRegistry.sol	11396	7e3d7818a881f3ae77dc2b619a453f87bacabda16d1a2469ca24475
contracts/src/validator-manager/interfaces/IPermissionedValidatorManager.sol	2169	67dc362f361e57221065b981cdd352353c951163338d4f4c3a828f1
contracts/src/validator-manager/interfaces/IValidatorRegistry.sol	3273	c1054bce8bec98dcb90d3ce52d474cb6f928b8f160b9e5f78425ba9
contracts/src/validator-manager/roles/Controller.sol	8575	184585e0242064274a8a5381e6c50db428fa8a5f4707d51ade280df
contracts/src/validator-manager/roles/ValidatorRegisterer.sol	5833	6127ac456a7e51fa35a4c951c536e097a1cffebbcec2883ab87e010
crates/consensus-db/Cargo.toml	1069	e55b9483ea31cba36cc99c47a4626491d9b5f4d6a235b2c2fddb8a3
crates/consensus-db/src/decoder.rs	23879	afd7327e1c697aedd1f9da6aebafbfe65bf89f7a001ca3856595043
crates/consensus-db/src/encoder.rs	14875	9fc5300e25705495dd4589543ffec408614754479b425ed802b3a39
crates/consensus-db/src/invalid_payloads.rs	4193	2d9c887819e7272078330f4d40dba6cd9e37496f259fa0636730ec5
crates/consensus-db/src/keys.rs	3688	73e5388c7dc9888d10b385f2092de5c51824d2b92f07c4ef071e3b5
crates/consensus-db/src/lib.rs	1243	c46b3bb49f8a1f3cff6cf5d098e32e6755b4f425cc0cda3ecd7d838
crates/consensus-db/src/metrics.rs	6279	7c20b5846eae31e99389e9b94835cccb3da295495d099b5f99575ed
crates/consensus-db/src/migrations.rs	52653	bdb6e03ed689562d14e6cb94cdd3146492b42ea0da5f7897a3247ad
crates/consensus-db/src/migrations/migrators.rs	12910	f7bb9325ec504a13fab28693eddf2602c64b7320380459186e4faaf
crates/consensus-db/src/repositories/certificates.rs	1946	abca9edd49e30af252e07dacc3adf9a06955b09ebaa13703ae51d4b
crates/consensus-db/src/repositories/decided_blocks.rs	2426	9cf2bd094df43af98be4211c61b93d648bf292be92bba90dafadc87
crates/consensus-db/src/repositories/invalid_payloads.rs	2167	e5d3254529c1eee5d512402f6a5d39ab306303b6ab4fcae2ee54309
crates/consensus-db/src/repositories/mod.rs	1581	b597e3a548be36a2397aea8c60a139a51c79e9ab4b8eaa7bdd7962f
crates/consensus-db/src/repositories/payloads.rs	1509	7095f1c170956ee5545ceda4367ff0bef5094f5740bc687a21887cd

crates/consensus-db/src/repositories/pending_proposals.rs	2438	509b1eab77c6039d3e8c795dc9bf6585ca3fc9f3ec60c4409c2a993
crates/consensus-db/src/repositories/undecided_blocks.rs	3883	ffe41d0a389ac508d32295b57f3f6f9a4f491dd0d3da9daeba9ed8f
crates/consensus-db/src/services/mod.rs	870	dd947a9ef1d5cef6638b41cb8a7e489ba08c731808f1297446ebb79
crates/consensus-db/src/services/pruning.rs	9519	0c40ce8fea186d1555b149897bd2579c58b8520ffbe3c7e9851eb04
crates/consensus-db/src/store.rs	133040	f825d41a65195065d856ba1e1bbd8a73165b6f01fff1e59ea4a322d
crates/consensus-db/src/versions.rs	5647	be9c7dbc710a88d368b79363cf78f46a46af74a16692f9fe588beba
crates/eth-engine/Cargo.toml	2095	1b38647384de540273b6db2d5dd1a20255eff392c9c5177c46f121e
crates/eth-engine/src/abi_utils.rs	23225	697cb615b4649a13797f90edb6cfd098a55e6914c5d54ef243de2cb
crates/eth-engine/src/capabilities.rs	4517	6b80e07915224f00de993ed791240c1cea967b37091a3df7f509829
crates/eth-engine/src/constants.rs	6147	5418f89a0b5657994e80e16e60cc732d8bccfc438d0311cc625d6e6
crates/eth-engine/src/deadline.rs	5309	d8a6ad6ca1a243786e8120947ffc37c754d6fd96a387a7c865c860b
crates/eth-engine/src/engine.rs	38373	c0cba73a6ac1d86aeccb44bc3dd68b41a85adc5dddfd17774373dd0
crates/eth-engine/src/ipc/engine_ipc.rs	6604	ae2c7cd50b59b5ff1f0f1c9d8d1c62745accfef049db00e5e811b26
crates/eth-engine/src/ipc/ethereum_ipc.rs	30189	5dc4c68f1ed9c79ca952dd3f79ff781b8b6056312c958c6b4a7d129
crates/eth-engine/src/ipc/ipc_builder.rs	7875	69044aa92fbd6ec78a7c2c45bab897341c89d442f60d58e9a4e801e
crates/eth-engine/src/ipc/mod.rs	729	a7f6d4e6ad68c6bfe2ec8098133412ccf35d1559375b3ffa21bf22e
crates/eth-engine/src/json_structures.rs	1228	38127184f86fee91464721bcfd3444420fc3de7917b82652b65eb92
crates/eth-engine/src/lib.rs	1171	c0c5f2cc4ab00c27f01d03bd86bc70fc4efa02f1db26e95470ba856
crates/eth-engine/src/persistence_meter.rs	28465	7288548c00eba8dacc8321dacd27e0916c57326364949df0c41056a
crates/eth-engine/src/retry.rs	1799	287739978bf4da7dd257f4aff34e1cb7c44cbde4b21932d9d495047
crates/eth-engine/src/rpc/auth.rs	2567	c41be51c0fb99ace516c93f3841d4725376f70552bc7b66409206a6
crates/eth-engine/src/rpc/engine_rpc.rs	9007	2283b60e5db161c0407921a3f2c0dfa23dad603674ba58a3abfcab8
crates/eth-engine/src/rpc/errors.rs	8218	7c43a59967c06d12e4b4b4476b04663147caf9030d15ce971578498
crates/eth-engine/src/rpc/ethereum_rpc.rs	26825	0a7ec9f5eca9d8d835537d52f2b695ebc7232989d9def96a2431e42
crates/eth-engine/src/rpc/json_structs.rs	1479	d514396ca1512cd6c3cb855c69e44ff47105a79f00e2a8612d5aa69
crates/eth-engine/src/rpc/mod.rs	809	d5f455b1095aa0c5ef1876c7ff56e631fff7753980a0796ebf55996
crates/eth-engine/src/rpc/request_builder.rs	4878	a907ed01136495c3f9d75bbaf299d868bc7145a291e5b5e8121fc82
crates/evm-node/Cargo.toml	2470	9c2e22bc63e0b7817544f13dc06c222ba5fd03b5992d0862b34e20e
crates/evm-node/src/engine.rs	15511	9934090f8ee248cbbebb4acc818f18ce2b190509c7d12ec3aec5aa5
crates/evm-node/src/lib.rs	1073	960cc834dd39a4fa405716197f592acfceda72637dd89d7579bda62
crates/evm-node/src/node.rs	33791	d930d6c5c7c7e1848071fac64046d1e3390dd7a76d63b6371543cb9
crates/evm-node/src/payload.rs	4975	d538057bb3b34ca0fa70498831fd7ed05a2e9f962dcc10211537da2

crates/evm-node/src/rebroadcast.rs	7335	ce89988d899278a1d54c793d6d1d80a2b7e292f1a3d06174d8d73c7
crates/evm-node/src/rpc/arc.rs	2492	8394c74bae369bca8fc26a590ee6c423e7d44b094b213b14d4251d9
crates/evm-node/src/rpc/common.rs	3429	a95ba9e21aaa77641854021e221d44f5e540442e83e86f649f1586b
crates/evm-node/src/rpc/get_certificate.rs	10268	0cbefbf1f90608e40db93b13d4c4b8750a81a857eb3eaebe80053c8
crates/evm-node/src/rpc/get_version.rs	1511	6efc4cb5ee03c3efafbc5efdbfe8459d3c1fdc53797e96cc4da2be2
crates/evm-node/src/rpc/mod.rs	776	9d075af585493a440ee9faeaf578ed1bc10ca56f671544c9f63bbc3
crates/evm-node/src/rpc_middleware.rs	101581	02e9a4a6f9dd6a3e5fa6d9b1edef1ec312f02f9679ed3d5f7de4ca8
crates/evm/Cargo.toml	1578	44cc1ae2197b436b7b7ee5eccf8f2f81ad733b1871ba3e1d21b27bd
crates/evm/src/assembler.rs	4276	be122b73120ea49aa607a9a698694385c4f4fa779684a78eabc4584
crates/evm/src/evm.rs	347331	e7e6d819af5ac57529adaec76e719aa2d1c25f8a9a5cb0cc67896f2
crates/evm/src/executor.rs	54917	36204a2532f30f451869c8703f2ba0b9a86fe09a119b3b3128d3298
crates/evm/src/frame_result.rs	5920	3e726b5e8b408466659c2e2b895325c5c26e65825ed8cef077419f7
crates/evm/src/handler.rs	32410	b0bf0d16c0d4aaa488870003a1b25bdaa84e556aad8f168decbce3a
crates/evm/src/lib.rs	1231	2dd4ca8eaff230041256afc4b1a8ce6cf6dda096aa21f8faab2862e
crates/evm/src/log.rs	2964	3f1db926e8c54e471ac803311df4b1556212b0f9bbd887458c4fbad
crates/evm/src/opcode.rs	60636	aef04b21c03418812a09d5ea53cd7fd44771f4be4047e3d03b4dfbf
crates/evm/src/subcall.rs	5914	87a2964d94cdf06993597638dc8400484c2ad6d9dd01cb8ee8f7c63
crates/execution-config/Cargo.toml	1330	7f427db32d264a773e99d75a582b6f8ff15fb5e78e5ec8187c0f0d0
crates/execution-config/src/addresses_denylist.rs	6023	dc4d077cbfe711e18162769e287dac62345c49b8acda58b3888d36f
crates/execution-config/src/call_from.rs	1189	289602256d435e2d82b70a0ddf1a24077624e715638cfd4d2e4324b
crates/execution-config/src/chainspec.rs	84748	af8fd10f217ed78c722f4f18ce738c31d7204ba00b94fb552b64980
crates/execution-config/src/defaults.rs	5279	3f0f463bf94b96f0e94f279ece2f02af736cc5bc149179d0fe56020
crates/execution-config/src/follow.rs	3482	d02ce18930cbeaef8b6b69aec03f044a5fd70e4eee32e99cf025b21
crates/execution-config/src/gas_fee.rs	15392	0344a2f7708e8ed3f8d533cdfc5c68e6bb0d20a6e18d73b8107903f
crates/execution-config/src/hardforks.rs	37762	c41e9cf23920d3017e9fe01930801b71f1f810c67c825ece69b620a
crates/execution-config/src/lib.rs	1005	718de89c46353dfd5a1990db42c84b8ea11746946846a5285759251
crates/execution-config/src/native_coin_control.rs	3006	e04f3ba66a337fa8e695bde6eb24c32e2365ff33715c3db5613da4c
crates/execution-config/src/protocol_config.rs	9732	79da91003807f4eaca85020e58fac086a2be65e66c4fe3548624ae6
crates/execution-e2e/Cargo.toml	1840	3da97e51f53a60c4bee4906811febe970d8f504054d6fb1b354b29f
crates/execution-e2e/src/chainspec.rs	3689	275a13a5a79728fc07b6aa5906d7c1b94f777352b9517f733de5b5d
crates/execution-e2e/src/lib.rs	1071	b33def44871c8a26a184bc028781cf7fcae68588352b19603a8ecfb
crates/execution-e2e/src/node.rs	13822	ae38d5262f8865a2e0079b0dce73ce1f2b62541f846514d9549c99a
crates/execution-e2e/src/setup.rs	9034	bf123b626d6487cef23390d1fa8747f1e92dec4080833c017ed1fb6

crates/execution-payload/Cargo.toml	1588	161c3ecd426b0c5fd8721349e9c30b66663ef3c76433ce4bdd2b657
crates/execution-payload/src/builder.rs	1190	69ea2edfe1337c7ae96f217767d1de4d98ca35a23053b36bf19be0d
crates/execution-payload/src/lib.rs	855	2610eb9ca6086e786ad975cd4aa5ad405bf66b80971b0958b033e04
crates/execution-payload/src/metrics.rs	4531	cfcc8ef77495f6ab67f2cff917f977403c5778f1ef3beba1509865d
crates/execution-payload/src/payload.rs	73249	795461d1477c5ca6347ff77c4b2d8c9e4429c709da200ed0005dee2
crates/execution-txpool/Cargo.toml	1501	82a10c92eaad4d3113e9fe5ac6be0b734b73a826e20dd3aed076514
crates/execution-txpool/src/error.rs	3079	d72fae8f6b2c90e2f1b95a869e558b1600201bab600558021039143
crates/execution-txpool/src/lib.rs	1579	81f21c6b2df073b3f07fc386d739efebc8c8dce00c6829f3b1bf546
crates/execution-txpool/src/pool.rs	9415	ba39ee2c013e3725515e8181e413c7afcd808a1cd36b02b6d6f5ed8
crates/execution-txpool/src/validator.rs	57425	43345385f0f8cd8dbbb4a924e0b040dc71997fe434d184fb5698011
crates/execution-validation/Cargo.toml	954	c1416254a72b0930306959f3c5e940ead253436f8b096a4f301871f
crates/execution-validation/src/consensus.rs	34253	7424ad2807626911871010c7c7a98c283a4f1f3d9c6f0e2ec0276b3
crates/execution-validation/src/denylist.rs	6094	7a35a811c731de9a16143f3ff522a5e78c0b8f28ac344014380d399
crates/execution-validation/src/lib.rs	809	613c0606080a397f0412c643fdd0f4e332c9b4be1463ed6e1132876
crates/malachite-app/Cargo.toml	3501	fd4b85f751c066f0bfce9f85cc7c4b24f5c9c3b5f3914552c31c063
crates/malachite-app/src/app.rs	29116	7e23edfb8ec48d68415636982a484df3ff35194aea1e8437739cfd8
crates/malachite-app/src/block.rs	708	b60818ff7dbec4a097bc5f55892be4edeafc551a78b3315fd211965
crates/malachite-app/src/config.rs	13619	239b1f42604b3f9ecf5e638cb8d8107528a8909a0d9e0a07faa9f1a
crates/malachite-app/src/env_config.rs	24307	9e183b66c96b3844f63c6aec6e6191096636a164886999d8d0aab13
crates/malachite-app/src/finalize.rs	7698	ea38984cba9808540d97cedc911f3ec7c9c42b2ceba802d6cdad2be
crates/malachite-app/src/handlers/consensus_ready.rs	71402	06610ad8e460beb6b506d47f015321d6bc8bda696fcfed4031ce83b
crates/malachite-app/src/handlers/decided.rs	44604	5bd3bc367ca9d069336559735b351edde44fe3e8fc04d5eeca98752
crates/malachite-app/src/handlers/finalized.rs	5204	9e44ef2cfeb6b8a6478ddcb98d0ac3641ad5b855abc97f67e316efd
crates/malachite-app/src/handlers/get_decided_values.rs	18185	c79857206a5b69d9ab086c812643ea5bad7f64889efde561dd82ce4
crates/malachite-app/src/handlers/get_history_min_height.rs	5736	5cdf0bfc0df23522454f11a439c1c10d94acad37293b0ca7ef82feb
crates/malachite-app/src/handlers/get_value.rs	26375	7b8ceccdfb187ea6848ad2fe262834700a1825d193ba21645ab4f51
crates/malachite-app/src/handlers/mod.rs	1183	6021d9e0400e0d9acde1dd3877b8fe63fb05fc292449405394de705
crates/malachite-app/src/handlers/process_synced_value.rs	40506	5a9784910cd8a31b53fe621cdfb141b3292ec11fd146df8599a5b6e
crates/malachite-app/src/handlers/received_proposal_part.rs	57261	3071bcc14ed42ca727dd364930ef2823424b0246f64de88ebdf62ec

crates/malachite-app/src/handlers/restream_proposal.rs	12173	3b73452678d5bfed2ce9db3d17e2e33f00525bce5258d2fa193d295
crates/malachite-app/src/handlers/skew_gate.rs	11016	ca6ac6df8c9fe58dc491018381c3e9f6844e989061ed897097358cb
crates/malachite-app/src/handlers/started_round.rs	55764	67ccd8353e705b7892c4600b532ca483b075a7c94c390aeaaf0e93a
crates/malachite-app/src/hardcoded_config.rs	20007	8ea381235598364a9395ec6c02de9b3fb8be7da61e35975c9ac153d
crates/malachite-app/src/lib.rs	1092	578489ada036dc5ddca0b68de244ea2a9b9f0af727fd44cbbba09b3
crates/malachite-app/src/main.rs	29421	199c04a81ae85e70fca256a0fba9664343847e1aa4302e713bc0333
crates/malachite-app/src/metrics/app.rs	36250	2824c4aadb2e3e6623b81fd2f24f2e14f775dba7fcf83bd2827f54e
crates/malachite-app/src/metrics/db.rs	706	90a1a97d5e730c0478601ad535bf1ed3a0d9726246b40ac05bd2210
crates/malachite-app/src/metrics/mod.rs	954	2d57ec59c06159a30e279bdd6a4e9272962ad18c0682ab4b365f635
crates/malachite-app/src/metrics/process.rs	12281	c2bf0edaeb00da5f7aa7c4d45c2f9f197cf0a3bf7d335b7872af620
crates/malachite-app/src/metrics/validator_set.rs	2741	ca76bb7b3b6d52824c149dbe3f65c6c75629586548588ce0fd3d3d6
crates/malachite-app/src/node.rs	56902	8d415e08d4b13d3235eff785b1583c773d37d6bc4f3372e34fab9e5
crates/malachite-app/src/payload.rs	44245	081291b1c393e13e05eaf1aeca7b6fd274b62e75460d34a61bd7759
crates/malachite-app/src/proposal_parts.rs	20783	46946af6d96e3e9993bf73832c010c5bdedc6b5934ad332c9c7b0e0
crates/malachite-app/src/request.rs	14312	d49a485ea348ab41dca87c9bff148caaebb34303508645f79da2036
crates/malachite-app/src/rpc/handlers.rs	19576	56986208065c711694c4d6997e7ba9d5757487390088a848695db70
crates/malachite-app/src/rpc/middleware.rs	3883	b44ccee8ecd54cbafc84ea0ab785b7ddd46e3ae8ad606fefd5a0407
crates/malachite-app/src/rpc/mod.rs	971	27da7c4f44ce611e3521b89344c7955920269b7a119976487369096
crates/malachite-app/src/rpc/routes.rs	60005	8a58dda9ed2c278cb30f42fea76ad7063c5055c93a1e6ee82476459
crates/malachite-app/src/rpc/types.rs	40906	327fa3eedd4554d37b625ab4314521fe17d2c4b78d1366517b56744
crates/malachite-app/src/rpc/version.rs	5485	cae40866ffdb196fd3069dc868718a3bd5a02d4b361b5dcd6c409b1
crates/malachite-app/src/rpc_sync/client.rs	10393	ee035702a2df37a795f72bba594e73318adada814aa9b145baec801
crates/malachite-app/src/rpc_sync/mod.rs	2186	9380ffc361600de1ca6faf792ff678ac8d7893ffc11f2846554fe974
crates/malachite-app/src/rpc_sync/network.rs	15244	f65e0d1465bf50e354da69e4b091aec72ce46f3c6b3c7f1bfacc145
crates/malachite-app/src/rpc_sync/peers.rs	7989	a9b83e06cd4ef3e77507c7e14c6d9fad1f59d5ab376b8d99efdcac7
crates/malachite-app/src/rpc_sync/ws_subscription.rs	7894	067102ab3033805df88378c689ff614e89ab338c5b6079d912883e5
crates/malachite-app/src/state.rs	34813	042500f17fbb8f52edb8611d544941c979c3c26c95cad01b4f692b0
crates/malachite-app/src/stats.rs	3081	a180c5f53dc9e3e072d6e89ed39d7ae53e5538662593048bd62fd05
crates/malachite-app/src/streaming.rs	103895	9dd2ee152680ee61b1166bb3b94677fb3c312c0a41906398dcdb77e
crates/malachite-app/src/utils/coord_upgrade.rs	1959	982b37264ef3bbd558f506ef49dd666f37f3336c3b1726a2058dbd2
crates/malachite-app/src/utils/mod.rs	783	c610255f6156e584a48db97633b34190272554e18ed451571e1b8ae
crates/malachite-app/src/utils/pretty.rs	2746	c9e6d1d7f5b32a86abe2b70c3ab0d8a733935009fd5d7afaeec693b

crates/malachite-app/src/utils/sync_state.rs	3064	f2abfc6ee7657ecc2e99db3cecaa05e5115880b966f95a919c3ad80
crates/malachite-app/src/validator_proof.rs	7458	572fb4d94cb4c8ff394585413959fc4ba7b8913f759f6e3ff9ad725
crates/malachite-cli/Cargo.toml	1372	d55990732c8817b309284c36f63efad240ca9b4e6716996a7c48682
crates/malachite-cli/src/args.rs	4111	f510d773c5abb11d94783ea03746001b480ae7fbca54e47947cfe3a
crates/malachite-cli/src/cmd/db.rs	1975	0daa8ed6fa160985c1a0678704ff89726ebdf6160f26a0c39769907
crates/malachite-cli/src/cmd/download.rs	7956	45092418429ab253f17b5325c43ddd5bf6590daeb0d79f9993f2b02
crates/malachite-cli/src/cmd/init.rs	6873	3b5fb80b143154d1260bca40bce2503ab25805f11530f72e22ab6c6
crates/malachite-cli/src/cmd/key.rs	3239	0a9da466be90eae2ae48b59eb6adf1445483e9b9198e314df14aac4
crates/malachite-cli/src/cmd/mod.rs	741	f103ac7ae909e840aea595384f85f4900339f704531145da9b742fb
crates/malachite-cli/src/cmd/start.rs	64228	69aedb417d781ca03db79447aa750a019a647f8b21de55c332d64d6
crates/malachite-cli/src/error.rs	1963	368744ad553037c3eb60ed519e8a1c2a8751b7fd15cab885a841965
crates/malachite-cli/src/file.rs	2104	23c25520bd142c9d7dd387154d6a0566498bf52280dd37f2d1b3d4d
crates/malachite-cli/src/lib.rs	845	65398d9ddeda4f21013ee547c0ab446174c67a7a6ce32ab72705d71
crates/malachite-cli/src/logging.rs	3347	892bc56cd5055a7e1901fc5b5011b84326621d10075f27210270b6e
crates/malachite-cli/src/metrics.rs	3969	7bcca5ad4f1af51650e27ac00a03f410422ce625d8a3dbe1e42de7c
crates/malachite-cli/src/new.rs	4378	ad66bb3aea1f42e0341570b74df646be030023dde463969fbe8e60c
crates/malachite-cli/src/runtime.rs	1291	da4dccf2494b35de5051cbddf77615fd6155078b80b98849a744f36
crates/mesh-analysis/Cargo.toml	600	1f2029691c90ba0dc8a6963d143e28e0363f1b030e2f86b55e351a1
crates/mesh-analysis/src/analyze.rs	11476	b104539181bf9004516a9cbce9479ae4f6e65233571630dced680b5
crates/mesh-analysis/src/fetch.rs	1902	35644539c5da12f22ef024fbf3838bdc93f1b70b326f4641db9f421
crates/mesh-analysis/src/lib.rs	1204	7b7ae0d21743bcdbbacb23c3ae56d98b42a4812f3fb81d3c430b208
crates/mesh-analysis/src/main.rs	5131	3b38700b600eb2580c8aba7cd8b14d411b14c04007603989de5aecb
crates/mesh-analysis/src/parse.rs	10725	e98b01138ae97ec52988715783465a5e38baf9991e9cdd92788a2c5
crates/mesh-analysis/src/report.rs	21201	cfab0bda342e407eb4ca9c2fb839bd4a32f842cf3dcefc894b3884d
crates/mesh-analysis/src/tier.rs	7315	6dfc3cdec39174b4c8e18dda3a82bf430fa0be667505f9753f42abc
crates/mesh-analysis/src/types.rs	4470	61229ab079a044c3e58cc2a591f70772aa9450d9eec32eb670ec264
crates/node/Cargo.toml	2699	71e86956a4ceb9279ca319526c26e2a4d4ffc858623d693947d7ec4
crates/node/src/args.rs	5690	ef55f273278c70e2edd5aec3e5afc5f26359d04e72321f5dd3ef498
crates/node/src/lib.rs	1117	222dc8dbb389ffc86458afaa3180c117b11bf017feb73758c26e19d
crates/node/src/main.rs	59061	0a338a30dc91fccc31d49f5515835fa6bbf806fdef4f710c5740e3b
crates/node/src/metrics.rs	1208	56e0258c7be17f0cfb571d73a3994e10e2c0af1e1fd9cd412db405e
crates/pq-precompile/Cargo.toml	434	2ac48178eb02afb9fd6c87b56abc50e63cca4c8b6f4a5f736313878
crates/pq-precompile/src/lib.rs	10713	7dc6b9eb424053cf977f726602abfeabeff4f5b06f17d737907c7ee

crates/precompiles/Cargo.toml	1389	1c364ce3c9d9453c031295963b274980e3eaacd99b3b9b3ee6510e4
crates/precompiles/src/bin/generate_pq_test_vectors.rs	2763	c6c925e90f303edb26a8954b15556642226cb8d5e97f9b9be6e68df
crates/precompiles/src/call_from.rs	18364	0b4aa52cb1e7d5d7ee9b1ac0e5e810f6f7a3946e8ae583eddd2b17a
crates/precompiles/src/helpers.rs	50824	425612d11669684f15954f6cff822b6e6c3a28ab6685b6c2c474f8a
crates/precompiles/src/lib.rs	7460	001a43235b9c8ff3af09b069ea49f79b1488180c16ec18957db0308
crates/precompiles/src/macros.rs	5612	6f64927ac320247b806b4b0a2f7ab3c7759f1ea1a4096607c348872
crates/precompiles/src/native_coin_authority.rs	100147	db22ab5be2dc4daad10ada283dd4dc43ae26d025732b010b2527456
crates/precompiles/src/native_coin_control.rs	48315	da22c78a060ba1b5248e27f44d87654054cd259dbfc02fa1f299c6f
crates/precompiles/src/pq.rs	10256	3963c67942011c41cea87531c2faf6c9199f1570c1999c0841b53ed
crates/precompiles/src/pq_test_vectors.rs	3024	81e460b9d42f7e76c946cd8dcbeb9e55fcbe349d83b556870bfb786
crates/precompiles/src/precompile_provider.rs	5602	91f0a57399bf96bd1f3445d91f323b21e2dbeee10aff039cc3811f7
crates/precompiles/src/subcall.rs	7013	1bd047487360ccf5b01c1af12a0d6e91be87c03636c2b4bdc05918f4
crates/precompiles/src/system_accounting.rs	60318	e30da7119eabb9dc6eb06ce932edec30cfa81288cda19af0ee7589a
crates/quake/Cargo.toml	2681	8bdfc75ab0b755f65833323050263a7304d1c6c7933fff70110981b
crates/quake/macros/Cargo.toml	189	4539dcf4332e36e359f63f12acaaf4ad3b720e8cf84e41dfb08358e
crates/quake/macros/src/lib.rs	4670	6aeb9f310a288021590e556e85d3f8716f477ea6f78d53abc5138d9
crates/quake/src/build.rs	7597	b9625b674ebf0998a678be680417a0450b91f166db21c8fdacb8edf
crates/quake/src/clean.rs	6212	7bf5716b7749ede19158dcd9e8e6d3168714c4aa9b99c8ae0107609
crates/quake/src/cli_version.rs	14120	2085087828d7b3e6fddad7fe1834c8bd33cfc5f787ce081fe9078b4
crates/quake/src/genesis.rs	5322	4b6ec83191d2afc05e7b1b43ff53c3b68d5110c3fd851f753db93c4
crates/quake/src/info.rs	14669	5204e5f39b24d1cd37e4cdaeeb74b57e6800ce2f12f352b835742469
crates/quake/src/infra/docker.rs	3772	8494889bb1303112bd3f7cba63d9aa8f901e5d716d37fd3b5f085d1
crates/quake/src/infra/exec.rs	3310	0b0b6124159d99eaa24a9985d989f295dec06a20a2ce5d4a5ee770d
crates/quake/src/infra/export.rs	8907	088186198c532c1d4e29b31f9a3abb81637e4dd8cd96cd96df867aa
crates/quake/src/infra/local.rs	11098	661dc4aba17f365220c47e90b4b886c1660b6de770c6066718a60cf
crates/quake/src/infra/mod.rs	12177	36a818c7db8c7221be1c5cbd27bb7d8852f724dd74a0e4ffee3414a
crates/quake/src/infra/remote.rs	29287	cb9580175ee174fe6756890d5aae9e21e986b447069e0244ccb8c9a
crates/quake/src/infra/ssm.rs	42652	9cf7332bd156633329f98ecc19d9b7e2de01a7d83f170b7a3e96056
crates/quake/src/infra/terraform.rs	12065	2c6d252e29cc309f46460de54c44469f3cb3a39dde496baf3a5821e
crates/quake/src/latency.rs	25599	c7c1b768fae04817e9a3f5504496ba26e1bbdec6dd27585f6be9319
crates/quake/src/load.rs	17233	7d170ec7ee2506cc7a6206d460343a4c6ba6f8a6314cbf59c6375d6
crates/quake/src/main.rs	55538	a0799f66cf426437749f3105b35588674c7ac96c135ec19d7cf20f5

crates/quake/src/manifest.rs	106302	486dd94c0e68e4cb52477434cab2b338f41ad556b9f2e6658655777
crates/quake/src/manifest/flags.rs	19120	88c169130d917e1cee97cec9e940c39fc189180b4885b0803a106e6
crates/quake/src/manifest/generate.rs	40448	ddfe73f2c78995c29cdbe94047a96986b82784b782492371993e90c
crates/quake/src/manifest/raw.rs	48241	c4d3668903c205cc4f25e5013a2a38b20b611c596fcd904cba373c9
crates/quake/src/manifest/subnets.rs	16817	b1b8ade64543478ed32d77865681e9c90440ed4667ce10d2e4c0dd4
crates/quake/src/mcp.rs	60727	5a1841eb9a8b91b85b61297bf949c522833fd86c9bc94d7f7b16eca
crates/quake/src/mesh.rs	1464	e74432a75ac5ca888d783ea09957f2703f90e0ab83be742f15177b3
crates/quake/src/metrics.rs	7245	90e2b88b21810215fbf064d50be4200c4dae0c4055a794fd41de587
crates/quake/src/monitor.rs	23887	e5863d716c6cb9bc3c32617cd840d6e670cec7b50d35b5cb3dc652b
crates/quake/src/node.rs	18307	d10b0b0ee887b86406619652213dcb4b2970fa6e1db81dfabd2e680
crates/quake/src/nodekey.rs	9288	dac4f6d257240d7246f756d1199171d40df840eb59ff220c89d0276
crates/quake/src/nodes.rs	29276	8a006666ade49ef5b75c8c3b89bb0598637e6ade5a929f9b4839956
crates/quake/src/perturb.rs	30981	cd733afe44f5216efb6fcfbbe95b8ac3a3d195adc64073fbc285345
crates/quake/src/report.rs	78547	bb1ac06dd185628ae4a110640ce8677af1204b6437a0bc78c34788a
crates/quake/src/rpc/mod.rs	13136	f534ccb847cdd5dc523012da22e057b6aafb20e03c6c262f46924b0
crates/quake/src/rpc/valset_manager.rs	18099	d970e59689e268781357ccb0661a9b3b0e8c9a6b1744fcdcec60792
crates/quake/src/rpc_cmd.rs	20085	bfe4ef5b6113e009ba2549c22d7bc0bf33487fd55151dbbbce75e7b
crates/quake/src/run.rs	99014	7123bf9ca18fba6444163e9cc6d78aa7a70cf60de2553dc613912fd
crates/quake/src/setup.rs	83580	6937f050482b3d9541bf532f1e21ef4a8b2eeda5f46f8bc23e3ef0a
crates/quake/src/shell.rs	11621	6b050558984e8dd6fff674cd6a3868d5f1499e855966c5d01014de8
crates/quake/src/testnet.rs	62626	7aa6847efcb6e321bd31302881644744fa3ebb94d1cdf0cb2748fef
crates/quake/src/util.rs	5284	36d5296c5420958e844119bda413e862e8f19ef5c5ff4cd1875d3e7
crates/quake/src/valset.rs	3660	446bdf69bb7a2d3a59ca29eca781ef7c90f43b9088ece379b66e519
crates/quake/src/wait.rs	10757	15795ca1e62da071521e3829087622976c5546374733a5ab40eb87c
crates/quake/src/web.rs	63845	1711b131afcb71b74d5065ffb637b4bba5af62a838a10dc03e37563
crates/remote-signer/Cargo.toml	1112	c34c50ffc9653b5395ff96ae141680f1091eb243c33d90692bf3e6e
crates/remote-signer/build.rs	1607	f767eb732a7a5a079dbeb6a2f19ce52c49403a0bdb40c5c775987de
crates/remote-signer/proto/arc/signer/v1/signer.proto	1143	9d575f7393db34af3b51c3dcaa439187f7ff7f9e9d63f5e31224cd6
crates/remote-signer/src/client.rs	14398	86a8aa6216ca3a2d87515da1244f9026066c1d29bfb31f9dd668002
crates/remote-signer/src/config.rs	5793	af0b7ed91c3baba97d32d5bd4d1f36765b3972f3b3d9e2f46db938c
crates/remote-signer/src/error.rs	1459	8b2f9ebc31b0da6b47dc7fae6302eb626c02dff207edeec8ca4d00b
crates/remote-signer/src/lib.rs	1489	c6b8960b41ac9b6ccf3473140534129cac1f309e0eac2df1b1a53e4
crates/remote-signer/src/metrics.rs	4690	bfdeaa4a532ed99d4210d425ffff08cd9026e29be0b99c1dd088faf

crates/remote-signer/src/provider.rs	22176	d65872545afaeeec53e826048cfedf37470f8e53c317608074867cb
crates/shared/Cargo.toml	372	752a538cd952c779d08c514104618aeb766a60679da62d7b11fefcc
crates/shared/src/chain_ids.rs	1036	703cc213fca3a3be7c36324df48561bbe50ad8c1bb6fee1f666f256
crates/shared/src/lib.rs	762	bc7e8a932ca225fb31f8aaba6f6c656ab0c4604b71acfdf858787c2
crates/shared/src/metrics/denylist.rs	1456	c949f87174b93893c640639b359d314ed8c378430c8f26ea94dc363
crates/shared/src/metrics/mod.rs	765	f5a5d676a468284be9aeb2458c0d9620cef4fa5dd0403ff6ca292f6
crates/shared/src/metrics/validator_set.rs	3270	69a5c71af1f84ed56463f00fedef74a39bf3887fad058223ead798a
crates/signer/Cargo.toml	1349	1e41fc107282b3faf6490e2a34979f528cead9058296b263e5b9da3
crates/signer/src/lib.rs	7008	0180306a8a404b01675998421f0970e898449211f4d9c3099a870c3
crates/signer/src/local.rs	9411	7ee941a38ee12f1d0ae812618e9f3122087c87a815d957d2ed9314a
crates/signer/src/remote.rs	699	2fd75d7cf46c4c5d2cd4d676c20bdc7518e5cf73e44e48db80a1b83
crates/snapshots/Cargo.toml	964	465145e6099b04c6de80f213c2bf4240a599ce2b2949070cda711f2
crates/snapshots/src/download.rs	106941	d4a410341ce811cf5bd548190a28bc88a00ab0b65c3fc2125ff607b
crates/snapshots/src/lib.rs	777	74875b8273f604a12c05452ae6329f8bae7b6a625af8b59e8265cba
crates/snapshots/src/main.rs	47026	b8beaf2d345bada34372fcb65516457dba70737e5c9f71e3bb71f85
crates/snapshots/src/manifest.rs	17279	f8be68cd3743010c80d5ae47cdad2ea1c679b9fa70244576f1e230e
crates/spammer/Cargo.toml	1397	a2012da7f1c60b82e571742eb8d60b10483876a48bec5ada39371f0
crates/spammer/src/accounts.rs	7281	aa8313a7a71b80a521c197077e90eac3f57c1b0039b3c3e891200f7
crates/spammer/src/cli.rs	21658	b5181a19df12642269e256e92b38b605647b80ecf9969644175ac95
crates/spammer/src/config.rs	23337	809486b71303f48164011bdfac3e216c6e8828ac791e5987033b605
crates/spammer/src/erc20.rs	5165	3cec7645d751d6afeb9bcab75fef44b02dda2a9812c54879bedd683
crates/spammer/src/generator.rs	56015	7862edd64f3ca87ae1550482ab91544805a8cf0f2ca5ed28266da04
crates/spammer/src/latency/block_stream.rs	16577	a854ad26003c35dcc7ccc6c454cba6ff6096e08041f3987b951dfd4
crates/spammer/src/latency/csv.rs	1700	060ee2585a488ce923491644268378c7a867ce2a0e231e55716fb2a
crates/spammer/src/latency/mod.rs	838	3921c47b50d2ded1a845a02503e2b979cda9a9efa0ef51591fd4073
crates/spammer/src/latency/timestamp.rs	3368	b679034594aaf0229c13ae22df18453650e760bfee16f5c92096b47
crates/spammer/src/latency/tracker.rs	20197	fb7d1d7b535d8c745cc4bb942edb3fb8d8a1ac496ed1bdbb2ec8ac7
crates/spammer/src/lib.rs	1148	b07ad8ab32ed56c6b37518c00e9ce4bad2031fb1c17012f3a811065
crates/spammer/src/main.rs	17698	03f6541d546497e9759f7b3c36c056b604f44b2711708240bb06074
crates/spammer/src/rate_limiter.rs	2544	445c1a65ca732c86b83fd7911ed7013a3d4f7b87695f6a6defe0810
crates/spammer/src/result_tracker.rs	12194	0ac5f480907d2893cd9cb7e5e4d3640fb070c04880f547c5735fcb6
crates/spammer/src/sender.rs	32459	876624240501c8be51b409bf669b6489604850d3927cabc13ffabe2
crates/spammer/src/spammer.rs	31080	ef541eeebda114ebb91fdf96517e3838eb9b33b1a29c32067f01b98

crates/spammer/src/ws.rs	18381	bc82f9a2cd3ca4987ca10b06b985332c0d2f948eb5725fb2d466063
crates/types/Cargo.toml	2198	bef5415ba365daf5f495163ccea5b965af8958b559a5376e1e86ed5
crates/types/build.rs	1309	da7966647ab7eb5688a0afd6dd3a48f262a7bb4595b16417c195bf6
crates/types/proto/arc/consensus/v1/consensus.proto	2070	e8f86e1ac4a7534f788823cb32df1db39a912492f2f9ceb9a8de0cf
crates/types/proto/arc/liveness/v1/liveness.proto	1780	0cbe3d9f6c53f662e81b42c4c24a2c4ed259e259616e1e7f63f98a4
crates/types/proto/arc/store/v1/store.proto	3040	5ed59a1e230ae77ae222417ace1db0d77e3da2d266fe9e51dcce3cc
crates/types/proto/arc/sync/v1/sync.proto	1881	fd4af642c70698001b7e75ab08b407c115b2af16e6d09e33a341c19
crates/types/src/address.rs	10026	545dfd1944aa92abaf67ba6502ba21520b82489543979fdcab55d6c
crates/types/src/aliases.rs	1141	58f39a0515fb1e2af52c28680f444fa04aa2d5b68a8c3f653f52d83
crates/types/src/block.rs	12335	ea0448ea1bfd67be595dbdee908a27567537d20092031ea33f8fe9d
crates/types/src/certificate.rs	2015	746e91fcfd0d5ca321b4c659c5912c0b5e78239ca0f2b594aa3f965
crates/types/src/codec/error.rs	984	c6df5f82f0bb203138bc32b59b8aea5bd37e76f154b5be4202d2a4e
crates/types/src/codec/mod.rs	5346	7d49dbef1fd56f9843a0724ea8cfdefaae57785ec03d73f7f800a46
crates/types/src/codec/network.rs	16629	48251d1f8c3faf4984bde36b07d3c060f067524815979595754255f
crates/types/src/codec/proto.rs	48334	442296defb2e70ce314cdaf9bb25c5ea4a3f6b3dc9f25bfbe3f581b
crates/types/src/codec/versions.rs	8745	d62a142a4dbfe5789666828ca06015f47c2626a5b1f92c4ac9904e1
crates/types/src/codec/wal.rs	12677	45f274d9c3cff57659b641fd43919186ebad0f96b98de5da543a71f
crates/types/src/commit_http.rs	8488	d0e3e670fb3c50be861a40321cb306f3bc57bd5ac33523f1d93bac7
crates/types/src/config.rs	14371	236eb6d26e39602dce25924234bce30b3fb53d04b3736a117ceceb7
crates/types/src/consensus_params.rs	16652	0c3a7d692886e68e8c682adafce417409930058593a22bb8104433a
crates/types/src/context.rs	10084	e9b977c9186970bd4f84a7408496b4a00fdb9640e790531bce90932
crates/types/src/evidence.rs	3947	6d5b89d0940580f70fcb534948e9d91c624fd5ead1b38d122eb07aa
crates/types/src/height.rs	6805	fec6ca7ed9ba817d520f0fffda45fc74fa34b9e37b848250e2ddce7
crates/types/src/lib.rs	1682	f1a9863bf3e9b51aaf633f34b308ae0c7b9b388757e344ff1f3c902
crates/types/src/proposal.rs	5336	ecdd36b49d274967c04bfd503b6228396b0ce9a32ecea65d8e71f14
crates/types/src/proposal_monitor.rs	13591	f61be836ca0f39a389e98187f3f6056bccc578d7fb3a818c4c2e0aa
crates/types/src/proposal_part.rs	6961	b0e67dd548c42511e5cd460842ecdc6c7c83528d2861f662085ae37
crates/types/src/proposal_parts.rs	6006	d032416d47adad7f2e2afc876c9321420efa660a222f6b36719cbc3
crates/types/src/proposer.rs	2391	24b5579b63a3fefdf73771c5987dae5c7158af96df47d03c3ae1254
crates/types/src/proto.rs	2784	a03a00ff6b3bb4b31afc44e9ef95b93b841bb383c4137fd903d6d46
crates/types/src/rpc_sync.rs	13257	a1e4d1eced0e7ac13f7b79881885adebf7a73dd5ef9afc1964625d9
crates/types/src/signing.rs	1924	213fb515c28fb18323e8c5ee63a4acb4d04af0104919094c846a939

crates/types/src/spec.rs	19482	91deff630e7b08cbd524a3183188a24599b927b0252b66f2e6f04a8
crates/types/src/ssz/mod.rs	1009	ff4d888e5b6ea18f9d30b1982a450219f7eb3ba272741715b7ee2c3
crates/types/src/ssz/v1/block.rs	1062	dd33683f1d6a0f33495d5d5361107c4c5310567eb5145ccfbbcafef
crates/types/src/ssz/v1/mod.rs	936	f35a8a7d1d06a85a0108f0253f44a20f5da5d52a383aa70b357417f
crates/types/src/ssz/v1/nil_or_val.rs	3423	5007b6fd632c158160c79d9d2a02da239fa804913873345f062eb4e
crates/types/src/ssz/v1/round.rs	2958	c04f81bb4f7aa68c8ae3a2b77b681f668cc6516b9d58b9acd133fc4
crates/types/src/ssz/v1/signature.rs	1488	74585793a279e15c38f9f5d6f3042816c8ff34c329757cadc17f550
crates/types/src/ssz/v1/vote.rs	3800	673a3c25af7c6f2d146445a56b55fc8924e9695ebba873189e6b16f
crates/types/src/sync.rs	723	6850e99d719a460226f242153fa0357dd3488db452c62e80db46b69
crates/types/src/validator_set.rs	5928	d3e071804609f58c0c4751f91673581f3d1cfde514bcc86d7be8d24
crates/types/src/value.rs	3611	1275e3324ae2cd4c603e53520e120524add6ca6755b95783e4e192b
crates/types/src/vote.rs	7059	21f56fdeed0e87daa6073e2e3aa529cc3aa47ed61c6fa7a52946c91
crates/version/Cargo.toml	397	405bfbaac7d95b1fd2c1e07835edd55e839632ef8fb051f507c980f
crates/version/build.rs	8138	fab40d5849bf921e834f186c0a88f19cec3fc74a6f17212347a00b9
crates/version/src/lib.rs	4133	37a96474e51362bf9011ac87c1d02c6a928a35a06095bc4b3a1e90a
eslint.config.mjs	2040	556ad77bda33bb319dfabd7d05829626562427d9970ffa7fdabfbc9
hardhat.config.ts	3393	44c17bd01e187a8e8bd18866876f4b32d1abe37d51887a99349820f
package-lock.json	526272	7ae179d633fbea0a1abcef0f9282e8b37b49cb7138caecee7510b86
package.json	1202	b4335488168297ab7f9b3b5390eda9bd7618fce6eb997b6c929ab6e
rust-toolchain.toml	66	4c0037189c8db7fc03ae3113ee1d9356b4c3960ebbb1db374027a51
scripts/compare_saturation.py	33924	8f1d0de7eefc91fe76f1ae5e3183128fc5def189f1de3ce21a2ec56
scripts/engine-bench-report.py	38302	4febf85619d75d5b94d075a50cdc70da4318917d8e30a2d6b30baa2
scripts/genesis/AccountCreator.ts	9723	0eb23adaa4234e5b081cae85bc5782fd65452a0df9058673e3f4c9a
scripts/genesis/AdminUpgradeableProxy.ts	2670	5785333efad8f599017c55b3911ee55e22ee8638c8f9d7c06e7c134
scripts/genesis/Denylist.ts	4115	9938b649d15f66d49ff10698347a4fdc170192c45a90ce76bf006e3
scripts/genesis/NativeFiatToken.ts	11197	1725eb119252e59b71bb4d14bdb17f8503f9228a11ad605ff6b55bd
scripts/genesis/ProtocolConfig.ts	8883	0a622ed6008ccc9f73a8662be2fc17ce18c1a6b7b9774cd398954a4
scripts/genesis/ValidatorManager.ts	14538	42221bb951fc0b96a13c61939ae7d09e643e88a0d50d2e80b2d2a50
scripts/genesis/addresses.ts	3055	ca33448377d52259a2c9b5515afdf9988417b5942a750a7ed9dfa3e
scripts/genesis/context.ts	4125	7377c2f1ac0b660245fe086ebdbc5e37ae4e4ae26150d4e68d57808
scripts/genesis/genesis.ts	11729	d25ba2f01dedb17254b46d97fa1fee284a48cc7edc54fd920d8fd32
scripts/genesis/index.ts	749	0b75bed3bc60c38776e6dad6cf9d355370e1c82948656980a1af210
scripts/genesis/types.ts	5911	5f4ed33b709c4ec8f6f659561f3bcb374d1dce502ad3989a66561c4

scripts/genesis/versions.ts	1407	65e831e5179bdb30f06b76de8442ecfc7fccb6a4c730128fcdfb71e
scripts/hardhat/chains/config.ts	1342	b49059f1f27c38fe55ba460de66223e6109ac27b9b91fc70ba64fad
scripts/hardhat/chains/devnet.ts	955	e0561140b7ab13f053cc01613f8e4471f27c777a0d6dc4dd21137fd
scripts/hardhat/chains/localdev.ts	988	cd599681bce367d45d0c2993fbcc11c5ee258f0f79d7531531b4222
scripts/hardhat/chains/testnet.ts	957	a1b9fedd6124255a82f2798681e37f2611dcb2f404074299970deb2
scripts/hardhat/tasks/genesis.ts	5372	5facf107d591e7ad2f03d3d5ad4fd4292d566e5dc565acc021b1cf7
scripts/hardhat/tasks/query-fee.ts	4756	6b83ab99d2f890ec3bc18c4fb216080b03ce012800194b0a7674924
scripts/hardhat/tasks/query-state.ts	17370	2d3ed8c750d36f4e979398ddc08fe58b418c3046853aa6ac0aa230a
scripts/hardhat/viem-helper.ts	2252	db96819326929b401313d5380c3082719f5eb61b7c5b05aef97ef6b
scripts/localdev.mjs	7661	84d49f04832663506c11bbc3a1dedf5c6af090a0764db68c5253bae
scripts/md-exec.py	27964	73d10e9269b09021c98b8a5734ac961c8d7c51b03d50a4ca60891c8
scripts/saturation_report.py	58074	e140f1e7d1c364c5006bf52ad9e4f42defe75e63c47f1cfbd12f7b8
scripts/tx_latency_report.py	17015	03cdbe6ef992e7e866004f3c519e764fbee489439d85cb096e55b2a
contracts/lib/openzeppelin-contracts-upgradeable/.mocharc.js	70	434e1df653523a6bce5e53a62690018b51039b10fab4a734a10948b
contracts/lib/openzeppelin-contracts-upgradeable/.solcover.js	448	9111d1d9d5d8651916cf6e1afb033eeefd3f1ffa2d353a13f443518
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/AccessControlDefaultAdminRulesHarness.sol	1454	e0ba6d8a937323046f2bbcc72ba70f7406276aa37b562e1a3620048
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/AccessControlHarness.sol	176	a49b1631dee3cd0b22358651751410bda67363f219d4c5dc5d9bcd1
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/AccessManagedHarness.sol	1636	e6d084707582b75bf29e170ec02da237fc21541e793a15b2b17482e
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/AccessManagerHarness.sol	4475	65fc78a99fd9cfc3daec97c3b5656338e526a7ec639aaa304b185af
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/DoubleEndedQueueHarness.sol	1399	7473e0ca273983325153604dde0906745542b4ce90bf94984a0c86e
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/ERC20FlashMintHarness.sol	1028	d14171faf0d2ccb9bf14fd9ad252c07e386689e69a39f0a65a7f5da
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/ERC20PermitHarness.sol	493	7f5eee48c453af458cec04df5678ee8618dd198d3ef399bd1e9efc5
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/ERC20WrapperHarness.sol	1121	05f6d555cceadef86ae7dde4757897a685ed5c156e6034c7e1a760a
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/ERC3156FlashBorrowerHarness.sol	405	68d31d5af5df023d29304b43e3720164b00d09c75240e9bad83995a
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/ERC721Harness.sol	891	69a5144e1ae8249774d795e69f815457f85d32b9aff3f3bcc8c1554

contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/ERC721ReceiverHarness.sol	325	ba334a1b77d8b0c5bf566957f03fab538938318f059fc1277ecd36e
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/EnumerableMapHarness.sol	1488	9898955deb052f5c661ba6168e789f4f080f6a2a3411c7ad7412e76
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/EnumerableSetHarness.sol	890	dc5621c2e221d8bf0e5eb74c841e44ab3f7b7568388f758db919c36
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/InitializableHarness.sol	976	92af00cfefdefb5137d3fc9c0b615fd719a2ecab85832d28346b4d3
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/NoncesHarness.sol	378	112c07190fdc3275661c418dcc9597de383422aa31fe76f861248be
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/Ownable2StepHarness.sol	294	dd7ea7342e518bfdcbe4bf10980c1949e9ba67428f436b4d082b359
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/OwnableHarness.sol	265	b285dad9f93bed4facd29fab94daea314baf78eab611daa3133323a
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/PausableHarness.sol	387	d9c391078e05dceaa14d9731fb1542f5675b35670c556b705adb7c8
contracts/lib/openzeppelin-contracts-upgradeable/certora/harnesses/TimelockControllerHarness.sol	405	02d61705a0cce4d30449a7250da8e51e9eca48ce5598d962d9eadf6
contracts/lib/openzeppelin-contracts-upgradeable/certora/run.js	4317	650bcf5529ba30715fc0b215629a43439a2b4b3a977456b78ddc191
contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/AccessControlUpgradeable.sol	8277	a5dee9f239e3334a7e3149dc9e72e2b0e7421813fb94660695b8553
contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/Ownable2StepUpgradeable.sol	3433	e65937e8c36af5c343406e97399759bd576090c0599b864bbea3501
contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/OwnableUpgradeable.sol	3969	9247b9ad7939d23990dbdc9274917c3762ffb37e5137ef7bbfcc2e2
contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/extensions/AccessControlDefaultAdminRulesUpgradeable.sol	17149	7682ff33903dc82f397791cdf031a2409a87176f275492d0d5cb400
contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/extensions/AccessControlEnumerableUpgradeable.sol	4786	758b88da96877250c4e3e3613492a78b489cc56e070817fce78abe0
contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/manager/AccessManagedUpgradeable.sol	5891	2cef7cc20b5dc74d546ac3f401404a082d4851ff379ad9f418dc227
contracts/lib/openzeppelin-contracts-upgradeable/contracts/access/manager/AccessManagerUpgradeable.sol	32629	cc4a118823d84eeb7736b60208a5658a1addfceada363d3c75afaf7
contracts/lib/openzeppelin-contracts-upgradeable/contracts/account/extensions/draft-AccountERC7579HookedUpgradeable.sol	5619	29aab215b51d8e252925aef0e5bca178ac7b9bfba160101cd3396c4

contracts/lib/openzeppelin-contracts-upgradeable/contracts/account/extensions/draft-AccountERC7579Upgradeable.sol	20341	60d31a8f7acce57ae28ffb6cc2d2bca0fb7cd09040b1072207c3b59
contracts/lib/openzeppelin-contracts-upgradeable/contracts/finance/VestingWalletCliffUpgradeable.sol	3047	e1f8c203fd3ad167536df8dfa4fba69c67f02e19121992bf7dc3692
contracts/lib/openzeppelin-contracts-upgradeable/contracts/finance/VestingWalletUpgradeable.sol	7712	8bebf104cb5a34190b8172d01cb10b8fc8fb5f9285f6cac9ad6d0dc
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/GovernorUpgradeable.sol	33882	0d312797476d43e317be31b5523109f97966c6961c0a1558735da53
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/TimelockControllerUpgradeable.sol	18191	67598dee0ad0e2c520d260fbcd9f85dcf143be3d7494035df338837
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorCountingFractionalUpgradeable.sol	10843	061b370822d91306ce2bb53f4c4a8f6844ffe556575b6bcbbe36672
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorCountingOverridableUpgradeable.sol	10451	f490a2f9eebee3e3f1d04cc97592da67684fc098c528549cb5a958c
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorCountingSimpleUpgradeable.sol	4613	f27144c31628b4c980d97a2c6aa2619a8117f0e5a34cddfbc5ed0e8
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorNoncesKeyedUpgradeable.sol	3826	74bc08c63a08cc0f27c79a9aefb318f6dbb63d2023a29b4f1aabe84
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorPreventLateQuorumUpgradeable.sol	5463	69bb6d2fc9b613428a52d9f9f654da56f692269ba5a651e941b8328
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorProposalGuardianUpgradeable.sol	3322	f02f5aaccf1c0e81c1c27c5d6c028e0fabca799ad15ac0115fab0d0
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorSequentialProposalIdUpgradeable.sol	4191	51b62f1d721d8ff75a85c623fc0176e87f355e7612487705abc0d0e
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorSettingsUpgradeable.sol	5062	86ffc956c7114026349b233ad8a3fb037d32d806b9c0578aaa90048
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorStorageUpgradeable.sol	5546	586f3115854f24130387b105e52d0a56d68b71cc5dc61227da359b8
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorSuperQuorumUpgradeable.sol	3359	9a9eb6802563b915c630247a6197a38a7b98a460864421941e8a3d1
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockAccessUpgradeable.sol	18438	a01b5b480a9b7f7357cebd5ce456a365829c08b456ad540587312c7

contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockCompoundUpgradeable.sol	8169	f23f8c66c40ec824b70eb299737b4d10ebe56f41b0571cc5c557340
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorTimelockControlUpgradeable.sol	8358	17241d3e0c30cbb09345e08fede1616d13e9a890c0fd6e5022d7dc0
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesQuorumFractionUpgradeable.sol	5502	589df7421674804553bb75df000bfa76c4e0a0cd1d6d06d0ef51990
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesSuperQuorumFractionUpgradeable.sol	7231	cdcb483b88bc951937d851f8cb409f099c20104127cebc59af3ebd0
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/extensions/GovernorVotesUpgradeable.sol	3001	447a653eb08b7b4101f6dfe56b0ff38f4290cf3d32b645c5fa9dc75
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/utils/VotesExtendedUpgradeable.sol	4830	cb284176a9167053ba0fddada9f68c493dc2a080e36798686f04c9f
contracts/lib/openzeppelin-contracts-upgradeable/contracts/governance/utils/VotesUpgradeable.sol	11103	2bd6798091ed10939dc9e421c1ca1734b4ed59572f838429fdab50e
contracts/lib/openzeppelin-contracts-upgradeable/contracts/metatx/ERC2771ContextUpgradeable.sol	3702	90b62c6898b5b616bfed1a0a9f917a49ecfb3c6dc35edf7521ce3a2
contracts/lib/openzeppelin-contracts-upgradeable/contracts/metatx/ERC2771ForwarderUpgradeable.sol	17542	4f713b7b52c6eae56070c299b7f103768e0713a355e8d8875dbca96
contracts/lib/openzeppelin-contracts-upgradeable/contracts/package.json	878	a2b61919debcbc734d1a7c7bd93a0154c8265a7912aff09c736db7c
contracts/lib/openzeppelin-contracts-upgradeable/contracts/proxy/utils/Initializable.sol	9223	f527a063813c2bf60c153fb08e38539578935402894fcc36fac4232
contracts/lib/openzeppelin-contracts-upgradeable/contracts/proxy/utils/UUPSUpgradeable.sol	6573	2d07bcf9728190a5c807cf68defc3f3c52aa098d04770d44af37f30
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC1155/ERC1155Upgradeable.sol	15694	b980ef2c998a057619a3a0d7cbcce4d8e234739cfafa5cec1964cf2
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC1155/extensions/ERC1155BurnableUpgradeable.sol	1281	97afd1059918bdf9b365fb10550ea221ef142d45294da21e3dfff1b
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC1155/extensions/ERC1155PausableUpgradeable.sol	1670	dd7257fc8906f0dba6fe58ef877db6cc588756dcb0ac54c93b2fc86
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC1155/extensions/ERC1155SupplyUpgradeable.sol	4147	8761aa791cb153deeb9fcce2ccb3cb752022e523281b915be396d96
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC1155/extensions/ERC1155URIStorageUpgradeable.sol	3292	7d202632221962f77ed8c1b8a9db24f5570ede69839e6da2648594d

contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC1155/utils/ERC1155HolderUpgradeable.sol	1717	9934f279898738b1e88ccdf4c4ca6e874d6d5a44c0a3528a3ea4edd
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC20/ERC20Upgradeable.sol	12072	5c0c6f1cc199d0e388beb7cb63b8d157b878fe7018f29fe83a3dd3c
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC20/extensions/ERC1363Upgradeable.sol	6063	9b2674535b02cc0c0006722c8d7e0f362ce0d4e30a5357d0ad16c8c
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC20/extensions/ERC20BurnableUpgradeable.sol	1495	15b8cfe5d0c0f93fd9cccdb25eb9b2e6ff6bf555bdf7110db305e538
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC20/extensions/ERC20CappedUpgradeable.sol	2322	8886d1b6360942d139eb306dd3d73cb6dbaa77ea0ba0be6c62bd386
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC20/extensions/ERC20FlashMintUpgradeable.sol	6084	ef30fc8af78eb529259a0a3216fc1062a086771d885a2fae618cab7
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC20/extensions/ERC20PausableUpgradeable.sol	1574	e802da2c7f567dc99019cdc6e146491a1a2c80924300a37097ad532
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC20/extensions/ERC20PermitUpgradeable.sol	3155	f624b376be44f15b6d25fc26bd3bd13f511160640d228c7e93dbf17
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC20/extensions/ERC20VotesUpgradeable.sol	3928	84cdb63ccc1699bd1816e5b143c10f35396cc1a6d11920f2830da62
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC20/extensions/ERC20WrapperUpgradeable.sol	4831	00397ec06022f9a1e99359e3f9521e96b5cbcc324933462fdc71231
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC20/extensions/ERC4626Upgradeable.sol	13237	8769acf7e5cb0c978bdf117255097c59afb250b725f9114145eed6e5
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC20/extensions/draft-ERC20BridgeableUpgradeable.sol	2465	7d22b6638f0887d233d33b24097c5dded27eadf2a0b28ec7fae8475
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC20/extensions/draft-ERC20TemporaryApprovalUpgradeable.sol	5557	5d904a21411b9c26476d0aef18b9d34f3ece98b7b65b6f6a6b784ff
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC6909/draft-ERC6909Upgradeable.sol	9516	13fda2d0565cba43651f3abfe3f83e10083ae92f058979b74c9e257
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC6909/extensions/draft-ERC6909ContentURIUpgradeable.sol	2766	85a6cd4c7d902d496bf76d874babd9ed00a480f47b913fa8fb67f60

contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC6909/extensions/draft-ERC6909MetadataUpgradeable.sol	3788	fbd42d6c985aefe03bf6502d9030813a0e8c6abc25e6e4f5cc72a53
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC6909/extensions/draft-ERC6909TokenSupplyUpgradeable.sol	2247	2889ebe2756abe449c0735429d3dc16a46298eaabce749c46bcd8d2
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC721/ERC721Upgradeable.sol	17744	2589016aed958e644f7235481c1639a8657640a746c33cbd9f42a5c
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC721/extensions/ERC721BurnableUpgradeable.sol	1195	b3c5805a42ec983a1daebdaacf2e3dbdc1dc68f3d14aa9eb307c22c
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC721/extensions/ERC721ConsecutiveUpgradeable.sol	8566	b4c727c3a0fad09d8872d7ccc8803d3df3a1c34226f9bf5b4ac97a4
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC721/extensions/ERC721EnumerableUpgradeable.sol	8663	920effcf2f0fb79a5a197305adf24a4f2f12138313630be437a32cd
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC721/extensions/ERC721PausableUpgradeable.sol	1643	8a58a56c7e240fe767f09ddd3f6e90f3dccc4010366feb56ae8c4bc
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC721/extensions/ERC721RoyaltyUpgradeable.sol	1621	337c128044f7f3046091995b7ef4d01822b6d104dc46bb4549b6bde
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC721/extensions/ERC721URIStorageUpgradeable.sol	3162	205704dcb4f17cb667aecbb8a0a66bdd175012d342e1c3abd469b67
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC721/extensions/ERC721VotesUpgradeable.sol	2140	6c22a84c27c0c12c9fea54db5e5fa95f542f64beafc03dd10bb427d
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC721/extensions/ERC721WrapperUpgradeable.sol	5341	265e00d60b434aabd5d40d9cb87dd8a6faae545a0e2f9a1954b69d6
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/ERC721/utils/ERC721HolderUpgradeable.sol	1074	5f819dbf73677aecc2a8e7e5309a403e1b6c36296270f878fd54b28
contracts/lib/openzeppelin-contracts-upgradeable/contracts/token/common/ERC2981Upgradeable.sol	6427	6c8b441c325a9bbea847af197538a8abd28cdf9eadbf95690f5c5c5
contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/ContextUpgradeable.sol	1194	a08e16324da33a9d666dc07a22ae58031c242a3869f6808e55b4b82
contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/MulticallUpgradeable.sol	2005	28874e9eb73a2dcf03367ad26d89fd38d83f08509685c404a618f86
contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/NoncesKeyedUpgradeable.sol	4139	aeadfda6e58a8397a3537bc06dcf20d978fce932413beabdf2dc200

contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/NoncesUpgradeable.sol	2269	d63abfbf20ca119bf162ec5bb343df4b189208d1d0a73657555f688
contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/PausableUpgradeable.sol	3603	78df1c8d83d858b123485f7cc2e15e40e28d787a21f949374ee34aa
contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/ReentrancyGuardTransientUpgradeable.sol	2385	14bc1b2b959b74c3217ab4c14601b652f728248a4e4888a74015f7e
contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/ReentrancyGuardUpgradeable.sol	4450	11b45418823fd6e961d8db5cf5c2795b08f51f88a66f8e37a38fcd0
contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/cryptography/EIP712Upgradeable.sol	8506	91c98a39169b1ad2a4babb09e7a7c89d895956739d3f960701911cb
contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/cryptography/signers/MultiSignerERC7913Upgradeable.sol	11359	4a8221d8eca6104d5e0930809e4f9fc3aec28b37881faaf94b1db33
contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/cryptography/signers/MultiSignerERC7913WeightedUpgradeable.sol	10935	8474d0aea5fbe4f1cf39ac9af5d3fac24ebd2f760c951482a9f6bc6
contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/cryptography/signers/SignerECDSAUpgradeable.sol	2859	4e34efe5321b72ee40b59be7bf509bd814c341c8e4c13ea613646dc
contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/cryptography/signers/SignerERC7913Upgradeable.sol	3161	6bfab1f90384d13d5ab06a594e1efc0bbbedec5d6f5f6d7bb9488db
contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/cryptography/signers/SignerP256Upgradeable.sol	3112	d0f58b9ce96e54954d36320270899cedeaa98ae363a7064d47da83a
contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/cryptography/signers/SignerRSAUpgradeable.sol	3297	1d999567025d8a8d678ee3e38e987369cb882a2e8488dddff6165ed
contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/cryptography/signers/draft-ERC7739Upgradeable.sol	4773	6d5b475659ded5c795d3c7dbbb608d8e584eb8d1b73b542ce443760
contracts/lib/openzeppelin-contracts-upgradeable/contracts/utils/introspection/ERC165Upgradeable.sol	1151	d2105a1e3ba533399fb408105267329c2c134fcb18043a9c024d1b6
contracts/lib/openzeppelin-contracts-upgradeable/docs/config.js	748	d5cdaf3c2d7b2724173f9664210cfae1aa4a700bf2a1f6a7b7820b7
contracts/lib/openzeppelin-contracts-upgradeable/docs/templates/helpers.js	1423	c54072a039eb8e30ebdfc050e2366c4fd2d33aaef32693e000b355c
contracts/lib/openzeppelin-contracts-upgradeable/docs/templates/properties.js	2851	95274a10cfda2d35697e8ca57197757e9aa37e060db601bd8e1343b
contracts/lib/openzeppelin-contracts-upgradeable/eslint.config.mjs	636	4df149bf8e150d940a7a487ea567cba6d827796250772a2a073b959

contracts/lib/openzeppelin-contracts-upgradeable/hardhat.config.js	3096	8e20b857a5f31aec1a213da42282f3fe0e3857dbf70b12a5a8cb6f8
contracts/lib/openzeppelin-contracts-upgradeable/hardhat/async-test-sanity.js	412	28d0b89767699dbf2d08c248727ba1ba99aed4ab723adeabdfb7da5
contracts/lib/openzeppelin-contracts-upgradeable/hardhat/common-contracts.js	2990	762655bfdad5aa237ca4617c4eb64d51d75a185b69df4c0e5171cba
contracts/lib/openzeppelin-contracts-upgradeable/hardhat/env-artifacts.js	1019	53209232db89939f0f8e047febfe15adfd52580c65594443e395423
contracts/lib/openzeppelin-contracts-upgradeable/hardhat/ignore-unreachable-warnings.js	2015	7d2b29651a623d2694aa22e8c185a9aae6a25c44023beb131bcb303
contracts/lib/openzeppelin-contracts-upgradeable/hardhat/remappings.js	508	8c937c074523720f867389503a24c6f1b24b729712995842fbb8fcc
contracts/lib/openzeppelin-contracts-upgradeable/hardhat/skip-foundry-tests.js	295	5e594373be07d38818abb95c62e159435c68e291aa230e7d95fc2e3
contracts/lib/openzeppelin-contracts-upgradeable/hardhat/task-test-get-files.js	1008	9851350b493983460df169f1c5dedac9c36930ee5bdbddaf977fb5f
contracts/lib/openzeppelin-contracts-upgradeable/lib/halmos-cheatcodes/src/SVM.sol	2788	db2c73220b9f83d170e7c0ef085da11b5109a90441bb27326496d8f
contracts/lib/openzeppelin-contracts-upgradeable/lib/halmos-cheatcodes/src/SymTest.sol	357	c5391a942e6ca4a31e1b48668ba80d12e5bc552453470fa153541ea
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/.mocharc.js	70	434e1df653523a6bce5e53a62690018b51039b10fab4a734a10948b
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/.solcover.js	448	9111d1d9d5d8651916cf6e1afb033eeefd3f1ffa2d353a13f443518
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/AccessControlDefaultAdminRulesHarness.sol	1454	e0ba6d8a937323046f2bbcc72ba70f7406276aa37b562e1a3620048
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/AccessControlHarness.sol	176	a49b1631dee3cd0b22358651751410bda67363f219d4c5dc5d9bcd1
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/AccessManagedHarness.sol	1636	e6d084707582b75bf29e170ec02da237fc21541e793a15b2b17482e
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/AccessManagerHarness.sol	4475	65fc78a99fd9cfc3daec97c3b5656338e526a7ec639aaa304b185af
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/DoubleEndedQueueHarness.sol	1399	7473e0ca273983325153604dde0906745542b4ce90bf94984a0c86e
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/ERC20FlashMintHarness.sol	1028	d14171faf0d2ccb9bf14fd9ad252c07e386689e69a39f0a65a7f5da

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/ERC20PermitHarness.sol	493	7f5eee48c453af458cec04df5678ee8618dd198d3ef399bd1e9efc5
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/ERC20WrapperHarness.sol	1121	05f6d555cceadef86ae7dde4757897a685ed5c156e6034c7e1a760a
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/ERC3156FlashBorrowerHarness.sol	405	68d31d5af5df023d29304b43e3720164b00d09c75240e9bad83995a
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/ERC721Harness.sol	891	69a5144e1ae8249774d795e69f815457f85d32b9aff3f3bcc8c1554
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/ERC721ReceiverHarness.sol	325	ba334a1b77d8b0c5bf566957f03fab538938318f059fc1277ecd36e
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/EnumerableMapHarness.sol	1488	9898955deb052f5c661ba6168e789f4f080f6a2a3411c7ad7412e76
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/EnumerableSetHarness.sol	890	dc5621c2e221d8bf0e5eb74c841e44ab3f7b7568388f758db919c36
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/InitializableHarness.sol	976	92af00cfefdefb5137d3fc9c0b615fd719a2ecab85832d28346b4d3
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/NoncesHarness.sol	378	112c07190fdc3275661c418dcc9597de383422aa31fe76f861248be
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol	294	dd7ea7342e518bfdcbe4bf10980c1949e9ba67428f436b4d082b359
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/OwnableHarness.sol	265	b285dad9f93bed4facd29fab94daea314baf78eab611daa3133323a
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/PausableHarness.sol	387	d9c391078e05dceaa14d9731fb1542f5675b35670c556b705adb7c8
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/harnesses/TimelockControllerHarness.sol	405	02d61705a0cce4d30449a7250da8e51e9eca48ce5598d962d9eadf6
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/certora/run.js	4317	650bcf5529ba30715fc0b215629a43439a2b4b3a977456b78ddc191
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/AccessControl.sol	7028	93c8ebfe7b36ef4d180f1660a5a7411256919577262097 20af476fd

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/IAccessControl.sol	3343	140304b7e99d517c57a13f391dfd3b550ca633a507f7b2af130f391
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/Ownable.sol	3102	38578bd71c0a909840e67202db527cc6b4e6b437e0f39f0c909da32
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol	2476	c75345d7b9feef17ae29f2a800ca2f65f8021cf80436a41d6ec00f5
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/extensions/AccessControlDefaultAdminRules.sol	14734	54c4ee01bdbd8b8aac987cfea5e7c02eb69b417f5d645354267b244
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/extensions/AccessControlEnumerable.sol	3402	774f3a571556b120e3a26d0bdf5e970c5a65f0a7ed18bc14e3be69a
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/extensions/IAccessControlDefaultAdminRules.sol	8171	c2788df258d4e1aca2ed49195754790ae2c35fae061af58565bf5e3
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/extensions/IAccessControlEnumerable.sol	1279	e0f69ae5acc588f27b8eba7f5a625f01409be5bb4a08e825774ccee
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/manager/AccessManaged.sol	4680	e5c9b2d8c676a69a12e054a0f5bdea62bd577bfc0831bd89ecc72e1
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/manager/AccessManager.sol	29876	72f06a0f03f2044d9b3bf036933aca7d589f0b8875a596206d50b69
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/manager/AuthorityUtils.sol	1376	d6d1da9c9278375b89aa4bae804f0ac36778badb8451b5fe77029a2
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/manager/IAccessManaged.sol	1111	2ef4db4c7c678372fe79af348ce3d60d4cf7136d195daf7a9bc2e43
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/manager/IAccessManager.sol	16314	5b98daaff196df5347fa5ddbdf48514007fa55b8e45f991da534585
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/access/manager/IAuthority.sol	483	68428ead009a99c5270e2a0a93e4d2756b6f332ee14027963cc7bb0
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/Account.sol	5163	fdd88fd15339ca8e7ff8284180140d4ad914feb61c2b5c042ebce0a
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/extensions/draft-AccountERC7579.sol	19114	e61c0fd469d053b57549d4bdc648e6432e40bebe6ba699167ebc973

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/extensions/draft-AccountERC7579Hooked.sol	4475	c59235653e2b81b4bc252e1b810b2716212a5b85b24138b9e881ea6
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/extensions/draft-ERC7821.sol	2698	1945b38fe739ad1e5464a6b68616fad7f2c63fb60b6ed06a81574b6
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/utils/EIP7702Utils.sol	721	19c252aea5567f6f066a2f9b4a7c10a9cf08c272fe39e09844a3660
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC4337Utils.sol	8398	38521b36a804735004ce7d6858e9fa50951a77724d3045a31f51910
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol	11312	819137a7c5f0da2ee64e8e16abd77a4125847c9a5748edd2fa369f6
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/finance/VestingWallet.sol	6055	3537b7f8c5a780ec0fc9c75f63ddc7b9a677a30f8237789e8162ebf
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/finance/VestingWalletCliff.sol	2018	14981dea962b6c81e253295b702f2a461d7db60ae93715b293e9502
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/Governor.sol	31931	a9fd3f809dcefe364c19b83b9ca8389a6e4d50f9d38bbb7ebef1072
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/IGovernor.sol	16463	bc307a91cdad776b3219637649f6c89a9fae7099e9d0d2ab07c4fd3
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/TimelockController.sol	16324	4a5946a9ea4abbaef29225dc42da6c50c66bb13cae1b592607222599
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorCountingFractional.sol	9318	b4f872b9559fd97d98f868b1ea77ed18d9f27efb70e70686e8af581
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorCountingOverridable.sol	8692	abe4d4e13e4e846084d99e90d7cb132e4fc4cf085e1225074f6c2ee
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorCountingSimple.sol	3249	7b57caea0515e9121f2f2d64229b588609caab302eac01909c9d836
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorNoncesKeyed.sol	3442	8a550740cad348a89ea76c81f8d3563ffdb0db21cb9b94ed9cb43ed
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol	4120	d50cf5e957c3ea9ff12992261eedd7231add05fb446277c39e72cda

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol	2273	c0a16f15c06bbbac8b3709e60b629cc8c20827b973e2cc11478f9ed
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSequentialProposalId.sol	2823	8397bb8b90c99aa36fd1e5b1e993245db9d77fa24056a38cf642357
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol	3554	bff3837e8deb8411352a71e43a0706d266b3dce29ef6fb5ce810af8
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorStorage.sol	4243	355a4f6a22c6483a63df4ec5e00f4fc64a8484535a043bcf1449169
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSuperQuorum.sol	3070	401eeeafc7f5548641136fc6560a72e4080fc3b7526771473b9d7bc
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol	16249	a06730f1dc404e5c2b74ce2c60f7a37388e343f1a5ca29b817cdacf
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol	6362	9b7a53edfc89246735314c4eea84110540732a1602ba7a62f9fa495
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol	6620	1ceb0775536e4fbfbe2338f38f2d6fd5d44b126e5cd264a2a3b4e9d
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotes.sol	1992	7df898e3e295914434fde0a7dbc890a5539fe2b61f2cbce6540d690
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol	4185	e7005800451ae5d1a678cb85acd4bfbc5ac80117b2dbdb49ebae98b
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol	5625	fd6a895c1d26b9883e147121e6fad0e18d4558afc3fa24cb15bce64
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/utils/IVotes.sol	2322	5876ce02c2f959a2b94a46735c8e4f9b717c645c9a47c72bc6e6ed1
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/utils/Votes.sol	9711	feded838fdab8e52e1a3352f95dd7e63311b2c079f2293bda17633f
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/governance/utils/VotesExtended.sol	3728	956c2a0ca22d5c2bbe3c700c4e3c47be67bcbfb240967654c85744f
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1155.sol	189	4a472558a19793bd1ec0f09fd47c84774dfefbd15f9ba79f627de73

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1155MetadataURI.sol	233	bf8de067ebb7ec329c05c593f006ba6fbee9dbe9ed00dcd1e158526
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1155Receiver.sol	213	825aed7cb9f35079f4b12ada24b5cfee5e6a0bdceab0ae6fc3794d6
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1271.sol	656	2d17bba201aa2f9c55e317315b872272a60361848dfceb6b1e77081
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1363.sol	4454	9c3a75a925a6dac9e88b03cddc58d42fe3131b0aaaad84408521f3f
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1363Receiver.sol	1316	39ebf8824bcd8d671abcc1afdd971cf63204b81318b83e0e4bbddeb
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1363Spender.sol	1119	594582216b8d5e0a5ff75d215f03ff8d1ad4fae69b069f04bec51ea
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC165.sol	193	dfb3f56fa928a7c6cae41a7ce2c86b9210fa18d33fa26389099d66a
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1820Implementer.sol	768	99459de7cc9e3387a01835c34a6b5122163f20dbf19d4b1c4eb3448
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1820Registry.sol	4836	d5c38c7fc97a0fc4c62cbe1987146e5a5ddfe84288dc84626f8affa
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC1967.sol	637	c4e901318ab6d4963582c62c62ce988a34c68dbae71846b67decacd
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC20.sol	182	0158e2d3e0e28bedd99eec13dcf1a8aa3a70a5b7e4bb2ad709609c9
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC20Metadata.sol	216	0ef8d844d8e066abd5c0d8cc1c550c89f2628a4ea9c9bb16c7593d4
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC2309.sol	533	a497c9e32f721912861542cc2a1c9b7b1bf566c8dafe430af5c0616
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC2612.sol	245	7ebb71cd1a464a22ce7a4cdce29115d6569546fff8d5299ca3f2f7b
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC2981.sol	1114	ea5f52ef580b9cb7c97091fd8164ec3ff211f5bdec359d18191eac4

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC3156.sol	263	9fbd10c6970c328f348c9a86604bdad336743caeda2547f94b6a86d
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC3156FlashBorrower.sol	900	e4c78842b24628897539e92fbfbb9e82cda8e39c6e63edc0f43e5e1
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC3156FlashLender.sol	1453	129df4dbdb600b20465a5e8b76a1701bf64cc234e6dd902ec6136b4
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC4626.sol	12183	4e2150a099080629a8e9e30d346e79d92b6eedf8d6dfae3fdf1295f
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC4906.sol	841	2b14563481c355e6a84127f0ee528d3e3b80fcdd76ff840660784c2
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC5267.sol	740	f89772d2d4fafcbef8b73bb10ee9a3373edec2eedb2f1b302320915
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC5313.sol	435	9c99e3d0f9a47337d59b7e245819b07860e329789aafb5d1275ffd2
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC5805.sol	272	2b1e317a9ad0303948d00cfee78c42f99f7558c8d2002a7c63f04d2
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC6372.sol	520	b82e19cde1eaa6c179ac49ba38db89d8cf291522e3c7b90cc2dd327
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC721.sol	185	4e4412e3eb28d5d2055e7b0e8153a2ab4d143f94e125a03a1b3d655
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC721Enumerable.sol	226	3c85a8e58edeeb5efcec3d274a25324c025d276fbc8d3d27d5ef464
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC721Metadata.sol	220	a8c823f1cee29f7169ded5e4a9204805343fd73d2fdbacf62d2d227
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC721Receiver.sol	209	875a2b4aaba1fe08770657ed44fcc4754a8f1ffed954eb06462dfe3
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC777.sol	6733	9ed85c11bc308eeb33977efc9068fa948f952252982628c3729dae3
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC777Recipient.sol	1269	48473616ccf361df33723be1aab911bb41ab481dd9f2c3b4d2323bb

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC777Sender.sol	1278	4ddc762186f658ea0a53496300c830c98f4a915c0a52afe5ddbc793
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/IERC7913.sol	674	f66aad4249885b0f11369bfa825dded60aa4baa0d76d9becdac9daa
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC1822.sol	882	73653312bc2eda0ec231553a5295242eaef2d4f46a023532d45fe76
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC4337.sol	10190	070fae39f5842c67f2ee0401d01d74ccd41b10ec4c030857428d34e
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC6093.sol	6538	df936240c9a5d342582cbda70dd773b1c1d0e0dda3042b1c17b902e
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC6909.sol	4039	95e299fdf3e700f7ad36c244b8ffe95d07cbeb3a318dc350cb2ec07
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC7579.sol	8841	d42a07caf0e657d02a88afd53fe06a13a8bc01764b292bb3d7934fd
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC7674.sol	567	5e4dab6f3e075df9a22ca7d99c407e813b3444e69b23be10fcf92be
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC7802.sol	1486	49d031a22c5aae86e6f7543e8e4ece83ef07275f1afbae0b99a3fe5
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC7821.sol	1758	809a971f062b7961518c410357d2cfa234ee3e07b08eca863c6aff5
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/metatx/ERC2771Context.sol	3579	4a20dbcf842652e57b1bd4c3c08d8cbc2c0e167e2a5e8437e0d898a
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/metatx/ERC2771Forwarder.sol	17002	823092e72404bac6612ee3dda312c79507d749ef265975fa84c686d
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/package.json	786	8c5b490fe133a9dda13c9a2915761c6b6c2e003a16c95863a800ce5
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/Clones.sol	14521	ae5a631c421d252eeeb842d83e581bcac1b3e88e24294df68ba0586
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/ERC1967/ERC1967Proxy.sol	1718	a06fe97082355529c1da9076ea6c4518875ca9fdb1a4fa1e194c35c

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/ERC1967/ERC1967Utils.sol	6238	58c5b19893bf3d7f9e1aa0edc5b908b915eb7af4381800deb425a6e
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/Proxy.sol	2670	5f5081378d4bc82b814b0d64990b7f7b9c69697593b73a3341f4a26
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/beacon/BeaconProxy.sol	2311	220626a31d80fb0d7a625f0c9ac741d40cd9f3c98ef74eb5b3dd43d
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/beacon/IBeacon.sol	473	c1c9726bbb0ec4c540c7c98059dcded69a8586b46c1680366723810
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol	2219	26dda9d5bb961b3df26602d49f9f5a0647cfdb78b63cc253aed8527
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol	1965	4da9a90b1c8b45fdab7d73d8cf81f51cf7d990657ee4e3f943492c3
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/transparent/TransparentUpgradeableProxy.sol	6546	8391555685fb89d92ad37327d21e098b242058c10ded6398447b4ee
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/utils/Initializable.sol	9223	f527a063813c2bf60c153fb08e38539578935402894fcc36fac4232
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/proxy/utils/UUPSUpgradeable.sol	6307	dc5dbb1675e3ca321b482eb6665b00a3b876f2119da1f0add8ef172
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC1155/ERC1155.sol	14340	a8216d80b0c17dc7b516692dff1880b133829c9e3864872b1a0a380
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC1155/IERC1155.sol	4750	62760e5ca354484140a29dddfa03b576c2e9e3adea6eb021eb28b39
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC1155/IERC1155Receiver.sol	2599	3df310870e0187a59020ea48e910ed2693778b1f758b57b97a47365
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC1155/extensions/ERC1155Burnable.sol	997	a8122e8e46870932b21294d5df9f013f6b1381fdad08ea7e7f48efe
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC1155/extensions/ERC1155Pausable.sol	1353	6bfd11fef86b179cc4369ebfc54926757d10820dd5552044215dc02
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC1155/extensions/ERC1155Supply.sol	3141	8222e2a24621bfd8dcae6893e5f8dc53560a625002eacb95c432416

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC1155/extensions/ERC1155URIStorage.sol	2090	52bcb7aa728be29ef2dd0b328f1300a3748221b5c234ba71f80f979
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC1155/extensions/IERC1155MetadataURI.sol	677	d5a148ccf8ac24f69f734cb2bcfba55ecc1d24209bf7aaa022cf3bd
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC1155/utils/ERC1155Holder.sol	1319	08dbc044feab0e187a81a52142f907be598ecca0d35311766a34634
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC1155/utils/ERC1155Utils.sol	3554	8d75a5dd3db8f1c85362ef688d6f3cf5b2892dc62424bfe35678a49
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/ERC20.sol	10798	9f906af4cba6e7e091dc12d45e6687e1239cf82d17678198424250f
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/IERC20.sol	2781	01b6f5c4fa45fd38822b286ecef6daf983d27306dd6362496fa71b3
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC1363.sol	5631	4ab0473a77a4bbcc4bbb8a22e2f2c56a451e85aa7014b7f4fb61e98
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC20Burnable.sol	1182	2e6108a11184dd0caab3f3ef31bd15fed1bc7e4c781a55bc867cced
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC20Capped.sol	1410	2403fec28c40f964320bfb4a025b12392ce240c732f648f9080e352
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC20FlashMint.sol	5772	50a9e14561603af062887bb3820c32cca62e9339042d480a8bed92b
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC20Pausable.sol	1261	12919f23b3b408e67b3b9c9543e37b7474e314d8f1c596472fd9201
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC20Permit.sol	2729	076f17ea572a2761ec40fd5d4e982ef13c3e8fbd1b667628c50bf6e
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC20Votes.sol	3606	f2a0c9b7b4b67cec3ae19dad94454da68da553512f22e4eaf39c464
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC20Wrapper.sol	3441	2a616f686774600c51ae2ed8a81735bc1e4171e3776897b97a2d0f1
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC4626.sol	12123	1411daee7cd45ad8b9eaccde2071ccfdf277b78f07e2591aca91c92

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/IERC20Metadata.sol	684	0b7132f17d14d1d84b41b0bb429be62dafdff00fd3470f68724d801
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/IERC20Permit.sol	3806	e3e2cd98b7a5b9cba47c4ccec3685fdaf838a00e5d6f188b289907f
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/draft-ERC20Bridgeable.sol	2039	6cc20d017e037dfbe92542dd0136c15ed1c19809591d3f34c1f73f9
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/draft-ERC20TemporaryApproval.sol	5125	3f14e8e359e07a1407659201abc760461fe7d2335bec5c3733e7e7d
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/utils/ERC1363Utils.sol	3297	17ed0dad7ec114eab7f188a8e5a410b37a43f556eb3893191f63da8
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC20/utils/SafeERC20.sol	10075	ac1fd9fa99b194a8db8dfa9ae8e3ff44feaa8f16668241fd2b66ae8
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC6909/draft-ERC6909.sol	8265	d9b2febf476fd57c79113c66a9150494ec367741e3ce2983f0d8868
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC6909/extensions/draft-ERC6909ContentURI.sol	1638	141d7020907d74d0f61fb8cd939f35e1899fdffe2b971c8c5448347
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC6909/extensions/draft-ERC6909Metadata.sol	2540	e0d0bdd8915804dcf091c7d182012b7a41b9451c8f0524855637f2d
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC6909/extensions/draft-ERC6909TokenSupply.sol	1258	ee998be397edc0f464cc05a7ed58e84889f23cab15e023681dc5b16
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC721/ERC721.sol	16102	330a87f2bf94083df8ddd341735d712866455042aaca58d33ee1799
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC721/IERC721.sol	4929	ff0eb9902bf0ac099205615fac90eacf34fae637571b05aab3ea35d
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC721/IERC721Receiver.sol	997	eafee3ffdc7cb2fba4bf6bd16fb28f8e5b4679742e81c2ad42a1b1d
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/ERC721Burnable.sol	880	7b212ebdf844128dd2b3f02f824d7e855983495a75eea9c23852301
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/ERC721Consecutive.sol	7404	1a3649f45ee87e2dad54e9c2e88e1df8f5da303b520f02d51a65785

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/ERC721Enumerable.sol	7236	2eda4a86ad7947336c407da89826eb604dea67f966dccbf1fb04dca
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/ERC721Pausable.sol	1328	d773f8c1ad695bad18631cec9f3ddfa337982a75562bb061f09f7ef
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/ERC721Royalty.sol	1270	8c9d88365d8432d66b13ce8e8b5c12a2cfffd1cebbe181ac9cfa419
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/ERC721URIStorage.sol	2101	3d2ebf2cf0338322d3558ba67a7eb05ae2883cbdbb55c206cb516f1
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/ERC721Votes.sol	1831	37fdb0786bdfedc9e89357a9e9388ee92445ef6e14573e97348d032
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/ERC721Wrapper.sol	4291	e646308e346689526041583bb2a426c5e95fa5bd9e77081fdc635b4
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/IERC721Enumerable.sol	1040	03c8c0b9ebbe6fe0a682332d9f980723996a1856ff0a767378eae95
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/IERC721Metadata.sol	792	33223782ea652dca413702ce92f9f59d91d758a035065b24bbedb7d
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC721/utils/ERC721Holder.sol	795	fa1e231eedfd128232d8f34e9599165fb302c9dee5e58ef009f3b99
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/ERC721/utils/ERC721Utils.sol	1922	f2041b1685dcf0cf6b968d9b8454e5a46068b1df5ab0e82ba0b269f
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/token/common/ERC2981.sol	5323	bac8f7ccae3c561a105a18cd1600ade43bb8856f9b7c9e0acc98d95
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Address.sol	5996	f1a9255dbc40cf9ae7c786abed3b022691a9d24bca0c7f05dc60e63
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Arrays.sol	20906	8320f75b46c18204dd6f2b3654058129625b849a95c3a55a44ae531
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Base64.sol	5183	b24abf66270126ee48e47646b1a2258b429aeb220b6ca828a1ee216
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Blockhash.sol	2217	f6a4fd70d66fb0539083befe9079fcd6ae33b275a75f979fc4b06f5

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Bytes.sol	4889	b8ecad25855c07fe0c65cffaf19c1517751b2837640f8a144ab26d5
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/CAIP10.sol	2377	5a1b57f39ae27e7da01e3c647964a38e516581b0505cf358c99aebe
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/CAIP2.sol	1919	cbf5e18e186a00400705880a4125d7e4534cdcefc484f96a33bd4b3
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Calldata.sol	697	f400ffb13072d2cbe1de51c78e4fc38d1c29e2b1d7cb0b53c2641be
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Comparators.sol	443	52fb1c8f57967d42a3214bde4a8a414ab25c2e3a844d00e171ca564
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Context.sol	963	847fda5460fee70f56f4200f59b82ae622bb03c79c77e67af010e31
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Create2.sol	4466	1ddfef650decd5f4e4bb57ac5f42add20bf90bc8ff716de27b8f226
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Errors.sol	896	0704b9d6c032cca8512a3bc3f30f49f86f1f03102d2896a3d23e794
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Multicall.sol	1711	596b2e857cd4c3214279ec2ef46e160779bd80a0283d9b18bbb680e
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Nonces.sol	1490	9b4cbb85d1f5053c744e83302538eb643a713ffd14bc37665b224f1
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/NoncesKeyed.sol	3264	ec835ccacbd09964b5ec4f46da1069e4bd6b943e5c7966ba6a4baad
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Packing.sol	64872	766829f6d9758a1318dd009143912d7aa6bbafa4f4b2a137c94d7f8
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Panic.sol	1973	270fc8401c1a13fae6a7a4a2dd6e381b95d658896701e51f0d3e268
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Pausable.sol	2706	2c26130748f06552c65ca74d89eaf78c9324a3cbac3ba6fdbadaa8b
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/ReentrancyGuard.sol	3384	32fbb1c908ec1b4de85cc1bb10091aebd5816ffe80dfdd5ca5e084f
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/ReentrancyGuardTransient.sol	2092	1797ed87f28982bf3226d3a77e9de83f49feb7a6f75e88d25540c57

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/ShortStrings.sol	4246	542d5dfe5e4375d83f2e3b5246b2d0d7507406a4b582844dbc73bd3
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/SlotDerivation.sol	5323	daddbbeb265c87b7172548d58baede96b167cd89c6c7884ff270567
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/StorageSlot.sol	4182	75704538dcb223239280c6726d9a31cf769a7816718517c997fc7d6
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/Strings.sol	19280	2db7d21151644c57f75ed3ab55e87f3cf7fbf587a65345650fd740e
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/TransientSlot.sol	5075	ea92f361d697ba8b1fbd322b4d84b989998862c21fbebfa4b45289d
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol	7815	0964ddd02f4a7a8cf9ba130e3aeead588ca3d425d5bc13cc4221358
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/EIP712.sol	6695	c20e0789a53610b2551058e0bd556dcd2caa20a7457348c3c73df03
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/Hashes.sol	1033	ecdbce11c5ecdf32b306e26b8ab1b878327c08154b4ccd04518b6b6
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/MerkleProof.sol	24336	a174525c74ab5d2f066206ec9cebb6b3c618384c53ec35ad224ac1f
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/MessageHashUtils.sol	4251	936a89f512d5da84b0896b66d2398f2bea9eefdf2afa788af5265fc
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/P256.sol	19229	0d7bb2f2b5e0ceb0e1a28523ee179c1aee5980cb793df739dd9ccf8
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/RSA.sol	8237	036c1fab2a132d7acb7fa0873812f2ad22c873d2efc91032b8ac7a1
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/SignatureChecker.sol	6048	df1954739f18679bae60450ccf2437a29a32a33e65756c1ec08e0f3
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/draft-ERC7739Utils.sol	9415	ab478dab9c400f333e1cfd202508b9318d6e61b32e8929d4f5e91dd
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/AbstractSigner.sol	987	1119a95e6a2b709a6961fc9d5aa0a3d43249857d2edd05a174e191c

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/MultiSignerERC7913.sol	9742	aae5e64818e6ddc07063735bf0a98b8cdc370f02597e5c38af3d020
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/MultiSignerERC7913Weighted.sol	9474	3ff83c3c739a4f42172e133783b3a0f3206b6183791af9123920e34
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/SignerECDSA.sol	1880	79348d2204c34623df89352128f66e0cada694cb9c0e263767081069
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/SignerERC7702.sol	858	0b51b0a3f797fd55a9f1815a669d097bf4d728354c5342a83fc936b5
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/SignerERC7913.sol	2155	de875f910e523a88cbb3f0851f6b1b958de52b52ae262cd74efc9d9
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/SignerP256.sol	2147	680777935eacce18916de879ce37d8c7592b35ada18ff701d94a094
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/SignerRSA.sol	2340	35d55e0adc031d49ac802949cf933f6cbef8e9a43ebb6770a49a3d9
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/draft-ERC7739.sol	4337	67bbe0cea35bf61fa4d567af0bace9c0930b516379e65fdb3623596
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/verifiers/ERC7913P256Verifier.sol	1124	e65abb03ddb8062b534a09da74bef0765d47acdc25b8f390e3e7b12
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/cryptography/verifiers/ERC7913RSAVerifier.sol	876	924f6e04a2e03c62ae9667b604d32ac382c1aa512b1619183af6705
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/introspection/ERC165.sol	879	61a2b12c96857aaa35f48aeda67a4281637a42494c0b3795be0ae97
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/introspection/ERC165Checker.sol	5054	4a258c80eb26f4e93b0d80e470ea690d485cf4c0bb35300a693eea2
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/introspection/IERC165.sol	871	9055c2994b37dea1a41b7b7926dcb510f05dbe2540b0aafc5fbee95
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/math/Math.sol	32145	92fee281fd46a1b058b190cf21d6b1a528f0433a907850ae1c9bcf3

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/math/SafeCast.sol	34943	9769274bf53f26a7c7896c526ea1980dc9bea5bf5c2a5fd04870008
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/math/SignedMath.sol	2613	1ed50b1056af886752f0fb48a0165d381e69bb4a4b18b893b066dc14
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/structs/BitMaps.sol	2020	12d7dd76e44e30d2d076df04f970a272969f30c2a2d240a89b6e2ca
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/structs/Checkpoints.sol	21428	d908ee19a12ef183693ba9635c4bd5ec902614c493fb7967898de280
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/structs/CircularBuffer.sol	5133	a1c6fdc6edc9a0e468f226c1365b6437d73eaedeb987d71d9ea386a
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/structs/DoubleEndedQueue.sol	5689	463c51e14acbb0b9afef3f1f6903203cce5798fb168742ccd7e049e0
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/structs/EnumerableMap.sol	49145	90bdfbadfbb806a36dbc2facad96c850beb857f39ad5f48830244c48
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/structs/EnumerableSet.sol	29625	53507e71995d0e76d29d6dd897d0bcc3f069fd81f03cb431d7342bd
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/structs/Heap.sol	10301	d9b945b169c77dd7d941a82e191edb709a31c0fb09e70252c32ec69
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/structs/MerkleTree.sol	12091	93a746720b7de637066af1abe005ab1dcd340912d7c855199702ee7
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/utils/types/Time.sol	5156	79534431c3934b23eafab9d02bda493cfc2ae383ba117a7c9698750
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/contracts/vendor/compound/ICompoundTimelock.sol	2357	b1062b283d59aea38dbecafabe94dedb7152b89ae001f85b35f86b38
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/docs/config.js	748	d5cdaf3c2d7b2724173f9664210cfae1aa4a700bf2a1f6a7b7820b74
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/docs/templates/helpers.js	1423	c54072a039eb8e30ebdfc050e2366c4fd2d33aaef32693e000b355c3
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/docs/templates/properties.js	2851	95274a10cfda2d35697e8ca57197757e9aa37e060db601bd8e1343b0

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/eslint.config.mjs	636	4df149bf8e150d940a7a487ea567cba6d827796250772a2a073b959
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/hardhat.config.js	3096	8e20b857a5f31aec1a213da42282f3fe0e3857dbf70b12a5a8cb6f8
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/hardhat/async-test-sanity.js	412	28d0b89767699dbf2d08c248727ba1ba99aed4ab723adeabdfb7da5
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/hardhat/common-contracts.js	2990	762655bfdad5aa237ca4617c4eb64d51d75a185b69df4c0e5171cba
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/hardhat/env-artifacts.js	1019	53209232db89939f0f8e047febfe15adfd52580c65594443e395423
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/hardhat/ignore-unreachable-warnings.js	2015	7d2b29651a623d2694aa22e8c185a9aae6a25c44023beb131bcb303
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/hardhat/remappings.js	508	8c937c074523720f867389503a24c6f1b24b729712995842fbb8fcc
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/hardhat/skip-foundry-tests.js	295	5e594373be07d38818abb95c62e159435c68e291aa230e7d95fc2e3
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/hardhat/task-test-get-files.js	1008	9851350b493983460df169f1c5dedac9c36930ee5bdbddaf977fb5f
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/lib/halmos-cheatcodes/src/SVM.sol	2788	db2c73220b9f83d170e7c0ef085da11b5109a90441bb27326496d8f
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/lib/halmos-cheatcodes/src/SymTest.sol	357	c5391a942e6ca4a31e1b48668ba80d12e5bc552453470fa153541ea
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/package-lock.json	377238	129093d95e30e0242d685b74b08b4d3789f1c2104758ed8eb53c635
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/package.json	3839	9623b9e2f7fec73a3b6b30fd1d843b17338be5107750e735a3dec37
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/checks/compare-layout.js	662	9db6f11c491c88e94eb7ca6700f50bfca1b6cd0ac5e1842ee797f89
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/checks/compareGasReports.js	7020	d6023ec6f9b7ca10b8fd11c515fe945523d611295ce9b56b9282ca4
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/checks/extract-layout.js	1122	2c94e7b5cb32f542c6e4a7dd137a0d567114fa604d447d800013bed

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/checks/inheritance-ordering.js	2002	85382c6cab943e24e5f17c7d883746204095e0073f719950bb78fff
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/checks/pragma-consistency.js	1883	e8c0f2fccfa56207d2846e7149a92ef63f334dd4d6dc22b587f8126
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/fetch-common-contracts.js	2048	2314e4bdabe3c33882c99f58323eb6e020674875c94c1b0daf7cb4e
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/gen-nav.js	1887	4230cfea9176a02373e09d7f0b560756edfd1f8ff3e1d30921efb22
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/format-lines.js	422	de8e8ae2542d2db777ff3441efdd1b3f549c5ba473f1071180451c5
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/helpers/sanitize.js	190	aa9db8aae572c1076e7d081114673a8fa56e8e228ff2f5e43d94544
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/run.js	2311	e746932be10a8bce1844601ab3cb2aa4fc8d02d1f89079bcbaa9d2e
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/Arrays.js	12531	47c29ad1985e8bab85f79f44837f298b80ca4875d8833123a67d89d
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/Arrays.opts.js	257	e462c6b4ad6c8bd988c50314ca276552ce4a571ba1436ac3163af06
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/Checkpoints.js	8340	288860f716d40a129b72a751b5c09993b40f9a0eac89165daa64888
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/Checkpoints.opts.js	411	47ac1d11a3e082049539e930b28e179cb665ce2c04e64bb434a606a
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/Checkpoints.t.js	4505	9fbcfcfd9e57555b08e31efa26f902bcb009cb0f5e630296bd9647d
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/Enumerable.opts.js	1465	d3e36cd8f6e76ac0b16bdb1e9930e52fb20cf05f779b54da327c768
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/EnumerableMap.js	15924	0e2b31077bca03ae8f8a21db4c7b1c7a97e53c651ac3fe64ee41df1
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/EnumerableSet.js	16051	ff8b239ab8bc6b6f510fed09b630cd4c5d77a1b027f7e1d7e765260

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/MerkleProof.js	7945	946bcad21a446465bb1626227d6b47ab08d51bc87fbdf8608fab698
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/MerkleProof.opts.js	307	b2dd437a8f00e7a973cceaf3d0faaa81f68c6a5e44cc9a48c6a9335
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/Packing.js	2746	8fc4918bb789bf933638263c872ce22fc9f68ce6ae4c36d9d1f398b
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/Packing.opts.js	80	97fc03e27e76666c1a564b07855bcf88924f65a7390ad27104ccd04
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/Packing.t.js	1611	77a0937ce37a119f2aaa8ff50b6ebb54862220e85563549ab09198b
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/SafeCast.js	3770	463e6a7cb3ab55f541fb3d4312343d558c2695fb5240d36ce3d3f2c
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/Slot.opts.js	632	f566f7646afaa4a9731d38f05870539a2d2bfea84721c320aa1f4dd
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/SlotDerivation.js	3583	baca46f06b85655fa97b8a176b5db314d559b291166d1ffbe7f33f6
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/SlotDerivation.t.js	3255	b7729e857cdae68348e875b14b64cbf71533dd7522f5c8553cee1c0
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/StorageSlot.js	2321	daf387a4f34b198c78fe70fbeee28d5921630c6243c84fef988d04e
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/StorageSlotMock.js	1622	17cfce493dcaaa2e85ca1b01eea5bdc0ff8e501a4281c58073dc485
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/TransientSlot.js	2166	5ed88997123a71cf2408eff1bd9ec56b05b9457d9ede375186d4dcd
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/TransientSlotMock.js	804	5b8320fc0615731a32816a51e6ed535c72eaf8911217a69c66e85c4
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/generate/templates/conversion.js	678	134a41ead4e00cff47ef7d0f99b68dea2e730f5a8cc02dbca22f760
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/helpers.js	155	58660f4bfe243e8720a6001ae4380d4329b2891b973bccc19a53d83

contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/release/format-changelog.js	1226	faff569d912d2a9823b70cb8476a5f8d276bfdb71fe97c5553db468
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/release/synchronize-versions.js	481	477c2b3c846a9faf36afa1a66d3ed8a7008a80aaec5a096ee7ed4d6
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/release/update-comment.js	1280	258bad59128bf2f39480fc719a0d8b4b5874d84a877ca00953854f6
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/release/workflow/github-release.js	1660	4b88436e2c81e284ee0875402f21f63bb693ae3da96eac6d18d6cfd
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/release/workflow/rerun.js	250	e6463d98a64df5794190341fe03aa3123dbac1d7ac46160b95bed3d
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/release/workflow/set-changesets-pr-title.js	768	05305204f28f947b74ffa055756958d8ed7589ef5ded1b7fe711d1e
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/release/workflow/state.js	3595	daef1ae719c801d6cd20f69326d426609b9c78707146abfb3f170c9
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/remove-ignored-artifacts.js	1318	d760c8c71b7a6936b34c663402ec735f254d157830c6f2df3c1497b
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/solhint-custom/index.js	2652	ec74c407ef34fcd219172a93948f1b1dd8e68b945883f188ed47887
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/solhint-custom/package.json	136	2440acd9a4aff80c411ae9e8eb96be37a45c9c3f9356a0ba8df6873
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/scripts/update-docs-branch.js	2095	e6e0877536359831c719b0c3fecd1a5eee8be527a06207bd1e31c43
contracts/lib/openzeppelin-contracts-upgradeable/lib/openzeppelin-contracts/solhint.config.js	695	4114184cd85c4d973d06e68746a2d8d7ba624cfebb28e4d26f80322
contracts/lib/openzeppelin-contracts-upgradeable/package-lock.json	377238	129093d95e30e0242d685b74b08b4d3789f1c2104758ed8eb53c635
contracts/lib/openzeppelin-contracts-upgradeable/package.json	3851	568595c035e51cad38f2a1a87384b05d1283c38be01e8c1964e25e1
contracts/lib/openzeppelin-contracts-upgradeable/scripts/checks/compare-layout.js	662	9db6f11c491c88e94eb7ca6700f50bfca1b6cd0ac5e1842ee797f89
contracts/lib/openzeppelin-contracts-upgradeable/scripts/checks/compareGasReports.js	7020	d6023ec6f9b7ca10b8fd11c515fe945523d611295ce9b56b9282ca4

contracts/lib/openzeppelin-contracts-upgradeable/scripts/checks/extract-layout.js	1122	2c94e7b5cb32f542c6e4a7dd137a0d567114fa604d447d800013bed
contracts/lib/openzeppelin-contracts-upgradeable/scripts/checks/inheritance-ordering.js	2002	85382c6cab943e24e5f17c7d883746204095e0073f719950bb78fff
contracts/lib/openzeppelin-contracts-upgradeable/scripts/checks/pragma-consistency.js	1883	e8c0f2fccfa56207d2846e7149a92ef63f334dd4d6dc22b587f8126
contracts/lib/openzeppelin-contracts-upgradeable/scripts/fetch-common-contracts.js	2048	2314e4bdabe3c33882c99f58323eb6e020674875c94c1b0daf7cb4e
contracts/lib/openzeppelin-contracts-upgradeable/scripts/gen-nav.js	1887	4230cfea9176a02373e09d7f0b560756edfd1f8ff3e1d30921efb22
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/format-lines.js	422	de8e8ae2542d2db777ff3441efdd1b3f549c5ba473f1071180451c5
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/helpers/sanitize.js	190	aa9db8aae572c1076e7d081114673a8fa56e8e228ff2f5e43d94544
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/run.js	2311	e746932be10a8bce1844601ab3cb2aa4fc8d02d1f89079bcbaa9d2e
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/Arrays.js	12531	47c29ad1985e8bab85f79f44837f298b80ca4875d8833123a67d89d
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/Arrays.opts.js	257	e462c6b4ad6c8bd988c50314ca276552ce4a571ba1436ac3163af06
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/Checkpoints.js	8340	288860f716d40a129b72a751b5c09993b40f9a0eac89165daa64888
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/Checkpoints.opts.js	411	47ac1d11a3e082049539e930b28e179cb665ce2c04e64bb434a606a
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/Checkpoints.t.js	4505	9fbcfcfd9e57555b08e31efa26f902bcb009cb0f5e630296bd9647d
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/Enumerable.opts.js	1465	d3e36cd8f6e76ac0b16bdb1e9930e52fb20cf05f779b54da327c768
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/EnumerableMap.js	15924	0e2b31077bca03ae8f8a21db4c7b1c7a97e53c651ac3fe64ee41df1
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/EnumerableSet.js	16051	ff8b239ab8bc6b6f510fed09b630cd4c5d77a1b027f7e1d7e765260
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/MerkleProof.js	7945	946bcad21a446465bb1626227d6b47ab08d51bc87fbdf8608fab698
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/MerkleProof.opts.js	307	b2dd437a8f00e7a973cceaf3d0faaa81f68c6a5e44cc9a48c6a9335
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/Packing.js	2746	8fc4918bb789bf933638263c872ce22fc9f68ce6ae4c36d9d1f398b
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/Packing.opts.js	80	97fc03e27e76666c1a564b07855bcf88924f65a7390ad27104ccd04

contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/Packing.t.js	1611	77a0937ce37a119f2aaa8ff50b6ebb54862220e85563549ab09198b
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/SafeCast.js	3770	463e6a7cb3ab55f541fb3d4312343d558c2695fb5240d36ce3d3f2c
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/Slot.opts.js	632	f566f7646afaa4a9731d38f05870539a2d2bfea84721c320aa1f4dd
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/SlotDerivation.js	3583	baca46f06b85655fa97b8a176b5db314d559b291166d1ffbe7f33f6
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/SlotDerivation.t.js	3255	b7729e857cdae68348e875b14b64cbf71533dd7522f5c8553cee1c0
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/StorageSlot.js	2321	daf387a4f34b198c78fe70fbeee28d5921630c6243c84fef988d04e
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/StorageSlotMock.js	1622	17cfce493dcaaa2e85ca1b01eea5bdc0ff8e501a4281c58073dc485
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/TransientSlot.js	2166	5ed88997123a71cf2408eff1bd9ec56b05b9457d9ede375186d4dcd
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/TransientSlotMock.js	804	5b8320fc0615731a32816a51e6ed535c72eaf8911217a69c66e85c4
contracts/lib/openzeppelin-contracts-upgradeable/scripts/generate/templates/conversion.js	678	134a41ead4e00cff47ef7d0f99b68dea2e730f5a8cc02dbca22f760
contracts/lib/openzeppelin-contracts-upgradeable/scripts/helpers.js	155	58660f4bfe243e8720a6001ae4380d4329b2891b973bccc19a53d83
contracts/lib/openzeppelin-contracts-upgradeable/scripts/release/format-changelog.js	1226	faff569d912d2a9823b70cb8476a5f8d276bfdb71fe97c5553db468
contracts/lib/openzeppelin-contracts-upgradeable/scripts/release/synchronize-versions.js	481	477c2b3c846a9faf36afa1a66d3ed8a7008a80aaec5a096ee7ed4d6
contracts/lib/openzeppelin-contracts-upgradeable/scripts/release/update-comment.js	1280	258bad59128bf2f39480fc719a0d8b4b5874d84a877ca00953854f6
contracts/lib/openzeppelin-contracts-upgradeable/scripts/release/workflow/github-release.js	1660	4b88436e2c81e284ee0875402f21f63bb693ae3da96eac6d18d6cfd
contracts/lib/openzeppelin-contracts-upgradeable/scripts/release/workflow/rerun.js	250	e6463d98a64df5794190341fe03aa3123dbac1d7ac46160b95bed3d
contracts/lib/openzeppelin-contracts-upgradeable/scripts/release/workflow/set-changesets-pr-title.js	768	05305204f28f947b74ffa055756958d8ed7589ef5ded1b7fe711d1e
contracts/lib/openzeppelin-contracts-upgradeable/scripts/release/workflow/state.js	3595	daef1ae719c801d6cd20f69326d426609b9c78707146abfb3f170c9
contracts/lib/openzeppelin-contracts-upgradeable/scripts/remove-ignored-artifacts.js	1318	d760c8c71b7a6936b34c663402ec735f254d157830c6f2df3c1497b
contracts/lib/openzeppelin-contracts-upgradeable/scripts/solhint-custom/index.js	2652	ec74c407ef34fcd219172a93948f1b1dd8e68b945883f188ed47887

contracts/lib/openzeppelin-contracts-upgradeable/scripts/solhint-custom/package.json	136	2440acd9a4aff80c411ae9e8eb96be37a45c9c3f9356a0ba8df6873
contracts/lib/openzeppelin-contracts-upgradeable/scripts/update-docs-branch.js	2095	e6e0877536359831c719b0c3fecd1a5eee8be527a06207bd1e31c43
contracts/lib/openzeppelin-contracts-upgradeable/solhint.config.js	695	4114184cd85c4d973d06e68746a2d8d7ba624cfebb28e4d26f80322
contracts/lib/openzeppelin-contracts/.mocharc.js	70	434e1df653523a6bce5e53a62690018b51039b10fab4a734a10948b
contracts/lib/openzeppelin-contracts/.solcover.js	448	9111d1d9d5d8651916cf6e1afb033eeefd3f1ffa2d353a13f443518
contracts/lib/openzeppelin-contracts/certora/harnesses/AccessControlDefaultAdminRulesHarness.sol	1454	e0ba6d8a937323046f2bbcc72ba70f7406276aa37b562e1a3620048
contracts/lib/openzeppelin-contracts/certora/harnesses/AccessControlHarness.sol	176	a49b1631dee3cd0b22358651751410bda67363f219d4c5dc5d9bcd1
contracts/lib/openzeppelin-contracts/certora/harnesses/AccessManagedHarness.sol	1636	e6d084707582b75bf29e170ec02da237fc21541e793a15b2b17482e
contracts/lib/openzeppelin-contracts/certora/harnesses/AccessManagerHarness.sol	4475	65fc78a99fd9cfc3daec97c3b5656338e526a7ec639aaa304b185af
contracts/lib/openzeppelin-contracts/certora/harnesses/DoubleEndedQueueHarness.sol	1399	7473e0ca273983325153604dde0906745542b4ce90bf94984a0c86e
contracts/lib/openzeppelin-contracts/certora/harnesses/ERC20FlashMintHarness.sol	1028	d14171faf0d2ccb9bf14fd9ad252c07e386689e69a39f0a65a7f5da
contracts/lib/openzeppelin-contracts/certora/harnesses/ERC20PermitHarness.sol	493	7f5eee48c453af458cec04df5678ee8618dd198d3ef399bd1e9efc5
contracts/lib/openzeppelin-contracts/certora/harnesses/ERC20WrapperHarness.sol	1121	05f6d555cceadef86ae7dde4757897a685ed5c156e6034c7e1a760a
contracts/lib/openzeppelin-contracts/certora/harnesses/ERC3156FlashBorrowerHarness.sol	405	68d31d5af5df023d29304b43e3720164b00d09c75240e9bad83995a
contracts/lib/openzeppelin-contracts/certora/harnesses/ERC721Harness.sol	891	69a5144e1ae8249774d795e69f815457f85d32b9aff3f3bcc8c1554
contracts/lib/openzeppelin-contracts/certora/harnesses/ERC721ReceiverHarness.sol	325	ba334a1b77d8b0c5bf566957f03fab538938318f059fc1277ecd36e
contracts/lib/openzeppelin-contracts/certora/harnesses/EnumerableMapHarness.sol	1488	9898955deb052f5c661ba6168e789f4f080f6a2a3411c7ad7412e76
contracts/lib/openzeppelin-contracts/certora/harnesses/EnumerableSetHarness.sol	890	dc5621c2e221d8bf0e5eb74c841e44ab3f7b7568388f758db919c36
contracts/lib/openzeppelin-contracts/certora/harnesses/InitializableHarness.sol	976	92af00cfefdefb5137d3fc9c0b615fd719a2ecab85832d28346b4d3
contracts/lib/openzeppelin-contracts/certora/harnesses/NoncesHarness.sol	378	112c07190fdc3275661c418dcc9597de383422aa31fe76f861248be
contracts/lib/openzeppelin-contracts/certora/harnesses/Ownable2StepHarness.sol	294	dd7ea7342e518bfdcbe4bf10980c1949e9ba67428f436b4d082b359

contracts/lib/openzeppelin-contracts/certora/harnesses/OwnableHarness.sol	265	b285dad9f93bed4facd29fab94daea314baf78eab611daa3133323a
contracts/lib/openzeppelin-contracts/certora/harnesses/PausableHarness.sol	387	d9c391078e05dceaa14d9731fb1542f5675b35670c556b705adb7c8
contracts/lib/openzeppelin-contracts/certora/harnesses/TimelockControllerHarness.sol	405	02d61705a0cce4d30449a7250da8e51e9eca48ce5598d962d9eadf6
contracts/lib/openzeppelin-contracts/certora/run.js	4317	650bcf5529ba30715fc0b215629a43439a2b4b3a977456b78ddc191
contracts/lib/openzeppelin-contracts/contracts/access/AccessControl.sol	7028	93c8ebfe7b36ef4d180f1660a5a7411256919577262097 20af476fd
contracts/lib/openzeppelin-contracts/contracts/access/IAccessControl.sol	3343	140304b7e99d517c57a13f391dfd3b550ca633a507f7b2af130f391
contracts/lib/openzeppelin-contracts/contracts/access/Ownable.sol	3102	38578bd71c0a909840e67202db527cc6b4e6b437e0f39f0c909da32
contracts/lib/openzeppelin-contracts/contracts/access/Ownable2Step.sol	2476	c75345d7b9feef17ae29f2a800ca2f65f8021cf80436a41d6ec00f5
contracts/lib/openzeppelin-contracts/contracts/access/extensions/AccessControlDefaultAdminRules.sol	14734	54c4ee01bdbd8b8aac987cfea5e7c02eb69b417f5d645354267b244
contracts/lib/openzeppelin-contracts/contracts/access/extensions/AccessControlEnumerable.sol	3402	774f3a571556b120e3a26d0bdf5e970c5a65f0a7ed18bc14e3be69a
contracts/lib/openzeppelin-contracts/contracts/access/extensions/IAccessControlDefaultAdminRules.sol	8171	c2788df258d4e1aca2ed49195754790ae2c35fae061af58565bf5e3
contracts/lib/openzeppelin-contracts/contracts/access/extensions/IAccessControlEnumerable.sol	1279	e0f69ae5acc588f27b8eba7f5a625f01409be5bb4a08e825774ccee
contracts/lib/openzeppelin-contracts/contracts/access/manager/AccessManaged.sol	4680	e5c9b2d8c676a69a12e054a0f5bdea62bd577bfc0831bd89ecc72e1
contracts/lib/openzeppelin-contracts/contracts/access/manager/AccessManager.sol	29876	72f06a0f03f2044d9b3bf036933aca7d589f0b8875a596206d50b69
contracts/lib/openzeppelin-contracts/contracts/access/manager/AuthorityUtils.sol	1376	d6d1da9c9278375b89aa4bae804f0ac36778badb8451b5fe77029a2
contracts/lib/openzeppelin-contracts/contracts/access/manager/IAccessManaged.sol	1111	2ef4db4c7c678372fe79af348ce3d60d4cf7136d195daf7a9bc2e43
contracts/lib/openzeppelin-contracts/contracts/access/manager/IAccessManager.sol	16314	5b98daaff196df5347fa5ddbdf48514007fa55b8e45f991da534585
contracts/lib/openzeppelin-contracts/contracts/access/manager/IAuthority.sol	483	68428ead009a99c5270e2a0a93e4d2756b6f332ee14027963cc7bb0
contracts/lib/openzeppelin-contracts/contracts/account/Account.sol	5163	fdd88fd15339ca8e7ff8284180140d4ad914feb61c2b5c042ebce0a
contracts/lib/openzeppelin-contracts/contracts/account/extensions/draft-AccountERC7579.sol	19114	e61c0fd469d053b57549d4bdc648e6432e40bebe6ba699167ebc973

contracts/lib/openzeppelin-contracts/contracts/account/extensions/draft-AccountERC7579Hooked.sol	4475	c59235653e2b81b4bc252e1b810b2716212a5b85b24138b9e881ea6
contracts/lib/openzeppelin-contracts/contracts/account/extensions/draft-ERC7821.sol	2698	1945b38fe739ad1e5464a6b68616fad7f2c63fb60b6ed06a81574b6
contracts/lib/openzeppelin-contracts/contracts/account/utils/EIP7702Utils.sol	721	19c252aea5567f6f066a2f9b4a7c10a9cf08c272fe39e09844a3660
contracts/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC4337Utils.sol	8398	38521b36a804735004ce7d6858e9fa50951a77724d3045a31f51910
contracts/lib/openzeppelin-contracts/contracts/account/utils/draft-ERC7579Utils.sol	11312	819137a7c5f0da2ee64e8e16abd77a4125847c9a5748edd2fa369f6
contracts/lib/openzeppelin-contracts/contracts/finance/VestingWallet.sol	6055	3537b7f8c5a780ec0fc9c75f63ddc7b9a677a30f8237789e8162ebf
contracts/lib/openzeppelin-contracts/contracts/finance/VestingWalletCliff.sol	2018	14981dea962b6c81e253295b702f2a461d7db60ae93715b293e9502
contracts/lib/openzeppelin-contracts/contracts/governance/Governor.sol	31931	a9fd3f809dcefe364c19b83b9ca8389a6e4d50f9d38bbb7ebef1072
contracts/lib/openzeppelin-contracts/contracts/governance/IGovernor.sol	16463	bc307a91cdad776b3219637649f6c89a9fae7099e9d0d2ab07c4fd3
contracts/lib/openzeppelin-contracts/contracts/governance/TimelockController.sol	16324	4a5946a9ea4abbaef29225dc42da6c50c66bb13cae1b59260722259
contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorCountingFractional.sol	9318	b4f872b9559fd97d98f868b1ea77ed18d9f27efb70e70686e8af581
contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorCountingOverridable.sol	8692	abe4d4e13e4e846084d99e90d7cb132e4fc4cf085e1225074f6c2ee
contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorCountingSimple.sol	3249	7b57caea0515e9121f2f2d64229b588609caab302eac01909c9d836
contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorNoncesKeyed.sol	3442	8a550740cad348a89ea76c81f8d3563ffdb0db21cb9b94ed9cb43ed
contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorPreventLateQuorum.sol	4120	d50cf5e957c3ea9ff12992261eedd7231add05fb446277c39e72cda
contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorProposalGuardian.sol	2273	c0a16f15c06bbbac8b3709e60b629cc8c20827b973e2cc11478f9ed
contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSequentialProposalId.sol	2823	8397bb8b90c99aa36fd1e5b1e993245db9d77fa24056a38cf642357
contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSettings.sol	3554	bff3837e8deb8411352a71e43a0706d266b3dce29ef6fb5ce810af8

contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorStorage.sol	4243	355a4f6a22c6483a63df4ec5e00f4fc64a8484535a043bcf1449169
contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorSuperQuorum.sol	3070	401eeeafc7f5548641136fc6560a72e4080fc3b7526771473b9d7bc
contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockAccess.sol	16249	a06730f1dc404e5c2b74ce2c60f7a37388e343f1a5ca29b817cdacf
contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockCompound.sol	6362	9b7a53edfc89246735314c4eea84110540732a1602ba7a62f9fa495
contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorTimelockControl.sol	6620	1ceb0775536e4fbfbe2338f38f2d6fd5d44b126e5cd264a2a3b4e9d
contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotes.sol	1992	7df898e3e295914434fde0a7dbc890a5539fe2b61f2cbce6540d690
contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesQuorumFraction.sol	4185	e7005800451ae5d1a678cb85acd4bfbc5ac80117b2dbdb49ebae98b
contracts/lib/openzeppelin-contracts/contracts/governance/extensions/GovernorVotesSuperQuorumFraction.sol	5625	fd6a895c1d26b9883e147121e6fad0e18d4558afc3fa24cb15bce64
contracts/lib/openzeppelin-contracts/contracts/governance/utils/IVotes.sol	2322	5876ce02c2f959a2b94a46735c8e4f9b717c645c9a47c72bc6e6ed1
contracts/lib/openzeppelin-contracts/contracts/governance/utils/Votes.sol	9711	feded838fdab8e52e1a3352f95dd7e63311b2c079f2293bda17633f
contracts/lib/openzeppelin-contracts/contracts/governance/utils/VotesExtended.sol	3728	956c2a0ca22d5c2bbe3c700c4e3c47be67bcbfb240967654c85744f
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC1155.sol	189	4a472558a19793bd1ec0f09fd47c84774dfefbd15f9ba79f627de73
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC1155MetadataURI.sol	233	bf8de067ebb7ec329c05c593f006ba6fbee9dbe9ed00dcd1e158526
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC1155Receiver.sol	213	825aed7cb9f35079f4b12ada24b5cfee5e6a0bdceab0ae6fc3794d6
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC1271.sol	656	2d17bba201aa2f9c55e317315b872272a60361848dfceb6b1e77081
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC1363.sol	4454	9c3a75a925a6dac9e88b03cddc58d42fe3131b0aaaad84408521f3f
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC1363Receiver.sol	1316	39ebf8824bcd8d671abcc1afdd971cf63204b81318b83e0e4bbddeb
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC1363Spender.sol	1119	594582216b8d5e0a5ff75d215f03ff8d1ad4fae69b069f04bec51ea
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC165.sol	193	dfb3f56fa928a7c6cae41a7ce2c86b9210fa18d33fa26389099d66a

contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC1820Implementer.sol	768	99459de7cc9e3387a01835c34a6b5122163f20dbf19d4b1c4eb3448
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC1820Registry.sol	4836	d5c38c7fc97a0fc4c62cbe1987146e5a5ddfe84288dc84626f8affa
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC1967.sol	637	c4e901318ab6d4963582c62c62ce988a34c68dbae71846b67decacd
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC20.sol	182	0158e2d3e0e28bedd99eec13dcf1a8aa3a70a5b7e4bb2ad709609c9
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC20Metadata.sol	216	0ef8d844d8e066abd5c0d8cc1c550c89f2628a4ea9c9bb16c7593d4
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC2309.sol	533	a497c9e32f721912861542cc2a1c9b7b1bf566c8dafe430af5c0616
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC2612.sol	245	7ebb71cd1a464a22ce7a4cdce29115d6569546fff8d5299ca3f2f7b
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC2981.sol	1114	ea5f52ef580b9cb7c97091fd8164ec3ff211f5bdec359d18191eac4
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC3156.sol	263	9fbd10c6970c328f348c9a86604bdad336743caeda2547f94b6a86d
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC3156FlashBorrower.sol	900	e4c78842b24628897539e92fbfbb9e82cda8e39c6e63edc0f43e5e1
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC3156FlashLender.sol	1453	129df4dbdb600b20465a5e8b76a1701bf64cc234e6dd902ec6136b4
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC4626.sol	12183	4e2150a099080629a8e9e30d346e79d92b6eedf8d6dfae3fdf1295f
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC4906.sol	841	2b14563481c355e6a84127f0ee528d3e3b80fcdd76ff840660784c2
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC5267.sol	740	f89772d2d4fafcbef8b73bb10ee9a3373edec2eedb2f1b302320915
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC5313.sol	435	9c99e3d0f9a47337d59b7e245819b07860e329789aafb5d1275ffd2
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC5805.sol	272	2b1e317a9ad0303948d00cfee78c42f99f7558c8d2002a7c63f04d2
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC6372.sol	520	b82e19cde1eaa6c179ac49ba38db89d8cf291522e3c7b90cc2dd327
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC721.sol	185	4e4412e3eb28d5d2055e7b0e8153a2ab4d143f94e125a03a1b3d655
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC721Enumerable.sol	226	3c85a8e58edeeb5efcec3d274a25324c025d276fbc8d3d27d5ef464
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC721Metadata.sol	220	a8c823f1cee29f7169ded5e4a9204805343fd73d2fdbacf62d2d227

contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC721Receiver.sol	209	875a2b4aaba1fe08770657ed44fcc4754a8f1ffed954eb06462dfe3
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC777.sol	6733	9ed85c11bc308eeb33977efc9068fa948f952252982628c3729dae3
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC777Recipient.sol	1269	48473616ccf361df33723be1aab911bb41ab481dd9f2c3b4d2323bb
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC777Sender.sol	1278	4ddc762186f658ea0a53496300c830c98f4a915c0a52afe5ddbc793
contracts/lib/openzeppelin-contracts/contracts/interfaces/IERC7913.sol	674	f66aad4249885b0f11369bfa825dded60aa4baa0d76d9becdac9daa
contracts/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC1822.sol	882	73653312bc2eda0ec231553a5295242eaef2d4f46a023532d45fe76
contracts/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC4337.sol	10190	070fae39f5842c67f2ee0401d01d74ccd41b10ec4c030857428d34e
contracts/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC6093.sol	6538	df936240c9a5d342582cbda70dd773b1c1d0e0dda3042b1c17b902e
contracts/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC6909.sol	4039	95e299fdf3e700f7ad36c244b8ffe95d07cbeb3a318dc350cb2ec07
contracts/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC7579.sol	8841	d42a07caf0e657d02a88afd53fe06a13a8bc01764b292bb3d7934fd
contracts/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC7674.sol	567	5e4dab6f3e075df9a22ca7d99c407e813b3444e69b23be10fcf92be
contracts/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC7802.sol	1486	49d031a22c5aae86e6f7543e8e4ece83ef07275f1afbae0b99a3fe5
contracts/lib/openzeppelin-contracts/contracts/interfaces/draft-IERC7821.sol	1758	809a971f062b7961518c410357d2cfa234ee3e07b08eca863c6aff5
contracts/lib/openzeppelin-contracts/contracts/metatx/ERC2771Context.sol	3579	4a20dbcf842652e57b1bd4c3c08d8cbc2c0e167e2a5e8437e0d898a
contracts/lib/openzeppelin-contracts/contracts/metatx/ERC2771Forwarder.sol	17002	823092e72404bac6612ee3dda312c79507d749ef265975fa84c686d
contracts/lib/openzeppelin-contracts/contracts/package.json	786	8c5b490fe133a9dda13c9a2915761c6b6c2e003a16c95863a800ce5
contracts/lib/openzeppelin-contracts/contracts/proxy/Clones.sol	14521	ae5a631c421d252eeeb842d83e581bcac1b3e88e24294df68ba0586
contracts/lib/openzeppelin-contracts/contracts/proxy/ERC1967/ERC1967Proxy.sol	1718	a06fe97082355529c1da9076ea6c4518875ca9fdb1a4fa1e194c35c
contracts/lib/openzeppelin-contracts/contracts/proxy/ERC1967/ERC1967Utils.sol	6238	58c5b19893bf3d7f9e1aa0edc5b908b915eb7af4381800deb425a6e
contracts/lib/openzeppelin-contracts/contracts/proxy/Proxy.sol	2670	5f5081378d4bc82b814b0d64990b7f7b9c69697593b73a3341f4a26

contracts/lib/openzeppelin-contracts/contracts/proxy/beacon/BeaconProxy.sol	2311	220626a31d80fb0d7a625f0c9ac741d40cd9f3c98ef74eb5b3dd43d
contracts/lib/openzeppelin-contracts/contracts/proxy/beacon/IBeacon.sol	473	c1c9726bbb0ec4c540c7c98059dcded69a8586b46c1680366723810
contracts/lib/openzeppelin-contracts/contracts/proxy/beacon/UpgradeableBeacon.sol	2219	26dda9d5bb961b3df26602d49f9f5a0647cfdb78b63cc253aed8527
contracts/lib/openzeppelin-contracts/contracts/proxy/transparent/ProxyAdmin.sol	1965	4da9a90b1c8b45fdab7d73d8cf81f51cf7d990657ee4e3f943492c3
contracts/lib/openzeppelin-contracts/contracts/proxy/transparent/TransparentUpgradeableProxy.sol	6546	8391555685fb89d92ad37327d21e098b242058c10ded6398447b4ee
contracts/lib/openzeppelin-contracts/contracts/proxy/utils/Initializable.sol	9223	f527a063813c2bf60c153fb08e38539578935402894fcc36fac4232
contracts/lib/openzeppelin-contracts/contracts/proxy/utils/UUPSUpgradeable.sol	6307	dc5dbb1675e3ca321b482eb6665b00a3b876f2119da1f0add8ef172
contracts/lib/openzeppelin-contracts/contracts/token/ERC1155/ERC1155.sol	14340	a8216d80b0c17dc7b516692dff1880b133829c9e3864872b1a0a380
contracts/lib/openzeppelin-contracts/contracts/token/ERC1155/IERC1155.sol	4750	62760e5ca354484140a29dddfa03b576c2e9e3adea6eb021eb28b394
contracts/lib/openzeppelin-contracts/contracts/token/ERC1155/IERC1155Receiver.sol	2599	3df310870e0187a59020ea48e910ed2693778b1f758b57b97a47365
contracts/lib/openzeppelin-contracts/contracts/token/ERC1155/extensions/ERC1155Burnable.sol	997	a8122e8e46870932b21294d5df9f013f6b1381fdad08ea7e7f48efe
contracts/lib/openzeppelin-contracts/contracts/token/ERC1155/extensions/ERC1155Pausable.sol	1353	6bfd11fef86b179cc4369ebfc54926757d10820dd5552044215dc02
contracts/lib/openzeppelin-contracts/contracts/token/ERC1155/extensions/ERC1155Supply.sol	3141	8222e2a24621bfd8dcae6893e5f8dc53560a625002eacb95c432416
contracts/lib/openzeppelin-contracts/contracts/token/ERC1155/extensions/ERC1155URIStorage.sol	2090	52bcb7aa728be29ef2dd0b328f1300a3748221b5c234ba71f80f979
contracts/lib/openzeppelin-contracts/contracts/token/ERC1155/extensions/IERC1155MetadataURI.sol	677	d5a148ccf8ac24f69f734cb2bcfba55ecc1d24209bf7aaa022cf3bd
contracts/lib/openzeppelin-contracts/contracts/token/ERC1155/utils/ERC1155Holder.sol	1319	08dbc044feab0e187a81a52142f907be598ecca0d35311766a34634
contracts/lib/openzeppelin-contracts/contracts/token/ERC1155/utils/ERC1155Utils.sol	3554	8d75a5dd3db8f1c85362ef688d6f3cf5b2892dc62424bfe35678a49
contracts/lib/openzeppelin-contracts/contracts/token/ERC20/ERC20.sol	10798	9f906af4cba6e7e091dc12d45e6687e1239cf82d17678198424250f
contracts/lib/openzeppelin-contracts/contracts/token/ERC20/IERC20.sol	2781	01b6f5c4fa45fd38822b286ecef6daf983d27306dd6362496fa71b3
contracts/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC1363.sol	5631	4ab0473a77a4bbcc4bbb8a22e2f2c56a451e85aa7014b7f4fb61e98

contracts/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC20Burnable.sol	1182	2e6108a11184dd0caab3f3ef31bd15fed1bc7e4c781a55bc867cced
contracts/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC20Capped.sol	1410	2403fec28c40f964320bfb4a025b12392ce240c732f648f9080e352
contracts/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC20FlashMint.sol	5772	50a9e14561603af062887bb3820c32cca62e9339042d480a8bed92b
contracts/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC20Pausable.sol	1261	12919f23b3b408e67b3b9c9543e37b7474e314d8f1c596472fd9201
contracts/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC20Permit.sol	2729	076f17ea572a2761ec40fd5d4e982ef13c3e8fbd1b667628c50bf6e
contracts/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC20Votes.sol	3606	f2a0c9b7b4b67cec3ae19dad94454da68da553512f22e4eaf39c464
contracts/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC20Wrapper.sol	3441	2a616f686774600c51ae2ed8a81735bc1e4171e3776897b97a2d0f1
contracts/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/ERC4626.sol	12123	1411daee7cd45ad8b9eaccde2071ccfdf277b78f07e2591aca91c92
contracts/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/IERC20Metadata.sol	684	0b7132f17d14d1d84b41b0bb429be62dafdff00fd3470f68724d801
contracts/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/IERC20Permit.sol	3806	e3e2cd98b7a5b9cba47c4ccec3685fdaf838a00e5d6f188b289907f
contracts/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/draft-ERC20Bridgeable.sol	2039	6cc20d017e037dfbe92542dd0136c15ed1c19809591d3f34c1f73f9
contracts/lib/openzeppelin-contracts/contracts/token/ERC20/extensions/draft-ERC20TemporaryApproval.sol	5125	3f14e8e359e07a1407659201abc760461fe7d2335bec5c3733e7e7d
contracts/lib/openzeppelin-contracts/contracts/token/ERC20/utils/ERC1363Utils.sol	3297	17ed0dad7ec114eab7f188a8e5a410b37a43f556eb3893191f63da8
contracts/lib/openzeppelin-contracts/contracts/token/ERC20/utils/SafeERC20.sol	10075	ac1fd9fa99b194a8db8dfa9ae8e3ff44feaa8f16668241fd2b66ae8
contracts/lib/openzeppelin-contracts/contracts/token/ERC6909/draft-ERC6909.sol	8265	d9b2febf476fd57c79113c66a9150494ec367741e3ce2983f0d8868
contracts/lib/openzeppelin-contracts/contracts/token/ERC6909/extensions/draft-ERC6909ContentURI.sol	1638	141d7020907d74d0f61fb8cd939f35e1899fdffe2b971c8c5448347
contracts/lib/openzeppelin-contracts/contracts/token/ERC6909/extensions/draft-ERC6909Metadata.sol	2540	e0d0bdd8915804dcf091c7d182012b7a41b9451c8f0524855637f2d
contracts/lib/openzeppelin-contracts/contracts/token/ERC6909/extensions/draft-ERC6909TokenSupply.sol	1258	ee998be397edc0f464cc05a7ed58e84889f23cab15e023681dc5b16
contracts/lib/openzeppelin-contracts/contracts/token/ERC721/ERC721.sol	16102	330a87f2bf94083df8ddd341735d712866455042aaca58d33ee1799

contracts/lib/openzeppelin-contracts/contracts/token/ERC721/IERC721.sol	4929	ff0eb9902bf0ac099205615fac90eacf34fae637571b05aab3ea35d
contracts/lib/openzeppelin-contracts/contracts/token/ERC721/IERC721Receiver.sol	997	eafee3ffdc7cb2fba4bf6bd16fb28f8e5b4679742e81c2ad42a1b1d
contracts/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/ERC721Burnable.sol	880	7b212ebdf844128dd2b3f02f824d7e855983495a75eea9c23852301
contracts/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/ERC721Consecutive.sol	7404	1a3649f45ee87e2dad54e9c2e88e1df8f5da303b520f02d51a65785
contracts/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/ERC721Enumerable.sol	7236	2eda4a86ad7947336c407da89826eb604dea67f966dccbf1fb04dca
contracts/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/ERC721Pausable.sol	1328	d773f8c1ad695bad18631cec9f3ddfa337982a75562bb061f09f7ef
contracts/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/ERC721Royalty.sol	1270	8c9d88365d8432d66b13ce8e8b5c12a2cfffd1cebbe181ac9cfa419
contracts/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/ERC721URIStorage.sol	2101	3d2ebf2cf0338322d3558ba67a7eb05ae2883cbdbb55c206cb516f1
contracts/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/ERC721Votes.sol	1831	37fdb0786bdfedc9e89357a9e9388ee92445ef6e14573e97348d032
contracts/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/ERC721Wrapper.sol	4291	e646308e346689526041583bb2a426c5e95fa5bd9e77081fdc635b4
contracts/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/IERC721Enumerable.sol	1040	03c8c0b9ebbe6fe0a682332d9f980723996a1856ff0a767378eae95
contracts/lib/openzeppelin-contracts/contracts/token/ERC721/extensions/IERC721Metadata.sol	792	33223782ea652dca413702ce92f9f59d91d758a035065b24bbedb7d
contracts/lib/openzeppelin-contracts/contracts/token/ERC721/utils/ERC721Holder.sol	795	fa1e231eedfd128232d8f34e9599165fb302c9dee5e58ef009f3b99
contracts/lib/openzeppelin-contracts/contracts/token/ERC721/utils/ERC721Utils.sol	1922	f2041b1685dcf0cf6b968d9b8454e5a46068b1df5ab0e82ba0b269f
contracts/lib/openzeppelin-contracts/contracts/token/common/ERC2981.sol	5323	bac8f7ccae3c561a105a18cd1600ade43bb8856f9b7c9e0acc98d95
contracts/lib/openzeppelin-contracts/contracts/utils/Address.sol	5996	f1a9255dbc40cf9ae7c786abed3b022691a9d24bca0c7f05dc60e63
contracts/lib/openzeppelin-contracts/contracts/utils/Arrays.sol	20906	8320f75b46c18204dd6f2b3654058129625b849a95c3a55a44ae531
contracts/lib/openzeppelin-contracts/contracts/utils/Base64.sol	5183	b24abf66270126ee48e47646b1a2258b429aeb220b6ca828a1ee216
contracts/lib/openzeppelin-contracts/contracts/utils/Blockhash.sol	2217	f6a4fd70d66fb0539083befe9079fcd6ae33b275a75f979fc4b06f5
contracts/lib/openzeppelin-contracts/contracts/utils/Bytes.sol	4889	b8ecad25855c07fe0c65cffaf19c1517751b2837640f8a144ab26d5

contracts/lib/openzeppelin-contracts/contracts/utils/CAIP10.sol	2377	5a1b57f39ae27e7da01e3c647964a38e516581b0505cf358c99aebe
contracts/lib/openzeppelin-contracts/contracts/utils/CAIP2.sol	1919	cbf5e18e186a00400705880a4125d7e4534cdcefc484f96a33bd4b3
contracts/lib/openzeppelin-contracts/contracts/utils/Calldata.sol	697	f400ffb13072d2cbe1de51c78e4fc38d1c29e2b1d7cb0b53c2641be
contracts/lib/openzeppelin-contracts/contracts/utils/Comparators.sol	443	52fb1c8f57967d42a3214bde4a8a414ab25c2e3a844d00e171ca564
contracts/lib/openzeppelin-contracts/contracts/utils/Context.sol	963	847fda5460fee70f56f4200f59b82ae622bb03c79c77e67af010e31
contracts/lib/openzeppelin-contracts/contracts/utils/Create2.sol	4466	1ddfef650decd5f4e4bb57ac5f42add20bf90bc8ff716de27b8f226
contracts/lib/openzeppelin-contracts/contracts/utils/Errors.sol	896	0704b9d6c032cca8512a3bc3f30f49f86f1f03102d2896a3d23e794
contracts/lib/openzeppelin-contracts/contracts/utils/Multicall.sol	1711	596b2e857cd4c3214279ec2ef46e160779bd80a0283d9b18bbb680e
contracts/lib/openzeppelin-contracts/contracts/utils/Nonces.sol	1490	9b4cbb85d1f5053c744e83302538eb643a713ffd14bc37665b224f1
contracts/lib/openzeppelin-contracts/contracts/utils/NoncesKeyed.sol	3264	ec835ccacbd09964b5ec4f46da1069e4bd6b943e5c7966ba6a4baad
contracts/lib/openzeppelin-contracts/contracts/utils/Packing.sol	64872	766829f6d9758a1318dd009143912d7aa6bbafa4f4b2a137c94d7f8
contracts/lib/openzeppelin-contracts/contracts/utils/Panic.sol	1973	270fc8401c1a13fae6a7a4a2dd6e381b95d658896701e51f0d3e268
contracts/lib/openzeppelin-contracts/contracts/utils/Pausable.sol	2706	2c26130748f06552c65ca74d89eaf78c9324a3cbac3ba6fdbadaa8b
contracts/lib/openzeppelin-contracts/contracts/utils/ReentrancyGuard.sol	3384	32fbb1c908ec1b4de85cc1bb10091aebd5816ffe80dfdd5ca5e084f
contracts/lib/openzeppelin-contracts/contracts/utils/ReentrancyGuardTransient.sol	2092	1797ed87f28982bf3226d3a77e9de83f49feb7a6f75e88d25540c57
contracts/lib/openzeppelin-contracts/contracts/utils/ShortStrings.sol	4246	542d5dfe5e4375d83f2e3b5246b2d0d7507406a4b582844dbc73bd3
contracts/lib/openzeppelin-contracts/contracts/utils/SlotDerivation.sol	5323	daddbbeb265c87b7172548d58baede96b167cd89c6c7884ff270567
contracts/lib/openzeppelin-contracts/contracts/utils/StorageSlot.sol	4182	75704538dcb223239280c6726d9a31cf769a7816718517c997fc7d6
contracts/lib/openzeppelin-contracts/contracts/utils/Strings.sol	19280	2db7d21151644c57f75ed3ab55e87f3cf7fbf587a65345650fd740e
contracts/lib/openzeppelin-contracts/contracts/utils/TransientSlot.sol	5075	ea92f361d697ba8b1fbd322b4d84b989998862c21fbebfa4b45289d

contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/ECDSA.sol	7815	0964ddd02f4a7a8cf9ba130e3aeead588ca3d425d5bc13cc4221358
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/EIP712.sol	6695	c20e0789a53610b2551058e0bd556dcd2caa20a7457348c3c73df03
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/Hashes.sol	1033	ecdbce11c5ecdf32b306e26b8ab1b878327c08154b4ccd04518b6b6
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/MerkleProof.sol	24336	a174525c74ab5d2f066206ec9cebb6b3c618384c53ec35ad224ac1f
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/MessageHashUtils.sol	4251	936a89f512d5da84b0896b66d2398f2bea9eefdf2afa788af5265fc
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/P256.sol	19229	0d7bb2f2b5e0ceb0e1a28523ee179c1aee5980cb793df739dd9ccf8
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/RSA.sol	8237	036c1fab2a132d7acb7fa0873812f2ad22c873d2efc91032b8ac7a1
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/SignatureChecker.sol	6048	df1954739f18679bae60450ccf2437a29a32a33e65756c1ec08e0f3
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/draft-ERC7739Utils.sol	9415	ab478dab9c400f333e1cfd202508b9318d6e61b32e8929d4f5e91dd
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/AbstractSigner.sol	987	1119a95e6a2b709a6961fc9d5aa0a3d43249857d2edd05a174e191c
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/MultiSignerERC7913.sol	9742	aae5e64818e6ddc07063735bf0a98b8cdc370f02597e5c38af3d020
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/MultiSignerERC7913Weighted.sol	9474	3ff83c3c739a4f42172e133783b3a0f3206b6183791af9123920e34
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/SignerECDSA.sol	1880	79348d2204c34623df89352128f66e0cada694cb9c0e263767081069
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/SignerERC7702.sol	858	0b51b0a3f797fd55a9f1815a669d097bf4d728354c5342a83fc936b
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/SignerERC7913.sol	2155	de875f910e523a88cbb3f0851f6b1b958de52b52ae262cd74efc9d9
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/SignerP256.sol	2147	680777935eacce18916de879ce37d8c7592b35ada18ff701d94a094
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/SignerRSA.sol	2340	35d55e0adc031d49ac802949cf933f6cbef8e9a43ebb6770a49a3d9
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/signers/draft-ERC7739.sol	4337	67bbe0cea35bf61fa4d567af0bace9c0930b516379e65fdb3623596
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/verifiers/ERC7913P256Verifier.sol	1124	e65abb03ddb8062b534a09da74bef0765d47acdc25b8f390e3e7b12
contracts/lib/openzeppelin-contracts/contracts/utils/cryptography/verifiers/ERC7913RSAVerifier.sol	876	924f6e04a2e03c62ae9667b604d32ac382c1aa512b1619183af6705

contracts/lib/openzeppelin-contracts/contracts/utils/introspection/ERC165.sol	879	61a2b12c96857aaa35f48aeda67a4281637a42494c0b3795be0ae97
contracts/lib/openzeppelin-contracts/contracts/utils/introspection/ERC165Checker.sol	5054	4a258c80eb26f4e93b0d80e470ea690d485cf4c0bb35300a693eea2
contracts/lib/openzeppelin-contracts/contracts/utils/introspection/IERC165.sol	871	9055c2994b37dea1a41b7b7926dcb510f05dbe2540b0aafc5fbee95
contracts/lib/openzeppelin-contracts/contracts/utils/math/Math.sol	32145	92fee281fd46a1b058b190cf21d6b1a528f0433a907850ae1c9bcf3
contracts/lib/openzeppelin-contracts/contracts/utils/math/SafeCast.sol	34943	9769274bf53f26a7c7896c526ea1980dc9bea5bf5c2a5fd04870008
contracts/lib/openzeppelin-contracts/contracts/utils/math/SignedMath.sol	2613	1ed50b1056af886752f0fb48a0165d381e69bb4a4b18b893b066dc14
contracts/lib/openzeppelin-contracts/contracts/utils/structs/BitMaps.sol	2020	12d7dd76e44e30d2d076df04f970a272969f30c2a2d240a89b6e2ca
contracts/lib/openzeppelin-contracts/contracts/utils/structs/Checkpoints.sol	21428	d908ee19a12ef183693ba9635c4bd5ec902614c493fb7967898de280
contracts/lib/openzeppelin-contracts/contracts/utils/structs/CircularBuffer.sol	5133	a1c6fdc6edc9a0e468f226c1365b6437d73eaedeb987d71d9ea386ab
contracts/lib/openzeppelin-contracts/contracts/utils/structs/DoubleEndedQueue.sol	5689	463c51e14acbb0b9afef3f1f6903203cce5798fb168742ccd7e049e0
contracts/lib/openzeppelin-contracts/contracts/utils/structs/EnumerableMap.sol	49145	90bdfbadfbb806a36dbc2facad96c850beb857f39ad5f48830244c48
contracts/lib/openzeppelin-contracts/contracts/utils/structs/EnumerableSet.sol	29625	53507e71995d0e76d29d6dd897d0bcc3f069fd81f03cb431d7342bd1
contracts/lib/openzeppelin-contracts/contracts/utils/structs/Heap.sol	10301	d9b945b169c77dd7d941a82e191edb709a31c0fb09e70252c32ec691
contracts/lib/openzeppelin-contracts/contracts/utils/structs/MerkleTree.sol	12091	93a746720b7de637066af1abe005ab1dcd340912d7c855199702ee70
contracts/lib/openzeppelin-contracts/contracts/utils/types/Time.sol	5156	79534431c3934b23eafab9d02bda493cfc2ae383ba117a7c9698750
contracts/lib/openzeppelin-contracts/contracts/vendor/compound/ICompoundTimelock.sol	2357	b1062b283d59aea38dbecafabe94dedb7152b89ae001f85b35f86b38
contracts/lib/openzeppelin-contracts/docs/config.js	748	d5cdaf3c2d7b2724173f9664210cfae1aa4a700bf2a1f6a7b7820b74
contracts/lib/openzeppelin-contracts/docs/templates/helpers.js	1423	c54072a039eb8e30ebdfc050e2366c4fd2d33aaef32693e000b355c2
contracts/lib/openzeppelin-contracts/docs/templates/properties.js	2851	95274a10cfda2d35697e8ca57197757e9aa37e060db601bd8e1343b0
contracts/lib/openzeppelin-contracts/eslint.config.mjs	636	4df149bf8e150d940a7a487ea567cba6d827796250772a2a073b9597
contracts/lib/openzeppelin-contracts/hardhat.config.js	3096	8e20b857a5f31aec1a213da42282f3fe0e3857dbf70b12a5a8cb6f87

contracts/lib/openzeppelin-contracts/hardhat/async-test-sanity.js	412	28d0b89767699dbf2d08c248727ba1ba99aed4ab723adeabdfb7da5
contracts/lib/openzeppelin-contracts/hardhat/common-contracts.js	2990	762655bfdad5aa237ca4617c4eb64d51d75a185b69df4c0e5171cba
contracts/lib/openzeppelin-contracts/hardhat/env-artifacts.js	1019	53209232db89939f0f8e047febfe15adfd52580c65594443e395423
contracts/lib/openzeppelin-contracts/hardhat/ignore-unreachable-warnings.js	2015	7d2b29651a623d2694aa22e8c185a9aae6a25c44023beb131bcb303
contracts/lib/openzeppelin-contracts/hardhat/remappings.js	508	8c937c074523720f867389503a24c6f1b24b729712995842fbb8fcc
contracts/lib/openzeppelin-contracts/hardhat/skip-foundry-tests.js	295	5e594373be07d38818abb95c62e159435c68e291aa230e7d95fc2e3
contracts/lib/openzeppelin-contracts/hardhat/task-test-get-files.js	1008	9851350b493983460df169f1c5dedac9c36930ee5bdbddaf977fb5f
contracts/lib/openzeppelin-contracts/lib/halmos-cheatcodes/src/SVM.sol	2788	db2c73220b9f83d170e7c0ef085da11b5109a90441bb27326496d8f
contracts/lib/openzeppelin-contracts/lib/halmos-cheatcodes/src/SymTest.sol	357	c5391a942e6ca4a31e1b48668ba80d12e5bc552453470fa153541ea
contracts/lib/openzeppelin-contracts/package-lock.json	377238	129093d95e30e0242d685b74b08b4d3789f1c2104758ed8eb53c635
contracts/lib/openzeppelin-contracts/package.json	3839	9623b9e2f7fec73a3b6b30fd1d843b17338be5107750e735a3dec37
contracts/lib/openzeppelin-contracts/scripts/checks/compare-layout.js	662	9db6f11c491c88e94eb7ca6700f50bfca1b6cd0ac5e1842ee797f89
contracts/lib/openzeppelin-contracts/scripts/checks/compareGasReports.js	7020	d6023ec6f9b7ca10b8fd11c515fe945523d611295ce9b56b9282ca4
contracts/lib/openzeppelin-contracts/scripts/checks/extract-layout.js	1122	2c94e7b5cb32f542c6e4a7dd137a0d567114fa604d447d800013bed
contracts/lib/openzeppelin-contracts/scripts/checks/inheritance-ordering.js	2002	85382c6cab943e24e5f17c7d883746204095e0073f719950bb78fff
contracts/lib/openzeppelin-contracts/scripts/checks/pragma-consistency.js	1883	e8c0f2fccfa56207d2846e7149a92ef63f334dd4d6dc22b587f8126
contracts/lib/openzeppelin-contracts/scripts/fetch-common-contracts.js	2048	2314e4bdabe3c33882c99f58323eb6e020674875c94c1b0daf7cb4e
contracts/lib/openzeppelin-contracts/scripts/gen-nav.js	1887	4230cfea9176a02373e09d7f0b560756edfd1f8ff3e1d30921efb22
contracts/lib/openzeppelin-contracts/scripts/generate/format-lines.js	422	de8e8ae2542d2db777ff3441efdd1b3f549c5ba473f1071180451c5
contracts/lib/openzeppelin-contracts/scripts/generate/helpers/sanitize.js	190	aa9db8aae572c1076e7d081114673a8fa56e8e228ff2f5e43d94544
contracts/lib/openzeppelin-contracts/scripts/generate/run.js	2311	e746932be10a8bce1844601ab3cb2aa4fc8d02d1f89079bcbaa9d2e

contracts/lib/openzeppelin-contracts/scripts/generate/templates/Arrays.js	12531	47c29ad1985e8bab85f79f44837f298b80ca4875d8833123a67d89d
contracts/lib/openzeppelin-contracts/scripts/generate/templates/Arrays.opts.js	257	e462c6b4ad6c8bd988c50314ca276552ce4a571ba1436ac3163af06
contracts/lib/openzeppelin-contracts/scripts/generate/templates/Checkpoints.js	8340	288860f716d40a129b72a751b5c09993b40f9a0eac89165daa64888
contracts/lib/openzeppelin-contracts/scripts/generate/templates/Checkpoints.opts.js	411	47ac1d11a3e082049539e930b28e179cb665ce2c04e64bb434a606a
contracts/lib/openzeppelin-contracts/scripts/generate/templates/Checkpoints.t.js	4505	9fbcfcfd9e57555b08e31efa26f902bcb009cb0f5e630296bd9647d
contracts/lib/openzeppelin-contracts/scripts/generate/templates/Enumerable.opts.js	1465	d3e36cd8f6e76ac0b16bdb1e9930e52fb20cf05f779b54da327c768
contracts/lib/openzeppelin-contracts/scripts/generate/templates/EnumerableMap.js	15924	0e2b31077bca03ae8f8a21db4c7b1c7a97e53c651ac3fe64ee41df1
contracts/lib/openzeppelin-contracts/scripts/generate/templates/EnumerableSet.js	16051	ff8b239ab8bc6b6f510fed09b630cd4c5d77a1b027f7e1d7e765260
contracts/lib/openzeppelin-contracts/scripts/generate/templates/MerkleProof.js	7945	946bcad21a446465bb1626227d6b47ab08d51bc87fbdf8608fab698
contracts/lib/openzeppelin-contracts/scripts/generate/templates/MerkleProof.opts.js	307	b2dd437a8f00e7a973cceaf3d0faaa81f68c6a5e44cc9a48c6a9335
contracts/lib/openzeppelin-contracts/scripts/generate/templates/Packing.js	2746	8fc4918bb789bf933638263c872ce22fc9f68ce6ae4c36d9d1f398b
contracts/lib/openzeppelin-contracts/scripts/generate/templates/Packing.opts.js	80	97fc03e27e76666c1a564b07855bcf88924f65a7390ad27104ccd04
contracts/lib/openzeppelin-contracts/scripts/generate/templates/Packing.t.js	1611	77a0937ce37a119f2aaa8ff50b6ebb54862220e85563549ab09198b
contracts/lib/openzeppelin-contracts/scripts/generate/templates/SafeCast.js	3770	463e6a7cb3ab55f541fb3d4312343d558c2695fb5240d36ce3d3f2c
contracts/lib/openzeppelin-contracts/scripts/generate/templates/Slot.opts.js	632	f566f7646afaa4a9731d38f05870539a2d2bfea84721c320aa1f4dd
contracts/lib/openzeppelin-contracts/scripts/generate/templates/SlotDerivation.js	3583	baca46f06b85655fa97b8a176b5db314d559b291166d1ffbe7f33f6
contracts/lib/openzeppelin-contracts/scripts/generate/templates/SlotDerivation.t.js	3255	b7729e857cdae68348e875b14b64cbf71533dd7522f5c8553cee1c0
contracts/lib/openzeppelin-contracts/scripts/generate/templates/StorageSlot.js	2321	daf387a4f34b198c78fe70fbeee28d5921630c6243c84fef988d04e
contracts/lib/openzeppelin-contracts/scripts/generate/templates/StorageSlotMock.js	1622	17cfce493dcaaa2e85ca1b01eea5bdc0ff8e501a4281c58073dc485
contracts/lib/openzeppelin-contracts/scripts/generate/templates/TransientSlot.js	2166	5ed88997123a71cf2408eff1bd9ec56b05b9457d9ede375186d4dcd

contracts/lib/openzeppelin-contracts/scripts/generate/templates/TransientSlotMock.js	804	5b8320fc0615731a32816a51e6ed535c72eaf8911217a69c66e85c4
contracts/lib/openzeppelin-contracts/scripts/generate/templates/conversion.js	678	134a41ead4e00cff47ef7d0f99b68dea2e730f5a8cc02dbca22f760
contracts/lib/openzeppelin-contracts/scripts/helpers.js	155	58660f4bfe243e8720a6001ae4380d4329b2891b973bccc19a53d83
contracts/lib/openzeppelin-contracts/scripts/release/format-changelog.js	1226	faff569d912d2a9823b70cb8476a5f8d276bfdb71fe97c5553db468
contracts/lib/openzeppelin-contracts/scripts/release/synchronize-versions.js	481	477c2b3c846a9faf36afa1a66d3ed8a7008a80aaec5a096ee7ed4d6
contracts/lib/openzeppelin-contracts/scripts/release/update-comment.js	1280	258bad59128bf2f39480fc719a0d8b4b5874d84a877ca00953854f6
contracts/lib/openzeppelin-contracts/scripts/release/workflow/github-release.js	1660	4b88436e2c81e284ee0875402f21f63bb693ae3da96eac6d18d6cfd
contracts/lib/openzeppelin-contracts/scripts/release/workflow/rerun.js	250	e6463d98a64df5794190341fe03aa3123dbac1d7ac46160b95bed3d
contracts/lib/openzeppelin-contracts/scripts/release/workflow/set-changesets-pr-title.js	768	05305204f28f947b74ffa055756958d8ed7589ef5ded1b7fe711d1e
contracts/lib/openzeppelin-contracts/scripts/release/workflow/state.js	3595	daef1ae719c801d6cd20f69326d426609b9c78707146abfb3f170c9
contracts/lib/openzeppelin-contracts/scripts/remove-ignored-artifacts.js	1318	d760c8c71b7a6936b34c663402ec735f254d157830c6f2df3c1497b
contracts/lib/openzeppelin-contracts/scripts/solhint-custom/index.js	2652	ec74c407ef34fcd219172a93948f1b1dd8e68b945883f188ed47887
contracts/lib/openzeppelin-contracts/scripts/solhint-custom/package.json	136	2440acd9a4aff80c411ae9e8eb96be37a45c9c3f9356a0ba8df6873
contracts/lib/openzeppelin-contracts/scripts/update-docs-branch.js	2095	e6e0877536359831c719b0c3fecd1a5eee8be527a06207bd1e31c43
contracts/lib/openzeppelin-contracts/solhint.config.js	695	4114184cd85c4d973d06e68746a2d8d7ba624cfebb28e4d26f80322